


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_05.00.30

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	55.00	3.84	74.0	19.00	Peak	338.00	150	Vertical	Pass
1**	5149.350	44.27	3.84	54.0	9.73	AV	338.00	150	Vertical	Pass
2	4897.800	55.44	3.51	74.0	18.56	Peak	355.00	150	Vertical	Pass
2**	4897.800	42.90	3.51	54.0	11.10	AV	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_04.58.33 .

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	65.61	3.82	74.0	8.39	Peak	157.00	150	Horizontal	Pass
1**	5150.000	50.52	3.82	54.0	3.48	AV	157.00	150	Horizontal	Pass
2	5149.350	65.33	3.84	74.0	8.67	Peak	167.00	150	Horizontal	Pass
2**	5149.350	49.81	3.84	54.0	4.19	AV	167.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_05.53.34

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.330	54.21	4.05	74.0	19.79	Peak	360.00	150	Vertical	Pass
1**	5350.330	43.70	4.05	54.0	10.30	AV	360.00	150	Vertical	Pass
2	5420.070	55.55	3.75	74.0	18.45	Peak	1.00	150	Vertical	Pass
2**	5420.070	43.48	3.75	54.0	10.52	AV	1.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_05.54.55

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.98	4.04	74.0	20.02	Peak	0.00	150	Horizontal	Pass
1**	5350.000	43.62	4.04	54.0	10.38	AV	0.00	150	Horizontal	Pass
2	5381.900	55.91	4.05	74.0	18.09	Peak	81.00	150	Horizontal	Pass
2**	5381.900	43.64	4.05	54.0	10.36	AV	81.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_08.38.57

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.70	3.82	74.0	16.30	Peak	324.00	150	Vertical	Pass
1**	5150.000	44.92	3.82	54.0	9.08	AV	324.00	150	Vertical	Pass
2	5147.400	56.22	3.89	74.0	17.78	Peak	191.00	150	Vertical	Pass
2**	5147.400	44.28	3.89	54.0	9.72	AV	191.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_08.42.51

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.04	3.82	74.0	9.96	Peak	139.00	150	Horizontal	Pass
1**	5150.000	49.57	3.82	54.0	4.43	AV	139.00	150	Horizontal	Pass
2	5149.350	65.08	3.84	74.0	8.92	Peak	156.00	150	Horizontal	Pass
2**	5149.350	49.18	3.84	54.0	4.82	AV	156.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_08.52.58

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.88	4.04	74.0	20.12	Peak	154.00	150	Vertical	Pass
1**	5350.000	43.64	4.04	54.0	10.36	AV	154.00	150	Vertical	Pass
2	5379.700	55.79	4.05	74.0	18.21	Peak	245.00	150	Vertical	Pass
2**	5379.700	43.70	4.05	54.0	10.30	AV	245.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_08.49.39

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.02	4.04	74.0	19.98	Peak	360.00	150	Horizontal	Pass
1**	5350.000	44.14	4.04	54.0	9.86	AV	360.00	150	Horizontal	Pass
2	5359.350	55.74	4.23	74.0	18.26	Peak	203.00	150	Horizontal	Pass
2**	5359.350	43.93	4.23	54.0	10.07	AV	203.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_09.06.43

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.14	3.82	74.0	14.86	Peak	330.96	150	Vertical	Pass
1**	5150.000	44.27	3.82	54.0	9.73	AV	330.96	150	Vertical	Pass
2	5149.350	56.82	3.84	74.0	17.18	Peak	118.00	150	Vertical	Pass
2**	5149.350	43.92	3.84	54.0	10.08	AV	118.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_09.04.06

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	66.63	3.82	74.0	7.37	Peak	171.00	150	Horizontal	Pass
1**	5150.000	49.31	3.82	54.0	4.69	AV	171.00	150	Horizontal	Pass
2	5148.700	66.98	3.85	74.0	7.02	Peak	159.00	150	Horizontal	Pass
2**	5148.700	47.97	3.85	54.0	6.03	AV	159.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_09.30.48

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.08	4.04	74.0	19.92	Peak	299.00	150	Vertical	Pass
1**	5350.000	43.62	4.04	54.0	10.38	AV	299.00	150	Vertical	Pass
2	5360.230	55.21	4.24	74.0	18.79	Peak	220.00	150	Vertical	Pass
2**	5360.230	43.72	4.24	54.0	10.28	AV	220.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_09.27.31

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.93	4.04	74.0	20.07	Peak	256.00	150	Horizontal	Pass
1**	5350.000	44.02	4.04	54.0	9.98	AV	256.00	150	Horizontal	Pass
2	5359.460	55.39	4.23	74.0	18.61	Peak	240.00	150	Horizontal	Pass
2**	5359.460	44.19	4.23	54.0	9.81	AV	240.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_09.56.24

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.89	3.82	74.0	19.11	Peak	16.00	150	Vertical	Pass
1**	5150.000	44.53	3.82	54.0	9.47	AV	16.00	150	Vertical	Pass
2	5149.350	56.32	3.84	74.0	17.68	Peak	12.00	150	Vertical	Pass
2**	5149.350	44.57	3.84	54.0	9.43	AV	12.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_09.53.49

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.94	3.82	74.0	12.06	Peak	150.00	150	Horizontal	Pass
1**	5150.000	49.76	3.82	54.0	4.24	AV	150.00	150	Horizontal	Pass
2	5137.000	63.62	4.01	74.0	10.38	Peak	153.00	150	Horizontal	Pass
2**	5137.000	49.59	4.01	54.0	4.41	AV	153.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_10.53.12

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.29	3.82	74.0	19.71	Peak	236.01	150	Vertical	Pass
1**	5150.000	43.66	3.82	54.0	10.34	AV	236.01	150	Vertical	Pass
2	5070.700	55.43	3.69	74.0	18.57	Peak	323.00	150	Vertical	Pass
2**	5070.700	43.60	3.69	54.0	10.40	AV	323.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_10.55.21

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.62	3.82	74.0	20.38	Peak	28.07	150	Horizontal	Pass
1**	5150.000	43.88	3.82	54.0	10.12	AV	28.07	150	Horizontal	Pass
2	5124.000	55.27	3.78	74.0	18.73	Peak	166.00	150	Horizontal	Pass
2**	5124.000	43.83	3.78	54.0	10.17	AV	166.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_10.58.42

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.91	4.04	74.0	16.09	Peak	177.00	150	Horizontal	Pass
1**	5350.000	46.77	4.04	54.0	7.23	AV	177.00	150	Horizontal	Pass
2	5352.090	60.13	4.08	74.0	13.87	Peak	116.00	150	Horizontal	Pass
2**	5352.090	45.85	4.08	54.0	8.15	AV	116.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_10.58.42

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.91	4.04	74.0	16.09	Peak	177.00	150	Horizontal	Pass
1**	5350.000	46.77	4.04	54.0	7.23	AV	177.00	150	Horizontal	Pass
2	5352.090	60.13	4.08	74.0	13.87	Peak	116.00	150	Horizontal	Pass
2**	5352.090	45.85	4.08	54.0	8.15	AV	116.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_11.12.01

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.39	3.82	74.0	20.61	Peak	0.05	150	Vertical	Pass
1**	5150.000	43.69	3.82	54.0	10.31	AV	0.05	150	Vertical	Pass
2	5101.900	55.50	3.84	74.0	18.50	Peak	266.00	150	Vertical	Pass
2**	5101.900	43.80	3.84	54.0	10.20	AV	266.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_11.17.03

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.72	3.82	74.0	20.28	Peak	39.00	150	Horizontal	Pass
1**	5150.000	44.17	3.82	54.0	9.83	AV	39.00	150	Horizontal	Pass
2	5092.150	55.76	3.58	74.0	18.24	Peak	160.00	150	Horizontal	Pass
2**	5092.150	44.03	3.58	54.0	9.97	AV	160.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_11.30.56

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.99	4.04	74.0	20.01	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.02	4.04	54.0	9.98	AV	360.00	150	Vertical	Pass
2	5351.100	56.19	4.06	74.0	17.81	Peak	125.00	150	Vertical	Pass
2**	5351.100	44.02	4.06	54.0	9.98	AV	125.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_11.27.23

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.81	4.04	74.0	11.19	Peak	200.00	150	Horizontal	Pass
1**	5350.000	49.35	4.04	54.0	4.65	AV	200.00	150	Horizontal	Pass
2	5350.330	62.81	4.05	74.0	11.19	Peak	194.00	150	Horizontal	Pass
2**	5350.330	49.05	4.05	54.0	4.95	AV	194.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_11.54.20

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.23	3.82	74.0	19.77	Peak	358.94	150	Vertical	Pass
1**	5150.000	43.72	3.82	54.0	10.28	AV	358.94	150	Vertical	Pass
2	4937.450	55.32	3.87	74.0	18.68	Peak	0.00	150	Vertical	Pass
2**	4937.450	43.37	3.87	54.0	10.63	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_11.55.57

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.95	3.82	74.0	20.05	Peak	301.97	150	Horizontal	Pass
1**	5150.000	44.14	3.82	54.0	9.86	AV	301.97	150	Horizontal	Pass
2	5105.150	54.76	3.74	74.0	19.24	Peak	187.00	150	Horizontal	Pass
2**	5105.150	43.90	3.74	54.0	10.10	AV	187.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_13.35.50

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.94	4.04	74.0	19.06	Peak	210.00	150	Vertical	Pass
1**	5350.000	44.20	4.04	54.0	9.80	AV	210.00	150	Vertical	Pass
2	5351.540	56.65	4.07	74.0	17.35	Peak	220.00	150	Vertical	Pass
2**	5351.540	44.05	4.07	54.0	9.95	AV	220.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_13.31.10

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.65	4.04	74.0	11.35	Peak	152.00	150	Horizontal	Pass
1**	5350.000	48.64	4.04	54.0	5.36	AV	152.00	150	Horizontal	Pass
2	5353.410	64.28	4.10	74.0	9.72	Peak	146.00	150	Horizontal	Pass
2**	5353.410	47.14	4.10	54.0	6.86	AV	146.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_13.47.54

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.53	4.04	74.0	19.47	Peak	189.00	150	Vertical	Pass
1**	5350.000	44.43	4.04	54.0	9.57	AV	189.00	150	Vertical	Pass
2	5353.960	57.03	4.11	74.0	16.97	Peak	310.00	150	Vertical	Pass
2**	5353.960	44.25	4.11	54.0	9.75	AV	310.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_13.45.13

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.22	4.04	74.0	11.78	Peak	194.00	150	Horizontal	Pass
1**	5350.000	48.51	4.04	54.0	5.49	AV	194.00	150	Horizontal	Pass
2	5351.210	65.77	4.06	74.0	8.23	Peak	157.00	150	Horizontal	Pass
2**	5351.210	48.82	4.06	54.0	5.18	AV	157.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_14.16.25

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.63	3.78	68.2	14.57	Peak	276.97	150	Vertical	Pass
1**	5460.000	43.52	3.78	54.0	10.48	AV	276.97	150	Vertical	Pass
2	5469.280	55.63	4.08	68.2	12.57	Peak	323.00	150	Vertical	Pass
2**	5469.280	43.89	4.08	--	-43.89	AV	323.00	150	Vertical	N/A

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_14.14.22

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.42	3.78	68.2	9.78	Peak	180.98	150	Horizontal	Pass
1**	5460.000	45.18	3.78	54.0	8.82	AV	180.98	150	Horizontal	Pass
2	5469.280	65.08	4.08	68.2	3.12	Peak	188.00	150	Horizontal	Pass
2**	5469.280	47.34	4.08	--	-47.34	AV	188.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_14.41.44

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.02	4.31	68.2	12.18	Peak	300.00	150	Vertical	Pass
2	5740.250	56.57	4.30	68.2	11.63	Peak	98.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_14.38.24

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11a CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.97	4.31	68.2	11.23	Peak	42.00	150	Horizontal	Pass
2	5729.000	59.66	4.19	68.2	8.54	Peak	176.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_15.32.29

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n20 CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.60	3.78	68.2	14.60	Peak	243.75	150	Vertical	Pass
1**	5460.000	43.41	3.78	54.0	10.59	AV	243.75	150	Vertical	Pass
2	5466.400	55.80	3.99	68.2	12.40	Peak	96.00	150	Vertical	Pass
2**	5466.400	43.63	3.99	--	-43.63	AV	96.00	150	Vertical	N/A

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_15.30.50

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n20 CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.58	3.78	68.2	11.62	Peak	191.67	150	Horizontal	Pass
1**	5460.000	45.03	3.78	54.0	8.97	AV	191.67	150	Horizontal	Pass
2	5469.640	65.12	4.08	68.2	3.08	Peak	188.00	150	Horizontal	Pass
2**	5469.640	46.71	4.08	--	-46.71	AV	188.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_15.42.58

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n20 CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.04	4.31	68.2	12.16	Peak	309.00	150	Vertical	Pass
2	5726.250	57.00	4.26	68.2	11.20	Peak	233.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_15.40.23

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n20 CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.71	4.31	68.2	6.49	Peak	177.00	150	Horizontal	Pass
2	5729.000	64.04	4.19	68.2	4.16	Peak	177.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_15.55.59

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.51	3.78	68.2	14.69	Peak	105.65	150	Vertical	Pass
1**	5460.000	43.32	3.78	54.0	10.68	AV	105.65	150	Vertical	Pass
2	5466.160	55.93	3.98	68.2	12.27	Peak	151.00	150	Vertical	Pass
2**	5466.160	43.69	3.98	--	-43.69	AV	151.00	150	Vertical	N/A

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_15.53.54

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n40 CH102 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.82	3.78	68.2	13.38	Peak	194.00	150	Horizontal	Pass
1**	5460.000	44.50	3.78	54.0	9.50	AV	194.00	150	Horizontal	Pass
2	5469.760	63.44	4.09	68.2	4.76	Peak	193.00	150	Horizontal	Pass
2**	5469.760	45.68	4.09	--	-45.68	AV	193.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_16.06.27

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n40 CH134 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.24	4.31	68.2	10.96	Peak	229.00	150	Vertical	Pass
2	5736.875	58.48	4.25	68.2	9.72	Peak	211.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_16.03.35

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n40 CH134 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.55	4.31	68.2	4.65	Peak	126.00	150	Horizontal	Pass
2	5727.500	65.07	4.23	68.2	3.13	Peak	191.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_16.51.34

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11ac80 CH106 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.59	3.78	68.2	14.61	Peak	111.09	150	Vertical	Pass
1**	5460.000	43.50	3.78	54.0	10.50	AV	111.09	150	Vertical	Pass
2	5468.320	55.67	4.05	68.2	12.53	Peak	360.00	150	Vertical	Pass
2**	5468.320	43.55	4.05	--	-43.55	AV	360.00	150	Vertical	N/A

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_16.53.10

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11ac80 CH106 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.98	3.78	68.2	14.22	Peak	129.20	150	Horizontal	Pass
1**	5460.000	44.13	3.78	54.0	9.87	AV	129.20	150	Horizontal	Pass
2	5466.760	56.86	4.00	68.2	11.34	Peak	175.00	150	Horizontal	Pass
2**	5466.760	44.72	4.00	--	-44.72	AV	175.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_16.59.45

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11ac80 CH122
		P=	17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.67	4.31	68.2	12.53	Peak	140.00	150	Vertical	Pass
2	5728.500	57.57	4.21	68.2	10.63	Peak	212.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_16.57.33

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11ac80 CH122 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.43	4.31	68.2	6.77	Peak	122.00	150	Horizontal	Pass
2	5730.500	62.00	4.17	68.2	6.20	Peak	186.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_17.08.01

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11a CH149 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.73	3.81	68.2	13.47	Peak	5.36	150	Vertical	Pass
2	5646.125	55.84	3.78	68.2	12.36	Peak	92.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_17.10.42

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11a CH149 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.19	3.81	68.2	13.01	Peak	192.89	150	Horizontal	Pass
2	5642.750	56.09	3.75	68.2	12.11	Peak	165.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_17.15.56

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11a CH165 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.58	6.44	68.2	12.62	Peak	336.60	150	Vertical	Pass
2	5929.500	57.24	6.33	68.2	10.96	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_17.14.26

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11a CH165 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.76	6.44	68.2	12.44	Peak	80.01	150	Horizontal	Pass
2	5929.800	57.34	6.32	68.2	10.86	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_19.32.42

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n20 CH149 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.72	3.81	68.2	13.48	Peak	359.95	150	Vertical	Pass
2	5630.250	56.14	3.68	68.2	12.06	Peak	314.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_19.38.28

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n20 CH149 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.03	3.81	68.2	13.17	Peak	56.02	150	Horizontal	Pass
2	5640.750	56.86	3.74	68.2	11.34	Peak	185.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_19.45.39

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n20 CH165 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.47	6.44	68.2	11.73	Peak	0.22	150	Vertical	Pass
2	5931.450	56.94	6.29	68.2	11.26	Peak	3.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_19.42.48

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n20 CH165 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.96	6.44	68.2	12.24	Peak	168.78	150	Horizontal	Pass
2	5926.050	57.70	6.42	68.2	10.50	Peak	169.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_18.31.41

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n40 CH151 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.46	3.81	68.2	13.74	Peak	4.36	150	Vertical	Pass
2	5642.625	56.16	3.74	68.2	12.04	Peak	4.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_18.34.05

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n40 CH151 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.21	3.81	68.2	12.99	Peak	180.81	150	Horizontal	Pass
2	5646.625	55.83	3.78	68.2	12.37	Peak	282.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_18.59.06

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n40 CH159 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.64	6.44	68.2	11.56	Peak	241.92	150	Vertical	Pass
2	5955.750	57.33	6.13	68.2	10.87	Peak	68.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_19.00.36

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n40 CH159 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.02	6.44	68.2	12.18	Peak	106.14	150	Horizontal	Pass
2	5931.150	57.66	6.29	68.2	10.54	Peak	35.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_19.07.55

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11ac80 CH155
		P=16.5	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.74	3.81	68.2	13.46	Peak	240.76	150	Vertical	Pass
2	5644.250	56.33	3.77	68.2	11.87	Peak	274.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_19.05.46

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11ac80 CH155
			P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.95	3.81	68.2	10.25	Peak	173.00	150	Horizontal	Pass
2	5646.625	57.63	3.78	68.2	10.57	Peak	197.00	150	Horizontal	Pass