

Spurious Emission at Antenna Terminals


**7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	694	0.1	RMS	693.9	-64.73	-13	51.73	Pass	6641
694	726	0.1	RMS	704.56	19.36	60	40.64	Pass	401
726	1000	0.1	RMS	976.7	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1409	-49.36	-13	36.36	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




**7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	694	0.1	RMS	693.8	-65.77	-13	52.77	Pass	6641
694	726	0.1	RMS	705.6	20.59	60	39.41	Pass	401
726	1000	0.1	RMS	854.4	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1411	-47.43	-13	34.43	Pass	2001
3000	10000	1	RMS	6798	-45.6	-13	32.6	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.24	-72.31	-13	59.31	Pass	2986
30	694	0.1	RMS	515.5	-66.14	-13	53.14	Pass	6641
694	726	0.1	RMS	705.6	19.58	60	40.42	Pass	401
726	1000	0.1	RMS	854.4	-65.17	-13	52.17	Pass	2741
1000	3000	1	RMS	1411	-48.48	-13	35.48	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	694	0.1	RMS	611.3	-66.08	-13	53.08	Pass	6641
694	726	0.1	RMS	706.56	20.33	60	39.67	Pass	401
726	1000	0.1	RMS	847.3	-65.2	-13	52.2	Pass	2741
1000	3000	1	RMS	1413	-48.24	-13	35.24	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001



7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.23	-72.36	-13	59.36	Pass	2986
30	694	0.1	RMS	693.8	-66.08	-13	53.08	Pass	6641
694	726	0.1	RMS	706.56	19.4	60	40.6	Pass	401
726	1000	0.1	RMS	955.9	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1413	-49.47	-13	36.47	Pass	2001
3000	10000	1	RMS	6798	-45.64	-13	32.64	Pass	7001



8. LTE_Band26(part22)


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	58.97	Pass	2986
30	814	0.1	RMS	813.5	-65.08	-13	52.08	Pass	7841
814	860	0.1	RMS	824.3	19.62	60	40.38	Pass	461
860	1000	0.1	RMS	860.4	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1648	-48.88	-13	35.88	Pass	2001
3000	10000	1	RMS	6805	-45.68	-13	32.68	Pass	7001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.18	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	813.5	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	824.3	18.7	60	41.3	Pass	461
860	1000	0.1	RMS	871.3	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1648	-49.87	-13	36.87	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	813	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	836.1	19.72	60	40.28	Pass	461
860	1000	0.1	RMS	866.2	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1672	-47.69	-13	34.69	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	813.4	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	836.1	18.73	60	41.27	Pass	461
860	1000	0.1	RMS	930.1	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1672	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	808.1	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	847.9	19.68	60	40.32	Pass	461
860	1000	0.1	RMS	982.2	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1695	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.24	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	808.1	-65.68	-13	52.68	Pass	7841
814	860	0.1	RMS	847.9	18.82	60	41.18	Pass	461
860	1000	0.1	RMS	944.9	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1695	-46.73	-13	33.73	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




**8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	813.5	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	824.2	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	928	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1648	-48.8	-13	35.8	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	814	0.1	RMS	813.1	-65.29	-13	52.29	Pass	7841
814	860	0.1	RMS	824.2	18.99	60	41.01	Pass	461
860	1000	0.1	RMS	930.1	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1648	-49.64	-13	36.64	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	811.1	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	835.2	19.96	60	40.04	Pass	461
860	1000	0.1	RMS	964.9	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1670	-46.57	-13	33.57	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.19	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	812.4	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	835.2	18.89	60	41.11	Pass	461
860	1000	0.1	RMS	946	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1670	-47.68	-13	34.68	Pass	2001
3000	10000	1	RMS	6799	-45.54	-13	32.54	Pass	7001




**8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	814	0.1	RMS	720.4	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	846.2	19.97	60	40.03	Pass	461
860	1000	0.1	RMS	873.1	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1692	-45.36	-13	32.36	Pass	2001
3000	10000	1	RMS	6797	-45.58	-13	32.58	Pass	7001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	812.6	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	846.2	19.04	60	40.96	Pass	461
860	1000	0.1	RMS	951.3	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1692	-46.35	-13	33.35	Pass	2001
3000	10000	1	RMS	6799	-45.57	-13	32.57	Pass	7001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.2	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	811.4	-64.91	-13	51.91	Pass	7841
814	860	0.1	RMS	824.3	19.78	60	40.22	Pass	461
860	1000	0.1	RMS	872.3	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-49.03	-13	36.03	Pass	2001
3000	10000	1	RMS	6802	-45.68	-13	32.68	Pass	7001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.7	-65.12	-13	52.12	Pass	7841
814	860	0.1	RMS	824.3	18.88	60	41.12	Pass	461
860	1000	0.1	RMS	872.1	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1648	-50.1	-13	37.1	Pass	2001
3000	10000	1	RMS	6799	-45.66	-13	32.66	Pass	7001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.26	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	813.9	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	834.3	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	980	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1668	-46.73	-13	33.73	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.16	-72.81	-13	59.81	Pass	2986
30	814	0.1	RMS	750.3	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	834.3	19.03	60	40.97	Pass	461
860	1000	0.1	RMS	977.9	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1668	-47.59	-13	34.59	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




**8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	787	-65.69	-13	52.69	Pass	7841
814	860	0.1	RMS	844.3	19.93	60	40.07	Pass	461
860	1000	0.1	RMS	959.9	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1688	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	6798	-45.7	-13	32.7	Pass	7001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	801.8	-65.7	-13	52.7	Pass	7841
814	860	0.1	RMS	844.3	19.06	60	40.94	Pass	461
860	1000	0.1	RMS	871.6	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1688	-47.9	-13	34.9	Pass	2001
3000	10000	1	RMS	6801	-45.72	-13	32.72	Pass	7001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	813.9	-62.63	-13	49.63	Pass	7841
814	860	0.1	RMS	824.6	20.38	60	39.62	Pass	461
860	1000	0.1	RMS	873.7	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1649	-49.47	-13	36.47	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	814	0.1	RMS	813.9	-62.8	-13	49.8	Pass	7841
814	860	0.1	RMS	824.6	19.6	60	40.4	Pass	461
860	1000	0.1	RMS	871	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1649	-50.15	-13	37.15	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	811.7	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	832.1	20.44	60	39.56	Pass	461
860	1000	0.1	RMS	919.9	-65.11	-13	52.11	Pass	1401
1000	3000	1	RMS	1664	-47.19	-13	34.19	Pass	2001
3000	10000	1	RMS	6805	-45.7	-13	32.7	Pass	7001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	813.8	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	832.1	19.37	60	40.63	Pass	461
860	1000	0.1	RMS	977.7	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1664	-48.41	-13	35.41	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.24	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	813.2	-65.19	-13	52.19	Pass	7841
814	860	0.1	RMS	839.6	20.36	60	39.64	Pass	461
860	1000	0.1	RMS	977.6	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1679	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	812.8	-65.42	-13	52.42	Pass	7841
814	860	0.1	RMS	839.6	19.49	60	40.51	Pass	461
860	1000	0.1	RMS	929.5	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1679	-49.79	-13	36.79	Pass	2001
3000	10000	1	RMS	6799	-45.7	-13	32.7	Pass	7001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-13	59.78	Pass	2986
30	814	0.1	RMS	811.6	-56.58	-13	43.58	Pass	7841
814	860	0.1	RMS	824.8	19.81	60	40.19	Pass	461
860	1000	0.1	RMS	981.5	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1649	-49.14	-13	36.14	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	811.5	-57.61	-13	44.61	Pass	7841
814	860	0.1	RMS	824.8	18.97	60	41.03	Pass	461
860	1000	0.1	RMS	981.3	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1649	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	58.88	Pass	2986
30	814	0.1	RMS	814	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	829.8	19.85	60	40.15	Pass	461
860	1000	0.1	RMS	938.9	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1659	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	814	-63.59	-13	50.59	Pass	7841
814	860	0.1	RMS	829.8	18.9	60	41.1	Pass	461
860	1000	0.1	RMS	875.1	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1659	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-13	59.23	Pass	2986
30	814	0.1	RMS	811.9	-64.93	-13	51.93	Pass	7841
814	860	0.1	RMS	834.8	19.71	60	40.29	Pass	461
860	1000	0.1	RMS	989	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1669	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	811.8	-64.82	-13	51.82	Pass	7841
814	860	0.1	RMS	834.8	18.93	60	41.07	Pass	461
860	1000	0.1	RMS	971.9	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1669	-47.76	-13	34.76	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001



9. LTE_Band38


**9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.58	-25	42.58	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-25	42.53	Pass	2986
30	1000	0.1	RMS	973.582	-61.5	-25	36.5	Pass	9701
1000	2560	1	RMS	2560	-48.22	-25	23.22	Pass	1561
2560	2630	1	RMS	2570.325	21.98	60	38.02	Pass	401
2630	3000	1	RMS	2905.65	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5140	-49.06	-25	24.06	Pass	9002
12000	26500	1	RMS	25901	-50.94	-25	25.94	Pass	14502




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.63	-25	42.63	Pass	401
0.15	30	0.01	RMS	0.18	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	898.733	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2559	-48.17	-25	23.17	Pass	1561
2560	2630	1	RMS	2570.15	21.7	60	38.3	Pass	401
2630	3000	1	RMS	2902.875	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5140	-46.87	-25	21.87	Pass	9002
12000	26500	1	RMS	25491	-50.98	-25	25.98	Pass	14502




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.46	-25	42.46	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	850.601	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2520	-48.3	-25	23.3	Pass	1561
2560	2630	1	RMS	2592.9	22.44	60	37.56	Pass	401
2630	3000	1	RMS	2900.1	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	5185	-48.04	-25	23.04	Pass	9002
12000	26500	1	RMS	25504	-50.97	-25	25.97	Pass	14502




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.19	-67.89	-25	42.89	Pass	2986
30	1000	0.1	RMS	968.579	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2531	-48.31	-25	23.31	Pass	1561
2560	2630	1	RMS	2592.725	21.2	60	38.8	Pass	401
2630	3000	1	RMS	2898.25	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5186	-44.2	-25	19.2	Pass	9002
12000	26500	1	RMS	25501	-50.97	-25	25.97	Pass	14502




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	0.15	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	900.034	-61.33	-25	36.33	Pass	9701
1000	2560	1	RMS	2539	-48.3	-25	23.3	Pass	1561
2560	2630	1	RMS	2615.3	22.67	60	37.33	Pass	401
2630	3000	1	RMS	2901.025	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	5230	-48.13	-25	23.13	Pass	9002
12000	26500	1	RMS	25501	-50.9	-25	25.9	Pass	14502




**9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.16	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	824.3	-61.5	-25	36.5	Pass	9701
1000	2560	1	RMS	2500	-48.33	-25	23.33	Pass	1561
2560	2630	1	RMS	2615.3	21.28	60	38.72	Pass	401
2630	3000	1	RMS	2901.025	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5231	-42.93	-25	17.93	Pass	9002
12000	26500	1	RMS	25501	-50.95	-25	25.95	Pass	14502




**9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	983.289	-61.35	-25	36.35	Pass	9701
1000	2560	1	RMS	2560	-47.11	-25	22.11	Pass	1561
2560	2630	1	RMS	2570.5	22.21	60	37.79	Pass	401
2630	3000	1	RMS	2899.175	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5141	-39.97	-25	14.97	Pass	9002
12000	26500	1	RMS	25502	-50.84	-25	25.84	Pass	14502




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.9	-25	42.9	Pass	401
0.15	30	0.01	RMS	0.19	-67.82	-25	42.82	Pass	2986
30	1000	0.1	RMS	983.789	-61.55	-25	36.55	Pass	9701
1000	2560	1	RMS	2560	-46.92	-25	21.92	Pass	1561
2560	2630	1	RMS	2570.5	21.34	60	38.66	Pass	401
2630	3000	1	RMS	2899.175	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	5141	-41.32	-25	16.32	Pass	9002
12000	26500	1	RMS	25519	-50.99	-25	25.99	Pass	14502




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.14	-25	43.14	Pass	401
0.15	30	0.01	RMS	0.17	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	897.532	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2530	-48.33	-25	23.33	Pass	1561
2560	2630	1	RMS	2590.625	22.63	60	37.37	Pass	401
2630	3000	1	RMS	2901.95	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5181	-46.82	-25	21.82	Pass	9002
12000	26500	1	RMS	25489	-50.99	-25	25.99	Pass	14502




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.66	-25	43.66	Pass	401
0.15	30	0.01	RMS	0.16	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	972.582	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2495	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2590.45	21.45	60	38.55	Pass	401
2630	3000	1	RMS	2900.1	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5182	-45	-25	20	Pass	9002
12000	26500	1	RMS	25908	-50.89	-25	25.89	Pass	14502




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.2	-25	43.2	Pass	401
0.15	30	0.01	RMS	0.15	-67.72	-25	42.72	Pass	2986
30	1000	0.1	RMS	879.22	-61.53	-25	36.53	Pass	9701
1000	2560	1	RMS	2511	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2610.575	22.62	60	37.38	Pass	401
2630	3000	1	RMS	2898.25	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5221	-39.35	-25	14.35	Pass	9002
12000	26500	1	RMS	25491	-50.97	-25	25.97	Pass	14502




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.1	-25	44.1	Pass	401
0.15	30	0.01	RMS	0.16	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	971.281	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2498	-48.34	-25	23.34	Pass	1561
2560	2630	1	RMS	2610.575	21.65	60	38.35	Pass	401
2630	3000	1	RMS	2901.025	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	5221	-39.64	-25	14.64	Pass	9002
12000	26500	1	RMS	25496	-50.97	-25	25.97	Pass	14502




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.19	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	967.278	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2560	-42.64	-25	17.64	Pass	1561
2560	2630	1	RMS	2570.85	22.41	60	37.59	Pass	401
2630	3000	1	RMS	2901.025	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5142	-42.82	-25	17.82	Pass	9002
12000	26500	1	RMS	25505	-50.98	-25	25.98	Pass	14502




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.18	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	859.207	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2560	-43.44	-25	18.44	Pass	1561
2560	2630	1	RMS	2570.675	21.59	60	38.41	Pass	401
2630	3000	1	RMS	2898.25	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5142	-41.24	-25	16.24	Pass	9002
12000	26500	1	RMS	25501	-51.05	-25	26.05	Pass	14502




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.67	-25	43.67	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	843.9	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2559	-48.31	-25	23.31	Pass	1561
2560	2630	1	RMS	2588.175	22.6	60	37.4	Pass	401
2630	3000	1	RMS	2899.175	-46.33	-25	21.33	Pass	401
3000	12000	1	RMS	5176	-49.49	-25	24.49	Pass	9002
12000	26500	1	RMS	25493	-50.94	-25	25.94	Pass	14502




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.73	-25	42.73	Pass	401
0.15	30	0.01	RMS	0.15	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	846.4	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2535	-48.32	-25	23.32	Pass	1561
2560	2630	1	RMS	2588.35	21.19	60	38.81	Pass	401
2630	3000	1	RMS	2898.25	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	5177	-41.84	-25	16.84	Pass	9002
12000	26500	1	RMS	25889	-50.87	-25	25.87	Pass	14502




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.83	-25	42.83	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-25	42.76	Pass	2986
30	1000	0.1	RMS	877.519	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2519	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2605.675	22.67	60	37.33	Pass	401
2630	3000	1	RMS	2631.85	-26.38	-25	1.38	Pass*	401
3000	12000	1	RMS	5212	-39.71	-25	14.71	Pass	9002
12000	26500	1	RMS	25499	-50.99	-25	25.99	Pass	14502




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.17	-25	43.17	Pass	401
0.15	30	0.01	RMS	0.15	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	996.398	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2500	-48.37	-25	23.37	Pass	1561
2560	2630	1	RMS	2605.675	21.05	60	38.95	Pass	401
2630	3000	1	RMS	2631.85	-27.86	-25	2.86	Pass*	401
3000	12000	1	RMS	5212	-39.72	-25	14.72	Pass	9002
12000	26500	1	RMS	25491	-50.91	-25	25.91	Pass	14502




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.05	-25	44.05	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	878.319	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2558	-43.73	-25	18.73	Pass	1561
2560	2630	1	RMS	2570.85	22.29	60	37.71	Pass	401
2630	3000	1	RMS	2899.175	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5142	-42.41	-25	17.41	Pass	9002
12000	26500	1	RMS	25511	-50.98	-25	25.98	Pass	14502




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.94	-25	43.94	Pass	401
0.15	30	0.01	RMS	0.15	-67.42	-25	42.42	Pass	2986
30	1000	0.1	RMS	970.08	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2560	-43.77	-25	18.77	Pass	1561
2560	2630	1	RMS	2571.025	21.02	60	38.98	Pass	401
2630	3000	1	RMS	2901.025	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	5142	-41.18	-25	16.18	Pass	9002
12000	26500	1	RMS	25509	-50.93	-25	25.93	Pass	14502




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	962.175	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2550	-47.89	-25	22.89	Pass	1561
2560	2630	1	RMS	2586.075	22.24	60	37.76	Pass	401
2630	3000	1	RMS	2904.725	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	5172	-48.43	-25	23.43	Pass	9002
12000	26500	1	RMS	25896	-50.91	-25	25.91	Pass	14502




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.69	-25	43.69	Pass	401
0.15	30	0.01	RMS	0.21	-67.62	-25	42.62	Pass	2986
30	1000	0.1	RMS	968.579	-61.5	-25	36.5	Pass	9701
1000	2560	1	RMS	2551	-48.16	-25	23.16	Pass	1561
2560	2630	1	RMS	2585.9	21.3	60	38.7	Pass	401
2630	3000	1	RMS	2899.175	-46.35	-25	21.35	Pass	401
3000	12000	1	RMS	5172	-41.46	-25	16.46	Pass	9002
12000	26500	1	RMS	25507	-51.05	-25	26.05	Pass	14502




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.85	-25	43.85	Pass	401
0.15	30	0.01	RMS	0.15	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	882.622	-61.49	-25	36.49	Pass	9701
1000	2560	1	RMS	2536	-48.33	-25	23.33	Pass	1561
2560	2630	1	RMS	2601.125	21.9	60	38.1	Pass	401
2630	3000	1	RMS	2636.475	-26.64	-25	1.64	Pass*	401
3000	12000	1	RMS	5202	-43.72	-25	18.72	Pass	9002
12000	26500	1	RMS	25493	-50.96	-25	25.96	Pass	14502



9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.17	-67.65	-25	42.65	Pass	2986
30	1000	0.1	RMS	984.49	-61.47	-25	36.47	Pass	9701
1000	2560	1	RMS	2517	-48.32	-25	23.32	Pass	1561
2560	2630	1	RMS	2601.125	21.39	60	38.61	Pass	401
2630	3000	1	RMS	2636.475	-28.07	-25	3.07	Pass*	401
3000	12000	1	RMS	5203	-43.89	-25	18.89	Pass	9002
12000	26500	1	RMS	25500	-50.93	-25	25.93	Pass	14502



10. LTE_Band41 full

10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.16	-67.43	-25	42.43	Pass	2986
30	1000	0.1	RMS	956.871	-61.47	-25	36.47	Pass	9701
1000	2486	1	RMS	2486	-48.17	-25	23.17	Pass	1487
2486	2700	1	RMS	2496.165	20.78	60	39.22	Pass	401
2700	3000	1	RMS	2903.25	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	4993	-46.56	-25	21.56	Pass	9002
12000	26500	1	RMS	25504	-50.29	-25	25.29	Pass	14502



10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.15	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	976.685	-61.42	-25	36.42	Pass	9701
1000	2486	1	RMS	2482	-48.37	-25	23.37	Pass	1487
2486	2700	1	RMS	2496.165	21.1	60	38.9	Pass	401
2700	3000	1	RMS	2901.75	-46.3	-25	21.3	Pass	401
3000	12000	1	RMS	4993	-43.48	-25	18.48	Pass	9002
12000	26500	1	RMS	25506	-50.3	-25	25.3	Pass	14502

