

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_01.20.08

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.81	-4.87	74.0	23.19	Peak	313.60	150	Vertical	Pass
1**	2390.000	40.53	-4.87	54.0	13.47	AV	313.60	150	Vertical	Pass
2	2371.300	52.36	-4.04	74.0	21.64	Peak	131.00	150	Vertical	Pass
2**	2371.300	40.95	-4.04	54.0	13.05	AV	131.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_01.17.08

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.58	-4.87	74.0	23.42	Peak	94.22	150	Horizontal	Pass
1**	2390.000	40.67	-4.87	54.0	13.33	AV	94.22	150	Horizontal	Pass
2	2368.900	52.67	-4.12	74.0	21.33	Peak	302.00	150	Horizontal	Pass
2**	2368.900	41.16	-4.12	54.0	12.84	AV	302.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_01.26.28

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=19.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.54	-3.78	74.0	22.46	Peak	359.00	150	Vertical	Pass
1**	2483.500	41.44	-3.78	54.0	12.56	AV	359.00	150	Vertical	Pass
2	2488.360	52.78	-3.81	74.0	21.22	Peak	6.00	150	Vertical	Pass
2**	2488.360	41.39	-3.81	54.0	12.61	AV	6.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_01.42.32

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH11 P=19.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A09

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.20	-3.78	74.0	21.80	Peak	69.00	150	Horizontal	Pass
1**	2483.500	42.12	-3.78	54.0	11.88	AV	69.00	150	Horizontal	Pass
2	2485.000	53.24	-3.78	74.0	20.76	Peak	47.00	150	Horizontal	Pass
2**	2485.000	41.92	-3.78	54.0	12.08	AV	47.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_02.17.50

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.03	-4.87	74.0	22.97	Peak	344.58	150	Vertical	Pass
1**	2390.000	40.49	-4.87	54.0	13.51	AV	344.58	150	Vertical	Pass
2	2370.300	52.45	-4.01	74.0	21.55	Peak	276.00	150	Vertical	Pass
2**	2370.300	41.04	-4.01	54.0	12.96	AV	276.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_02.20.15

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.24	-4.87	74.0	22.76	Peak	37.05	150	Horizontal	Pass
1**	2390.000	40.97	-4.87	54.0	13.03	AV	37.05	150	Horizontal	Pass
2	2369.400	52.41	-4.07	74.0	21.59	Peak	253.00	150	Horizontal	Pass
2**	2369.400	41.18	-4.07	54.0	12.82	AV	253.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_02:55:02

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.01	-3.78	74.0	16.99	Peak	0.00	150	Vertical	Pass
1**	2483.500	42.12	-3.78	54.0	11.88	AV	0.00	150	Vertical	Pass
2	2484.160	55.38	-3.78	74.0	18.62	Peak	0.00	150	Vertical	Pass
2**	2484.160	41.98	-3.78	54.0	12.02	AV	0.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_02.51.41

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.65	-3.78	74.0	14.35	Peak	127.00	150	Horizontal	Pass
1**	2483.500	46.99	-3.78	54.0	7.01	AV	127.00	150	Horizontal	Pass
2	2483.860	62.92	-3.78	74.0	11.08	Peak	115.00	150	Horizontal	Pass
2**	2483.860	47.09	-3.78	54.0	6.91	AV	115.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_03.21.06

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.38	-4.87	74.0	21.62	Peak	125.29	150	Vertical	Pass
1**	2390.000	40.71	-4.87	54.0	13.29	AV	125.29	150	Vertical	Pass
2	2368.300	52.03	-4.19	74.0	21.97	Peak	355.00	150	Vertical	Pass
2**	2368.300	41.34	-4.19	54.0	12.66	AV	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015
Test Time: 2026-04-11_03.22.41

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.19	-4.87	74.0	18.81	Peak	104.95	150	Horizontal	Pass
1**	2390.000	41.63	-4.87	54.0	12.37	AV	104.95	150	Horizontal	Pass
2	2369.900	52.54	-4.01	74.0	21.46	Peak	76.00	150	Horizontal	Pass
2**	2369.900	41.13	-4.01	54.0	12.87	AV	76.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_04.01.17

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.34	-3.78	74.0	19.66	Peak	129.00	150	Vertical	Pass
1**	2483.500	42.85	-3.78	54.0	11.15	AV	129.00	150	Vertical	Pass
2	2483.710	57.91	-3.78	74.0	16.09	Peak	359.00	150	Vertical	Pass
2**	2483.710	42.94	-3.78	54.0	11.06	AV	359.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_04.02.46

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=18


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A09

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.62	-3.78	74.0	12.38	Peak	117.00	150	Horizontal	Pass
1**	2483.500	48.38	-3.78	54.0	5.62	AV	117.00	150	Horizontal	Pass
2	2483.530	66.82	-3.78	74.0	7.18	Peak	80.00	150	Horizontal	Pass
2**	2483.530	48.27	-3.78	54.0	5.73	AV	80.00	150	Horizontal	Pass