


Spurious Emission at Antenna Terminals


7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	694	0.1	RMS	495.9	-66.02	-13	53.02	Pass	6641
694	726	0.1	RMS	711.36	20.16	60	39.84	Pass	401
726	1000	0.1	RMS	983.3	-64.93	-13	51.93	Pass	2741
1000	3000	1	RMS	1422	-45.39	-13	32.39	Pass	2001
3000	10000	1	RMS	6798	-45.64	-13	32.64	Pass	7001




**7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	694	0.1	RMS	496.4	-65.95	-13	52.95	Pass	6641
694	726	0.1	RMS	711.36	19.58	60	40.42	Pass	401
726	1000	0.1	RMS	870.2	-64.81	-13	51.81	Pass	2741
1000	3000	1	RMS	1422	-46.38	-13	33.38	Pass	2001
3000	10000	1	RMS	6798	-45.63	-13	32.63	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.18	-72.76	-13	59.76	Pass	2986
30	694	0.1	RMS	694	-54.79	-13	41.79	Pass	6641
694	726	0.1	RMS	704.56	20.32	60	39.68	Pass	401
726	1000	0.1	RMS	949.6	-64.94	-13	51.94	Pass	2741
1000	3000	1	RMS	1409	-49.57	-13	36.57	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	694	0.1	RMS	694	-55.61	-13	42.61	Pass	6641
694	726	0.1	RMS	704.56	19.45	60	40.55	Pass	401
726	1000	0.1	RMS	844.9	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1409	-50.28	-13	37.28	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.24	-72.84	-13	59.84	Pass	2986
30	694	0.1	RMS	694	-64.81	-13	51.81	Pass	6641
694	726	0.1	RMS	705.6	20.61	60	39.39	Pass	401
726	1000	0.1	RMS	866.8	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1411	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	59.31	Pass	2986
30	694	0.1	RMS	694	-65.07	-13	52.07	Pass	6641
694	726	0.1	RMS	705.6	19.58	60	40.42	Pass	401
726	1000	0.1	RMS	889.2	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	1411	-50.73	-13	37.73	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-13	59.64	Pass	2986
30	694	0.1	RMS	691.2	-65.53	-13	52.53	Pass	6641
694	726	0.1	RMS	706.56	20.37	60	39.63	Pass	401
726	1000	0.1	RMS	854.6	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1413	-49.78	-13	36.78	Pass	2001
3000	10000	1	RMS	6804	-45.63	-13	32.63	Pass	7001



7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	694	0.1	RMS	694	-65.77	-13	52.77	Pass	6641
694	726	0.1	RMS	706.56	19.39	60	40.61	Pass	401
726	1000	0.1	RMS	994.2	-65.17	-13	52.17	Pass	2741
1000	3000	1	RMS	1413	-50.55	-13	37.55	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



8. LTE_Band26(part22)


**8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	813.5	-64.18	-13	51.18	Pass	7841
814	860	0.1	RMS	824.2	19.65	60	40.35	Pass	461
860	1000	0.1	RMS	980.8	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1648	-46.56	-13	33.56	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.19	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	813.6	-64.45	-13	51.45	Pass	7841
814	860	0.1	RMS	824.3	18.55	60	41.45	Pass	461
860	1000	0.1	RMS	960.4	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	811	-65.45	-13	52.45	Pass	7841
814	860	0.1	RMS	836.1	19.64	60	40.36	Pass	461
860	1000	0.1	RMS	940.5	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1672	-48.28	-13	35.28	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	814	0.1	RMS	810	-65.29	-13	52.29	Pass	7841
814	860	0.1	RMS	836.1	18.6	60	41.4	Pass	461
860	1000	0.1	RMS	976.9	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1672	-49.32	-13	36.32	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	811.2	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	847.8	19.7	60	40.3	Pass	461
860	1000	0.1	RMS	990.1	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1695	-46.36	-13	33.36	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	813.2	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	847.9	18.63	60	41.37	Pass	461
860	1000	0.1	RMS	864.2	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1695	-47.65	-13	34.65	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




**8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	814	0.1	RMS	811.2	-62.93	-13	49.93	Pass	7841
814	860	0.1	RMS	824.2	19.68	60	40.32	Pass	461
860	1000	0.1	RMS	901	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-46.72	-13	33.72	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	811.3	-63.17	-13	50.17	Pass	7841
814	860	0.1	RMS	824.2	18.76	60	41.24	Pass	461
860	1000	0.1	RMS	952.1	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1648	-47.67	-13	34.67	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.37	-72.91	-13	59.91	Pass	2986
30	814	0.1	RMS	811.3	-65.4	-13	52.4	Pass	7841
814	860	0.1	RMS	835.2	19.65	60	40.35	Pass	461
860	1000	0.1	RMS	874.7	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1670	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	6803	-45.58	-13	32.58	Pass	7001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	814	0.1	RMS	813.7	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	835.2	18.69	60	41.31	Pass	461
860	1000	0.1	RMS	874.5	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1670	-49.4	-13	36.4	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




**8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	812.4	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	846.2	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	989.3	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1692	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.17	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	813.1	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	846.2	18.7	60	41.3	Pass	461
860	1000	0.1	RMS	896.9	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1692	-49.1	-13	36.1	Pass	2001
3000	10000	1	RMS	6801	-45.5	-13	32.5	Pass	7001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	58.72	Pass	2986
30	814	0.1	RMS	813.6	-64.55	-13	51.55	Pass	7841
814	860	0.1	RMS	824.3	20.03	60	39.97	Pass	461
860	1000	0.1	RMS	977.3	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-46.45	-13	33.45	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	813.9	-64.87	-13	51.87	Pass	7841
814	860	0.1	RMS	824.3	19	60	41	Pass	461
860	1000	0.1	RMS	975.5	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1648	-47.72	-13	34.72	Pass	2001
3000	10000	1	RMS	6802	-45.66	-13	32.66	Pass	7001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.19	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	810.2	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	834.3	20.05	60	39.95	Pass	461
860	1000	0.1	RMS	996.3	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1668	-48.01	-13	35.01	Pass	2001
3000	10000	1	RMS	6799	-45.71	-13	32.71	Pass	7001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	813.8	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	834.3	19.19	60	40.81	Pass	461
860	1000	0.1	RMS	911.9	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1668	-49.15	-13	36.15	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	814	0.1	RMS	810.8	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	844.3	20.05	60	39.95	Pass	461
860	1000	0.1	RMS	992.6	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1688	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	812.4	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	844.3	19.32	60	40.68	Pass	461
860	1000	0.1	RMS	950.5	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1688	-48.22	-13	35.22	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	814	-50.82	-13	37.82	Pass	7841
814	860	0.1	RMS	824.6	20.51	60	39.49	Pass	461
860	1000	0.1	RMS	874.1	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1649	-46.49	-13	33.49	Pass	2001
3000	10000	1	RMS	6809	-45.69	-13	32.69	Pass	7001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	814	-51.64	-13	38.64	Pass	7841
814	860	0.1	RMS	824.6	19.62	60	40.38	Pass	461
860	1000	0.1	RMS	860.2	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1649	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	6802	-45.68	-13	32.68	Pass	7001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	59.01	Pass	2986
30	814	0.1	RMS	810.3	-65.22	-13	52.22	Pass	7841
814	860	0.1	RMS	832.1	20.55	60	39.45	Pass	461
860	1000	0.1	RMS	979.2	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1664	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	813.2	-65.47	-13	52.47	Pass	7841
814	860	0.1	RMS	832.1	19.42	60	40.58	Pass	461
860	1000	0.1	RMS	980.9	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1664	-49.6	-13	36.6	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	813	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	839.6	20.45	60	39.55	Pass	461
860	1000	0.1	RMS	998.8	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1679	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	814	0.1	RMS	808.3	-65.61	-13	52.61	Pass	7841
814	860	0.1	RMS	839.6	19.56	60	40.44	Pass	461
860	1000	0.1	RMS	957.7	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1679	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	814	0.1	RMS	811.5	-50.24	-13	37.24	Pass	7841
814	860	0.1	RMS	824.8	20.02	60	39.98	Pass	461
860	1000	0.1	RMS	973.5	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1649	-46.13	-13	33.13	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.21	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	811.4	-50.67	-13	37.67	Pass	7841
814	860	0.1	RMS	824.8	19.06	60	40.94	Pass	461
860	1000	0.1	RMS	973.9	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1649	-47.03	-13	34.03	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	814	-58.87	-13	45.87	Pass	7841
814	860	0.1	RMS	829.8	19.97	60	40.03	Pass	461
860	1000	0.1	RMS	863	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1659	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.17	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	813.7	-58.74	-13	45.74	Pass	7841
814	860	0.1	RMS	829.8	18.86	60	41.14	Pass	461
860	1000	0.1	RMS	955.6	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1659	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6798	-45.64	-13	32.64	Pass	7001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	811.8	-55.08	-13	42.08	Pass	7841
814	860	0.1	RMS	834.8	19.89	60	40.11	Pass	461
860	1000	0.1	RMS	976	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1669	-48.12	-13	35.12	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001



8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	811.8	-55.87	-13	42.87	Pass	7841
814	860	0.1	RMS	834.8	18.99	60	41.01	Pass	461
860	1000	0.1	RMS	969	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1669	-48.99	-13	35.99	Pass	2001
3000	10000	1	RMS	6798	-45.59	-13	32.59	Pass	7001



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.83	-13	52.83	Pass	401
0.15	30	0.01	Peak	0.21	-64.44	-13	51.44	Pass	2986
30	809	0.1	Peak	808.9	-52.85	-13	39.85	Pass	7791
809	829	0.1	Peak	814.25	25.13	60	34.87	Pass	401
829	1000	0.1	Peak	881.1	-54.05	-13	41.05	Pass	1711
1000	3000	1	Peak	1629	-36.93	-13	23.93	Pass	2001
3000	10000	1	Peak	6774	-33.13	-13	20.13	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.61	-13	53.61	Pass	401
0.15	30	0.01	Peak	0.16	-63.62	-13	50.62	Pass	2986
30	809	0.1	Peak	808.9	-51.7	-13	38.7	Pass	7791
809	829	0.1	Peak	814.25	25.68	60	34.32	Pass	401
829	1000	0.1	Peak	835.4	-54.37	-13	41.37	Pass	1711
1000	3000	1	Peak	1628	-37.87	-13	24.87	Pass	2001
3000	10000	1	Peak	6924	-33.5	-13	20.5	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.44	-13	52.44	Pass	401
0.15	30	0.01	Peak	0.15	-63.05	-13	50.05	Pass	2986
30	809	0.1	Peak	801.8	-55.14	-13	42.14	Pass	7791
809	829	0.1	Peak	818.55	25.35	60	34.65	Pass	401
829	1000	0.1	Peak	829	-52.82	-13	39.82	Pass	1711
1000	3000	1	Peak	1637	-37.6	-13	24.6	Pass	2001
3000	10000	1	Peak	7645	-33.35	-13	20.35	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.69	-13	53.69	Pass	401
0.15	30	0.01	Peak	0.79	-65.17	-13	52.17	Pass	2986
30	809	0.1	Peak	523.2	-54.84	-13	41.84	Pass	7791
809	829	0.1	Peak	818.6	25.13	60	34.87	Pass	401
829	1000	0.1	Peak	831.1	-53.97	-13	40.97	Pass	1711
1000	3000	1	Peak	1637	-37.87	-13	24.87	Pass	2001
3000	10000	1	Peak	7040	-34.21	-13	21.21	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.49	-13	50.49	Pass	401
0.15	30	0.01	Peak	0.15	-63.59	-13	50.59	Pass	2986
30	809	0.1	Peak	432.3	-54.76	-13	41.76	Pass	7791
809	829	0.1	Peak	822.9	25.14	60	34.86	Pass	401
829	1000	0.1	Peak	830.8	-49.73	-13	36.73	Pass	1711
1000	3000	1	Peak	1646	-37.14	-13	24.14	Pass	2001
3000	10000	1	Peak	6825	-33.67	-13	20.67	Pass	7001




**1.6 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.28	-13	52.28	Pass	401
0.15	30	0.01	Peak	0.2	-64.24	-13	51.24	Pass	2986
30	809	0.1	Peak	713	-53.76	-13	40.76	Pass	7791
809	829	0.1	Peak	822.85	25.34	60	34.66	Pass	401
829	1000	0.1	Peak	829.4	-50.56	-13	37.56	Pass	1711
1000	3000	1	Peak	1646	-37.68	-13	24.68	Pass	2001
3000	10000	1	Peak	6966	-33.54	-13	20.54	Pass	7001




**1.7 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.71	-13	52.71	Pass	401
0.15	30	0.01	Peak	0.19	-64.93	-13	51.93	Pass	2986
30	809	0.1	Peak	808.9	-45.08	-13	32.08	Pass	7791
809	829	0.1	Peak	814.3	24.92	60	35.08	Pass	401
829	1000	0.1	Peak	829.6	-53.29	-13	40.29	Pass	1711
1000	3000	1	Peak	1628	-36.7	-13	23.7	Pass	2001
3000	10000	1	Peak	6876	-33.6	-13	20.6	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.92	-13	52.92	Pass	401
0.15	30	0.01	Peak	0.2	-63.44	-13	50.44	Pass	2986
30	809	0.1	Peak	809	-44.1	-13	31.1	Pass	7791
809	829	0.1	Peak	814.2	25.35	60	34.65	Pass	401
829	1000	0.1	Peak	928.9	-54.8	-13	41.8	Pass	1711
1000	3000	1	Peak	1628	-37.92	-13	24.92	Pass	2001
3000	10000	1	Peak	7267	-33.85	-13	20.85	Pass	7001




**1.9 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.42	-13	52.42	Pass	401
0.15	30	0.01	Peak	0.16	-63.3	-13	50.3	Pass	2986
30	809	0.1	Peak	727.7	-54.58	-13	41.58	Pass	7791
809	829	0.1	Peak	817.75	25.21	60	34.79	Pass	401
829	1000	0.1	Peak	830.7	-48.95	-13	35.95	Pass	1711
1000	3000	1	Peak	1636	-38.19	-13	25.19	Pass	2001
3000	10000	1	Peak	6679	-33.23	-13	20.23	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.54	-13	53.54	Pass	401
0.15	30	0.01	Peak	0.16	-64.24	-13	51.24	Pass	2986
30	809	0.1	Peak	784	-53.32	-13	40.32	Pass	7791
809	829	0.1	Peak	817.8	25.02	60	34.98	Pass	401
829	1000	0.1	Peak	830.8	-49.24	-13	36.24	Pass	1711
1000	3000	1	Peak	1636	-37.65	-13	24.65	Pass	2001
3000	10000	1	Peak	7321	-33.23	-13	20.23	Pass	7001




**1.11 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.96	-13	51.96	Pass	401
0.15	30	0.01	Peak	0.17	-63.79	-13	50.79	Pass	2986
30	809	0.1	Peak	711	-54.64	-13	41.64	Pass	7791
809	829	0.1	Peak	821.2	25.33	60	34.67	Pass	401
829	1000	0.1	Peak	829	-46.55	-13	33.55	Pass	1711
1000	3000	1	Peak	1643	-38.04	-13	25.04	Pass	2001
3000	10000	1	Peak	7305	-33.23	-13	20.23	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66	-13	53	Pass	401
0.15	30	0.01	Peak	0.23	-64.4	-13	51.4	Pass	2986
30	809	0.1	Peak	738	-54.74	-13	41.74	Pass	7791
809	829	0.1	Peak	821.25	25.39	60	34.61	Pass	401
829	1000	0.1	Peak	829	-46.33	-13	33.33	Pass	1711
1000	3000	1	Peak	1642	-37.34	-13	24.34	Pass	2001
3000	10000	1	Peak	8784	-33.48	-13	20.48	Pass	7001




**1.13 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.78	-13	52.78	Pass	401
0.15	30	0.01	Peak	0.24	-64.96	-13	51.96	Pass	2986
30	809	0.1	Peak	809	-44.84	-13	31.84	Pass	7791
809	829	0.1	Peak	814.35	25.6	60	34.4	Pass	401
829	1000	0.1	Peak	844.7	-54.04	-13	41.04	Pass	1711
1000	3000	1	Peak	1629	-37.46	-13	24.46	Pass	2001
3000	10000	1	Peak	7251	-33.59	-13	20.59	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.77	-13	52.77	Pass	401
0.15	30	0.01	Peak	0.23	-64.45	-13	51.45	Pass	2986
30	809	0.1	Peak	809	-45.88	-13	32.88	Pass	7791
809	829	0.1	Peak	814.3	26.06	60	33.94	Pass	401
829	1000	0.1	Peak	830.2	-53.36	-13	40.36	Pass	1711
1000	3000	1	Peak	1629	-37.79	-13	24.79	Pass	2001
3000	10000	1	Peak	6866	-33.62	-13	20.62	Pass	7001




**1.15 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.57	-13	53.57	Pass	401
0.15	30	0.01	Peak	0.15	-63.88	-13	50.88	Pass	2986
30	809	0.1	Peak	808.3	-53.76	-13	40.76	Pass	7791
809	829	0.1	Peak	816.85	25.29	60	34.71	Pass	401
829	1000	0.1	Peak	829.4	-54.36	-13	41.36	Pass	1711
1000	3000	1	Peak	1634	-37.97	-13	24.97	Pass	2001
3000	10000	1	Peak	7501	-33.78	-13	20.78	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.89	-13	52.89	Pass	401
0.15	30	0.01	Peak	0.17	-64.32	-13	51.32	Pass	2986
30	809	0.1	Peak	809	-54.42	-13	41.42	Pass	7791
809	829	0.1	Peak	816.8	25.43	60	34.57	Pass	401
829	1000	0.1	Peak	830.4	-52.4	-13	39.4	Pass	1711
1000	3000	1	Peak	1634	-37.91	-13	24.91	Pass	2001
3000	10000	1	Peak	6967	-33.97	-13	20.97	Pass	7001




**1.17 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.81	-13	52.81	Pass	401
0.15	30	0.01	Peak	0.18	-64.15	-13	51.15	Pass	2986
30	809	0.1	Peak	703.7	-55.02	-13	42.02	Pass	7791
809	829	0.1	Peak	819.3	25.27	60	34.73	Pass	401
829	1000	0.1	Peak	829.1	-50.34	-13	37.34	Pass	1711
1000	3000	1	Peak	1639	-37.37	-13	24.37	Pass	2001
3000	10000	1	Peak	9254	-33.27	-13	20.27	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.14	-13	53.14	Pass	401
0.15	30	0.01	Peak	0.16	-64.27	-13	51.27	Pass	2986
30	809	0.1	Peak	739.7	-54.71	-13	41.71	Pass	7791
809	829	0.1	Peak	819.35	25.51	60	34.49	Pass	401
829	1000	0.1	Peak	829.1	-50.77	-13	37.77	Pass	1711
1000	3000	1	Peak	1639	-37.79	-13	24.79	Pass	2001
3000	10000	1	Peak	7470	-33.35	-13	20.35	Pass	7001




1.19 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.29	-13	53.29	Pass	401
0.15	30	0.01	Peak	0.17	-64.53	-13	51.53	Pass	2986
30	809	0.1	Peak	809	-41.64	-13	28.64	Pass	7791
809	829	0.1	Peak	814.55	25.63	60	34.37	Pass	401
829	1000	0.1	Peak	832.2	-32.16	-13	19.16	Pass	1711
1000	3000	1	Peak	1629	-37.28	-13	24.28	Pass	2001
3000	10000	1	Peak	6816	-33.71	-13	20.71	Pass	7001



1.20 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.69	-13	52.69	Pass	401
0.15	30	0.01	Peak	1.02	-65.29	-13	52.29	Pass	2986
30	809	0.1	Peak	808.6	-43.39	-13	30.39	Pass	7791
809	829	0.1	Peak	814.55	25.72	60	34.28	Pass	401
829	1000	0.1	Peak	830	-32.44	-13	19.44	Pass	1711
1000	3000	1	Peak	1629	-37.47	-13	24.47	Pass	2001
3000	10000	1	Peak	6861	-33.61	-13	20.61	Pass	7001



9. LTE_Band66


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.18	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	848.5	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-53.12	-13	40.12	Pass	701
1700	1790	1	RMS	1710.125	22.23	60	37.77	Pass	401
1790	3000	1	RMS	2995	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13605	-39.8	-13	26.8	Pass	8001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	937.759	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-53.22	-13	40.22	Pass	701
1700	1790	1	RMS	1710.125	21.3	60	38.7	Pass	401
1790	3000	1	RMS	2999	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11997	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	861.808	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1678	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1744.55	22.16	60	37.84	Pass	401
1790	3000	1	RMS	2985	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	905.738	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1678	-53.93	-13	40.93	Pass	701
1700	1790	1	RMS	1744.325	21.18	60	38.82	Pass	401
1790	3000	1	RMS	2942	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	839.3	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1683	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1778.75	22.29	60	37.71	Pass	401
1790	3000	1	RMS	2996	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	3558	-43.33	-13	30.33	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001



**9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	826.5	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1677	-53.93	-13	40.93	Pass	701
1700	1790	1	RMS	1778.75	21.37	60	38.63	Pass	401
1790	3000	1	RMS	2995	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	3558	-43.82	-13	30.82	Pass	9002
12000	20000	1	RMS	13605	-39.79	-13	26.79	Pass	8001



9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	987.492	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-52.81	-13	39.81	Pass	701
1700	1790	1	RMS	1710.125	22.1	60	37.9	Pass	401
1790	3000	1	RMS	2937	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11997	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001

