







Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission




Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission




Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission




Tx. Spurious NVNT n40 2437MHz Ant1 Ref



Tx. Spurious NVNT n40 2437MHz Ant1 Emission



Tx. Spurious NVNT n40 2452MHz Ant1 Ref




Tx. Spurious NVNT n40 2452MHz Ant1 Emission




Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant2	-40.68	-30	Pass
NVNT	b	2437	Ant2	-40.71	-30	Pass
NVNT	b	2462	Ant2	-43.27	-30	Pass
NVNT	g	2412	Ant2	-38.24	-30	Pass
NVNT	g	2437	Ant2	-39.45	-30	Pass
NVNT	g	2462	Ant2	-39.26	-30	Pass
NVNT	n20	2412	Ant2	-39.77	-30	Pass
NVNT	n20	2437	Ant2	-39.33	-30	Pass
NVNT	n20	2462	Ant2	-39.5	-30	Pass
NVNT	n40	2422	Ant2	-36.05	-30	Pass
NVNT	n40	2437	Ant2	-44.63	-30	Pass
NVNT	n40	2452	Ant2	-45.25	-30	Pass


Note: Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose have been set in the CORREC' of the Spectrum Analyzer during the test.




Tx. Spurious NVNT b 2412MHz Ant2 Ref




Tx. Spurious NVNT b 2412MHz Ant2 Emission




Tx. Spurious NVNT b 2437MHz Ant2 Ref




Tx. Spurious NVNT b 2437MHz Ant2 Emission




Tx. Spurious NVNT b 2462MHz Ant2 Ref




Tx. Spurious NVNT b 2462MHz Ant2 Emission




Tx. Spurious NVNT g 2412MHz Ant2 Ref




Tx. Spurious NVNT g 2412MHz Ant2 Emission




Tx. Spurious NVNT g 2437MHz Ant2 Ref




Tx. Spurious NVNT g 2437MHz Ant2 Emission




Tx. Spurious NVNT g 2462MHz Ant2 Ref




Tx. Spurious NVNT g 2462MHz Ant2 Emission




Tx. Spurious NVNT n20 2412MHz Ant2 Ref




Tx. Spurious NVNT n20 2412MHz Ant2 Emission




Tx. Spurious NVNT n20 2437MHz Ant2 Ref




Tx. Spurious NVNT n20 2437MHz Ant2 Emission




Tx. Spurious NVNT n20 2462MHz Ant2 Ref




Tx. Spurious NVNT n20 2462MHz Ant2 Emission




Tx. Spurious NVNT n40 2422MHz Ant2 Ref




Tx. Spurious NVNT n40 2422MHz Ant2 Emission




Tx. Spurious NVNT n40 2437MHz Ant2 Ref



Tx. Spurious NVNT n40 2437MHz Ant2 Emission



Tx. Spurious NVNT n40 2452MHz Ant2 Ref




Tx. Spurious NVNT n40 2452MHz Ant2 Emission




A.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.64	0.02	0.06
NVNT	b	2437	Ant1	99.64	0.02	0.06
NVNT	b	2462	Ant1	99.67	0.01	0.06
NVNT	g	2412	Ant1	97.68	0.1	0.37
NVNT	g	2437	Ant1	97.68	0.1	0.37
NVNT	g	2462	Ant1	97.75	0.1	0.37
NVNT	n20	2412	Ant1	97.25	0.12	0.44
NVNT	n20	2437	Ant1	97.33	0.12	0.44
NVNT	n20	2462	Ant1	97.25	0.12	0.44
NVNT	n40	2422	Ant1	94.54	0.24	0.9
NVNT	n40	2437	Ant1	94.7	0.24	0.9
NVNT	n40	2452	Ant1	94.7	0.24	0.9


Note: offset=System attenuation +cabal loss




Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1




Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1




Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1




Duty Cycle NVNT n20 2412MHz Ant1




Duty Cycle NVNT n20 2437MHz Ant1




Duty Cycle NVNT n20 2462MHz Ant1



Duty Cycle NVNT n40 2422MHz Ant1



Duty Cycle NVNT n40 2437MHz Ant1




Duty Cycle NVNT n40 2452MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant2	99.67	0.01	0.06
NVNT	b	2437	Ant2	99.67	0.01	0.06
NVNT	b	2462	Ant2	99.67	0.01	0.06
NVNT	g	2412	Ant2	97.75	0.1	0.37
NVNT	g	2437	Ant2	97.68	0.1	0.37
NVNT	g	2462	Ant2	97.68	0.1	0.37
NVNT	n20	2412	Ant2	97.59	0.11	0.4
NVNT	n20	2437	Ant2	97.59	0.11	0.4
NVNT	n20	2462	Ant2	97.51	0.11	0.4
NVNT	n40	2422	Ant2	95.19	0.21	0.81
NVNT	n40	2437	Ant2	95.19	0.21	0.81
NVNT	n40	2452	Ant2	95.05	0.22	0.81


Note: offset=System attenuation +cabal loss




Duty Cycle NVNT b 2412MHz Ant2




Duty Cycle NVNT b 2437MHz Ant2




Duty Cycle NVNT b 2462MHz Ant2




Duty Cycle NVNT g 2412MHz Ant2




Duty Cycle NVNT g 2437MHz Ant2




Duty Cycle NVNT g 2462MHz Ant2




Duty Cycle NVNT n20 2412MHz Ant2




Duty Cycle NVNT n20 2437MHz Ant2




Duty Cycle NVNT n20 2462MHz Ant2



Duty Cycle NVNT n40 2422MHz Ant2



Duty Cycle NVNT n40 2437MHz Ant2



Duty Cycle NVNT n40 2452MHz Ant2




A.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-49.51	2.63	48.38	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-57.26	2.63	40.63	Average	54	Pass
NVNT	b	2412	Ant1	2352.822	-46.93	2.63	50.96	Peak	74	Pass
NVNT	b	2412	Ant1	2389.911	-55.34	2.63	42.55	Average	54	Pass
NVNT	b	2412	Ant1	2390	-48.19	2.63	49.70	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-55.2	2.63	42.69	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-47.81	2.63	50.08	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-54.56	2.63	43.33	Average	54	Pass
NVNT	b	2462	Ant1	2483.888	-45.67	2.63	52.22	Peak	74	Pass
NVNT	b	2462	Ant1	2483.57	-54.54	2.63	43.35	Average	54	Pass
NVNT	b	2462	Ant1	2500	-49.98	2.63	47.91	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-57.15	2.63	40.74	Average	54	Pass
NVNT	g	2412	Ant1	2310	-49.21	2.63	48.68	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-57	2.63	40.89	Average	54	Pass
NVNT	g	2412	Ant1	2389.326	-36.42	2.63	61.47	Peak	74	Pass
NVNT	g	2412	Ant1	2389.794	-51.03	2.63	46.86	Average	54	Pass
NVNT	g	2412	Ant1	2390	-39.16	2.63	58.73	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-50.82	2.63	47.07	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-38.81	2.63	59.08	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-47.78	2.63	50.11	Average	54	Pass
NVNT	g	2462	Ant1	2484.365	-33.65	2.63	64.24	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-47.78	2.63	50.11	Average	54	Pass
NVNT	g	2462	Ant1	2500	-49.05	2.63	48.84	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-56.86	2.63	41.03	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-50	2.63	47.89	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-56.93	2.63	40.96	Average	54	Pass
NVNT	n20	2412	Ant1	2389.911	-34.33	2.63	63.56	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.911	-48.98	2.63	48.91	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-33.66	2.63	64.23	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-48.61	2.63	49.28	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-32.16	2.63	65.73	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-46.57	2.63	51.32	Average	54	Pass
NVNT	n20	2462	Ant1	2483.676	-30.01	2.63	67.88	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.729	-46.5	2.63	51.39	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-49.9	2.63	47.99	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-56.71	2.63	41.18	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-50.49	2.63	47.40	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-56.94	2.63	40.95	Average	54	Pass
NVNT	n40	2422	Ant1	2388.668	-36.25	2.63	61.64	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.804	-51.11	2.63	46.78	Average	54	Pass




NVNT	n40	2422	Ant1	2390	-42.49	2.63	55.40	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-50.76	2.63	47.13	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-33.84	2.63	64.05	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-45.3	2.63	52.59	Average	54	Pass
NVNT	n40	2452	Ant1	2485.726	-31.07	2.63	66.82	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.542	-45.3	2.63	52.59	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-47.71	2.63	50.18	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-56.73	2.63	41.16	Average	54	Pass


Note: offset=System attenuation +cabal loss




Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average




Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average




Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average




Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average




Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average




Restrict Band NVNT n20 2462MHz Ant1 Peak




Restrict Band NVNT n20 2462MHz Ant1 Average




Restrict Band NVNT n40 2422MHz Ant1 Peak



Restrict Band NVNT n40 2422MHz Ant1 Average



Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average

Condition	Mode	Frequency	Antenna	Spur Freq	Power	Gain	E	Detector	Limit	Verdict
-----------	------	-----------	---------	-----------	-------	------	---	----------	-------	---------

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com




		(MHz)		(MHz)	(dBm)	(dBi)	(dBuV/m)		(dBuV/m)	
NVNT	b	2412	Ant2	2310	-49.76	2.67	48.17	Peak	74	Pass
NVNT	b	2412	Ant2	2310	-57.29	2.67	40.64	Average	54	Pass
NVNT	b	2412	Ant2	2355.981	-47.14	2.67	50.79	Peak	74	Pass
NVNT	b	2412	Ant2	2375.52	-46.22	2.67	51.71	Average	54	Pass
NVNT	b	2412	Ant2	2390	-48.92	2.67	49.01	Peak	74	Pass
NVNT	b	2412	Ant2	2390	-56.43	2.67	41.50	Average	54	Pass
NVNT	b	2462	Ant2	2483.5	-50.23	2.67	47.70	Peak	74	Pass
NVNT	b	2462	Ant2	2483.5	-56.55	2.67	41.38	Average	54	Pass
NVNT	b	2462	Ant2	2484.524	-46.54	2.67	51.39	Peak	74	Pass
NVNT	b	2462	Ant2	2485.266	-56.38	2.67	41.55	Average	54	Pass
NVNT	b	2462	Ant2	2500	-50.19	2.67	47.74	Peak	74	Pass
NVNT	b	2462	Ant2	2500	-57.16	2.67	40.77	Average	54	Pass
NVNT	g	2412	Ant2	2310	-50.83	2.67	47.10	Peak	74	Pass
NVNT	g	2412	Ant2	2310	-57.01	2.67	40.92	Average	54	Pass
NVNT	g	2412	Ant2	2389.911	-35.97	2.67	61.96	Peak	74	Pass
NVNT	g	2412	Ant2	2389.911	-46.83	2.67	51.10	Average	54	Pass
NVNT	g	2412	Ant2	2390	-34.32	2.67	63.61	Peak	74	Pass
NVNT	g	2412	Ant2	2390	-46.33	2.67	51.60	Average	54	Pass
NVNT	g	2462	Ant2	2483.5	-35.17	2.67	62.76	Peak	74	Pass
NVNT	g	2462	Ant2	2483.5	-45.5	2.67	52.43	Average	54	Pass
NVNT	g	2462	Ant2	2483.994	-30.98	2.67	66.95	Peak	74	Pass
NVNT	g	2462	Ant2	2483.517	-45.5	2.67	52.43	Average	54	Pass
NVNT	g	2462	Ant2	2500	-50.54	2.67	47.39	Peak	74	Pass
NVNT	g	2462	Ant2	2500	-56.92	2.67	41.01	Average	54	Pass
NVNT	n20	2412	Ant2	2310	-49.38	2.67	48.55	Peak	74	Pass
NVNT	n20	2412	Ant2	2310	-56.94	2.67	40.99	Average	54	Pass
NVNT	n20	2412	Ant2	2389.677	-38.07	2.67	59.86	Peak	74	Pass
NVNT	n20	2412	Ant2	2389.911	-49.68	2.67	48.25	Average	54	Pass
NVNT	n20	2412	Ant2	2390	-37.62	2.67	60.31	Peak	74	Pass
NVNT	n20	2412	Ant2	2390	-49.53	2.67	48.40	Average	54	Pass
NVNT	n20	2462	Ant2	2483.5	-33.34	2.67	64.59	Peak	74	Pass
NVNT	n20	2462	Ant2	2483.5	-44.69	2.67	53.24	Average	54	Pass
NVNT	n20	2462	Ant2	2483.623	-29.09	2.67	68.84	Peak	74	Pass
NVNT	n20	2462	Ant2	2483.517	-44.69	2.67	53.24	Average	54	Pass
NVNT	n20	2462	Ant2	2500	-49.5	2.67	48.43	Peak	74	Pass
NVNT	n20	2462	Ant2	2500	-56.94	2.67	40.99	Average	54	Pass
NVNT	n40	2422	Ant2	2310	-49.51	2.67	48.42	Peak	74	Pass
NVNT	n40	2422	Ant2	2310	-56.9	2.67	41.03	Average	54	Pass
NVNT	n40	2422	Ant2	2389.378	-44.13	2.67	53.80	Peak	74	Pass
NVNT	n40	2422	Ant2	2389.804	-54.51	2.67	43.42	Average	54	Pass
NVNT	n40	2422	Ant2	2390	-47.66	2.67	50.27	Peak	74	Pass
NVNT	n40	2422	Ant2	2390	-54.39	2.67	43.54	Average	54	Pass
NVNT	n40	2452	Ant2	2483.5	-33.17	2.67	64.76	Peak	74	Pass




NVNT	n40	2452	Ant2	2483.5	-45.64	2.67	52.29	Average	54	Pass
NVNT	n40	2452	Ant2	2484.634	-33.14	2.67	64.79	Peak	74	Pass
NVNT	n40	2452	Ant2	2483.542	-45.64	2.67	52.29	Average	54	Pass
NVNT	n40	2452	Ant2	2500	-48.8	2.67	49.13	Peak	74	Pass
NVNT	n40	2452	Ant2	2500	-56.74	2.67	41.19	Average	54	Pass




Restrict Band NVNT b 2412MHz Ant2 Peak




Restrict Band NVNT b 2412MHz Ant2 Average




Restrict Band NVNT b 2462MHz Ant2 Peak




Restrict Band NVNT b 2462MHz Ant2 Average




Restrict Band NVNT g 2412MHz Ant2 Peak




Restrict Band NVNT g 2412MHz Ant2 Average




Restrict Band NVNT g 2462MHz Ant2 Peak




Restrict Band NVNT g 2462MHz Ant2 Average




Restrict Band NVNT n20 2412MHz Ant2 Peak




Restrict Band NVNT n20 2412MHz Ant2 Average




Restrict Band NVNT n20 2462MHz Ant2 Peak




Restrict Band NVNT n20 2462MHz Ant2 Average




Restrict Band NVNT n40 2422MHz Ant2 Peak



Restrict Band NVNT n40 2422MHz Ant2 Average



Restrict Band NVNT n40 2452MHz Ant2 Peak



Restrict Band NVNT n40 2452MHz Ant2 Average



MIMO

Condition	Mode	Frequency (MHz)	Ant1 Power (dBm)	Ant2 Power (dBm)	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	2412	-50.08	-49.49	5.68	54.17	Peak	74	Pass
NVNT	n20	2412	-57.09	-57.09	5.68	46.86	Average	54	Pass
NVNT	n20	2412	-34.40	-38.22	5.68	68.04	Peak	74	Pass
NVNT	n20	2412	-59.17	-49.76	5.68	51.65	Average	54	Pass
NVNT	n20	2412	-33.79	-37.70	5.68	68.63	Peak	74	Pass
NVNT	n20	2412	-58.73	-49.63	5.68	51.81	Average	54	Pass
NVNT	n20	2462	-32.29	-33.42	5.68	71.13	Peak	74	Pass
NVNT	n20	2462	-56.60	-54.81	5.68	48.33	Average	54	Pass
NVNT	n20	2462	-30.09	-39.30	5.68	71.34	Peak	74	Pass
NVNT	n20	2462	-56.63	-54.80	5.68	48.33	Average	54	Pass
NVNT	n20	2462	-49.98	-49.54	5.68	54.19	Peak	74	Pass
NVNT	n20	2462	-56.76	-56.98	5.68	47.08	Average	54	Pass
NVNT	n40	2422	-50.64	-49.55	5.68	53.89	Peak	74	Pass
NVNT	n40	2422	-57.09	-57.02	5.68	46.89	Average	54	Pass
NVNT	n40	2422	-36.41	-44.28	5.68	65.18	Peak	74	Pass
NVNT	n40	2422	-51.16	-54.65	5.68	51.38	Average	54	Pass
NVNT	n40	2422	-42.58	-47.87	5.68	59.48	Peak	74	Pass
NVNT	n40	2422	-50.92	-54.53	5.68	51.59	Average	54	Pass
NVNT	n40	2452	-34.02	-33.32	5.68	70.29	Peak	74	Pass
NVNT	n40	2452	-55.40	-55.85	5.68	48.33	Average	54	Pass
NVNT	n40	2452	-31.11	-33.19	5.68	71.92	Peak	74	Pass
NVNT	n40	2452	-55.47	-55.69	5.68	48.37	Average	54	Pass
NVNT	n40	2452	-47.79	-48.95	5.68	55.62	Peak	74	Pass
NVNT	n40	2452	-56.96	-56.78	5.68	47.08	Average	54	Pass