




Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	EIRP (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	Ant2	5650	-51.37	2.51	-48.86	Peak	-29.51	Pass
NVNT	a	5745	Ant2	5650	-57.26	2.51	-54.75	Average	-29.51	Pass
NVNT	a	5745	Ant2	5700	-46.63	2.51	-44.12	Peak	7.49	Pass
NVNT	a	5745	Ant2	5700	-54.18	2.51	-51.67	Average	7.49	Pass
NVNT	a	5745	Ant2	5720	-31.61	2.51	-29.10	Peak	13.09	Pass
NVNT	a	5745	Ant2	5720	-42.48	2.51	-39.97	Average	13.09	Pass
NVNT	a	5745	Ant2	5725	-19.13	2.51	-16.62	Peak	24.49	Pass
NVNT	a	5745	Ant2	5725	-37.88	2.51	-35.37	Average	24.49	Pass
NVNT	a	5825	Ant2	5850	-33.04	2.51	-30.53	Peak	24.49	Pass
NVNT	a	5825	Ant2	5850	-43.13	2.51	-40.62	Average	24.49	Pass
NVNT	a	5825	Ant2	5855	-37.42	2.51	-34.91	Peak	13.09	Pass
NVNT	a	5825	Ant2	5855	-47.02	2.51	-44.51	Average	13.09	Pass
NVNT	a	5825	Ant2	5875	-46.94	2.51	-44.43	Peak	7.49	Pass
NVNT	a	5825	Ant2	5875	-54.67	2.51	-52.16	Average	7.49	Pass
NVNT	a	5825	Ant2	5925	-48.71	2.51	-46.20	Peak	-29.51	Pass
NVNT	a	5825	Ant2	5925	-56.18	2.51	-53.67	Average	-29.51	Pass
NVNT	n20	5745	Ant2	5650	-49.6	2.51	-47.09	Peak	-29.51	Pass
NVNT	n20	5745	Ant2	5650	-57.17	2.51	-54.66	Average	-29.51	Pass
NVNT	n20	5745	Ant2	5700	-44.65	2.51	-42.14	Peak	7.49	Pass
NVNT	n20	5745	Ant2	5700	-53.13	2.51	-50.62	Average	7.49	Pass
NVNT	n20	5745	Ant2	5720	-29.58	2.51	-27.07	Peak	13.09	Pass
NVNT	n20	5745	Ant2	5720	-39.06	2.51	-36.55	Average	13.09	Pass
NVNT	n20	5745	Ant2	5725	-17.07	2.51	-14.56	Peak	24.49	Pass
NVNT	n20	5745	Ant2	5725	-34.42	2.51	-31.91	Average	24.49	Pass
NVNT	n20	5825	Ant2	5850	-29.41	2.51	-26.90	Peak	24.49	Pass
NVNT	n20	5825	Ant2	5850	-40.01	2.51	-37.50	Average	24.49	Pass
NVNT	n20	5825	Ant2	5855	-32.84	2.51	-30.33	Peak	13.09	Pass
NVNT	n20	5825	Ant2	5855	-44.12	2.51	-41.61	Average	13.09	Pass
NVNT	n20	5825	Ant2	5875	-48.36	2.51	-45.85	Peak	7.49	Pass
NVNT	n20	5825	Ant2	5875	-54.55	2.51	-52.04	Average	7.49	Pass
NVNT	n20	5825	Ant2	5925	-50.9	2.51	-48.39	Peak	-29.51	Pass
NVNT	n20	5825	Ant2	5925	-56.05	2.51	-53.54	Average	-29.51	Pass
NVNT	n40	5755	Ant2	5650	-49.24	2.51	-46.73	Peak	-29.51	Pass
NVNT	n40	5755	Ant2	5650	-56.9	2.51	-54.39	Average	-29.51	Pass
NVNT	n40	5755	Ant2	5700	-42	2.51	-39.49	Peak	7.49	Pass
NVNT	n40	5755	Ant2	5700	-50.28	2.51	-47.77	Average	7.49	Pass
NVNT	n40	5755	Ant2	5720	-31.62	2.51	-29.11	Peak	13.09	Pass
NVNT	n40	5755	Ant2	5720	-41.34	2.51	-38.83	Average	13.09	Pass
NVNT	n40	5755	Ant2	5725	-26.35	2.51	-23.84	Peak	24.49	Pass
NVNT	n40	5755	Ant2	5725	-38.39	2.51	-35.88	Average	24.49	Pass
NVNT	n40	5795	Ant2	5850	-44.77	2.51	-42.26	Peak	24.49	Pass
NVNT	n40	5795	Ant2	5850	-51.41	2.51	-48.90	Average	24.49	Pass




NVNT	n40	5795	Ant2	5855	-44.9	2.51	-42.39	Peak	13.09	Pass
NVNT	n40	5795	Ant2	5855	-52.68	2.51	-50.17	Average	13.09	Pass
NVNT	n40	5795	Ant2	5875	-48.25	2.51	-45.74	Peak	7.49	Pass
NVNT	n40	5795	Ant2	5875	-55.32	2.51	-52.81	Average	7.49	Pass
NVNT	n40	5795	Ant2	5925	-49.44	2.51	-46.93	Peak	-29.51	Pass
NVNT	n40	5795	Ant2	5925	-56.18	2.51	-53.67	Average	-29.51	Pass
NVNT	ac20	5745	Ant2	5650	-49.7	2.51	-47.19	Peak	-29.51	Pass
NVNT	ac20	5745	Ant2	5650	-57.23	2.51	-54.72	Average	-29.51	Pass
NVNT	ac20	5745	Ant2	5700	-46.53	2.51	-44.02	Peak	7.49	Pass
NVNT	ac20	5745	Ant2	5700	-53.15	2.51	-50.64	Average	7.49	Pass
NVNT	ac20	5745	Ant2	5720	-30.1	2.51	-27.59	Peak	13.09	Pass
NVNT	ac20	5745	Ant2	5720	-39.47	2.51	-36.96	Average	13.09	Pass
NVNT	ac20	5745	Ant2	5725	-21.85	2.51	-19.34	Peak	24.49	Pass
NVNT	ac20	5745	Ant2	5725	-34.28	2.51	-31.77	Average	24.49	Pass
NVNT	ac20	5825	Ant2	5850	-27.95	2.51	-25.44	Peak	24.49	Pass
NVNT	ac20	5825	Ant2	5850	-40.14	2.51	-37.63	Average	24.49	Pass
NVNT	ac20	5825	Ant2	5855	-32.58	2.51	-30.07	Peak	13.09	Pass
NVNT	ac20	5825	Ant2	5855	-44.64	2.51	-42.13	Average	13.09	Pass
NVNT	ac20	5825	Ant2	5875	-47.34	2.51	-44.83	Peak	7.49	Pass
NVNT	ac20	5825	Ant2	5875	-54.21	2.51	-51.70	Average	7.49	Pass
NVNT	ac20	5825	Ant2	5925	-48.56	2.51	-46.05	Peak	-29.51	Pass
NVNT	ac20	5825	Ant2	5925	-56.06	2.51	-53.55	Average	-29.51	Pass
NVNT	ac40	5755	Ant2	5650	-49.85	2.51	-47.34	Peak	-29.51	Pass
NVNT	ac40	5755	Ant2	5650	-56.86	2.51	-54.35	Average	-29.51	Pass
NVNT	ac40	5755	Ant2	5700	-43.41	2.51	-40.90	Peak	7.49	Pass
NVNT	ac40	5755	Ant2	5700	-51.13	2.51	-48.62	Average	7.49	Pass
NVNT	ac40	5755	Ant2	5720	-30.34	2.51	-27.83	Peak	13.09	Pass
NVNT	ac40	5755	Ant2	5720	-41.92	2.51	-39.41	Average	13.09	Pass
NVNT	ac40	5755	Ant2	5725	-22.27	2.51	-19.76	Peak	24.49	Pass
NVNT	ac40	5755	Ant2	5725	-37.79	2.51	-35.28	Average	24.49	Pass
NVNT	ac40	5795	Ant2	5850	-46.24	2.51	-43.73	Peak	24.49	Pass
NVNT	ac40	5795	Ant2	5850	-52.36	2.51	-49.85	Average	24.49	Pass
NVNT	ac40	5795	Ant2	5855	-45.29	2.51	-42.78	Peak	13.09	Pass
NVNT	ac40	5795	Ant2	5855	-53.27	2.51	-50.76	Average	13.09	Pass
NVNT	ac40	5795	Ant2	5875	-48.87	2.51	-46.36	Peak	7.49	Pass
NVNT	ac40	5795	Ant2	5875	-55.5	2.51	-52.99	Average	7.49	Pass
NVNT	ac40	5795	Ant2	5925	-49.59	2.51	-47.08	Peak	-29.51	Pass
NVNT	ac40	5795	Ant2	5925	-56.18	2.51	-53.67	Average	-29.51	Pass
NVNT	ac80	5775	Ant2	5850	-38.58	2.51	-36.07	Peak	-29.51	Pass
NVNT	ac80	5775	Ant2	5850	-47.28	2.51	-44.77	Average	-29.51	Pass
NVNT	ac80	5775	Ant2	5855	-40.79	2.51	-38.28	Peak	7.49	Pass
NVNT	ac80	5775	Ant2	5855	-47.88	2.51	-45.37	Average	7.49	Pass
NVNT	ac80	5775	Ant2	5875	-45.12	2.51	-42.61	Peak	13.09	Pass
NVNT	ac80	5775	Ant2	5875	-51.57	2.51	-49.06	Average	13.09	Pass




NVNT	ac80	5775	Ant2	5925	-48.91	2.51	-46.40	Peak	24.49	Pass
NVNT	ac80	5775	Ant2	5925	-55.23	2.51	-52.72	Average	24.49	Pass
NVNT	ac80	5775	Ant2	5650	-46.4	2.51	-43.89	Peak	24.49	Pass
NVNT	ac80	5775	Ant2	5650	-53.67	2.51	-51.16	Average	24.49	Pass
NVNT	ac80	5775	Ant2	5700	-42.31	2.51	-39.80	Peak	13.09	Pass
NVNT	ac80	5775	Ant2	5700	-48.45	2.51	-45.94	Average	13.09	Pass
NVNT	ac80	5775	Ant2	5720	-38.1	2.51	-35.59	Peak	7.49	Pass
NVNT	ac80	5775	Ant2	5720	-46.25	2.51	-43.74	Average	7.49	Pass
NVNT	ac80	5775	Ant2	5725	-35.67	2.51	-33.16	Peak	-29.51	Pass
NVNT	ac80	5775	Ant2	5725	-44.13	2.51	-41.62	Average	-29.51	Pass




Restrict Band NVNT a 5745MHz Ant2 Peak




Restrict Band NVNT a 5745MHz Ant2 Average




Restrict Band NVNT a 5825MHz Ant2 Peak




Restrict Band NVNT a 5825MHz Ant2 Average




Restrict Band NVNT n20 5745MHz Ant2 Peak




Restrict Band NVNT n20 5745MHz Ant2 Average




Restrict Band NVNT n20 5825MHz Ant2 Peak




Restrict Band NVNT n20 5825MHz Ant2 Average




Restrict Band NVNT n40 5755MHz Ant2 Peak




Restrict Band NVNT n40 5755MHz Ant2 Average




Restrict Band NVNT n40 5795MHz Ant2 Peak




Restrict Band NVNT n40 5795MHz Ant2 Average




Restrict Band NVNT ac20 5745MHz Ant2 Peak




Restrict Band NVNT ac20 5745MHz Ant2 Average




Restrict Band NVNT ac20 5825MHz Ant2 Peak




Restrict Band NVNT ac20 5825MHz Ant2 Average




Restrict Band NVNT ac40 5755MHz Ant2 Peak




Restrict Band NVNT ac40 5755MHz Ant2 Average




Restrict Band NVNT ac40 5795MHz Ant2 Peak




Restrict Band NVNT ac40 5795MHz Ant2 Average




Restrict Band NVNT ac80 5775MHz Ant2 Peak



Restrict Band NVNT ac80 5775MHz Ant2 Average



Restrict Band NVNT ac80 5775MHz Ant2 Peak



Restrict Band NVNT ac80 5775MHz Ant2 Average

**MIMO**

Condition	Mode	Frequency (MHz)	Ant1 Power (dBm)	Ant2 Power (dBm)	Gain (dBi)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	n20	5745	-50.85	-49.68	6.95	-40.27	Peak	-29.98	Pass
NVNT	n20	5745	-57.44	-57.36	6.95	-47.44	Average	-29.98	Pass
NVNT	n20	5745	-48.68	-44.84	6.95	-36.39	Peak	7.02	Pass
NVNT	n20	5745	-55.88	-53.25	6.95	-44.41	Average	7.02	Pass
NVNT	n20	5745	-34.35	-29.72	6.95	-21.48	Peak	12.62	Pass
NVNT	n20	5745	-47.30	-39.19	6.95	-31.62	Average	12.62	Pass
NVNT	n20	5745	-24.24	-17.23	6.95	-9.49	Peak	24.02	Pass
NVNT	n20	5745	-41.99	-34.47	6.95	-26.81	Average	24.02	Pass
NVNT	n20	5825	-35.23	-29.61	6.95	-21.61	Peak	24.02	Pass
NVNT	n20	5825	-46.17	-40.08	6.95	-32.17	Average	24.02	Pass
NVNT	n20	5825	-40.15	-33.02	6.95	-25.30	Peak	12.62	Pass
NVNT	n20	5825	-50.61	-44.30	6.95	-36.44	Average	12.62	Pass
NVNT	n20	5825	-47.05	-48.43	6.95	-37.73	Peak	7.02	Pass
NVNT	n20	5825	-55.35	-54.66	6.95	-45.03	Average	7.02	Pass
NVNT	n20	5825	-48.78	-50.98	6.95	-39.78	Peak	-29.98	Pass
NVNT	n20	5825	-56.04	-56.09	6.95	-46.10	Average	-29.98	Pass
NVNT	n40	5755	-50.91	-49.30	6.95	-40.07	Peak	-29.98	Pass
NVNT	n40	5755	-57.05	-56.95	6.95	-47.04	Average	-29.98	Pass
NVNT	n40	5755	-48.69	-42.15	6.95	-34.33	Peak	7.02	Pass
NVNT	n40	5755	-55.85	-50.31	6.95	-42.29	Average	7.02	Pass
NVNT	n40	5755	-33.29	-31.84	6.95	-22.54	Peak	12.62	Pass
NVNT	n40	5755	-46.74	-41.47	6.95	-33.39	Average	12.62	Pass
NVNT	n40	5755	-32.60	-26.51	6.95	-18.60	Peak	24.02	Pass
NVNT	n40	5755	-43.44	-38.47	6.95	-30.32	Average	24.02	Pass
NVNT	n40	5795	-48.83	-44.83	6.95	-36.42	Peak	24.02	Pass
NVNT	n40	5795	-55.43	-51.57	6.95	-43.12	Average	24.02	Pass
NVNT	n40	5795	-49.28	-44.96	6.95	-36.64	Peak	12.62	Pass
NVNT	n40	5795	-55.49	-52.77	6.95	-43.96	Average	12.62	Pass
NVNT	n40	5795	-49.82	-48.35	6.95	-39.06	Peak	7.02	Pass
NVNT	n40	5795	-55.85	-55.46	6.95	-45.69	Average	7.02	Pass
NVNT	n40	5795	-50.58	-49.65	6.95	-40.13	Peak	-29.98	Pass
NVNT	n40	5795	-56.31	-56.32	6.95	-46.35	Average	-29.98	Pass
NVNT	ac20	5745	-49.59	-49.82	6.95	-39.74	Peak	-29.98	Pass
NVNT	ac20	5745	-57.48	-57.44	6.95	-47.50	Average	-29.98	Pass
NVNT	ac20	5745	-48.16	-46.62	6.95	-37.36	Peak	7.02	Pass
NVNT	ac20	5745	-55.85	-53.28	6.95	-44.42	Average	7.02	Pass
NVNT	ac20	5745	-33.57	-30.30	6.95	-21.67	Peak	12.62	Pass
NVNT	ac20	5745	-47.11	-39.67	6.95	-32.00	Average	12.62	Pass
NVNT	ac20	5745	-27.75	-22.05	6.95	-14.06	Peak	24.02	Pass




NVNT	ac20	5745	-42.28	-34.32	6.95	-26.73	Average	24.02	Pass
NVNT	ac20	5825	-36.08	-27.99	6.95	-20.41	Peak	24.02	Pass
NVNT	ac20	5825	-46.76	-40.26	6.95	-32.43	Average	24.02	Pass
NVNT	ac20	5825	-34.37	-32.69	6.95	-23.49	Peak	12.62	Pass
NVNT	ac20	5825	-51.08	-44.82	6.95	-36.95	Average	12.62	Pass
NVNT	ac20	5825	-47.57	-47.55	6.95	-37.6	Peak	7.02	Pass
NVNT	ac20	5825	-55.22	-54.26	6.95	-44.75	Average	7.02	Pass
NVNT	ac20	5825	-48.84	-48.61	6.95	-38.76	Peak	-29.98	Pass
NVNT	ac20	5825	-55.96	-56.19	6.95	-46.11	Average	-29.98	Pass
NVNT	ac40	5755	-49.28	-50.04	6.95	-39.68	Peak	-29.98	Pass
NVNT	ac40	5755	-57.23	-57.01	6.95	-47.16	Average	-29.98	Pass
NVNT	ac40	5755	-48.87	-43.54	6.95	-35.47	Peak	7.02	Pass
NVNT	ac40	5755	-55.66	-51.33	6.95	-43.02	Average	7.02	Pass
NVNT	ac40	5755	-30.58	-30.37	6.95	-20.51	Peak	12.62	Pass
NVNT	ac40	5755	-46.36	-42.10	6.95	-33.77	Average	12.62	Pass
NVNT	ac40	5755	-28.92	-22.44	6.95	-14.61	Peak	24.02	Pass
NVNT	ac40	5755	-43.39	-37.91	6.95	-29.88	Average	24.02	Pass
NVNT	ac40	5795	-47.50	-46.46	6.95	-36.99	Peak	24.02	Pass
NVNT	ac40	5795	-55.34	-52.47	6.95	-43.71	Average	24.02	Pass
NVNT	ac40	5795	-48.48	-45.36	6.95	-36.69	Peak	12.62	Pass
NVNT	ac40	5795	-55.71	-53.37	6.95	-44.42	Average	12.62	Pass
NVNT	ac40	5795	-49.36	-48.92	6.95	-39.17	Peak	7.02	Pass
NVNT	ac40	5795	-56.12	-55.63	6.95	-45.91	Average	7.02	Pass
NVNT	ac40	5795	-48.89	-49.77	6.95	-39.35	Peak	-29.98	Pass
NVNT	ac40	5795	-56.09	-56.31	6.95	-46.24	Average	-29.98	Pass
NVNT	ac80	5775	-49.11	-48.73	6.95	-38.96	Peak	-29.98	Pass
NVNT	ac80	5775	-54.68	-47.37	6.95	-39.68	Average	-29.98	Pass
NVNT	ac80	5775	-57.33	-50.87	6.95	-43.04	Peak	7.02	Pass
NVNT	ac80	5775	-54.62	-48.01	6.95	-40.20	Average	7.02	Pass
NVNT	ac80	5775	-48.81	-45.25	6.95	-36.71	Peak	12.62	Pass
NVNT	ac80	5775	-55.66	-51.69	6.95	-43.28	Average	12.62	Pass
NVNT	ac80	5775	-48.94	-49.11	6.95	-39.06	Peak	24.02	Pass
NVNT	ac80	5775	-55.81	-55.27	6.95	-45.57	Average	24.02	Pass
NVNT	ac80	5775	-50.22	-46.51	6.95	-38.02	Peak	24.02	Pass
NVNT	ac80	5775	-56.77	-53.83	6.95	-45.10	Average	24.02	Pass
NVNT	ac80	5775	-45.64	-42.40	6.95	-33.76	Peak	12.62	Pass
NVNT	ac80	5775	-54.14	-48.58	6.95	-40.56	Average	12.62	Pass
NVNT	ac80	5775	-41.02	-38.27	6.95	-29.47	Peak	7.02	Pass
NVNT	ac80	5775	-50.39	-46.38	6.95	-37.98	Average	7.02	Pass
NVNT	ac80	5775	-50.00	-45.85	6.95	-37.49	Peak	-29.98	Pass
NVNT	ac80	5775	-48.63	-44.35	6.95	-36.02	Average	-29.98	Pass




C.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant1	5745	0	0	25	Pass
NVNT	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
NVNT	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
NVNT	n20	5785	Ant1	5785	0	0	25	Pass
NVNT	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	n40	5755	Ant1	5755	0	0	25	Pass
NVNT	n40	5795	Ant1	5795	0	0	25	Pass
NVNT	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
NVNT	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	ac40	5755	Ant1	5755	0	0	25	Pass
NVNT	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
NVNT	ac80	5775	Ant1	5775	0	0	25	Pass




Freq. Stability NVNT a 5745MHz Ant1




Freq. Stability NVNT a 5785MHz Ant1




Freq. Stability NVNT a 5825MHz Ant1




Freq. Stability NVNT n20 5745MHz Ant1




Freq. Stability NVNT n20 5785MHz Ant1




Freq. Stability NVNT n20 5825MHz Ant1




Freq. Stability NVNT n40 5755MHz Ant1




Freq. Stability NVNT n40 5795MHz Ant1




Freq. Stability NVNT ac20 5745MHz Ant1




Freq. Stability NVNT ac20 5785MHz Ant1




Freq. Stability NVNT ac20 5825MHz Ant1



Freq. Stability NVNT ac40 5755MHz Ant1




Freq. Stability NVNT ac40 5795MHz Ant1




Freq. Stability NVNT ac80 5775MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant2	5744.96	-40000	-6.96	25	Pass
NVNT	a	5785	Ant2	5784.98	-20000	-3.46	25	Pass
NVNT	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass
NVNT	n20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
NVNT	n20	5785	Ant2	5784.96	-40000	-6.91	25	Pass
NVNT	n20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
NVNT	n40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
NVNT	n40	5795	Ant2	5795	0	0	25	Pass
NVNT	ac20	5745	Ant2	5744.98	-20000	-3.48	25	Pass
NVNT	ac20	5785	Ant2	5784.98	-20000	-3.46	25	Pass
NVNT	ac20	5825	Ant2	5824.96	-40000	-6.87	25	Pass
NVNT	ac40	5755	Ant2	5754.96	-40000	-6.95	25	Pass
NVNT	ac40	5795	Ant2	5794.96	-40000	-6.9	25	Pass
NVNT	ac80	5775	Ant2	5775	0	0	25	Pass




Freq. Stability NVNT a 5745MHz Ant2




Freq. Stability NVNT a 5785MHz Ant2




Freq. Stability NVNT a 5825MHz Ant2




Freq. Stability NVNT n20 5745MHz Ant2




Freq. Stability NVNT n20 5785MHz Ant2




Freq. Stability NVNT n20 5825MHz Ant2




Freq. Stability NVNT n40 5755MHz Ant2




Freq. Stability NVNT n40 5795MHz Ant2




Freq. Stability NVNT ac20 5745MHz Ant2




Freq. Stability NVNT ac20 5785MHz Ant2




Freq. Stability NVNT ac20 5825MHz Ant2



Freq. Stability NVNT ac40 5755MHz Ant2



Freq. Stability NVNT ac40 5795MHz Ant2




Freq. Stability NVNT ac80 5775MHz Ant2




C.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	97.46	0.11	0.37
NVNT	a	5785	Ant1	97.83	0.1	0.37
NVNT	a	5825	Ant1	97.82	0.1	0.37
NVNT	n20	5745	Ant1	97.41	0.11	0.44
NVNT	n20	5785	Ant1	97.41	0.11	0.44
NVNT	n20	5825	Ant1	97.41	0.11	0.44
NVNT	n40	5755	Ant1	94.87	0.23	0.9
NVNT	n40	5795	Ant1	94.87	0.23	0.9
NVNT	ac20	5745	Ant1	97.42	0.11	0.44
NVNT	ac20	5785	Ant1	97.42	0.11	0.44
NVNT	ac20	5825	Ant1	97.42	0.11	0.44
NVNT	ac40	5755	Ant1	94.87	0.23	0.9
NVNT	ac40	5795	Ant1	94.87	0.23	0.9
NVNT	ac80	5775	Ant1	90	0.46	1.85




Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1




Duty Cycle NVNT n40 5755MHz Ant1




Duty Cycle NVNT n40 5795MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1



Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant2	97.83	0.1	0.37
NVNT	a	5785	Ant2	97.83	0.1	0.37
NVNT	a	5825	Ant2	97.83	0.1	0.37
NVNT	n20	5745	Ant2	97.41	0.11	0.44
NVNT	n20	5785	Ant2	97.41	0.11	0.44
NVNT	n20	5825	Ant2	97.41	0.11	0.44
NVNT	n40	5755	Ant2	94.02	0.27	0.91
NVNT	n40	5795	Ant2	94.87	0.23	0.9
NVNT	ac20	5745	Ant2	97.42	0.11	0.44
NVNT	ac20	5785	Ant2	97.42	0.11	0.44
NVNT	ac20	5825	Ant2	97.42	0.11	0.44
NVNT	ac40	5755	Ant2	94.92	0.23	0.89
NVNT	ac40	5795	Ant2	94.87	0.23	0.9
NVNT	ac80	5775	Ant2	90	0.46	1.85




Duty Cycle NVNT a 5745MHz Ant2




Duty Cycle NVNT a 5785MHz Ant2




Duty Cycle NVNT a 5825MHz Ant2




Duty Cycle NVNT n20 5745MHz Ant2




Duty Cycle NVNT n20 5785MHz Ant2




Duty Cycle NVNT n20 5825MHz Ant2




Duty Cycle NVNT n40 5755MHz Ant2




Duty Cycle NVNT n40 5795MHz Ant2




Duty Cycle NVNT ac20 5745MHz Ant2




Duty Cycle NVNT ac20 5785MHz Ant2




Duty Cycle NVNT ac20 5825MHz Ant2



Duty Cycle NVNT ac40 5755MHz Ant2



Duty Cycle NVNT ac40 5795MHz Ant2



Duty Cycle NVNT ac80 5775MHz Ant2