

Appendix for KSCR2207001267AT-FCC-NR-Power

1. n2 Effective (Isotropic) Radiated Power Output Data

1.1 15k SISO 5MHz NTNv EIRP

1.1.1 Test Result

5G NR n2 SCS=15kHz SISO 5MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Edge_1RB_Left	22.98	/	/	28.08	/	/	<=33	Pass
		Edge_1RB_Right	23.11	/	/	28.21	/	/	<=33	Pass
		Outer_Full	23.07	/	/	28.17	/	/	<=33	Pass
		Inner_Full	23.59	/	/	28.69	/	/	<=33	Pass
		Inner_1RB_Left	23.57	/	/	28.67	/	/	<=33	Pass
		Inner_1RB_Right	23.62	/	/	28.72	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.95	/	/	28.05	/	/	<=33	Pass
		Edge_1RB_Right	22.80	/	/	27.90	/	/	<=33	Pass
		Outer_Full	22.87	/	/	27.97	/	/	<=33	Pass
		Inner_Full	23.47	/	/	28.57	/	/	<=33	Pass
		Inner_1RB_Left	23.45	/	/	28.55	/	/	<=33	Pass
		Inner_1RB_Right	23.32	/	/	28.42	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	23.36	/	/	28.46	/	/	<=33	Pass
		Edge_1RB_Right	23.36	/	/	28.46	/	/	<=33	Pass
		Outer_Full	23.45	/	/	28.55	/	/	<=33	Pass
		Inner_Full	23.94	/	/	29.04	/	/	<=33	Pass
		Inner_1RB_Left	23.92	/	/	29.02	/	/	<=33	Pass
		Inner_1RB_Right	23.86	/	/	28.96	/	/	<=33	Pass
DFT-s-OFDM QPSK	1852.5	Edge_1RB_Left	22.08	/	/	27.18	/	/	<=33	Pass
		Edge_1RB_Right	22.11	/	/	27.21	/	/	<=33	Pass
		Outer_Full	21.94	/	/	27.04	/	/	<=33	Pass
		Inner_Full	22.97	/	/	28.07	/	/	<=33	Pass
		Inner_1RB_Left	23.09	/	/	28.19	/	/	<=33	Pass
		Inner_1RB_Right	23.10	/	/	28.20	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.62	/	/	27.72	/	/	<=33	Pass
		Edge_1RB_Right	22.52	/	/	27.62	/	/	<=33	Pass
		Outer_Full	22.43	/	/	27.53	/	/	<=33	Pass
		Inner_Full	23.30	/	/	28.40	/	/	<=33	Pass
		Inner_1RB_Left	23.44	/	/	28.54	/	/	<=33	Pass
		Inner_1RB_Right	23.51	/	/	28.61	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	22.39	/	/	27.49	/	/	<=33	Pass
		Edge_1RB_Right	22.60	/	/	27.70	/	/	<=33	Pass
Outer_Full		22.45	/	/	27.55	/	/	<=33	Pass	
Inner_Full		23.23	/	/	28.33	/	/	<=33	Pass	
Inner_1RB_Left		23.38	/	/	28.48	/	/	<=33	Pass	
Inner_1RB_Right		23.61	/	/	28.71	/	/	<=33	Pass	
DFT-s-OFDM 16 QAM	1852.5	Edge_1RB_Left	21.04	/	/	26.14	/	/	<=33	Pass
		Edge_1RB_Right	21.05	/	/	26.15	/	/	<=33	Pass
		Outer_Full	21.07	/	/	26.17	/	/	<=33	Pass
		Inner_Full	21.98	/	/	27.08	/	/	<=33	Pass
		Inner_1RB_Left	21.87	/	/	26.97	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.ags.com/terms-and-conditions.aspx>, and for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.ags.com/terms-and-conditions.aspx>. The Company does not warrant the accuracy of the information contained herein, and the Company is not responsible for any loss or damage resulting from the use of this document. The Company is not responsible for any information contained herein that reflects the Company's findings at the time of its intervention and/or within the limits of its Client's instructions. If any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

86-5125735888 86-5125737000 www.sgs.com.cn
86-5125735888 86-5125737000 sgs.china@sgs.com

	1880	Inner_1RB_Right	21.95	/	/	27.05	/	/	<=33	Pass
		Edge_1RB_Left	21.42	/	/	26.52	/	/	<=33	Pass
		Edge_1RB_Right	21.32	/	/	26.42	/	/	<=33	Pass
		Outer_Full	21.40	/	/	26.50	/	/	<=33	Pass
		Inner_Full	22.59	/	/	27.69	/	/	<=33	Pass
		Inner_1RB_Left	22.43	/	/	27.53	/	/	<=33	Pass
	1907.5	Inner_1RB_Right	22.34	/	/	27.44	/	/	<=33	Pass
		Edge_1RB_Left	21.32	/	/	26.42	/	/	<=33	Pass
		Edge_1RB_Right	21.48	/	/	26.58	/	/	<=33	Pass
		Outer_Full	21.42	/	/	26.52	/	/	<=33	Pass
		Inner_Full	22.54	/	/	27.64	/	/	<=33	Pass
		Inner_1RB_Left	22.32	/	/	27.42	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1852.5	Inner_1RB_Right	22.51	/	/	27.61	/	/	<=33	Pass
		Edge_1RB_Left	20.92	/	/	26.02	/	/	<=33	Pass
		Edge_1RB_Right	20.98	/	/	26.08	/	/	<=33	Pass
		Outer_Full	20.53	/	/	25.63	/	/	<=33	Pass
		Inner_Full	20.66	/	/	25.76	/	/	<=33	Pass
		Inner_1RB_Left	20.95	/	/	26.05	/	/	<=33	Pass
	1880	Inner_1RB_Right	20.93	/	/	26.03	/	/	<=33	Pass
		Edge_1RB_Left	21.32	/	/	26.42	/	/	<=33	Pass
		Edge_1RB_Right	21.22	/	/	26.32	/	/	<=33	Pass
		Outer_Full	20.87	/	/	25.97	/	/	<=33	Pass
		Inner_Full	20.99	/	/	26.09	/	/	<=33	Pass
		Inner_1RB_Left	21.29	/	/	26.39	/	/	<=33	Pass
	1907.5	Inner_1RB_Right	21.24	/	/	26.34	/	/	<=33	Pass
		Edge_1RB_Left	21.16	/	/	26.26	/	/	<=33	Pass
		Edge_1RB_Right	21.36	/	/	26.46	/	/	<=33	Pass
		Outer_Full	20.88	/	/	25.98	/	/	<=33	Pass
		Inner_Full	21.00	/	/	26.10	/	/	<=33	Pass
		Inner_1RB_Left	21.23	/	/	26.33	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1852.5	Inner_1RB_Right	21.35	/	/	26.45	/	/	<=33	Pass
		Edge_1RB_Left	18.31	/	/	23.41	/	/	<=33	Pass
		Edge_1RB_Right	18.40	/	/	23.50	/	/	<=33	Pass
		Outer_Full	18.69	/	/	23.79	/	/	<=33	Pass
		Inner_Full	18.66	/	/	23.76	/	/	<=33	Pass
		Inner_1RB_Left	18.29	/	/	23.39	/	/	<=33	Pass
	1880	Inner_1RB_Right	18.38	/	/	23.48	/	/	<=33	Pass
		Edge_1RB_Left	18.67	/	/	23.77	/	/	<=33	Pass
		Edge_1RB_Right	18.67	/	/	23.77	/	/	<=33	Pass
		Outer_Full	18.98	/	/	24.08	/	/	<=33	Pass
		Inner_Full	18.98	/	/	24.08	/	/	<=33	Pass
		Inner_1RB_Left	18.64	/	/	23.74	/	/	<=33	Pass
	1907.5	Inner_1RB_Right	18.66	/	/	23.76	/	/	<=33	Pass
		Edge_1RB_Left	18.66	/	/	23.76	/	/	<=33	Pass
		Edge_1RB_Right	18.84	/	/	23.94	/	/	<=33	Pass
		Outer_Full	18.97	/	/	24.07	/	/	<=33	Pass
		Inner_Full	18.89	/	/	23.99	/	/	<=33	Pass
		Inner_1RB_Left	18.58	/	/	23.68	/	/	<=33	Pass
CP-OFDM QPSK	1852.5	Inner_1RB_Right	18.71	/	/	23.81	/	/	<=33	Pass
		Edge_1RB_Left	20.26	/	/	25.36	/	/	<=33	Pass
		Edge_1RB_Right	20.15	/	/	25.25	/	/	<=33	Pass
		Outer_Full	20.09	/	/	25.19	/	/	<=33	Pass
		Inner_Full	21.62	/	/	26.72	/	/	<=33	Pass
		Inner_1RB_Left	21.48	/	/	26.58	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-of-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention and, within the limits of Client's instructions, if any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or sgs@sgs.com or email: CH-Check@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 056-512157350888 056-51215737010 www.sgs.com.cn
 056-512157350888 056-51215737010 sgs.china@sgs.com

	1880	Inner_1RB_Right	21.50	/	/	26.60	/	/	<=33	Pass	
		Edge_1RB_Left	20.43	/	/	25.53	/	/	<=33	Pass	
		Edge_1RB_Right	20.46	/	/	25.56	/	/	<=33	Pass	
		Outer_Full	20.41	/	/	25.51	/	/	<=33	Pass	
		Inner_Full	22.02	/	/	27.12	/	/	<=33	Pass	
		Inner_1RB_Left	21.86	/	/	26.96	/	/	<=33	Pass	
	1907.5	Inner_1RB_Right	21.75	/	/	26.85	/	/	<=33	Pass	
		Edge_1RB_Left	20.34	/	/	25.44	/	/	<=33	Pass	
		Edge_1RB_Right	20.51	/	/	25.61	/	/	<=33	Pass	
		Outer_Full	20.42	/	/	25.52	/	/	<=33	Pass	
		Inner_Full	21.97	/	/	27.07	/	/	<=33	Pass	
		Inner_1RB_Left	21.79	/	/	26.89	/	/	<=33	Pass	
CP-OFDM 16 QAM	1852.5	Inner_1RB_Right	21.86	/	/	26.96	/	/	<=33	Pass	
		Edge_1RB_Left	20.05	/	/	25.15	/	/	<=33	Pass	
		Edge_1RB_Right	20.18	/	/	25.28	/	/	<=33	Pass	
		Outer_Full	20.08	/	/	25.18	/	/	<=33	Pass	
		Inner_Full	20.98	/	/	26.08	/	/	<=33	Pass	
		Inner_1RB_Left	21.15	/	/	26.25	/	/	<=33	Pass	
	1880	Inner_1RB_Right	21.19	/	/	26.29	/	/	<=33	Pass	
		Edge_1RB_Left	20.50	/	/	25.60	/	/	<=33	Pass	
		Edge_1RB_Right	20.42	/	/	25.52	/	/	<=33	Pass	
		Outer_Full	20.35	/	/	25.45	/	/	<=33	Pass	
		Inner_Full	21.37	/	/	26.47	/	/	<=33	Pass	
		Inner_1RB_Left	21.53	/	/	26.63	/	/	<=33	Pass	
	1907.5	Inner_1RB_Right	21.44	/	/	26.54	/	/	<=33	Pass	
		Edge_1RB_Left	20.48	/	/	25.58	/	/	<=33	Pass	
		Edge_1RB_Right	20.70	/	/	25.80	/	/	<=33	Pass	
		Outer_Full	20.36	/	/	25.46	/	/	<=33	Pass	
		Inner_Full	21.36	/	/	26.46	/	/	<=33	Pass	
		Inner_1RB_Left	21.38	/	/	26.48	/	/	<=33	Pass	
	CP-OFDM 64 QAM	1852.5	Inner_1RB_Right	21.55	/	/	26.65	/	/	<=33	Pass
			Edge_1RB_Left	19.93	/	/	25.03	/	/	<=33	Pass
			Edge_1RB_Right	19.98	/	/	25.08	/	/	<=33	Pass
			Outer_Full	19.50	/	/	24.60	/	/	<=33	Pass
			Inner_Full	19.58	/	/	24.68	/	/	<=33	Pass
			Inner_1RB_Left	19.89	/	/	24.99	/	/	<=33	Pass
1880		Inner_1RB_Right	19.76	/	/	24.86	/	/	<=33	Pass	
		Edge_1RB_Left	20.27	/	/	25.37	/	/	<=33	Pass	
		Edge_1RB_Right	20.28	/	/	25.38	/	/	<=33	Pass	
		Outer_Full	19.85	/	/	24.95	/	/	<=33	Pass	
		Inner_Full	19.92	/	/	25.02	/	/	<=33	Pass	
		Inner_1RB_Left	20.25	/	/	25.35	/	/	<=33	Pass	
1907.5		Inner_1RB_Right	20.18	/	/	25.28	/	/	<=33	Pass	
		Edge_1RB_Left	20.16	/	/	25.26	/	/	<=33	Pass	
		Edge_1RB_Right	20.32	/	/	25.42	/	/	<=33	Pass	
		Outer_Full	19.86	/	/	24.96	/	/	<=33	Pass	
		Inner_Full	19.91	/	/	25.01	/	/	<=33	Pass	
		Inner_1RB_Left	20.15	/	/	25.25	/	/	<=33	Pass	
CP-OFDM 256 QAM		1852.5	Inner_1RB_Right	20.30	/	/	25.40	/	/	<=33	Pass
			Edge_1RB_Left	16.35	/	/	21.45	/	/	<=33	Pass
			Edge_1RB_Right	16.54	/	/	21.64	/	/	<=33	Pass
			Outer_Full	16.60	/	/	21.70	/	/	<=33	Pass
			Inner_Full	16.50	/	/	21.60	/	/	<=33	Pass
			Inner_1RB_Left	16.33	/	/	21.43	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.ags.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.ags.com.au/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and agreed to the Terms and Conditions of the Company's General Conditions of Service and the Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not generate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may be prosecuted to the full. The Company has otherwise stated the contents of this document only refer to the information contained in the document and is not intended to be relied upon in any way.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

86-5125735888 86-5125737011 www.sgs.com.cn
86-5125735888 86-5125737011 sgs.china@sgs.com

	1880	Inner_1RB_Right	16.35	/	/	21.45	/	/	<=33	Pass
		Edge_1RB_Left	16.94	/	/	22.04	/	/	<=33	Pass
		Edge_1RB_Right	16.74	/	/	21.84	/	/	<=33	Pass
		Outer_Full	16.95	/	/	22.05	/	/	<=33	Pass
		Inner_Full	16.90	/	/	22.00	/	/	<=33	Pass
		Inner_1RB_Left	16.71	/	/	21.81	/	/	<=33	Pass
	1907.5	Inner_1RB_Right	16.65	/	/	21.75	/	/	<=33	Pass
		Edge_1RB_Left	16.60	/	/	21.70	/	/	<=33	Pass
		Edge_1RB_Right	16.94	/	/	22.04	/	/	<=33	Pass
		Outer_Full	16.86	/	/	21.96	/	/	<=33	Pass
		Inner_Full	16.81	/	/	21.91	/	/	<=33	Pass
		Inner_1RB_Left	16.62	/	/	21.72	/	/	<=33	Pass
		Inner_1RB_Right	16.86	/	/	21.96	/	/	<=33	Pass
Note1: Antenna Gain: Ant1: 5.10dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.2 15k SISO 10MHz NTNv EIRP

1.2.1 Test Result

5G NR n2 SCS=15kHz SISO 10MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1855	Edge_1RB_Left	23.04	/	/	28.14	/	/	<=33	Pass
		Edge_1RB_Right	23.54	/	/	28.64	/	/	<=33	Pass
		Outer_Full	23.23	/	/	28.33	/	/	<=33	Pass
		Inner_Full	23.79	/	/	28.89	/	/	<=33	Pass
		Inner_1RB_Left	23.58	/	/	28.68	/	/	<=33	Pass
		Inner_1RB_Right	23.99	/	/	29.09	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.95	/	/	28.05	/	/	<=33	Pass
		Edge_1RB_Right	22.90	/	/	28.00	/	/	<=33	Pass
		Outer_Full	22.91	/	/	28.01	/	/	<=33	Pass
		Inner_Full	23.43	/	/	28.53	/	/	<=33	Pass
		Inner_1RB_Left	23.45	/	/	28.55	/	/	<=33	Pass
		Inner_1RB_Right	23.44	/	/	28.54	/	/	<=33	Pass
	1905	Edge_1RB_Left	23.47	/	/	28.57	/	/	<=33	Pass
		Edge_1RB_Right	23.45	/	/	28.55	/	/	<=33	Pass
		Outer_Full	23.58	/	/	28.68	/	/	<=33	Pass
		Inner_Full	24.06	/	/	29.16	/	/	<=33	Pass
		Inner_1RB_Left	24.05	/	/	29.15	/	/	<=33	Pass
		Inner_1RB_Right	23.94	/	/	29.04	/	/	<=33	Pass
DFT-s-OFDM QPSK	1855	Edge_1RB_Left	22.16	/	/	27.26	/	/	<=33	Pass
		Edge_1RB_Right	22.39	/	/	27.49	/	/	<=33	Pass
		Outer_Full	22.05	/	/	27.15	/	/	<=33	Pass
		Inner_Full	23.12	/	/	28.22	/	/	<=33	Pass
		Inner_1RB_Left	23.22	/	/	28.32	/	/	<=33	Pass
		Inner_1RB_Right	23.40	/	/	28.50	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.32	/	/	27.42	/	/	<=33	Pass
		Edge_1RB_Right	22.52	/	/	27.62	/	/	<=33	Pass
		Outer_Full	22.46	/	/	27.56	/	/	<=33	Pass
		Inner_Full	23.31	/	/	28.41	/	/	<=33	Pass
		Inner_1RB_Left	23.40	/	/	28.50	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.esa.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.esa.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the Terms and Conditions of the Company and the Terms and Conditions of the document, and to have read and understood the Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not generate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may be prosecuted to the full extent of the law. As otherwise stated the validity of this document only refers to the information contained in this document and is not intended to be a contract.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

86-5125735888 86-5125737011 www.sgs.com.cn
86-5125735888 86-5125737011 sgs.china@sgs.com

	1905	Inner_1RB_Right	23.48	/	/	28.58	/	/	<=33	Pass
		Edge_1RB_Left	22.30	/	/	27.40	/	/	<=33	Pass
		Edge_1RB_Right	22.65	/	/	27.75	/	/	<=33	Pass
		Outer_Full	22.34	/	/	27.44	/	/	<=33	Pass
		Inner_Full	23.24	/	/	28.34	/	/	<=33	Pass
		Inner_1RB_Left	23.39	/	/	28.49	/	/	<=33	Pass
		Inner_1RB_Right	23.69	/	/	28.79	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1855	Edge_1RB_Left	21.06	/	/	26.16	/	/	<=33	Pass
		Edge_1RB_Right	21.26	/	/	26.36	/	/	<=33	Pass
		Outer_Full	21.25	/	/	26.35	/	/	<=33	Pass
		Inner_Full	22.03	/	/	27.13	/	/	<=33	Pass
		Inner_1RB_Left	21.97	/	/	27.07	/	/	<=33	Pass
		Inner_1RB_Right	22.15	/	/	27.25	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.28	/	/	26.38	/	/	<=33	Pass
		Edge_1RB_Right	21.31	/	/	26.41	/	/	<=33	Pass
		Outer_Full	21.40	/	/	26.50	/	/	<=33	Pass
		Inner_Full	22.46	/	/	27.56	/	/	<=33	Pass
		Inner_1RB_Left	22.30	/	/	27.40	/	/	<=33	Pass
		Inner_1RB_Right	22.30	/	/	27.40	/	/	<=33	Pass
	1905	Edge_1RB_Left	21.23	/	/	26.33	/	/	<=33	Pass
		Edge_1RB_Right	21.51	/	/	26.61	/	/	<=33	Pass
		Outer_Full	21.35	/	/	26.45	/	/	<=33	Pass
		Inner_Full	22.38	/	/	27.48	/	/	<=33	Pass
		Inner_1RB_Left	22.23	/	/	27.33	/	/	<=33	Pass
		Inner_1RB_Right	22.49	/	/	27.59	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1855	Edge_1RB_Left	20.94	/	/	26.04	/	/	<=33	Pass
		Edge_1RB_Right	21.22	/	/	26.32	/	/	<=33	Pass
		Outer_Full	20.75	/	/	25.85	/	/	<=33	Pass
		Inner_Full	20.68	/	/	25.78	/	/	<=33	Pass
		Inner_1RB_Left	21.00	/	/	26.10	/	/	<=33	Pass
		Inner_1RB_Right	21.17	/	/	26.27	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.16	/	/	26.26	/	/	<=33	Pass
		Edge_1RB_Right	21.19	/	/	26.29	/	/	<=33	Pass
		Outer_Full	20.93	/	/	26.03	/	/	<=33	Pass
		Inner_Full	20.89	/	/	25.99	/	/	<=33	Pass
		Inner_1RB_Left	21.17	/	/	26.27	/	/	<=33	Pass
		Inner_1RB_Right	21.17	/	/	26.27	/	/	<=33	Pass
	1905	Edge_1RB_Left	21.09	/	/	26.19	/	/	<=33	Pass
		Edge_1RB_Right	21.40	/	/	26.50	/	/	<=33	Pass
		Outer_Full	20.87	/	/	25.97	/	/	<=33	Pass
		Inner_Full	20.79	/	/	25.89	/	/	<=33	Pass
		Inner_1RB_Left	21.13	/	/	26.23	/	/	<=33	Pass
		Inner_1RB_Right	21.38	/	/	26.48	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1855	Edge_1RB_Left	18.44	/	/	23.54	/	/	<=33	Pass
		Edge_1RB_Right	18.63	/	/	23.73	/	/	<=33	Pass
		Outer_Full	18.59	/	/	23.69	/	/	<=33	Pass
		Inner_Full	18.77	/	/	23.87	/	/	<=33	Pass
		Inner_1RB_Left	18.47	/	/	23.57	/	/	<=33	Pass
		Inner_1RB_Right	18.59	/	/	23.69	/	/	<=33	Pass
	1880	Edge_1RB_Left	18.51	/	/	23.61	/	/	<=33	Pass
		Edge_1RB_Right	18.58	/	/	23.68	/	/	<=33	Pass
		Outer_Full	18.87	/	/	23.97	/	/	<=33	Pass
		Inner_Full	19.01	/	/	24.11	/	/	<=33	Pass
		Inner_1RB_Left	18.63	/	/	23.73	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-of-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please connect us at sgs@sgs.com or www.sgs.com or www.sgs.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

0085-51257350888 0085-51257370910 www.sgs.com.cn

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0085-51257350888 0085-51257370910 sgs.china@sgs.com

	1905	Inner_1RB_Right	18.67	/	/	23.77	/	/	<=33	Pass
		Edge_1RB_Left	18.62	/	/	23.72	/	/	<=33	Pass
		Edge_1RB_Right	18.87	/	/	23.97	/	/	<=33	Pass
		Outer_Full	18.77	/	/	23.87	/	/	<=33	Pass
		Inner_Full	18.88	/	/	23.98	/	/	<=33	Pass
		Inner_1RB_Left	18.49	/	/	23.59	/	/	<=33	Pass
		Inner_1RB_Right	18.79	/	/	23.89	/	/	<=33	Pass
CP-OFDM QPSK	1855	Edge_1RB_Left	20.28	/	/	25.38	/	/	<=33	Pass
		Edge_1RB_Right	20.30	/	/	25.40	/	/	<=33	Pass
		Outer_Full	20.17	/	/	25.27	/	/	<=33	Pass
		Inner_Full	21.72	/	/	26.82	/	/	<=33	Pass
		Inner_1RB_Left	21.52	/	/	26.62	/	/	<=33	Pass
		Inner_1RB_Right	21.69	/	/	26.79	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.43	/	/	25.53	/	/	<=33	Pass
		Edge_1RB_Right	20.27	/	/	25.37	/	/	<=33	Pass
		Outer_Full	20.38	/	/	25.48	/	/	<=33	Pass
		Inner_Full	21.90	/	/	27.00	/	/	<=33	Pass
		Inner_1RB_Left	21.72	/	/	26.82	/	/	<=33	Pass
		Inner_1RB_Right	21.74	/	/	26.84	/	/	<=33	Pass
	1905	Edge_1RB_Left	20.26	/	/	25.36	/	/	<=33	Pass
		Edge_1RB_Right	20.52	/	/	25.62	/	/	<=33	Pass
		Outer_Full	20.29	/	/	25.39	/	/	<=33	Pass
		Inner_Full	21.82	/	/	26.92	/	/	<=33	Pass
		Inner_1RB_Left	21.69	/	/	26.79	/	/	<=33	Pass
		Inner_1RB_Right	21.98	/	/	27.08	/	/	<=33	Pass
CP-OFDM 16 QAM	1855	Edge_1RB_Left	20.14	/	/	25.24	/	/	<=33	Pass
		Edge_1RB_Right	20.29	/	/	25.39	/	/	<=33	Pass
		Outer_Full	20.19	/	/	25.29	/	/	<=33	Pass
		Inner_Full	21.16	/	/	26.26	/	/	<=33	Pass
		Inner_1RB_Left	21.11	/	/	26.21	/	/	<=33	Pass
		Inner_1RB_Right	21.35	/	/	26.45	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.31	/	/	25.41	/	/	<=33	Pass
		Edge_1RB_Right	20.34	/	/	25.44	/	/	<=33	Pass
		Outer_Full	20.38	/	/	25.48	/	/	<=33	Pass
		Inner_Full	21.39	/	/	26.49	/	/	<=33	Pass
		Inner_1RB_Left	21.34	/	/	26.44	/	/	<=33	Pass
		Inner_1RB_Right	21.49	/	/	26.59	/	/	<=33	Pass
	1905	Edge_1RB_Left	20.28	/	/	25.38	/	/	<=33	Pass
		Edge_1RB_Right	20.60	/	/	25.70	/	/	<=33	Pass
		Outer_Full	20.31	/	/	25.41	/	/	<=33	Pass
		Inner_Full	21.30	/	/	26.40	/	/	<=33	Pass
		Inner_1RB_Left	21.30	/	/	26.40	/	/	<=33	Pass
		Inner_1RB_Right	21.61	/	/	26.71	/	/	<=33	Pass
CP-OFDM 64 QAM	1855	Edge_1RB_Left	19.90	/	/	25.00	/	/	<=33	Pass
		Edge_1RB_Right	19.90	/	/	25.00	/	/	<=33	Pass
		Outer_Full	19.66	/	/	24.76	/	/	<=33	Pass
		Inner_Full	19.69	/	/	24.79	/	/	<=33	Pass
		Inner_1RB_Left	19.87	/	/	24.97	/	/	<=33	Pass
		Inner_1RB_Right	19.91	/	/	25.01	/	/	<=33	Pass
	1880	Edge_1RB_Left	19.94	/	/	25.04	/	/	<=33	Pass
		Edge_1RB_Right	20.10	/	/	25.20	/	/	<=33	Pass
		Outer_Full	19.86	/	/	24.96	/	/	<=33	Pass
		Inner_Full	19.86	/	/	24.96	/	/	<=33	Pass
		Inner_1RB_Left	20.11	/	/	25.21	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-of-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370911 or email: CN-Check@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 0086-512(57370900) 0086-512(57370911) www.sgs.com.cn
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300 0086-512(57370900) 0086-512(57370911) sgs.china@sgs.com

	1905	Inner_1RB_Right	20.16	/	/	25.26	/	/	<=33	Pass
		Edge_1RB_Left	20.09	/	/	25.19	/	/	<=33	
		Edge_1RB_Right	20.27	/	/	25.37	/	/	<=33	Pass
		Outer_Full	19.80	/	/	24.90	/	/	<=33	Pass
		Inner_Full	19.85	/	/	24.95	/	/	<=33	Pass
		Inner_1RB_Left	20.09	/	/	25.19	/	/	<=33	Pass
		Inner_1RB_Right	20.35	/	/	25.45	/	/	<=33	Pass
CP-OFDM 256 QAM	1855	Edge_1RB_Left	16.38	/	/	21.48	/	/	<=33	Pass
		Edge_1RB_Right	16.49	/	/	21.59	/	/	<=33	Pass
		Outer_Full	16.57	/	/	21.67	/	/	<=33	Pass
		Inner_Full	16.72	/	/	21.82	/	/	<=33	Pass
		Inner_1RB_Left	16.43	/	/	21.53	/	/	<=33	Pass
		Inner_1RB_Right	16.67	/	/	21.77	/	/	<=33	Pass
		Edge_1RB_Left	16.65	/	/	21.75	/	/	<=33	Pass
	1880	Edge_1RB_Right	16.59	/	/	21.69	/	/	<=33	Pass
		Outer_Full	16.77	/	/	21.87	/	/	<=33	Pass
		Inner_Full	16.89	/	/	21.99	/	/	<=33	Pass
		Inner_1RB_Left	16.56	/	/	21.66	/	/	<=33	Pass
		Inner_1RB_Right	16.61	/	/	21.71	/	/	<=33	Pass
		Edge_1RB_Left	16.53	/	/	21.63	/	/	<=33	Pass
		Edge_1RB_Right	16.77	/	/	21.87	/	/	<=33	Pass
	1905	Outer_Full	16.69	/	/	21.79	/	/	<=33	Pass
		Inner_Full	16.82	/	/	21.92	/	/	<=33	Pass
		Inner_1RB_Left	16.57	/	/	21.67	/	/	<=33	Pass
		Inner_1RB_Right	16.91	/	/	22.01	/	/	<=33	Pass

Note1: Antenna Gain: Ant1: 5.10dBi;
Note2: EIRP=Conducted Power+Antenna Gain

1.3 15k SISO 15MHz NTNv EIRP

1.3.1 Test Result

5G NR n2 SCS=15kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1857.5	Edge 1RB Left	23.03	/	/	28.13	/	/	<=33	Pass
		Edge 1RB Right	23.49	/	/	28.59	/	/	<=33	Pass
		Outer Full	23.41	/	/	28.51	/	/	<=33	Pass
		Inner Full	23.87	/	/	28.97	/	/	<=33	Pass
		Inner 1RB Left	23.49	/	/	28.59	/	/	<=33	Pass
		Inner 1RB Right	23.96	/	/	29.06	/	/	<=33	Pass
	1880	Edge 1RB Left	23.01	/	/	28.11	/	/	<=33	Pass
		Edge 1RB Right	23.05	/	/	28.15	/	/	<=33	Pass
		Outer Full	22.97	/	/	28.07	/	/	<=33	Pass
		Inner Full	23.51	/	/	28.61	/	/	<=33	Pass
		Inner 1RB Left	23.51	/	/	28.61	/	/	<=33	Pass
		Inner 1RB Right	23.56	/	/	28.66	/	/	<=33	Pass
	1902.5	Edge 1RB Left	23.27	/	/	28.37	/	/	<=33	Pass
		Edge 1RB Right	23.30	/	/	28.40	/	/	<=33	Pass
		Outer Full	23.50	/	/	28.60	/	/	<=33	Pass
		Inner Full	24.02	/	/	29.12	/	/	<=33	Pass
		Inner 1RB Left	23.77	/	/	28.87	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of its qualifications, if any. The Company's sole responsibility is to its client and this document does not represent parties to a transaction, nor does it constitute an offer or advice in relation to the documents, and documents and documents cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document is confidential and its use is limited only to the purpose for which it was issued. It is not to be distributed outside the client's organization. If you are not the intended recipient, please do not print, copy, retransmit, disseminate, or otherwise use this document. If you have received this document in error, please notify the sender immediately by e-mail at CS@sgs.com and delete the document from your system.

No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市周庄创业园伟业路10号 邮编 215300

886-51257356888 886-51257370818 www.sgsgroup.com.cn
886-51257356888 886-51257370818 sgs.china@sgs.com

		Inner 1RB Right	23.80	/	/	28.90	/	/	<=33	Pass
DFT-s-OFDM QPSK	1857.5	Edge 1RB Left	22.07	/	/	27.17	/	/	<=33	Pass
		Edge 1RB Right	22.14	/	/	27.24	/	/	<=33	Pass
		Outer Full	22.08	/	/	27.18	/	/	<=33	Pass
		Inner Full	23.12	/	/	28.22	/	/	<=33	Pass
		Inner 1RB Left	23.02	/	/	28.12	/	/	<=33	Pass
		Inner 1RB Right	23.18	/	/	28.28	/	/	<=33	Pass
	1880	Edge 1RB Left	22.43	/	/	27.53	/	/	<=33	Pass
		Edge 1RB Right	22.82	/	/	27.92	/	/	<=33	Pass
		Outer Full	22.81	/	/	27.91	/	/	<=33	Pass
		Inner Full	23.63	/	/	28.73	/	/	<=33	Pass
		Inner 1RB Left	23.22	/	/	28.32	/	/	<=33	Pass
		Inner 1RB Right	23.72	/	/	28.82	/	/	<=33	Pass
	1902.5	Edge 1RB Left	22.59	/	/	27.69	/	/	<=33	Pass
		Edge 1RB Right	22.68	/	/	27.78	/	/	<=33	Pass
		Outer Full	22.79	/	/	27.89	/	/	<=33	Pass
		Inner Full	23.58	/	/	28.68	/	/	<=33	Pass
		Inner 1RB Left	23.58	/	/	28.68	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1857.5	Inner 1RB Right	23.56	/	/	28.66	/	/	<=33	Pass
		Edge 1RB Left	21.00	/	/	26.10	/	/	<=33	Pass
		Edge 1RB Right	21.11	/	/	26.21	/	/	<=33	Pass
		Outer Full	21.24	/	/	26.34	/	/	<=33	Pass
		Inner Full	22.04	/	/	27.14	/	/	<=33	Pass
		Inner 1RB Left	21.83	/	/	26.93	/	/	<=33	Pass
	1880	Inner 1RB Right	22.03	/	/	27.13	/	/	<=33	Pass
		Edge 1RB Left	21.63	/	/	26.73	/	/	<=33	Pass
		Edge 1RB Right	21.93	/	/	27.03	/	/	<=33	Pass
		Outer Full	21.76	/	/	26.86	/	/	<=33	Pass
		Inner Full	22.81	/	/	27.91	/	/	<=33	Pass
	1902.5	Inner 1RB Left	22.55	/	/	27.65	/	/	<=33	Pass
		Inner 1RB Right	23.08	/	/	28.18	/	/	<=33	Pass
		Edge 1RB Left	21.96	/	/	27.06	/	/	<=33	Pass
		Edge 1RB Right	21.94	/	/	27.04	/	/	<=33	Pass
		Outer Full	21.73	/	/	26.83	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1857.5	Inner Full	22.81	/	/	27.91	/	/	<=33	Pass
		Inner 1RB Left	22.92	/	/	28.02	/	/	<=33	Pass
		Inner 1RB Right	22.88	/	/	27.98	/	/	<=33	Pass
		Edge 1RB Left	20.93	/	/	26.03	/	/	<=33	Pass
		Edge 1RB Right	20.98	/	/	26.08	/	/	<=33	Pass
		Outer Full	20.79	/	/	25.89	/	/	<=33	Pass
	1880	Inner Full	20.79	/	/	25.89	/	/	<=33	Pass
		Inner 1RB Left	20.91	/	/	26.01	/	/	<=33	Pass
		Inner 1RB Right	21.09	/	/	26.19	/	/	<=33	Pass
		Edge 1RB Left	20.58	/	/	25.68	/	/	<=33	Pass
		Edge 1RB Right	21.22	/	/	26.32	/	/	<=33	Pass
	1902.5	Outer Full	21.25	/	/	26.35	/	/	<=33	Pass
		Inner Full	21.33	/	/	26.43	/	/	<=33	Pass
		Inner 1RB Left	20.62	/	/	25.72	/	/	<=33	Pass
		Inner 1RB Right	21.05	/	/	26.15	/	/	<=33	Pass
		Edge 1RB Left	20.90	/	/	26.00	/	/	<=33	Pass
	1902.5	Edge 1RB Right	21.13	/	/	26.23	/	/	<=33	Pass
		Outer Full	21.30	/	/	26.40	/	/	<=33	Pass
		Inner Full	21.35	/	/	26.45	/	/	<=33	Pass
		Inner 1RB Left	21.07	/	/	26.17	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention and, within the limits of Client's instructions, if any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370911 or email: CH.Official@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

086-5125735088 086-5125737091 www.sgs.com.cn

086-5125735088 086-5125737091 sgs.china@sgs.com

		Inner_1RB_Right	20.94	/	/	26.04	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1857.5	Edge_1RB_Left	18.24	/	/	23.34	/	/	<=33	Pass
		Edge_1RB_Right	18.53	/	/	23.63	/	/	<=33	Pass
		Outer_Full	18.71	/	/	23.81	/	/	<=33	Pass
		Inner_Full	18.72	/	/	23.82	/	/	<=33	Pass
		Inner_1RB_Left	18.22	/	/	23.32	/	/	<=33	Pass
		Inner_1RB_Right	18.35	/	/	23.45	/	/	<=33	Pass
	1880	Edge_1RB_Left	18.99	/	/	24.09	/	/	<=33	Pass
		Edge_1RB_Right	19.44	/	/	24.54	/	/	<=33	Pass
		Outer_Full	19.16	/	/	24.26	/	/	<=33	Pass
		Inner_Full	19.21	/	/	24.31	/	/	<=33	Pass
		Inner_1RB_Left	18.96	/	/	24.06	/	/	<=33	Pass
		Inner_1RB_Right	19.37	/	/	24.47	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	19.23	/	/	24.33	/	/	<=33	Pass
		Edge_1RB_Right	19.29	/	/	24.39	/	/	<=33	Pass
		Outer_Full	19.22	/	/	24.32	/	/	<=33	Pass
		Inner_Full	19.33	/	/	24.43	/	/	<=33	Pass
		Inner_1RB_Left	19.24	/	/	24.34	/	/	<=33	Pass
		Inner_1RB_Right	19.27	/	/	24.37	/	/	<=33	Pass
CP-OFDM QPSK	1857.5	Edge_1RB_Left	20.52	/	/	25.62	/	/	<=33	Pass
		Edge_1RB_Right	20.24	/	/	25.34	/	/	<=33	Pass
		Outer_Full	20.25	/	/	25.35	/	/	<=33	Pass
		Inner_Full	21.75	/	/	26.85	/	/	<=33	Pass
		Inner_1RB_Left	22.05	/	/	27.15	/	/	<=33	Pass
		Inner_1RB_Right	22.15	/	/	27.25	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.32	/	/	25.42	/	/	<=33	Pass
		Edge_1RB_Right	21.19	/	/	26.29	/	/	<=33	Pass
		Outer_Full	20.76	/	/	25.86	/	/	<=33	Pass
		Inner_Full	22.31	/	/	27.41	/	/	<=33	Pass
		Inner_1RB_Left	22.39	/	/	27.49	/	/	<=33	Pass
		Inner_1RB_Right	23.32	/	/	28.42	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	20.59	/	/	25.69	/	/	<=33	Pass
		Edge_1RB_Right	21.02	/	/	26.12	/	/	<=33	Pass
		Outer_Full	20.76	/	/	25.86	/	/	<=33	Pass
		Inner_Full	22.23	/	/	27.33	/	/	<=33	Pass
		Inner_1RB_Left	23.00	/	/	28.10	/	/	<=33	Pass
		Inner_1RB_Right	23.11	/	/	28.21	/	/	<=33	Pass
CP-OFDM 16 QAM	1857.5	Edge_1RB_Left	20.26	/	/	25.36	/	/	<=33	Pass
		Edge_1RB_Right	20.45	/	/	25.55	/	/	<=33	Pass
		Outer_Full	20.21	/	/	25.31	/	/	<=33	Pass
		Inner_Full	21.30	/	/	26.40	/	/	<=33	Pass
		Inner_1RB_Left	21.21	/	/	26.31	/	/	<=33	Pass
		Inner_1RB_Right	21.50	/	/	26.60	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.57	/	/	25.67	/	/	<=33	Pass
		Edge_1RB_Right	20.91	/	/	26.01	/	/	<=33	Pass
		Outer_Full	20.68	/	/	25.78	/	/	<=33	Pass
		Inner_Full	21.77	/	/	26.87	/	/	<=33	Pass
		Inner_1RB_Left	21.46	/	/	26.56	/	/	<=33	Pass
		Inner_1RB_Right	22.07	/	/	27.17	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	20.87	/	/	25.97	/	/	<=33	Pass
		Edge_1RB_Right	20.81	/	/	25.91	/	/	<=33	Pass
		Outer_Full	20.69	/	/	25.79	/	/	<=33	Pass
Inner_Full		21.81	/	/	26.91	/	/	<=33	Pass	
Inner_1RB_Left		21.93	/	/	27.03	/	/	<=33	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. The Company is not drawn to the attention of the Client, in the event of any dispute, that the Company is not responsible for any loss of or damage to any data or information contained herein or reflects the Company's findings at the time of its intervention only, and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

86-5125735888 86-5125737088 www.sgs.com.cn
86-5125735888 86-5125737088 sgs.china@sgs.com

CP-OFDM 64 QAM	1857.5	Inner_1RB_Right	21.88	/	/	26.98	/	/	<=33	Pass
		Edge_1RB_Left	19.51	/	/	24.61	/	/	<=33	Pass
		Edge_1RB_Right	19.72	/	/	24.82	/	/	<=33	Pass
		Outer_Full	19.81	/	/	24.91	/	/	<=33	Pass
		Inner_Full	19.80	/	/	24.90	/	/	<=33	Pass
		Inner_1RB_Left	19.54	/	/	24.64	/	/	<=33	Pass
	1880	Inner_1RB_Right	19.74	/	/	24.84	/	/	<=33	Pass
		Edge_1RB_Left	19.76	/	/	24.86	/	/	<=33	Pass
		Edge_1RB_Right	20.11	/	/	25.21	/	/	<=33	Pass
		Outer_Full	20.26	/	/	25.36	/	/	<=33	Pass
		Inner_Full	20.28	/	/	25.38	/	/	<=33	Pass
		Inner_1RB_Left	19.71	/	/	24.81	/	/	<=33	Pass
	1902.5	Inner_1RB_Right	20.20	/	/	25.30	/	/	<=33	Pass
		Edge_1RB_Left	20.03	/	/	25.13	/	/	<=33	Pass
		Edge_1RB_Right	20.03	/	/	25.13	/	/	<=33	Pass
		Outer_Full	20.30	/	/	25.40	/	/	<=33	Pass
		Inner_Full	20.32	/	/	25.42	/	/	<=33	Pass
		Inner_1RB_Left	20.04	/	/	25.14	/	/	<=33	Pass
CP-OFDM 256 QAM	1857.5	Inner_1RB_Right	20.09	/	/	25.19	/	/	<=33	Pass
		Edge_1RB_Left	16.63	/	/	21.73	/	/	<=33	Pass
		Edge_1RB_Right	16.66	/	/	21.76	/	/	<=33	Pass
		Outer_Full	16.68	/	/	21.78	/	/	<=33	Pass
		Inner_Full	16.61	/	/	21.71	/	/	<=33	Pass
		Inner_1RB_Left	16.50	/	/	21.60	/	/	<=33	Pass
	1880	Inner_1RB_Right	16.80	/	/	21.90	/	/	<=33	Pass
		Edge_1RB_Left	16.81	/	/	21.91	/	/	<=33	Pass
		Edge_1RB_Right	17.19	/	/	22.29	/	/	<=33	Pass
		Outer_Full	17.14	/	/	22.24	/	/	<=33	Pass
		Inner_Full	17.14	/	/	22.24	/	/	<=33	Pass
		Inner_1RB_Left	16.86	/	/	21.96	/	/	<=33	Pass
	1902.5	Inner_1RB_Right	17.31	/	/	22.41	/	/	<=33	Pass
		Edge_1RB_Left	17.14	/	/	22.24	/	/	<=33	Pass
		Edge_1RB_Right	17.14	/	/	22.24	/	/	<=33	Pass
		Outer_Full	17.17	/	/	22.27	/	/	<=33	Pass
		Inner_Full	17.20	/	/	22.30	/	/	<=33	Pass
		Inner_1RB_Left	17.10	/	/	22.20	/	/	<=33	Pass
		Inner_1RB_Right	17.21	/	/	22.31	/	/	<=33	Pass
Note1: Antenna Gain: Ant1: 5.10dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.4 15k_SISO_20MHz_NTNV_EIRP

1.4.1 Test Result

5G NR n2 SCS=15kHz SISO 20MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1860	Edge 1RB Left	22.98	/	/	28.08	/	/	<=33	Pass
		Edge 1RB Right	23.36	/	/	28.46	/	/	<=33	Pass
		Outer Full	23.40	/	/	28.50	/	/	<=33	Pass
		Inner Full	24.07	/	/	29.17	/	/	<=33	Pass
		Inner 1RB Left	23.52	/	/	28.62	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or sgs@sgs.com or email: CN-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0086-512/57350888 0086-512/57370910 www.sgs.com.cn
0086-512/57350888 0086-512/57370910 sgs.china@sgs.com

		Inner_1RB_Right	23.86	/	/	28.96	/	/	<=33	Pass	
		1880	Edge_1RB_Left	23.30	/	/	28.40	/	/	<=33	Pass
			Edge_1RB_Right	23.18	/	/	28.28	/	/	<=33	Pass
			Outer_Full	22.88	/	/	27.98	/	/	<=33	Pass
			Inner_Full	23.43	/	/	28.53	/	/	<=33	Pass
			Inner_1RB_Left	23.72	/	/	28.82	/	/	<=33	Pass
			Inner_1RB_Right	23.65	/	/	28.75	/	/	<=33	Pass
		1900	Edge_1RB_Left	23.13	/	/	28.23	/	/	<=33	Pass
			Edge_1RB_Right	23.36	/	/	28.46	/	/	<=33	Pass
			Outer_Full	23.43	/	/	28.53	/	/	<=33	Pass
			Inner_Full	23.99	/	/	29.09	/	/	<=33	Pass
			Inner_1RB_Left	23.65	/	/	28.75	/	/	<=33	Pass
			Inner_1RB_Right	23.87	/	/	28.97	/	/	<=33	Pass
		DFT-s-OFDM QPSK	1860	Edge_1RB_Left	21.86	/	/	26.96	/	/	<=33
Edge_1RB_Right	22.37			/	/	27.47	/	/	<=33	Pass	
Outer_Full	22.01			/	/	27.11	/	/	<=33	Pass	
Inner_Full	23.10			/	/	28.20	/	/	<=33	Pass	
Inner_1RB_Left	23.07			/	/	28.17	/	/	<=33	Pass	
Inner_1RB_Right	23.34			/	/	28.44	/	/	<=33	Pass	
1880	Edge_1RB_Left		22.34	/	/	27.44	/	/	<=33	Pass	
	Edge_1RB_Right		22.92	/	/	28.02	/	/	<=33	Pass	
	Outer_Full		22.71	/	/	27.81	/	/	<=33	Pass	
	Inner_Full		23.62	/	/	28.72	/	/	<=33	Pass	
	Inner_1RB_Left		23.25	/	/	28.35	/	/	<=33	Pass	
	Inner_1RB_Right		23.89	/	/	28.99	/	/	<=33	Pass	
1900	Edge_1RB_Left		22.74	/	/	27.84	/	/	<=33	Pass	
	Edge_1RB_Right		22.73	/	/	27.83	/	/	<=33	Pass	
	Outer_Full		22.91	/	/	28.01	/	/	<=33	Pass	
	Inner_Full		23.66	/	/	28.76	/	/	<=33	Pass	
	Inner_1RB_Left		23.58	/	/	28.68	/	/	<=33	Pass	
	Inner_1RB_Right		23.54	/	/	28.64	/	/	<=33	Pass	
DFT-s-OFDM 16 QAM	1860	Edge_1RB_Left	21.41	/	/	26.51	/	/	<=33	Pass	
		Edge_1RB_Right	21.64	/	/	26.74	/	/	<=33	Pass	
		Outer_Full	21.22	/	/	26.32	/	/	<=33	Pass	
		Inner_Full	22.11	/	/	27.21	/	/	<=33	Pass	
		Inner_1RB_Left	22.28	/	/	27.38	/	/	<=33	Pass	
		Inner_1RB_Right	22.48	/	/	27.58	/	/	<=33	Pass	
	1880	Edge_1RB_Left	21.72	/	/	26.82	/	/	<=33	Pass	
		Edge_1RB_Right	22.11	/	/	27.21	/	/	<=33	Pass	
		Outer_Full	21.67	/	/	26.77	/	/	<=33	Pass	
		Inner_Full	22.77	/	/	27.87	/	/	<=33	Pass	
		Inner_1RB_Left	22.62	/	/	27.72	/	/	<=33	Pass	
		Inner_1RB_Right	23.08	/	/	28.18	/	/	<=33	Pass	
	1900	Edge_1RB_Left	22.01	/	/	27.11	/	/	<=33	Pass	
		Edge_1RB_Right	21.91	/	/	27.01	/	/	<=33	Pass	
		Outer_Full	21.86	/	/	26.96	/	/	<=33	Pass	
		Inner_Full	22.87	/	/	27.97	/	/	<=33	Pass	
		Inner_1RB_Left	22.96	/	/	28.06	/	/	<=33	Pass	
		Inner_1RB_Right	22.82	/	/	27.92	/	/	<=33	Pass	
DFT-s-OFDM 64 QAM	1860	Edge_1RB_Left	20.36	/	/	25.46	/	/	<=33	Pass	
		Edge_1RB_Right	20.88	/	/	25.98	/	/	<=33	Pass	
		Outer_Full	20.73	/	/	25.83	/	/	<=33	Pass	
		Inner_Full	20.75	/	/	25.85	/	/	<=33	Pass	
		Inner_1RB_Left	20.38	/	/	25.48	/	/	<=33	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the back, available on request at <http://www.irs.com/terms-and-conditions.aspx> and for electronic format documents, subject to Terms and Conditions of Electronic Communication at <http://www.irs.com/terms-and-conditions.aspx>. Attention is drawn to the importance of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced or stored in full without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be liable to criminal sanctions and civil damages. Other than the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留园学生创业园伟业路10号 邮编 215300

886-51257356888 886-51257370818 www.agsgroup.com.cn
 886-51257356888 886-51257370818 ags.china@ags.com

		Inner_1RB_Right	20.75	/	/	25.85	/	/	<=33	Pass	
		1880	Edge_1RB_Left	20.67	/	/	25.77	/	/	<=33	Pass
			Edge_1RB_Right	21.12	/	/	26.22	/	/	<=33	Pass
			Outer_Full	21.17	/	/	26.27	/	/	<=33	Pass
			Inner_Full	21.25	/	/	26.35	/	/	<=33	Pass
			Inner_1RB_Left	20.70	/	/	25.80	/	/	<=33	Pass
			Inner_1RB_Right	21.11	/	/	26.21	/	/	<=33	Pass
		1900	Edge_1RB_Left	21.73	/	/	26.83	/	/	<=33	Pass
			Edge_1RB_Right	21.52	/	/	26.62	/	/	<=33	Pass
			Outer_Full	21.37	/	/	26.47	/	/	<=33	Pass
			Inner_Full	21.39	/	/	26.49	/	/	<=33	Pass
			Inner_1RB_Left	21.56	/	/	26.66	/	/	<=33	Pass
			Inner_1RB_Right	21.52	/	/	26.62	/	/	<=33	Pass
		DFT-s-OFDM 256 QAM	1860	Edge_1RB_Left	18.72	/	/	23.82	/	/	<=33
Edge_1RB_Right	19.05			/	/	24.15	/	/	<=33	Pass	
Outer_Full	18.68			/	/	23.78	/	/	<=33	Pass	
Inner_Full	18.75			/	/	23.85	/	/	<=33	Pass	
Inner_1RB_Left	18.66			/	/	23.76	/	/	<=33	Pass	
Inner_1RB_Right	19.04			/	/	24.14	/	/	<=33	Pass	
1880	Edge_1RB_Left		18.99	/	/	24.09	/	/	<=33	Pass	
	Edge_1RB_Right		19.43	/	/	24.53	/	/	<=33	Pass	
	Outer_Full		19.14	/	/	24.24	/	/	<=33	Pass	
	Inner_Full		19.23	/	/	24.33	/	/	<=33	Pass	
	Inner_1RB_Left		19.05	/	/	24.15	/	/	<=33	Pass	
	Inner_1RB_Right		19.42	/	/	24.52	/	/	<=33	Pass	
1900	Edge_1RB_Left		19.70	/	/	24.80	/	/	<=33	Pass	
	Edge_1RB_Right		19.62	/	/	24.72	/	/	<=33	Pass	
	Outer_Full		19.37	/	/	24.47	/	/	<=33	Pass	
	Inner_Full		19.35	/	/	24.45	/	/	<=33	Pass	
	Inner_1RB_Left		19.67	/	/	24.77	/	/	<=33	Pass	
	Inner_1RB_Right		19.65	/	/	24.75	/	/	<=33	Pass	
CP-OFDM QPSK	1860	Edge_1RB_Left	20.06	/	/	25.16	/	/	<=33	Pass	
		Edge_1RB_Right	20.60	/	/	25.70	/	/	<=33	Pass	
		Outer_Full	20.22	/	/	25.32	/	/	<=33	Pass	
		Inner_Full	21.77	/	/	26.87	/	/	<=33	Pass	
		Inner_1RB_Left	22.31	/	/	27.41	/	/	<=33	Pass	
		Inner_1RB_Right	22.52	/	/	27.62	/	/	<=33	Pass	
	1880	Edge_1RB_Left	20.42	/	/	25.52	/	/	<=33	Pass	
		Edge_1RB_Right	20.91	/	/	26.01	/	/	<=33	Pass	
		Outer_Full	20.64	/	/	25.74	/	/	<=33	Pass	
		Inner_Full	22.21	/	/	27.31	/	/	<=33	Pass	
		Inner_1RB_Left	21.99	/	/	27.09	/	/	<=33	Pass	
		Inner_1RB_Right	22.61	/	/	27.71	/	/	<=33	Pass	
	1900	Edge_1RB_Left	20.79	/	/	25.89	/	/	<=33	Pass	
		Edge_1RB_Right	20.80	/	/	25.90	/	/	<=33	Pass	
Outer_Full		20.87	/	/	25.97	/	/	<=33	Pass		
Inner_Full		22.29	/	/	27.39	/	/	<=33	Pass		
Inner_1RB_Left		22.52	/	/	27.62	/	/	<=33	Pass		
Inner_1RB_Right		22.45	/	/	27.55	/	/	<=33	Pass		
CP-OFDM 16 QAM	1860	Edge_1RB_Left	20.25	/	/	25.35	/	/	<=33	Pass	
		Edge_1RB_Right	20.62	/	/	25.72	/	/	<=33	Pass	
		Outer_Full	20.23	/	/	25.33	/	/	<=33	Pass	
		Inner_Full	21.21	/	/	26.31	/	/	<=33	Pass	
		Inner_1RB_Left	21.30	/	/	26.40	/	/	<=33	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.igs.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.igs.com.au/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings as to the limits of its intervention any and all the limits of its instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

800-5125735888 800-5125737061 www.sgschina.com.cn
 86-51245735888 86-5125737061 sgs.china@sgs.com

	1880	Inner 1RB Right	21.61	/	/	26.71	/	/	<=33	Pass
		Edge 1RB Left	20.59	/	/	25.69	/	/	<=33	Pass
		Edge 1RB Right	20.98	/	/	26.08	/	/	<=33	Pass
		Outer Full	20.63	/	/	25.73	/	/	<=33	Pass
		Inner Full	21.71	/	/	26.81	/	/	<=33	Pass
		Inner 1RB Left	21.60	/	/	26.70	/	/	<=33	Pass
	1900	Inner 1RB Right	22.00	/	/	27.10	/	/	<=33	Pass
		Edge 1RB Left	20.98	/	/	26.08	/	/	<=33	Pass
		Edge 1RB Right	20.93	/	/	26.03	/	/	<=33	Pass
		Outer Full	20.81	/	/	25.91	/	/	<=33	Pass
		Inner Full	21.81	/	/	26.91	/	/	<=33	Pass
		Inner 1RB Left	21.97	/	/	27.07	/	/	<=33	Pass
CP-OFDM 64 QAM	1860	Inner 1RB Right	21.94	/	/	27.04	/	/	<=33	Pass
		Edge 1RB Left	19.51	/	/	24.61	/	/	<=33	Pass
		Edge 1RB Right	19.84	/	/	24.94	/	/	<=33	Pass
		Outer Full	19.70	/	/	24.80	/	/	<=33	Pass
		Inner Full	19.73	/	/	24.83	/	/	<=33	Pass
		Inner 1RB Left	19.51	/	/	24.61	/	/	<=33	Pass
	1880	Inner 1RB Right	19.77	/	/	24.87	/	/	<=33	Pass
		Edge 1RB Left	20.19	/	/	25.29	/	/	<=33	Pass
		Edge 1RB Right	20.65	/	/	25.75	/	/	<=33	Pass
		Outer Full	20.13	/	/	25.23	/	/	<=33	Pass
		Inner Full	20.26	/	/	25.36	/	/	<=33	Pass
		Inner 1RB Left	20.23	/	/	25.33	/	/	<=33	Pass
	1900	Inner 1RB Right	20.67	/	/	25.77	/	/	<=33	Pass
		Edge 1RB Left	20.59	/	/	25.69	/	/	<=33	Pass
		Edge 1RB Right	20.56	/	/	25.66	/	/	<=33	Pass
		Outer Full	20.33	/	/	25.43	/	/	<=33	Pass
		Inner Full	20.42	/	/	25.52	/	/	<=33	Pass
		Inner 1RB Left	20.55	/	/	25.65	/	/	<=33	Pass
CP-OFDM 256 QAM	1860	Inner 1RB Right	20.57	/	/	25.67	/	/	<=33	Pass
		Edge 1RB Left	16.56	/	/	21.66	/	/	<=33	Pass
		Edge 1RB Right	16.98	/	/	22.08	/	/	<=33	Pass
		Outer Full	16.63	/	/	21.73	/	/	<=33	Pass
		Inner Full	16.70	/	/	21.80	/	/	<=33	Pass
		Inner 1RB Left	16.51	/	/	21.61	/	/	<=33	Pass
	1880	Inner 1RB Right	16.97	/	/	22.07	/	/	<=33	Pass
		Edge 1RB Left	17.32	/	/	22.42	/	/	<=33	Pass
		Edge 1RB Right	17.76	/	/	22.86	/	/	<=33	Pass
		Outer Full	17.04	/	/	22.14	/	/	<=33	Pass
		Inner Full	17.11	/	/	22.21	/	/	<=33	Pass
		Inner 1RB Left	17.10	/	/	22.20	/	/	<=33	Pass
	1900	Inner 1RB Right	17.61	/	/	22.71	/	/	<=33	Pass
		Edge 1RB Left	17.67	/	/	22.77	/	/	<=33	Pass
		Edge 1RB Right	17.67	/	/	22.77	/	/	<=33	Pass
		Outer Full	17.25	/	/	22.35	/	/	<=33	Pass
		Inner Full	17.23	/	/	22.33	/	/	<=33	Pass
		Inner 1RB Left	17.64	/	/	22.74	/	/	<=33	Pass
		Inner 1RB Right	17.51	/	/	22.61	/	/	<=33	Pass

Note1: Antenna Gain: Ant1: 5.10dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.5 30k_SISO_10MHz_NTNV_EIRP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention and, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at telephone: (86-512) 57370911 or email: CH.Official@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

086-512/57350888 086-512/57370911 www.sgs.com.cn

086-512/57350883 086-512/57370911 sgs.china@sgs.com

1.5.1 Test Result

5G NR n2 SCS=30kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1855	Edge_1RB_Left	23.15	/	/	28.25	/	/	<=33	Pass
		Edge_1RB_Right	23.48	/	/	28.58	/	/	<=33	Pass
		Outer_Full	23.24	/	/	28.34	/	/	<=33	Pass
		Inner_Full	23.81	/	/	28.91	/	/	<=33	Pass
		Inner_1RB_Left	23.65	/	/	28.75	/	/	<=33	Pass
		Inner_1RB_Right	23.95	/	/	29.05	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.99	/	/	28.09	/	/	<=33	Pass
		Edge_1RB_Right	22.91	/	/	28.01	/	/	<=33	Pass
		Outer_Full	22.88	/	/	27.98	/	/	<=33	Pass
		Inner_Full	23.43	/	/	28.53	/	/	<=33	Pass
		Inner_1RB_Left	23.46	/	/	28.56	/	/	<=33	Pass
		Inner_1RB_Right	23.39	/	/	28.49	/	/	<=33	Pass
	1905	Edge_1RB_Left	23.58	/	/	28.68	/	/	<=33	Pass
		Edge_1RB_Right	23.45	/	/	28.55	/	/	<=33	Pass
		Outer_Full	23.59	/	/	28.69	/	/	<=33	Pass
		Inner_Full	24.04	/	/	29.14	/	/	<=33	Pass
		Inner_1RB_Left	24.07	/	/	29.17	/	/	<=33	Pass
		Inner_1RB_Right	23.89	/	/	28.99	/	/	<=33	Pass
DFT-s-OFDM QPSK	1855	Edge_1RB_Left	22.04	/	/	27.14	/	/	<=33	Pass
		Edge_1RB_Right	21.93	/	/	27.03	/	/	<=33	Pass
		Outer_Full	22.03	/	/	27.13	/	/	<=33	Pass
		Inner_Full	23.07	/	/	28.17	/	/	<=33	Pass
		Inner_1RB_Left	23.05	/	/	28.15	/	/	<=33	Pass
		Inner_1RB_Right	22.92	/	/	28.02	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.57	/	/	27.67	/	/	<=33	Pass
		Edge_1RB_Right	22.76	/	/	27.86	/	/	<=33	Pass
		Outer_Full	22.80	/	/	27.90	/	/	<=33	Pass
		Inner_Full	23.58	/	/	28.68	/	/	<=33	Pass
		Inner_1RB_Left	23.41	/	/	28.51	/	/	<=33	Pass
		Inner_1RB_Right	23.49	/	/	28.59	/	/	<=33	Pass
	1905	Edge_1RB_Left	22.79	/	/	27.89	/	/	<=33	Pass
		Edge_1RB_Right	22.77	/	/	27.87	/	/	<=33	Pass
		Outer_Full	22.76	/	/	27.86	/	/	<=33	Pass
		Inner_Full	23.61	/	/	28.71	/	/	<=33	Pass
		Inner_1RB_Left	23.66	/	/	28.76	/	/	<=33	Pass
		Inner_1RB_Right	23.47	/	/	28.57	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1855	Edge_1RB_Left	21.23	/	/	26.33	/	/	<=33	Pass
		Edge_1RB_Right	21.16	/	/	26.26	/	/	<=33	Pass
		Outer_Full	21.17	/	/	26.27	/	/	<=33	Pass
		Inner_Full	22.05	/	/	27.15	/	/	<=33	Pass
		Inner_1RB_Left	22.20	/	/	27.30	/	/	<=33	Pass
		Inner_1RB_Right	22.04	/	/	27.14	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.70	/	/	26.80	/	/	<=33	Pass
		Edge_1RB_Right	21.82	/	/	26.92	/	/	<=33	Pass
		Outer_Full	21.75	/	/	26.85	/	/	<=33	Pass
		Inner_Full	22.75	/	/	27.85	/	/	<=33	Pass
		Inner_1RB_Left	22.73	/	/	27.83	/	/	<=33	Pass
		Inner_1RB_Right	22.87	/	/	27.97	/	/	<=33	Pass
	1905	Edge_1RB_Left	21.97	/	/	27.07	/	/	<=33	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions-for-Electronic-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention and, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370911 or email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

86-512)57350888 86-512)57370911 www.sgs.com.cn

86-512)57350888 86-512)57370911 sgs.china@sgs.com



		Edge_1RB_Right	21.95	/	/	27.05	/	/	<=33	Pass
		Outer_Full	21.77	/	/	26.87	/	/	<=33	Pass
		Inner_Full	22.82	/	/	27.92	/	/	<=33	Pass
		Inner_1RB_Left	22.96	/	/	28.06	/	/	<=33	Pass
		Inner_1RB_Right	22.72	/	/	27.82	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1855	Edge_1RB_Left	21.10	/	/	26.20	/	/	<=33	Pass
		Edge_1RB_Right	21.03	/	/	26.13	/	/	<=33	Pass
		Outer_Full	20.78	/	/	25.88	/	/	<=33	Pass
		Inner_Full	20.81	/	/	25.91	/	/	<=33	Pass
		Inner_1RB_Left	21.13	/	/	26.23	/	/	<=33	Pass
		Inner_1RB_Right	20.95	/	/	26.05	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.16	/	/	26.26	/	/	<=33	Pass
		Edge_1RB_Right	21.21	/	/	26.31	/	/	<=33	Pass
		Outer_Full	21.23	/	/	26.33	/	/	<=33	Pass
		Inner_Full	21.23	/	/	26.33	/	/	<=33	Pass
		Inner_1RB_Left	21.15	/	/	26.25	/	/	<=33	Pass
		Inner_1RB_Right	21.27	/	/	26.37	/	/	<=33	Pass
	1905	Edge_1RB_Left	21.70	/	/	26.80	/	/	<=33	Pass
		Edge_1RB_Right	21.61	/	/	26.71	/	/	<=33	Pass
		Outer_Full	21.33	/	/	26.43	/	/	<=33	Pass
		Inner_Full	21.37	/	/	26.47	/	/	<=33	Pass
		Inner_1RB_Left	21.60	/	/	26.70	/	/	<=33	Pass
		Inner_1RB_Right	21.56	/	/	26.66	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1855	Edge_1RB_Left	19.07	/	/	24.17	/	/	<=33	Pass
		Edge_1RB_Right	19.06	/	/	24.16	/	/	<=33	Pass
		Outer_Full	18.61	/	/	23.71	/	/	<=33	Pass
		Inner_Full	18.84	/	/	23.94	/	/	<=33	Pass
		Inner_1RB_Left	19.10	/	/	24.20	/	/	<=33	Pass
		Inner_1RB_Right	19.04	/	/	24.14	/	/	<=33	Pass
	1880	Edge_1RB_Left	19.46	/	/	24.56	/	/	<=33	Pass
		Edge_1RB_Right	19.60	/	/	24.70	/	/	<=33	Pass
		Outer_Full	19.10	/	/	24.20	/	/	<=33	Pass
		Inner_Full	19.30	/	/	24.40	/	/	<=33	Pass
		Inner_1RB_Left	19.39	/	/	24.49	/	/	<=33	Pass
		Inner_1RB_Right	19.54	/	/	24.64	/	/	<=33	Pass
	1905	Edge_1RB_Left	19.67	/	/	24.77	/	/	<=33	Pass
		Edge_1RB_Right	19.64	/	/	24.74	/	/	<=33	Pass
		Outer_Full	19.16	/	/	24.26	/	/	<=33	Pass
		Inner_Full	19.28	/	/	24.38	/	/	<=33	Pass
		Inner_1RB_Left	19.65	/	/	24.75	/	/	<=33	Pass
		Inner_1RB_Right	19.51	/	/	24.61	/	/	<=33	Pass
CP-OFDM QPSK	1855	Edge_1RB_Left	20.24	/	/	25.34	/	/	<=33	Pass
		Edge_1RB_Right	20.10	/	/	25.20	/	/	<=33	Pass
		Outer_Full	20.11	/	/	25.21	/	/	<=33	Pass
		Inner_Full	21.77	/	/	26.87	/	/	<=33	Pass
		Inner_1RB_Left	21.67	/	/	26.77	/	/	<=33	Pass
		Inner_1RB_Right	21.59	/	/	26.69	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.57	/	/	25.67	/	/	<=33	Pass
		Edge_1RB_Right	20.73	/	/	25.83	/	/	<=33	Pass
		Outer_Full	20.71	/	/	25.81	/	/	<=33	Pass
		Inner_Full	22.27	/	/	27.37	/	/	<=33	Pass
		Inner_1RB_Left	22.04	/	/	27.14	/	/	<=33	Pass
		Inner_1RB_Right	22.20	/	/	27.30	/	/	<=33	Pass
1905	Edge_1RB_Left	20.84	/	/	25.94	/	/	<=33	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the Company and the terms of its verification of its information within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fact report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

800-5125735888 800-5125737000 www.sgs.com.cn
 800-5125735888 800-5125737000 sgs.china@sgs.com

		Edge_1RB_Right	20.83	/	/	25.93	/	/	<=33	Pass
		Outer_Full	20.65	/	/	25.75	/	/	<=33	Pass
		Inner_Full	22.30	/	/	27.40	/	/	<=33	Pass
		Inner_1RB_Left	22.28	/	/	27.38	/	/	<=33	Pass
		Inner_1RB_Right	22.13	/	/	27.23	/	/	<=33	Pass
CP-OFDM 16 QAM	1855	Edge_1RB_Left	20.35	/	/	25.45	/	/	<=33	Pass
		Edge_1RB_Right	20.32	/	/	25.42	/	/	<=33	Pass
		Outer_Full	20.18	/	/	25.28	/	/	<=33	Pass
		Inner_Full	21.21	/	/	26.31	/	/	<=33	Pass
		Inner_1RB_Left	21.29	/	/	26.39	/	/	<=33	Pass
		Inner_1RB_Right	21.25	/	/	26.35	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.68	/	/	25.78	/	/	<=33	Pass
		Edge_1RB_Right	20.89	/	/	25.99	/	/	<=33	Pass
		Outer_Full	20.68	/	/	25.78	/	/	<=33	Pass
		Inner_Full	21.71	/	/	26.81	/	/	<=33	Pass
		Inner_1RB_Left	21.75	/	/	26.85	/	/	<=33	Pass
		Inner_1RB_Right	21.87	/	/	26.97	/	/	<=33	Pass
	1905	Edge_1RB_Left	20.89	/	/	25.99	/	/	<=33	Pass
		Edge_1RB_Right	20.77	/	/	25.87	/	/	<=33	Pass
		Outer_Full	20.68	/	/	25.78	/	/	<=33	Pass
		Inner_Full	21.73	/	/	26.83	/	/	<=33	Pass
		Inner_1RB_Left	21.86	/	/	26.96	/	/	<=33	Pass
		Inner_1RB_Right	21.63	/	/	26.73	/	/	<=33	Pass
CP-OFDM 64 QAM	1855	Edge_1RB_Left	19.71	/	/	24.81	/	/	<=33	Pass
		Edge_1RB_Right	19.70	/	/	24.80	/	/	<=33	Pass
		Outer_Full	19.70	/	/	24.80	/	/	<=33	Pass
		Inner_Full	19.70	/	/	24.80	/	/	<=33	Pass
		Inner_1RB_Left	19.75	/	/	24.85	/	/	<=33	Pass
		Inner_1RB_Right	19.69	/	/	24.79	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.29	/	/	25.39	/	/	<=33	Pass
		Edge_1RB_Right	20.45	/	/	25.55	/	/	<=33	Pass
		Outer_Full	20.26	/	/	25.36	/	/	<=33	Pass
		Inner_Full	20.28	/	/	25.38	/	/	<=33	Pass
		Inner_1RB_Left	20.34	/	/	25.44	/	/	<=33	Pass
		Inner_1RB_Right	20.48	/	/	25.58	/	/	<=33	Pass
	1905	Edge_1RB_Left	20.31	/	/	25.41	/	/	<=33	Pass
		Edge_1RB_Right	20.33	/	/	25.43	/	/	<=33	Pass
		Outer_Full	20.26	/	/	25.36	/	/	<=33	Pass
		Inner_Full	20.31	/	/	25.41	/	/	<=33	Pass
		Inner_1RB_Left	20.36	/	/	25.46	/	/	<=33	Pass
		Inner_1RB_Right	20.20	/	/	25.30	/	/	<=33	Pass
CP-OFDM 256 QAM	1855	Edge_1RB_Left	16.95	/	/	22.05	/	/	<=33	Pass
		Edge_1RB_Right	16.88	/	/	21.98	/	/	<=33	Pass
		Outer_Full	16.52	/	/	21.62	/	/	<=33	Pass
		Inner_Full	16.67	/	/	21.77	/	/	<=33	Pass
		Inner_1RB_Left	16.87	/	/	21.97	/	/	<=33	Pass
		Inner_1RB_Right	16.88	/	/	21.98	/	/	<=33	Pass
	1880	Edge_1RB_Left	17.29	/	/	22.39	/	/	<=33	Pass
		Edge_1RB_Right	17.48	/	/	22.58	/	/	<=33	Pass
		Outer_Full	17.08	/	/	22.18	/	/	<=33	Pass
		Inner_Full	17.22	/	/	22.32	/	/	<=33	Pass
		Inner_1RB_Left	17.29	/	/	22.39	/	/	<=33	Pass
		Inner_1RB_Right	17.43	/	/	22.53	/	/	<=33	Pass
1905	Edge_1RB_Left	17.56	/	/	22.66	/	/	<=33	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the Company and the terms of its verification of its information within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fact report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

186-5125735688 186-5125737011 www.sgsigroup.com.cn
186-5125735688 186-5125737011 sgs.china@sgs.com

	Edge_1RB_Right	17.62	/	/	22.72	/	/	<=33	Pass
	Outer_Full	17.03	/	/	22.13	/	/	<=33	Pass
	Inner_Full	17.25	/	/	22.35	/	/	<=33	Pass
	Inner_1RB_Left	17.69	/	/	22.79	/	/	<=33	Pass
	Inner_1RB_Right	17.45	/	/	22.55	/	/	<=33	Pass
Note1: Antenna Gain: Ant1: 5.10dBi; Note2: EIRP=Conducted Power+Antenna Gain									

1.6 30k_SISO_15MHz_NTNV_EIRP

1.6.1 Test Result

5G NR n2 SCS=30kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1857.5	Edge_1RB_Left	23.06	/	/	28.16	/	/	<=33	Pass
		Edge_1RB_Right	23.46	/	/	28.56	/	/	<=33	Pass
		Outer_Full	23.37	/	/	28.47	/	/	<=33	Pass
		Inner_Full	23.88	/	/	28.98	/	/	<=33	Pass
		Inner_1RB_Left	23.59	/	/	28.69	/	/	<=33	Pass
		Inner_1RB_Right	24.01	/	/	29.11	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.09	/	/	28.19	/	/	<=33	Pass
		Edge_1RB_Right	22.94	/	/	28.04	/	/	<=33	Pass
		Outer_Full	22.96	/	/	28.06	/	/	<=33	Pass
		Inner_Full	23.46	/	/	28.56	/	/	<=33	Pass
		Inner_1RB_Left	23.55	/	/	28.65	/	/	<=33	Pass
		Inner_1RB_Right	23.51	/	/	28.61	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	23.33	/	/	28.43	/	/	<=33	Pass
		Edge_1RB_Right	23.26	/	/	28.36	/	/	<=33	Pass
		Outer_Full	23.48	/	/	28.58	/	/	<=33	Pass
		Inner_Full	23.96	/	/	29.06	/	/	<=33	Pass
		Inner_1RB_Left	23.86	/	/	28.96	/	/	<=33	Pass
		Inner_1RB_Right	23.73	/	/	28.83	/	/	<=33	Pass
DFT-s-OFDM QPSK	1857.5	Edge_1RB_Left	21.99	/	/	27.09	/	/	<=33	Pass
		Edge_1RB_Right	22.05	/	/	27.15	/	/	<=33	Pass
		Outer_Full	22.11	/	/	27.21	/	/	<=33	Pass
		Inner_Full	23.07	/	/	28.17	/	/	<=33	Pass
		Inner_1RB_Left	23.02	/	/	28.12	/	/	<=33	Pass
		Inner_1RB_Right	23.09	/	/	28.19	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.51	/	/	27.61	/	/	<=33	Pass
		Edge_1RB_Right	22.85	/	/	27.95	/	/	<=33	Pass
		Outer_Full	22.76	/	/	27.86	/	/	<=33	Pass
		Inner_Full	23.63	/	/	28.73	/	/	<=33	Pass
		Inner_1RB_Left	23.35	/	/	28.45	/	/	<=33	Pass
		Inner_1RB_Right	23.68	/	/	28.78	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	22.72	/	/	27.82	/	/	<=33	Pass
		Edge_1RB_Right	22.68	/	/	27.78	/	/	<=33	Pass
		Outer_Full	22.78	/	/	27.88	/	/	<=33	Pass
		Inner_Full	23.64	/	/	28.74	/	/	<=33	Pass
		Inner_1RB_Left	23.55	/	/	28.65	/	/	<=33	Pass
		Inner_1RB_Right	23.35	/	/	28.45	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1857.5	Edge_1RB_Left	21.34	/	/	26.44	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-for-Electronic-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or sgs@sgs.com or email: CH.Official@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
0086-51257350888 0086-51257370910 www.sgs.com.cn
0086-51257350888 0086-51257370910 sgs.china@sgs.com

		Edge_1RB_Right	21.39	/	/	26.49	/	/	<=33	Pass
		Outer_Full	21.23	/	/	26.33	/	/	<=33	Pass
		Inner_Full	22.07	/	/	27.17	/	/	<=33	Pass
		Inner_1RB_Left	22.04	/	/	27.14	/	/	<=33	Pass
		Inner_1RB_Right	22.21	/	/	27.31	/	/	<=33	Pass
		Edge_1RB_Left	21.70	/	/	26.80	/	/	<=33	Pass
		Edge_1RB_Right	21.93	/	/	27.03	/	/	<=33	Pass
		Outer_Full	21.80	/	/	26.90	/	/	<=33	Pass
		Inner_Full	22.78	/	/	27.88	/	/	<=33	Pass
		Inner_1RB_Left	22.64	/	/	27.74	/	/	<=33	Pass
		Inner_1RB_Right	22.83	/	/	27.93	/	/	<=33	Pass
		Edge_1RB_Left	21.79	/	/	26.89	/	/	<=33	Pass
	1880	Edge_1RB_Right	21.71	/	/	26.81	/	/	<=33	Pass
		Outer_Full	21.74	/	/	26.84	/	/	<=33	Pass
		Inner_Full	22.74	/	/	27.84	/	/	<=33	Pass
		Inner_1RB_Left	22.78	/	/	27.88	/	/	<=33	Pass
		Inner_1RB_Right	22.69	/	/	27.79	/	/	<=33	Pass
		Edge_1RB_Left	20.65	/	/	25.75	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1857.5	Edge_1RB_Right	20.71	/	/	25.81	/	/	<=33	Pass
		Outer_Full	20.71	/	/	25.81	/	/	<=33	Pass
		Inner_Full	20.71	/	/	25.81	/	/	<=33	Pass
		Inner_1RB_Left	20.76	/	/	25.86	/	/	<=33	Pass
		Inner_1RB_Right	20.82	/	/	25.92	/	/	<=33	Pass
		Edge_1RB_Left	21.32	/	/	26.42	/	/	<=33	Pass
	1880	Edge_1RB_Right	21.50	/	/	26.60	/	/	<=33	Pass
		Outer_Full	21.21	/	/	26.31	/	/	<=33	Pass
		Inner_Full	21.22	/	/	26.32	/	/	<=33	Pass
		Inner_1RB_Left	21.30	/	/	26.40	/	/	<=33	Pass
		Inner_1RB_Right	21.56	/	/	26.66	/	/	<=33	Pass
		Edge_1RB_Left	21.31	/	/	26.41	/	/	<=33	Pass
	1902.5	Edge_1RB_Right	21.23	/	/	26.33	/	/	<=33	Pass
		Outer_Full	21.26	/	/	26.36	/	/	<=33	Pass
		Inner_Full	21.31	/	/	26.41	/	/	<=33	Pass
		Inner_1RB_Left	21.31	/	/	26.41	/	/	<=33	Pass
		Inner_1RB_Right	21.46	/	/	26.56	/	/	<=33	Pass
		Edge_1RB_Left	19.05	/	/	24.15	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1857.5	Edge_1RB_Right	19.09	/	/	24.19	/	/	<=33	Pass
		Outer_Full	18.65	/	/	23.75	/	/	<=33	Pass
		Inner_Full	18.73	/	/	23.83	/	/	<=33	Pass
		Inner_1RB_Left	19.07	/	/	24.17	/	/	<=33	Pass
		Inner_1RB_Right	19.11	/	/	24.21	/	/	<=33	Pass
		Edge_1RB_Left	19.42	/	/	24.52	/	/	<=33	Pass
	1880	Edge_1RB_Right	19.66	/	/	24.76	/	/	<=33	Pass
		Outer_Full	19.16	/	/	24.26	/	/	<=33	Pass
		Inner_Full	19.21	/	/	24.31	/	/	<=33	Pass
		Inner_1RB_Left	19.41	/	/	24.51	/	/	<=33	Pass
		Inner_1RB_Right	19.61	/	/	24.71	/	/	<=33	Pass
		Edge_1RB_Left	19.60	/	/	24.70	/	/	<=33	Pass
	1902.5	Edge_1RB_Right	19.50	/	/	24.60	/	/	<=33	Pass
		Outer_Full	19.27	/	/	24.37	/	/	<=33	Pass
		Inner_Full	19.29	/	/	24.39	/	/	<=33	Pass
		Inner_1RB_Left	19.58	/	/	24.68	/	/	<=33	Pass
		Inner_1RB_Right	19.44	/	/	24.54	/	/	<=33	Pass
		Edge_1RB_Left	20.25	/	/	25.35	/	/	<=33	Pass
CP-OFDM QPSK	1857.5	Edge_1RB_Right	20.25	/	/	25.35	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the Company and the terms of its verification of its information within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fact report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

800-5125735888 800-51257370611 www.sgsigroup.com.cn
800-5125735888 800-51257370611 sgs.china@sgs.com

		Edge_1RB_Right	20.22	/	/	25.32	/	/	<=33	Pass
		Outer_Full	20.19	/	/	25.29	/	/	<=33	Pass
		Inner_Full	21.69	/	/	26.79	/	/	<=33	Pass
		Inner_1RB_Left	21.77	/	/	26.87	/	/	<=33	Pass
		Inner_1RB_Right	21.74	/	/	26.84	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.55	/	/	25.65	/	/	<=33	Pass
		Edge_1RB_Right	20.81	/	/	25.91	/	/	<=33	Pass
		Outer_Full	20.69	/	/	25.79	/	/	<=33	Pass
		Inner_Full	22.19	/	/	27.29	/	/	<=33	Pass
		Inner_1RB_Left	22.00	/	/	27.10	/	/	<=33	Pass
		Inner_1RB_Right	22.32	/	/	27.42	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	20.82	/	/	25.92	/	/	<=33	Pass
		Edge_1RB_Right	20.75	/	/	25.85	/	/	<=33	Pass
		Outer_Full	20.72	/	/	25.82	/	/	<=33	Pass
		Inner_Full	22.19	/	/	27.29	/	/	<=33	Pass
		Inner_1RB_Left	22.20	/	/	27.30	/	/	<=33	Pass
CP-OFDM 16 QAM		Inner_1RB_Right	22.03	/	/	27.13	/	/	<=33	Pass
		Edge_1RB_Left	20.18	/	/	25.28	/	/	<=33	Pass
		Edge_1RB_Right	20.19	/	/	25.29	/	/	<=33	Pass
		Outer_Full	20.25	/	/	25.35	/	/	<=33	Pass
		Inner_Full	21.13	/	/	26.23	/	/	<=33	Pass
	1880	Inner_1RB_Left	21.22	/	/	26.32	/	/	<=33	Pass
		Inner_1RB_Right	21.32	/	/	26.42	/	/	<=33	Pass
		Edge_1RB_Left	20.53	/	/	25.63	/	/	<=33	Pass
		Edge_1RB_Right	20.73	/	/	25.83	/	/	<=33	Pass
		Outer_Full	20.74	/	/	25.84	/	/	<=33	Pass
	1902.5	Inner_Full	21.72	/	/	26.82	/	/	<=33	Pass
		Inner_1RB_Left	21.47	/	/	26.57	/	/	<=33	Pass
		Inner_1RB_Right	21.79	/	/	26.89	/	/	<=33	Pass
		Edge_1RB_Left	20.83	/	/	25.93	/	/	<=33	Pass
		Edge_1RB_Right	20.83	/	/	25.93	/	/	<=33	Pass
CP-OFDM 64 QAM		Outer_Full	20.81	/	/	25.91	/	/	<=33	Pass
		Inner_Full	21.70	/	/	26.80	/	/	<=33	Pass
		Inner_1RB_Left	21.89	/	/	26.99	/	/	<=33	Pass
		Inner_1RB_Right	21.73	/	/	26.83	/	/	<=33	Pass
		Edge_1RB_Left	19.97	/	/	25.07	/	/	<=33	Pass
	1880	Edge_1RB_Right	19.93	/	/	25.03	/	/	<=33	Pass
		Outer_Full	19.69	/	/	24.79	/	/	<=33	Pass
		Inner_Full	19.60	/	/	24.70	/	/	<=33	Pass
		Inner_1RB_Left	19.97	/	/	25.07	/	/	<=33	Pass
		Inner_1RB_Right	20.05	/	/	25.15	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	20.22	/	/	25.32	/	/	<=33	Pass
		Edge_1RB_Right	20.54	/	/	25.64	/	/	<=33	Pass
		Outer_Full	20.21	/	/	25.31	/	/	<=33	Pass
		Inner_Full	20.12	/	/	25.22	/	/	<=33	Pass
		Inner_1RB_Left	20.27	/	/	25.37	/	/	<=33	Pass
CP-OFDM 256 QAM		Inner_1RB_Right	20.53	/	/	25.63	/	/	<=33	Pass
		Edge_1RB_Left	20.24	/	/	25.34	/	/	<=33	Pass
		Edge_1RB_Right	20.19	/	/	25.29	/	/	<=33	Pass
		Outer_Full	20.22	/	/	25.32	/	/	<=33	Pass
		Inner_Full	20.23	/	/	25.33	/	/	<=33	Pass
	1880	Inner_1RB_Left	20.29	/	/	25.39	/	/	<=33	Pass
		Inner_1RB_Right	20.15	/	/	25.25	/	/	<=33	Pass
		Edge_1RB_Left	16.99	/	/	22.09	/	/	<=33	Pass
		Edge_1RB_Right	16.99	/	/	22.09	/	/	<=33	Pass
	1902.5	Outer_Full	16.99	/	/	22.09	/	/	<=33	Pass
		Inner_Full	16.99	/	/	22.09	/	/	<=33	Pass
		Inner_1RB_Left	16.99	/	/	22.09	/	/	<=33	Pass
		Inner_1RB_Right	16.99	/	/	22.09	/	/	<=33	Pass
		Edge_1RB_Left	16.99	/	/	22.09	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention and, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370911 or email: CH.Official@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 0086-51257370908 0086-51257370911 www.sgs.com.cn
 0086-51257370908 0086-51257370911 sgs.china@sgs.com

		Edge_1RB_Right	17.07	/	/	22.17	/	/	<=33	Pass
		Outer_Full	16.64	/	/	21.74	/	/	<=33	Pass
		Inner_Full	16.71	/	/	21.81	/	/	<=33	Pass
		Inner_1RB_Left	16.99	/	/	22.09	/	/	<=33	Pass
		Inner_1RB_Right	17.06	/	/	22.16	/	/	<=33	Pass
	1880	Edge_1RB_Left	17.26	/	/	22.36	/	/	<=33	Pass
		Edge_1RB_Right	17.58	/	/	22.68	/	/	<=33	Pass
		Outer_Full	17.12	/	/	22.22	/	/	<=33	Pass
		Inner_Full	17.21	/	/	22.31	/	/	<=33	Pass
		Inner_1RB_Left	17.31	/	/	22.41	/	/	<=33	Pass
	1902.5	Inner_1RB_Right	17.61	/	/	22.71	/	/	<=33	Pass
		Edge_1RB_Left	17.45	/	/	22.55	/	/	<=33	Pass
		Edge_1RB_Right	17.39	/	/	22.49	/	/	<=33	Pass
		Outer_Full	17.20	/	/	22.30	/	/	<=33	Pass
		Inner_Full	17.16	/	/	22.26	/	/	<=33	Pass
		Inner_1RB_Left	17.50	/	/	22.60	/	/	<=33	Pass
		Inner_1RB_Right	17.35	/	/	22.45	/	/	<=33	Pass
Note1: Antenna Gain: Ant1: 5.10dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.7 30k_SISO_20MHz_NTNV_EIRP

1.7.1 Test Result

5G NR n2 SCS=30kHz SISO 20MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1860	Edge_1RB_Left	22.75	/	/	27.85	/	/	<=33	Pass
		Edge_1RB_Right	23.07	/	/	28.17	/	/	<=33	Pass
		Outer_Full	23.32	/	/	28.42	/	/	<=33	Pass
		Inner_Full	23.88	/	/	28.98	/	/	<=33	Pass
		Inner_1RB_Left	23.23	/	/	28.33	/	/	<=33	Pass
		Inner_1RB_Right	23.65	/	/	28.75	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.13	/	/	28.23	/	/	<=33	Pass
		Edge_1RB_Right	22.89	/	/	27.99	/	/	<=33	Pass
		Outer_Full	22.81	/	/	27.91	/	/	<=33	Pass
		Inner_Full	23.38	/	/	28.48	/	/	<=33	Pass
		Inner_1RB_Left	23.56	/	/	28.66	/	/	<=33	Pass
		Inner_1RB_Right	23.38	/	/	28.48	/	/	<=33	Pass
	1900	Edge_1RB_Left	22.99	/	/	28.09	/	/	<=33	Pass
		Edge_1RB_Right	23.27	/	/	28.37	/	/	<=33	Pass
		Outer_Full	23.32	/	/	28.42	/	/	<=33	Pass
		Inner_Full	24.08	/	/	29.18	/	/	<=33	Pass
		Inner_1RB_Left	23.55	/	/	28.65	/	/	<=33	Pass
		Inner_1RB_Right	23.71	/	/	28.81	/	/	<=33	Pass
DFT-s-OFDM QPSK	1860	Edge_1RB_Left	21.94	/	/	27.04	/	/	<=33	Pass
		Edge_1RB_Right	22.20	/	/	27.30	/	/	<=33	Pass
		Outer_Full	21.99	/	/	27.09	/	/	<=33	Pass
		Inner_Full	23.12	/	/	28.22	/	/	<=33	Pass
		Inner_1RB_Left	22.89	/	/	27.99	/	/	<=33	Pass
		Inner_1RB_Right	23.12	/	/	28.22	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.28	/	/	27.38	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please connect us at sgs@sgs.com or www.sgs.com or www.sgs.com.cn or email: CH.Official@sgs.com.
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
056-512157350888 056-512157370919 www.sgs.com.cn
056-512157350888 056-512157370919 sgs.china@sgs.com

		Edge_1RB_Right	22.74	/	/	27.84	/	/	<=33	Pass
		Outer_Full	22.73	/	/	27.83	/	/	<=33	Pass
		Inner_Full	23.63	/	/	28.73	/	/	<=33	Pass
		Inner_1RB_Left	23.25	/	/	28.35	/	/	<=33	Pass
		Inner_1RB_Right	23.63	/	/	28.73	/	/	<=33	Pass
		Edge_1RB_Left	22.75	/	/	27.85	/	/	<=33	Pass
		Edge_1RB_Right	22.62	/	/	27.72	/	/	<=33	Pass
		Outer_Full	22.88	/	/	27.98	/	/	<=33	Pass
		Inner_Full	23.69	/	/	28.79	/	/	<=33	Pass
		Inner_1RB_Left	23.60	/	/	28.70	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1860	Inner_1RB_Right	23.36	/	/	28.46	/	/	<=33	Pass
		Edge_1RB_Left	21.28	/	/	26.38	/	/	<=33	Pass
		Edge_1RB_Right	21.55	/	/	26.65	/	/	<=33	Pass
		Outer_Full	21.23	/	/	26.33	/	/	<=33	Pass
		Inner_Full	22.07	/	/	27.17	/	/	<=33	Pass
		Inner_1RB_Left	22.10	/	/	27.20	/	/	<=33	Pass
	1880	Inner_1RB_Right	22.47	/	/	27.57	/	/	<=33	Pass
		Edge_1RB_Left	21.47	/	/	26.57	/	/	<=33	Pass
		Edge_1RB_Right	21.81	/	/	26.91	/	/	<=33	Pass
		Outer_Full	21.72	/	/	26.82	/	/	<=33	Pass
		Inner_Full	22.77	/	/	27.87	/	/	<=33	Pass
		Inner_1RB_Left	22.46	/	/	27.56	/	/	<=33	Pass
	1900	Inner_1RB_Right	22.81	/	/	27.91	/	/	<=33	Pass
		Edge_1RB_Left	21.82	/	/	26.92	/	/	<=33	Pass
		Edge_1RB_Right	21.65	/	/	26.75	/	/	<=33	Pass
		Outer_Full	21.86	/	/	26.96	/	/	<=33	Pass
		Inner_Full	22.86	/	/	27.96	/	/	<=33	Pass
		Inner_1RB_Left	22.81	/	/	27.91	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1860	Inner_1RB_Right	22.64	/	/	27.74	/	/	<=33	Pass
		Edge_1RB_Left	20.94	/	/	26.04	/	/	<=33	Pass
		Edge_1RB_Right	21.20	/	/	26.30	/	/	<=33	Pass
		Outer_Full	20.70	/	/	25.80	/	/	<=33	Pass
		Inner_Full	20.75	/	/	25.85	/	/	<=33	Pass
		Inner_1RB_Left	21.01	/	/	26.11	/	/	<=33	Pass
	1880	Inner_1RB_Right	21.18	/	/	26.28	/	/	<=33	Pass
		Edge_1RB_Left	21.24	/	/	26.34	/	/	<=33	Pass
		Edge_1RB_Right	21.52	/	/	26.62	/	/	<=33	Pass
		Outer_Full	21.25	/	/	26.35	/	/	<=33	Pass
		Inner_Full	21.26	/	/	26.36	/	/	<=33	Pass
		Inner_1RB_Left	21.24	/	/	26.34	/	/	<=33	Pass
	1900	Inner_1RB_Right	21.58	/	/	26.68	/	/	<=33	Pass
		Edge_1RB_Left	21.33	/	/	26.43	/	/	<=33	Pass
		Edge_1RB_Right	21.22	/	/	26.32	/	/	<=33	Pass
		Outer_Full	21.37	/	/	26.47	/	/	<=33	Pass
		Inner_Full	21.36	/	/	26.46	/	/	<=33	Pass
		Inner_1RB_Left	21.29	/	/	26.39	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1860	Inner_1RB_Right	21.16	/	/	26.26	/	/	<=33	Pass
		Edge_1RB_Left	19.03	/	/	24.13	/	/	<=33	Pass
		Edge_1RB_Right	19.16	/	/	24.26	/	/	<=33	Pass
		Outer_Full	18.66	/	/	23.76	/	/	<=33	Pass
		Inner_Full	18.72	/	/	23.82	/	/	<=33	Pass
	1880	Inner_1RB_Left	19.01	/	/	24.11	/	/	<=33	Pass
		Inner_1RB_Right	19.15	/	/	24.25	/	/	<=33	Pass
		Edge_1RB_Left	19.24	/	/	24.34	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the Company and the terms of its verification of its information within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fact report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生创业园伟业路10号 邮编 215300

800-5125735888 800-51257370611 www.sgsigroup.com.cn
800-5125735888 800-51257370611 sgs.china@sgs.com

CP-OFDM QPSK	1900	Edge_1RB_Right	19.59	/	/	24.69	/	/	<=33	Pass
		Outer_Full	19.14	/	/	24.24	/	/	<=33	Pass
		Inner_Full	19.21	/	/	24.31	/	/	<=33	Pass
		Inner_1RB_Left	19.27	/	/	24.37	/	/	<=33	Pass
		Inner_1RB_Right	19.59	/	/	24.69	/	/	<=33	Pass
	1860	Edge_1RB_Left	19.65	/	/	24.75	/	/	<=33	Pass
		Edge_1RB_Right	19.52	/	/	24.62	/	/	<=33	Pass
		Outer_Full	19.32	/	/	24.42	/	/	<=33	Pass
		Inner_Full	19.29	/	/	24.39	/	/	<=33	Pass
		Inner_1RB_Left	19.64	/	/	24.74	/	/	<=33	Pass
	1880	Inner_1RB_Right	19.49	/	/	24.59	/	/	<=33	Pass
		Edge_1RB_Left	20.12	/	/	25.22	/	/	<=33	Pass
		Edge_1RB_Right	20.35	/	/	25.45	/	/	<=33	Pass
		Outer_Full	20.14	/	/	25.24	/	/	<=33	Pass
		Inner_Full	21.73	/	/	26.83	/	/	<=33	Pass
CP-OFDM 16 QAM	1860	Inner_1RB_Left	21.56	/	/	26.66	/	/	<=33	Pass
		Inner_1RB_Right	21.84	/	/	26.94	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.44	/	/	25.54	/	/	<=33	Pass
		Edge_1RB_Right	20.82	/	/	25.92	/	/	<=33	Pass
		Outer_Full	20.64	/	/	25.74	/	/	<=33	Pass
		Inner_Full	22.26	/	/	27.36	/	/	<=33	Pass
		Inner_1RB_Left	21.97	/	/	27.07	/	/	<=33	Pass
	1900	Inner_1RB_Right	22.29	/	/	27.39	/	/	<=33	Pass
		Edge_1RB_Left	20.71	/	/	25.81	/	/	<=33	Pass
		Edge_1RB_Right	20.69	/	/	25.79	/	/	<=33	Pass
		Outer_Full	20.81	/	/	25.91	/	/	<=33	Pass
		Inner_Full	22.33	/	/	27.43	/	/	<=33	Pass
CP-OFDM 64 QAM	1860	Inner_1RB_Left	22.28	/	/	27.38	/	/	<=33	Pass
		Inner_1RB_Right	22.03	/	/	27.13	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.15	/	/	25.25	/	/	<=33	Pass
		Edge_1RB_Right	20.40	/	/	25.50	/	/	<=33	Pass
		Outer_Full	20.16	/	/	25.26	/	/	<=33	Pass
		Inner_Full	21.23	/	/	26.33	/	/	<=33	Pass
		Inner_1RB_Left	21.15	/	/	26.25	/	/	<=33	Pass
	1900	Inner_1RB_Right	21.34	/	/	26.44	/	/	<=33	Pass
		Edge_1RB_Left	20.49	/	/	25.59	/	/	<=33	Pass
		Edge_1RB_Right	20.84	/	/	25.94	/	/	<=33	Pass
		Outer_Full	20.68	/	/	25.78	/	/	<=33	Pass
		Inner_Full	21.71	/	/	26.81	/	/	<=33	Pass
CP-OFDM 64 QAM	1860	Inner_1RB_Left	21.43	/	/	26.53	/	/	<=33	Pass
		Inner_1RB_Right	21.75	/	/	26.85	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.93	/	/	26.03	/	/	<=33	Pass
		Edge_1RB_Right	20.82	/	/	25.92	/	/	<=33	Pass
		Outer_Full	20.85	/	/	25.95	/	/	<=33	Pass
		Inner_Full	21.83	/	/	26.93	/	/	<=33	Pass
		Inner_1RB_Left	21.91	/	/	27.01	/	/	<=33	Pass
	1900	Inner_1RB_Right	21.69	/	/	26.79	/	/	<=33	Pass
		Edge_1RB_Left	19.62	/	/	24.72	/	/	<=33	Pass
		Edge_1RB_Right	19.96	/	/	25.06	/	/	<=33	Pass
		Outer_Full	19.69	/	/	24.79	/	/	<=33	Pass
		Inner_Full	19.70	/	/	24.80	/	/	<=33	Pass
	1860	Inner_1RB_Left	19.63	/	/	24.73	/	/	<=33	Pass
		Inner_1RB_Right	19.82	/	/	24.92	/	/	<=33	Pass
		Edge_1RB_Left	19.94	/	/	25.04	/	/	<=33	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention and, within the limits of Client's instructions, if any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370911 or email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

086-51257370998 086-51257370911 www.sgs.com.cn

086-51257350883 086-51257370910 sgs.china@sgs.com

		Edge_1RB_Right	20.32	/	/	25.42	/	/	<=33	Pass
		Outer_Full	20.22	/	/	25.32	/	/	<=33	Pass
		Inner_Full	20.21	/	/	25.31	/	/	<=33	Pass
		Inner_1RB_Left	19.95	/	/	25.05	/	/	<=33	Pass
		Inner_1RB_Right	20.25	/	/	25.35	/	/	<=33	Pass
	1900	Edge_1RB_Left	20.50	/	/	25.60	/	/	<=33	Pass
		Edge_1RB_Right	20.43	/	/	25.53	/	/	<=33	Pass
		Outer_Full	20.39	/	/	25.49	/	/	<=33	Pass
		Inner_Full	20.30	/	/	25.40	/	/	<=33	Pass
		Inner_1RB_Left	20.53	/	/	25.63	/	/	<=33	Pass
Inner_1RB_Right	20.31	/	/	25.41	/	/	<=33	Pass		
CP-OFDM 256 QAM	1860	Edge_1RB_Left	16.83	/	/	21.93	/	/	<=33	Pass
		Edge_1RB_Right	17.00	/	/	22.10	/	/	<=33	Pass
		Outer_Full	16.61	/	/	21.71	/	/	<=33	Pass
		Inner_Full	16.64	/	/	21.74	/	/	<=33	Pass
		Inner_1RB_Left	16.75	/	/	21.85	/	/	<=33	Pass
		Inner_1RB_Right	17.00	/	/	22.10	/	/	<=33	Pass
	1880	Edge_1RB_Left	17.21	/	/	22.31	/	/	<=33	Pass
		Edge_1RB_Right	17.58	/	/	22.68	/	/	<=33	Pass
		Outer_Full	17.08	/	/	22.18	/	/	<=33	Pass
		Inner_Full	17.15	/	/	22.25	/	/	<=33	Pass
		Inner_1RB_Left	17.12	/	/	22.22	/	/	<=33	Pass
		Inner_1RB_Right	17.55	/	/	22.65	/	/	<=33	Pass
	1900	Edge_1RB_Left	17.44	/	/	22.54	/	/	<=33	Pass
		Edge_1RB_Right	17.43	/	/	22.53	/	/	<=33	Pass
		Outer_Full	17.32	/	/	22.42	/	/	<=33	Pass
		Inner_Full	17.20	/	/	22.30	/	/	<=33	Pass
		Inner_1RB_Left	17.50	/	/	22.60	/	/	<=33	Pass
		Inner_1RB_Right	17.32	/	/	22.42	/	/	<=33	Pass
Note1: Antenna Gain: Ant1: 5.10dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2. n5 Effective (Isotropic) Radiated Power Output Data

2.1 15k_SISO_5MHz_NTNV_ERP

2.1.1 Test Result

5G NR n5 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	826.5	Edge_1RB_Left	23.37	/	/	25.12	/	/	<=38.45	Pass
		Edge_1RB_Right	23.36	/	/	25.11	/	/	<=38.45	Pass
		Outer_Full	23.39	/	/	25.14	/	/	<=38.45	Pass
		Inner_Full	23.83	/	/	25.58	/	/	<=38.45	Pass
		Inner_1RB_Left	23.85	/	/	25.60	/	/	<=38.45	Pass
		Inner_1RB_Right	23.85	/	/	25.60	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.44	/	/	25.19	/	/	<=38.45	Pass
		Edge_1RB_Right	23.43	/	/	25.18	/	/	<=38.45	Pass
		Outer_Full	23.34	/	/	25.09	/	/	<=38.45	Pass
		Inner_Full	23.95	/	/	25.70	/	/	<=38.45	Pass
		Inner_1RB_Left	23.89	/	/	25.64	/	/	<=38.45	Pass
		Inner_1RB_Right	23.88	/	/	25.63	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	23.49	/	/	25.24	/	/	<=38.45	Pass
		Edge_1RB_Right	23.55	/	/	25.30	/	/	<=38.45	Pass
		Outer_Full	23.51	/	/	25.26	/	/	<=38.45	Pass
		Inner_Full	24.12	/	/	25.87	/	/	<=38.45	Pass
		Inner_1RB_Left	23.99	/	/	25.74	/	/	<=38.45	Pass
		Inner_1RB_Right	24.07	/	/	25.82	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	826.5	Edge_1RB_Left	22.53	/	/	24.28	/	/	<=38.45	Pass
		Edge_1RB_Right	22.51	/	/	24.26	/	/	<=38.45	Pass
		Outer_Full	22.63	/	/	24.38	/	/	<=38.45	Pass
		Inner_Full	23.66	/	/	25.41	/	/	<=38.45	Pass
		Inner_1RB_Left	23.53	/	/	25.28	/	/	<=38.45	Pass
		Inner_1RB_Right	23.68	/	/	25.43	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.84	/	/	24.59	/	/	<=38.45	Pass
		Edge_1RB_Right	22.84	/	/	24.59	/	/	<=38.45	Pass
		Outer_Full	22.86	/	/	24.61	/	/	<=38.45	Pass
		Inner_Full	23.84	/	/	25.59	/	/	<=38.45	Pass
		Inner_1RB_Left	23.77	/	/	25.52	/	/	<=38.45	Pass
		Inner_1RB_Right	23.83	/	/	25.58	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	23.02	/	/	24.77	/	/	<=38.45	Pass
		Edge_1RB_Right	23.01	/	/	24.76	/	/	<=38.45	Pass
		Outer_Full	23.06	/	/	24.81	/	/	<=38.45	Pass
		Inner_Full	24.01	/	/	25.76	/	/	<=38.45	Pass
		Inner_1RB_Left	23.92	/	/	25.67	/	/	<=38.45	Pass
		Inner_1RB_Right	24.04	/	/	25.79	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	826.5	Edge_1RB_Left	21.77	/	/	23.52	/	/	<=38.45	Pass
		Edge_1RB_Right	21.78	/	/	23.53	/	/	<=38.45	Pass
		Outer_Full	21.85	/	/	23.60	/	/	<=38.45	Pass
		Inner_Full	22.68	/	/	24.43	/	/	<=38.45	Pass
		Inner_1RB_Left	22.52	/	/	24.27	/	/	<=38.45	Pass
		Inner_1RB_Right	22.52	/	/	24.27	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.94	/	/	23.69	/	/	<=38.45	Pass
		Edge_1RB_Right	21.96	/	/	23.71	/	/	<=38.45	Pass
		Outer_Full	21.99	/	/	23.74	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370011 or email: CH.Official@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

086-51257350888 086-51257370011 www.sgs.com.cn

086-51257350888 086-51257370011 sgs.china@sgs.com

		Inner_Full	22.89	/	/	24.64	/	/	<=38.45	Pass
		Inner_1RB_Left	22.74	/	/	24.49	/	/	<=38.45	Pass
		Inner_1RB_Right	22.82	/	/	24.57	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	22.08	/	/	23.83	/	/	<=38.45	Pass
		Edge_1RB_Right	22.07	/	/	23.82	/	/	<=38.45	Pass
		Outer_Full	22.21	/	/	23.96	/	/	<=38.45	Pass
		Inner_Full	23.05	/	/	24.80	/	/	<=38.45	Pass
		Inner_1RB_Left	22.89	/	/	24.64	/	/	<=38.45	Pass
		Inner_1RB_Right	22.88	/	/	24.63	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	826.5	Edge_1RB_Left	21.43	/	/	23.18	/	/	<=38.45	Pass
		Edge_1RB_Right	21.49	/	/	23.24	/	/	<=38.45	Pass
		Outer_Full	21.35	/	/	23.10	/	/	<=38.45	Pass
		Inner_Full	21.41	/	/	23.16	/	/	<=38.45	Pass
		Inner_1RB_Left	21.50	/	/	23.25	/	/	<=38.45	Pass
		Inner_1RB_Right	21.41	/	/	23.16	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.63	/	/	23.38	/	/	<=38.45	Pass
		Edge_1RB_Right	21.57	/	/	23.32	/	/	<=38.45	Pass
		Outer_Full	21.44	/	/	23.19	/	/	<=38.45	Pass
		Inner_Full	21.59	/	/	23.34	/	/	<=38.45	Pass
		Inner_1RB_Left	21.58	/	/	23.33	/	/	<=38.45	Pass
		Inner_1RB_Right	21.59	/	/	23.34	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	21.80	/	/	23.55	/	/	<=38.45	Pass
		Edge_1RB_Right	21.79	/	/	23.54	/	/	<=38.45	Pass
		Outer_Full	21.71	/	/	23.46	/	/	<=38.45	Pass
		Inner_Full	21.66	/	/	23.41	/	/	<=38.45	Pass
		Inner_1RB_Left	21.65	/	/	23.40	/	/	<=38.45	Pass
		Inner_1RB_Right	21.81	/	/	23.56	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	826.5	Edge_1RB_Left	19.50	/	/	21.25	/	/	<=38.45	Pass
		Edge_1RB_Right	19.64	/	/	21.39	/	/	<=38.45	Pass
		Outer_Full	19.37	/	/	21.12	/	/	<=38.45	Pass
		Inner_Full	19.31	/	/	21.06	/	/	<=38.45	Pass
		Inner_1RB_Left	19.53	/	/	21.28	/	/	<=38.45	Pass
		Inner_1RB_Right	19.59	/	/	21.34	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	19.84	/	/	21.59	/	/	<=38.45	Pass
		Edge_1RB_Right	19.75	/	/	21.50	/	/	<=38.45	Pass
		Outer_Full	19.51	/	/	21.26	/	/	<=38.45	Pass
		Inner_Full	19.52	/	/	21.27	/	/	<=38.45	Pass
		Inner_1RB_Left	19.72	/	/	21.47	/	/	<=38.45	Pass
		Inner_1RB_Right	19.60	/	/	21.35	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	19.98	/	/	21.73	/	/	<=38.45	Pass
		Edge_1RB_Right	19.92	/	/	21.67	/	/	<=38.45	Pass
		Outer_Full	19.67	/	/	21.42	/	/	<=38.45	Pass
		Inner_Full	19.72	/	/	21.47	/	/	<=38.45	Pass
		Inner_1RB_Left	19.81	/	/	21.56	/	/	<=38.45	Pass
		Inner_1RB_Right	19.86	/	/	21.61	/	/	<=38.45	Pass
CP-OFDM QPSK	826.5	Edge_1RB_Left	20.89	/	/	22.64	/	/	<=38.45	Pass
		Edge_1RB_Right	20.91	/	/	22.66	/	/	<=38.45	Pass
		Outer_Full	20.85	/	/	22.60	/	/	<=38.45	Pass
		Inner_Full	22.39	/	/	24.14	/	/	<=38.45	Pass
		Inner_1RB_Left	22.31	/	/	24.06	/	/	<=38.45	Pass
		Inner_1RB_Right	22.30	/	/	24.05	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.01	/	/	22.76	/	/	<=38.45	Pass
		Edge_1RB_Right	20.99	/	/	22.74	/	/	<=38.45	Pass
		Outer_Full	20.95	/	/	22.70	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please connect us at sgs@sgs.com or www.sgs.com or www.sgs.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

0512-57350888 0512-57370910 www.sgs.com.cn

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0512-57350888 0512-57370910 sgs.china@sgs.com

		Inner_Full	22.57	/	/	24.32	/	/	<=38.45	Pass	
		Inner_1RB_Left	22.58	/	/	24.33	/	/	<=38.45	Pass	
		Inner_1RB_Right	22.50	/	/	24.25	/	/	<=38.45	Pass	
	846.5	Edge_1RB_Left	21.33	/	/	23.08	/	/	<=38.45	Pass	
		Edge_1RB_Right	21.25	/	/	23.00	/	/	<=38.45	Pass	
		Outer_Full	21.19	/	/	22.94	/	/	<=38.45	Pass	
		Inner_Full	22.73	/	/	24.48	/	/	<=38.45	Pass	
		Inner_1RB_Left	22.41	/	/	24.16	/	/	<=38.45	Pass	
		Inner_1RB_Right	22.58	/	/	24.33	/	/	<=38.45	Pass	
CP-OFDM 16 QAM	826.5	Edge_1RB_Left	20.71	/	/	22.46	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.69	/	/	22.44	/	/	<=38.45	Pass	
		Outer_Full	20.84	/	/	22.59	/	/	<=38.45	Pass	
		Inner_Full	21.83	/	/	23.58	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.69	/	/	23.44	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.70	/	/	23.45	/	/	<=38.45	Pass	
	836.5	Edge_1RB_Left	20.89	/	/	22.64	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.86	/	/	22.61	/	/	<=38.45	Pass	
		Outer_Full	20.97	/	/	22.72	/	/	<=38.45	Pass	
		Inner_Full	22.03	/	/	23.78	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.73	/	/	23.48	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.95	/	/	23.70	/	/	<=38.45	Pass	
	846.5	Edge_1RB_Left	20.98	/	/	22.73	/	/	<=38.45	Pass	
		Edge_1RB_Right	21.03	/	/	22.78	/	/	<=38.45	Pass	
		Outer_Full	21.20	/	/	22.95	/	/	<=38.45	Pass	
		Inner_Full	22.17	/	/	23.92	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.90	/	/	23.65	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.98	/	/	23.73	/	/	<=38.45	Pass	
	CP-OFDM 64 QAM	826.5	Edge_1RB_Left	20.49	/	/	22.24	/	/	<=38.45	Pass
			Edge_1RB_Right	20.50	/	/	22.25	/	/	<=38.45	Pass
			Outer_Full	20.34	/	/	22.09	/	/	<=38.45	Pass
			Inner_Full	20.33	/	/	22.08	/	/	<=38.45	Pass
			Inner_1RB_Left	20.47	/	/	22.22	/	/	<=38.45	Pass
			Inner_1RB_Right	20.40	/	/	22.15	/	/	<=38.45	Pass
836.5		Edge_1RB_Left	20.93	/	/	22.68	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.79	/	/	22.54	/	/	<=38.45	Pass	
		Outer_Full	20.44	/	/	22.19	/	/	<=38.45	Pass	
		Inner_Full	20.43	/	/	22.18	/	/	<=38.45	Pass	
		Inner_1RB_Left	20.77	/	/	22.52	/	/	<=38.45	Pass	
		Inner_1RB_Right	20.75	/	/	22.50	/	/	<=38.45	Pass	
846.5		Edge_1RB_Left	20.78	/	/	22.53	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.82	/	/	22.57	/	/	<=38.45	Pass	
		Outer_Full	20.66	/	/	22.41	/	/	<=38.45	Pass	
		Inner_Full	20.63	/	/	22.38	/	/	<=38.45	Pass	
		Inner_1RB_Left	20.66	/	/	22.41	/	/	<=38.45	Pass	
		Inner_1RB_Right	20.79	/	/	22.54	/	/	<=38.45	Pass	
CP-OFDM 256 QAM	826.5	Edge_1RB_Left	17.60	/	/	19.35	/	/	<=38.45	Pass	
		Edge_1RB_Right	17.74	/	/	19.49	/	/	<=38.45	Pass	
		Outer_Full	17.30	/	/	19.05	/	/	<=38.45	Pass	
		Inner_Full	17.25	/	/	19.00	/	/	<=38.45	Pass	
		Inner_1RB_Left	17.57	/	/	19.32	/	/	<=38.45	Pass	
		Inner_1RB_Right	17.61	/	/	19.36	/	/	<=38.45	Pass	
	836.5	Edge_1RB_Left	17.73	/	/	19.48	/	/	<=38.45	Pass	
		Edge_1RB_Right	17.79	/	/	19.54	/	/	<=38.45	Pass	
		Outer_Full	17.43	/	/	19.18	/	/	<=38.45	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. This document is drawn to the attention of the Client, together with the General Conditions of Service and Terms and Conditions, and the Client is advised that information contained hereon reflects the Company's findings at the time of its intervention only, and within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fast report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生创业園伟业路10号 邮编 215300

86-5125735888 86-5125737011 www.sgs.com.cn
86-5125735888 86-5125737011 sgs.china@sgs.com

		Inner_Full	17.46	/	/	19.21	/	/	<=38.45	Pass
		Inner_1RB_Left	17.84	/	/	19.59	/	/	<=38.45	Pass
		Inner_1RB_Right	17.92	/	/	19.67	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	18.01	/	/	19.76	/	/	<=38.45	Pass
		Edge_1RB_Right	17.97	/	/	19.72	/	/	<=38.45	Pass
		Outer_Full	17.68	/	/	19.43	/	/	<=38.45	Pass
		Inner_Full	17.61	/	/	19.36	/	/	<=38.45	Pass
		Inner_1RB_Left	17.81	/	/	19.56	/	/	<=38.45	Pass
		Inner_1RB_Right	17.97	/	/	19.72	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant1: 3.90dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2.2 15k_SISO_10MHz_NTNV_ERP

2.2.1 Test Result

5G NR n5 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	829	Edge_1RB_Left	23.22	/	/	24.97	/	/	<=38.45	Pass
		Edge_1RB_Right	23.35	/	/	25.10	/	/	<=38.45	Pass
		Outer_Full	23.29	/	/	25.04	/	/	<=38.45	Pass
		Inner_Full	23.80	/	/	25.55	/	/	<=38.45	Pass
		Inner_1RB_Left	23.68	/	/	25.43	/	/	<=38.45	Pass
		Inner_1RB_Right	23.85	/	/	25.60	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.35	/	/	25.10	/	/	<=38.45	Pass
		Edge_1RB_Right	23.50	/	/	25.25	/	/	<=38.45	Pass
		Outer_Full	23.43	/	/	25.18	/	/	<=38.45	Pass
		Inner_Full	23.94	/	/	25.69	/	/	<=38.45	Pass
		Inner_1RB_Left	23.78	/	/	25.53	/	/	<=38.45	Pass
		Inner_1RB_Right	24.02	/	/	25.77	/	/	<=38.45	Pass
	844	Edge_1RB_Left	23.26	/	/	25.01	/	/	<=38.45	Pass
		Edge_1RB_Right	23.53	/	/	25.28	/	/	<=38.45	Pass
		Outer_Full	23.44	/	/	25.19	/	/	<=38.45	Pass
		Inner_Full	24.03	/	/	25.78	/	/	<=38.45	Pass
		Inner_1RB_Left	23.75	/	/	25.50	/	/	<=38.45	Pass
		Inner_1RB_Right	24.02	/	/	25.77	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	829	Edge_1RB_Left	22.71	/	/	24.46	/	/	<=38.45	Pass
		Edge_1RB_Right	22.81	/	/	24.56	/	/	<=38.45	Pass
		Outer_Full	22.75	/	/	24.50	/	/	<=38.45	Pass
		Inner_Full	23.73	/	/	25.48	/	/	<=38.45	Pass
		Inner_1RB_Left	23.56	/	/	25.31	/	/	<=38.45	Pass
		Inner_1RB_Right	23.79	/	/	25.54	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.70	/	/	24.45	/	/	<=38.45	Pass
		Edge_1RB_Right	22.93	/	/	24.68	/	/	<=38.45	Pass
		Outer_Full	22.86	/	/	24.61	/	/	<=38.45	Pass
		Inner_Full	23.91	/	/	25.66	/	/	<=38.45	Pass
		Inner_1RB_Left	23.85	/	/	25.60	/	/	<=38.45	Pass
		Inner_1RB_Right	23.97	/	/	25.72	/	/	<=38.45	Pass
	844	Edge_1RB_Left	22.74	/	/	24.49	/	/	<=38.45	Pass
		Edge_1RB_Right	23.01	/	/	24.76	/	/	<=38.45	Pass
		Outer_Full	22.91	/	/	24.66	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370911 or email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

86-51257370888 86-51257370911 www.sgs.com.cn

86-51257350888 86-51257370911 sgs.china@sgs.com

DFT-s-OFDM 16 QAM		Inner_Full	24.00	/	/	25.75	/	/	<=38.45	Pass
		Inner_1RB_Left	23.62	/	/	25.37	/	/	<=38.45	Pass
		Inner_1RB_Right	23.94	/	/	25.69	/	/	<=38.45	Pass
	829	Edge_1RB_Left	21.70	/	/	23.45	/	/	<=38.45	Pass
		Edge_1RB_Right	21.92	/	/	23.67	/	/	<=38.45	Pass
		Outer_Full	21.91	/	/	23.66	/	/	<=38.45	Pass
		Inner_Full	22.76	/	/	24.51	/	/	<=38.45	Pass
		Inner_1RB_Left	22.65	/	/	24.40	/	/	<=38.45	Pass
		Inner_1RB_Right	22.74	/	/	24.49	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.83	/	/	23.58	/	/	<=38.45	Pass
		Edge_1RB_Right	22.06	/	/	23.81	/	/	<=38.45	Pass
		Outer_Full	22.00	/	/	23.75	/	/	<=38.45	Pass
		Inner_Full	22.92	/	/	24.67	/	/	<=38.45	Pass
		Inner_1RB_Left	22.72	/	/	24.47	/	/	<=38.45	Pass
		Inner_1RB_Right	22.88	/	/	24.63	/	/	<=38.45	Pass
	844	Edge_1RB_Left	21.80	/	/	23.55	/	/	<=38.45	Pass
		Edge_1RB_Right	22.07	/	/	23.82	/	/	<=38.45	Pass
		Outer_Full	22.09	/	/	23.84	/	/	<=38.45	Pass
		Inner_Full	23.02	/	/	24.77	/	/	<=38.45	Pass
		Inner_1RB_Left	22.70	/	/	24.45	/	/	<=38.45	Pass
		Inner_1RB_Right	22.90	/	/	24.65	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	829	Edge_1RB_Left	21.37	/	/	23.12	/	/	<=38.45	Pass
		Edge_1RB_Right	21.60	/	/	23.35	/	/	<=38.45	Pass
		Outer_Full	21.43	/	/	23.18	/	/	<=38.45	Pass
		Inner_Full	21.33	/	/	23.08	/	/	<=38.45	Pass
		Inner_1RB_Left	21.40	/	/	23.15	/	/	<=38.45	Pass
		Inner_1RB_Right	21.54	/	/	23.29	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.57	/	/	23.32	/	/	<=38.45	Pass
		Edge_1RB_Right	21.79	/	/	23.54	/	/	<=38.45	Pass
		Outer_Full	21.56	/	/	23.31	/	/	<=38.45	Pass
		Inner_Full	21.54	/	/	23.29	/	/	<=38.45	Pass
		Inner_1RB_Left	21.60	/	/	23.35	/	/	<=38.45	Pass
		Inner_1RB_Right	21.73	/	/	23.48	/	/	<=38.45	Pass
	844	Edge_1RB_Left	21.47	/	/	23.22	/	/	<=38.45	Pass
		Edge_1RB_Right	21.80	/	/	23.55	/	/	<=38.45	Pass
		Outer_Full	21.57	/	/	23.32	/	/	<=38.45	Pass
		Inner_Full	21.67	/	/	23.42	/	/	<=38.45	Pass
		Inner_1RB_Left	21.50	/	/	23.25	/	/	<=38.45	Pass
		Inner_1RB_Right	21.76	/	/	23.51	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	829	Edge_1RB_Left	19.43	/	/	21.18	/	/	<=38.45	Pass
		Edge_1RB_Right	19.79	/	/	21.54	/	/	<=38.45	Pass
		Outer_Full	19.39	/	/	21.14	/	/	<=38.45	Pass
		Inner_Full	19.41	/	/	21.16	/	/	<=38.45	Pass
		Inner_1RB_Left	19.53	/	/	21.28	/	/	<=38.45	Pass
		Inner_1RB_Right	19.74	/	/	21.49	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	19.74	/	/	21.49	/	/	<=38.45	Pass
		Edge_1RB_Right	19.96	/	/	21.71	/	/	<=38.45	Pass
		Outer_Full	19.52	/	/	21.27	/	/	<=38.45	Pass
		Inner_Full	19.57	/	/	21.32	/	/	<=38.45	Pass
		Inner_1RB_Left	19.78	/	/	21.53	/	/	<=38.45	Pass
		Inner_1RB_Right	19.94	/	/	21.69	/	/	<=38.45	Pass
	844	Edge_1RB_Left	19.72	/	/	21.47	/	/	<=38.45	Pass
		Edge_1RB_Right	20.00	/	/	21.75	/	/	<=38.45	Pass
		Outer_Full	19.60	/	/	21.35	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please connect us at least one (86-512)57370911 or email: CH.Official@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

0086-51257370998 0086-51257370911 www.sgs.com.cn

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

0086-51257370988 0086-51257370911 sgs.china@sgs.com

CP-OFDM QPSK		Inner_Full	19.67	/	/	21.42	/	/	<=38.45	Pass
		Inner_1RB_Left	19.62	/	/	21.37	/	/	<=38.45	Pass
		Inner_1RB_Right	19.82	/	/	21.57	/	/	<=38.45	Pass
	829	Edge_1RB_Left	20.74	/	/	22.49	/	/	<=38.45	Pass
		Edge_1RB_Right	21.02	/	/	22.77	/	/	<=38.45	Pass
		Outer_Full	20.88	/	/	22.63	/	/	<=38.45	Pass
		Inner_Full	22.37	/	/	24.12	/	/	<=38.45	Pass
		Inner_1RB_Left	22.21	/	/	23.96	/	/	<=38.45	Pass
		Inner_1RB_Right	22.34	/	/	24.09	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.98	/	/	22.73	/	/	<=38.45	Pass
		Edge_1RB_Right	21.18	/	/	22.93	/	/	<=38.45	Pass
		Outer_Full	21.02	/	/	22.77	/	/	<=38.45	Pass
		Inner_Full	22.48	/	/	24.23	/	/	<=38.45	Pass
		Inner_1RB_Left	22.45	/	/	24.20	/	/	<=38.45	Pass
		Inner_1RB_Right	22.67	/	/	24.42	/	/	<=38.45	Pass
	844	Edge_1RB_Left	20.94	/	/	22.69	/	/	<=38.45	Pass
		Edge_1RB_Right	21.20	/	/	22.95	/	/	<=38.45	Pass
		Outer_Full	21.08	/	/	22.83	/	/	<=38.45	Pass
		Inner_Full	22.64	/	/	24.39	/	/	<=38.45	Pass
		Inner_1RB_Left	22.33	/	/	24.08	/	/	<=38.45	Pass
		Inner_1RB_Right	22.46	/	/	24.21	/	/	<=38.45	Pass
CP-OFDM 16 QAM	829	Edge_1RB_Left	20.72	/	/	22.47	/	/	<=38.45	Pass
		Edge_1RB_Right	20.91	/	/	22.66	/	/	<=38.45	Pass
		Outer_Full	20.88	/	/	22.63	/	/	<=38.45	Pass
		Inner_Full	21.91	/	/	23.66	/	/	<=38.45	Pass
		Inner_1RB_Left	21.62	/	/	23.37	/	/	<=38.45	Pass
		Inner_1RB_Right	21.73	/	/	23.48	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.75	/	/	22.50	/	/	<=38.45	Pass
		Edge_1RB_Right	20.93	/	/	22.68	/	/	<=38.45	Pass
		Outer_Full	21.05	/	/	22.80	/	/	<=38.45	Pass
		Inner_Full	22.04	/	/	23.79	/	/	<=38.45	Pass
		Inner_1RB_Left	21.73	/	/	23.48	/	/	<=38.45	Pass
		Inner_1RB_Right	21.75	/	/	23.50	/	/	<=38.45	Pass
	844	Edge_1RB_Left	20.74	/	/	22.49	/	/	<=38.45	Pass
		Edge_1RB_Right	21.07	/	/	22.82	/	/	<=38.45	Pass
		Outer_Full	21.00	/	/	22.75	/	/	<=38.45	Pass
		Inner_Full	22.12	/	/	23.87	/	/	<=38.45	Pass
		Inner_1RB_Left	21.73	/	/	23.48	/	/	<=38.45	Pass
		Inner_1RB_Right	21.98	/	/	23.73	/	/	<=38.45	Pass
CP-OFDM 64 QAM	829	Edge_1RB_Left	20.41	/	/	22.16	/	/	<=38.45	Pass
		Edge_1RB_Right	20.55	/	/	22.30	/	/	<=38.45	Pass
		Outer_Full	20.29	/	/	22.04	/	/	<=38.45	Pass
		Inner_Full	20.39	/	/	22.14	/	/	<=38.45	Pass
		Inner_1RB_Left	20.38	/	/	22.13	/	/	<=38.45	Pass
		Inner_1RB_Right	20.55	/	/	22.30	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.80	/	/	22.55	/	/	<=38.45	Pass
		Edge_1RB_Right	21.02	/	/	22.77	/	/	<=38.45	Pass
		Outer_Full	20.43	/	/	22.18	/	/	<=38.45	Pass
		Inner_Full	20.50	/	/	22.25	/	/	<=38.45	Pass
		Inner_1RB_Left	20.79	/	/	22.54	/	/	<=38.45	Pass
		Inner_1RB_Right	20.89	/	/	22.64	/	/	<=38.45	Pass
	844	Edge_1RB_Left	20.46	/	/	22.21	/	/	<=38.45	Pass
		Edge_1RB_Right	20.80	/	/	22.55	/	/	<=38.45	Pass
		Outer_Full	20.47	/	/	22.22	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or www.sgs.com or email: CN.Cus@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300
 056-512157350888 056-51215737010 www.sgs.com.cn
 056-512157350888 056-51215737010 sgs.china@sgs.com

		Inner_Full	20.60	/	/	22.35	/	/	<=38.45	Pass
		Inner_1RB_Left	20.48	/	/	22.23	/	/	<=38.45	Pass
		Inner_1RB_Right	20.77	/	/	22.52	/	/	<=38.45	Pass
CP-OFDM 256 QAM	829	Edge_1RB_Left	17.51	/	/	19.26	/	/	<=38.45	Pass
		Edge_1RB_Right	17.86	/	/	19.61	/	/	<=38.45	Pass
		Outer_Full	17.37	/	/	19.12	/	/	<=38.45	Pass
		Inner_Full	17.40	/	/	19.15	/	/	<=38.45	Pass
		Inner_1RB_Left	17.63	/	/	19.38	/	/	<=38.45	Pass
		Inner_1RB_Right	17.87	/	/	19.62	/	/	<=38.45	Pass
		Edge_1RB_Left	17.82	/	/	19.57	/	/	<=38.45	Pass
	836.5	Edge_1RB_Right	18.03	/	/	19.78	/	/	<=38.45	Pass
		Outer_Full	17.52	/	/	19.27	/	/	<=38.45	Pass
		Inner_Full	17.54	/	/	19.29	/	/	<=38.45	Pass
		Inner_1RB_Left	17.82	/	/	19.57	/	/	<=38.45	Pass
		Inner_1RB_Right	17.91	/	/	19.66	/	/	<=38.45	Pass
	844	Edge_1RB_Left	17.75	/	/	19.50	/	/	<=38.45	Pass
		Edge_1RB_Right	18.09	/	/	19.84	/	/	<=38.45	Pass
		Outer_Full	17.48	/	/	19.23	/	/	<=38.45	Pass
		Inner_Full	17.63	/	/	19.38	/	/	<=38.45	Pass
		Inner_1RB_Left	17.82	/	/	19.57	/	/	<=38.45	Pass
			Inner_1RB_Right	18.04	/	/	19.79	/	/	<=38.45
Note1: Antenna Gain: Ant1: 3.90dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2.3 15k SISO 15MHz NTNv ERP

2.3.1 Test Result

5G NR n5 SCS=15kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	831.5	Edge_1RB_Left	23.15	/	/	24.90	/	/	<=38.45	Pass
		Edge_1RB_Right	23.26	/	/	25.01	/	/	<=38.45	Pass
		Outer_Full	23.40	/	/	25.15	/	/	<=38.45	Pass
		Inner_Full	23.90	/	/	25.65	/	/	<=38.45	Pass
		Inner_1RB_Left	23.67	/	/	25.42	/	/	<=38.45	Pass
		Inner_1RB_Right	23.73	/	/	25.48	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.26	/	/	25.01	/	/	<=38.45	Pass
		Edge_1RB_Right	23.46	/	/	25.21	/	/	<=38.45	Pass
		Outer_Full	23.53	/	/	25.28	/	/	<=38.45	Pass
		Inner_Full	23.95	/	/	25.70	/	/	<=38.45	Pass
		Inner_1RB_Left	23.78	/	/	25.53	/	/	<=38.45	Pass
		Inner_1RB_Right	23.92	/	/	25.67	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	23.30	/	/	25.05	/	/	<=38.45	Pass
		Edge_1RB_Right	23.45	/	/	25.20	/	/	<=38.45	Pass
		Outer_Full	23.35	/	/	25.10	/	/	<=38.45	Pass
		Inner_Full	23.92	/	/	25.67	/	/	<=38.45	Pass
		Inner_1RB_Left	23.78	/	/	25.53	/	/	<=38.45	Pass
		Inner_1RB_Right	23.94	/	/	25.69	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	831.5	Edge_1RB_Left	22.50	/	/	24.25	/	/	<=38.45	Pass
		Edge_1RB_Right	22.72	/	/	24.47	/	/	<=38.45	Pass
		Outer_Full	22.76	/	/	24.51	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse. Inquiries on request are available at <http://www.irs.com/Terms-and-Conditions.asp> and, for electronic form documents, subject to Terms and Conditions for Electronic Documents at <http://www.irs.com/electronic-form-terms-and-conditions/Terms-a-Document.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced or stored in a retrieval system without the prior written consent of the Company. Any unauthorized alteration of the content or appearance of this document is unlawful and offenders may be prosecuted to the full extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留园学生创业园伟业路10号 邮编 215300

86-5125735888 86-5125737011 www.sgs.com.cn
86-5125735888 86-5125737011 sgs.china@sgs.com

		Inner_Full	23.81	/	/	25.56	/	/	<=38.45	Pass
		Inner_1RB_Left	23.50	/	/	25.25	/	/	<=38.45	Pass
		Inner_1RB_Right	23.73	/	/	25.48	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.53	/	/	24.28	/	/	<=38.45	Pass
		Edge_1RB_Right	22.86	/	/	24.61	/	/	<=38.45	Pass
		Outer_Full	22.96	/	/	24.71	/	/	<=38.45	Pass
		Inner_Full	23.92	/	/	25.67	/	/	<=38.45	Pass
		Inner_1RB_Left	23.63	/	/	25.38	/	/	<=38.45	Pass
		Inner_1RB_Right	23.99	/	/	25.74	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	22.65	/	/	24.40	/	/	<=38.45	Pass
		Edge_1RB_Right	22.95	/	/	24.70	/	/	<=38.45	Pass
		Outer_Full	22.94	/	/	24.69	/	/	<=38.45	Pass
		Inner_Full	23.98	/	/	25.73	/	/	<=38.45	Pass
		Inner_1RB_Left	23.70	/	/	25.45	/	/	<=38.45	Pass
		Inner_1RB_Right	23.97	/	/	25.72	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	831.5	Edge_1RB_Left	21.68	/	/	23.43	/	/	<=38.45	Pass
		Edge_1RB_Right	21.92	/	/	23.67	/	/	<=38.45	Pass
		Outer_Full	21.94	/	/	23.69	/	/	<=38.45	Pass
		Inner_Full	22.84	/	/	24.59	/	/	<=38.45	Pass
		Inner_1RB_Left	22.49	/	/	24.24	/	/	<=38.45	Pass
		Inner_1RB_Right	22.71	/	/	24.46	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.78	/	/	23.53	/	/	<=38.45	Pass
		Edge_1RB_Right	22.11	/	/	23.86	/	/	<=38.45	Pass
		Outer_Full	22.09	/	/	23.84	/	/	<=38.45	Pass
		Inner_Full	22.97	/	/	24.72	/	/	<=38.45	Pass
		Inner_1RB_Left	22.52	/	/	24.27	/	/	<=38.45	Pass
		Inner_1RB_Right	22.87	/	/	24.62	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	21.81	/	/	23.56	/	/	<=38.45	Pass
		Edge_1RB_Right	22.08	/	/	23.83	/	/	<=38.45	Pass
		Outer_Full	22.12	/	/	23.87	/	/	<=38.45	Pass
		Inner_Full	22.96	/	/	24.71	/	/	<=38.45	Pass
		Inner_1RB_Left	22.67	/	/	24.42	/	/	<=38.45	Pass
		Inner_1RB_Right	22.93	/	/	24.68	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	831.5	Edge_1RB_Left	21.36	/	/	23.11	/	/	<=38.45	Pass
		Edge_1RB_Right	21.53	/	/	23.28	/	/	<=38.45	Pass
		Outer_Full	21.43	/	/	23.18	/	/	<=38.45	Pass
		Inner_Full	21.38	/	/	23.13	/	/	<=38.45	Pass
		Inner_1RB_Left	21.36	/	/	23.11	/	/	<=38.45	Pass
		Inner_1RB_Right	21.56	/	/	23.31	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.44	/	/	23.19	/	/	<=38.45	Pass
		Edge_1RB_Right	21.75	/	/	23.50	/	/	<=38.45	Pass
		Outer_Full	21.63	/	/	23.38	/	/	<=38.45	Pass
		Inner_Full	21.56	/	/	23.31	/	/	<=38.45	Pass
		Inner_1RB_Left	21.47	/	/	23.22	/	/	<=38.45	Pass
		Inner_1RB_Right	21.78	/	/	23.53	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	21.55	/	/	23.30	/	/	<=38.45	Pass
		Edge_1RB_Right	21.79	/	/	23.54	/	/	<=38.45	Pass
		Outer_Full	21.64	/	/	23.39	/	/	<=38.45	Pass
		Inner_Full	21.55	/	/	23.30	/	/	<=38.45	Pass
		Inner_1RB_Left	21.54	/	/	23.29	/	/	<=38.45	Pass
		Inner_1RB_Right	21.78	/	/	23.53	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	831.5	Edge_1RB_Left	19.47	/	/	21.22	/	/	<=38.45	Pass
		Edge_1RB_Right	19.64	/	/	21.39	/	/	<=38.45	Pass
		Outer_Full	19.42	/	/	21.17	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please connect us at sgs@sgs.com or www.sgs.com or www.sgs.com.cn or email: CN.Cus@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 056-512157350888 056-512157370910 www.sgs.com.cn
 056-512157350888 056-512157370910 sgs.china@sgs.com

	836.5	Inner_Full	19.37	/	/	21.12	/	/	<=38.45	Pass
		Inner_1RB_Left	19.53	/	/	21.28	/	/	<=38.45	Pass
		Inner_1RB_Right	19.71	/	/	21.46	/	/	<=38.45	Pass
		Edge_1RB_Left	19.58	/	/	21.33	/	/	<=38.45	Pass
		Edge_1RB_Right	19.94	/	/	21.69	/	/	<=38.45	Pass
		Outer_Full	19.62	/	/	21.37	/	/	<=38.45	Pass
		Inner_Full	19.55	/	/	21.30	/	/	<=38.45	Pass
		Inner_1RB_Left	19.52	/	/	21.27	/	/	<=38.45	Pass
		Inner_1RB_Right	19.95	/	/	21.70	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	19.67	/	/	21.42	/	/	<=38.45	Pass
		Edge_1RB_Right	19.99	/	/	21.74	/	/	<=38.45	Pass
		Outer_Full	19.59	/	/	21.34	/	/	<=38.45	Pass
		Inner_Full	19.54	/	/	21.29	/	/	<=38.45	Pass
		Inner_1RB_Left	19.62	/	/	21.37	/	/	<=38.45	Pass
		Inner_1RB_Right	19.88	/	/	21.63	/	/	<=38.45	Pass
CP-OFDM QPSK	831.5	Edge_1RB_Left	20.96	/	/	22.71	/	/	<=38.45	Pass
		Edge_1RB_Right	21.00	/	/	22.75	/	/	<=38.45	Pass
		Outer_Full	20.93	/	/	22.68	/	/	<=38.45	Pass
		Inner_Full	22.42	/	/	24.17	/	/	<=38.45	Pass
		Inner_1RB_Left	22.27	/	/	24.02	/	/	<=38.45	Pass
		Inner_1RB_Right	22.46	/	/	24.21	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.68	/	/	22.43	/	/	<=38.45	Pass
		Edge_1RB_Right	21.11	/	/	22.86	/	/	<=38.45	Pass
		Outer_Full	21.10	/	/	22.85	/	/	<=38.45	Pass
		Inner_Full	22.52	/	/	24.27	/	/	<=38.45	Pass
		Inner_1RB_Left	22.19	/	/	23.94	/	/	<=38.45	Pass
		Inner_1RB_Right	22.45	/	/	24.20	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	20.89	/	/	22.64	/	/	<=38.45	Pass
		Edge_1RB_Right	21.14	/	/	22.89	/	/	<=38.45	Pass
		Outer_Full	21.05	/	/	22.80	/	/	<=38.45	Pass
		Inner_Full	22.59	/	/	24.34	/	/	<=38.45	Pass
		Inner_1RB_Left	22.29	/	/	24.04	/	/	<=38.45	Pass
		Inner_1RB_Right	22.48	/	/	24.23	/	/	<=38.45	Pass
CP-OFDM 16 QAM	831.5	Edge_1RB_Left	20.55	/	/	22.30	/	/	<=38.45	Pass
		Edge_1RB_Right	20.76	/	/	22.51	/	/	<=38.45	Pass
		Outer_Full	20.99	/	/	22.74	/	/	<=38.45	Pass
		Inner_Full	21.92	/	/	23.67	/	/	<=38.45	Pass
		Inner_1RB_Left	21.53	/	/	23.28	/	/	<=38.45	Pass
		Inner_1RB_Right	21.76	/	/	23.51	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.65	/	/	22.40	/	/	<=38.45	Pass
		Edge_1RB_Right	21.06	/	/	22.81	/	/	<=38.45	Pass
		Outer_Full	21.16	/	/	22.91	/	/	<=38.45	Pass
		Inner_Full	22.05	/	/	23.80	/	/	<=38.45	Pass
		Inner_1RB_Left	21.63	/	/	23.38	/	/	<=38.45	Pass
		Inner_1RB_Right	21.92	/	/	23.67	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	20.78	/	/	22.53	/	/	<=38.45	Pass
		Edge_1RB_Right	21.05	/	/	22.80	/	/	<=38.45	Pass
		Outer_Full	21.16	/	/	22.91	/	/	<=38.45	Pass
Inner_Full		22.10	/	/	23.85	/	/	<=38.45	Pass	
Inner_1RB_Left		21.75	/	/	23.50	/	/	<=38.45	Pass	
Inner_1RB_Right		22.03	/	/	23.78	/	/	<=38.45	Pass	
CP-OFDM 64 QAM	831.5	Edge_1RB_Left	20.47	/	/	22.22	/	/	<=38.45	Pass
		Edge_1RB_Right	20.83	/	/	22.58	/	/	<=38.45	Pass
		Outer_Full	20.42	/	/	22.17	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.ags.com/terms-and-conditions.aspx>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.ags.com/terms-and-conditions.aspx>. The Company is not drawn to the attention of the Client, in the event of any dispute, that the Company is not responsible for any loss of or damage to any data or information contained herein or reflects the Company's findings at the time of its intervention only, and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

86-5125735888 86-5125737011 www.sgs.com.cn
86-5125735888 86-5125737011 sgs.china@sgs.com

CP-OFDM 256 QAM	836.5	Inner_Full	20.45	/	/	22.20	/	/	<=38.45	Pass
		Inner_1RB_Left	20.55	/	/	22.30	/	/	<=38.45	Pass
		Inner_1RB_Right	20.66	/	/	22.41	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.37	/	/	22.12	/	/	<=38.45	Pass
		Edge_1RB_Right	20.78	/	/	22.53	/	/	<=38.45	Pass
		Outer_Full	20.65	/	/	22.40	/	/	<=38.45	Pass
	841.5	Inner_Full	20.50	/	/	22.25	/	/	<=38.45	Pass
		Inner_1RB_Left	20.46	/	/	22.21	/	/	<=38.45	Pass
		Inner_1RB_Right	20.68	/	/	22.43	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	20.50	/	/	22.25	/	/	<=38.45	Pass
		Edge_1RB_Right	20.76	/	/	22.51	/	/	<=38.45	Pass
		Outer_Full	20.65	/	/	22.40	/	/	<=38.45	Pass
	841.5	Inner_Full	20.59	/	/	22.34	/	/	<=38.45	Pass
		Inner_1RB_Left	20.56	/	/	22.31	/	/	<=38.45	Pass
		Inner_1RB_Right	20.73	/	/	22.48	/	/	<=38.45	Pass
	831.5	Edge_1RB_Left	17.51	/	/	19.26	/	/	<=38.45	Pass
		Edge_1RB_Right	17.79	/	/	19.54	/	/	<=38.45	Pass
		Outer_Full	17.36	/	/	19.11	/	/	<=38.45	Pass

Note1: Antenna Gain: Ant1: 3.90dBi;
Note2: EIRP=Conducted Power+Antenna Gain

2.4 15k_SISO_20MHz_NTNV_ERP

2.4.1 Test Result

5G NR n5 SCS=15kHz SISO 20MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	834	Edge_1RB_Left	23.22	/	/	24.97	/	/	<=38.45	Pass
		Edge_1RB_Right	23.46	/	/	25.21	/	/	<=38.45	Pass
		Outer_Full	23.45	/	/	25.20	/	/	<=38.45	Pass
		Inner_Full	23.87	/	/	25.62	/	/	<=38.45	Pass
		Inner_1RB_Left	23.71	/	/	25.46	/	/	<=38.45	Pass
		Inner_1RB_Right	23.94	/	/	25.69	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.41	/	/	25.16	/	/	<=38.45	Pass
		Edge_1RB_Right	23.56	/	/	25.31	/	/	<=38.45	Pass
		Outer_Full	23.55	/	/	25.30	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or sgs@sgs.com or email: CN_Consult@sgs.com
No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn
0512-515735088 0512-515737010 sgs.china@sgs.com

		Inner_Full	23.97	/	/	25.72	/	/	<=38.45	Pass	
		Inner_1RB_Left	23.87	/	/	25.62	/	/	<=38.45	Pass	
		Inner_1RB_Right	23.97	/	/	25.72	/	/	<=38.45	Pass	
	839	Edge_1RB_Left	23.36	/	/	25.11	/	/	<=38.45	Pass	
		Edge_1RB_Right	23.53	/	/	25.28	/	/	<=38.45	Pass	
		Outer_Full	23.47	/	/	25.22	/	/	<=38.45	Pass	
		Inner_Full	23.91	/	/	25.66	/	/	<=38.45	Pass	
		Inner_1RB_Left	23.80	/	/	25.55	/	/	<=38.45	Pass	
		Inner_1RB_Right	24.03	/	/	25.78	/	/	<=38.45	Pass	
DFT-s-OFDM QPSK	834	Edge_1RB_Left	22.59	/	/	24.34	/	/	<=38.45	Pass	
		Edge_1RB_Right	23.00	/	/	24.75	/	/	<=38.45	Pass	
		Outer_Full	22.79	/	/	24.54	/	/	<=38.45	Pass	
		Inner_Full	23.86	/	/	25.61	/	/	<=38.45	Pass	
		Inner_1RB_Left	23.50	/	/	25.25	/	/	<=38.45	Pass	
		Inner_1RB_Right	23.93	/	/	25.68	/	/	<=38.45	Pass	
	836.5	Edge_1RB_Left	22.61	/	/	24.36	/	/	<=38.45	Pass	
		Edge_1RB_Right	23.01	/	/	24.76	/	/	<=38.45	Pass	
		Outer_Full	22.94	/	/	24.69	/	/	<=38.45	Pass	
		Inner_Full	23.96	/	/	25.71	/	/	<=38.45	Pass	
		Inner_1RB_Left	23.70	/	/	25.45	/	/	<=38.45	Pass	
		Inner_1RB_Right	23.99	/	/	25.74	/	/	<=38.45	Pass	
	839	Edge_1RB_Left	22.66	/	/	24.41	/	/	<=38.45	Pass	
		Edge_1RB_Right	23.00	/	/	24.75	/	/	<=38.45	Pass	
		Outer_Full	22.93	/	/	24.68	/	/	<=38.45	Pass	
		Inner_Full	23.98	/	/	25.73	/	/	<=38.45	Pass	
		Inner_1RB_Left	23.61	/	/	25.36	/	/	<=38.45	Pass	
		Inner_1RB_Right	24.00	/	/	25.75	/	/	<=38.45	Pass	
	DFT-s-OFDM 16 QAM	834	Edge_1RB_Left	21.76	/	/	23.51	/	/	<=38.45	Pass
			Edge_1RB_Right	22.11	/	/	23.86	/	/	<=38.45	Pass
			Outer_Full	21.98	/	/	23.73	/	/	<=38.45	Pass
			Inner_Full	22.83	/	/	24.58	/	/	<=38.45	Pass
			Inner_1RB_Left	22.58	/	/	24.33	/	/	<=38.45	Pass
			Inner_1RB_Right	22.88	/	/	24.63	/	/	<=38.45	Pass
836.5		Edge_1RB_Left	21.86	/	/	23.61	/	/	<=38.45	Pass	
		Edge_1RB_Right	22.15	/	/	23.90	/	/	<=38.45	Pass	
		Outer_Full	22.13	/	/	23.88	/	/	<=38.45	Pass	
		Inner_Full	22.97	/	/	24.72	/	/	<=38.45	Pass	
		Inner_1RB_Left	22.56	/	/	24.31	/	/	<=38.45	Pass	
		Inner_1RB_Right	22.89	/	/	24.64	/	/	<=38.45	Pass	
839		Edge_1RB_Left	21.77	/	/	23.52	/	/	<=38.45	Pass	
		Edge_1RB_Right	22.11	/	/	23.86	/	/	<=38.45	Pass	
		Outer_Full	22.11	/	/	23.86	/	/	<=38.45	Pass	
		Inner_Full	22.97	/	/	24.72	/	/	<=38.45	Pass	
		Inner_1RB_Left	22.59	/	/	24.34	/	/	<=38.45	Pass	
		Inner_1RB_Right	22.91	/	/	24.66	/	/	<=38.45	Pass	
DFT-s-OFDM 64 QAM	834	Edge_1RB_Left	21.39	/	/	23.14	/	/	<=38.45	Pass	
		Edge_1RB_Right	21.80	/	/	23.55	/	/	<=38.45	Pass	
		Outer_Full	21.50	/	/	23.25	/	/	<=38.45	Pass	
		Inner_Full	21.50	/	/	23.25	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.40	/	/	23.15	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.78	/	/	23.53	/	/	<=38.45	Pass	
	836.5	Edge_1RB_Left	21.54	/	/	23.29	/	/	<=38.45	Pass	
		Edge_1RB_Right	21.90	/	/	23.65	/	/	<=38.45	Pass	
		Outer_Full	21.61	/	/	23.36	/	/	<=38.45	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, restriction on and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of its use by its retention of it, in whole or in part, and to have agreed to follow the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fact report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

186-5125735688 186-5125737011 www.sgsigroup.com.cn
186-5125735688 186-5125737011 sgs.china@sgs.com

		Inner_Full	21.65	/	/	23.40	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.52	/	/	23.27	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.86	/	/	23.61	/	/	<=38.45	Pass	
	839	Edge_1RB_Left	21.46	/	/	23.21	/	/	<=38.45	Pass	
		Edge_1RB_Right	21.80	/	/	23.55	/	/	<=38.45	Pass	
		Outer_Full	21.60	/	/	23.35	/	/	<=38.45	Pass	
		Inner_Full	21.63	/	/	23.38	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.46	/	/	23.21	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.79	/	/	23.54	/	/	<=38.45	Pass	
DFT-s-OFDM 256 QAM	834	Edge_1RB_Left	19.58	/	/	21.33	/	/	<=38.45	Pass	
		Edge_1RB_Right	19.97	/	/	21.72	/	/	<=38.45	Pass	
		Outer_Full	19.43	/	/	21.18	/	/	<=38.45	Pass	
		Inner_Full	19.49	/	/	21.24	/	/	<=38.45	Pass	
		Inner_1RB_Left	19.56	/	/	21.31	/	/	<=38.45	Pass	
		Inner_1RB_Right	19.97	/	/	21.72	/	/	<=38.45	Pass	
	836.5	Edge_1RB_Left	19.69	/	/	21.44	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.02	/	/	21.77	/	/	<=38.45	Pass	
		Outer_Full	19.59	/	/	21.34	/	/	<=38.45	Pass	
		Inner_Full	19.62	/	/	21.37	/	/	<=38.45	Pass	
		Inner_1RB_Left	19.67	/	/	21.42	/	/	<=38.45	Pass	
		Inner_1RB_Right	20.01	/	/	21.76	/	/	<=38.45	Pass	
	839	Edge_1RB_Left	19.43	/	/	21.18	/	/	<=38.45	Pass	
		Edge_1RB_Right	19.79	/	/	21.54	/	/	<=38.45	Pass	
		Outer_Full	19.57	/	/	21.32	/	/	<=38.45	Pass	
		Inner_Full	19.63	/	/	21.38	/	/	<=38.45	Pass	
		Inner_1RB_Left	19.41	/	/	21.16	/	/	<=38.45	Pass	
		Inner_1RB_Right	19.75	/	/	21.50	/	/	<=38.45	Pass	
	CP-OFDM QPSK	834	Edge_1RB_Left	20.87	/	/	22.62	/	/	<=38.45	Pass
			Edge_1RB_Right	21.21	/	/	22.96	/	/	<=38.45	Pass
			Outer_Full	20.92	/	/	22.67	/	/	<=38.45	Pass
			Inner_Full	22.52	/	/	24.27	/	/	<=38.45	Pass
			Inner_1RB_Left	22.30	/	/	24.05	/	/	<=38.45	Pass
			Inner_1RB_Right	22.57	/	/	24.32	/	/	<=38.45	Pass
836.5		Edge_1RB_Left	20.96	/	/	22.71	/	/	<=38.45	Pass	
		Edge_1RB_Right	21.22	/	/	22.97	/	/	<=38.45	Pass	
		Outer_Full	21.04	/	/	22.79	/	/	<=38.45	Pass	
		Inner_Full	22.62	/	/	24.37	/	/	<=38.45	Pass	
		Inner_1RB_Left	22.26	/	/	24.01	/	/	<=38.45	Pass	
		Inner_1RB_Right	22.47	/	/	24.22	/	/	<=38.45	Pass	
839		Edge_1RB_Left	20.83	/	/	22.58	/	/	<=38.45	Pass	
		Edge_1RB_Right	21.20	/	/	22.95	/	/	<=38.45	Pass	
		Outer_Full	21.07	/	/	22.82	/	/	<=38.45	Pass	
		Inner_Full	22.55	/	/	24.30	/	/	<=38.45	Pass	
		Inner_1RB_Left	22.22	/	/	23.97	/	/	<=38.45	Pass	
		Inner_1RB_Right	22.47	/	/	24.22	/	/	<=38.45	Pass	
CP-OFDM 16 QAM	834	Edge_1RB_Left	20.62	/	/	22.37	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.98	/	/	22.73	/	/	<=38.45	Pass	
		Outer_Full	20.88	/	/	22.63	/	/	<=38.45	Pass	
		Inner_Full	22.01	/	/	23.76	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.44	/	/	23.19	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.71	/	/	23.46	/	/	<=38.45	Pass	
	836.5	Edge_1RB_Left	20.77	/	/	22.52	/	/	<=38.45	Pass	
		Edge_1RB_Right	21.07	/	/	22.82	/	/	<=38.45	Pass	
		Outer_Full	21.02	/	/	22.77	/	/	<=38.45	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.ags.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.ags.com.au/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and agreed to the Terms and Conditions of the Company's General Conditions of Service and the Client's Instructions. If any, The Company's sole responsibility is to its Client and this document does not generate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may be prosecuted to the full. The Company has otherwise stated the contents of this document only refer to the information contained in the documents referred to and has not reviewed the documents.

中国·江苏·昆山市阳澄湖生态创业园伟业路10号 邮编 215300
 0512-57379088 0512-57379089
 0512-57379090 0512-57379091
 www.sgs.com.cn
 sgs.china@sgs.com

		Inner_Full	22.14	/	/	23.89	/	/	<=38.45	Pass
		Inner_1RB_Left	21.76	/	/	23.51	/	/	<=38.45	Pass
		Inner_1RB_Right	22.09	/	/	23.84	/	/	<=38.45	Pass
	839	Edge_1RB_Left	20.65	/	/	22.40	/	/	<=38.45	Pass
		Edge_1RB_Right	20.97	/	/	22.72	/	/	<=38.45	Pass
		Outer_Full	21.07	/	/	22.82	/	/	<=38.45	Pass
		Inner_Full	22.12	/	/	23.87	/	/	<=38.45	Pass
		Inner_1RB_Left	21.56	/	/	23.31	/	/	<=38.45	Pass
		Inner_1RB_Right	21.96	/	/	23.71	/	/	<=38.45	Pass
CP-OFDM 64 QAM	834	Edge_1RB_Left	20.61	/	/	22.36	/	/	<=38.45	Pass
		Edge_1RB_Right	20.94	/	/	22.69	/	/	<=38.45	Pass
		Outer_Full	20.35	/	/	22.10	/	/	<=38.45	Pass
		Inner_Full	20.42	/	/	22.17	/	/	<=38.45	Pass
		Inner_1RB_Left	20.61	/	/	22.36	/	/	<=38.45	Pass
		Inner_1RB_Right	20.94	/	/	22.69	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.58	/	/	22.33	/	/	<=38.45	Pass
		Edge_1RB_Right	20.89	/	/	22.64	/	/	<=38.45	Pass
		Outer_Full	20.56	/	/	22.31	/	/	<=38.45	Pass
		Inner_Full	20.55	/	/	22.30	/	/	<=38.45	Pass
		Inner_1RB_Left	20.44	/	/	22.19	/	/	<=38.45	Pass
		Inner_1RB_Right	20.80	/	/	22.55	/	/	<=38.45	Pass
	839	Edge_1RB_Left	20.44	/	/	22.19	/	/	<=38.45	Pass
		Edge_1RB_Right	20.81	/	/	22.56	/	/	<=38.45	Pass
		Outer_Full	20.48	/	/	22.23	/	/	<=38.45	Pass
		Inner_Full	20.69	/	/	22.44	/	/	<=38.45	Pass
		Inner_1RB_Left	20.40	/	/	22.15	/	/	<=38.45	Pass
		Inner_1RB_Right	20.64	/	/	22.39	/	/	<=38.45	Pass
CP-OFDM 256 QAM	834	Edge_1RB_Left	17.69	/	/	19.44	/	/	<=38.45	Pass
		Edge_1RB_Right	18.16	/	/	19.91	/	/	<=38.45	Pass
		Outer_Full	17.37	/	/	19.12	/	/	<=38.45	Pass
		Inner_Full	17.42	/	/	19.17	/	/	<=38.45	Pass
		Inner_1RB_Left	17.65	/	/	19.40	/	/	<=38.45	Pass
		Inner_1RB_Right	17.97	/	/	19.72	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	17.79	/	/	19.54	/	/	<=38.45	Pass
		Edge_1RB_Right	18.21	/	/	19.96	/	/	<=38.45	Pass
		Outer_Full	17.51	/	/	19.26	/	/	<=38.45	Pass
		Inner_Full	17.57	/	/	19.32	/	/	<=38.45	Pass
		Inner_1RB_Left	17.84	/	/	19.59	/	/	<=38.45	Pass
		Inner_1RB_Right	18.07	/	/	19.82	/	/	<=38.45	Pass
	839	Edge_1RB_Left	17.40	/	/	19.15	/	/	<=38.45	Pass
		Edge_1RB_Right	17.72	/	/	19.47	/	/	<=38.45	Pass
		Outer_Full	17.51	/	/	19.26	/	/	<=38.45	Pass
		Inner_Full	17.60	/	/	19.35	/	/	<=38.45	Pass
		Inner_1RB_Left	17.48	/	/	19.23	/	/	<=38.45	Pass
		Inner_1RB_Right	17.73	/	/	19.48	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant1: 3.90dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2.5 30k_SISO_10MHz_NTNV_ERP

2.5.1 Test Result



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing conclusion report & certificate, please connect us at telephone: (86-512)57370911 or email: CN-Check@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 (86-512)57350888 (86-512)57370911 www.sgs.com.cn
 (86-512)57350883 (86-512)57370911 sgs.china@sgs.com

Test Report Form Version: Rev01

Member of the SGS Group (SGS SA)

5G NR n5 SCS=30kHz SISO 10MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	829	Edge_1RB_Left	23.27	/	/	25.02	/	/	<=38.45	Pass
		Edge_1RB_Right	23.35	/	/	25.10	/	/	<=38.45	Pass
		Outer_Full	23.31	/	/	25.06	/	/	<=38.45	Pass
		Inner_Full	23.87	/	/	25.62	/	/	<=38.45	Pass
		Inner_1RB_Left	23.84	/	/	25.59	/	/	<=38.45	Pass
		Inner_1RB_Right	23.81	/	/	25.56	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.43	/	/	25.18	/	/	<=38.45	Pass
		Edge_1RB_Right	23.41	/	/	25.16	/	/	<=38.45	Pass
		Outer_Full	23.52	/	/	25.27	/	/	<=38.45	Pass
		Inner_Full	23.85	/	/	25.60	/	/	<=38.45	Pass
		Inner_1RB_Left	23.90	/	/	25.65	/	/	<=38.45	Pass
		Inner_1RB_Right	23.89	/	/	25.64	/	/	<=38.45	Pass
	844	Edge_1RB_Left	23.28	/	/	25.03	/	/	<=38.45	Pass
		Edge_1RB_Right	23.42	/	/	25.17	/	/	<=38.45	Pass
		Outer_Full	23.50	/	/	25.25	/	/	<=38.45	Pass
		Inner_Full	23.98	/	/	25.73	/	/	<=38.45	Pass
		Inner_1RB_Left	23.79	/	/	25.54	/	/	<=38.45	Pass
		Inner_1RB_Right	23.93	/	/	25.68	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	829	Edge_1RB_Left	22.67	/	/	24.42	/	/	<=38.45	Pass
		Edge_1RB_Right	22.77	/	/	24.52	/	/	<=38.45	Pass
		Outer_Full	22.83	/	/	24.58	/	/	<=38.45	Pass
		Inner_Full	23.81	/	/	25.56	/	/	<=38.45	Pass
		Inner_1RB_Left	23.62	/	/	25.37	/	/	<=38.45	Pass
		Inner_1RB_Right	23.72	/	/	25.47	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.84	/	/	24.59	/	/	<=38.45	Pass
		Edge_1RB_Right	22.84	/	/	24.59	/	/	<=38.45	Pass
		Outer_Full	22.93	/	/	24.68	/	/	<=38.45	Pass
		Inner_Full	24.08	/	/	25.83	/	/	<=38.45	Pass
		Inner_1RB_Left	23.78	/	/	25.53	/	/	<=38.45	Pass
		Inner_1RB_Right	23.85	/	/	25.60	/	/	<=38.45	Pass
	844	Edge_1RB_Left	22.75	/	/	24.50	/	/	<=38.45	Pass
		Edge_1RB_Right	22.97	/	/	24.72	/	/	<=38.45	Pass
		Outer_Full	23.02	/	/	24.77	/	/	<=38.45	Pass
		Inner_Full	24.14	/	/	25.89	/	/	<=38.45	Pass
		Inner_1RB_Left	23.78	/	/	25.53	/	/	<=38.45	Pass
		Inner_1RB_Right	24.03	/	/	25.78	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	829	Edge_1RB_Left	21.80	/	/	23.55	/	/	<=38.45	Pass
		Edge_1RB_Right	21.82	/	/	23.57	/	/	<=38.45	Pass
		Outer_Full	22.01	/	/	23.76	/	/	<=38.45	Pass
		Inner_Full	22.84	/	/	24.59	/	/	<=38.45	Pass
		Inner_1RB_Left	22.62	/	/	24.37	/	/	<=38.45	Pass
		Inner_1RB_Right	22.70	/	/	24.45	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.04	/	/	23.79	/	/	<=38.45	Pass
		Edge_1RB_Right	22.08	/	/	23.83	/	/	<=38.45	Pass
		Outer_Full	22.10	/	/	23.85	/	/	<=38.45	Pass
		Inner_Full	22.95	/	/	24.70	/	/	<=38.45	Pass
		Inner_1RB_Left	22.78	/	/	24.53	/	/	<=38.45	Pass
		Inner_1RB_Right	22.87	/	/	24.62	/	/	<=38.45	Pass
	844	Edge_1RB_Left	21.91	/	/	23.66	/	/	<=38.45	Pass
		Edge_1RB_Right	22.05	/	/	23.80	/	/	<=38.45	Pass
		Outer_Full	22.15	/	/	23.90	/	/	<=38.45	Pass



Unless otherwise stated in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse of this document or available at <http://www.3m.com/Products/Terms-and-Conditions.asp>, and, for electronic documents, subject to Terms and Conditions for Electronic Documents at <http://www.3m.com/Products/Terms-and-Conditions/Terms-a-Documents.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior written permission of the Company. Any unauthorized reproduction, alteration, falsification, or appearance of this document is unlawful, and offenders may be prosecuted to the full extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留园学生创业园伟业路10号 邮编 215300

86-5125735888 86-5125737000 www.sgs.com.cn
86-5125735888 86-5125737000 sgs.china@sgs.com

DFT-s-OFDM 64 QAM		Inner_Full	23.10	/	/	24.85	/	/	<=38.45	Pass
		Inner_1RB_Left	22.74	/	/	24.49	/	/	<=38.45	Pass
		Inner_1RB_Right	22.88	/	/	24.63	/	/	<=38.45	Pass
	829	Edge_1RB_Left	21.29	/	/	23.04	/	/	<=38.45	Pass
		Edge_1RB_Right	21.46	/	/	23.21	/	/	<=38.45	Pass
		Outer_Full	21.51	/	/	23.26	/	/	<=38.45	Pass
		Inner_Full	21.51	/	/	23.26	/	/	<=38.45	Pass
		Inner_1RB_Left	21.37	/	/	23.12	/	/	<=38.45	Pass
		Inner_1RB_Right	21.39	/	/	23.14	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.57	/	/	23.32	/	/	<=38.45	Pass
		Edge_1RB_Right	21.58	/	/	23.33	/	/	<=38.45	Pass
		Outer_Full	21.64	/	/	23.39	/	/	<=38.45	Pass
		Inner_Full	21.63	/	/	23.38	/	/	<=38.45	Pass
		Inner_1RB_Left	21.50	/	/	23.25	/	/	<=38.45	Pass
		Inner_1RB_Right	21.63	/	/	23.38	/	/	<=38.45	Pass
	844	Edge_1RB_Left	21.49	/	/	23.24	/	/	<=38.45	Pass
		Edge_1RB_Right	21.62	/	/	23.37	/	/	<=38.45	Pass
		Outer_Full	21.57	/	/	23.32	/	/	<=38.45	Pass
		Inner_Full	21.71	/	/	23.46	/	/	<=38.45	Pass
		Inner_1RB_Left	21.51	/	/	23.26	/	/	<=38.45	Pass
		Inner_1RB_Right	21.62	/	/	23.37	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	829	Edge_1RB_Left	19.40	/	/	21.15	/	/	<=38.45	Pass
		Edge_1RB_Right	19.49	/	/	21.24	/	/	<=38.45	Pass
		Outer_Full	19.50	/	/	21.25	/	/	<=38.45	Pass
		Inner_Full	19.62	/	/	21.37	/	/	<=38.45	Pass
		Inner_1RB_Left	19.33	/	/	21.08	/	/	<=38.45	Pass
		Inner_1RB_Right	19.54	/	/	21.29	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	19.61	/	/	21.36	/	/	<=38.45	Pass
		Edge_1RB_Right	19.66	/	/	21.41	/	/	<=38.45	Pass
		Outer_Full	19.64	/	/	21.39	/	/	<=38.45	Pass
		Inner_Full	19.71	/	/	21.46	/	/	<=38.45	Pass
		Inner_1RB_Left	19.52	/	/	21.27	/	/	<=38.45	Pass
		Inner_1RB_Right	19.59	/	/	21.34	/	/	<=38.45	Pass
	844	Edge_1RB_Left	19.46	/	/	21.21	/	/	<=38.45	Pass
		Edge_1RB_Right	19.64	/	/	21.39	/	/	<=38.45	Pass
		Outer_Full	19.67	/	/	21.42	/	/	<=38.45	Pass
		Inner_Full	19.72	/	/	21.47	/	/	<=38.45	Pass
		Inner_1RB_Left	19.46	/	/	21.21	/	/	<=38.45	Pass
		Inner_1RB_Right	19.67	/	/	21.42	/	/	<=38.45	Pass
CP-OFDM QPSK	829	Edge_1RB_Left	20.81	/	/	22.56	/	/	<=38.45	Pass
		Edge_1RB_Right	20.93	/	/	22.68	/	/	<=38.45	Pass
		Outer_Full	20.87	/	/	22.62	/	/	<=38.45	Pass
		Inner_Full	22.49	/	/	24.24	/	/	<=38.45	Pass
		Inner_1RB_Left	22.30	/	/	24.05	/	/	<=38.45	Pass
		Inner_1RB_Right	22.46	/	/	24.21	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.00	/	/	22.75	/	/	<=38.45	Pass
		Edge_1RB_Right	21.06	/	/	22.81	/	/	<=38.45	Pass
		Outer_Full	21.02	/	/	22.77	/	/	<=38.45	Pass
		Inner_Full	22.59	/	/	24.34	/	/	<=38.45	Pass
		Inner_1RB_Left	22.43	/	/	24.18	/	/	<=38.45	Pass
		Inner_1RB_Right	22.58	/	/	24.33	/	/	<=38.45	Pass
	844	Edge_1RB_Left	20.94	/	/	22.69	/	/	<=38.45	Pass
		Edge_1RB_Right	21.09	/	/	22.84	/	/	<=38.45	Pass
		Outer_Full	21.12	/	/	22.87	/	/	<=38.45	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-of-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370911 or email: CH.Official@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

086-51257350888 086-51257370911 www.sgs.com.cn

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

086-51257350888 086-51257370911 sgs.china@sgs.com