

			50	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
				HV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-8.30	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-5.50	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
50	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	2.20	0.0006	>=-2.5 & <=2.5	Pass
				HV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-10.10	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-7.00	-0.0019	>=-2.5 & <=2.5	Pass
			-10	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-7.90	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
50	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
				HV	-6.90	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			-20	NV	-2.10	-0.0006	>=-2.5 & <=2.5	Pass
			-10	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-8.40	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-4.40	-0.0012	>=-2.5 & <=2.5	Pass
			30	NV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-9.40	-0.0026	>=-2.5 & <=2.5	Pass
50	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-7.00	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-1.20	-0.0003	>=-2.5 & <=2.5	Pass
			-20	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			40	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
50	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-7.70	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-8.00	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-2.40	-0.0007	>=-2.5 & <=2.5	Pass
			-20	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			-10	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			0	NV	-8.00	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
30	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the General Conditions of Service and the Terms and Conditions for Electronic Documents and the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fact report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

800-5125735888 800-5125737000 www.sgsgroup.com.cn
 86-51265735888 86-51265737000 sgs.china@sgs.com

CP-OFDM 256 QAM	3624.99	Outer_Full	40	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			20	LV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-6.90	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			0	NV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			50	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass

8.14 30k_SISO_50MHz

8.14.1 Test Result

5G NR n78d SCS=30kHz SISO 50MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
				HV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
			-20	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			-10	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			20	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			30	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			40	NV	3.60	0.0010	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	50	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			20	LV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
				HV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass
			-20	NV	-1.10	-0.0003	>=-2.5 & <=2.5	Pass
			-10	NV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			10	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			30	NV	-2.30	-0.0006	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	40	NV	-2.00	-0.0006	>=-2.5 & <=2.5	Pass
			50	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			20	LV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-7.40	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-7.90	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			0	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			50	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at least one (1) day before/7 days after email: CH.Official@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0512-57350888 0512-57370911 www.sgs.com.cn

0512-57350883 0512-57370911 sgs.china@sgs.com

DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-5.50	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-5.50	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-6.70	-0.0018	>=-2.5 & <=2.5	Pass
			20	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
50	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
				HV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-8.60	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-7.20	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass
50	NV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-8.00	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			40	NV	-5.50	-0.0015	>=-2.5 & <=2.5	Pass
50	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-5.50	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-8.10	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			40	NV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
50	NV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-1.60	-0.0004	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
40	NV	-7.00	-0.0019	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.igs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.igs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, limitation of action and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the Company's General Conditions of Service and its limitations of liability and Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

800-5125735888 800-5125737000 www.sgsgroup.com.cn
 86-51265735888 86-51265737000 sgs.china@sgs.com

			50	NV	-6.60	-0.0018	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-3.00	-0.0008	≥ -2.5 & ≤ 2.5	Pass
				HV	-5.10	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-5.90	-0.0016	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-6.40	-0.0018	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-5.20	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-6.90	-0.0019	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-7.40	-0.0020	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-4.50	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-7.10	-0.0020	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-11.60	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-8.70	-0.0024	≥ -2.5 & ≤ 2.5	Pass

8.15 30k_SISO_60MHz

8.15.1 Test Result

5G NR n78d SCS=30kHz SISO 60MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	-3.60	-0.0010	≥ -2.5 & ≤ 2.5	Pass
				HV	-4.90	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-2.90	-0.0008	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-4.80	-0.0013	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-2.30	-0.0006	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-1.00	-0.0003	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-3.60	-0.0010	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-2.50	-0.0007	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-3.40	-0.0009	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-2.60	-0.0007	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	-4.40	-0.0012	≥ -2.5 & ≤ 2.5	Pass
				HV	-5.00	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-5.40	-0.0015	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-5.20	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-4.90	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-1.90	-0.0005	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-5.50	-0.0015	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-4.20	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-5.50	-0.0015	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-3.20	-0.0009	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-6.10	-0.0017	≥ -2.5 & ≤ 2.5	Pass
				HV	-9.80	-0.0027	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-6.00	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-9.30	-0.0026	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-8.00	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-7.20	-0.0020	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-6.20	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-6.30	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-6.20	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-8.30	-0.0023	≥ -2.5 & ≤ 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370911 or email: CH.Official@sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

(86-512)57350888 (86-512)57370911 www.sgs.com.cn

(86-512)57350888 (86-512)57370911 sgs.china@sgs.com

			50	NV	-7.70	-0.0021	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
50	NV	-7.60	-0.0021	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-6.70	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			-10	NV	-2.00	-0.0006	>=-2.5 & <=2.5	Pass
			0	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-7.00	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
50	NV	-8.30	-0.0023	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			-20	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-8.10	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-6.90	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-7.40	-0.0020	>=-2.5 & <=2.5	Pass
			40	NV	-6.70	-0.0018	>=-2.5 & <=2.5	Pass
50	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-7.00	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			-20	NV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-2.30	-0.0006	>=-2.5 & <=2.5	Pass
			10	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
50	NV	1.50	0.0004	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			-30	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass
			0	NV	-2.30	-0.0006	>=-2.5 & <=2.5	Pass
			10	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-8.70	-0.0024	>=-2.5 & <=2.5	Pass
30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.ags.com/terms-and-conditions.aspx>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.ags.com/terms-and-conditions.aspx>. The Company is not drawn to the attention of the Client, in this report, of the fact that the Company is not a solicitor and is not a regulated financial services provider. The Company is not advised that information contained herein reflects the Company's findings at the time of its intervention only, and within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

886-5125735688 886-51257370618 www.agsgroup.com.cn
886-5125735688 886-51257370618 ags.china@ags.com

			40	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			50	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass
			-30	NV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
			-20	NV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-10.10	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			40	NV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass

8.16 30k_SISO_70MHz

8.16.1 Test Result

5G NR n78d SCS=30kHz SISO 70MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
				HV	1.20	0.0003	>=-2.5 & <=2.5	Pass
			-30	NV	-3.00	-0.0008	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			0	NV	-2.70	-0.0007	>=-2.5 & <=2.5	Pass
			10	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			20	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-2.10	-0.0006	>=-2.5 & <=2.5	Pass
			50	NV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
			30	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			50	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-7.20	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			0	NV	-6.90	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			30	NV	-5.50	-0.0015	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at least one (1) day prior to send an email: CH-Check@sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

			40	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			50	NV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-7.00	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			-20	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			10	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			30	NV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
			40	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			50	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-9.10	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-1.60	-0.0004	>=-2.5 & <=2.5	Pass
			-20	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-9.80	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
			20	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0024	>=-2.5 & <=2.5	Pass
			50	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
				HV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			-20	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			20	NV	-5.60	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			40	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			50	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			-20	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-8.30	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-9.40	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			20	NV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
				HV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-10.10	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			-10	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-7.20	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-7.60	-0.0021	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) day before the expiry of the certificate by email: CH-Check@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com cn

0512-515735088 0512-515737010 sgs.china@sgs.com

CP-OFDM 256 QAM	3624.99	Outer_Full	30	NV	-6.90	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
			50	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			20	LV	-4.40	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-3.00	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			50	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass

8.17 30k_SISO_80MHz

8.17.1 Test Result

5G NR n78d SCS=30kHz SISO 80MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			-30	NV	-2.70	-0.0007	>=-2.5 & <=2.5	Pass
			-20	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass
			0	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
			20	NV	-7.40	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	1.00	0.0003	>=-2.5 & <=2.5	Pass
				HV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass
			-20	NV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass
			-10	NV	2.40	0.0007	>=-2.5 & <=2.5	Pass
			0	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	1.20	0.0003	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-7.90	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-7.20	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	-7.20	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-7.90	-0.0022	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)57370911 or email: CH-Check@sgs.com.
 No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300
 (86-512)57350888 (86-512)57370911 www.sgs.com.cn
 (86-512)57350888 (86-512)57370911 sgs.china@sgs.com

			30	NV	-2.70	-0.0007	>=-2.5 & <=2.5	Pass
			40	NV	-7.00	-0.0019	>=-2.5 & <=2.5	Pass
			50	NV	-8.10	-0.0022	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-2.40	-0.0007	>=-2.5 & <=2.5	Pass
				HV	-7.60	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-9.60	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			30	NV	3.10	0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
			50	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-7.00	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			-10	NV	-3.00	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			50	NV	-8.10	-0.0022	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-7.90	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-7.40	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			20	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-4.40	-0.0012	>=-2.5 & <=2.5	Pass
			40	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			50	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-6.70	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			30	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			40	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-7.20	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-5.60	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-2.40	-0.0007	>=-2.5 & <=2.5	Pass
			0	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at CH-Check@sgs.com or at www.sgs.com/en/Check.aspx

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

CP-OFDM 256 QAM	3624.99	Outer_Full	20	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			50	NV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
			20	LV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-7.20	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	2.70	0.0007	>=-2.5 & <=2.5	Pass
			0	NV	-1.50	-0.0004	>=-2.5 & <=2.5	Pass
			10	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			30	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			40	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			50	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass

8.18 30k_SISO_90MHz

8.18.1 Test Result

5G NR n78d SCS=30kHz SISO 90MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
				HV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-1.20	-0.0003	>=-2.5 & <=2.5	Pass
			-20	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			-10	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			0	NV	-1.50	-0.0004	>=-2.5 & <=2.5	Pass
			10	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	2.20	0.0006	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	2.10	0.0006	>=-2.5 & <=2.5	Pass
				HV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			-10	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	1.30	0.0004	>=-2.5 & <=2.5	Pass
			20	NV	-2.00	-0.0006	>=-2.5 & <=2.5	Pass
			30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-2.30	-0.0006	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
				HV	-9.80	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-8.10	-0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-2.40	-0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CH-OS@sgs.com or CH-OS@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com www.sgs.com

0512-515735088 0512-515737010 sgs.china@sgs.com

			20	NV	-8.70	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-8.70	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-9.20	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-7.90	-0.0022	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-5.50	-0.0015	>=-2.5 & <=2.5	Pass
			-30	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			-10	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			10	NV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
				HV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-5.80	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-5.60	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	-5.60	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-7.20	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			30	NV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-5.60	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			-20	NV	-1.20	-0.0003	>=-2.5 & <=2.5	Pass
			-10	NV	-2.00	-0.0006	>=-2.5 & <=2.5	Pass
			0	NV	-3.00	-0.0008	>=-2.5 & <=2.5	Pass
			10	NV	-5.60	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-2.70	-0.0007	>=-2.5 & <=2.5	Pass
			30	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
			40	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-7.30	-0.0020	>=-2.5 & <=2.5	Pass
				HV	2.70	0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			-10	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			0	NV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or sgs@sgs.com or sgs@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737011 www.sgs.com.cn

0512-515735088 0512-515737011 sgs.china@sgs.com

CP-OFDM 256 QAM	3624.99	Outer_Full	10	NV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
			20	NV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			30	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			50	NV	-7.70	-0.0021	>=-2.5 & <=2.5	Pass
			20	LV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
				HV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-1.60	-0.0004	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			0	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-8.10	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-4.40	-0.0012	>=-2.5 & <=2.5	Pass
			40	NV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass
			50	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass

8.19 30k_SISO_100MHz

8.19.1 Test Result

5G NR n78d SCS=30kHz SISO 100MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3624.99	Outer_Full	20	LV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			-20	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-3.00	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-2.40	-0.0007	>=-2.5 & <=2.5	Pass
			10	NV	-4.40	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	0.90	0.0002	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3624.99	Outer_Full	20	LV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass
				HV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass
			-30	NV	2.70	0.0007	>=-2.5 & <=2.5	Pass
			-20	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-6.20	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-3.00	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-4.40	-0.0012	>=-2.5 & <=2.5	Pass
			40	NV	-4.10	-0.0011	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass
				HV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-7.90	-0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-3.40	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-9.10	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or CN-Office@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 056-512157350888 056-512157370919 www.sgs.com.cn
 056-512157350883 056-512157370914 sgs.china@sgs.com

			10	NV	-7.20	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			40	NV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
			50	NV	-6.30	-0.0017	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-7.70	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-9.10	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			50	NV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3624.99	Outer_Full	20	LV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-6.50	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			0	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-3.70	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3624.99	Outer_Full	20	LV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-5.90	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-4.40	-0.0012	>=-2.5 & <=2.5	Pass
			0	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
			20	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
			50	NV	-6.70	-0.0018	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3624.99	Outer_Full	20	LV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-8.00	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-6.60	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			50	NV	-3.80	-0.0010	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3624.99	Outer_Full	20	LV	-5.10	-0.0014	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-8.50	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CH-Office@sgs.com or CH-Office@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

CP-OFDM 256 QAM	3624.99	Outer_Full	0	NV	-2.30	-0.0006	>=-2.5 & <=2.5	Pass
			10	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			20	NV	-2.30	-0.0006	>=-2.5 & <=2.5	Pass
			30	NV	-5.20	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-4.40	-0.0012	>=-2.5 & <=2.5	Pass
			50	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			20	LV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-4.50	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-7.00	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			10	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass
			40	NV	-4.80	-0.0013	>=-2.5 & <=2.5	Pass
			50	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certification reports & certificates, please connect us at telephone: (86-512) 57370011 or email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512) 57350888 (86-512) 57370011 www.sgs.com.cn
(86-512) 57350883 (86-512) 57370011 sgs.china@sgs.com

9. n78e Frequency Stability

9.1 15k_SISO_10MHz

9.1.1 Test Result

5G NR n78e SCS=15kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3499.995	Outer_Full	20	LV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
				HV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			-20	NV	-4.50	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			0	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			20	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			50	NV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3499.995	Outer_Full	20	LV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-4.50	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
			50	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			-30	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			-20	NV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-4.80	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-1.50	-0.0004	>=-2.5 & <=2.5	Pass
			20	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			30	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			40	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			50	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-7.40	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) day before the test results are issued at email: CH-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业伟业路10号 邮编 215300

0085-51257350888 006-51257370911 www.sgs.com
0085-51257350888 006-51257370911 sgs.china@sgs.com

DFT-s-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			20	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3499.995	Outer_Full	50	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			20	LV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-3.40	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-2.00	-0.0006	>=-2.5 & <=2.5	Pass
			-20	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			-10	NV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass
			0	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3499.995	Outer_Full	40	NV	-2.40	-0.0007	>=-2.5 & <=2.5	Pass
			50	NV	-2.70	-0.0008	>=-2.5 & <=2.5	Pass
			20	LV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
				HV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
			-20	NV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass
			-10	NV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			0	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			20	NV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3499.995	Outer_Full	30	NV	-3.70	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-3.40	-0.0010	>=-2.5 & <=2.5	Pass
			50	NV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
			20	LV	-4.40	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-0.80	-0.0002	>=-2.5 & <=2.5	Pass
			-30	NV	-4.10	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-5.10	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			0	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-1.00	-0.0003	>=-2.5 & <=2.5	Pass
				HV	-2.40	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			-20	NV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	-4.50	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			30	NV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			40	NV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or sgs@sgs.com or sgs@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0512-51257300 0512-51257300 www.sgs.com.cn

0512-51257300 0512-51257300 sgs.china@sgs.com

			50	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
--	--	--	----	----	-------	---------	----------------	------

9.2 15k_SISO_15MHz

9.2.1 Test Result

5G NR n78e SCS=15kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3499.995	Outer_Full	20	LV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
				HV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass
			-30	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-1.30	-0.0004	>=-2.5 & <=2.5	Pass
			10	NV	0.50	0.0001	>=-2.5 & <=2.5	Pass
			20	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			50	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3499.995	Outer_Full	20	LV	-0.90	-0.0003	>=-2.5 & <=2.5	Pass
				HV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass
			-20	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			-10	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			20	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			50	NV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
				HV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			-10	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			0	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-3.70	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	1.20	0.0003	>=-2.5 & <=2.5	Pass
			30	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-0.90	-0.0003	>=-2.5 & <=2.5	Pass
			50	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-6.60	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			-20	NV	-5.10	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	-2.30	-0.0007	>=-2.5 & <=2.5	Pass
			0	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-4.50	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			30	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
			50	NV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions-for-Electronic-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) day before the test result is issued at email: CH.Collect@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

0085-512157350888 0065-1215737010 www.sgs.com.cn

0085-512157350888 0065-1215737010 sgs.china@sgs.com

			50	NV	-1.60	-0.0005	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
50	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	3499.995	Outer_Full	20	LV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			-30	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-3.40	-0.0010	>=-2.5 & <=2.5	Pass
			-10	NV	-0.80	-0.0002	>=-2.5 & <=2.5	Pass
			0	NV	-4.10	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-3.70	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-3.40	-0.0010	>=-2.5 & <=2.5	Pass
50	NV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-2.30	-0.0007	>=-2.5 & <=2.5	Pass
				HV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			-30	NV	-1.60	-0.0005	>=-2.5 & <=2.5	Pass
			-20	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			10	NV	-2.70	-0.0008	>=-2.5 & <=2.5	Pass
			20	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			40	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
50	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			-30	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			-10	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			0	NV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			10	NV	-1.70	-0.0005	>=-2.5 & <=2.5	Pass
			20	NV	-2.10	-0.0006	>=-2.5 & <=2.5	Pass
			30	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
50	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass			
CP-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-4.50	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-1.20	-0.0003	>=-2.5 & <=2.5	Pass
			-30	NV	-5.10	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-3.70	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-3.70	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			10	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			20	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
30	NV	-1.60	-0.0005	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.igs.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.igs.com.au/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings as to the limits of its intervention any and all the limits of its instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

800-51257356888 800-51257370010 www.agsgroup.com.cn
800-51257356888 800-51257370010 agc.china@agc.com

			40	NV	-1.60	-0.0005	>=-2.5 & <=2.5	Pass
			50	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass

9.3 15k SISO 20MHz

9.3.1 Test Result

5G NR n78e SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3499.995	Outer_Full	20	LV	-2.70	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
			-20	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			0	NV	-5.50	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-2.70	-0.0008	>=-2.5 & <=2.5	Pass
			20	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
50	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	3499.995	Outer_Full	20	LV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
				HV	-4.80	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			-10	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			0	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-2.70	-0.0008	>=-2.5 & <=2.5	Pass
			40	NV	-2.00	-0.0006	>=-2.5 & <=2.5	Pass
50	NV	-4.40	-0.0013	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
50	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
30	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed herein, available on request or available at <http://www.irs.com/irs/Forms/Forms.htm> and, for electronic form documents, subject to Terms and Conditions for Electronic Documents at <http://www.irs.com/irs/Forms/Forms.htm> and Terms and Conditions, esp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. This document states the findings of this company and is not intended to be a legal opinion. The findings of this company are valid for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

86-5125735688 86-5125737010 www.sgs.com.cn
86-5125735688 86-5125737010 sgs.china@sgs.com

			40	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			50	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			50	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3499.995	Outer_Full	20	LV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
			-20	NV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			0	NV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-5.10	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			30	NV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
			50	NV	-2.10	-0.0006	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			-20	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			-10	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			10	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			20	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-1.50	-0.0004	>=-2.5 & <=2.5	Pass
			40	NV	-5.10	-0.0015	>=-2.5 & <=2.5	Pass
			50	NV	-1.70	-0.0005	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-1.70	-0.0005	>=-2.5 & <=2.5	Pass
			-10	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-4.10	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-4.40	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-2.70	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			50	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-7.20	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) working day in advance at email: CH-Check@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

			30	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			50	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass

9.4 15k_SISO_25MHz

9.4.1 Test Result

5G NR n78e SCS=15kHz SISO 25MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3499.995	Outer_Full	20	LV	-1.20	-0.0003	>=-2.5 & <=2.5	Pass
				HV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			-20	NV	-5.60	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			0	NV	-4.80	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass
			20	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3499.995	Outer_Full	20	LV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
			20	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-4.40	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
			-30	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			-20	NV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass
			-10	NV	-1.20	-0.0003	>=-2.5 & <=2.5	Pass
			0	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			20	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-3.70	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			-20	NV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass
			-10	NV	-3.40	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-4.80	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			20	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or CN-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn
0512-515735088 0512-515737010 sgs.china@sgs.com

			30	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			50	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-5.80	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
			-20	NV	-0.60	-0.0002	>=-2.5 & <=2.5	Pass
			-10	NV	-2.10	-0.0006	>=-2.5 & <=2.5	Pass
			0	NV	-4.10	-0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			20	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			30	NV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			40	NV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			50	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3499.995	Outer_Full	20	LV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-12.80	-0.0037	>=-2.5 & <=2.5	Pass
			-20	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			-10	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			20	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			30	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-6.70	-0.0019	>=-2.5 & <=2.5	Pass
			50	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
			-30	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-11.80	-0.0034	>=-2.5 & <=2.5	Pass
			10	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			50	NV	-13.90	-0.0040	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at CH-Check@sgs.com or at www.sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com cn

0512-515735088 0512-515737010 sgs.china@sgs.com

			20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass

9.5 15k_SISO_30MHz

9.5.1 Test Result

5G NR n78e SCS=15kHz SISO 30MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3499.995	Outer_Full	20	LV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-2.70	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-4.50	-0.0013	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3499.995	Outer_Full	20	LV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			-30	NV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-2.30	-0.0007	>=-2.5 & <=2.5	Pass
			10	NV	-1.70	-0.0005	>=-2.5 & <=2.5	Pass
			20	NV	-2.70	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at sgs@sgs.com or CN-Check@sgs.com.

No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com cn
0512-515735088 0512-515737010 sgs.china@sgs.com

			20	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-6.90	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			-10	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3499.995	Outer_Full	20	LV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-5.50	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			-10	NV	-2.40	-0.0007	>=-2.5 & <=2.5	Pass
			0	NV	-4.40	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-4.10	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			30	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			40	NV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
				HV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			-30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-4.10	-0.0012	>=-2.5 & <=2.5	Pass
			-10	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			20	NV	-2.50	-0.0007	>=-2.5 & <=2.5	Pass
			30	NV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
				HV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-1.60	-0.0005	>=-2.5 & <=2.5	Pass
			-20	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			-10	NV	-6.00	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			20	NV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
			30	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-2.30	-0.0007	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-2.90	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			-20	NV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-1.40	-0.0004	>=-2.5 & <=2.5	Pass
			0	NV	-2.20	-0.0006	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or CH.0001@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 056-512157350888 056-512157370911 www.sgs.com.cn
 056-512157350888 056-512157370911 sgs.china@sgs.com

			10	NV	-3.70	-0.0011	>=-2.5 & <=2.5	Pass
			20	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			30	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-2.80	-0.0008	>=-2.5 & <=2.5	Pass
			50	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass

9.6 15k_SISO_40MHz

9.6.1 Test Result

5G NR n78e SCS=15kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3499.995	Outer_Full	20	LV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3499.995	Outer_Full	20	LV	-3.40	-0.0010	>=-2.5 & <=2.5	Pass
				HV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
			-30	NV	-3.60	-0.0010	>=-2.5 & <=2.5	Pass
			-20	NV	-4.80	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-3.50	-0.0010	>=-2.5 & <=2.5	Pass
			0	NV	-5.10	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-4.60	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-3.40	-0.0010	>=-2.5 & <=2.5	Pass
			30	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-3.30	-0.0009	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or CN-Check@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 056-512157350888 056-512157370910 www.sgs.com.cn
 056-512157350888 056-512157370910 sgs.china@sgs.com

			10	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			20	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3499.995	Outer_Full	20	LV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass
			0	NV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-5.80	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-3.00	-0.0009	>=-2.5 & <=2.5	Pass
			-30	NV	-4.20	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-13.60	-0.0039	>=-2.5 & <=2.5	Pass
			-10	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
			0	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			20	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or sgs@sgs.com or sgs@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737011 www.sgs.com.cn

0512-515735088 0512-515737011 sgs.china@sgs.com

		0	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
		10	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
		20	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
		30	NV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
		40	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
		50	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass

9.7 15k_SISO_50MHz

9.7.1 Test Result

5G NR n78e SCS=15kHz SISO 50MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3499.995	Outer_Full	20	LV	-3.70	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-1.60	-0.0005	>=-2.5 & <=2.5	Pass
			-20	NV	-5.00	-0.0014	>=-2.5 & <=2.5	Pass
			-10	NV	-6.50	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-14.70	-0.0042	>=-2.5 & <=2.5	Pass
			30	NV	-14.20	-0.0041	>=-2.5 & <=2.5	Pass
			40	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
50	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	3499.995	Outer_Full	20	LV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	-5.50	-0.0016	>=-2.5 & <=2.5	Pass
			-20	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-6.60	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			20	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
			30	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
50	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-13.50	-0.0039	>=-2.5 & <=2.5	Pass
50	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
				HV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			-30	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	-4.00	-0.0011	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or CN-Office@sgs.com.
 No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300
 0512-515735088 0512-515737010 www.sgs.com.cn
 0512-515735088 0512-515737010 sgs.china@sgs.com

			0	NV	-4.80	-0.0014	>=-2.5 & <=2.5	Pass
			10	NV	-3.40	-0.0010	>=-2.5 & <=2.5	Pass
			20	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-3.80	-0.0011	>=-2.5 & <=2.5	Pass
			50	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-13.50	-0.0039	>=-2.5 & <=2.5	Pass
			-10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
50	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	3499.995	Outer_Full	20	LV	-4.10	-0.0012	>=-2.5 & <=2.5	Pass
				HV	-6.30	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-3.20	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
			20	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-1.80	-0.0005	>=-2.5 & <=2.5	Pass
40	NV	-4.80	-0.0014	>=-2.5 & <=2.5	Pass			
50	NV	-0.60	-0.0002	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	3499.995	Outer_Full	20	LV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-2.60	-0.0007	>=-2.5 & <=2.5	Pass
			-30	NV	-4.10	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-3.90	-0.0011	>=-2.5 & <=2.5	Pass
			-10	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-3.10	-0.0009	>=-2.5 & <=2.5	Pass
			30	NV	-2.30	-0.0007	>=-2.5 & <=2.5	Pass
40	NV	-2.40	-0.0007	>=-2.5 & <=2.5	Pass			
50	NV	-4.50	-0.0013	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	3499.995	Outer_Full	20	LV	-1.20	-0.0003	>=-2.5 & <=2.5	Pass
				HV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			-30	NV	-6.70	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-4.70	-0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-2.10	-0.0006	>=-2.5 & <=2.5	Pass
			0	NV	-1.90	-0.0005	>=-2.5 & <=2.5	Pass
			10	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-4.30	-0.0012	>=-2.5 & <=2.5	Pass
			30	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
40	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass			
50	NV	-2.70	-0.0008	>=-2.5 & <=2.5	Pass			
CP-OFDM 256 QAM	3499.995	Outer_Full	20	LV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed herein, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of its instructions, if any. The Company's sole responsibility is to its client and this document shall not exonerate parties to a transaction from their own responsibilities and obligations under the relevant documents. The document shall not constitute a receipt in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 10, Waiye Road, Innovation Park, Komsan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

86-5125735688 86-5125737011 www.sgsgroup.com.cn
86-5125735688 86-5125737011 sgs.china@sgs.com

			-10	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			40	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			50	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass

9.8 30k SISO 10MHz

9.8.1 Test Result

5G NR n78e SCS=30kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			30	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
50	NV	-7.40	-0.0021	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-12.80	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			40	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
50	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			-30	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-7.20	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-11.80	-0.0034	>=-2.5 & <=2.5	Pass
			40	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
50	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the back, available on request at <http://www.iss.com/terms-and-conditions.aspx> and for electronic format documents, subject to Terms and Conditions for Electronic Documents available at <http://www.iss.com/terms-and-conditions.aspx>. Attention is drawn to the importance of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced or stored in full without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be liable to criminal sanctions and civil damages. Other than the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留园学生创业园伟业路10号 邮编 215300

886-51257356888 886-51257370818 www.agsgroup.com.cn
 886-51257356888 886-51257370818 ags.china@ags.com

			-10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			20	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-12.70	-0.0036	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			10	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			50	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at CH-Check@sgs.com or at least one of the following:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

006-512157350000 006-512157370010 www.sgs.com.cn

006-512157350000 006-512157370010 sgs.china@sgs.com

			-20	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-13.20	-0.0038	>=-2.5 & <=2.5	Pass

9.9 30k_SISO_15MHz

9.9.1 Test Result

5G NR n78e SCS=30kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
				HV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-12.50	-0.0036	>=-2.5 & <=2.5	Pass
			-10	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-13.40	-0.0038	>=-2.5 & <=2.5	Pass
			-30	NV	-6.60	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
				HV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			20	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			40	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
			-30	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) day before the test results are issued at email: CH.Certificate@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-512737010 www.sgs.com.cn
 0512-515735088 0512-512737010 sgs.china@sgs.com

			-20	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			10	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			-10	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			0	NV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-6.70	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-11.90	-0.0034	>=-2.5 & <=2.5	Pass
			30	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			50	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-6.50	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-6.50	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
			30	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			50	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
			20	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-6.70	-0.0019	>=-2.5 & <=2.5	Pass
			50	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-6.30	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at CN-Check@sgs.com or at www.sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

0512-515735088 0512-512573709 www.sgs.com.cn

0512-515735088 0512-512573709 sgs.china@sgs.com

			-30	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
			-20	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			50	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass

9.10 30k_SISO_20MHz

9.10.1 Test Result

5G NR n78e SCS=30kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-5.40	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-12.80	-0.0037	>=-2.5 & <=2.5	Pass
				HV	-7.20	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-12.50	-0.0036	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at least one (86-512)9577044 or email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

886-512157350888 886-512157370911 www.sgs.com.cn

886-512157350888 886-512157370911 sgs.china@sgs.com

			-30	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			20	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-6.90	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			50	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-7.40	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			40	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			50	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-6.50	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-6.30	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			50	NV	-6.30	-0.0018	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-6.50	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-6.60	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			50	NV	-13.20	-0.0038	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-6.90	-0.0020	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or www.sgs.com.
 No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 0512-51257350088 0512-51257370011 www.sgs.com.cn
 0512-51257350088 0512-51257370011 sgs.china@sgs.com

				HV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			20	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			30	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass

9.11 30k_SISO_25MHz

9.11.1 Test Result

5G NR n78e SCS=30kHz SISO 25MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-6.60	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			0	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			40	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-7.40	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-12.90	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			30	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
				LV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at least one (86-512) 57370911 or email: CH.Official@sgs.com.
 No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300
 (86-512) 57350888 (86-512) 57370911 www.sgs.com sgs.china@sgs.com
 (86-512) 57350883 (86-512) 57370911

				HV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-11.90	-0.0034	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-11.80	-0.0034	>=-2.5 & <=2.5	Pass
			50	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			20	NV	-12.70	-0.0036	>=-2.5 & <=2.5	Pass
			30	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-11.90	-0.0034	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3500.01	Outer_Full	50	NV	-14.00	-0.0040	>=-2.5 & <=2.5	Pass
			20	LV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-11.90	-0.0034	>=-2.5 & <=2.5	Pass
			20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	40	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			50	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			20	LV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			0	NV	-14.70	-0.0042	>=-2.5 & <=2.5	Pass
			10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	30	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			50	NV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			20	LV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-12.60	-0.0036	>=-2.5 & <=2.5	Pass
			-30	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-7.20	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			40	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
			50	NV	-6.50	-0.0019	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or www.sgs.com or www.sgs.com.cn.
 No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 0512-515735088 0512-515737010 www.sgs.com.cn
 0512-515735088 0512-515737010 sgs.china@sgs.com

CP-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-6.70	-0.0019	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			-20	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			50	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass

9.12 30k_SISO_30MHz

9.12.1 Test Result

5G NR n78e SCS=30kHz SISO 30MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-14.00	-0.0040	>=-2.5 & <=2.5	Pass
			0	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-13.50	-0.0039	>=-2.5 & <=2.5	Pass
			20	NV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
			30	NV	-16.10	-0.0046	>=-2.5 & <=2.5	Pass
			40	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
			-20	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-11.80	-0.0034	>=-2.5 & <=2.5	Pass
			20	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			40	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-14.00	-0.0040	>=-2.5 & <=2.5	Pass
			0	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-13.20	-0.0038	>=-2.5 & <=2.5	Pass
			20	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			40	NV	-12.70	-0.0036	>=-2.5 & <=2.5	Pass
			50	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please connect us at CH-03@sgs.com or CH-03@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com cn

0512-515735088 0512-515737010 sgs.china@sgs.com

DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-7.40	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			20	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	50	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			20	LV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-6.30	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3500.01	Outer_Full	40	NV	-6.50	-0.0019	>=-2.5 & <=2.5	Pass
			50	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			20	LV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	30	NV	-6.70	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			20	LV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	20	NV	-13.70	-0.0039	>=-2.5 & <=2.5	Pass
			30	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			50	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			20	LV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-6.90	-0.0020	>=-2.5 & <=2.5	Pass
			40	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CH-Check@sgs.com or at www.sgs.com

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0085-51215735000 006-51215737010 www.sgs.com cn

0085-51215735000 006-51215737010 sgs.china@sgs.com

			50	NV	-9.80	-0.0028	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-10.40	-0.0030	≥ -2.5 & ≤ 2.5	Pass
				HV	-8.50	-0.0024	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-9.40	-0.0027	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-8.50	-0.0024	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-9.30	-0.0027	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-8.70	-0.0025	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-10.60	-0.0030	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-11.30	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-8.10	-0.0023	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-8.70	-0.0025	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-8.70	-0.0025	≥ -2.5 & ≤ 2.5	Pass

9.13 30k_SISO_40MHz

9.13.1 Test Result

5G NR n78e SCS=30kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-9.50	-0.0027	≥ -2.5 & ≤ 2.5	Pass
				HV	-6.60	-0.0019	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-9.20	-0.0026	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-9.90	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-8.20	-0.0023	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-11.60	-0.0033	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-11.40	-0.0033	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-11.80	-0.0034	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-8.30	-0.0024	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-14.10	-0.0040	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-9.70	-0.0028	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-9.90	-0.0028	≥ -2.5 & ≤ 2.5	Pass
				HV	-8.60	-0.0025	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-11.50	-0.0033	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-9.80	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-6.40	-0.0018	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-9.70	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-7.60	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-7.70	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-11.10	-0.0032	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-10.70	-0.0031	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-9.90	-0.0028	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-13.10	-0.0037	≥ -2.5 & ≤ 2.5	Pass
				HV	-15.30	-0.0044	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-10.10	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-12.00	-0.0034	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-7.30	-0.0021	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-13.30	-0.0038	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-11.60	-0.0033	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-10.20	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-10.80	-0.0031	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-5.50	-0.0016	≥ -2.5 & ≤ 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)95770911 or email: CH-Check@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

086-51215735088 086-51215737091 www.sgs.com.cn

086-51215735088 086-51215737091 sgs.china@sgs.com

			50	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-5.10	-0.0015	>=-2.5 & <=2.5	Pass
			40	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
50	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
			20	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			40	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
50	NV	-12.30	-0.0035	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-12.30	-0.0035	>=-2.5 & <=2.5	Pass
			0	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
50	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-5.80	-0.0017	>=-2.5 & <=2.5	Pass
50	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-11.90	-0.0034	>=-2.5 & <=2.5	Pass
				HV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			20	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
30	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.egg.com/terms-and-conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com/terms-and-conditions.aspx>. This document is drawn to the attention of the Client, together with the General Conditions of Service and Terms and Conditions for Electronic Documents, and the Client is advised that information contained hereon reflects the Company's findings at the time of its intervention only, and within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fast report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

186-51257356888 186-51257370818 www.sgsygroup.com.cn
 186-51257356888 186-51257370818 sgsy.china@sgsy.com

CP-OFDM 256 QAM	3500.01	Outer_Full	40	NV	-4.90	-0.0014	>=-2.5 & <=2.5	Pass
			50	NV	-6.90	-0.0020	>=-2.5 & <=2.5	Pass
			20	LV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			-10	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-13.40	-0.0038	>=-2.5 & <=2.5	Pass
			20	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-7.20	-0.0021	>=-2.5 & <=2.5	Pass
			50	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass

9.14 30k_SISO_50MHz

9.14.1 Test Result

5G NR n78e SCS=30kHz SISO 50MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-14.60	-0.0042	>=-2.5 & <=2.5	Pass
			-30	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			-10	NV	-12.50	-0.0036	>=-2.5 & <=2.5	Pass
			0	NV	-13.70	-0.0039	>=-2.5 & <=2.5	Pass
			10	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	50	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	LV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-7.20	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-12.50	-0.0036	>=-2.5 & <=2.5	Pass
			-20	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			0	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	40	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			50	NV	-12.60	-0.0036	>=-2.5 & <=2.5	Pass
			20	LV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			40	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) day before the test result is issued at email: CH-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0512-57350888 0512-57370911 www.sgs.com.cn
0512-57350883 0512-57370911 sgs.china@sgs.com

DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
			40	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
50	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
				HV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			-30	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			10	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
50	NV	-12.50	-0.0036	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-14.10	-0.0040	>=-2.5 & <=2.5	Pass
			0	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
50	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-12.30	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			10	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
50	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-7.20	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	-5.50	-0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-12.60	-0.0036	>=-2.5 & <=2.5	Pass
			30	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
40	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the General Conditions of Service and the Terms and Conditions of its use in full and within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fact report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

186-5125735688 186-5125737010 www.agsgroup.com.cn
 186-5125735688 186-5125737010 agc.china@agc.com

			50	NV	-6.20	-0.0018	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-10.40	-0.0030	≥ -2.5 & ≤ 2.5	Pass
				HV	-9.70	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-9.70	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-9.90	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-8.30	-0.0024	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-10.40	-0.0030	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-6.50	-0.0019	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-6.30	-0.0018	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-10.00	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-10.90	-0.0031	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-12.50	-0.0036	≥ -2.5 & ≤ 2.5	Pass

9.15 30k_SISO_60MHz

9.15.1 Test Result

5G NR n78e SCS=30kHz SISO 60MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-8.50	-0.0024	≥ -2.5 & ≤ 2.5	Pass
				HV	-11.90	-0.0034	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-8.20	-0.0023	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-6.00	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-10.10	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-10.30	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-9.90	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-13.10	-0.0037	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-10.60	-0.0030	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-9.50	-0.0027	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-7.90	-0.0023	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-10.10	-0.0029	≥ -2.5 & ≤ 2.5	Pass
				HV	-11.00	-0.0031	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-7.40	-0.0021	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-13.00	-0.0037	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-9.70	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-9.80	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-11.40	-0.0033	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-9.10	-0.0026	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-9.80	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-8.00	-0.0023	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-13.60	-0.0039	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-11.80	-0.0034	≥ -2.5 & ≤ 2.5	Pass
				HV	-13.80	-0.0039	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-9.80	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-6.90	-0.0020	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-10.20	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-10.30	-0.0029	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-12.00	-0.0034	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-7.80	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-7.70	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-11.10	-0.0032	≥ -2.5 & ≤ 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at least one (86-512)9577044 or email: CH.Official@sgs.com.
 No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215000
 中国·江苏·昆山市留学院创业园伟业路18号 邮编 215000
 (86-512)57350888 (86-512)57370911 www.sgs.com.cn
 (86-512)57350888 (86-512)57370911 sgs.china@sgs.com

			50	NV	-13.70	-0.0039	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
				HV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-11.80	-0.0034	>=-2.5 & <=2.5	Pass
			10	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			40	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
50	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass			
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-15.40	-0.0044	>=-2.5 & <=2.5	Pass
			-20	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			40	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
50	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass			
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			-30	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-15.00	-0.0043	>=-2.5 & <=2.5	Pass
			0	NV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-13.40	-0.0038	>=-2.5 & <=2.5	Pass
			40	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
50	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass			
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			0	NV	-5.70	-0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
50	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass			
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-7.30	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			-10	NV	-6.50	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	-14.60	-0.0042	>=-2.5 & <=2.5	Pass
			10	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
30	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at <http://www.egg.com.au/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.egg.com.au/terms-and-conditions/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the General Conditions of Service and the Terms and Conditions of its use in full and within the limits of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this fact report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

中国·江苏·昆山市留學生創業園偉業路10號 郵編 215300

800-5125735888 800-5125737000 www.sgsgroup.com.cn
 86-51265735888 86-51265737000 sgs.china@sgs.com

CP-OFDM 256 QAM	3500.01	Outer_Full	40	NV	-14.10	-0.0040	>=-2.5 & <=2.5	Pass
			50	NV	-6.70	-0.0019	>=-2.5 & <=2.5	Pass
			20	LV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-5.90	-0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			-10	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			0	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			40	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass

9.16 30k_SISO_70MHz

9.16.1 Test Result

5G NR n78e SCS=30kHz SISO 70MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-12.30	-0.0035	>=-2.5 & <=2.5	Pass
			10	NV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
			20	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-12.60	-0.0036	>=-2.5 & <=2.5	Pass
			40	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	50	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			20	LV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			0	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	40	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			50	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			20	LV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-12.60	-0.0036	>=-2.5 & <=2.5	Pass
			-20	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (86-512)57350888 or email: CH-Check@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路18号 邮编 215300

86-51257350888 86-51257370911 www.sgs.com.cn

86-51257350888 86-51257370911 sgs.china@sgs.com

			40	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
				HV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			-30	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			50	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-13.60	-0.0039	>=-2.5 & <=2.5	Pass
				HV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			-30	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			-10	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			0	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			20	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-14.30	-0.0041	>=-2.5 & <=2.5	Pass
			-30	NV	-9.30	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			-10	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			0	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-7.40	-0.0021	>=-2.5 & <=2.5	Pass
			20	NV	-10.90	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			40	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			50	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			-10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			10	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			20	NV	-16.80	-0.0048	>=-2.5 & <=2.5	Pass
			30	NV	-6.30	-0.0018	>=-2.5 & <=2.5	Pass
			40	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			50	NV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-12.30	-0.0035	>=-2.5 & <=2.5	Pass
				HV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	-11.80	-0.0034	>=-2.5 & <=2.5	Pass
			-20	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-11.90	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
			20	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at least one (1) day before the expiry of the certificate by email: CH.Official@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735000 0512-515737010 www.sgs.com.cn

0512-515735000 0512-515737010 sgs.china@sgs.com

CP-OFDM 256 QAM	3500.01	Outer_Full	30	NV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			50	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			20	LV	-5.30	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			-20	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			10	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-12.20	-0.0035	>=-2.5 & <=2.5	Pass
			40	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass

9.17 30k_SISO_80MHz

9.17.1 Test Result

5G NR n78e SCS=30kHz SISO 80MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-15.10	-0.0043	>=-2.5 & <=2.5	Pass
			-20	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
			0	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			10	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-14.80	-0.0042	>=-2.5 & <=2.5	Pass
			10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			40	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			-10	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please contact us at least one (1) day prior to send an email: CH.Cus@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300
 0512-515735088 0512-515737010 www.sgs.com.cn
 0512-515735088 0512-515737010 sgs.china@sgs.com

			30	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
			40	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			50	NV	-18.00	-0.0051	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			20	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			50	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-5.20	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-12.50	-0.0036	>=-2.5 & <=2.5	Pass
			20	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			30	NV	-12.90	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-12.50	-0.0036	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
				HV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			-20	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-12.50	-0.0036	>=-2.5 & <=2.5	Pass
			40	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			50	NV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-6.30	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-7.20	-0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			40	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			-30	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
			0	NV	-12.30	-0.0035	>=-2.5 & <=2.5	Pass
			10	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at CH-0001@sgs.com or CH-0001@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

CP-OFDM 256 QAM	3500.01	Outer_Full	20	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-12.80	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			50	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			20	LV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-30	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-12.30	-0.0035	>=-2.5 & <=2.5	Pass
			-10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-12.50	-0.0036	>=-2.5 & <=2.5	Pass
			40	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			50	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass

9.18 30k_SISO_90MHz

9.18.1 Test Result

5G NR n78e SCS=30kHz SISO 90MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			-30	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-12.70	-0.0036	>=-2.5 & <=2.5	Pass
			0	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	-14.00	-0.0040	>=-2.5 & <=2.5	Pass
			30	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
			-20	NV	-14.10	-0.0040	>=-2.5 & <=2.5	Pass
			-10	NV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			20	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
				HV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-20	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			10	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

To check the authenticity of testing certificate, please contact us at CH-OS@sgs.com or at CH-OS@sgs.com.
No. 18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com
0512-515735088 0512-515737010 sgs.china@sgs.com

			20	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			20	NV	-13.50	-0.0039	>=-2.5 & <=2.5	Pass
			30	NV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	-8.60	-0.0025	>=-2.5 & <=2.5	Pass
			-10	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			0	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			10	NV	-13.20	-0.0038	>=-2.5 & <=2.5	Pass
			20	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-5.90	-0.0017	>=-2.5 & <=2.5	Pass
			40	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
				HV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			0	NV	-13.50	-0.0039	>=-2.5 & <=2.5	Pass
			10	NV	-6.60	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
				HV	-7.50	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-6.20	-0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-9.40	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			10	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			20	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
				HV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			-30	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or CN-Check@sgs.com.

No.18, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路18号 邮编 215300

0085-512157350000 0085-512157370011 www.sgs.com
0085-512157350000 0085-512157370011 sgs.china@sgs.com

			10	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			50	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-8.20	-0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			0	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			10	NV	-6.80	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-8.10	-0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			50	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass

9.19 30k_SISO_100MHz

9.19.1 Test Result

5G NR n78e SCS=30kHz SISO 100MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	20	LV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			-30	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-10	NV	-11.90	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			10	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			30	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass
			40	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-7.80	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			0	NV	-9.80	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
			20	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
			40	NV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-15.10	-0.0043	>=-2.5 & <=2.5	Pass
			-30	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			0	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing conclusion report & certificate, please connect us at sgs@sgs.com or CN-Check@sgs.com.
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 056-512157350888 056-512157370911 www.sgs.com.cn
 056-512157350888 056-512157370911 sgs.china@sgs.com

			10	NV	-6.60	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-11.60	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-13.80	-0.0039	>=-2.5 & <=2.5	Pass
			40	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			50	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-13.30	-0.0038	>=-2.5 & <=2.5	Pass
				HV	-9.90	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			-20	NV	-10.60	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-8.50	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			10	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-14.90	-0.0043	>=-2.5 & <=2.5	Pass
			30	NV	-11.80	-0.0034	>=-2.5 & <=2.5	Pass
			40	NV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
			50	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-13.00	-0.0037	>=-2.5 & <=2.5	Pass
				HV	-8.90	-0.0025	>=-2.5 & <=2.5	Pass
			-30	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			10	NV	-11.80	-0.0034	>=-2.5 & <=2.5	Pass
			20	NV	-6.40	-0.0018	>=-2.5 & <=2.5	Pass
			30	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
			40	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-11.00	-0.0031	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	3500.01	Outer_Full	20	LV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
				HV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
			-30	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			-20	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-8.30	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-7.60	-0.0022	>=-2.5 & <=2.5	Pass
			10	NV	-11.70	-0.0033	>=-2.5 & <=2.5	Pass
			20	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass
			30	NV	-8.80	-0.0025	>=-2.5 & <=2.5	Pass
			40	NV	-8.70	-0.0025	>=-2.5 & <=2.5	Pass
			50	NV	-10.30	-0.0029	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	20	LV	-7.20	-0.0021	>=-2.5 & <=2.5	Pass
				HV	-13.10	-0.0037	>=-2.5 & <=2.5	Pass
			-30	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-10.40	-0.0030	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0027	>=-2.5 & <=2.5	Pass
			0	NV	-7.90	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-10.50	-0.0030	>=-2.5 & <=2.5	Pass
			30	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			40	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			50	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	20	LV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-12.40	-0.0035	>=-2.5 & <=2.5	Pass
			-30	NV	-11.20	-0.0032	>=-2.5 & <=2.5	Pass
			-20	NV	-11.50	-0.0033	>=-2.5 & <=2.5	Pass
			-10	NV	-9.20	-0.0026	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certificate, please contact us at sgs@sgs.com or sgs@sgs.com or sgs@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

0512-515735088 0512-515737010 www.sgs.com.cn

0512-515735088 0512-515737010 sgs.china@sgs.com

			0	NV	-12.00	-0.0034	>=-2.5 & <=2.5	Pass
			10	NV	-8.40	-0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-11.40	-0.0033	>=-2.5 & <=2.5	Pass
			30	NV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-8.00	-0.0023	>=-2.5 & <=2.5	Pass
			50	NV	-11.30	-0.0032	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	20	LV	-10.80	-0.0031	>=-2.5 & <=2.5	Pass
				HV	-11.80	-0.0034	>=-2.5 & <=2.5	Pass
			-30	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			-20	NV	-11.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-10.20	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-10.10	-0.0029	>=-2.5 & <=2.5	Pass
			10	NV	-6.60	-0.0019	>=-2.5 & <=2.5	Pass
			20	NV	-6.90	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-12.10	-0.0035	>=-2.5 & <=2.5	Pass
			40	NV	-10.70	-0.0031	>=-2.5 & <=2.5	Pass
			50	NV	-9.00	-0.0026	>=-2.5 & <=2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing certification reports & certificates, please connect us at telephone: (+86-512) 57370011 or email: CN-Check@sgs.com.

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512)57350888 (86-512)57370011 www.sgs.com.cn
(86-512)57350883 (86-512)57370011 sgs.china@sgs.com