











Mode	70																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																																																																				
ANT	TXBF1S4T																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>46.57</td><td>68.20</td><td>-21.63</td><td>55.78</td><td>37.70</td><td>18.09</td><td>65.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10540.00	46.57	68.20	-21.63	55.78	37.70	18.09	65.00	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>45.70</td><td>68.20</td><td>-22.50</td><td>54.92</td><td>37.70</td><td>18.07</td><td>64.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10540.00	45.70	68.20	-22.50	54.92	37.70	18.07	64.99	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10540.00	46.57	68.20	-21.63	55.78	37.70	18.09	65.00	0.00	--	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10540.00	45.70	68.20	-22.50	54.92	37.70	18.07	64.99	0.00	--	--	PEAK																																																																																									







Mode	71																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.51</td><td>57.06</td><td>74.00</td><td>-16.94</td><td>48.71</td><td>34.46</td><td>10.58</td><td>36.69</td><td>0.00</td><td>349</td><td>235</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.51	57.06	74.00	-16.94	48.71	34.46	10.58	36.69	0.00	349	235	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>108.97</td><td>-----</td><td>-----</td><td>99.64</td><td>35.07</td><td>10.71</td><td>36.45</td><td>0.00</td><td>349</td><td>235</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	108.97	-----	-----	99.64	35.07	10.71	36.45	0.00	349	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5121.51	57.06	74.00	-16.94	48.71	34.46	10.58	36.69	0.00	349	235	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	108.97	-----	-----	99.64	35.07	10.71	36.45	0.00	349	235	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.17</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>38.63</td><td>34.48</td><td>10.58</td><td>36.69</td><td>0.00</td><td>349</td><td>235</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.17	47.00	54.00	-7.00	38.63	34.48	10.58	36.69	0.00	349	235	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>100.95</td><td>-----</td><td>-----</td><td>91.65</td><td>35.05</td><td>10.71</td><td>36.46</td><td>0.00</td><td>349</td><td>235</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.95	-----	-----	91.65	35.05	10.71	36.46	0.00	349	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5126.17	47.00	54.00	-7.00	38.63	34.48	10.58	36.69	0.00	349	235	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	100.95	-----	-----	91.65	35.05	10.71	36.46	0.00	349	235	AVERAGE																																																																																																			



Mode	71																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.75</td><td>60.40</td><td>74.00</td><td>-13.60</td><td>50.82</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>349</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.75	60.40	74.00	-13.60	50.82	35.20	10.75	36.37	0.00	349	235	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.75	60.40	74.00	-13.60	50.82	35.20	10.75	36.37	0.00	349	235	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.46</td><td>47.95</td><td>54.00</td><td>-6.05</td><td>38.37</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>349</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.46	47.95	54.00	-6.05	38.37	35.20	10.75	36.37	0.00	349	235	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.46	47.95	54.00	-6.05	38.37	35.20	10.75	36.37	0.00	349	235	AVERAGE																																											





Mode	71																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.29</td><td>59.16</td><td>74.00</td><td>-14.84</td><td>50.69</td><td>34.53</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.29	59.16	74.00	-14.84	50.69	34.53	10.60	36.66	0.00	100	342	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>111.49</td><td>-----</td><td>-----</td><td>102.02</td><td>35.15</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	111.49	-----	-----	102.02	35.15	10.73	36.41	0.00	100	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5143.29	59.16	74.00	-14.84	50.69	34.53	10.60	36.66	0.00	100	342	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	111.49	-----	-----	102.02	35.15	10.73	36.41	0.00	100	342	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5129.05</td><td>47.06</td><td>54.00</td><td>-6.94</td><td>38.66</td><td>34.49</td><td>10.59</td><td>36.68</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5129.05	47.06	54.00	-6.94	38.66	34.49	10.59	36.68	0.00	100	342	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>102.85</td><td>-----</td><td>-----</td><td>93.38</td><td>35.15</td><td>10.73</td><td>36.41</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	102.85	-----	-----	93.38	35.15	10.73	36.41	0.00	100	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5129.05	47.06	54.00	-6.94	38.66	34.49	10.59	36.68	0.00	100	342	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	102.85	-----	-----	93.38	35.15	10.73	36.41	0.00	100	342	AVERAGE																																																																																							







Mode	71																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.46</td><td>64.67</td><td>74.00</td><td>-9.33</td><td>55.08</td><td>35.21</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.46	64.67	74.00	-9.33	55.08	35.21	10.75	36.37	0.00	100	342	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.46	64.67	74.00	-9.33	55.08	35.21	10.75	36.37	0.00	100	342	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.36</td><td>54.00</td><td>-3.64</td><td>40.78</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.36	54.00	-3.64	40.78	35.20	10.75	36.37	0.00	100	342	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.00	50.36	54.00	-3.64	40.78	35.20	10.75	36.37	0.00	100	342	AVERAGE																																												



Mode	71																																																																				
	Harmonic																																																																				
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																																				
ANT	TXBF1S4T																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>57.19</td><td>37.72</td><td>17.86</td><td>64.89</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>36.42</td><td>54.00</td><td>-17.58</td><td>45.73</td><td>37.72</td><td>17.86</td><td>64.89</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.88	74.00	-26.12	57.19	37.72	17.86	64.89	0.00	300	360	PEAK	2	10620.00	36.42	54.00	-17.58	45.73	37.72	17.86	64.89	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	10620.00	47.88	74.00	-26.12	57.19	37.72	17.86	64.89	0.00	300	360	PEAK																																																									
2	10620.00	36.42	54.00	-17.58	45.73	37.72	17.86	64.89	0.00	300	360	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>56.31</td><td>37.72</td><td>17.86</td><td>64.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.00	74.00	-27.00	56.31	37.72	17.86	64.89	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	10620.00	47.00	74.00	-27.00	56.31	37.72	17.86	64.89	0.00	--	--	PEAK																																																									







Mode	72																																																				
	Band Edge - L																																																				
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Horizontal						Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5117.85</td><td>57.96</td><td>74.00</td><td>-16.04</td><td>41.36</td><td>34.26</td><td>12.44</td><td>30.10</td><td>0.00</td><td>221</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.85	57.96	74.00	-16.04	41.36	34.26	12.44	30.10	0.00	221
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5117.85	57.96	74.00	-16.04	41.36	34.26	12.44	30.10	0.00	221	0 PEAK																																										
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>106.53</td><td>-----</td><td>-----</td><td>89.52</td><td>34.30</td><td>12.57</td><td>29.86</td><td>0.00</td><td>221</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	106.53	-----	-----	89.52	34.30	12.57	29.86	0.00	221
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5290.00	106.53	-----	-----	89.52	34.30	12.57	29.86	0.00	221	0 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.88</td><td>44.94</td><td>54.00</td><td>-9.06</td><td>28.34</td><td>34.29</td><td>12.44</td><td>30.13</td><td>0.00</td><td>221</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.88	44.94	54.00	-9.06	28.34	34.29	12.44	30.13	0.00	221
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5103.88	44.94	54.00	-9.06	28.34	34.29	12.44	30.13	0.00	221	0 AVERAGE																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>95.27</td><td>-----</td><td>-----</td><td>78.26</td><td>34.30</td><td>12.57</td><td>29.86</td><td>0.00</td><td>221</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	95.27	-----	-----	78.26	34.30	12.57	29.86	0.00	221
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5290.00	95.27	-----	-----	78.26	34.30	12.57	29.86	0.00	221	0 AVERAGE																																										





	72																																																					
Mode	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.95</td><td>66.49</td><td>74.00</td><td>-7.51</td><td>49.00</td><td>34.60</td><td>12.62</td><td>29.73</td><td>0.00</td><td>221</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.95	66.49	74.00	-7.51	49.00	34.60	12.62	29.73	0.00	221	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5355.95	66.49	74.00	-7.51	49.00	34.60	12.62	29.73	0.00	221	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.65</td><td>46.09</td><td>54.00</td><td>-7.91</td><td>28.58</td><td>34.60</td><td>12.64</td><td>29.73</td><td>0.00</td><td>221</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.65	46.09	54.00	-7.91	28.58	34.60	12.64	29.73	0.00	221	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5358.65	46.09	54.00	-7.91	28.58	34.60	12.64	29.73	0.00	221	0 AVERAGE																																											





Mode	72																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.21</td><td>57.19</td><td>74.00</td><td>-16.81</td><td>40.59</td><td>34.23</td><td>12.45</td><td>30.08</td><td>0.00</td><td>317</td><td>351</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.21	57.19	74.00	-16.81	40.59	34.23	12.45	30.08	0.00	317	351	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>111.68</td><td>-----</td><td>-----</td><td>94.47</td><td>34.42</td><td>12.60</td><td>29.81</td><td>0.00</td><td>317</td><td>351</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	111.68	-----	-----	94.47	34.42	12.60	29.81	0.00	317	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5133.21	57.19	74.00	-16.81	40.59	34.23	12.45	30.08	0.00	317	351	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	111.68	-----	-----	94.47	34.42	12.60	29.81	0.00	317	351	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.52</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>28.35</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>317</td><td>351</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.52	44.96	54.00	-9.04	28.35	34.30	12.44	30.13	0.00	317	351	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>100.46</td><td>-----</td><td>-----</td><td>83.22</td><td>34.44</td><td>12.60</td><td>29.80</td><td>0.00</td><td>317</td><td>351</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	100.46	-----	-----	83.22	34.44	12.60	29.80	0.00	317	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5101.52	44.96	54.00	-9.04	28.35	34.30	12.44	30.13	0.00	317	351	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	100.46	-----	-----	83.22	34.44	12.60	29.80	0.00	317	351	AVERAGE																																																																																																			







Mode	72																																															
	Band Edge - R																																															
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																															
ANT	TXBF1S4T																																															
Pol.	Vertical						Fundamental																																									
Peak							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.50</td><td>71.38</td><td>74.00</td><td>-2.62</td><td>53.82</td><td>34.60</td><td>12.68</td><td>29.72</td><td>0.00</td><td>317</td><td>351 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5362.50	71.38	74.00	-2.62	53.82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5362.50	71.38	74.00	-2.62	53.82	34.60	12.68	29.72	0.00	317	351 Peak																																					
Avg							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.20</td><td>53.20</td><td>54.00</td><td>-0.80</td><td>35.76</td><td>34.60</td><td>12.58</td><td>29.74</td><td>0.00</td><td>317</td><td>351 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.20	53.20	54.00	-0.80	35.76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5352.20	53.20	54.00	-0.80	35.76	34.60	12.58	29.74	0.00	317	351 Average																																					





		72																																																								
Mode		Harmonic																																																								
		U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																								
ANT		TXBF1S4T																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>54.68</td><td>37.71</td><td>17.85</td><td>64.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	45.34	74.00	-28.66	54.68	37.71	17.85	64.90	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	10580.00	45.34	74.00	-28.66	54.68	37.71	17.85	64.90	0.00	--	--	PEAK																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.11</td><td>68.20</td><td>-23.09</td><td>54.33</td><td>37.70</td><td>18.06</td><td>64.98</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	45.11	68.20	-23.09	54.33	37.70	18.06	64.98	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	10580.00	45.11	68.20	-23.09	54.33	37.70	18.06	64.98	0.00	--	--	PEAK																																														







Mode	73																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																																																																
ANT	TXBF1S4T																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.38</td><td>68.23</td><td>74.00</td><td>-5.77</td><td>51.64</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>182</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.38	68.23	74.00	-5.77	51.64	34.20	12.45	30.06	0.00	182	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>107.94</td><td>-----</td><td>-----</td><td>90.89</td><td>34.32</td><td>12.58</td><td>29.85</td><td>0.00</td><td>182</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	107.94	-----	-----	90.89	34.32	12.58	29.85	0.00	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5148.38	68.23	74.00	-5.77	51.64	34.20	12.45	30.06	0.00	182	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5250.00	107.94	-----	-----	90.89	34.32	12.58	29.85	0.00	182	0 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.13</td><td>47.67</td><td>54.00</td><td>-6.33</td><td>31.07</td><td>34.22</td><td>12.45</td><td>30.07</td><td>0.00</td><td>182</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.13	47.67	54.00	-6.33	31.07	34.22	12.45	30.07	0.00	182	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>98.00</td><td>-----</td><td>-----</td><td>80.70</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>182</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	98.00	-----	-----	80.70	34.49	12.59	29.78	0.00	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5142.13	47.67	54.00	-6.33	31.07	34.22	12.45	30.07	0.00	182	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5250.00	98.00	-----	-----	80.70	34.49	12.59	29.78	0.00	182	0 AVERAGE																																																																																						





	73																																																					
Mode	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.31</td><td>69.02</td><td>74.00</td><td>-4.98</td><td>51.50</td><td>34.60</td><td>12.65</td><td>29.73</td><td>0.00</td><td>182</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.31	69.02	74.00	-4.98	51.50	34.60	12.65	29.73	0.00	182	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5359.31	69.02	74.00	-4.98	51.50	34.60	12.65	29.73	0.00	182	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.43</td><td>52.00</td><td>54.00</td><td>-1.92</td><td>34.59</td><td>34.60</td><td>12.62</td><td>29.73</td><td>0.00</td><td>182</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.43	52.00	54.00	-1.92	34.59	34.60	12.62	29.73	0.00	182	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5356.43	52.00	54.00	-1.92	34.59	34.60	12.62	29.73	0.00	182	0 AVERAGE																																											





Mode	73																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.63</td><td>67.24</td><td>74.00</td><td>-6.76</td><td>50.65</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.63	67.24	74.00	-6.76	50.65	34.20	12.45	30.06	0.00	100	287	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>109.99</td><td>-----</td><td>-----</td><td>93.33</td><td>34.13</td><td>12.53</td><td>30.00</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	109.99	-----	-----	93.33	34.13	12.53	30.00	0.00	100	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.63	67.24	74.00	-6.76	50.65	34.20	12.45	30.06	0.00	100	287	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	109.99	-----	-----	93.33	34.13	12.53	30.00	0.00	100	287	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.33</td><td>49.27</td><td>54.00</td><td>-4.73</td><td>32.67</td><td>34.22</td><td>12.45</td><td>30.07</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.33	49.27	54.00	-4.73	32.67	34.22	12.45	30.07	0.00	100	287	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>99.89</td><td>-----</td><td>-----</td><td>83.24</td><td>34.14</td><td>12.52</td><td>30.01</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.89	-----	-----	83.24	34.14	12.52	30.01	0.00	100	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5141.33	49.27	54.00	-4.73	32.67	34.22	12.45	30.07	0.00	100	287	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	99.89	-----	-----	83.24	34.14	12.52	30.01	0.00	100	287	AVERAGE																																																																																																			



	73																																																							
Mode	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5368.78</td><td>68.92</td><td>74.00</td><td>-5.08</td><td>51.39</td><td>34.60</td><td>12.66</td><td>29.73</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.78	68.92	74.00	-5.08	51.39	34.60	12.66	29.73	0.00	100	287	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5368.78	68.92	74.00	-5.08	51.39	34.60	12.66	29.73	0.00	100	287	PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5363.09</td><td>52.80</td><td>54.00</td><td>-1.20</td><td>35.24</td><td>34.60</td><td>12.68</td><td>29.72</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.09	52.80	54.00	-1.20	35.24	34.60	12.68	29.72	0.00	100	287	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5363.09	52.80	54.00	-1.20	35.24	34.60	12.68	29.72	0.00	100	287	AVERAGE																																												







Mode	73																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																																																																
ANT	TXBF1S4T																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.76</td><td>68.20</td><td>-22.44</td><td>54.84</td><td>37.70</td><td>18.32</td><td>65.10</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.76	68.20	-22.44	54.84	37.70	18.32	65.10	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.75</td><td>68.20</td><td>-22.45</td><td>54.97</td><td>37.70</td><td>18.06</td><td>64.98</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.75	68.20	-22.45	54.97	37.70	18.06	64.98	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10500.00	45.76	68.20	-22.44	54.84	37.70	18.32	65.10	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10500.00	45.75	68.20	-22.45	54.97	37.70	18.06	64.98	0.00	--	PEAK																																																																																						





Mode	74																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_5500MHz																																																																																																																										
ANT	TXBF1S4T																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																				
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5456.65</td><td>59.66</td><td>74.00</td><td>-14.34</td><td>41.81</td><td>34.60</td><td>12.83</td><td>29.58</td><td>0.00</td><td>272</td><td>281</td><td>PEAK</td></tr><tr><td>2</td><td>5462.25</td><td>58.89</td><td>68.20</td><td>-9.31</td><td>41.00</td><td>34.60</td><td>12.86</td><td>29.57</td><td>0.00</td><td>272</td><td>281</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.65	59.66	74.00	-14.34	41.81	34.60	12.83	29.58	0.00	272	281	PEAK	2	5462.25	58.89	68.20	-9.31	41.00	34.60	12.86	29.57	0.00	272	281	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>120.29</td><td>-----</td><td>-----</td><td>102.14</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>272</td><td>281</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	120.29	-----	-----	102.14	34.60	13.06	29.51	0.00	272	281	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5456.65	59.66	74.00	-14.34	41.81	34.60	12.83	29.58	0.00	272	281	PEAK																																																																																																															
2	5462.25	58.89	68.20	-9.31	41.00	34.60	12.86	29.57	0.00	272	281	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5500.00	120.29	-----	-----	102.14	34.60	13.06	29.51	0.00	272	281	PEAK																																																																																																															
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.47</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>30.18</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>272</td><td>281</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.47	48.05	54.00	-5.95	30.18	34.60	12.84	29.57	0.00	272	281	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.79</td><td>-----</td><td>-----</td><td>92.64</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>272</td><td>281</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	110.79	-----	-----	92.64	34.60	13.06	29.51	0.00	272	281	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5459.47	48.05	54.00	-5.95	30.18	34.60	12.84	29.57	0.00	272	281	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5500.00	110.79	-----	-----	92.64	34.60	13.06	29.51	0.00	272	281	AVERAGE																																																																																																															







Mode	74																																																																		
	Band Edge																																																																		
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_5500MHz																																																																		
ANT	TXBF1S4T																																																																		
Pol.	Vertical						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5430.09</td><td>59.90</td><td>74.00</td><td>-14.10</td><td>42.03</td><td>34.60</td><td>12.89</td><td>29.62</td><td>0.00</td><td>125</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>5467.21</td><td>60.88</td><td>68.20</td><td>-7.32</td><td>42.95</td><td>34.60</td><td>12.89</td><td>29.56</td><td>0.00</td><td>125</td><td>333</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.09	59.90	74.00	-14.10	42.03	34.60	12.89	29.62	0.00	125	333	PEAK	2	5467.21	60.88	68.20	-7.32	42.95	34.60	12.89	29.56	0.00	125	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5430.09	59.90	74.00	-14.10	42.03	34.60	12.89	29.62	0.00	125	333	PEAK																																																							
2	5467.21	60.88	68.20	-7.32	42.95	34.60	12.89	29.56	0.00	125	333	PEAK																																																							
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.88</td><td>48.30</td><td>54.00</td><td>-5.70</td><td>30.43</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>125</td><td>333</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.88	48.30	54.00	-5.70	30.43	34.60	12.84	29.57	0.00	125	333	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.88	48.30	54.00	-5.70	30.43	34.60	12.84	29.57	0.00	125	333	AVERAGE																																																							
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.20</td><td>60.96</td><td>74.00</td><td>-13.04</td><td>44.36</td><td>34.27</td><td>12.44</td><td>30.11</td><td>0.00</td><td>125</td><td>333</td><td>Peak</td></tr><tr><td>2</td><td>5500.00</td><td>121.57</td><td>-----</td><td>-----</td><td>103.42</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>125</td><td>333</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.20	60.96	74.00	-13.04	44.36	34.27	12.44	30.11	0.00	125	333	Peak	2	5500.00	121.57	-----	-----	103.42	34.60	13.06	29.51	0.00	125	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5113.20	60.96	74.00	-13.04	44.36	34.27	12.44	30.11	0.00	125	333	Peak																																																							
2	5500.00	121.57	-----	-----	103.42	34.60	13.06	29.51	0.00	125	333	PEAK																																																							
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.20</td><td>52.29</td><td>54.00</td><td>-1.71</td><td>35.68</td><td>34.29</td><td>12.44</td><td>30.12</td><td>0.00</td><td>125</td><td>333</td><td>Average</td></tr><tr><td>2</td><td>5500.00</td><td>112.46</td><td>-----</td><td>-----</td><td>94.31</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>125</td><td>333</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.20	52.29	54.00	-1.71	35.68	34.29	12.44	30.12	0.00	125	333	Average	2	5500.00	112.46	-----	-----	94.31	34.60	13.06	29.51	0.00	125	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5107.20	52.29	54.00	-1.71	35.68	34.29	12.44	30.12	0.00	125	333	Average																																																							
2	5500.00	112.46	-----	-----	94.31	34.60	13.06	29.51	0.00	125	333	AVERAGE																																																							



Mode	74																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_5500MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>54.08</td><td>74.00</td><td>-19.92</td><td>62.26</td><td>38.20</td><td>18.08</td><td>64.46</td><td>0.00</td><td>294</td><td>30</td><td>PEAK</td></tr><tr><td>2 11000.00</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>51.28</td><td>38.20</td><td>18.08</td><td>64.46</td><td>0.00</td><td>294</td><td>30</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	54.08	74.00	-19.92	62.26	38.20	18.08	64.46	0.00	294	30	PEAK	2 11000.00	43.10	54.00	-10.90	51.28	38.20	18.08	64.46	0.00	294	30	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>53.03</td><td>38.20</td><td>18.08</td><td>64.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	44.85	74.00	-29.15	53.03	38.20	18.08	64.46	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11000.00	54.08	74.00	-19.92	62.26	38.20	18.08	64.46	0.00	294	30	PEAK																																																																																																		
2 11000.00	43.10	54.00	-10.90	51.28	38.20	18.08	64.46	0.00	294	30	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11000.00	44.85	74.00	-29.15	53.03	38.20	18.08	64.46	0.00	--	--	PEAK																																																																																																		







		75																																																																																																											
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.61</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>39.67</td><td>34.60</td><td>12.79</td><td>29.59</td><td>0.00</td><td>100</td><td>21 PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>57.34</td><td>68.20</td><td>-10.86</td><td>39.45</td><td>34.60</td><td>12.86</td><td>29.57</td><td>0.00</td><td>100</td><td>21 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.61	57.47	74.00	-16.53	39.67	34.60	12.79	29.59	0.00	100	21 PEAK	2	5462.57	57.34	68.20	-10.86	39.45	34.60	12.86	29.57	0.00	100	21 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>121.20</td><td>-----</td><td>-----</td><td>102.85</td><td>34.68</td><td>13.07</td><td>29.40</td><td>0.00</td><td>100</td><td>21 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	121.20	-----	-----	102.85	34.68	13.07	29.40	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5449.61	57.47	74.00	-16.53	39.67	34.60	12.79	29.59	0.00	100	21 PEAK																																																																																																		
2	5462.57	57.34	68.20	-10.86	39.45	34.60	12.86	29.57	0.00	100	21 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5580.00	121.20	-----	-----	102.85	34.68	13.07	29.40	0.00	100	21 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.51</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>27.91</td><td>34.60</td><td>13.00</td><td>29.67</td><td>0.00</td><td>100</td><td>21 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.51	45.84	54.00	-8.16	27.91	34.60	13.00	29.67	0.00	100	21 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>111.64</td><td>-----</td><td>-----</td><td>93.29</td><td>34.68</td><td>13.07</td><td>29.40</td><td>0.00</td><td>100</td><td>21 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	111.64	-----	-----	93.29	34.68	13.07	29.40	0.00	100	21 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5396.51	45.84	54.00	-8.16	27.91	34.60	13.00	29.67	0.00	100	21 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5580.00	111.64	-----	-----	93.29	34.68	13.07	29.40	0.00	100	21 AVERAGE																																																																																																		




Mode	75																																																
	Band Edge - R																																																
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																
ANT	TXBF1S4T																																																
Pol.	Horizontal						Fundamental																																										
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5754.56</td><td>59.46</td><td>68.20</td><td>-8.74</td><td>41.02</td><td>34.71</td><td>13.60</td><td>29.87</td><td>0.00</td><td>100</td><td>21</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5754.56	59.46	68.20	-8.74	41.02	34.71	13.60	29.87	0.00	100	21	PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1 5754.56	59.46	68.20	-8.74	41.02	34.71	13.60	29.87	0.00	100	21	PEAK																																						





Mode	75																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																																																																				
ANT	TXBF1S4T																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.33	61.39	74.00	-12.61	43.46	34.60	13.00	29.67	0.00	164	278	PEAK	2	5468.33	59.68	68.20	-8.52	41.74	34.60	12.90	29.56	0.00	164	278	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>124.73</td><td>-----</td><td>-----</td><td>106.40</td><td>34.58</td><td>13.12</td><td>29.37</td><td>0.00</td><td>164</td><td>278</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	124.73	-----	-----	106.40	34.58	13.12	29.37	0.00	164	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5396.33	61.39	74.00	-12.61	43.46	34.60	13.00	29.67	0.00	164	278	PEAK																																																																																									
2	5468.33	59.68	68.20	-8.52	41.74	34.60	12.90	29.56	0.00	164	278	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5580.00	124.73	-----	-----	106.40	34.58	13.12	29.37	0.00	164	278	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.58	50.42	54.00	-3.58	32.49	34.60	13.00	29.67	0.00	164	278	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>116.48</td><td>-----</td><td>-----</td><td>98.15</td><td>34.58</td><td>13.12</td><td>29.37</td><td>0.00</td><td>164</td><td>278</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	116.48	-----	-----	98.15	34.58	13.12	29.37	0.00	164	278	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5396.58	50.42	54.00	-3.58	32.49	34.60	13.00	29.67	0.00	164	278	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5580.00	116.48	-----	-----	98.15	34.58	13.12	29.37	0.00	164	278	AVERAGE																																																																																									






Mode	75																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5768.88</td><td>59.14</td><td>68.20</td><td>-9.06</td><td>40.62</td><td>34.72</td><td>13.78</td><td>29.90</td><td>0.00</td><td>164</td><td>278</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5768.88	59.14	68.20	-9.06	40.62	34.72	13.78	29.90	0.00	164	278	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5768.88	59.14	68.20	-9.06	40.62	34.72	13.78	29.90	0.00	164	278	PEAK																																												






Mode	75																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																																																																																																																						
ANT	TXBF1S4T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>62.87</td><td>38.36</td><td>18.22</td><td>64.27</td><td>0.00</td><td>116</td><td>41</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>43.50</td><td>54.00</td><td>-10.50</td><td>51.19</td><td>38.36</td><td>18.22</td><td>64.27</td><td>0.00</td><td>116</td><td>41</td><td>AVERAGE</td></tr><tr><td>3</td><td>16741.60</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>55.25</td><td>41.94</td><td>22.96</td><td>64.50</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	55.18	74.00	-18.82	62.87	38.36	18.22	64.27	0.00	116	41	PEAK	2	11160.00	43.50	54.00	-10.50	51.19	38.36	18.22	64.27	0.00	116	41	AVERAGE	3	16741.60	55.65	68.20	-12.55	55.25	41.94	22.96	64.50	0.00	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11159.10</td><td>55.84</td><td>74.00</td><td>-18.16</td><td>63.53</td><td>38.36</td><td>18.22</td><td>64.27</td><td>0.00</td><td>262</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>11159.10</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>55.73</td><td>38.36</td><td>18.22</td><td>64.27</td><td>0.00</td><td>262</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>16731.70</td><td>58.16</td><td>68.20</td><td>-10.04</td><td>57.00</td><td>41.93</td><td>22.93</td><td>64.50</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11159.10	55.84	74.00	-18.16	63.53	38.36	18.22	64.27	0.00	262	360	Peak	2	11159.10	48.04	54.00	-5.96	55.73	38.36	18.22	64.27	0.00	262	360	Average	3	16731.70	58.16	68.20	-10.04	57.00	41.93	22.93	64.50	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11160.00	55.18	74.00	-18.82	62.87	38.36	18.22	64.27	0.00	116	41	PEAK																																																																																																																																											
2	11160.00	43.50	54.00	-10.50	51.19	38.36	18.22	64.27	0.00	116	41	AVERAGE																																																																																																																																											
3	16741.60	55.65	68.20	-12.55	55.25	41.94	22.96	64.50	0.00	--	--	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11159.10	55.84	74.00	-18.16	63.53	38.36	18.22	64.27	0.00	262	360	Peak																																																																																																																																											
2	11159.10	48.04	54.00	-5.96	55.73	38.36	18.22	64.27	0.00	262	360	Average																																																																																																																																											
3	16731.70	58.16	68.20	-10.04	57.00	41.93	22.93	64.50	0.00	--	--	Peak																																																																																																																																											





Mode	76																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_5700MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5742.88</td><td>58.54</td><td>68.20</td><td>-9.66</td><td>40.20</td><td>34.69</td><td>13.46</td><td>29.81</td><td>0.00</td><td>114</td><td>29</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5742.88	58.54	68.20	-9.66	40.20	34.69	13.46	29.81	0.00	114	29	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>113.74</td><td>-----</td><td>-----</td><td>95.61</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>114</td><td>29</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	113.74	-----	-----	95.61	34.61	13.15	29.63	0.00	114	29	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5742.88	58.54	68.20	-9.66	40.20	34.69	13.46	29.81	0.00	114	29	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	113.74	-----	-----	95.61	34.61	13.15	29.63	0.00	114	29	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.96</td><td>-----</td><td>-----</td><td>86.83</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>114</td><td>29</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	104.96	-----	-----	86.83	34.61	13.15	29.63	0.00	114	29	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	104.96	-----	-----	86.83	34.61	13.15	29.63	0.00	114	29	AVERAGE																																																																																							







Mode	76																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_5700MHz																																																																																					
ANT	TXBF1S4T																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a peak at 5725.10 MHz. A red limit line is at 65.0 dBuV/m. The x-axis ranges from 5685 to 5765 MHz, and the y-axis ranges from 16.3 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.10</td><td>66.75</td><td>68.20</td><td>-1.45</td><td>48.51</td><td>34.65</td><td>13.31</td><td>29.72</td><td>0.00</td><td>258</td><td>346 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.10	66.75	68.20	-1.45	48.51	34.65	13.31	29.72	0.00	258	346 Peak	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a peak at 5700.00 MHz. A red limit line is at 65.0 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 16.3 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>115.66</td><td>-----</td><td>-----</td><td>97.55</td><td>34.58</td><td>13.07</td><td>29.54</td><td>0.00</td><td>258</td><td>346 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	115.66	-----	-----	97.55	34.58	13.07	29.54	0.00	258	346 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5725.10	66.75	68.20	-1.45	48.51	34.65	13.31	29.72	0.00	258	346 Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5700.00	115.66	-----	-----	97.55	34.58	13.07	29.54	0.00	258	346 PEAK																																																																												
Avg	Blank	 Fundamental Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a peak at 5700.00 MHz. A red limit line is at 48.8 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 16.3 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.95</td><td>-----</td><td>-----</td><td>88.84</td><td>34.58</td><td>13.07</td><td>29.54</td><td>0.00</td><td>258</td><td>346 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	106.95	-----	-----	88.84	34.58	13.07	29.54	0.00	258	346 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5700.00	106.95	-----	-----	88.84	34.58	13.07	29.54	0.00	258	346 AVERAGE																																																																												




Mode	76																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_5700MHz																																																																																																				
ANT	TXBF1S4T																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>53.98</td><td>38.30</td><td>18.42</td><td>64.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	46.70	74.00	-27.30	53.98	38.30	18.42	64.00	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>54.84</td><td>38.30</td><td>18.42</td><td>64.00</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	47.56	74.00	-26.44	54.84	38.30	18.42	64.00	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11400.00	46.70	74.00	-27.30	53.98	38.30	18.42	64.00	0.00	--	--	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11400.00	47.56	74.00	-26.44	54.84	38.30	18.42	64.00	0.00	--	--	Peak																																																																																									







Mode	77																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.05</td><td>57.75</td><td>74.00</td><td>-16.25</td><td>48.07</td><td>35.06</td><td>10.84</td><td>36.22</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr><tr><td>2</td><td>5460.96</td><td>56.28</td><td>68.20</td><td>-11.92</td><td>46.59</td><td>35.06</td><td>10.84</td><td>36.21</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	57.75	74.00	-16.25	48.07	35.06	10.84	36.22	0.00	212	0 PEAK	2	5460.96	56.28	68.20	-11.92	46.59	35.06	10.84	36.21	0.00	212	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>106.50</td><td>-----</td><td>-----</td><td>96.86</td><td>34.93</td><td>10.88</td><td>36.17</td><td>0.00</td><td>212</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.50	-----	-----	96.86	34.93	10.88	36.17	0.00	212	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.05	57.75	74.00	-16.25	48.07	35.06	10.84	36.22	0.00	212	0 PEAK																																																																																																		
2	5460.96	56.28	68.20	-11.92	46.59	35.06	10.84	36.21	0.00	212	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	106.50	-----	-----	96.86	34.93	10.88	36.17	0.00	212	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.17</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>37.37</td><td>35.08</td><td>10.84</td><td>36.22</td><td>0.00</td><td>212</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	47.07	54.00	-6.93	37.37	35.08	10.84	36.22	0.00	212	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>97.73</td><td>-----</td><td>-----</td><td>88.09</td><td>34.93</td><td>10.88</td><td>36.17</td><td>0.00</td><td>212</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	97.73	-----	-----	88.09	34.93	10.88	36.17	0.00	212	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.17	47.07	54.00	-6.93	37.37	35.08	10.84	36.22	0.00	212	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	97.73	-----	-----	88.09	34.93	10.88	36.17	0.00	212	0 AVERAGE																																																																																																		




Mode	77																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.08</td><td>57.32</td><td>68.20</td><td>-10.88</td><td>48.81</td><td>35.07</td><td>11.22</td><td>37.78</td><td>0.00</td><td>212</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.08	57.32	68.20	-10.88	48.81	35.07	11.22	37.78	0.00	212	0	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5756.08	57.32	68.20	-10.88	48.81	35.07	11.22	37.78	0.00	212	0	PEAK																																											



Mode	77																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																																			
ANT	TXBF1S4T																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.21</td><td>58.73</td><td>74.00</td><td>-15.27</td><td>49.04</td><td>35.07</td><td>10.84</td><td>36.22</td><td>0.00</td><td>154</td><td>279</td><td>PEAK</td></tr><tr><td>2</td><td>5469.60</td><td>64.20</td><td>68.20</td><td>-4.00</td><td>54.53</td><td>35.02</td><td>10.85</td><td>36.20</td><td>0.00</td><td>154</td><td>279</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.21	58.73	74.00	-15.27	49.04	35.07	10.84	36.22	0.00	154	279	PEAK	2	5469.60	64.20	68.20	-4.00	54.53	35.02	10.85	36.20	0.00	154	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.21	58.73	74.00	-15.27	49.04	35.07	10.84	36.22	0.00	154	279	PEAK																																																								
2	5469.60	64.20	68.20	-4.00	54.53	35.02	10.85	36.20	0.00	154	279	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.64</td><td>54.00</td><td>-5.36</td><td>38.95</td><td>35.06</td><td>10.84</td><td>36.21</td><td>0.00</td><td>154</td><td>279</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.64	54.00	-5.36	38.95	35.06	10.84	36.21	0.00	154	279	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5460.00	48.64	54.00	-5.36	38.95	35.06	10.84	36.21	0.00	154	279	AVERAGE																																																								
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>111.44</td><td>-----</td><td>-----</td><td>101.80</td><td>34.93</td><td>10.88</td><td>36.17</td><td>0.00</td><td>154</td><td>279</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	111.44	-----	-----	101.80	34.93	10.88	36.17	0.00	154	279	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	111.44	-----	-----	101.80	34.93	10.88	36.17	0.00	154	279	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>102.41</td><td>-----</td><td>-----</td><td>92.77</td><td>34.93</td><td>10.88</td><td>36.17</td><td>0.00</td><td>154</td><td>279</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.41	-----	-----	92.77	34.93	10.88	36.17	0.00	154	279	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	102.41	-----	-----	92.77	34.93	10.88	36.17	0.00	154	279	AVERAGE																																																								







Mode	77																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.00</td><td>57.10</td><td>68.20</td><td>-11.10</td><td>48.53</td><td>35.05</td><td>11.21</td><td>37.69</td><td>0.00</td><td>154</td><td>279</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.00	57.10	68.20	-11.10	48.53	35.05	11.21	37.69	0.00	154	279	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5750.00	57.10	68.20	-11.10	48.53	35.05	11.21	37.69	0.00	154	279	PEAK																																												



		77																																																								
Mode		Harmonic																																																								
		U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																								
ANT		TXBF1S4T																																																								
Pol.		Horizontal					Vertical																																																			
Peak Avg																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11020.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>53.65</td><td>38.22</td><td>18.12</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11020.00	45.56	74.00	-28.44	53.65	38.22	18.12	64.43	0.00	--	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11020.00	45.56	74.00	-28.44	53.65	38.22	18.12	64.43	0.00	--	--	PEAK																																															
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11020.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>53.56</td><td>38.22</td><td>18.12</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11020.00	45.47	74.00	-28.53	53.56	38.22	18.12	64.43	0.00	--	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11020.00	45.47	74.00	-28.53	53.56	38.22	18.12	64.43	0.00	--	--	PEAK																																															







Mode	78																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																																																																																																		
ANT	TXBF1S4T																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5455.71</td><td>61.30</td><td>74.00</td><td>-12.70</td><td>51.60</td><td>35.08</td><td>10.84</td><td>36.22</td><td>0.00</td><td>241</td><td>279 PEAK</td></tr><tr><td>2</td><td>5463.30</td><td>59.50</td><td>68.20</td><td>-8.70</td><td>49.82</td><td>35.05</td><td>10.84</td><td>36.21</td><td>0.00</td><td>241</td><td>279 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5455.71	61.30	74.00	-12.70	51.60	35.08	10.84	36.22	0.00	241	279 PEAK	2	5463.30	59.50	68.20	-8.70	49.82	35.05	10.84	36.21	0.00	241	279 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5550.00</td><td>117.41</td><td>-----</td><td>-----</td><td>107.64</td><td>34.90</td><td>10.95</td><td>36.08</td><td>0.00</td><td>241</td><td>279 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5550.00	117.41	-----	-----	107.64	34.90	10.95	36.08	0.00	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5455.71	61.30	74.00	-12.70	51.60	35.08	10.84	36.22	0.00	241	279 PEAK																																																																																																																								
2	5463.30	59.50	68.20	-8.70	49.82	35.05	10.84	36.21	0.00	241	279 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5550.00	117.41	-----	-----	107.64	34.90	10.95	36.08	0.00	241	279 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5456.91</td><td>48.65</td><td>54.00</td><td>-5.35</td><td>38.96</td><td>35.07</td><td>10.84</td><td>36.22</td><td>0.00</td><td>241</td><td>279 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.91	48.65	54.00	-5.35	38.96	35.07	10.84	36.22	0.00	241	279 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5550.00</td><td>108.71</td><td>-----</td><td>-----</td><td>98.92</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>241</td><td>279 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5550.00	108.71	-----	-----	98.92	34.90	10.96	36.07	0.00	241	279 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5456.91	48.65	54.00	-5.35	38.96	35.07	10.84	36.22	0.00	241	279 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5550.00	108.71	-----	-----	98.92	34.90	10.96	36.07	0.00	241	279 AVERAGE																																																																																																																								



Mode	78																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.35</td><td>57.20</td><td>68.20</td><td>-11.00</td><td>48.60</td><td>35.05</td><td>11.21</td><td>37.66</td><td>0.00</td><td>241</td><td>279</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.35	57.20	68.20	-11.00	48.60	35.05	11.21	37.66	0.00	241	279	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.35	57.20	68.20	-11.00	48.60	35.05	11.21	37.66	0.00	241	279	PEAK																																												





		78																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																																																																			
ANT		TXBF1S4T																																																																																																			
Pol.	Vertical					Fundamental																																																																																															
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.49	61.12	74.00	-12.88	51.40	35.16	10.81	36.25	0.00	316	342	PEAK	2	5468.51	63.38	68.20	-4.82	53.69	35.06	10.84	36.21	0.00	316	342	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>118.49</td><td>-----</td><td>-----</td><td>108.70</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>316</td><td>342</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	118.49	-----	-----	108.70	34.90	10.96	36.07	0.00	316	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5435.49	61.12	74.00	-12.88	51.40	35.16	10.81	36.25	0.00	316	342	PEAK																																																																																									
2	5468.51	63.38	68.20	-4.82	53.69	35.06	10.84	36.21	0.00	316	342	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5550.00	118.49	-----	-----	108.70	34.90	10.96	36.07	0.00	316	342	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.71	50.28	54.00	-3.72	40.60	35.06	10.84	36.22	0.00	316	342	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>108.54</td><td>-----</td><td>-----</td><td>98.78</td><td>34.90</td><td>10.95</td><td>36.09</td><td>0.00</td><td>316</td><td>342</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	108.54	-----	-----	98.78	34.90	10.95	36.09	0.00	316	342	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.71	50.28	54.00	-3.72	40.60	35.06	10.84	36.22	0.00	316	342	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5550.00	108.54	-----	-----	98.78	34.90	10.95	36.09	0.00	316	342	AVERAGE																																																																																									







Mode	78																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.52</td><td>57.26</td><td>68.20</td><td>-10.94</td><td>48.76</td><td>35.07</td><td>11.22</td><td>37.79</td><td>0.00</td><td>316</td><td>342</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.52	57.26	68.20	-10.94	48.76	35.07	11.22	37.79	0.00	316	342	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5756.52	57.26	68.20	-10.94	48.76	35.07	11.22	37.79	0.00	316	342	PEAK																																											




Mode	78																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																																																																																													
ANT	TXBF1S4T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>55.10</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>36.38</td><td>54.00</td><td>-17.62</td><td>44.29</td><td>38.28</td><td>18.17</td><td>64.36</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	47.22	74.00	-26.78	55.10	38.30	18.16	64.34	0.00	300	360	PEAK	2	11100.00	36.38	54.00	-17.62	44.29	38.28	18.17	64.36	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>50.51</td><td>74.00</td><td>-23.49</td><td>58.39</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>38.07</td><td>54.00</td><td>-15.93</td><td>45.95</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	50.51	74.00	-23.49	58.39	38.30	18.16	64.34	0.00	100	360	PEAK	2	11100.00	38.07	54.00	-15.93	45.95	38.30	18.16	64.34	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11100.00	47.22	74.00	-26.78	55.10	38.30	18.16	64.34	0.00	300	360	PEAK																																																																																																																		
2	11100.00	36.38	54.00	-17.62	44.29	38.28	18.17	64.36	0.00	300	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11100.00	50.51	74.00	-23.49	58.39	38.30	18.16	64.34	0.00	100	360	PEAK																																																																																																																		
2	11100.00	38.07	54.00	-15.93	45.95	38.30	18.16	64.34	0.00	100	360	AVERAGE																																																																																																																		







		79																																																																																																																				
Mode		Band Edge - L																																																																																																																				
		U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																																				
ANT		TXBF1S4T																																																																																																																				
Pol.	Horizontal										Fundamental																																																																																																											
Peak																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5376.88</td><td>58.39</td><td>74.00</td><td>-15.61</td><td>48.71</td><td>35.25</td><td>10.76</td><td>36.33</td><td>0.00</td><td>300</td><td>276 PEAK</td></tr><tr><td>2 5467.12</td><td>57.46</td><td>68.20</td><td>-10.74</td><td>47.78</td><td>35.03</td><td>10.85</td><td>36.20</td><td>0.00</td><td>300</td><td>276 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5376.88	58.39	74.00	-15.61	48.71	35.25	10.76	36.33	0.00	300	276 PEAK	2 5467.12	57.46	68.20	-10.74	47.78	35.03	10.85	36.20	0.00	300	276 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5670.00</td><td>114.49</td><td>-----</td><td>-----</td><td>104.64</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>276 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5670.00	114.49	-----	-----	104.64	34.90	11.07	36.12	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 5376.88	58.39	74.00	-15.61	48.71	35.25	10.76	36.33	0.00	300	276 PEAK																																																																																																												
2 5467.12	57.46	68.20	-10.74	47.78	35.03	10.85	36.20	0.00	300	276 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 5670.00	114.49	-----	-----	104.64	34.90	11.07	36.12	0.00	300	276 PEAK																																																																																																												
Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5389.36</td><td>46.60</td><td>54.00</td><td>-7.40</td><td>36.86</td><td>35.28</td><td>10.77</td><td>36.31</td><td>0.00</td><td>300</td><td>276 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5389.36	46.60	54.00	-7.40	36.86	35.28	10.77	36.31	0.00	300	276 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5670.00</td><td>104.01</td><td>-----</td><td>-----</td><td>94.67</td><td>34.90</td><td>11.12</td><td>36.68</td><td>0.00</td><td>300</td><td>276 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5670.00	104.01	-----	-----	94.67	34.90	11.12	36.68	0.00	300	276 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 5389.36	46.60	54.00	-7.40	36.86	35.28	10.77	36.31	0.00	300	276 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 5670.00	104.01	-----	-----	94.67	34.90	11.12	36.68	0.00	300	276 AVERAGE																																																																																																												




Mode	79																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.72</td><td>63.55</td><td>68.20</td><td>-4.65</td><td>54.69</td><td>34.98</td><td>11.18</td><td>37.30</td><td>0.00</td><td>300</td><td>276</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.72	63.55	68.20	-4.65	54.69	34.98	11.18	37.30	0.00	300	276	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.72	63.55	68.20	-4.65	54.69	34.98	11.18	37.30	0.00	300	276	PEAK																																												



	79																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5424.08</td><td>58.39</td><td>74.00</td><td>-15.61</td><td>48.66</td><td>35.20</td><td>10.80</td><td>36.27</td><td>0.00</td><td>300</td><td>197 PEAK</td></tr><tr><td>2</td><td>5461.84</td><td>57.82</td><td>68.20</td><td>-10.38</td><td>48.14</td><td>35.05</td><td>10.84</td><td>36.21</td><td>0.00</td><td>300</td><td>197 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.08	58.39	74.00	-15.61	48.66	35.20	10.80	36.27	0.00	300	197 PEAK	2	5461.84	57.82	68.20	-10.38	48.14	35.05	10.84	36.21	0.00	300	197 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>116.02</td><td>-----</td><td>-----</td><td>106.25</td><td>34.90</td><td>11.08</td><td>36.21</td><td>0.00</td><td>300</td><td>197 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	116.02	-----	-----	106.25	34.90	11.08	36.21	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5424.08	58.39	74.00	-15.61	48.66	35.20	10.80	36.27	0.00	300	197 PEAK																																																																																																		
2	5461.84	57.82	68.20	-10.38	48.14	35.05	10.84	36.21	0.00	300	197 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	116.02	-----	-----	106.25	34.90	11.08	36.21	0.00	300	197 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5398.00</td><td>46.88</td><td>54.00</td><td>-7.12</td><td>37.11</td><td>35.30</td><td>10.77</td><td>36.30</td><td>0.00</td><td>300</td><td>197 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.00	46.88	54.00	-7.12	37.11	35.30	10.77	36.30	0.00	300	197 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>106.55</td><td>-----</td><td>-----</td><td>96.70</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>197 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.55	-----	-----	96.70	34.90	11.07	36.12	0.00	300	197 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5398.00	46.88	54.00	-7.12	37.11	35.30	10.77	36.30	0.00	300	197 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	106.55	-----	-----	96.70	34.90	11.07	36.12	0.00	300	197 AVERAGE																																																																																																		







Mode	79																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																											
ANT	TXBF1S4T																																											
Pol.	Vertical						Fundamental																																					
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 5726.12</td><td>65.12</td><td>68.20</td><td>-3.08</td><td>56.27</td><td>34.98</td><td>11.18</td><td>37.31</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.12	65.12	68.20	-3.08	56.27	34.98	11.18	37.31	Blank					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																					
1 5726.12	65.12	68.20	-3.08	56.27	34.98	11.18	37.31																																					



		79																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>53.47</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.11	74.00	-27.89	53.47	38.36	18.34	64.06	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11340.00	46.11	74.00	-27.89	53.47	38.36	18.34	64.06	0.00	--	--	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>53.92</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.56	74.00	-27.44	53.92	38.36	18.34	64.06	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11340.00	46.56	74.00	-27.44	53.92	38.36	18.34	64.06	0.00	--	--	PEAK																																													



Mode	80																																																																											
	Band Edge - L																																																																											
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																											
ANT	TXBF1S4T																																																																											
Pol.	Horizontal						Fundamental																																																																					
Peak																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5454.57</td><td>65.18</td><td>74.00</td><td>-8.82</td><td>47.34</td><td>34.60</td><td>12.82</td><td>29.58</td><td>0.00</td><td>294</td><td>282</td><td>PEAK</td></tr><tr><td>2</td><td>5466.09</td><td>59.86</td><td>68.20</td><td>-8.34</td><td>41.94</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>294</td><td>282</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5454.57	65.18	74.00	-8.82	47.34	34.60	12.82	29.58	0.00	294	282	PEAK	2	5466.09	59.86	68.20	-8.34	41.94	34.60	12.88	29.56	0.00	294	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5454.57	65.18	74.00	-8.82	47.34	34.60	12.82	29.58	0.00	294	282	PEAK																																																																
2	5466.09	59.86	68.20	-8.34	41.94	34.60	12.88	29.56	0.00	294	282	PEAK																																																																
Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5459.69</td><td>46.41</td><td>54.00</td><td>-7.59</td><td>28.53</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>294</td><td>282</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5459.69	46.41	54.00	-7.59	28.53	34.60	12.85	29.57	0.00	294	282	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5459.69	46.41	54.00	-7.59	28.53	34.60	12.85	29.57	0.00	294	282	AVERAGE																																																																
Peak																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5530.00</td><td>111.99</td><td>-----</td><td>-----</td><td>93.88</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>294</td><td>282</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5530.00	111.99	-----	-----	93.88	34.60	13.03	29.52	0.00	294	282	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5530.00	111.99	-----	-----	93.88	34.60	13.03	29.52	0.00	294	282	PEAK																																																																
Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5530.00</td><td>99.94</td><td>-----</td><td>-----</td><td>81.83</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>294</td><td>282</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5530.00	99.94	-----	-----	81.83	34.60	13.03	29.52	0.00	294	282	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5530.00	99.94	-----	-----	81.83	34.60	13.03	29.52	0.00	294	282	AVERAGE																																																																




Mode	80																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.52</td><td>57.44</td><td>68.20</td><td>-10.76</td><td>38.93</td><td>34.72</td><td>13.68</td><td>29.89</td><td>0.00</td><td>294</td><td>282</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.52	57.44	68.20	-10.76	38.93	34.72	13.68	29.89	0.00	294	282	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.52	57.44	68.20	-10.76	38.93	34.72	13.68	29.89	0.00	294	282	PEAK																																												





		80										
Mode		Band Edge - L										
		U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz										
ANT		TXBF1S4T										
Pol.		Fundamental										
Peak	Vertical	Fundamental										







Mode	80																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.80</td><td>58.24</td><td>68.20</td><td>-9.96</td><td>39.98</td><td>34.66</td><td>13.34</td><td>29.74</td><td>0.00</td><td>149</td><td>276</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.80	58.24	68.20	-9.96	39.98	34.66	13.34	29.74	0.00	149	276	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5728.80	58.24	68.20	-9.96	39.98	34.66	13.34	29.74	0.00	149	276	PEAK																																												




Mode	80																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>53.69</td><td>38.26</td><td>18.18</td><td>64.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>53.92</td><td>38.26</td><td>18.18</td><td>64.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.74	74.00	-28.26	53.69	38.26	18.18	64.39	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.97	74.00	-28.03	53.92	38.26	18.18	64.39	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11060.00	45.74	74.00	-28.26	53.69	38.26	18.18	64.39	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11060.00	45.97	74.00	-28.03	53.92	38.26	18.18	64.39	0.00	--	--	PEAK																																																																																							







Mode	81																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																																																											
ANT	TXBF1S4T																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5419.52</td><td>58.37</td><td>74.00</td><td>-15.63</td><td>40.46</td><td>34.60</td><td>12.94</td><td>29.63</td><td>0.00</td><td>143</td><td>23</td><td>PEAK</td></tr><tr><td>2</td><td>5465.61</td><td>58.81</td><td>68.20</td><td>-9.39</td><td>40.89</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>143</td><td>23</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5419.52	58.37	74.00	-15.63	40.46	34.60	12.94	29.63	0.00	143	23	PEAK	2	5465.61	58.81	68.20	-9.39	40.89	34.60	12.88	29.56	0.00	143	23	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>112.91</td><td>-----</td><td>-----</td><td>94.66</td><td>34.50</td><td>13.05</td><td>29.30</td><td>0.00</td><td>143</td><td>23</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	112.91	-----	-----	94.66	34.50	13.05	29.30	0.00	143	23
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5419.52	58.37	74.00	-15.63	40.46	34.60	12.94	29.63	0.00	143	23	PEAK																																																																																																																
2	5465.61	58.81	68.20	-9.39	40.89	34.60	12.88	29.56	0.00	143	23	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5610.00	112.91	-----	-----	94.66	34.50	13.05	29.30	0.00	143	23	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.65</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>27.65</td><td>34.60</td><td>12.83</td><td>29.58</td><td>0.00</td><td>143</td><td>23</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.65	45.50	54.00	-8.50	27.65	34.60	12.83	29.58	0.00	143	23	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>102.53</td><td>-----</td><td>-----</td><td>84.30</td><td>34.50</td><td>13.03</td><td>29.30</td><td>0.00</td><td>143</td><td>23</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.53	-----	-----	84.30	34.50	13.03	29.30	0.00	143	23	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5456.65	45.50	54.00	-8.50	27.65	34.60	12.83	29.58	0.00	143	23	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5610.00	102.53	-----	-----	84.30	34.50	13.03	29.30	0.00	143	23	AVERAGE																																																																																																																




Mode	81																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.68</td><td>64.12</td><td>68.20</td><td>-4.08</td><td>45.80</td><td>34.68</td><td>13.43</td><td>29.79</td><td>0.00</td><td>143</td><td>23</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.68	64.12	68.20	-4.08	45.80	34.68	13.43	29.79	0.00	143	23	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.68	64.12	68.20	-4.08	45.80	34.68	13.43	29.79	0.00	143	23	PEAK																																												





Mode	81																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																																															
ANT	TXBF1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.89</td><td>61.56</td><td>74.00</td><td>-12.44</td><td>43.69</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>145</td><td>279</td><td>PEAK</td></tr><tr><td>2</td><td>5460.01</td><td>61.37</td><td>68.20</td><td>-6.83</td><td>43.49</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>145</td><td>279</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.89	61.56	74.00	-12.44	43.69	34.60	12.84	29.57	0.00	145	279	PEAK	2	5460.01	61.37	68.20	-6.83	43.49	34.60	12.85	29.57	0.00	145	279	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>116.30</td><td>-----</td><td>-----</td><td>97.95</td><td>34.65</td><td>13.09</td><td>29.39</td><td>0.00</td><td>145</td><td>279</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	116.30	-----	-----	97.95	34.65	13.09	29.39	0.00	145	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.89	61.56	74.00	-12.44	43.69	34.60	12.84	29.57	0.00	145	279	PEAK																																																																																																				
2	5460.01	61.37	68.20	-6.83	43.49	34.60	12.85	29.57	0.00	145	279	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	116.30	-----	-----	97.95	34.65	13.09	29.39	0.00	145	279	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.97</td><td>47.26</td><td>54.00</td><td>-6.74</td><td>29.43</td><td>34.60</td><td>12.81</td><td>29.58</td><td>0.00</td><td>145</td><td>279</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.97	47.26	54.00	-6.74	29.43	34.60	12.81	29.58	0.00	145	279	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.80</td><td>-----</td><td>-----</td><td>87.47</td><td>34.58</td><td>13.12</td><td>29.37</td><td>0.00</td><td>145</td><td>279</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.80	-----	-----	87.47	34.58	13.12	29.37	0.00	145	279	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5452.97	47.26	54.00	-6.74	29.43	34.60	12.81	29.58	0.00	145	279	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	105.80	-----	-----	87.47	34.58	13.12	29.37	0.00	145	279	AVERAGE																																																																																																				







Mode	81																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.60</td><td>67.27</td><td>68.20</td><td>-0.93</td><td>48.99</td><td>34.67</td><td>13.37</td><td>29.76</td><td>0.00</td><td>145</td><td>279</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.60	67.27	68.20	-0.93	48.99	34.67	13.37	29.76	0.00	145	279	Peak	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.60	67.27	68.20	-0.93	48.99	34.67	13.37	29.76	0.00	145	279	Peak																																												




Mode	81																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																																																													
ANT	TXBF1S4T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>54.59</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>36.01</td><td>54.00</td><td>-17.99</td><td>43.53</td><td>38.40</td><td>18.29</td><td>64.21</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	47.08	74.00	-26.92	54.59	38.40	18.29	64.20	0.00	300	0	PEAK	2	11220.00	36.01	54.00	-17.99	43.53	38.40	18.29	64.21	0.00	300	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>54.57</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>36.60</td><td>54.00</td><td>-17.40</td><td>44.11</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	47.06	74.00	-26.94	54.57	38.40	18.29	64.20	0.00	100	0	PEAK	2	11220.00	36.60	54.00	-17.40	44.11	38.40	18.29	64.20	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11220.00	47.08	74.00	-26.92	54.59	38.40	18.29	64.20	0.00	300	0	PEAK																																																																																																																		
2	11220.00	36.01	54.00	-17.99	43.53	38.40	18.29	64.21	0.00	300	0	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11220.00	47.06	74.00	-26.94	54.57	38.40	18.29	64.20	0.00	100	0	PEAK																																																																																																																		
2	11220.00	36.60	54.00	-17.40	44.11	38.40	18.29	64.20	0.00	100	0	AVERAGE																																																																																																																		







Mode	82																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																																																																											
ANT	TXBF1S4T																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5306.06</td><td>60.50</td><td>74.00</td><td>-13.50</td><td>42.68</td><td>34.60</td><td>12.91</td><td>29.69</td><td>0.00</td><td>124</td><td>0 PEAK</td></tr><tr><td>2</td><td>5467.16</td><td>58.88</td><td>68.20</td><td>-9.32</td><td>40.95</td><td>34.60</td><td>12.89</td><td>29.56</td><td>0.00</td><td>124</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5306.06	60.50	74.00	-13.50	42.68	34.60	12.91	29.69	0.00	124	0 PEAK	2	5467.16	58.88	68.20	-9.32	40.95	34.60	12.89	29.56	0.00	124	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>107.20</td><td>-----</td><td>-----</td><td>88.90</td><td>34.50</td><td>13.15</td><td>29.35</td><td>0.00</td><td>124</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	107.20	-----	-----	88.90	34.50	13.15	29.35	0.00	124
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5306.06	60.50	74.00	-13.50	42.68	34.60	12.91	29.69	0.00	124	0 PEAK																																																																																																	
2	5467.16	58.88	68.20	-9.32	40.95	34.60	12.89	29.56	0.00	124	0 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	107.20	-----	-----	88.90	34.50	13.15	29.35	0.00	124	0 PEAK																																																																																																	
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5431.28</td><td>47.91</td><td>54.00</td><td>-6.09</td><td>30.05</td><td>34.60</td><td>12.88</td><td>29.62</td><td>0.00</td><td>124</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.28	47.91	54.00	-6.09	30.05	34.60	12.88	29.62	0.00	124	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.93</td><td>-----</td><td>-----</td><td>78.60</td><td>34.58</td><td>13.12</td><td>29.37</td><td>0.00</td><td>124</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.93	-----	-----	78.60	34.58	13.12	29.37	0.00	124	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5431.28	47.91	54.00	-6.09	30.05	34.60	12.88	29.62	0.00	124	0 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	96.93	-----	-----	78.60	34.58	13.12	29.37	0.00	124	0 AVERAGE																																																																																																	




Mode	82																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.81</td><td>60.66</td><td>68.20</td><td>-7.54</td><td>42.39</td><td>34.66</td><td>13.35</td><td>29.74</td><td>0.00</td><td>124</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.81	60.66	68.20	-7.54	42.39	34.66	13.35	29.74	0.00	124	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.81	60.66	68.20	-7.54	42.39	34.66	13.35	29.74	0.00	124	0	PEAK																																												





		82																																																																		
Mode	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																																			
ANT	TXBF1S4T																																																																			
Pol.	Vertical					Fundamental																																																														
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.46</td><td>62.10</td><td>74.00</td><td>-11.90</td><td>44.29</td><td>34.60</td><td>12.80</td><td>29.59</td><td>0.00</td><td>269</td><td>346 PEAK</td></tr><tr><td>2</td><td>5460.34</td><td>62.03</td><td>68.20</td><td>-6.17</td><td>44.15</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>269</td><td>346 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5448.46	62.10	74.00	-11.90	44.29	34.60	12.80	29.59	0.00	269	346 PEAK	2	5460.34	62.03	68.20	-6.17	44.15	34.60	12.85	29.57	0.00	269
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5448.46	62.10	74.00	-11.90	44.29	34.60	12.80	29.59	0.00	269	346 PEAK																																																									
2	5460.34	62.03	68.20	-6.17	44.15	34.60	12.85	29.57	0.00	269	346 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>49.54</td><td>54.00</td><td>-4.46</td><td>31.66</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>269</td><td>346 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.85	49.54	54.00	-4.46	31.66	34.60	12.85	29.57	0.00	269	346 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5459.85	49.54	54.00	-4.46	31.66	34.60	12.85	29.57	0.00	269	346 AVERAGE																																																									
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>111.08</td><td>-----</td><td>-----</td><td>92.82</td><td>34.50</td><td>13.07</td><td>29.31</td><td>0.00</td><td>269</td><td>346 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	111.08	-----	-----	92.82	34.50	13.07	29.31	0.00	269	346 PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5570.00	111.08	-----	-----	92.82	34.50	13.07	29.31	0.00	269	346 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>100.21</td><td>-----</td><td>-----</td><td>81.95</td><td>34.50</td><td>13.07</td><td>29.31</td><td>0.00</td><td>269</td><td>346 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	100.21	-----	-----	81.95	34.50	13.07	29.31	0.00	269	346 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5570.00	100.21	-----	-----	81.95	34.50	13.07	29.31	0.00	269	346 AVERAGE																																																									





Mode	82																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.19</td><td>67.62</td><td>68.20</td><td>-0.58</td><td>49.26</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>269</td><td>346</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.19	67.62	68.20	-0.58	49.26	34.69	13.49	29.82	0.00	269	346	PEAK						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5746.19	67.62	68.20	-0.58	49.26	34.69	13.49	29.82	0.00	269	346	PEAK																																												





Mode	82																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																																																																																
ANT	TXBF1S4T																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>55.10</td><td>38.34</td><td>18.19</td><td>64.30</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11140.00</td><td>35.04</td><td>54.00</td><td>-18.96</td><td>42.95</td><td>38.28</td><td>18.17</td><td>64.36</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	47.33	74.00	-26.67	55.10	38.34	18.19	64.30	0.00	300	0	PEAK	2	11140.00	35.04	54.00	-18.96	42.95	38.28	18.17	64.36	0.00	300	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>54.12</td><td>38.34</td><td>18.19</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	46.35	74.00	-27.65	54.12	38.34	18.19	64.30	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11140.00	47.33	74.00	-26.67	55.10	38.34	18.19	64.30	0.00	300	0	PEAK																																																																																																					
2	11140.00	35.04	54.00	-18.96	42.95	38.28	18.17	64.36	0.00	300	0	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11140.00	46.35	74.00	-27.65	54.12	38.34	18.19	64.30	0.00	--	--	PEAK																																																																																																					





Mode	83																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-2C_5.725-5.85_802.11BE EHT20_CH144_Full_5720MHz																																																																																																																																																											
ANT	TXBF1S4T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>58.77</td><td>74.00</td><td>-15.23</td><td>65.83</td><td>38.30</td><td>18.59</td><td>63.95</td><td>0.00</td><td>130</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>53.70</td><td>38.30</td><td>18.50</td><td>63.95</td><td>0.00</td><td>130</td><td>30</td><td>AVERAGE</td></tr><tr><td>3</td><td>17168.40</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>55.39</td><td>41.56</td><td>23.28</td><td>64.27</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	58.77	74.00	-15.23	65.83	38.30	18.59	63.95	0.00	130	30	PEAK	2	11440.00	46.63	54.00	-7.37	53.70	38.30	18.50	63.95	0.00	130	30	AVERAGE	3	17168.40	55.96	68.20	-12.24	55.39	41.56	23.28	64.27	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11452.00</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>61.49</td><td>38.30</td><td>18.64</td><td>63.93</td><td>0.00</td><td>139</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>11452.00</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>53.09</td><td>38.30</td><td>18.64</td><td>63.93</td><td>0.00</td><td>139</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>17173.90</td><td>55.99</td><td>68.20</td><td>-12.21</td><td>55.40</td><td>41.55</td><td>23.30</td><td>64.26</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11452.00	54.50	74.00	-19.50	61.49	38.30	18.64	63.93	0.00	139	360	Peak	2	11452.00	46.10	54.00	-7.90	53.09	38.30	18.64	63.93	0.00	139	360	Average	3	17173.90	55.99	68.20	-12.21	55.40	41.55	23.30	64.26	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	11440.00	58.77	74.00	-15.23	65.83	38.30	18.59	63.95	0.00	130	30	PEAK																																																																																																																																																
2	11440.00	46.63	54.00	-7.37	53.70	38.30	18.50	63.95	0.00	130	30	AVERAGE																																																																																																																																																
3	17168.40	55.96	68.20	-12.24	55.39	41.56	23.28	64.27	0.00	---	---	Peak																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	11452.00	54.50	74.00	-19.50	61.49	38.30	18.64	63.93	0.00	139	360	Peak																																																																																																																																																
2	11452.00	46.10	54.00	-7.90	53.09	38.30	18.64	63.93	0.00	139	360	Average																																																																																																																																																
3	17173.90	55.99	68.20	-12.21	55.40	41.55	23.30	64.26	0.00	---	---	Peak																																																																																																																																																







Mode	84																																																																																																							
	Harmonic																																																																																																							
	U-NII-2C_5.725-5.85_802.11BE EHT40_CH142_Full_5710MHz																																																																																																							
ANT	TXBF1S4T																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>53.82</td><td>74.00</td><td>-20.18</td><td>60.99</td><td>38.30</td><td>18.50</td><td>63.97</td><td>0.00</td><td>300</td><td>225</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>42.45</td><td>54.00</td><td>-11.55</td><td>49.64</td><td>38.30</td><td>18.49</td><td>63.98</td><td>0.00</td><td>300</td><td>225</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	1	11420.00	53.82	74.00	-20.18	60.99	38.30	18.50	63.97	0.00	300	225	PEAK	2	11420.00	42.45	54.00	-11.55	49.64	38.30	18.49	63.98	0.00	300	225	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>59.10</td><td>38.30</td><td>18.50</td><td>63.97</td><td>0.00</td><td>135</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>41.12</td><td>54.00</td><td>-12.88</td><td>48.31</td><td>38.30</td><td>18.49</td><td>63.98</td><td>0.00</td><td>135</td><td>146</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	1	11420.00	51.93	74.00	-22.07	59.10	38.30	18.50	63.97	0.00	135	146	PEAK	2	11420.00	41.12	54.00	-12.88	48.31	38.30	18.49	63.98	0.00	135	146	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																															
1	11420.00	53.82	74.00	-20.18	60.99	38.30	18.50	63.97	0.00	300	225	PEAK																																																																																												
2	11420.00	42.45	54.00	-11.55	49.64	38.30	18.49	63.98	0.00	300	225	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																															
1	11420.00	51.93	74.00	-22.07	59.10	38.30	18.50	63.97	0.00	135	146	PEAK																																																																																												
2	11420.00	41.12	54.00	-12.88	48.31	38.30	18.49	63.98	0.00	135	146	AVERAGE																																																																																												



Mode	85																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.725-5.85_802.11BE EHT80_CH138_Full_5690MHz																																																																																																																												
ANT	TXBF1S4T																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>55.15</td><td>38.32</td><td>18.39</td><td>64.02</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>37.50</td><td>54.00</td><td>-16.50</td><td>44.81</td><td>38.32</td><td>18.39</td><td>64.02</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	47.84	74.00	-26.16	55.15	38.32	18.39	64.02	0.00	300	0	PEAK	2	11380.00	37.50	54.00	-16.50	44.81	38.32	18.39	64.02	0.00	300	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>54.66</td><td>38.32</td><td>18.39</td><td>64.02</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>36.28</td><td>54.00</td><td>-17.72</td><td>43.60</td><td>38.33</td><td>18.38</td><td>64.03</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	47.35	74.00	-26.65	54.66	38.32	18.39	64.02	0.00	100	0	PEAK	2	11380.00	36.28	54.00	-17.72	43.60	38.33	18.38	64.03	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11380.00	47.84	74.00	-26.16	55.15	38.32	18.39	64.02	0.00	300	0	PEAK																																																																																																																	
2	11380.00	37.50	54.00	-16.50	44.81	38.32	18.39	64.02	0.00	300	0	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11380.00	47.35	74.00	-26.65	54.66	38.32	18.39	64.02	0.00	100	0	PEAK																																																																																																																	
2	11380.00	36.28	54.00	-17.72	43.60	38.33	18.38	64.03	0.00	100	0	AVERAGE																																																																																																																	







Mode	92																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11BE EHT20_CH40_Full RU_5200MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.06</td><td>63.74</td><td>74.00</td><td>-10.26</td><td>55.54</td><td>34.36</td><td>10.56</td><td>36.72</td><td>0.00</td><td>286</td><td>218</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.06	63.74	74.00	-10.26	55.54	34.36	10.56	36.72	0.00	286	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5104.06	63.74	74.00	-10.26	55.54	34.36	10.56	36.72	0.00	286	218	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>113.72</td><td>-----</td><td>-----</td><td>105.17</td><td>34.46</td><td>10.66</td><td>36.57</td><td>0.00</td><td>286</td><td>218</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	113.72	-----	-----	105.17	34.46	10.66	36.57	0.00	286	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	113.72	-----	-----	105.17	34.46	10.66	36.57	0.00	286	218	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.50</td><td>52.33</td><td>54.00</td><td>-1.67</td><td>43.98</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>286</td><td>218</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.50	52.33	54.00	-1.67	43.98	34.40	10.61	36.66	0.00	286	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.50	52.33	54.00	-1.67	43.98	34.40	10.61	36.66	0.00	286	218	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>104.59</td><td>-----</td><td>-----</td><td>96.04</td><td>34.46</td><td>10.66</td><td>36.57</td><td>0.00</td><td>286</td><td>218</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5200.00	104.59	-----	-----	96.04	34.46	10.66	36.57	0.00	286	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5200.00	104.59	-----	-----	96.04	34.46	10.66	36.57	0.00	286	218	AVERAGE																																											





Mode	92										
	Band Edge - R										
	U-NII-1_5.15-5.25_802.11BE EHT20_CH40_Full RU_5200MHz										
ANT	TXBF1S4T										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





Mode	92																																																													
	Band Edge - L																																																													
	U-NII-1_5.15-5.25_802.11BE EHT20_CH40_Full RU_5200MHz																																																													
ANT	TXBF1S4T																																																													
Pol.	Vertical						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5147.40</td><td>67.89</td><td>74.00</td><td>-6.11</td><td>59.54</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5147.40	67.89	74.00	-6.11	59.54	34.40	10.61	36.66	0.00	100	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	5147.40	67.89	74.00	-6.11	59.54	34.40	10.61	36.66	0.00	100	280	PEAK																																																		
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5200.00</td><td>120.62</td><td>-----</td><td>-----</td><td>112.11</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5200.00	120.62	-----	-----	112.11	34.45	10.65	36.59	0.00	100	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	5200.00	120.62	-----	-----	112.11	34.45	10.65	36.59	0.00	100	280	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5149.82</td><td>53.12</td><td>54.00</td><td>-0.88</td><td>44.76</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5149.82	53.12	54.00	-0.88	44.76	34.40	10.61	36.65	0.00	100	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	5149.82	53.12	54.00	-0.88	44.76	34.40	10.61	36.65	0.00	100	280	AVERAGE																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5200.00</td><td>110.53</td><td>-----</td><td>-----</td><td>102.02</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5200.00	110.53	-----	-----	102.02	34.45	10.65	36.59	0.00	100	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	5200.00	110.53	-----	-----	102.02	34.45	10.65	36.59	0.00	100	280	AVERAGE																																																		







Mode	92																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11BE EHT20_CH40_Full RU_5200MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5412.00</td><td>63.47</td><td>74.00</td><td>-10.53</td><td>54.32</td><td>34.65</td><td>10.78</td><td>36.28</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.00	63.47	74.00	-10.53	54.32	34.65	10.78	36.28	0.00	100	280	PEAK	Blank				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5412.00	63.47	74.00	-10.53	54.32	34.65	10.78	36.28	0.00	100	280	PEAK																																											
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5400.72</td><td>51.88</td><td>54.00</td><td>-2.12</td><td>42.76</td><td>34.64</td><td>10.78</td><td>36.30</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5400.72	51.88	54.00	-2.12	42.76	34.64	10.78	36.30	0.00	100	280	AVERAGE	Blank				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5400.72	51.88	54.00	-2.12	42.76	34.64	10.78	36.30	0.00	100	280	AVERAGE																																											





		92																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11BE EHT20_CH40_Full RU_5200MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10394.60</td><td>55.67</td><td>68.20</td><td>-12.53</td><td>69.74</td><td>37.39</td><td>15.48</td><td>66.94</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10394.60	55.67	68.20	-12.53	69.74	37.39	15.48	66.94	0.00	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10394.60	55.67	68.20	-12.53	69.74	37.39	15.48	66.94	0.00	---	---	Peak																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10403.40</td><td>51.16</td><td>68.20</td><td>-17.04</td><td>65.21</td><td>37.40</td><td>15.49</td><td>66.94</td><td>0.00</td><td>100</td><td>348</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10403.40	51.16	68.20	-17.04	65.21	37.40	15.49	66.94	0.00	100	348	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10403.40	51.16	68.20	-17.04	65.21	37.40	15.49	66.94	0.00	100	348	Peak																																													







Mode	93																																																																																												
	Band Edge - L																																																																																												
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.76</td><td>66.08</td><td>74.00</td><td>-7.92</td><td>57.74</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>375 347 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.76	66.08	74.00	-7.92	57.74	34.40	10.60	36.66	0.00	375 347 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>116.77</td><td>-----</td><td>-----</td><td>108.28</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>375 347 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	116.77	-----	-----	108.28	34.44	10.65	36.60	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5145.76	66.08	74.00	-7.92	57.74	34.40	10.60	36.66	0.00	375 347 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5190.00	116.77	-----	-----	108.28	34.44	10.65	36.60	0.00	375 347 PEAK																																																																																			
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>53.52</td><td>54.00</td><td>-0.48</td><td>45.16</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>375 347 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	53.52	54.00	-0.48	45.16	34.40	10.61	36.65	0.00	375 347 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>107.24</td><td>-----</td><td>-----</td><td>98.75</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>375 347 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	107.24	-----	-----	98.75	34.44	10.65	36.60	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5149.92	53.52	54.00	-0.48	45.16	34.40	10.61	36.65	0.00	375 347 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5190.00	107.24	-----	-----	98.75	34.44	10.65	36.60	0.00	375 347 AVERAGE																																																																																			





Mode	93																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.57</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>48.31</td><td>34.67</td><td>10.81</td><td>36.26</td><td>0.00</td><td>375</td><td>347</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.57	57.53	74.00	-16.47	48.31	34.67	10.81	36.26	0.00	375	347	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5438.57	57.53	74.00	-16.47	48.31	34.67	10.81	36.26	0.00	375	347	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.98</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>36.68</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>375</td><td>347</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.98	45.79	54.00	-8.21	36.68	34.64	10.77	36.30	0.00	375	347	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5398.98	45.79	54.00	-8.21	36.68	34.64	10.77	36.30	0.00	375	347	AVERAGE																																												





Mode	93																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.80</td><td>65.68</td><td>74.00</td><td>-8.32</td><td>57.33</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>302</td><td>299</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.80	65.68	74.00	-8.32	57.33	34.40	10.61	36.66	0.00	302	299	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>117.39</td><td>-----</td><td>-----</td><td>108.86</td><td>34.45</td><td>10.66</td><td>36.58</td><td>0.00</td><td>302</td><td>299</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	117.39	-----	-----	108.86	34.45	10.66	36.58	0.00	302	299
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.80	65.68	74.00	-8.32	57.33	34.40	10.61	36.66	0.00	302	299	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	117.39	-----	-----	108.86	34.45	10.66	36.58	0.00	302	299	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>53.79</td><td>54.00</td><td>-0.21</td><td>45.43</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>302</td><td>299</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	53.79	54.00	-0.21	45.43	34.40	10.61	36.65	0.00	302	299	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>107.10</td><td>-----</td><td>-----</td><td>98.57</td><td>34.45</td><td>10.66</td><td>36.58</td><td>0.00</td><td>302</td><td>299</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	107.10	-----	-----	98.57	34.45	10.66	36.58	0.00	302	299
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.92	53.79	54.00	-0.21	45.43	34.40	10.61	36.65	0.00	302	299	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	107.10	-----	-----	98.57	34.45	10.66	36.58	0.00	302	299	AVERAGE																																																																																																			







Mode	93																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.41</td><td>59.00</td><td>74.00</td><td>-15.00</td><td>49.96</td><td>34.62</td><td>10.76</td><td>36.34</td><td>0.00</td><td>302</td><td>299</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.41	59.00	74.00	-15.00	49.96	34.62	10.76	36.34	0.00	302	299	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5374.41	59.00	74.00	-15.00	49.96	34.62	10.76	36.34	0.00	302	299	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.36</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>38.93</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>302</td><td>299</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.36	48.04	54.00	-5.96	38.93	34.64	10.77	36.30	0.00	302	299	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5397.36	48.04	54.00	-5.96	38.93	34.64	10.77	36.30	0.00	302	299	AVERAGE																																												





		93																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT		CDD 1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>43.00</td><td>68.20</td><td>-25.20</td><td>57.10</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	43.00	68.20	-25.20	57.10	37.38	15.47	66.95	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10380.00	43.00	68.20	-25.20	57.10	37.38	15.47	66.95	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>47.00</td><td>68.20</td><td>-21.12</td><td>61.18</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	47.00	68.20	-21.12	61.18	37.38	15.47	66.95	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10380.00	47.00	68.20	-21.12	61.18	37.38	15.47	66.95	0.00	---	---	PEAK																																													







Mode	94																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.64</td><td>64.74</td><td>74.00</td><td>-9.26</td><td>56.39</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>284</td><td>189</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	64.74	74.00	-9.26	56.39	34.40	10.61	36.66	0.00	284	189	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>115.75</td><td>-----</td><td>-----</td><td>107.24</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>284</td><td>189</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	115.75	-----	-----	107.24	34.45	10.65	36.59	0.00	284	189
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.64	64.74	74.00	-9.26	56.39	34.40	10.61	36.66	0.00	284	189	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	115.75	-----	-----	107.24	34.45	10.65	36.59	0.00	284	189	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>52.12</td><td>54.00</td><td>-1.88</td><td>43.76</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>284</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	52.12	54.00	-1.88	43.76	34.40	10.61	36.65	0.00	284	189	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>106.30</td><td>-----</td><td>-----</td><td>97.79</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>284</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	106.30	-----	-----	97.79	34.45	10.65	36.59	0.00	284	189
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.92	52.12	54.00	-1.88	43.76	34.40	10.61	36.65	0.00	284	189	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	106.30	-----	-----	97.79	34.45	10.65	36.59	0.00	284	189	AVERAGE																																																																																																			





Mode	94																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.02</td><td>57.55</td><td>74.00</td><td>-16.45</td><td>48.56</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>284</td><td>189</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.02	57.55	74.00	-16.45	48.56	34.60	10.75	36.36	0.00	284	189	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5359.02	57.55	74.00	-16.45	48.56	34.60	10.75	36.36	0.00	284	189	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5400.06</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>37.06</td><td>34.64</td><td>10.78</td><td>36.30</td><td>0.00</td><td>284</td><td>189</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5400.06	46.18	54.00	-7.82	37.06	34.64	10.78	36.30	0.00	284	189	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5400.06	46.18	54.00	-7.82	37.06	34.64	10.78	36.30	0.00	284	189	AVERAGE																																												





Mode	94																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>66.26</td><td>74.00</td><td>-7.74</td><td>57.90</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>301</td><td>38</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5149.60	66.26	74.00	-7.74	57.90	34.40	10.61	36.65	0.00	301	38	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>116.66</td><td>-----</td><td>-----</td><td>108.21</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>301</td><td>38</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5190.00	116.66	-----	-----	108.21	34.43	10.64	36.62	0.00	301	38
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5149.60	66.26	74.00	-7.74	57.90	34.40	10.61	36.65	0.00	301	38	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5190.00	116.66	-----	-----	108.21	34.43	10.64	36.62	0.00	301	38	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>53.48</td><td>54.00</td><td>-0.52</td><td>45.12</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>301</td><td>38</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5149.92	53.48	54.00	-0.52	45.12	34.40	10.61	36.65	0.00	301	38	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>106.64</td><td>-----</td><td>-----</td><td>98.13</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>301</td><td>38</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5190.00	106.64	-----	-----	98.13	34.45	10.65	36.59	0.00	301	38
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5149.92	53.48	54.00	-0.52	45.12	34.40	10.61	36.65	0.00	301	38	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5190.00	106.64	-----	-----	98.13	34.45	10.65	36.59	0.00	301	38	AVERAGE																																																																																																			






Mode	94																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.46</td><td>58.57</td><td>74.00</td><td>-15.43</td><td>49.60</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>301</td><td>38</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.46	58.57	74.00	-15.43	49.60	34.59	10.75	36.37	0.00	301	38	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.46	58.57	74.00	-15.43	49.60	34.59	10.75	36.37	0.00	301	38	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.42</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>36.52</td><td>34.61</td><td>10.75</td><td>36.35</td><td>0.00</td><td>301</td><td>38</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.42	45.53	54.00	-8.47	36.52	34.61	10.75	36.35	0.00	301	38	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5364.42	45.53	54.00	-8.47	36.52	34.61	10.75	36.35	0.00	301	38	AVERAGE																																												



		94																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT		CDD 1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>43.45</td><td>68.20</td><td>-24.75</td><td>57.55</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	43.45	68.20	-24.75	57.55	37.38	15.47	66.95	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10380.00	43.45	68.20	-24.75	57.55	37.38	15.47	66.95	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>42.64</td><td>68.20</td><td>-25.56</td><td>56.74</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	42.64	68.20	-25.56	56.74	37.38	15.47	66.95	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10380.00	42.64	68.20	-25.56	56.74	37.38	15.47	66.95	0.00	---	---	PEAK																																													





	86																																																																																																																													
Mode	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																													
ANT	TXBF1S4T																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5613.20</td><td>57.68</td><td>68.20</td><td>-10.52</td><td>39.40</td><td>34.50</td><td>13.11</td><td>29.33</td><td>0.00</td><td>269</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>56.39</td><td>68.50</td><td>-12.11</td><td>38.22</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>269</td><td>234</td><td>PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>79.15</td><td>110.79</td><td>-31.64</td><td>60.94</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>269</td><td>234</td><td>PEAK</td></tr><tr><td>4</td><td>5723.20</td><td>87.83</td><td>118.20</td><td>-30.37</td><td>69.60</td><td>34.65</td><td>13.29</td><td>29.71</td><td>0.00</td><td>269</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							1	5613.20	57.68	68.20	-10.52	39.40	34.50	13.11	29.33	0.00	269	234	PEAK	2	5650.40	56.39	68.50	-12.11	38.22	34.50	13.01	29.34	0.00	269	234	PEAK	3	5719.60	79.15	110.79	-31.64	60.94	34.64	13.26	29.69	0.00	269	234	PEAK	4	5723.20	87.83	118.20	-30.37	69.60	34.65	13.29	29.71	0.00	269	234	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>119.37</td><td>-----</td><td>-----</td><td>101.08</td><td>34.67</td><td>13.38</td><td>29.76</td><td>0.00</td><td>269</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							1	5745.00	119.37	-----	-----	101.08	34.67	13.38	29.76	0.00	269	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
1	5613.20	57.68	68.20	-10.52	39.40	34.50	13.11	29.33	0.00	269	234	PEAK																																																																																																																		
2	5650.40	56.39	68.50	-12.11	38.22	34.50	13.01	29.34	0.00	269	234	PEAK																																																																																																																		
3	5719.60	79.15	110.79	-31.64	60.94	34.64	13.26	29.69	0.00	269	234	PEAK																																																																																																																		
4	5723.20	87.83	118.20	-30.37	69.60	34.65	13.29	29.71	0.00	269	234	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
1	5745.00	119.37	-----	-----	101.08	34.67	13.38	29.76	0.00	269	234	PEAK																																																																																																																		
Avg	Blank																																																																																																																													
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>110.61</td><td>-----</td><td>-----</td><td>92.32</td><td>34.67</td><td>13.38</td><td>29.76</td><td>0.00</td><td>269</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor							1	5745.00	110.61	-----	-----	92.32	34.67	13.38	29.76	0.00	269	234	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
1	5745.00	110.61	-----	-----	92.32	34.67	13.38	29.76	0.00	269	234	AVERAGE																																																																																																																		






Mode	86																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																															
ANT	TXBF1S4T																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5611.60</td><td>59.43</td><td>68.20</td><td>-8.77</td><td>41.14</td><td>34.50</td><td>13.12</td><td>29.33</td><td>0.00</td><td>125 287 PEAK</td></tr><tr><td>2 5692.80</td><td>60.07</td><td>99.98</td><td>-39.91</td><td>41.96</td><td>34.59</td><td>13.08</td><td>29.56</td><td>0.00</td><td>125 287 Peak</td></tr><tr><td>3 5716.80</td><td>66.73</td><td>110.01</td><td>-43.28</td><td>48.55</td><td>34.63</td><td>13.23</td><td>29.68</td><td>0.00</td><td>125 287 Peak</td></tr><tr><td>4 5724.80</td><td>71.30</td><td>121.84</td><td>-50.54</td><td>53.07</td><td>34.65</td><td>13.30</td><td>29.72</td><td>0.00</td><td>125 287 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5611.60	59.43	68.20	-8.77	41.14	34.50	13.12	29.33	0.00	125 287 PEAK	2 5692.80	60.07	99.98	-39.91	41.96	34.59	13.08	29.56	0.00	125 287 Peak	3 5716.80	66.73	110.01	-43.28	48.55	34.63	13.23	29.68	0.00	125 287 Peak	4 5724.80	71.30	121.84	-50.54	53.07	34.65	13.30	29.72	0.00	125 287 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>119.37</td><td>-----</td><td>-----</td><td>101.08</td><td>34.67</td><td>13.38</td><td>29.76</td><td>0.00</td><td>269 234 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	119.37	-----	-----	101.08	34.67	13.38	29.76	0.00	269 234 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5611.60	59.43	68.20	-8.77	41.14	34.50	13.12	29.33	0.00	125 287 PEAK																																																																																																							
2 5692.80	60.07	99.98	-39.91	41.96	34.59	13.08	29.56	0.00	125 287 Peak																																																																																																							
3 5716.80	66.73	110.01	-43.28	48.55	34.63	13.23	29.68	0.00	125 287 Peak																																																																																																							
4 5724.80	71.30	121.84	-50.54	53.07	34.65	13.30	29.72	0.00	125 287 Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5745.00	119.37	-----	-----	101.08	34.67	13.38	29.76	0.00	269 234 PEAK																																																																																																							
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5368.00</td><td>53.21</td><td>54.00</td><td>-0.79</td><td>35.59</td><td>34.60</td><td>12.73</td><td>29.71</td><td>0.00</td><td>125 287 Average</td></tr><tr><td>2 5745.00</td><td>113.55</td><td>-----</td><td>-----</td><td>95.15</td><td>34.70</td><td>13.55</td><td>29.85</td><td>0.00</td><td>125 287 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5368.00	53.21	54.00	-0.79	35.59	34.60	12.73	29.71	0.00	125 287 Average	2 5745.00	113.55	-----	-----	95.15	34.70	13.55	29.85	0.00	125 287 AVERAGE																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5368.00	53.21	54.00	-0.79	35.59	34.60	12.73	29.71	0.00	125 287 Average																																																																																																							
2 5745.00	113.55	-----	-----	95.15	34.70	13.55	29.85	0.00	125 287 AVERAGE																																																																																																							




Mode	86																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>62.27</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>166</td><td>11 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.04</td><td>54.00</td><td>-8.96</td><td>51.89</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>166</td><td>11 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	55.42	74.00	-18.58	62.27	38.30	18.74	63.89	0.00	166	11 PEAK	2	11490.00	45.04	54.00	-8.96	51.89	38.30	18.74	63.89	0.00	166	11 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>50.94</td><td>74.00</td><td>-23.06</td><td>57.79</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>280</td><td>49 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>40.60</td><td>54.00</td><td>-13.40</td><td>47.45</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>280</td><td>49 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	50.94	74.00	-23.06	57.79	38.30	18.74	63.89	0.00	280	49 PEAK	2	11490.00	40.60	54.00	-13.40	47.45	38.30	18.74	63.89	0.00	280	49 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11490.00	55.42	74.00	-18.58	62.27	38.30	18.74	63.89	0.00	166	11 PEAK																																																																																																															
2	11490.00	45.04	54.00	-8.96	51.89	38.30	18.74	63.89	0.00	166	11 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11490.00	50.94	74.00	-23.06	57.79	38.30	18.74	63.89	0.00	280	49 PEAK																																																																																																															
2	11490.00	40.60	54.00	-13.40	47.45	38.30	18.74	63.89	0.00	280	49 AVERAGE																																																																																																															






Mode	87																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																																										
ANT	TXBF1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5600.00</td><td>59.13</td><td>68.20</td><td>-9.07</td><td>40.83</td><td>34.50</td><td>13.15</td><td>29.35</td><td>0.00</td><td>317</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.54</td><td>68.20</td><td>-12.66</td><td>37.37</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>317</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.52</td><td>105.52</td><td>-50.00</td><td>37.42</td><td>34.60</td><td>13.10</td><td>29.60</td><td>0.00</td><td>317</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.80</td><td>112.72</td><td>-54.92</td><td>39.59</td><td>34.64</td><td>13.27</td><td>29.70</td><td>0.00</td><td>317</td><td>244</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5600.00	59.13	68.20	-9.07	40.83	34.50	13.15	29.35	0.00	317	244	PEAK	2	5650.00	55.54	68.20	-12.66	37.37	34.50	13.01	29.34	0.00	317	244	PEAK	3	5700.00	55.52	105.52	-50.00	37.42	34.60	13.10	29.60	0.00	317	244	PEAK	4	5720.00	57.80	112.72	-54.92	39.59	34.64	13.27	29.70	0.00	317	244	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>116.85</td><td>-----</td><td>-----</td><td>97.85</td><td>34.79</td><td>14.27</td><td>30.06</td><td>0.00</td><td>317</td><td>244</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	116.85	-----	-----	97.85	34.79	14.27	30.06	0.00	317	244	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5600.00	59.13	68.20	-9.07	40.83	34.50	13.15	29.35	0.00	317	244	PEAK																																																																																																																															
2	5650.00	55.54	68.20	-12.66	37.37	34.50	13.01	29.34	0.00	317	244	PEAK																																																																																																																															
3	5700.00	55.52	105.52	-50.00	37.42	34.60	13.10	29.60	0.00	317	244	PEAK																																																																																																																															
4	5720.00	57.80	112.72	-54.92	39.59	34.64	13.27	29.70	0.00	317	244	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	116.85	-----	-----	97.85	34.79	14.27	30.06	0.00	317	244	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and labeled U-NII-3(AVG). <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>108.28</td><td>-----</td><td>-----</td><td>89.28</td><td>34.79</td><td>14.27</td><td>30.06</td><td>0.00</td><td>317</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	108.28	-----	-----	89.28	34.79	14.27	30.06	0.00	317	244	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	108.28	-----	-----	89.28	34.79	14.27	30.06	0.00	317	244	AVERAGE																																																																																																																															




Mode	87																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.82</td><td>111.36</td><td>-55.54</td><td>37.39</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>317</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>56.97</td><td>106.03</td><td>-49.06</td><td>38.51</td><td>34.99</td><td>13.85</td><td>30.38</td><td>0.00</td><td>317</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.87</td><td>68.35</td><td>-13.48</td><td>36.40</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>317</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>5972.00</td><td>57.17</td><td>68.20</td><td>-11.03</td><td>38.75</td><td>35.24</td><td>13.61</td><td>30.43</td><td>0.00</td><td>317</td><td>244</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.82	111.36	-55.54	37.39	34.92	13.88	30.37	0.00	317	244	PEAK	2	5872.40	56.97	106.03	-49.06	38.51	34.99	13.85	30.38	0.00	317	244	PEAK	3	5924.00	54.87	68.35	-13.48	36.40	35.15	13.73	30.41	0.00	317	244	PEAK	4	5972.00	57.17	68.20	-11.03	38.75	35.24	13.61	30.43	0.00	317	244	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	55.82	111.36	-55.54	37.39	34.92	13.88	30.37	0.00	317	244	PEAK																																																																									
2	5872.40	56.97	106.03	-49.06	38.51	34.99	13.85	30.38	0.00	317	244	PEAK																																																																									
3	5924.00	54.87	68.35	-13.48	36.40	35.15	13.73	30.41	0.00	317	244	PEAK																																																																									
4	5972.00	57.17	68.20	-11.03	38.75	35.24	13.61	30.43	0.00	317	244	PEAK																																																																									





Mode	87																																																																																																																																																							
	Band Edge - L																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																																																							
ANT	TXBF1S4T																																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.40</td><td>58.07</td><td>68.20</td><td>-10.13</td><td>39.80</td><td>34.50</td><td>13.08</td><td>29.31</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.16</td><td>68.20</td><td>-13.04</td><td>36.99</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>56.18</td><td>105.30</td><td>-49.12</td><td>38.08</td><td>34.60</td><td>13.09</td><td>29.59</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.96</td><td>110.90</td><td>-53.94</td><td>38.75</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.40	58.07	68.20	-10.13	39.80	34.50	13.08	29.31	0.00	100	333	PEAK	2	5650.00	55.16	68.20	-13.04	36.99	34.50	13.01	29.34	0.00	100	333	PEAK	3	5700.00	56.18	105.30	-49.12	38.08	34.60	13.09	29.59	0.00	100	333	PEAK	4	5720.00	56.96	110.90	-53.94	38.75	34.64	13.26	29.69	0.00	100	333	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5398.00</td><td>62.81</td><td>74.00</td><td>-11.19</td><td>44.87</td><td>34.60</td><td>13.01</td><td>29.67</td><td>0.00</td><td>100</td><td>333</td><td>Peak</td></tr><tr><td>2</td><td>5776.00</td><td>121.26</td><td>-----</td><td>-----</td><td>102.52</td><td>34.75</td><td>13.96</td><td>29.97</td><td>0.00</td><td>100</td><td>333</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5398.00	62.81	74.00	-11.19	44.87	34.60	13.01	29.67	0.00	100	333	Peak	2	5776.00	121.26	-----	-----	102.52	34.75	13.96	29.97	0.00	100	333	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5624.40	58.07	68.20	-10.13	39.80	34.50	13.08	29.31	0.00	100	333	PEAK																																																																																																																																												
2	5650.00	55.16	68.20	-13.04	36.99	34.50	13.01	29.34	0.00	100	333	PEAK																																																																																																																																												
3	5700.00	56.18	105.30	-49.12	38.08	34.60	13.09	29.59	0.00	100	333	PEAK																																																																																																																																												
4	5720.00	56.96	110.90	-53.94	38.75	34.64	13.26	29.69	0.00	100	333	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5398.00	62.81	74.00	-11.19	44.87	34.60	13.01	29.67	0.00	100	333	Peak																																																																																																																																												
2	5776.00	121.26	-----	-----	102.52	34.75	13.96	29.97	0.00	100	333	Peak																																																																																																																																												
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5398.00</td><td>53.50</td><td>54.00</td><td>-0.50</td><td>35.56</td><td>34.60</td><td>13.01</td><td>29.67</td><td>0.00</td><td>100</td><td>333</td><td>Peak</td></tr><tr><td>2</td><td>5785.00</td><td>110.73</td><td>-----</td><td>-----</td><td>91.91</td><td>34.76</td><td>14.06</td><td>30.00</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5398.00	53.50	54.00	-0.50	35.56	34.60	13.01	29.67	0.00	100	333	Peak	2	5785.00	110.73	-----	-----	91.91	34.76	14.06	30.00	0.00	100	333	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	5398.00	53.50	54.00	-0.50	35.56	34.60	13.01	29.67	0.00	100	333	Peak																																																																																																																																												
2	5785.00	110.73	-----	-----	91.91	34.76	14.06	30.00	0.00	100	333	AVERAGE																																																																																																																																												






Mode	87																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																	
ANT	TXBF1S4T																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.00</td><td>55.88</td><td>111.36</td><td>-55.48</td><td>37.45</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>56.47</td><td>106.14</td><td>-49.67</td><td>38.01</td><td>34.99</td><td>13.85</td><td>30.38</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.55</td><td>68.64</td><td>-14.09</td><td>36.07</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr><tr><td>4</td><td>5951.60</td><td>58.22</td><td>68.20</td><td>-9.98</td><td>39.79</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5854.00	55.88	111.36	-55.48	37.45	34.92	13.88	30.37	0.00	100	333	PEAK	2	5872.00	56.47	106.14	-49.67	38.01	34.99	13.85	30.38	0.00	100	333	PEAK	3	5924.40	54.55	68.64	-14.09	36.07	35.15	13.73	30.40	0.00	100	333	PEAK	4	5951.60	58.22	68.20	-9.98	39.79	35.20	13.65	30.42	0.00	100	333	PEAK	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																						
1	5854.00	55.88	111.36	-55.48	37.45	34.92	13.88	30.37	0.00	100	333	PEAK																																																																						
2	5872.00	56.47	106.14	-49.67	38.01	34.99	13.85	30.38	0.00	100	333	PEAK																																																																						
3	5924.40	54.55	68.64	-14.09	36.07	35.15	13.73	30.40	0.00	100	333	PEAK																																																																						
4	5951.60	58.22	68.20	-9.98	39.79	35.20	13.65	30.42	0.00	100	333	PEAK																																																																						






		87																																																																																																																																																				
Mode		Harmonic																																																																																																																																																				
		U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																																																				
ANT		TXBF1S4T																																																																																																																																																				
Pol.		Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																						
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>50.89</td><td>74.00</td><td>-23.11</td><td>57.88</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>300</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>39.79</td><td>54.00</td><td>-14.21</td><td>46.77</td><td>38.43</td><td>18.64</td><td>64.05</td><td>0.00</td><td>300</td><td>133</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11570.00	50.89	74.00	-23.11	57.88	38.44	18.63	64.06	0.00	300	133	PEAK	2	11570.00	39.79	54.00	-14.21	46.77	38.43	18.64	64.05	0.00	300	133	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>55.94</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.18</td><td>54.00</td><td>-16.82</td><td>44.15</td><td>38.42</td><td>18.65</td><td>64.04</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11570.00	48.95	74.00	-25.05	55.94	38.44	18.63	64.06	0.00	100	0	PEAK	2	11570.00	37.18	54.00	-16.82	44.15	38.42	18.65	64.04	0.00	100	0
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																											
1	11570.00	50.89	74.00	-23.11	57.88	38.44	18.63	64.06	0.00	300	133	PEAK																																																																																																																																										
2	11570.00	39.79	54.00	-14.21	46.77	38.43	18.64	64.05	0.00	300	133	AVERAGE																																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																											
1	11570.00	48.95	74.00	-25.05	55.94	38.44	18.63	64.06	0.00	100	0	PEAK																																																																																																																																										
2	11570.00	37.18	54.00	-16.82	44.15	38.42	18.65	64.04	0.00	100	0	AVERAGE																																																																																																																																										





Mode	88																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																																				
ANT	TXBF1S4T																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>61.33</td><td>111.36</td><td>-50.03</td><td>42.90</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>309</td><td>228</td><td>PEAK</td></tr><tr><td>2 5860.00</td><td>65.09</td><td>109.27</td><td>-44.18</td><td>46.65</td><td>34.94</td><td>13.87</td><td>30.37</td><td>0.00</td><td>309</td><td>228</td><td>PEAK</td></tr><tr><td>3 5924.00</td><td>55.55</td><td>68.35</td><td>-12.80</td><td>37.08</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>309</td><td>228</td><td>PEAK</td></tr><tr><td>4 5941.20</td><td>58.32</td><td>68.20</td><td>-9.88</td><td>39.87</td><td>35.18</td><td>13.68</td><td>30.41</td><td>0.00</td><td>309</td><td>228</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	61.33	111.36	-50.03	42.90	34.92	13.88	30.37	0.00	309	228	PEAK	2 5860.00	65.09	109.27	-44.18	46.65	34.94	13.87	30.37	0.00	309	228	PEAK	3 5924.00	55.55	68.35	-12.80	37.08	35.15	13.73	30.41	0.00	309	228	PEAK	4 5941.20	58.32	68.20	-9.88	39.87	35.18	13.68	30.41	0.00	309	228	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>117.48</td><td>-----</td><td>-----</td><td>98.62</td><td>34.84</td><td>14.20</td><td>30.18</td><td>0.00</td><td>309</td><td>228</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	117.48	-----	-----	98.62	34.84	14.20	30.18	0.00	309	228	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5854.00	61.33	111.36	-50.03	42.90	34.92	13.88	30.37	0.00	309	228	PEAK																																																																																																																										
2 5860.00	65.09	109.27	-44.18	46.65	34.94	13.87	30.37	0.00	309	228	PEAK																																																																																																																										
3 5924.00	55.55	68.35	-12.80	37.08	35.15	13.73	30.41	0.00	309	228	PEAK																																																																																																																										
4 5941.20	58.32	68.20	-9.88	39.87	35.18	13.68	30.41	0.00	309	228	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	117.48	-----	-----	98.62	34.84	14.20	30.18	0.00	309	228	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.20</td><td>-----</td><td>-----</td><td>89.34</td><td>34.84</td><td>14.20</td><td>30.18</td><td>0.00</td><td>309</td><td>228</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.20	-----	-----	89.34	34.84	14.20	30.18	0.00	309	228	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	108.20	-----	-----	89.34	34.84	14.20	30.18	0.00	309	228	AVERAGE																																																																																																																										






Mode	88																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>61.19</td><td>113.18</td><td>-51.99</td><td>42.76</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>111</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>5867.60</td><td>61.90</td><td>107.37</td><td>-45.47</td><td>43.45</td><td>34.97</td><td>13.86</td><td>30.38</td><td>0.00</td><td>111</td><td>349</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>55.33</td><td>68.64</td><td>-13.31</td><td>36.85</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>111</td><td>349</td><td>PEAK</td></tr><tr><td>4</td><td>5973.20</td><td>58.15</td><td>68.20</td><td>-10.05</td><td>39.73</td><td>35.25</td><td>13.60</td><td>30.43</td><td>0.00</td><td>111</td><td>349</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	61.19	113.18	-51.99	42.76	34.92	13.88	30.37	0.00	111	349	PEAK	2	5867.60	61.90	107.37	-45.47	43.45	34.97	13.86	30.38	0.00	111	349	PEAK	3	5924.40	55.33	68.64	-13.31	36.85	35.15	13.73	30.40	0.00	111	349	PEAK	4	5973.20	58.15	68.20	-10.05	39.73	35.25	13.60	30.43	0.00	111	349	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	61.19	113.18	-51.99	42.76	34.92	13.88	30.37	0.00	111	349	PEAK																																																																																		
2	5867.60	61.90	107.37	-45.47	43.45	34.97	13.86	30.38	0.00	111	349	PEAK																																																																																		
3	5924.40	55.33	68.64	-13.31	36.85	35.15	13.73	30.40	0.00	111	349	PEAK																																																																																		
4	5973.20	58.15	68.20	-10.05	39.73	35.25	13.60	30.43	0.00	111	349	PEAK																																																																																		
Fundamental																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.00</td><td>61.34</td><td>74.00</td><td>-12.66</td><td>43.50</td><td>34.60</td><td>12.84</td><td>29.60</td><td>0.00</td><td>111</td><td>349</td><td>Peak</td></tr><tr><td>2</td><td>5818.00</td><td>120.11</td><td>-----</td><td>-----</td><td>101.25</td><td>34.84</td><td>14.20</td><td>30.18</td><td>0.00</td><td>111</td><td>349</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5440.00	61.34	74.00	-12.66	43.50	34.60	12.84	29.60	0.00	111	349	Peak	2	5818.00	120.11	-----	-----	101.25	34.84	14.20	30.18	0.00	111	349	Peak																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5440.00	61.34	74.00	-12.66	43.50	34.60	12.84	29.60	0.00	111	349	Peak																																																																																		
2	5818.00	120.11	-----	-----	101.25	34.84	14.20	30.18	0.00	111	349	Peak																																																																																		
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.00</td><td>53.40</td><td>54.00</td><td>-0.60</td><td>35.56</td><td>34.60</td><td>12.84</td><td>29.60</td><td>0.00</td><td>111</td><td>349</td><td>Average</td></tr><tr><td>2</td><td>5825.00</td><td>110.85</td><td>-----</td><td>-----</td><td>91.99</td><td>34.84</td><td>14.20</td><td>30.18</td><td>0.00</td><td>111</td><td>349</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5440.00	53.40	54.00	-0.60	35.56	34.60	12.84	29.60	0.00	111	349	Average	2	5825.00	110.85	-----	-----	91.99	34.84	14.20	30.18	0.00	111	349	AVERAGE																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5440.00	53.40	54.00	-0.60	35.56	34.60	12.84	29.60	0.00	111	349	Average																																																																																		
2	5825.00	110.85	-----	-----	91.99	34.84	14.20	30.18	0.00	111	349	AVERAGE																																																																																		
Fundamental																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.00</td><td>53.40</td><td>54.00</td><td>-0.60</td><td>35.56</td><td>34.60</td><td>12.84</td><td>29.60</td><td>0.00</td><td>111</td><td>349</td><td>Average</td></tr><tr><td>2</td><td>5825.00</td><td>110.85</td><td>-----</td><td>-----</td><td>91.99</td><td>34.84</td><td>14.20</td><td>30.18</td><td>0.00</td><td>111</td><td>349</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5440.00	53.40	54.00	-0.60	35.56	34.60	12.84	29.60	0.00	111	349	Average	2	5825.00	110.85	-----	-----	91.99	34.84	14.20	30.18	0.00	111	349	AVERAGE																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5440.00	53.40	54.00	-0.60	35.56	34.60	12.84	29.60	0.00	111	349	Average																																																																																		
2	5825.00	110.85	-----	-----	91.99	34.84	14.20	30.18	0.00	111	349	AVERAGE																																																																																		




Mode	88																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																				
ANT	TXBF1S4T																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>55.59</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>309</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>40.53</td><td>54.00</td><td>-13.47</td><td>47.63</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>309</td><td>125</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	48.49	74.00	-25.51	55.59	38.50	18.67	64.27	0.00	309	125	PEAK	2	11650.00	40.53	54.00	-13.47	47.63	38.50	18.67	64.27	0.00	309	125	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11650.00	48.49	74.00	-25.51	55.59	38.50	18.67	64.27	0.00	309	125	PEAK																																																									
2	11650.00	40.53	54.00	-13.47	47.63	38.50	18.67	64.27	0.00	309	125	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>48.50</td><td>74.00</td><td>-25.50</td><td>55.60</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>299</td><td>322</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>40.13</td><td>54.00</td><td>-13.87</td><td>47.23</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>299</td><td>322</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	48.50	74.00	-25.50	55.60	38.50	18.67	64.27	0.00	299	322	PEAK	2	11650.00	40.13	54.00	-13.87	47.23	38.50	18.67	64.27	0.00	299	322	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11650.00	48.50	74.00	-25.50	55.60	38.50	18.67	64.27	0.00	299	322	PEAK																																																									
2	11650.00	40.13	54.00	-13.87	47.23	38.50	18.67	64.27	0.00	299	322	AVERAGE																																																									






Mode	89																																																																																																																																											
	Band Edge - L																																																																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																											
ANT	TXBF1S4T																																																																																																																																											
Pol.	Horizontal							Fundamental																																																																																																																																				
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th><th>Aux6</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>dB</th></tr></thead><tbody><tr><td>1 5649.14</td><td>66.91</td><td>68.20</td><td>-1.29</td><td>48.74</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>192</td><td>270</td><td>Peak 0.00</td></tr><tr><td>2 5656.11</td><td>64.55</td><td>72.75</td><td>-8.20</td><td>46.39</td><td>34.51</td><td>13.02</td><td>29.37</td><td>0.00</td><td>192</td><td>270</td><td>PEAK 0.00</td></tr><tr><td>3 5706.49</td><td>88.58</td><td>107.12</td><td>-18.54</td><td>70.44</td><td>34.61</td><td>13.15</td><td>29.62</td><td>0.00</td><td>192</td><td>270</td><td>Peak 0.00</td></tr><tr><td>4 5720.13</td><td>85.27</td><td>111.19</td><td>-25.92</td><td>67.06</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>192</td><td>270</td><td>PEAK 0.00</td></tr></tbody></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Aux6	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB	1 5649.14	66.91	68.20	-1.29	48.74	34.50	13.01	29.34	0.00	192	270	Peak 0.00	2 5656.11	64.55	72.75	-8.20	46.39	34.51	13.02	29.37	0.00	192	270	PEAK 0.00	3 5706.49	88.58	107.12	-18.54	70.44	34.61	13.15	29.62	0.00	192	270	Peak 0.00	4 5720.13	85.27	111.19	-25.92	67.06	34.64	13.26	29.69	0.00	192	270	PEAK 0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>119.70</td><td>-----</td><td>-----</td><td>101.38</td><td>34.68</td><td>13.43</td><td>29.79</td><td>0.00</td><td>192</td><td>270</td><td>PEAK</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	119.70	-----	-----	101.38	34.68	13.43	29.79	0.00	192	270
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Aux6																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB																																																																																																																																	
1 5649.14	66.91	68.20	-1.29	48.74	34.50	13.01	29.34	0.00	192	270	Peak 0.00																																																																																																																																	
2 5656.11	64.55	72.75	-8.20	46.39	34.51	13.02	29.37	0.00	192	270	PEAK 0.00																																																																																																																																	
3 5706.49	88.58	107.12	-18.54	70.44	34.61	13.15	29.62	0.00	192	270	Peak 0.00																																																																																																																																	
4 5720.13	85.27	111.19	-25.92	67.06	34.64	13.26	29.69	0.00	192	270	PEAK 0.00																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 5755.00	119.70	-----	-----	101.38	34.68	13.43	29.79	0.00	192	270	PEAK																																																																																																																																	
Avg	Blank																																																																																																																																											
								<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>109.64</td><td>-----</td><td>-----</td><td>91.32</td><td>34.68</td><td>13.43</td><td>29.79</td><td>0.00</td><td>192</td><td>270</td><td>AVERAGE</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	109.64	-----	-----	91.32	34.68	13.43	29.79	0.00	192	270	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 5755.00	109.64	-----	-----	91.32	34.68	13.43	29.79	0.00	192	270	AVERAGE																																																																																																																																	




Mode	89																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>58.80</td><td>112.15</td><td>-53.35</td><td>40.37</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>192</td><td>270</td><td>PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>57.07</td><td>105.59</td><td>-48.52</td><td>38.60</td><td>35.00</td><td>13.85</td><td>30.38</td><td>0.00</td><td>192</td><td>270</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>54.45</td><td>68.89</td><td>-14.44</td><td>35.97</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>192</td><td>270</td><td>PEAK</td></tr><tr><td>4</td><td>5942.98</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>39.36</td><td>35.19</td><td>13.67</td><td>30.41</td><td>0.00</td><td>192</td><td>270</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	58.80	112.15	-53.35	40.37	34.92	13.88	30.37	0.00	192	270	PEAK	2	5873.95	57.07	105.59	-48.52	38.60	35.00	13.85	30.38	0.00	192	270	PEAK	3	5924.07	54.45	68.89	-14.44	35.97	35.15	13.73	30.40	0.00	192	270	PEAK	4	5942.98	57.81	68.20	-10.39	39.36	35.19	13.67	30.41	0.00	192	270	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.45	58.80	112.15	-53.35	40.37	34.92	13.88	30.37	0.00	192	270	PEAK																																																																									
2	5873.95	57.07	105.59	-48.52	38.60	35.00	13.85	30.38	0.00	192	270	PEAK																																																																									
3	5924.07	54.45	68.89	-14.44	35.97	35.15	13.73	30.40	0.00	192	270	PEAK																																																																									
4	5942.98	57.81	68.20	-10.39	39.36	35.19	13.67	30.41	0.00	192	270	PEAK																																																																									





Mode	89																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																					
ANT	TXBF1S4T																																																																																																																																					
Pol.	Vertical					Fundamental																																																																																																																																
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5649.60</td><td>59.69</td><td>68.20</td><td>-8.51</td><td>41.52</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>107</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>5651.46</td><td>58.60</td><td>69.29</td><td>-10.69</td><td>40.44</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>107</td><td>334</td><td>PEAK</td></tr><tr><td>3</td><td>5717.34</td><td>83.75</td><td>110.15</td><td>-26.40</td><td>65.56</td><td>34.63</td><td>13.24</td><td>29.68</td><td>0.00</td><td>107</td><td>334</td><td>PEAK</td></tr><tr><td>4</td><td>5721.06</td><td>86.69</td><td>113.31</td><td>-26.62</td><td>68.48</td><td>34.64</td><td>13.27</td><td>29.70</td><td>0.00</td><td>107</td><td>334</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5649.60	59.69	68.20	-8.51	41.52	34.50	13.01	29.34	0.00	107	334	PEAK	2	5651.46	58.60	69.29	-10.69	40.44	34.50	13.01	29.35	0.00	107	334	PEAK	3	5717.34	83.75	110.15	-26.40	65.56	34.63	13.24	29.68	0.00	107	334	PEAK	4	5721.06	86.69	113.31	-26.62	68.48	34.64	13.27	29.70	0.00	107	334	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>119.11</td><td>-----</td><td>-----</td><td>100.79</td><td>34.68</td><td>13.43</td><td>29.79</td><td>0.00</td><td>107</td><td>334</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5755.00	119.11	-----	-----	100.79	34.68	13.43	29.79	0.00	107	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	5649.60	59.69	68.20	-8.51	41.52	34.50	13.01	29.34	0.00	107	334	PEAK																																																																																																																										
2	5651.46	58.60	69.29	-10.69	40.44	34.50	13.01	29.35	0.00	107	334	PEAK																																																																																																																										
3	5717.34	83.75	110.15	-26.40	65.56	34.63	13.24	29.68	0.00	107	334	PEAK																																																																																																																										
4	5721.06	86.69	113.31	-26.62	68.48	34.64	13.27	29.70	0.00	107	334	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	5755.00	119.11	-----	-----	100.79	34.68	13.43	29.79	0.00	107	334	PEAK																																																																																																																										
Avg	Blank																																																																																																																																					
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.40</td><td>-----</td><td>-----</td><td>91.00</td><td>34.68</td><td>13.43</td><td>29.79</td><td>0.00</td><td>107</td><td>334</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5755.00	109.40	-----	-----	91.00	34.68	13.43	29.79	0.00	107	334	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	5755.00	109.40	-----	-----	91.00	34.68	13.43	29.79	0.00	107	334	AVERAGE																																																																																																																										






Mode	89																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>57.26</td><td>111.26</td><td>-54.00</td><td>38.83</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>107</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>5869.08</td><td>58.65</td><td>106.96</td><td>-48.31</td><td>40.19</td><td>34.98</td><td>13.86</td><td>30.38</td><td>0.00</td><td>107</td><td>334</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>56.78</td><td>68.46</td><td>-11.68</td><td>38.31</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>107</td><td>334</td><td>PEAK</td></tr><tr><td>4</td><td>5928.55</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>39.08</td><td>35.16</td><td>13.71</td><td>30.41</td><td>0.00</td><td>107</td><td>334</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	57.26	111.26	-54.00	38.83	34.92	13.88	30.37	0.00	107	334	PEAK	2	5869.08	58.65	106.96	-48.31	40.19	34.98	13.86	30.38	0.00	107	334	PEAK	3	5924.65	56.78	68.46	-11.68	38.31	35.15	13.73	30.41	0.00	107	334	PEAK	4	5928.55	57.54	68.20	-10.66	39.08	35.16	13.71	30.41	0.00	107	334	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	57.26	111.26	-54.00	38.83	34.92	13.88	30.37	0.00	107	334	PEAK																																																																									
2	5869.08	58.65	106.96	-48.31	40.19	34.98	13.86	30.38	0.00	107	334	PEAK																																																																									
3	5924.65	56.78	68.46	-11.68	38.31	35.15	13.73	30.41	0.00	107	334	PEAK																																																																									
4	5928.55	57.54	68.20	-10.66	39.08	35.16	13.71	30.41	0.00	107	334	PEAK																																																																									




		89																																																																										
Mode		Harmonic																																																																										
		U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																										
ANT		TXBF1S4T																																																																										
Pol.		Horizontal																																																																										
Peak Avg																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11510.00</td><td>50.90</td><td>74.00</td><td>-23.10</td><td>57.74</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>100</td><td>7</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>40.45</td><td>54.00</td><td>-13.55</td><td>47.28</td><td>38.31</td><td>18.76</td><td>63.90</td><td>0.00</td><td>100</td><td>7</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11510.00	50.90	74.00	-23.10	57.74	38.32	18.75	63.91	0.00	100	7	PEAK	2	11510.00	40.45	54.00	-13.55	47.28	38.31	18.76	63.90	0.00	100	7	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	11510.00	50.90	74.00	-23.10	57.74	38.32	18.75	63.91	0.00	100	7	PEAK																																																																
2	11510.00	40.45	54.00	-13.55	47.28	38.31	18.76	63.90	0.00	100	7	AVERAGE																																																																
		Vertical																																																																										
																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11510.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>52.60</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11510.00	45.76	74.00	-28.24	52.60	38.32	18.75	63.91	0.00	--	--	PEAK													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	11510.00	45.76	74.00	-28.24	52.60	38.32	18.75	63.91	0.00	--	--	PEAK																																																																






		90																																																																																													
Mode		Band Edge - L																																																																																													
		U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																													
ANT		TXBF1S4T																																																																																													
Pol.		Horizontal																																																																																													
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5629.20</td><td>59.28</td><td>68.20</td><td>-8.92</td><td>41.02</td><td>34.50</td><td>13.07</td><td>29.31</td><td>0.00</td><td>101</td><td>298 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>57.49</td><td>69.09</td><td>-11.60</td><td>39.33</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>101</td><td>298 PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>67.20</td><td>110.23</td><td>-43.03</td><td>49.00</td><td>34.64</td><td>13.24</td><td>29.68</td><td>0.00</td><td>101</td><td>298 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>66.90</td><td>110.90</td><td>-44.00</td><td>48.69</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>101</td><td>298 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5629.20	59.28	68.20	-8.92	41.02	34.50	13.07	29.31	0.00	101	298 PEAK	2	5651.20	57.49	69.09	-11.60	39.33	34.50	13.01	29.35	0.00	101	298 PEAK	3	5717.60	67.20	110.23	-43.03	49.00	34.64	13.24	29.68	0.00	101	298 PEAK	4	5720.00	66.90	110.90	-44.00	48.69	34.64	13.26	29.69	0.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5629.20	59.28	68.20	-8.92	41.02	34.50	13.07	29.31	0.00	101	298 PEAK																																																																																				
2	5651.20	57.49	69.09	-11.60	39.33	34.50	13.01	29.35	0.00	101	298 PEAK																																																																																				
3	5717.60	67.20	110.23	-43.03	49.00	34.64	13.24	29.68	0.00	101	298 PEAK																																																																																				
4	5720.00	66.90	110.90	-44.00	48.69	34.64	13.26	29.69	0.00	101	298 PEAK																																																																																				
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>116.41</td><td>-----</td><td>-----</td><td>97.41</td><td>34.81</td><td>14.31</td><td>30.12</td><td>0.00</td><td>101</td><td>298 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	116.41	-----	-----	97.41	34.81	14.31	30.12	0.00	101	298 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	5795.00	116.41	-----	-----	97.41	34.81	14.31	30.12	0.00	101	298 PEAK																																																																																				
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.70</td><td>-----</td><td>-----</td><td>88.78</td><td>34.82</td><td>14.25</td><td>30.15</td><td>0.00</td><td>101</td><td>298 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	107.70	-----	-----	88.78	34.82	14.25	30.15	0.00	101	298 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	5795.00	107.70	-----	-----	88.78	34.82	14.25	30.15	0.00	101	298 AVERAGE																																																																																				




Mode	90																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.00</td><td>71.43</td><td>117.74</td><td>-46.31</td><td>52.99</td><td>34.91</td><td>13.89</td><td>30.36</td><td>0.00</td><td>101</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>5860.40</td><td>68.32</td><td>109.39</td><td>-41.07</td><td>49.88</td><td>34.94</td><td>13.87</td><td>30.37</td><td>0.00</td><td>101</td><td>298</td><td>PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>56.17</td><td>70.12</td><td>-13.95</td><td>37.70</td><td>35.14</td><td>13.73</td><td>30.40</td><td>0.00</td><td>101</td><td>298</td><td>PEAK</td></tr><tr><td>4</td><td>5961.20</td><td>57.70</td><td>68.20</td><td>-10.50</td><td>39.27</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>101</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.00	71.43	117.74	-46.31	52.99	34.91	13.89	30.36	0.00	101	298	PEAK	2	5860.40	68.32	109.39	-41.07	49.88	34.94	13.87	30.37	0.00	101	298	PEAK	3	5922.40	56.17	70.12	-13.95	37.70	35.14	13.73	30.40	0.00	101	298	PEAK	4	5961.20	57.70	68.20	-10.50	39.27	35.22	13.63	30.42	0.00	101	298	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5852.00	71.43	117.74	-46.31	52.99	34.91	13.89	30.36	0.00	101	298	PEAK																																																																																		
2	5860.40	68.32	109.39	-41.07	49.88	34.94	13.87	30.37	0.00	101	298	PEAK																																																																																		
3	5922.40	56.17	70.12	-13.95	37.70	35.14	13.73	30.40	0.00	101	298	PEAK																																																																																		
4	5961.20	57.70	68.20	-10.50	39.27	35.22	13.63	30.42	0.00	101	298	PEAK																																																																																		





Mode	90																																																																																																																																																										
	Band Edge - L																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																																																										
ANT	TXBF1S4T																																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																																				
Peak																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.00</td><td>58.31</td><td>68.20</td><td>-9.89</td><td>40.05</td><td>34.50</td><td>13.05</td><td>29.29</td><td>0.00</td><td>223</td><td>47</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>57.75</td><td>70.29</td><td>-12.54</td><td>39.58</td><td>34.51</td><td>13.01</td><td>29.35</td><td>0.00</td><td>223</td><td>47</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>66.23</td><td>105.30</td><td>-39.07</td><td>48.13</td><td>34.60</td><td>13.09</td><td>29.59</td><td>0.00</td><td>223</td><td>47</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>66.70</td><td>110.90</td><td>-44.20</td><td>48.49</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>223</td><td>47</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.00	58.31	68.20	-9.89	40.05	34.50	13.05	29.29	0.00	223	47	PEAK	2	5652.00	57.75	70.29	-12.54	39.58	34.51	13.01	29.35	0.00	223	47	PEAK	3	5700.00	66.23	105.30	-39.07	48.13	34.60	13.09	29.59	0.00	223	47	PEAK	4	5720.00	66.70	110.90	-44.20	48.49	34.64	13.26	29.69	0.00	223	47	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5410.00</td><td>63.89</td><td>74.00</td><td>-10.11</td><td>45.96</td><td>34.60</td><td>12.98</td><td>29.65</td><td>0.00</td><td>223</td><td>47</td><td>Peak</td></tr><tr><td>2</td><td>5795.00</td><td>121.37</td><td>-----</td><td>-----</td><td>102.37</td><td>34.81</td><td>14.31</td><td>30.12</td><td>0.00</td><td>223</td><td>47</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5410.00	63.89	74.00	-10.11	45.96	34.60	12.98	29.65	0.00	223	47	Peak	2	5795.00	121.37	-----	-----	102.37	34.81	14.31	30.12	0.00	223	47
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	5636.00	58.31	68.20	-9.89	40.05	34.50	13.05	29.29	0.00	223	47	PEAK																																																																																																																																															
2	5652.00	57.75	70.29	-12.54	39.58	34.51	13.01	29.35	0.00	223	47	PEAK																																																																																																																																															
3	5700.00	66.23	105.30	-39.07	48.13	34.60	13.09	29.59	0.00	223	47	PEAK																																																																																																																																															
4	5720.00	66.70	110.90	-44.20	48.49	34.64	13.26	29.69	0.00	223	47	PEAK																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	5410.00	63.89	74.00	-10.11	45.96	34.60	12.98	29.65	0.00	223	47	Peak																																																																																																																																															
2	5795.00	121.37	-----	-----	102.37	34.81	14.31	30.12	0.00	223	47	PEAK																																																																																																																																															
Avg																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5410.00</td><td>53.18</td><td>54.00</td><td>-0.82</td><td>35.25</td><td>34.60</td><td>12.98</td><td>29.65</td><td>0.00</td><td>223</td><td>47</td><td>Average</td></tr><tr><td>2</td><td>5795.00</td><td>111.44</td><td>-----</td><td>-----</td><td>92.44</td><td>34.81</td><td>14.31</td><td>30.12</td><td>0.00</td><td>223</td><td>47</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5410.00	53.18	54.00	-0.82	35.25	34.60	12.98	29.65	0.00	223	47	Average	2	5795.00	111.44	-----	-----	92.44	34.81	14.31	30.12	0.00	223	47	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	5410.00	53.18	54.00	-0.82	35.25	34.60	12.98	29.65	0.00	223	47	Average																																																																																																																																															
2	5795.00	111.44	-----	-----	92.44	34.81	14.31	30.12	0.00	223	47	AVERAGE																																																																																																																																															






Mode	90																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																							
ANT	TXBF1S4T																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>70.60</td><td>112.27</td><td>-41.67</td><td>52.17</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>223</td><td>47 PEAK</td></tr><tr><td>2</td><td>5858.80</td><td>71.95</td><td>109.83</td><td>-37.88</td><td>53.51</td><td>34.94</td><td>13.87</td><td>30.37</td><td>0.00</td><td>223</td><td>47 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>57.01</td><td>68.35</td><td>-11.34</td><td>38.54</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>223</td><td>47 PEAK</td></tr><tr><td>4</td><td>5970.00</td><td>58.39</td><td>68.20</td><td>-9.81</td><td>39.97</td><td>35.24</td><td>13.61</td><td>30.43</td><td>0.00</td><td>223</td><td>47 PEAK</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	70.60	112.27	-41.67	52.17	34.92	13.88	30.37	0.00	223	47 PEAK	2	5858.80	71.95	109.83	-37.88	53.51	34.94	13.87	30.37	0.00	223	47 PEAK	3	5924.80	57.01	68.35	-11.34	38.54	35.15	13.73	30.41	0.00	223	47 PEAK	4	5970.00	58.39	68.20	-9.81	39.97	35.24	13.61	30.43	0.00	223	47 PEAK	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5854.40	70.60	112.27	-41.67	52.17	34.92	13.88	30.37	0.00	223	47 PEAK																																																													
2	5858.80	71.95	109.83	-37.88	53.51	34.94	13.87	30.37	0.00	223	47 PEAK																																																													
3	5924.80	57.01	68.35	-11.34	38.54	35.15	13.73	30.41	0.00	223	47 PEAK																																																													
4	5970.00	58.39	68.20	-9.81	39.97	35.24	13.61	30.43	0.00	223	47 PEAK																																																													




		90																																																															
Mode		Harmonic																																																															
		U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																															
ANT		TXBF1S4T																																																															
Pol.		Horizontal					Vertical																																																										
Peak Avg																																																																	
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>52.43</td><td>38.48</td><td>18.58</td><td>64.11</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	45.38	74.00	-28.62	52.43	38.48	18.58	64.11	0.00	--	-- PEAK											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 11590.00	45.38	74.00	-28.62	52.43	38.48	18.58	64.11	0.00	--	-- PEAK																																																							
																																																																	
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>48.03</td><td>74.00</td><td>-25.97</td><td>55.08</td><td>38.48</td><td>18.58</td><td>64.11</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2 11590.00</td><td>35.89</td><td>54.00</td><td>-18.11</td><td>42.93</td><td>38.47</td><td>18.59</td><td>64.10</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	48.03	74.00	-25.97	55.08	38.48	18.58	64.11	0.00	100	360 PEAK	2 11590.00	35.89	54.00	-18.11	42.93	38.47	18.59	64.10	0.00	100	360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 11590.00	48.03	74.00	-25.97	55.08	38.48	18.58	64.11	0.00	100	360 PEAK																																																							
2 11590.00	35.89	54.00	-18.11	42.93	38.47	18.59	64.10	0.00	100	360 AVERAGE																																																							






		91																																																																																																																																											
Mode		Band Edge - L																																																																																																																																											
		U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																																											
ANT		TXBF1S4T																																																																																																																																											
Pol.	Horizontal										Fundamental																																																																																																																																		
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5643.60</td><td>61.78</td><td>68.20</td><td>-6.42</td><td>43.56</td><td>34.50</td><td>13.03</td><td>29.31</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>2 5650.40</td><td>65.91</td><td>68.50</td><td>-2.59</td><td>47.74</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>3 5712.00</td><td>81.08</td><td>108.66</td><td>-27.58</td><td>62.92</td><td>34.62</td><td>13.19</td><td>29.65</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>4 5721.60</td><td>82.04</td><td>114.55</td><td>-32.51</td><td>63.82</td><td>34.64</td><td>13.28</td><td>29.70</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5643.60	61.78	68.20	-6.42	43.56	34.50	13.03	29.31	0.00	100	287	PEAK	2 5650.40	65.91	68.50	-2.59	47.74	34.50	13.01	29.34	0.00	100	287	PEAK	3 5712.00	81.08	108.66	-27.58	62.92	34.62	13.19	29.65	0.00	100	287	PEAK	4 5721.60	82.04	114.55	-32.51	63.82	34.64	13.28	29.70	0.00	100	287	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>113.36</td><td>-----</td><td>-----</td><td>95.07</td><td>34.67</td><td>13.38</td><td>29.76</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	113.36	-----	-----	95.07	34.67	13.38	29.76	0.00	100	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 5643.60	61.78	68.20	-6.42	43.56	34.50	13.03	29.31	0.00	100	287	PEAK																																																																																																																																		
2 5650.40	65.91	68.50	-2.59	47.74	34.50	13.01	29.34	0.00	100	287	PEAK																																																																																																																																		
3 5712.00	81.08	108.66	-27.58	62.92	34.62	13.19	29.65	0.00	100	287	PEAK																																																																																																																																		
4 5721.60	82.04	114.55	-32.51	63.82	34.64	13.28	29.70	0.00	100	287	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 5775.00	113.36	-----	-----	95.07	34.67	13.38	29.76	0.00	100	287	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																												
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>104.56</td><td>-----</td><td>-----</td><td>86.24</td><td>34.68</td><td>13.43</td><td>29.79</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	104.56	-----	-----	86.24	34.68	13.43	29.79	0.00	100	287	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 5775.00	104.56	-----	-----	86.24	34.68	13.43	29.79	0.00	100	287	AVERAGE																																																																																																																																		




Mode	91																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.12</td><td>113.18</td><td>-46.06</td><td>48.69</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>5866.80</td><td>64.58</td><td>107.59</td><td>-43.01</td><td>46.13</td><td>34.97</td><td>13.86</td><td>30.38</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>55.42</td><td>69.83</td><td>-14.41</td><td>36.94</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>5942.40</td><td>57.83</td><td>68.20</td><td>-10.37</td><td>39.39</td><td>35.18</td><td>13.67</td><td>30.41</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	67.12	113.18	-46.06	48.69	34.92	13.88	30.37	0.00	100	287	PEAK	2	5866.80	64.58	107.59	-43.01	46.13	34.97	13.86	30.38	0.00	100	287	PEAK	3	5922.80	55.42	69.83	-14.41	36.94	35.15	13.73	30.40	0.00	100	287	PEAK	4	5942.40	57.83	68.20	-10.37	39.39	35.18	13.67	30.41	0.00	100	287	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	67.12	113.18	-46.06	48.69	34.92	13.88	30.37	0.00	100	287	PEAK																																																																									
2	5866.80	64.58	107.59	-43.01	46.13	34.97	13.86	30.38	0.00	100	287	PEAK																																																																									
3	5922.80	55.42	69.83	-14.41	36.94	35.15	13.73	30.40	0.00	100	287	PEAK																																																																									
4	5942.40	57.83	68.20	-10.37	39.39	35.18	13.67	30.41	0.00	100	287	PEAK																																																																									





Mode	91																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>67.21</td><td>68.20</td><td>-0.99</td><td>48.99</td><td>34.50</td><td>13.03</td><td>29.31</td><td>0.00</td><td>119</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5654.00</td><td>70.12</td><td>71.18</td><td>-1.06</td><td>51.95</td><td>34.51</td><td>13.02</td><td>29.36</td><td>0.00</td><td>119</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>77.09</td><td>107.43</td><td>-30.34</td><td>58.94</td><td>34.62</td><td>13.16</td><td>29.63</td><td>0.00</td><td>119</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>79.40</td><td>110.90</td><td>-31.50</td><td>61.19</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>119</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	67.21	68.20	-0.99	48.99	34.50	13.03	29.31	0.00	119	266	PEAK	2	5654.00	70.12	71.18	-1.06	51.95	34.51	13.02	29.36	0.00	119	266	PEAK	3	5707.60	77.09	107.43	-30.34	58.94	34.62	13.16	29.63	0.00	119	266	PEAK	4	5720.00	79.40	110.90	-31.50	61.19	34.64	13.26	29.69	0.00	119	266	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>116.25</td><td>-----</td><td>-----</td><td>97.89</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>119</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	116.25	-----	-----	97.89	34.69	13.49	29.82	0.00	119	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5644.00	67.21	68.20	-0.99	48.99	34.50	13.03	29.31	0.00	119	266	PEAK																																																																																																																														
2	5654.00	70.12	71.18	-1.06	51.95	34.51	13.02	29.36	0.00	119	266	PEAK																																																																																																																														
3	5707.60	77.09	107.43	-30.34	58.94	34.62	13.16	29.63	0.00	119	266	PEAK																																																																																																																														
4	5720.00	79.40	110.90	-31.50	61.19	34.64	13.26	29.69	0.00	119	266	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	116.25	-----	-----	97.89	34.69	13.49	29.82	0.00	119	266	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>106.50</td><td>-----</td><td>-----</td><td>88.14</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>119</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	106.50	-----	-----	88.14	34.69	13.49	29.82	0.00	119	266	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	106.50	-----	-----	88.14	34.69	13.49	29.82	0.00	119	266	AVERAGE																																																																																																																														



Mode	91																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>73.06</td><td>111.36</td><td>-38.30</td><td>54.63</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>119</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5858.40</td><td>77.14</td><td>109.95</td><td>-32.81</td><td>58.71</td><td>34.93</td><td>13.87</td><td>30.37</td><td>0.00</td><td>119</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.33</td><td>68.94</td><td>-13.61</td><td>36.85</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>119</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5943.20</td><td>56.86</td><td>68.20</td><td>-11.34</td><td>38.41</td><td>35.19</td><td>13.67</td><td>30.41</td><td>0.00</td><td>119</td><td>266</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	73.06	111.36	-38.30	54.63	34.92	13.88	30.37	0.00	119	266	PEAK	2	5858.40	77.14	109.95	-32.81	58.71	34.93	13.87	30.37	0.00	119	266	PEAK	3	5924.00	55.33	68.94	-13.61	36.85	35.15	13.73	30.40	0.00	119	266	PEAK	4	5943.20	56.86	68.20	-11.34	38.41	35.19	13.67	30.41	0.00	119	266	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	73.06	111.36	-38.30	54.63	34.92	13.88	30.37	0.00	119	266	PEAK																																																																																		
2	5858.40	77.14	109.95	-32.81	58.71	34.93	13.87	30.37	0.00	119	266	PEAK																																																																																		
3	5924.00	55.33	68.94	-13.61	36.85	35.15	13.73	30.40	0.00	119	266	PEAK																																																																																		
4	5943.20	56.86	68.20	-11.34	38.41	35.19	13.67	30.41	0.00	119	266	PEAK																																																																																		





Mode	91																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																								
ANT	TXBF1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11550.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>52.40</td><td>38.40</td><td>18.67</td><td>64.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11550.00	45.46	74.00	-28.54	52.40	38.40	18.67	64.01	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11550.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>52.20</td><td>38.40</td><td>18.67</td><td>64.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11550.00	45.26	74.00	-28.74	52.20	38.40	18.67	64.01	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11550.00	45.46	74.00	-28.54	52.40	38.40	18.67	64.01	0.00	--	--	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11550.00	45.26	74.00	-28.74	52.20	38.40	18.67	64.01	0.00	--	--	PEAK																																																																																														



Mode	87	
	18G-40G	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz	
ANT	TXBF1S4T	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	87																																																																																																																																																																																																							
	30-1G																																																																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																																																																																																							
ANT	TXBF1S4T																																																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																																																	
QP																																																																																																																																																																																																								
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>18.93</td><td>-21.07</td><td>40.00</td><td>26.67</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>88.20</td><td>19.55</td><td>-23.95</td><td>43.50</td><td>36.21</td><td>1.40</td><td>14.78</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>309.36</td><td>18.58</td><td>-27.42</td><td>46.00</td><td>29.21</td><td>2.68</td><td>19.53</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>562.53</td><td>26.08</td><td>-19.92</td><td>46.00</td><td>30.49</td><td>3.62</td><td>25.07</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>777.87</td><td>28.96</td><td>-17.04</td><td>46.00</td><td>31.39</td><td>4.26</td><td>26.07</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>878.75</td><td>31.42</td><td>-14.58</td><td>46.00</td><td>32.30</td><td>4.53</td><td>26.64</td><td>32.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.00	18.93	-21.07	40.00	26.67	0.71	24.57	33.02	---	---	Peak	2	88.20	19.55	-23.95	43.50	36.21	1.40	14.78	32.84	---	---	Peak	3	309.36	18.58	-27.42	46.00	29.21	2.68	19.53	32.84	---	---	Peak	4	562.53	26.08	-19.92	46.00	30.49	3.62	25.07	33.10	---	---	Peak	5	777.87	28.96	-17.04	46.00	31.39	4.26	26.07	32.76	---	---	Peak	6	878.75	31.42	-14.58	46.00	32.30	4.53	26.64	32.05	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>22.04</td><td>-17.96</td><td>40.00</td><td>29.78</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>89.17</td><td>24.93</td><td>-18.57</td><td>43.50</td><td>41.40</td><td>1.41</td><td>14.97</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>138.64</td><td>22.02</td><td>-21.48</td><td>43.50</td><td>36.51</td><td>1.77</td><td>16.57</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>363.68</td><td>20.65</td><td>-25.35</td><td>46.00</td><td>29.88</td><td>2.90</td><td>20.77</td><td>32.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>575.14</td><td>28.72</td><td>-17.28</td><td>46.00</td><td>33.13</td><td>3.66</td><td>25.03</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>780.78</td><td>30.35</td><td>-15.65</td><td>46.00</td><td>32.75</td><td>4.27</td><td>26.09</td><td>32.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.00	22.04	-17.96	40.00	29.78	0.71	24.57	33.02	---	---	Peak	2	89.17	24.93	-18.57	43.50	41.40	1.41	14.97	32.85	---	---	Peak	3	138.64	22.02	-21.48	43.50	36.51	1.77	16.57	32.83	---	---	Peak	4	363.68	20.65	-25.35	46.00	29.88	2.90	20.77	32.90	---	---	Peak	5	575.14	28.72	-17.28	46.00	33.13	3.66	25.03	33.10	---	---	Peak	6	780.78	30.35	-15.65	46.00	32.75	4.27	26.09	32.76	---	---	Peak
		Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																														
1	30.00	18.93	-21.07	40.00	26.67	0.71	24.57	33.02	---	---	Peak																																																																																																																																																																																													
2	88.20	19.55	-23.95	43.50	36.21	1.40	14.78	32.84	---	---	Peak																																																																																																																																																																																													
3	309.36	18.58	-27.42	46.00	29.21	2.68	19.53	32.84	---	---	Peak																																																																																																																																																																																													
4	562.53	26.08	-19.92	46.00	30.49	3.62	25.07	33.10	---	---	Peak																																																																																																																																																																																													
5	777.87	28.96	-17.04	46.00	31.39	4.26	26.07	32.76	---	---	Peak																																																																																																																																																																																													
6	878.75	31.42	-14.58	46.00	32.30	4.53	26.64	32.05	---	---	Peak																																																																																																																																																																																													
	Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																														
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																														
1	30.00	22.04	-17.96	40.00	29.78	0.71	24.57	33.02	---	---	Peak																																																																																																																																																																																													
2	89.17	24.93	-18.57	43.50	41.40	1.41	14.97	32.85	---	---	Peak																																																																																																																																																																																													
3	138.64	22.02	-21.48	43.50	36.51	1.77	16.57	32.83	---	---	Peak																																																																																																																																																																																													
4	363.68	20.65	-25.35	46.00	29.88	2.90	20.77	32.90	---	---	Peak																																																																																																																																																																																													
5	575.14	28.72	-17.28	46.00	33.13	3.66	25.03	33.10	---	---	Peak																																																																																																																																																																																													
6	780.78	30.35	-15.65	46.00	32.75	4.27	26.09	32.76	---	---	Peak																																																																																																																																																																																													