

Test Engineer:	Jiang Jun	Temperature:	21~25	°C
Test Date:	2024.7.14~2024.8.29	Relative Humidity:	51~54	%

TEST RESULTS DATA
Average Power Table

U-NII-1																	
Mod.	Data Rate	Ntx	CH.	Freq. (MHz)	RU Config	Ant	Average Conducted Power with duty factor (dBm)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
							Ant 1	Ant 2	Ant 3	Ant 4	SUM						
11a	6Mbps	4	36	5180		1+2+3+4	19.27	20.19	19.26	19.21	25.52	30.00	5.49	31.01	-	Pass	21
11a	6Mbps	4	44	5220		1+2+3+4	21.05	20.91	21.32	20.46	26.97	30.00	5.49	32.46	-	Pass	22
11a	6Mbps	4	48	5240		1+2+3+4	20.47	21.05	21.38	20.83	26.97	30.00	5.49	32.46	-	Pass	22
HT20	MCS0	4	36	5180		1+2+3+4	17.05	17.87	16.99	16.81	23.22	30.00	5.49	28.71	-	Pass	18.5
HT20	MCS0	4	44	5220		1+2+3+4	21.11	21.73	21.58	21.36	27.47	30.00	5.49	32.96	-	Pass	21.5
HT20	MCS0	4	48	5240		1+2+3+4	20.56	20.98	21.24	20.88	26.94	30.00	5.49	32.43	-	Pass	22
HT40	MCS0	4	38	5190		1+2+3+4	16.71	17.16	16.73	16.77	22.87	30.00	5.49	28.36	-	Pass	18
HT40	MCS0	4	46	5230		1+2+3+4	19.49	19.88	19.94	19.67	25.77	30.00	5.49	31.26	-	Pass	20.5
VHT20	MCS0	4	36	5180		1+2+3+4	17.09	17.94	17.06	16.84	23.27	30.00	5.49	28.76	-	Pass	18.5
VHT20	MCS0	4	44	5220		1+2+3+4	21.15	21.79	21.61	21.39	27.51	30.00	5.49	33.00	-	Pass	21.5
VHT20	MCS0	4	48	5240		1+2+3+4	20.62	21.01	21.29	20.94	26.99	30.00	5.49	32.48	-	Pass	22
VHT40	MCS0	4	38	5190		1+2+3+4	16.75	17.23	16.77	16.84	22.92	30.00	5.49	28.41	-	Pass	18
VHT40	MCS0	4	46	5230		1+2+3+4	19.54	19.94	20.01	19.73	25.83	30.00	5.49	31.32	-	Pass	20.5
VHT80	MCS0	4	42	5210		1+2+3+4	14.75	15.52	14.78	14.87	21.01	30.00	5.49	26.50	-	Pass	16
VHT160	MCS0	4	50	5250		1+2+3+4	12.53	13.11	13.20	13.07	19.01	30.00	5.49	24.50	-	Pass	13.5
HE20	MCS0	4	36	5180	Full	1+2+3+4	17.37	18.33	17.23	17.14	23.57	30.00	5.49	29.06	-	Pass	19
HE20	MCS0	4	36	5180	4*52ru	1+2+3+4	16.10	16.94	15.96	15.98	22.29	30.00	5.49	27.78	-	Pass	17
HE20	MCS0	4	44	5220	Full	1+2+3+4	21.22	21.77	21.50	21.43	27.51	30.00	5.49	33.00	-	Pass	22.5
HE20	MCS0	4	44	5220	4*52ru	1+2+3+4	20.58	20.87	20.69	20.72	26.74	30.00	5.49	32.23	-	Pass	21.5
HE20	MCS0	4	48	5240	Full	1+2+3+4	21.09	21.47	21.84	21.41	27.48	30.00	5.49	32.97	-	Pass	22.5
HE20	MCS0	4	48	5240	4*52ru	1+2+3+4	19.57	19.95	20.02	19.90	25.88	30.00	5.49	31.37	-	Pass	20.5
HE40	MCS0	4	38	5190	Full	1+2+3+4	17.00	17.45	17.08	17.03	23.16	30.00	5.49	28.65	-	Pass	18.5
HE40	MCS0	4	38	5190	8*52ru	1+2+3+4	16.05	16.55	15.94	16.26	22.23	30.00	5.49	27.72	-	Pass	17.5
HE40	MCS0	4	46	5230	Full	1+2+3+4	20.03	20.27	20.23	20.09	26.18	30.00	5.49	31.67	-	Pass	21
HE40	MCS0	4	46	5230	8*52ru	1+2+3+4	18.99	19.16	19.10	18.99	25.08	30.00	5.49	30.57	-	Pass	20
HE80	MCS0	4	42	5210	Full	1+2+3+4	15.23	16.05	15.37	15.25	21.51	30.00	5.49	27.00	-	Pass	16.5
HE80	MCS0	4	42	5210	8*106ru	1+2+3+4	14.33	15.14	14.23	14.38	20.56	30.00	5.49	26.05	-	Pass	15.5
HE160	MCS0	4	50	5250	Full	1+2+3+4	13.05	13.53	13.66	13.50	19.46	30.00	5.49	24.95	-	Pass	14
HE160	MCS0	4	50	5250	8*242ru	1+2+3+4	12.08	12.81	12.75	12.57	18.58	30.00	5.49	24.07	-	Pass	13
EHT20	MCS0	4	36	5180	Full	1+2+3+4	17.42	18.37	17.30	17.18	23.61	30.00	5.49	29.10	-	Pass	19
EHT20	MCS0	4	36	5180	4*52ru	1+2+3+4	16.14	16.98	16.01	16.03	22.33	30.00	5.49	27.82	-	Pass	17
EHT20	MCS0	4	44	5220	Full	1+2+3+4	21.28	21.82	21.57	21.48	27.56	30.00	5.49	33.05	-	Pass	22.5
EHT20	MCS0	4	44	5220	4*52ru	1+2+3+4	20.61	20.92	20.72	20.78	26.78	30.00	5.49	32.27	-	Pass	21.5
EHT20	MCS0	4	48	5240	Full	1+2+3+4	21.13	21.52	21.87	21.46	27.52	30.00	5.49	33.01	-	Pass	22.5
EHT20	MCS0	4	48	5240	4*52ru	1+2+3+4	19.60	20.00	20.08	19.94	25.93	30.00	5.49	31.42	-	Pass	20.5
EHT40	MCS0	4	38	5190	Full	1+2+3+4	17.05	17.48	17.13	17.03	23.20	30.00	5.49	28.69	-	Pass	18.5
EHT40	MCS0	4	38	5190	8*52ru	1+2+3+4	16.09	16.59	16.00	16.32	22.28	30.00	5.49	27.77	-	Pass	17.5
EHT40	MCS0	4	46	5230	Full	1+2+3+4	20.07	20.32	20.26	20.14	26.22	30.00	5.49	31.71	-	Pass	21
EHT40	MCS0	4	46	5230	8*52ru	1+2+3+4	19.02	19.19	19.15	19.02	25.12	30.00	5.49	30.61	-	Pass	20
EHT80	MCS0	4	42	5210	Full	1+2+3+4	15.29	16.09	15.40	15.32	21.56	30.00	5.49	27.05	-	Pass	16.5
EHT80	MCS0	4	42	5210	8*106ru	1+2+3+4	14.37	15.18	14.30	14.41	20.60	30.00	5.49	26.09	-	Pass	15.5
EHT80	MCS0	4	42	5210	Puncturing 20M ①	1+2+3+4	13.83	14.59	13.68	13.98	20.05	30.00	5.49	25.54	-	Pass	14.5
EHT160	MCS0	4	50	5250	Full	1+2+3+4	13.08	13.57	13.71	13.54	19.50	30.00	5.49	24.99	-	Pass	14
EHT160	MCS0	4	50	5250	8*242ru	1+2+3+4	12.12	12.87	12.81	12.64	18.64	30.00	5.49	24.13	-	Pass	13
EHT160	MCS0	4	50	5250	Puncturing 20M ①	1+2+3+4	11.78	12.31	12.51	12.33	18.26	30.00	5.49	23.75	-	Pass	12.5
EHT160	MCS0	4	50	5250	Puncturing 20M ⑧	1+2+3+4	11.86	12.55	12.63	12.39	18.39	30.00	5.49	23.88	-	Pass	12.5
EHT160	MCS0	4	50	5250	Puncturing 40M ①	1+2+3+4	10.79	11.40	11.56	11.34	17.30	30.00	5.49	22.79	-	Pass	12
EHT160	MCS0	4	50	5250	Puncturing 40M ④	1+2+3+4	10.97	11.69	11.59	11.45	17.45	30.00	5.49	22.94	-	Pass	12

TEST RESULTS DATA
Average Power Table

U-NII-2A																	
Mod.	Data Rate	Nrx	CH.	Freq. (MHz)	RU Config	Ant	Average Conducted Power with Duty Factor (dB)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
							Ant 1	Ant 2	Ant 3	Ant 4	SUM						
11a	6Mbps	4	52	5260		1+2+3+4	14.26	15.25	15.41	14.73	20.96	23.98	5.49	26.45	30.00	Pass	16
11a	6Mbps	4	60	5300		1+2+3+4	13.98	14.87	14.77	14.23	20.50	23.98	5.49	25.99	30.00	Pass	15.5
11a	6Mbps	4	64	5320		1+2+3+4	14.28	15.01	14.78	14.47	20.66	23.98	5.49	26.15	30.00	Pass	16.5
HT20	MCS0	4	52	5260		1+2+3+4	14.40	15.22	15.41	14.84	21.01	23.98	5.49	26.50	30.00	Pass	16
HT20	MCS0	4	60	5300		1+2+3+4	14.34	15.39	15.25	14.83	20.99	23.98	5.49	26.48	30.00	Pass	16
HT20	MCS0	4	64	5320		1+2+3+4	14.81	15.40	15.22	15.19	21.18	23.98	5.49	26.67	30.00	Pass	17
HT40	MCS0	4	54	5270		1+2+3+4	16.32	17.13	17.28	16.50	22.85	23.98	5.49	28.34	30.00	Pass	18
HT40	MCS0	4	62	5310		1+2+3+4	14.55	14.42	14.72	14.76	20.64	23.98	5.49	26.13	30.00	Pass	15.5
VHT20	MCS0	4	52	5260		1+2+3+4	14.44	15.28	15.48	14.89	21.06	23.98	5.49	26.55	30.00	Pass	16
VHT20	MCS0	4	60	5300		1+2+3+4	14.39	15.46	15.29	14.87	21.04	23.98	5.49	26.53	30.00	Pass	16
VHT20	MCS0	4	64	5320		1+2+3+4	14.88	15.45	15.26	15.23	21.23	23.98	5.49	26.72	30.00	Pass	17
VHT40	MCS0	4	54	5270		1+2+3+4	16.37	17.18	17.33	16.57	22.90	23.98	5.49	28.39	30.00	Pass	18
VHT40	MCS0	4	62	5310		1+2+3+4	14.58	14.48	14.77	14.80	20.68	23.98	5.49	26.17	30.00	Pass	15.5
VHT80	MCS0	4	58	5290		1+2+3+4	12.94	13.61	13.69	13.45	19.45	23.98	5.49	24.94	30.00	Pass	14
VHT160	MCS0	4	50	5250		1+2+3+4	12.53	13.11	13.20	13.07	19.01	23.98	5.49	24.50	30.00	Pass	13.5
HE20	MCS0	4	52	5260		Full	1+2+3+4	14.90	15.81	15.93	15.30	21.52	23.98	5.49	27.01	30.00	Pass
HE20	MCS0	4	52	5260	4*52ru	1+2+3+4	13.93	14.63	14.93	14.52	20.54	23.98	5.49	26.03	30.00	Pass	15
HE20	MCS0	4	60	5300	Full	1+2+3+4	14.49	15.51	15.41	14.90	21.12	23.98	5.49	26.61	30.00	Pass	16
HE20	MCS0	4	60	5300	4*52ru	1+2+3+4	13.54	14.47	14.45	14.05	20.16	23.98	5.49	25.65	30.00	Pass	14.5
HE20	MCS0	4	64	5320	Full	1+2+3+4	14.89	15.56	15.39	15.19	21.29	23.98	5.49	26.78	30.00	Pass	17
HE20	MCS0	4	64	5320	4*52ru	1+2+3+4	14.11	14.64	14.43	14.31	20.40	23.98	5.49	25.89	30.00	Pass	15.5
HE40	MCS0	4	54	5270	Full	1+2+3+4	16.76	17.64	17.67	16.91	23.29	23.98	5.49	28.78	30.00	Pass	18.5
HE40	MCS0	4	54	5270	8*52ru	1+2+3+4	16.05	16.69	16.94	16.33	22.54	23.98	5.49	28.03	30.00	Pass	17.5
HE40	MCS0	4	62	5310	Full	1+2+3+4	14.90	14.71	15.01	14.95	20.91	23.98	5.49	26.40	30.00	Pass	16
HE40	MCS0	4	62	5310	8*52ru	1+2+3+4	13.98	13.95	13.90	14.03	19.99	23.98	5.49	25.48	30.00	Pass	15
HE80	MCS0	4	58	5290	Full	1+2+3+4	13.37	14.11	14.25	13.99	19.96	23.98	5.49	25.45	30.00	Pass	14.5
HE80	MCS0	4	58	5290	8*106ru	1+2+3+4	12.56	13.29	13.17	13.11	19.06	23.98	5.49	24.55	30.00	Pass	13.5
HE160	MCS0	4	50	5250	Full	1+2+3+4	13.05	13.53	13.66	13.50	19.46	23.98	5.49	24.95	30.00	Pass	14
HE160	MCS0	4	50	5250	8*242ru	1+2+3+4	12.08	12.81	12.75	12.57	18.58	23.98	5.49	24.07	30.00	Pass	13
EHT20	MCS0	4	52	5260	Full	1+2+3+4	14.95	15.86	16.00	15.34	21.58	23.98	5.49	27.07	30.00	Pass	16.5
EHT20	MCS0	4	52	5260	4*52ru	1+2+3+4	13.98	14.69	14.97	14.57	20.59	23.98	5.49	26.08	30.00	Pass	15
EHT20	MCS0	4	60	5300	Full	1+2+3+4	14.54	15.56	15.47	14.96	21.17	23.98	5.49	26.66	30.00	Pass	16
EHT20	MCS0	4	60	5300	4*52ru	1+2+3+4	13.60	14.51	14.51	14.09	20.21	23.98	5.49	25.70	30.00	Pass	14.5
EHT20	MCS0	4	64	5320	Full	1+2+3+4	14.96	15.60	15.45	15.22	21.33	23.98	5.49	26.82	30.00	Pass	17
EHT20	MCS0	4	64	5320	4*52ru	1+2+3+4	14.14	14.67	14.46	14.38	20.44	23.98	5.49	25.93	30.00	Pass	15.5
EHT40	MCS0	4	54	5270	Full	1+2+3+4	16.80	17.69	17.70	16.94	23.32	23.98	5.49	28.81	30.00	Pass	18.5
EHT40	MCS0	4	54	5270	8*52ru	1+2+3+4	16.10	16.74	16.99	16.36	22.58	23.98	5.49	28.07	30.00	Pass	17.5
EHT40	MCS0	4	62	5310	Full	1+2+3+4	14.93	14.74	15.05	15.00	20.95	23.98	5.49	26.44	30.00	Pass	16
EHT40	MCS0	4	62	5310	8*52ru	1+2+3+4	14.02	13.98	13.94	14.07	20.02	23.98	5.49	25.51	30.00	Pass	15
EHT80	MCS0	4	58	5290	Full	1+2+3+4	13.45	14.17	14.29	14.02	20.01	23.98	5.49	25.50	30.00	Pass	14.5
EHT80	MCS0	4	58	5290	8*106ru	1+2+3+4	12.59	13.33	13.22	13.17	19.11	23.98	5.49	24.60	30.00	Pass	13.5
EHT80	MCS0	4	58	5290	Puncturing 20M ①	1+2+3+4	11.83	12.51	12.45	12.55	18.37	23.98	5.49	23.86	30.00	Pass	12.5
EHT160	MCS0	4	50	5250	Full	1+2+3+4	13.08	13.57	13.71	13.54	19.50	23.98	5.49	24.99	30.00	Pass	14
EHT160	MCS0	4	50	5250	8*242ru	1+2+3+4	12.12	12.87	12.81	12.64	18.64	23.98	5.49	24.13	30.00	Pass	13
EHT160	MCS0	4	50	5250	Puncturing 20M ①	1+2+3+4	11.78	12.31	12.51	12.33	18.26	23.98	5.49	23.75	30.00	Pass	12.5
EHT160	MCS0	4	50	5250	Puncturing 20M ②	1+2+3+4	11.86	12.55	12.63	12.39	18.39	23.98	5.49	23.88	30.00	Pass	12.5
EHT160	MCS0	4	50	5250	Puncturing 40M ①	1+2+3+4	10.79	11.40	11.56	11.34	17.30	23.98	5.49	22.79	30.00	Pass	12
EHT160	MCS0	4	50	5250	Puncturing 40M ②	1+2+3+4	10.97	11.69	11.59	11.45	17.45	23.98	5.49	22.94	30.00	Pass	12

TEST RESULTS DATA
Average Power Table

U-NII-2C																	
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	RU Config	Ant	Average Conducted Power with Duty Factor (dB)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
							Ant 1	Ant 2	Ant 3	Ant 4	SUM						
11a	6Mbps	4	100	5500		1+2+3+4	14.06	15.13	14.65	14.48	20.62	23.98	5.14	25.76	30.00	Pass	15.5
11a	6Mbps	4	116	5580		1+2+3+4	14.68	15.09	15.04	14.68	20.90	23.98	5.14	26.04	30.00	Pass	16.5
11a	6Mbps	4	140	5700		1+2+3+4	14.36	15.21	14.77	14.44	20.73	23.98	5.14	25.87	30.00	Pass	16
11a	6Mbps	4	144	5720		1+2+3+4	14.41	14.72	14.68	14.58	20.62	23.98	5.14	25.76	30.00	Pass	16
HT20	MCS0	4	100	5500		1+2+3+4	14.28	15.31	14.80	14.83	20.84	23.98	5.14	25.98	30.00	Pass	15.5
HT20	MCS0	4	116	5580		1+2+3+4	14.82	15.15	15.04	14.72	20.96	23.98	5.14	26.10	30.00	Pass	16.5
HT20	MCS0	4	140	5700		1+2+3+4	14.42	15.34	14.84	14.55	20.82	23.98	5.14	25.96	30.00	Pass	16
HT20	MCS0	4	144	5720		1+2+3+4	14.55	14.93	14.74	14.68	20.75	23.98	5.14	25.89	30.00	Pass	16
HT40	MCS0	4	102	5510		1+2+3+4	16.56	17.27	16.94	16.69	22.89	23.98	5.14	28.03	30.00	Pass	17.5
HT40	MCS0	4	110	5550		1+2+3+4	17.05	17.54	17.03	16.85	23.15	23.98	5.14	28.29	30.00	Pass	18
HT40	MCS0	4	134	5670		1+2+3+4	16.84	17.10	16.70	16.24	22.75	23.98	5.14	27.89	30.00	Pass	18
HT40	MCS0	4	142	5710		1+2+3+4	17.19	17.44	17.18	17.15	23.26	23.98	5.14	28.40	30.00	Pass	18.5
VHT20	MCS0	4	100	5500		1+2+3+4	14.34	15.36	14.86	14.86	20.89	23.98	5.14	26.03	30.00	Pass	15.5
VHT20	MCS0	4	116	5580		1+2+3+4	14.85	15.21	15.11	14.76	21.01	23.98	5.14	26.15	30.00	Pass	16.5
VHT20	MCS0	4	140	5700		1+2+3+4	14.46	15.38	14.89	14.61	20.87	23.98	5.14	26.01	30.00	Pass	16
VHT20	MCS0	4	144	5720		1+2+3+4	14.58	14.98	14.80	14.73	20.80	23.98	5.14	25.94	30.00	Pass	16
VHT40	MCS0	4	102	5510		1+2+3+4	16.63	17.30	16.98	16.75	22.94	23.98	5.14	28.08	30.00	Pass	17.5
VHT40	MCS0	4	110	5550		1+2+3+4	17.11	17.61	17.10	16.92	23.21	23.98	5.14	28.35	30.00	Pass	18
VHT40	MCS0	4	134	5670		1+2+3+4	16.87	17.14	16.76	16.27	22.79	23.98	5.14	27.93	30.00	Pass	18
VHT40	MCS0	4	142	5710		1+2+3+4	17.26	17.49	17.24	17.21	23.32	23.98	5.14	28.46	30.00	Pass	18.5
VHT80	MCS0	4	106	5530		1+2+3+4	15.89	16.43	16.05	16.09	22.14	23.98	5.14	27.28	30.00	Pass	16.5
VHT80	MCS0	4	122	5610		1+2+3+4	17.06	17.21	16.78	16.66	22.95	23.98	5.14	28.09	30.00	Pass	18.5
VHT80	MCS0	4	138	5690		1+2+3+4	16.79	17.21	16.69	16.33	22.79	23.98	5.14	27.93	30.00	Pass	18
VHT160	MCS0	4	114	5570		1+2+3+4	14.20	14.42	14.20	14.22	20.28	23.98	5.14	25.42	30.00	Pass	15
HE20	MCS0	4	100	5500	Full	1+2+3+4	14.84	15.79	15.26	15.25	21.32	23.98	5.14	26.46	30.00	Pass	16
HE20	MCS0	4	100	5500	4*52ru	1+2+3+4	13.90	14.81	14.31	14.33	20.37	23.98	5.14	25.51	30.00	Pass	14.5
HE20	MCS0	4	116	5580	Full	1+2+3+4	14.98	15.27	15.21	14.88	21.11	23.98	5.14	26.25	30.00	Pass	16.5
HE20	MCS0	4	116	5580	4*52ru	1+2+3+4	13.87	14.33	14.20	13.98	20.12	23.98	5.14	25.26	30.00	Pass	15
HE20	MCS0	4	140	5700	Full	1+2+3+4	15.04	15.85	15.45	15.19	21.41	23.98	5.14	26.55	30.00	Pass	16.5
HE20	MCS0	4	140	5700	4*52ru	1+2+3+4	13.53	14.41	13.86	13.69	19.91	23.98	5.14	25.05	30.00	Pass	14.5
HE20	MCS0	4	144	5720	Full	1+2+3+4	14.76	14.98	14.97	14.81	20.90	23.98	5.14	26.04	30.00	Pass	16
HE20	MCS0	4	144	5720	4*52ru	1+2+3+4	14.10	14.36	14.24	14.37	20.29	23.98	5.14	25.43	30.00	Pass	15
HE40	MCS0	4	102	5510	Full	1+2+3+4	16.76	17.52	17.14	16.86	23.10	23.98	5.14	28.24	30.00	Pass	18
HE40	MCS0	4	102	5510	8*52ru	1+2+3+4	16.02	16.46	16.22	16.17	22.24	23.98	5.14	27.38	30.00	Pass	17
HE40	MCS0	4	110	5550	Full	1+2+3+4	17.36	17.79	17.18	17.10	23.39	23.98	5.14	28.53	30.00	Pass	18.5
HE40	MCS0	4	110	5550	8*52ru	1+2+3+4	16.37	16.71	16.32	16.27	22.44	23.98	5.14	27.58	30.00	Pass	17.5
HE40	MCS0	4	134	5670	Full	1+2+3+4	17.58	17.98	17.47	16.98	23.54	23.98	5.14	28.68	30.00	Pass	18.5
HE40	MCS0	4	134	5670	8*52ru	1+2+3+4	16.62	16.97	16.56	16.13	22.60	23.98	5.14	27.74	30.00	Pass	18
HE40	MCS0	4	142	5710	Full	1+2+3+4	17.55	17.83	17.40	17.39	23.57	23.98	5.14	28.71	30.00	Pass	19
HE40	MCS0	4	142	5710	8*52ru	1+2+3+4	17.11	17.27	16.90	17.00	23.09	23.98	5.14	28.23	30.00	Pass	18.5
HE80	MCS0	4	106	5530	Full	1+2+3+4	15.88	16.47	15.98	16.09	22.13	23.98	5.14	27.27	30.00	Pass	17
HE80	MCS0	4	106	5530	8*106ru	1+2+3+4	15.01	15.46	15.03	15.21	21.20	23.98	5.14	26.34	30.00	Pass	16
HE80	MCS0	4	122	5610	Full	1+2+3+4	17.69	17.79	17.23	17.10	23.48	23.98	5.14	28.62	30.00	Pass	19
HE80	MCS0	4	122	5610	8*106ru	1+2+3+4	16.41	16.44	16.13	15.94	22.26	23.98	5.14	27.40	30.00	Pass	17.5
HE80	MCS0	4	138	5690	Full	1+2+3+4	17.30	17.75	17.08	16.73	23.25	23.98	5.14	28.39	30.00	Pass	18.5
HE80	MCS0	4	138	5690	8*106ru	1+2+3+4	16.46	16.87	16.54	16.10	22.52	23.98	5.14	27.66	30.00	Pass	17.5
HE160	MCS0	4	114	5570	Full	1+2+3+4	14.67	14.76	14.61	14.70	20.71	23.98	5.14	25.85	30.00	Pass	15.5
HE160	MCS0	4	114	5570	8*242ru	1+2+3+4	13.78	14.11	13.76	13.94	19.92	23.98	5.14	25.06	30.00	Pass	14.5
EHT20	MCS0	4	100	5500	Full	1+2+3+4	14.89	15.84	15.29	15.29	21.36	23.98	5.14	26.50	30.00	Pass	16
EHT20	MCS0	4	100	5500	4*52ru	1+2+3+4	13.95	14.86	14.35	14.37	20.42	23.98	5.14	25.56	30.00	Pass	14.5
EHT20	MCS0	4	116	5580	Full	1+2+3+4	15.03	15.31	15.27	14.93	21.16	23.98	5.14	26.30	30.00	Pass	16.5
EHT20	MCS0	4	116	5580	4*52ru	1+2+3+4	13.91	14.37	14.26	14.05	20.17	23.98	5.14	25.31	30.00	Pass	15
EHT20	MCS0	4	140	5700	Full	1+2+3+4	15.09	15.90	15.50	15.23	21.46	23.98	5.14	26.60	30.00	Pass	16.5
EHT20	MCS0	4	140	5700	4*52ru	1+2+3+4	13.60	14.48	13.90	13.73	19.96	23.98	5.14	25.10	30.00	Pass	14.5
EHT20	MCS0	4	144	5720	Full	1+2+3+4	14.79	15.03	15.04	14.87	20.95	23.98	5.14	26.09	30.00	Pass	16
EHT20	MCS0	4	144	5720	4*52ru	1+2+3+4	14.15	14.41	14.31	14.44	20.35	23.98	5.14	25.49	30.00	Pass	15
EHT40	MCS0	4	102	5510	Full	1+2+3+4	16.82	17.58	17.20	16.92	23.16	23.98	5.14	28.30	30.00	Pass	18
EHT40	MCS0	4	102	5510	8*52ru	1+2+3+4	16.08	16.50	16.26	16.21	22.29	23.98	5.14	27.43	30.00	Pass	17
EHT40	MCS0	4	110	5550	Full	1+2+3+4	17.40	17.85	17.22	17.14	23.43	23.98	5.14	28.57	30.00	Pass	18.5
EHT40	MCS0	4	110	5550	8*52ru	1+2+3+4	16.42	16.77	16.38	16.33	22.50	23.98	5.14	27.64	30.00	Pass	17.5
EHT40	MCS0	4	134	5670	Full	1+2+3+4	17.64	18.04	17.51	17.02	23.59	23.98	5.14	28.73	30.00	Pass	18.5
EHT40	MCS0	4	134	5670	8*52ru	1+2+3+4	16.65	17.00	16.62	16.17	22.64	23.98	5.14	27.78	30.00	Pass	18
EHT40	MCS0	4	142	5710	Full	1+2+3+4	17.59	17.86	17.45	17.44	23.61	23.98	5.14	28.75	30.00	Pass	19
EHT40	MCS0	4	142	5710													

TEST RESULTS DATA
Average Power Table

U-NII-3																	
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	RU Config	Average Conducted Power with duty factor (dBm)					FCC Conducted Power Limit (dBm)	DG (dBi)				Pass/ Fail	Power setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM		Ant 1	Ant 2	Ant 3	Ant 4		
11a	6Mbps	4	149	5745		20.53	20.86	20.89	21.04	26.85	30.00	5.09				Pass	21.5
11a	6Mbps	4	157	5785		20.89	21.17	20.72	21.33	27.05	30.00	5.09				Pass	21.5
11a	6Mbps	4	165	5825		19.42	20.45	19.42	19.87	25.83	30.00	5.09				Pass	21
HT20	MCS0	4	149	5745		20.63	21.05	21.05	21.27	27.03	30.00	5.09				Pass	21.5
HT20	MCS0	4	157	5785		19.99	20.15	19.92	20.39	26.14	30.00	5.09				Pass	20.5
HT20	MCS0	4	165	5825		18.37	19.04	17.97	18.51	24.51	30.00	5.09				Pass	19.5
HT40	MCS0	4	151	5755		20.65	20.71	20.92	20.58	26.74	30.00	5.09				Pass	21.5
HT40	MCS0	4	159	5795		20.45	20.56	20.35	20.28	26.43	30.00	5.09				Pass	21
VHT20	MCS0	4	149	5745		20.67	21.11	21.12	21.30	27.08	30.00	5.09				Pass	21.5
VHT20	MCS0	4	157	5785		20.06	20.20	19.96	20.44	26.19	30.00	5.09				Pass	20.5
VHT20	MCS0	4	165	5825		18.42	19.10	18.02	18.56	24.56	30.00	5.09				Pass	19.5
VHT40	MCS0	4	151	5755		20.72	20.74	20.98	20.63	26.79	30.00	5.09				Pass	21.5
VHT40	MCS0	4	159	5795		20.49	20.60	20.38	20.33	26.47	30.00	5.09				Pass	21
VHT80	MCS0	4	155	5775		19.02	19.32	19.17	19.39	25.25	30.00	5.09				Pass	19.5
HE20	MCS0	4	149	5745	Full	21.22	21.56	21.52	21.68	27.52	30.00	5.09				Pass	22
HE20	MCS0	4	149	5745	4*52ru	19.93	20.26	20.36	20.32	26.24	30.00	5.09				Pass	20.5
HE20	MCS0	4	157	5785	Full	20.46	20.73	20.26	21.01	26.64	30.00	5.09				Pass	21
HE20	MCS0	4	157	5785	4*52ru	19.43	19.52	19.20	19.69	25.48	30.00	5.09				Pass	19.5
HE20	MCS0	4	165	5825	Full	18.65	19.40	18.55	18.96	24.92	30.00	5.09				Pass	20
HE20	MCS0	4	165	5825	4*52ru	18.06	18.60	17.43	17.95	24.05	30.00	5.09				Pass	18.5
HE40	MCS0	4	151	5755	Full	21.30	21.36	21.37	21.05	27.29	30.00	5.09				Pass	22
HE40	MCS0	4	151	5755	8*52ru	19.97	20.05	20.31	20.02	26.11	30.00	5.09				Pass	21
HE40	MCS0	4	159	5795	Full	20.81	20.96	20.65	20.54	26.76	30.00	5.09				Pass	21.5
HE40	MCS0	4	159	5795	8*52ru	20.12	20.21	20.12	20.06	26.15	30.00	5.09				Pass	21
HE80	MCS0	4	155	5775	Full	19.43	19.75	19.83	20.04	25.79	30.00	5.09				Pass	20
HE80	MCS0	4	155	5775	8*106ru	18.58	18.81	18.73	18.81	24.75	30.00	5.09				Pass	19
EHT20	MCS0	4	149	5745	Full	21.26	21.59	21.56	21.73	27.56	30.00	5.09				Pass	22
EHT20	MCS0	4	149	5745	4*52ru	20.00	20.32	20.40	20.37	26.30	30.00	5.09				Pass	20.5
EHT20	MCS0	4	157	5785	Full	20.53	20.77	20.33	21.07	26.70	30.00	5.09				Pass	21
EHT20	MCS0	4	157	5785	4*52ru	19.49	19.58	19.24	19.73	25.53	30.00	5.09				Pass	19.5
EHT20	MCS0	4	165	5825	Full	18.69	19.47	18.59	19.00	24.97	30.00	5.09				Pass	20
EHT20	MCS0	4	165	5825	4*52ru	18.10	18.65	17.46	17.99	24.09	30.00	5.09				Pass	18.5
EHT40	MCS0	4	151	5755	Full	21.35	21.40	21.40	21.10	27.33	30.00	5.09				Pass	22
EHT40	MCS0	4	151	5755	8*52ru	20.02	20.09	20.34	20.06	26.15	30.00	5.09				Pass	21
EHT40	MCS0	4	159	5795	Full	20.87	21.01	20.71	20.60	26.82	30.00	5.09				Pass	21.5
EHT40	MCS0	4	159	5795	8*52ru	20.17	20.25	20.15	20.10	26.19	30.00	5.09				Pass	21
EHT80	MCS0	4	155	5775	Full	19.51	19.83	19.90	20.12	25.87	30.00	5.09				Pass	20
EHT80	MCS0	4	155	5775	8*106ru	18.63	18.84	18.80	18.89	24.81	30.00	5.09				Pass	19
EHT80	MCS0	4	155	5775	Puncturing 20M ①	18.27	18.23	18.09	18.32	24.25	30.00	5.09				Pass	18
EHT80	MCS0	4	155	5775	Puncturing 20M ②	18.27	18.40	18.48	18.51	24.44	30.00	5.09				Pass	18

TEST RESULTS DATA
Average Power Table

U-NII-1																
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	Ant	Average Conducted Power with duty factor (dBm)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM						
VHT20	MCS0	4	36	5180	1+2+3+4	14.84	15.69	15.06	14.62	21.09	28.77	7.23	28.32	-	Pass	23
VHT20	MCS0	4	40	5200	1+2+3+4	17.52	18.45	17.92	18.07	24.02	28.77	7.23	31.25	-	Pass	25
VHT20	MCS0	4	44	5220	1+2+3+4	19.58	19.93	19.68	19.79	25.77	28.77	7.23	33.00	-	Pass	26
VHT20	MCS0	4	48	5240	1+2+3+4	20.16	20.46	20.88	20.77	26.60	28.77	7.23	33.83	-	Pass	27
VHT40	MCS0	4	38	5190	1+2+3+4	12.31	12.47	12.19	12.33	18.35	28.77	7.23	25.58	-	Pass	19
VHT40	MCS0	4	46	5230	1+2+3+4	17.06	17.29	17.74	16.98	23.30	28.77	7.23	30.53	-	Pass	23
VHT80	MCS0	4	42	5210	1+2+3+4	12.36	12.75	12.49	12.46	18.54	28.77	7.23	25.77	-	Pass	19
VHT160	MCS0	4	50	5250	1+2+3+4	11.74	11.57	11.93	12.07	17.85	28.77	7.23	25.08	-	Pass	18
HE20	MCS0	4	36	5180	1+2+3+4	15.85	16.42	15.89	15.28	21.90	28.77	7.23	29.13	-	Pass	23
HE20	MCS0	4	40	5200	1+2+3+4	18.48	19.10	18.90	18.78	24.84	28.77	7.23	32.07	-	Pass	26
HE20	MCS0	4	44	5220	1+2+3+4	20.55	20.69	20.47	20.33	26.53	28.77	7.23	33.76	-	Pass	27
HE20	MCS0	4	48	5240	1+2+3+4	20.59	20.66	20.80	20.54	26.67	28.77	7.23	33.90	-	Pass	27
HE40	MCS0	4	38	5190	1+2+3+4	13.17	13.50	13.05	13.11	19.23	28.77	7.23	26.46	-	Pass	20
HE40	MCS0	4	46	5230	1+2+3+4	16.97	17.41	17.96	16.64	23.29	28.77	7.23	30.52	-	Pass	24
HE80	MCS0	4	42	5210	1+2+3+4	13.35	13.50	13.27	13.39	19.40	28.77	7.23	26.63	-	Pass	20
HE160	MCS0	4	50	5250	1+2+3+4	12.28	12.48	12.86	12.96	18.67	28.77	7.23	25.90	-	Pass	19
EHT20	MCS0	4	36	5180	1+2+3+4	15.92	16.47	15.92	15.31	21.94	28.77	7.23	29.17	-	Pass	23
EHT20	MCS0	4	40	5220	1+2+3+4	18.52	19.14	18.93	18.81	24.88	28.77	7.23	32.11	-	Pass	26
EHT20	MCS0	4	44	5240	1+2+3+4	20.59	20.73	20.50	20.36	26.57	28.77	7.23	33.80	-	Pass	27
EHT20	MCS0	4	48	5240	1+2+3+4	20.63	20.71	20.83	20.61	26.72	28.77	7.23	33.95	-	Pass	27
EHT40	MCS0	4	38	5190	1+2+3+4	13.21	13.56	13.10	13.11	19.27	28.77	7.23	26.50	-	Pass	20
EHT40	MCS0	4	46	5230	1+2+3+4	17.01	17.44	17.99	16.67	23.33	28.77	7.23	30.56	-	Pass	24
EHT80	MCS0	4	42	5210	1+2+3+4	13.43	13.54	13.32	13.42	19.45	28.77	7.23	26.68	-	Pass	20
EHT160	MCS0	4	50	5250	1+2+3+4	12.35	12.54	12.89	13.01	18.73	28.77	7.23	25.96	-	Pass	19

TEST RESULTS DATA
Average Power Table

U-NII-2A																
Mod.	Data Rate	Nrx	CH.	Freq. (MHz)	Ant	Average Conducted Power with Duty Factor (dB)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM						
VHT20	MCS0	4	52	5260	1+2+3+4	13.85	14.82	14.95	15.07	20.72	23.98	7.23	27.95	30.00	Pass	20
VHT20	MCS0	4	60	5300	1+2+3+4	13.90	14.82	14.86	14.87	20.65	23.98	7.23	27.88	30.00	Pass	21
VHT20	MCS0	4	64	5320	1+2+3+4	13.39	13.85	13.87	14.21	19.86	23.98	7.23	27.09	30.00	Pass	21
VHT40	MCS0	4	54	5270	1+2+3+4	14.97	15.31	16.06	15.08	21.40	23.98	7.23	28.63	30.00	Pass	22
VHT40	MCS0	4	62	5310	1+2+3+4	12.01	12.33	12.70	12.04	18.30	23.98	7.23	25.53	30.00	Pass	19
VHT80	MCS0	4	58	5290	1+2+3+4	12.09	12.78	12.90	12.34	18.56	23.98	7.23	25.79	30.00	Pass	19
VHT160	MCS0	4	50	5250	1+2+3+4	11.74	11.57	11.93	12.07	17.85	23.98	7.23	25.08	30.00	Pass	18
HE20	MCS0	4	52	5260	1+2+3+4	15.11	15.77	15.79	15.49	21.57	23.98	7.23	28.80	30.00	Pass	21
HE20	MCS0	4	60	5300	1+2+3+4	15.07	15.71	15.96	15.62	21.62	23.98	7.23	28.85	30.00	Pass	22
HE20	MCS0	4	64	5320	1+2+3+4	14.62	14.87	14.78	14.86	20.80	23.98	7.23	28.03	30.00	Pass	22
HE40	MCS0	4	54	5270	1+2+3+4	15.83	16.38	16.97	15.78	22.29	23.98	7.23	29.52	30.00	Pass	23
HE40	MCS0	4	62	5310	1+2+3+4	12.78	13.09	13.48	12.78	19.06	23.98	7.23	26.29	30.00	Pass	20
HE80	MCS0	4	58	5290	1+2+3+4	13.02	13.51	13.83	13.10	19.40	23.98	7.23	26.63	30.00	Pass	20
HE160	MCS0	4	50	5250	1+2+3+4	12.28	12.48	12.86	12.96	18.67	23.98	7.23	25.90	30.00	Pass	19
EHT20	MCS0	4	52	5260	1+2+3+4	15.14	15.81	15.82	15.55	21.61	23.98	7.23	28.84	30.00	Pass	21
EHT20	MCS0	4	60	5300	1+2+3+4	15.14	15.75	16.00	15.69	21.68	23.98	7.23	28.91	30.00	Pass	22
EHT20	MCS0	4	64	5320	1+2+3+4	14.69	14.90	14.85	14.91	20.86	23.98	7.23	28.09	30.00	Pass	22
EHT40	MCS0	4	54	5270	1+2+3+4	15.87	16.41	17.00	15.84	22.33	23.98	7.23	29.56	30.00	Pass	23
EHT40	MCS0	4	62	5310	1+2+3+4	12.83	13.13	13.52	12.81	19.10	23.98	7.23	26.33	30.00	Pass	20
EHT80	MCS0	4	58	5290	1+2+3+4	13.06	13.55	13.89	13.15	19.45	23.98	7.23	26.68	30.00	Pass	20
EHT160	MCS0	4	50	5250	1+2+3+4	12.35	12.54	12.89	13.01	18.73	23.98	7.23	25.96	30.00	Pass	19

TEST RESULTS DATA
Average Power Table

U-NII-2C																
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Ant	Average Conducted Power with Duty Factor (dB)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM						
VHT20	MCS0	4	100	5500	1+2+3+4	13.35	13.86	13.71	13.84	19.72	22.75	7.23	26.95	30.00	Pass	21
VHT20	MCS0	4	116	5580	1+2+3+4	14.06	14.21	13.89	14.25	20.13	22.75	7.23	27.36	30.00	Pass	21
VHT20	MCS0	4	140	5700	1+2+3+4	13.25	13.62	13.06	13.41	19.36	22.75	7.23	26.59	30.00	Pass	20
VHT20	MCS0	4	144	5720	1+2+3+4	14.09	14.11	14.03	14.35	20.17	22.75	7.23	27.40	30.00	Pass	21
VHT40	MCS0	4	102	5510	1+2+3+4	8.49	8.97	8.98	8.45	14.75	22.75	7.23	21.98	30.00	Pass	15
VHT40	MCS0	4	110	5550	1+2+3+4	14.46	14.77	14.48	14.41	20.55	22.75	7.23	27.78	30.00	Pass	21
VHT40	MCS0	4	134	5670	1+2+3+4	13.99	14.36	14.21	13.68	20.09	22.75	7.23	27.32	30.00	Pass	21
VHT40	MCS0	4	142	5710	1+2+3+4	15.10	15.14	15.31	14.90	21.14	22.75	7.23	28.37	30.00	Pass	22
VHT80	MCS0	4	106	5530	1+2+3+4	12.97	13.55	13.37	13.28	19.32	22.75	7.23	26.55	30.00	Pass	20
VHT80	MCS0	4	122	5610	1+2+3+4	15.19	15.38	15.19	14.92	21.19	22.75	7.23	28.42	30.00	Pass	22
VHT80	MCS0	4	138	5690	1+2+3+4	15.35	15.64	15.36	15.01	21.37	22.75	7.23	28.60	30.00	Pass	22
VHT160	MCS0	4	114	5570	1+2+3+4	13.31	13.65	13.47	13.28	19.45	22.75	7.23	26.68	30.00	Pass	20
HE20	MCS0	4	100	5500	1+2+3+4	14.41	14.84	14.68	14.60	20.66	22.75	7.23	27.89	30.00	Pass	22
HE20	MCS0	4	116	5580	1+2+3+4	14.18	14.23	14.00	14.09	20.15	22.75	7.23	27.38	30.00	Pass	22
HE20	MCS0	4	140	5700	1+2+3+4	14.32	14.46	14.15	14.17	20.30	22.75	7.23	27.53	30.00	Pass	21
HE20	MCS0	4	144	5720	1+2+3+4	14.30	14.15	13.95	14.17	20.16	22.75	7.23	27.39	30.00	Pass	22
HE40	MCS0	4	102	5510	1+2+3+4	9.20	9.65	9.79	9.10	15.47	22.75	7.23	22.70	30.00	Pass	16
HE40	MCS0	4	110	5550	1+2+3+4	14.99	15.42	14.98	15.01	21.12	22.75	7.23	28.35	30.00	Pass	23
HE40	MCS0	4	134	5670	1+2+3+4	14.95	15.14	14.95	14.54	20.92	22.75	7.23	28.15	30.00	Pass	22
HE40	MCS0	4	142	5710	1+2+3+4	15.50	15.86	15.79	15.44	21.67	22.75	7.23	28.90	30.00	Pass	23
HE80	MCS0	4	106	5530	1+2+3+4	13.84	14.12	14.28	13.93	20.07	22.75	7.23	27.30	30.00	Pass	21
HE80	MCS0	4	122	5610	1+2+3+4	16.05	15.80	15.91	15.45	21.83	22.75	7.23	29.06	30.00	Pass	23
HE80	MCS0	4	138	5690	1+2+3+4	15.77	16.03	15.65	15.26	21.71	22.75	7.23	28.94	30.00	Pass	24
HE160	MCS0	4	114	5570	1+2+3+4	13.92	14.22	14.35	13.86	20.11	22.75	7.23	27.34	30.00	Pass	21
EHT20	MCS0	4	100	5500	1+2+3+4	14.45	14.87	14.73	14.63	20.69	22.75	7.23	27.92	30.00	Pass	22
EHT20	MCS0	4	116	5580	1+2+3+4	14.21	14.27	14.03	14.13	20.18	22.75	7.23	27.41	30.00	Pass	22
EHT20	MCS0	4	140	5700	1+2+3+4	14.35	14.53	14.22	14.24	20.36	22.75	7.23	27.59	30.00	Pass	21
EHT20	MCS0	4	144	5720	1+2+3+4	14.34	14.18	14.00	14.24	20.21	22.75	7.23	27.44	30.00	Pass	22
EHT40	MCS0	4	102	5510	1+2+3+4	9.26	9.71	9.82	9.14	15.51	22.75	7.23	22.74	30.00	Pass	16
EHT40	MCS0	4	110	5550	1+2+3+4	15.03	15.45	15.02	15.06	21.16	22.75	7.23	28.39	30.00	Pass	23
EHT40	MCS0	4	134	5670	1+2+3+4	15.01	15.19	15.01	14.57	20.97	22.75	7.23	28.20	30.00	Pass	22
EHT40	MCS0	4	142	5710	1+2+3+4	15.56	15.89	15.83	15.47	21.71	22.75	7.23	28.94	30.00	Pass	23
EHT80	MCS0	4	106	5530	1+2+3+4	13.90	14.20	14.31	13.99	20.12	22.75	7.23	27.35	30.00	Pass	21
EHT80	MCS0	4	122	5610	1+2+3+4	16.13	15.85	15.94	15.53	21.89	22.75	7.23	29.12	30.00	Pass	23
EHT80	MCS0	4	138	5690	1+2+3+4	15.80	16.09	15.71	15.32	21.76	22.75	7.23	28.99	30.00	Pass	24
EHT160	MCS0	4	114	5570	1+2+3+4	13.95	14.28	14.41	13.91	20.16	22.75	7.23	27.39	30.00	Pass	21

TEST RESULTS DATA
Average Power Table

U-NII-3																
Mod.	Data Rate	NtX	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					FCC Conducted Power Limit (dBm)	DG (dBi)				Pass/ Fail	Power setting
					Ant 1	Ant 2	Ant 3	Ant 4	SUM		Ant 1	Ant 2	Ant 3	Ant 4		
VHT20	MCS0	4	149	5745	16.63	16.52	16.62	16.98	22.71	30.00	7.23				Pass	23
VHT20	MCS0	4	157	5785	17.26	17.68	17.56	17.69	23.57	30.00	7.23				Pass	24
VHT20	MCS0	4	165	5825	17.51	18.11	17.52	17.73	23.74	30.00	7.23				Pass	25
VHT40	MCS0	4	151	5755	17.81	18.03	17.82	17.37	23.78	30.00	7.23				Pass	24
VHT40	MCS0	4	159	5795	19.38	19.50	19.57	19.16	25.43	30.00	7.23				Pass	26
VHT80	MCS0	4	155	5775	15.35	15.64	15.36	15.01	21.37	30.00	7.23				Pass	22
HE20	MCS0	4	149	5745	17.54	17.42	17.49	17.77	23.58	30.00	7.23				Pass	24
HE20	MCS0	4	157	5785	18.16	18.38	18.37	18.23	24.31	30.00	7.23				Pass	25
HE20	MCS0	4	165	5825	17.71	18.27	17.43	17.35	23.73	30.00	7.23				Pass	25
HE40	MCS0	4	151	5755	18.28	18.37	18.40	18.01	24.29	30.00	7.23				Pass	25
HE40	MCS0	4	159	5795	20.13	20.07	20.28	20.02	26.15	30.00	7.23				Pass	27
HE80	MCS0	4	155	5775	17.67	17.72	17.91	17.47	23.72	30.00	7.23				Pass	24
EHT20	MCS0	4	149	5745	17.60	17.47	17.55	17.80	23.63	30.00	7.23				Pass	24
EHT20	MCS0	4	157	5785	18.22	18.42	18.40	18.27	24.35	30.00	7.23				Pass	25
EHT20	MCS0	4	165	5825	17.74	18.34	17.48	17.38	23.77	30.00	7.23				Pass	25
EHT40	MCS0	4	151	5755	18.32	18.40	18.46	18.04	24.33	30.00	7.23				Pass	25
EHT40	MCS0	4	159	5795	20.16	20.10	20.32	20.06	26.18	30.00	7.23				Pass	27
EHT80	MCS0	4	155	5775	17.72	17.78	17.94	17.50	23.76	30.00	7.23				Pass	24