



Appendix B. Radiated Spurious Emission Test Data

Table of Contents

<CDD mode>	B2
Radiated Spurious Emission Test Modes.....	B2
Summary of each worse mode	B2
Radiated Spurious Emission Test plots.....	B3
<TX Beamforming mode>	B6
Radiated Spurious Emission Test Modes.....	B6
Summary of each worse mode	B6
Radiated Spurious Emission Test plots.....	B7



Test Engineer:	Jerry Xu	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42%

<CDD mode>**Radiated Spurious Emission Test Modes**





Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-8	6.525-6.875	CDD 1S4T	802.11be EHT320	191	6905	MCS0	-	-

Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11be EHT320	191	7250.44	53.48	54.00	-0.52	H	AVERAGE	Pass	Band Edge
1	802.11be EHT320	191	13810.00	45.96	88.20	-42.24	H	PEAK	Pass	Harmonic





Radiated Spurious Emission Test plots

Mode	1																																																							
Mode	Band Edge																																																							
Mode	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7251.88</td><td>65.33</td><td>74.00</td><td>-8.67</td><td>54.60</td><td>35.70</td><td>12.72</td><td>37.69</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7251.88	65.33	74.00	-8.67	54.60	35.70	12.72	37.69	0.00	100	103	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	7251.88	65.33	74.00	-8.67	54.60	35.70	12.72	37.69	0.00	100	103	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7250.44</td><td>53.48</td><td>54.00</td><td>-0.52</td><td>42.75</td><td>35.70</td><td>12.72</td><td>37.69</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7250.44	53.48	54.00	-0.52	42.75	35.70	12.72	37.69	0.00	100	103	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	7250.44	53.48	54.00	-0.52	42.75	35.70	12.72	37.69	0.00	100	103	AVERAGE																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>105.90</td><td>-----</td><td>-----</td><td>95.96</td><td>35.60</td><td>12.33</td><td>37.99</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	105.90	-----	-----	95.96	35.60	12.33	37.99	0.00	100	103	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	6905.00	105.90	-----	-----	95.96	35.60	12.33	37.99	0.00	100	103	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>94.34</td><td>-----</td><td>-----</td><td>84.58</td><td>35.50</td><td>12.23</td><td>37.97</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	94.34	-----	-----	84.58	35.50	12.23	37.97	0.00	100	103	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	6905.00	94.34	-----	-----	84.58	35.50	12.23	37.97	0.00	100	103	AVERAGE																																												



Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7256.92</td><td>60.43</td><td>74.00</td><td>-13.57</td><td>49.70</td><td>35.70</td><td>12.72</td><td>37.69</td><td>0.00</td><td>283</td><td>271</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7256.92	60.43	74.00	-13.57	49.70	35.70	12.72	37.69	0.00	283	271	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>106.47</td><td>-----</td><td>-----</td><td>96.52</td><td>35.60</td><td>12.34</td><td>37.99</td><td>0.00</td><td>283</td><td>271</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	106.47	-----	-----	96.52	35.60	12.34	37.99	0.00	283	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7256.92	60.43	74.00	-13.57	49.70	35.70	12.72	37.69	0.00	283	271	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	106.47	-----	-----	96.52	35.60	12.34	37.99	0.00	283	271	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7250.44</td><td>49.41</td><td>54.00</td><td>-4.59</td><td>38.68</td><td>35.70</td><td>12.72</td><td>37.69</td><td>0.00</td><td>283</td><td>271</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7250.44	49.41	54.00	-4.59	38.68	35.70	12.72	37.69	0.00	283	271	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>94.37</td><td>-----</td><td>-----</td><td>84.42</td><td>35.60</td><td>12.34</td><td>37.99</td><td>0.00</td><td>283</td><td>271</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	94.37	-----	-----	84.42	35.60	12.34	37.99	0.00	283	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7250.44	49.41	54.00	-4.59	38.68	35.70	12.72	37.69	0.00	283	271	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	94.37	-----	-----	84.42	35.60	12.34	37.99	0.00	283	271	AVERAGE																																																																																																			



Mode	1																																																																																																							
	Harmonic																																																																																																							
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																																							
ANT	CDD 1S2T																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13810.00</td><td>45.96</td><td>88.20</td><td>-42.24</td><td>54.46</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13810.00	45.96	88.20	-42.24	54.46	38.51	17.91	64.92	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13810.00</td><td>45.32</td><td>88.20</td><td>-42.88</td><td>53.82</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13810.00	45.32	88.20	-42.88	53.82	38.51	17.91	64.92	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 13810.00	45.96	88.20	-42.24	54.46	38.51	17.91	64.92	0.00	---	---	PEAK																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 13810.00	45.32	88.20	-42.88	53.82	38.51	17.91	64.92	0.00	---	---	PEAK																																																																																													



<TX Beamforming mode>

Radiated Spurious Emission Test Modes





Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 2	U-NII-8	6.525-6.875	TXBF 1S4T	802.11be EHT320	191	6905	MCS0	-	-

Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
2	802.11be EHT320	191	7287.16	53.88	54.00	-0.12	V	Average	Pass	Band Edge
2	802.11be EHT320	191	13810.00	46.05	88.20	-42.15	H	PEAK	Pass	Harmonic





Radiated Spurious Emission Test plots

Mode	2																																																						
Mode	Band Edge																																																						
Mode	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																						
ANT	TXBF 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7282.84</td><td>57.19</td><td>74.00</td><td>-16.81</td><td>46.42</td><td>35.70</td><td>12.72</td><td>37.65</td><td>0.00</td><td>112</td><td>109</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7282.84	57.19	74.00	-16.81	46.42	35.70	12.72	37.65	0.00	112	109	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7282.84	57.19	74.00	-16.81	46.42	35.70	12.72	37.65	0.00	112	109	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7290.04</td><td>46.29</td><td>54.00</td><td>-7.71</td><td>35.51</td><td>35.70</td><td>12.72</td><td>37.64</td><td>0.00</td><td>112</td><td>109</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7290.04	46.29	54.00	-7.71	35.51	35.70	12.72	37.64	0.00	112	109	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7290.04	46.29	54.00	-7.71	35.51	35.70	12.72	37.64	0.00	112	109	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>106.73</td><td>-----</td><td>-----</td><td>96.99</td><td>35.50</td><td>12.21</td><td>37.97</td><td>0.00</td><td>112</td><td>109</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	106.73	-----	-----	96.99	35.50	12.21	37.97	0.00	112	109	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6905.00	106.73	-----	-----	96.99	35.50	12.21	37.97	0.00	112	109	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>94.56</td><td>-----</td><td>-----</td><td>84.82</td><td>35.50</td><td>12.21</td><td>37.97</td><td>0.00</td><td>112</td><td>109</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	94.56	-----	-----	84.82	35.50	12.21	37.97	0.00	112	109	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6905.00	94.56	-----	-----	84.82	35.50	12.21	37.97	0.00	112	109	AVERAGE																																											





Mode	2																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																																														
ANT	TXBF 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7259.80</td><td>61.18</td><td>74.00</td><td>-12.82</td><td>50.44</td><td>35.70</td><td>12.72</td><td>37.68</td><td>0.00</td><td>258</td><td>85</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7259.80	61.18	74.00	-12.82	50.44	35.70	12.72	37.68	0.00	258	85	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>105.13</td><td>-----</td><td>-----</td><td>95.27</td><td>35.56</td><td>12.28</td><td>37.98</td><td>0.00</td><td>258</td><td>85</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	105.13	-----	-----	95.27	35.56	12.28	37.98	0.00	258	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7259.80	61.18	74.00	-12.82	50.44	35.70	12.72	37.68	0.00	258	85	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	105.13	-----	-----	95.27	35.56	12.28	37.98	0.00	258	85	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7287.16</td><td>53.88</td><td>54.00</td><td>-0.12</td><td>43.11</td><td>35.70</td><td>12.72</td><td>37.65</td><td>0.00</td><td>258</td><td>85</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7287.16	53.88	54.00	-0.12	43.11	35.70	12.72	37.65	0.00	258	85	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>92.52</td><td>-----</td><td>-----</td><td>82.63</td><td>35.58</td><td>12.29</td><td>37.98</td><td>0.00</td><td>258</td><td>85</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	92.52	-----	-----	82.63	35.58	12.29	37.98	0.00	258	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7287.16	53.88	54.00	-0.12	43.11	35.70	12.72	37.65	0.00	258	85	Average																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	92.52	-----	-----	82.63	35.58	12.29	37.98	0.00	258	85	AVERAGE																																																																																																			





Mode	2																																																																																																			
	Harmonic																																																																																																			
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																																			
ANT	TXBF 1S2T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>46.05</td><td>88.20</td><td>-42.15</td><td>54.55</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	46.05	88.20	-42.15	54.55	38.51	17.91	64.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>45.30</td><td>88.20</td><td>-42.90</td><td>53.00</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	45.30	88.20	-42.90	53.00	38.51	17.91	64.92	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13810.00	46.05	88.20	-42.15	54.55	38.51	17.91	64.92	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13810.00	45.30	88.20	-42.90	53.00	38.51	17.91	64.92	0.00	---	---	PEAK																																																																																								



Mode	2	
	18G-40G	
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz	
ANT	TXBF 1S2T	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	2																																																																																																																																																																																																																
	30-1G																																																																																																																																																																																																																
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																																																																																																																																																
ANT	TXBF 1S2T																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																										
Peak																																																																																																																																																																																																																	
	<table><tr><th colspan="2"></th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>79.47</td><td>22.26</td><td>-17.74</td><td>40.00</td><td>40.56</td><td>1.32</td><td>13.15</td><td>32.77</td><td>---</td><td>---</td></tr><tr><td>2</td><td>260.86</td><td>17.73</td><td>-28.27</td><td>46.00</td><td>29.43</td><td>2.47</td><td>18.61</td><td>32.78</td><td>---</td><td>---</td></tr><tr><td>3</td><td>418.97</td><td>22.41</td><td>-23.59</td><td>46.00</td><td>30.21</td><td>3.12</td><td>22.00</td><td>32.92</td><td>---</td><td>---</td></tr><tr><td>4</td><td>787.57</td><td>28.66</td><td>-17.34</td><td>46.00</td><td>30.97</td><td>4.29</td><td>26.15</td><td>32.75</td><td>---</td><td>---</td></tr><tr><td>5</td><td>933.07</td><td>29.76</td><td>-16.24</td><td>46.00</td><td>29.54</td><td>4.67</td><td>27.26</td><td>31.71</td><td>---</td><td>---</td></tr><tr><td>6</td><td>957.32</td><td>30.04</td><td>-15.96</td><td>46.00</td><td>29.32</td><td>4.73</td><td>27.53</td><td>31.54</td><td>---</td><td>---</td></tr></table>								Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos			Freq	Level	Limit	Line	Level	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB				1	79.47	22.26	-17.74	40.00	40.56	1.32	13.15	32.77	---	---	2	260.86	17.73	-28.27	46.00	29.43	2.47	18.61	32.78	---	---	3	418.97	22.41	-23.59	46.00	30.21	3.12	22.00	32.92	---	---	4	787.57	28.66	-17.34	46.00	30.97	4.29	26.15	32.75	---	---	5	933.07	29.76	-16.24	46.00	29.54	4.67	27.26	31.71	---	---	6	957.32	30.04	-15.96	46.00	29.32	4.73	27.53	31.54	---	---	<table><tr><th colspan="2"></th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>53.28</td><td>32.24</td><td>-7.76</td><td>40.00</td><td>50.26</td><td>1.09</td><td>13.81</td><td>32.92</td><td>---</td><td>---</td></tr><tr><td>2</td><td>81.41</td><td>34.35</td><td>-5.65</td><td>40.00</td><td>52.35</td><td>1.34</td><td>13.43</td><td>32.77</td><td>---</td><td>---</td></tr><tr><td>3</td><td>138.64</td><td>30.19</td><td>-13.31</td><td>43.50</td><td>44.68</td><td>1.77</td><td>16.57</td><td>32.83</td><td>---</td><td>---</td></tr><tr><td>4</td><td>168.71</td><td>28.13</td><td>-15.37</td><td>43.50</td><td>42.96</td><td>1.96</td><td>16.04</td><td>32.83</td><td>---</td><td>---</td></tr><tr><td>5</td><td>576.11</td><td>29.50</td><td>-16.50</td><td>46.00</td><td>33.91</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>---</td></tr><tr><td>6</td><td>956.35</td><td>31.66</td><td>-14.34</td><td>46.00</td><td>30.96</td><td>4.73</td><td>27.53</td><td>31.56</td><td>---</td><td>---</td></tr></table>							Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos			Freq	Level	Limit	Line	Level	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB				1	53.28	32.24	-7.76	40.00	50.26	1.09	13.81	32.92	---	---	2	81.41	34.35	-5.65	40.00	52.35	1.34	13.43	32.77	---	---	3	138.64	30.19	-13.31	43.50	44.68	1.77	16.57	32.83	---	---	4	168.71	28.13	-15.37	43.50	42.96	1.96	16.04	32.83	---	---	5	576.11	29.50	-16.50	46.00	33.91	3.66	25.02	33.09	---	---	6	956.35	31.66	-14.34	46.00	30.96	4.73	27.53	31.56	---	---
			Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos																																																																																																																																																																																																								
Freq	Level	Limit	Line	Level	Loss	Factor	Factor		cm	deg																																																																																																																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB																																																																																																																																																																																																										
1	79.47	22.26	-17.74	40.00	40.56	1.32	13.15	32.77	---	---																																																																																																																																																																																																							
2	260.86	17.73	-28.27	46.00	29.43	2.47	18.61	32.78	---	---																																																																																																																																																																																																							
3	418.97	22.41	-23.59	46.00	30.21	3.12	22.00	32.92	---	---																																																																																																																																																																																																							
4	787.57	28.66	-17.34	46.00	30.97	4.29	26.15	32.75	---	---																																																																																																																																																																																																							
5	933.07	29.76	-16.24	46.00	29.54	4.67	27.26	31.71	---	---																																																																																																																																																																																																							
6	957.32	30.04	-15.96	46.00	29.32	4.73	27.53	31.54	---	---																																																																																																																																																																																																							
		Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos																																																																																																																																																																																																									
Freq	Level	Limit	Line	Level	Loss	Factor	Factor		cm	deg																																																																																																																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB																																																																																																																																																																																																										
1	53.28	32.24	-7.76	40.00	50.26	1.09	13.81	32.92	---	---																																																																																																																																																																																																							
2	81.41	34.35	-5.65	40.00	52.35	1.34	13.43	32.77	---	---																																																																																																																																																																																																							
3	138.64	30.19	-13.31	43.50	44.68	1.77	16.57	32.83	---	---																																																																																																																																																																																																							
4	168.71	28.13	-15.37	43.50	42.96	1.96	16.04	32.83	---	---																																																																																																																																																																																																							
5	576.11	29.50	-16.50	46.00	33.91	3.66	25.02	33.09	---	---																																																																																																																																																																																																							
6	956.35	31.66	-14.34	46.00	30.96	4.73	27.53	31.56	---	---																																																																																																																																																																																																							