



Appendix B. Radiated Spurious Emission Test Data

Table of Contents

<CDD mode>	B2
Radiated Spurious Emission Test Modes.....	B2
Summary of each worse mode	B3
Radiated Spurious Emission Test plots.....	B4
<TX Beamforming mode>	B89
Radiated Spurious Emission Test Modes.....	B89
Summary of each worse mode	B89
Radiated Spurious Emission Test plots.....	B90



Test Engineer:	Jerry Xu	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42%

<CDD mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	36	5180	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 7	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT40	38	5190	MCS0	Full	-
Mode 8	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT40	46	5230	MCS0	Full	-
Mode 9	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT80	42	5210	MCS0	Full	-
Mode 19	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT40	62	5310	MCS0	Full	-
Mode 20	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT80	58	5290	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT160	50	5250	MCS0	Full	-
Mode 35	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	106	5530	MCS0	Full	-
Mode 39	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	PC 20MHz,Loc 1	-
Mode 41	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	PC 20MHz,Loc 8	-
Mode 48	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	149	5745	6Mbps	-	-
Mode 49	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	157	5785	6Mbps	-	-
Mode 50	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	165	5825	6Mbps	-	-
Mode 51	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	149	5745	MCS0	Full	-
Mode 52	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	157	5785	MCS0	Full	-
Mode 53	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	165	5825	MCS0	Full	-
Mode 57	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT80	155	5775	MCS0	Full	-

Note:

- 802.11be EHT160 support Channel puncturing 20M and 40MHz, according to PSD of puncturing, 20M PSD > 40M PSD, so only the worst channel puncturing 20M is shown in the report.
- Loc: Puncture Location. PC: channel puncturing.




Summary of each worse mode


Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5147.90	51.76	54.00	-2.24	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	53.93	68.20	-14.27	H	PEAK	Pass	Harmonic
4	802.11be EHT20	36	5150.00	53.17	54.00	-0.83	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	36	10360.00	53.64	68.20	-14.56	V	Peak	Pass	Harmonic
7	802.11be EHT40	38	5149.76	53.88	54.00	-0.12	H	AVERAGE	Pass	Band Edge
7	802.11be EHT40	38	10380.00	50.62	68.20	-17.58	V	PEAK	Pass	Harmonic
8	802.11be EHT40	46	5148.48	53.48	54.00	-0.52	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	46	10460.00	54.55	68.20	-13.65	H	PEAK	Pass	Harmonic
9	802.11be EHT80	42	5140.64	53.41	54.00	-0.59	H	AVERAGE	Pass	Band Edge
9	802.11be EHT80	42	10420.00	46.08	68.20	-22.12	H	PEAK	Pass	Harmonic
19	802.11be EHT40	62	5350.00	53.46	54.00	-0.54	H	AVERAGE	Pass	Band Edge
19	802.11be EHT40	62	10620.00	45.23	74.00	-28.77	V	PEAK	Pass	Harmonic
20	802.11be EHT80	58	5363.70	53.50	54.00	-0.50	H	AVERAGE	Pass	Band Edge
20	802.11be EHT80	58	10580.00	45.24	68.20	-22.96	V	PEAK	Pass	Harmonic
22	802.11be EHT160	50	5356.89	53.07	54.00	-0.93	H	AVERAGE	Pass	Band Edge
22	802.11be EHT160	50	10500.00	45.54	68.20	-22.66	V	PEAK	Pass	Harmonic
35	802.11be EHT80	106	5454.00	53.63	54.00	-0.37	V	AVERAGE	Pass	Band Edge
35	802.11be EHT80	106	11060.00	42.34	54.00	-11.66	H	AVERAGE	Pass	Harmonic
39	802.11be EHT160	114	5424.14	53.06	54.00	-0.94	H	AVERAGE	Pass	Band Edge
39	802.11be EHT160	114	11140.00	45.38	74.00	-28.62	H	PEAK	Pass	Harmonic
40	802.11be EHT160	114	5446.80	69.56	74.00	-4.44	H	PEAK	Pass	Band Edge
40	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT160	114	5460.00	52.03	54.00	-1.97	H	AVERAGE	Pass	Band Edge
41	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
48	802.11a	149	5603.00	59.92	68.20	-8.28	H	PEAK	Pass	Band Edge
48	802.11a	149	11490.00	52.64	54.00	-1.36	H	AVERAGE	Pass	Harmonic
49	802.11a	157	5645.80	60.74	68.20	-7.46	H	PEAK	Pass	Band Edge
49	802.11a	157	11570.00	52.11	54.00	-1.89	H	AVERAGE	Pass	Harmonic
50	802.11a	165	5967.00	58.08	68.20	-10.12	H	PEAK	Pass	Band Edge
50	802.11a	165	11650.00	53.36	54.00	-0.64	H	AVERAGE	Pass	Harmonic
51	802.11be EHT20	149	5604.22	61.02	68.20	-7.18	H	PEAK	Pass	Band Edge
51	802.11be EHT20	149	11490.00	53.01	54.00	-0.99	H	AVERAGE	Pass	Harmonic
52	802.11be EHT20	157	5632.22	60.61	68.20	-7.59	V	PEAK	Pass	Band Edge
52	802.11be EHT20	157	11570.00	53.70	54.00	-0.30	H	AVERAGE	Pass	Harmonic
53	802.11be EHT20	165	5996.40	57.38	68.20	-10.82	H	PEAK	Pass	Band Edge
53	802.11be EHT20	165	11650.00	53.09	54.00	-0.91	H	AVERAGE	Pass	Harmonic
57	802.11be EHT80	155	5641.02	66.50	68.20	-1.70	H	PEAK	Pass	Band Edge
57	802.11be EHT80	155	11550.00	48.73	54.00	-5.27	H	AVERAGE	Pass	Harmonic





Radiated Spurious Emission Test plots

		1									
Mode	Band Edge										
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz										
ANT	CDD 1S4T										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Avg	Horizontal										
	Horizontal										
Avg	Fundamental										
	Fundamental										





Horizontal																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5147.90</td><td>65.11</td><td>74.00</td><td>-8.89</td><td>46.76</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>179</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5147.90	65.11	74.00	-8.89	46.76	34.40	10.61	36.66	10.00	179	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5147.90	65.11	74.00	-8.89	46.76	34.40	10.61	36.66	10.00	179	PEAK																																																

Fundamental																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>119.12</td><td>-----</td><td>-----</td><td>100.63</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>100</td><td>179 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	119.12	-----	-----	100.63	34.44	10.65	36.60	10.00	100	179 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5180.00	119.12	-----	-----	100.63	34.44	10.65	36.60	10.00	100	179 PEAK																																																


Horizontal																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5147.90</td><td>51.76</td><td>54.00</td><td>-2.24</td><td>33.41</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>179</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5147.90	51.76	54.00	-2.24	33.41	34.40	10.61	36.66	10.00	179	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5147.90	51.76	54.00	-2.24	33.41	34.40	10.61	36.66	10.00	179	AVERAGE																																																

Fundamental																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>110.53</td><td>-----</td><td>-----</td><td>92.04</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>100</td><td>179 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	110.53	-----	-----	92.04	34.44	10.65	36.60	10.00	100	179 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5180.00	110.53	-----	-----	92.04	34.44	10.65	36.60	10.00	100	179 AVERAGE																																																







Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.80</td><td>65.72</td><td>74.00</td><td>-8.28</td><td>47.39</td><td>34.40</td><td>10.60</td><td>36.67</td><td>10.00</td><td>109</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.80	65.72	74.00	-8.28	47.39	34.40	10.60	36.67	10.00	109	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5141.80	65.72	74.00	-8.28	47.39	34.40	10.60	36.67	10.00	109	167	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>117.60</td><td>-----</td><td>-----</td><td>99.14</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>109</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	117.60	-----	-----	99.14	34.43	10.64	36.61	10.00	109	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	117.60	-----	-----	99.14	34.43	10.64	36.61	10.00	109	167	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.90</td><td>51.50</td><td>54.00</td><td>-2.50</td><td>33.16</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>109</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.90	51.50	54.00	-2.50	33.16	34.40	10.60	36.66	10.00	109	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5142.90	51.50	54.00	-2.50	33.16	34.40	10.60	36.66	10.00	109	167	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.35</td><td>-----</td><td>-----</td><td>90.09</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>109</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.35	-----	-----	90.09	34.43	10.64	36.61	10.00	109	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	109.35	-----	-----	90.09	34.43	10.64	36.61	10.00	109	167	AVERAGE																																											







Mode	1																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>53.93</td><td>68.20</td><td>-14.27</td><td>68.08</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	53.93	68.20	-14.27	68.08	37.36	15.45	66.96	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10360.00	53.93	68.20	-14.27	68.08	37.36	15.45	66.96	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>51.54</td><td>68.20</td><td>-16.66</td><td>65.69</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	51.54	68.20	-16.66	65.69	37.36	15.45	66.96	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10360.00	51.54	68.20	-16.66	65.69	37.36	15.45	66.96	0.00	---	---	PEAK																																												





		4																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.20</td><td>64.78</td><td>74.00</td><td>-9.22</td><td>46.42</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>285</td><td>189</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.20	64.78	74.00	-9.22	46.42	34.40	10.61	36.65	10.00	285	189	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>118.11</td><td>-----</td><td>-----</td><td>99.69</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>285</td><td>189</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	118.11	-----	-----	99.69	34.42	10.63	36.63	10.00	285	189
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.20	64.78	74.00	-9.22	46.42	34.40	10.61	36.65	10.00	285	189	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	118.11	-----	-----	99.69	34.42	10.63	36.63	10.00	285	189	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>53.17</td><td>54.00</td><td>-0.83</td><td>34.81</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>285</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	53.17	54.00	-0.83	34.81	34.40	10.61	36.65	10.00	285	189	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.30</td><td>-----</td><td>-----</td><td>89.88</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>285</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.30	-----	-----	89.88	34.42	10.63	36.63	10.00	285	189
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	53.17	54.00	-0.83	34.81	34.40	10.61	36.65	10.00	285	189	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	108.30	-----	-----	89.88	34.42	10.63	36.63	10.00	285	189	AVERAGE																																																																																																			




		4																																																		
Mode		Band Edge																																																		
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																		
ANT		CDD 1S4T																																																		
Pol.		Vertical					Fundamental																																													
Peak																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.90</td><td>65.12</td><td>74.00</td><td>-8.88</td><td>46.85</td><td>34.38</td><td>10.58</td><td>36.69</td><td>10.00</td><td>4 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.90	65.12	74.00	-8.88	46.85	34.38	10.58	36.69	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5121.90	65.12	74.00	-8.88	46.85	34.38	10.58	36.69	10.00	4 PEAK																																										
Avg																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.20</td><td>52.42</td><td>54.00</td><td>-1.58</td><td>34.00</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>4 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.20	52.42	54.00	-1.58	34.00	34.40	10.60	36.66	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5145.20	52.42	54.00	-1.58	34.00	34.40	10.60	36.66	10.00	4 AVERAGE																																										
Peak																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>116.30</td><td>-----</td><td>-----</td><td>97.84</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>4 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	116.30	-----	-----	97.84	34.43	10.64	36.61	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5180.00	116.30	-----	-----	97.84	34.43	10.64	36.61	10.00	4 PEAK																																										
Avg																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.21</td><td>-----</td><td>-----</td><td>87.75</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>4 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.21	-----	-----	87.75	34.43	10.64	36.61	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5180.00	106.21	-----	-----	87.75	34.43	10.64	36.61	10.00	4 AVERAGE																																										





Mode	4																																																																				
	Harmonic																																																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																				
ANT	CDD 1S4T																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>52.35</td><td>68.20</td><td>-15.85</td><td>66.50</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>300</td><td>190</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>53.21</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	52.35	68.20	-15.85	66.50	37.36	15.45	66.96	0.00	300	190	Peak	2	15540.00	47.89	74.00	-26.11	53.21	39.74	19.04	64.10	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	10360.00	52.35	68.20	-15.85	66.50	37.36	15.45	66.96	0.00	300	190	Peak																																																									
2	15540.00	47.89	74.00	-26.11	53.21	39.74	19.04	64.10	0.00	---	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>53.64</td><td>68.20</td><td>-14.56</td><td>67.79</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>100</td><td>203</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>52.96</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	53.64	68.20	-14.56	67.79	37.36	15.45	66.96	0.00	100	203	Peak	2	15540.00	47.64	74.00	-26.36	52.96	39.74	19.04	64.10	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	10360.00	53.64	68.20	-14.56	67.79	37.36	15.45	66.96	0.00	100	203	Peak																																																									
2	15540.00	47.64	74.00	-26.36	52.96	39.74	19.04	64.10	0.00	---	---	PEAK																																																									




		7									
Mode	Band Edge - L										
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz										
ANT	CDD 1S4T										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Avg	Horizontal										
	Fundamental										



Horizontal																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.28</td><td>68.25</td><td>74.00</td><td>-5.75</td><td>59.89</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>119</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.28	68.25	74.00	-5.75	59.89	34.40	10.61	36.65	0.00	119	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5149.28	68.25	74.00	-5.75	59.89	34.40	10.61	36.65	0.00	119	0 PEAK																																																

Fundamental																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>114.49</td><td>-----</td><td>-----</td><td>106.00</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>119</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	114.49	-----	-----	106.00	34.44	10.65	36.60	0.00	119	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5190.00	114.49	-----	-----	106.00	34.44	10.65	36.60	0.00	119	0 PEAK																																																





Horizontal																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>53.88</td><td>54.00</td><td>-0.12</td><td>45.52</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>119</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.76	53.88	54.00	-0.12	45.52	34.40	10.61	36.65	0.00	119	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5149.76	53.88	54.00	-0.12	45.52	34.40	10.61	36.65	0.00	119	0 AVERAGE																																																

Fundamental																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>104.96</td><td>-----</td><td>-----</td><td>96.51</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>119</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	104.96	-----	-----	96.51	34.43	10.64	36.62	0.00	119	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5190.00	104.96	-----	-----	96.51	34.43	10.64	36.62	0.00	119	0 AVERAGE																																																





Mode	7																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																												
ANT	CDD 1S4T																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.66</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>46.67</td><td>34.63</td><td>10.77</td><td>36.31</td><td>0.00</td><td>119</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.66	55.76	74.00	-18.24	46.67	34.63	10.77	36.31	0.00	119	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5394.66	55.76	74.00	-18.24	46.67	34.63	10.77	36.31	0.00	119	0 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.52</td><td>44.26</td><td>54.00</td><td>-9.74</td><td>35.23</td><td>34.61</td><td>10.76</td><td>36.34</td><td>0.00</td><td>119</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.52	44.26	54.00	-9.74	35.23	34.61	10.76	36.34	0.00	119	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5372.52	44.26	54.00	-9.74	35.23	34.61	10.76	36.34	0.00	119	0 AVERAGE																																		





	7																																																						
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.88</td><td>61.87</td><td>74.00</td><td>-12.13</td><td>53.53</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>185</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.88	61.87	74.00	-12.13	53.53	34.40	10.60	36.66	0.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5142.88	61.87	74.00	-12.13	53.53	34.40	10.60	36.66	0.00	100	185	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>112.77</td><td>-----</td><td>-----</td><td>104.26</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>100</td><td>185</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	112.77	-----	-----	104.26	34.45	10.65	36.59	0.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	112.77	-----	-----	104.26	34.45	10.65	36.59	0.00	100	185	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.00</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>40.80</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.00	49.14	54.00	-4.86	40.80	34.40	10.60	36.66	0.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5144.00	49.14	54.00	-4.86	40.80	34.40	10.60	36.66	0.00	100	185	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.83</td><td>-----</td><td>-----</td><td>94.38</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.83	-----	-----	94.38	34.43	10.64	36.62	0.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	102.83	-----	-----	94.38	34.43	10.64	36.62	0.00	100	185	AVERAGE																																											







Mode	7																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.99</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>44.11</td><td>34.60</td><td>10.75</td><td>36.35</td><td>0.00</td><td>100</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.99	53.11	74.00	-20.89	44.11	34.60	10.75	36.35	0.00	100	185	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5361.99	53.11	74.00	-20.89	44.11	34.60	10.75	36.35	0.00	100	185	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.97</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>33.10</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.97	42.09	54.00	-11.91	33.10	34.60	10.75	36.36	0.00	100	185	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.97	42.09	54.00	-11.91	33.10	34.60	10.75	36.36	0.00	100	185	AVERAGE																																											





Mode	7																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																																								
ANT	CDD 1S4T																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>46.16</td><td>68.20</td><td>-22.04</td><td>60.26</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>52.46</td><td>39.77</td><td>19.06</td><td>64.09</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.16	68.20	-22.04	60.26	37.38	15.47	66.95	0.00	---	PEAK	2	15570.00	47.20	74.00	-26.80	52.46	39.77	19.06	64.09	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>50.62</td><td>68.20</td><td>-17.58</td><td>64.72</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>53.07</td><td>39.77</td><td>19.06</td><td>64.09</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	50.62	68.20	-17.58	64.72	37.38	15.47	66.95	0.00	---	PEAK	2	15570.00	47.81	74.00	-26.19	53.07	39.77	19.06	64.09	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10380.00	46.16	68.20	-22.04	60.26	37.38	15.47	66.95	0.00	---	PEAK																																																																																																														
2	15570.00	47.20	74.00	-26.80	52.46	39.77	19.06	64.09	0.00	---	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10380.00	50.62	68.20	-17.58	64.72	37.38	15.47	66.95	0.00	---	PEAK																																																																																																														
2	15570.00	47.81	74.00	-26.19	53.07	39.77	19.06	64.09	0.00	---	PEAK																																																																																																														







		8																																																									
Mode	Band Edge - L																																																										
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																										
ANT	CDD 1S4T																																																										
Pol.	Horizontal						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5148.32</td><td>65.72</td><td>74.00</td><td>-8.28</td><td>47.37</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>312</td><td>199 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5148.32	65.72	74.00	-8.28	47.37	34.40	10.61	36.66	10.00	312
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5148.32	65.72	74.00	-8.28	47.37	34.40	10.61	36.66	10.00	312	199 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5148.48</td><td>53.48</td><td>54.00</td><td>-0.52</td><td>35.13</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>312</td><td>199 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5148.48	53.48	54.00	-0.52	35.13	34.40	10.61	36.66	10.00	312
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5148.48	53.48	54.00	-0.52	35.13	34.40	10.61	36.66	10.00	312	199 AVERAGE																																																
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5230.00</td><td>115.56</td><td>-----</td><td>-----</td><td>96.91</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>312</td><td>199 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5230.00	115.56	-----	-----	96.91	34.49	10.68	36.52	10.00	312
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5230.00	115.56	-----	-----	96.91	34.49	10.68	36.52	10.00	312	199 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5230.00</td><td>106.78</td><td>-----</td><td>-----</td><td>88.13</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>312</td><td>199 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5230.00	106.78	-----	-----	88.13	34.49	10.68	36.52	10.00	312
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5230.00	106.78	-----	-----	88.13	34.49	10.68	36.52	10.00	312	199 AVERAGE																																																





Mode	8																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.06</td><td>62.30</td><td>74.00</td><td>-11.70</td><td>43.28</td><td>34.61</td><td>10.76</td><td>36.35</td><td>10.00</td><td>312</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.06	62.30	74.00	-11.70	43.28	34.61	10.76	36.35	10.00	312	199	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5367.06	62.30	74.00	-11.70	43.28	34.61	10.76	36.35	10.00	312	199	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.58</td><td>51.31</td><td>54.00</td><td>-2.69</td><td>32.32</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>312</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.58	51.31	54.00	-2.69	32.32	34.60	10.75	36.36	10.00	312	199	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5360.58	51.31	54.00	-2.69	32.32	34.60	10.75	36.36	10.00	312	199	AVERAGE																																												





		8																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																						
ANT		CDD 1S4T																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak																																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.92</td><td>64.50</td><td>74.00</td><td>-9.50</td><td>46.20</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>4 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5133.92	64.50	74.00	-9.50	46.20	34.39	10.59	36.68	10.00	4 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>115.19</td><td>-----</td><td>-----</td><td>96.56</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>4 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	115.19	-----	-----	96.56	34.48	10.68	36.53	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5133.92	64.50	74.00	-9.50	46.20	34.39	10.59	36.68	10.00	4 PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5230.00	115.19	-----	-----	96.56	34.48	10.68	36.53	10.00	4 PEAK																																																																																														
Avg																																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5134.40</td><td>52.48</td><td>54.00</td><td>-1.52</td><td>34.18</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>4 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5134.40	52.48	54.00	-1.52	34.18	34.39	10.59	36.68	10.00	4 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>105.72</td><td>-----</td><td>-----</td><td>87.09</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>4 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	105.72	-----	-----	87.09	34.48	10.68	36.53	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5134.40	52.48	54.00	-1.52	34.18	34.39	10.59	36.68	10.00	4 AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5230.00	105.72	-----	-----	87.09	34.48	10.68	36.53	10.00	4 AVERAGE																																																																																														







Mode	8																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																												
ANT	CDD 1S4T																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.52</td><td>62.77</td><td>74.00</td><td>-11.23</td><td>43.69</td><td>34.63</td><td>10.77</td><td>36.32</td><td>10.00</td><td>4</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.52	62.77	74.00	-11.23	43.69	34.63	10.77	36.32	10.00	4	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5384.52	62.77	74.00	-11.23	43.69	34.63	10.77	36.32	10.00	4	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.10</td><td>51.15</td><td>54.00</td><td>-2.85</td><td>32.16</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>4</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.10	51.15	54.00	-2.85	32.16	34.60	10.75	36.36	10.00	4	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5354.10	51.15	54.00	-2.85	32.16	34.60	10.75	36.36	10.00	4	AVERAGE																																		





Mode	8																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>54.55</td><td>68.20</td><td>-13.65</td><td>68.46</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	54.55	68.20	-13.65	68.46	37.46	15.54	66.91	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>53.62</td><td>68.20</td><td>-14.58</td><td>67.53</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	53.62	68.20	-14.58	67.53	37.46	15.54	66.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10460.00	54.55	68.20	-13.65	68.46	37.46	15.54	66.91	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10460.00	53.62	68.20	-14.58	67.53	37.46	15.54	66.91	0.00	---	---	PEAK																																																																																							







		9																																																						
Mode		Band Edge - L																																																						
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																						
ANT		CDD 1S4T																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.20</td><td>64.70</td><td>74.00</td><td>-9.30</td><td>46.38</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>300</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.20	64.70	74.00	-9.30	46.38	34.39	10.60	36.67	10.00	300	287	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5139.20	64.70	74.00	-9.30	46.38	34.39	10.60	36.67	10.00	300	287	PEAK																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>109.25</td><td>-----</td><td>-----</td><td>90.66</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>300</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	109.25	-----	-----	90.66	34.47	10.67	36.55	10.00	300	287	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5210.00	109.25	-----	-----	90.66	34.47	10.67	36.55	10.00	300	287	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.64</td><td>53.41</td><td>54.00</td><td>-0.59</td><td>35.09</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>300</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.64	53.41	54.00	-0.59	35.09	34.39	10.60	36.67	10.00	300	287	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5140.64	53.41	54.00	-0.59	35.09	34.39	10.60	36.67	10.00	300	287	AVERAGE																																												
Aver																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.09</td><td>-----</td><td>-----</td><td>81.50</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>300</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.09	-----	-----	81.50	34.47	10.67	36.55	10.00	300	287	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5210.00	100.09	-----	-----	81.50	34.47	10.67	36.55	10.00	300	287	AVERAGE																																												





Mode	9																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.88</td><td>59.06</td><td>74.00</td><td>-14.94</td><td>39.97</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>300</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.88	59.06	74.00	-14.94	39.97	34.63	10.77	36.31	10.00	300	287	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5393.88	59.06	74.00	-14.94	39.97	34.63	10.77	36.31	10.00	300	287	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.12</td><td>47.01</td><td>54.00</td><td>-6.99</td><td>28.01</td><td>34.60</td><td>10.75</td><td>36.35</td><td>10.00</td><td>300</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.12	47.01	54.00	-6.99	28.01	34.60	10.75	36.35	10.00	300	287	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5361.12	47.01	54.00	-6.99	28.01	34.60	10.75	36.35	10.00	300	287	AVERAGE																																												





		9																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical					Fundamental																																																																																								
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.44</td><td>65.76</td><td>74.00</td><td>-8.24</td><td>47.46</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>116 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.44	65.76	74.00	-8.24	47.46	34.39	10.59	36.68	10.00	116 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>108.12</td><td>-----</td><td>-----</td><td>89.67</td><td>34.43</td><td>10.64</td><td>36.62</td><td>10.00</td><td>116 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	108.12	-----	-----	89.67	34.43	10.64	36.62	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5133.44	65.76	74.00	-8.24	47.46	34.39	10.59	36.68	10.00	116 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5210.00	108.12	-----	-----	89.67	34.43	10.64	36.62	10.00	116 PEAK																																																																																				
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.08</td><td>51.64</td><td>54.00</td><td>-2.36</td><td>33.34</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>116 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.08	51.64	54.00	-2.36	33.34	34.39	10.59	36.68	10.00	116 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.57</td><td>-----</td><td>-----</td><td>79.94</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>116 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.57	-----	-----	79.94	34.48	10.68	36.53	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5134.08	51.64	54.00	-2.36	33.34	34.39	10.59	36.68	10.00	116 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5210.00	98.57	-----	-----	79.94	34.48	10.68	36.53	10.00	116 AVERAGE																																																																																				







Mode	9																																																
	Band Edge - R																																																
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																
ANT	CDD 1S4T																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.72</td><td>57.58</td><td>74.00</td><td>-16.42</td><td>38.59</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>100</td><td>116</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.72	57.58	74.00	-16.42	38.59
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5355.72	57.58	74.00	-16.42	38.59	34.60	10.75	36.36	10.00	100	116	PEAK																																					
Avg							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.92</td><td>46.29</td><td>54.00</td><td>-7.71</td><td>27.31</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.92	46.29	54.00	-7.71	27.31
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5353.92	46.29	54.00	-7.71	27.31	34.60	10.75	36.37	10.00	100	116	AVERAGE																																					





Mode	9																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																			
ANT	CDD 1S4T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>46.08</td><td>68.20</td><td>-22.12</td><td>60.08</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.08	68.20	-22.12	60.08	37.42	15.51	66.93	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.73</td><td>68.20</td><td>-22.47</td><td>59.73</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.73	68.20	-22.47	59.73	37.42	15.51	66.93	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10420.00	46.08	68.20	-22.12	60.08	37.42	15.51	66.93	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10420.00	45.73	68.20	-22.47	59.73	37.42	15.51	66.93	0.00	---	---	PEAK																																																																																								







Mode	19																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.36</td><td>61.19</td><td>74.00</td><td>-12.81</td><td>42.85</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>202</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.36	61.19	74.00	-12.81	42.85	34.40	10.60	36.66	10.00	202	185	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>113.72</td><td>-----</td><td>-----</td><td>94.82</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>202</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	113.72	-----	-----	94.82	34.57	10.73	36.40	10.00	202	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5143.36	61.19	74.00	-12.81	42.85	34.40	10.60	36.66	10.00	202	185	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	113.72	-----	-----	94.82	34.57	10.73	36.40	10.00	202	185	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.88</td><td>48.33</td><td>54.00</td><td>-5.67</td><td>30.03</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>202</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.88	48.33	54.00	-5.67	30.03	34.39	10.59	36.68	10.00	202	185	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>103.98</td><td>-----</td><td>-----</td><td>85.10</td><td>34.56</td><td>10.73</td><td>36.41</td><td>10.00</td><td>202</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.98	-----	-----	85.10	34.56	10.73	36.41	10.00	202	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5134.88	48.33	54.00	-5.67	30.03	34.39	10.59	36.68	10.00	202	185	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	103.98	-----	-----	85.10	34.56	10.73	36.41	10.00	202	185	AVERAGE																																																																																							



Mode	19																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.10</td><td>64.85</td><td>74.00</td><td>-9.15</td><td>45.85</td><td>34.60</td><td>10.75</td><td>36.35</td><td>10.00</td><td>202</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.10	64.85	74.00	-9.15	45.85	34.60	10.75	36.35	10.00	202	185	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5363.10	64.85	74.00	-9.15	45.85	34.60	10.75	36.35	10.00	202	185	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>53.46</td><td>54.00</td><td>-0.54</td><td>34.49</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>202</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	53.46	54.00	-0.54	34.49	34.59	10.75	36.37	10.00	202	185	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	53.46	54.00	-0.54	34.49	34.59	10.75	36.37	10.00	202	185	AVERAGE																																											





Mode	19																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																																	
ANT	CDD 1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5106.08</td><td>59.92</td><td>74.00</td><td>-14.08</td><td>41.72</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>21</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.08	59.92	74.00	-14.08	41.72	34.36	10.56	36.72	10.00	21	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>112.02</td><td>-----</td><td>-----</td><td>93.21</td><td>34.54</td><td>10.72</td><td>36.45</td><td>10.00</td><td>100</td><td>21</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	112.02	-----	-----	93.21	34.54	10.72	36.45	10.00	100	21	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5106.08	59.92	74.00	-14.08	41.72	34.36	10.56	36.72	10.00	21	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	112.02	-----	-----	93.21	34.54	10.72	36.45	10.00	100	21	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.00</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>30.06</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>100</td><td>21</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	48.26	54.00	-5.74	30.06	34.36	10.56	36.72	10.00	100	21	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>101.21</td><td>-----</td><td>-----</td><td>82.34</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100</td><td>21</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.21	-----	-----	82.34	34.56	10.73	36.42	10.00	100	21
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5100.00	48.26	54.00	-5.74	30.06	34.36	10.56	36.72	10.00	100	21	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	101.21	-----	-----	82.34	34.56	10.73	36.42	10.00	100	21	AVERAGE																																																																																						







Mode	19																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																											
ANT	CDD 1S4T																																											
Pol.	Vertical	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.20</td><td>64.07</td><td>74.00</td><td>-9.93</td><td>45.09</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>21 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.20	64.07	74.00	-9.93	45.09	34.60	10.75	36.37	10.00	21 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5353.20	64.07	74.00	-9.93	45.09	34.60	10.75	36.37	10.00	21 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.50</td><td>51.84</td><td>54.00</td><td>-2.16</td><td>32.85</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>21 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.50	51.84	54.00	-2.16	32.85	34.60	10.75	36.36	10.00	21 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5354.50	51.84	54.00	-2.16	32.85	34.60	10.75	36.36	10.00	21 AVERAGE																																		





		19																																																														
Mode		Harmonic																																																														
		U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																														
ANT		CDD 1S4T																																																														
Pol.		Horizontal						Vertical																																																								
Peak Avg																																																																
																																																																
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10620.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>58.43</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10620.00	44.90	74.00	-29.10	58.43	37.60	15.69	66.82	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	10620.00	44.90	74.00	-29.10	58.43	37.60	15.69	66.82	0.00	---	---	PEAK																																																				
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10620.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>58.76</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10620.00	45.23	74.00	-28.77	58.76	37.60	15.69	66.82	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	10620.00	45.23	74.00	-28.77	58.76	37.60	15.69	66.82	0.00	---	---	PEAK																																																				







Mode	20																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.76</td><td>60.64</td><td>74.00</td><td>-13.36</td><td>42.31</td><td>34.40</td><td>10.60</td><td>36.67</td><td>10.00</td><td>203</td><td>187</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.76	60.64	74.00	-13.36	42.31	34.40	10.60	36.67	10.00	203	187	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>109.93</td><td>-----</td><td>-----</td><td>91.05</td><td>34.56</td><td>10.73</td><td>36.41</td><td>10.00</td><td>203</td><td>187</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	109.93	-----	-----	91.05	34.56	10.73	36.41	10.00	203	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5141.76	60.64	74.00	-13.36	42.31	34.40	10.60	36.67	10.00	203	187	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	109.93	-----	-----	91.05	34.56	10.73	36.41	10.00	203	187	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.72</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>30.24</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>203</td><td>187</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.72	48.58	54.00	-5.42	30.24	34.40	10.60	36.66	10.00	203	187	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>100.06</td><td>-----</td><td>-----</td><td>81.18</td><td>34.56</td><td>10.73</td><td>36.41</td><td>10.00</td><td>203</td><td>187</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	100.06	-----	-----	81.18	34.56	10.73	36.41	10.00	203	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5142.72	48.58	54.00	-5.42	30.24	34.40	10.60	36.66	10.00	203	187	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	100.06	-----	-----	81.18	34.56	10.73	36.41	10.00	203	187	AVERAGE																																																																																																			





Mode	20																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																
ANT	CDD 1S4T																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.20</td><td>64.56</td><td>74.00</td><td>-9.44</td><td>45.55</td><td>34.61</td><td>10.75</td><td>36.35</td><td>10.00</td><td>203</td><td>187</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.20	64.56	74.00	-9.44	45.55	34.61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5364.20	64.56	74.00	-9.44	45.55	34.61	10.75	36.35	10.00	203	187	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.70</td><td>53.50</td><td>54.00</td><td>-0.50</td><td>34.49</td><td>34.61</td><td>10.75</td><td>36.35</td><td>10.00</td><td>203</td><td>187</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.70	53.50	54.00	-0.50	34.49	34.61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5363.70	53.50	54.00	-0.50	34.49	34.61	10.75	36.35	10.00	203	187	AVERAGE																																					





		20																																																					
Mode	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.92</td><td>61.49</td><td>74.00</td><td>-12.51</td><td>43.29</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>21</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.92	61.49	74.00	-12.51	43.29	34.36	10.56	36.72	10.00	21	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5105.92	61.49	74.00	-12.51	43.29	34.36	10.56	36.72	10.00	21	PEAK																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>106.94</td><td>-----</td><td>-----</td><td>88.20</td><td>34.52</td><td>10.70</td><td>36.48</td><td>10.00</td><td>100</td><td>21</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	106.94	-----	-----	88.20	34.52	10.70	36.48	10.00	100	21	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	106.94	-----	-----	88.20	34.52	10.70	36.48	10.00	100	21	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.00</td><td>48.38</td><td>54.00</td><td>-5.62</td><td>30.18</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>21</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.00	48.38	54.00	-5.62	30.18	34.36	10.56	36.72	10.00	21	AVERAGE	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5104.00	48.38	54.00	-5.62	30.18	34.36	10.56	36.72	10.00	21	AVERAGE																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>97.02</td><td>-----</td><td>-----</td><td>78.15</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100</td><td>21</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.02	-----	-----	78.15	34.56	10.73	36.42	10.00	100	21	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	97.02	-----	-----	78.15	34.56	10.73	36.42	10.00	100	21	AVERAGE																																											







Mode	20																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																			
ANT	CDD 1S4T																																																			
Pol.	Vertical					Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.70</td><td>62.90</td><td>74.00</td><td>-11.10</td><td>43.91</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>21 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.70	62.90	74.00	-11.10	43.91	34.60	10.75	36.36	10.00	21 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5354.70	62.90	74.00	-11.10	43.91	34.60	10.75	36.36	10.00	21 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.60</td><td>51.51</td><td>54.00</td><td>-2.49</td><td>32.52</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>21 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.60	51.51	54.00	-2.49	32.52	34.60	10.75	36.36	10.00	21 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5355.60	51.51	54.00	-2.49	32.52	34.60	10.75	36.36	10.00	21 AVERAGE																																										





		20																																																														
Mode		Harmonic																																																														
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																														
ANT		CDD 1S4T																																																														
Pol.		Horizontal						Vertical																																																								
Peak Avg																																																																
																																																																
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10580.00</td><td>44.16</td><td>68.20</td><td>-24.04</td><td>57.77</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10580.00	44.16	68.20	-24.04	57.77	37.58	15.65	66.84	0.00	---	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																					
1 10580.00	44.16	68.20	-24.04	57.77	37.58	15.65	66.84	0.00	---	---	---	PEAK																																																				
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10580.00</td><td>45.24</td><td>68.20</td><td>-22.96</td><td>58.85</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10580.00	45.24	68.20	-22.96	58.85	37.58	15.65	66.84	0.00	---	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																					
1 10580.00	45.24	68.20	-22.96	58.85	37.58	15.65	66.84	0.00	---	---	---	PEAK																																																				







Mode	22																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																																
ANT	CDD 1S4T																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.50</td><td>63.77</td><td>74.00</td><td>-10.23</td><td>45.45</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>111</td><td>278</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.50	63.77	74.00	-10.23	45.45	34.39	10.60	36.67	10.00	111	278	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>105.58</td><td>-----</td><td>-----</td><td>86.68</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>111</td><td>278</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	105.58	-----	-----	86.68	34.57	10.73	36.40	10.00	111	278	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5137.50	63.77	74.00	-10.23	45.45	34.39	10.60	36.67	10.00	111	278	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5250.00	105.58	-----	-----	86.68	34.57	10.73	36.40	10.00	111	278	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.25</td><td>51.57</td><td>54.00</td><td>-2.43</td><td>33.25</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>111</td><td>278</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5137.25	51.57	54.00	-2.43	33.25	34.39	10.60	36.67	10.00	111	278	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>96.11</td><td>-----</td><td>-----</td><td>77.21</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>111</td><td>278</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	96.11	-----	-----	77.21	34.57	10.73	36.40	10.00	111	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5137.25	51.57	54.00	-2.43	33.25	34.39	10.60	36.67	10.00	111	278	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5250.00	96.11	-----	-----	77.21	34.57	10.73	36.40	10.00	111	278	AVERAGE																																																																																																					





Mode	22																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																													
ANT	CDD 1S4T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.26</td><td>64.95</td><td>74.00</td><td>-9.05</td><td>45.90</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>111</td><td>278</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.26	64.95	74.00	-9.05	45.90	34.62	10.76	36.33	10.00	111	278	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5377.26	64.95	74.00	-9.05	45.90	34.62	10.76	36.33	10.00	111	278	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.89</td><td>53.07</td><td>54.00</td><td>-0.93</td><td>34.00</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>111</td><td>278</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.89	53.07	54.00	-0.93	34.00	34.60	10.75	36.36	10.00	111	278	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5356.89	53.07	54.00	-0.93	34.00	34.60	10.75	36.36	10.00	111	278	AVERAGE																																		



Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.75</td><td>66.17</td><td>74.00</td><td>-7.83</td><td>47.94</td><td>34.37</td><td>10.57</td><td>36.71</td><td>10.00</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.75	66.17	74.00	-7.83	47.94	34.37	10.57	36.71	10.00	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>105.45</td><td>-----</td><td>-----</td><td>86.58</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	105.45	-----	-----	86.58	34.56	10.73	36.42	10.00	100	113	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5133.75	66.17	74.00	-7.83	47.94	34.37	10.57	36.71	10.00	113	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	105.45	-----	-----	86.58	34.56	10.73	36.42	10.00	100	113	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.50</td><td>50.07</td><td>54.00</td><td>-3.93</td><td>31.77</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.50	50.07	54.00	-3.93	31.77	34.39	10.59	36.68	10.00	100	113	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>94.05</td><td>-----</td><td>-----</td><td>75.18</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	94.05	-----	-----	75.18	34.56	10.73	36.42	10.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5133.50	50.07	54.00	-3.93	31.77	34.39	10.59	36.68	10.00	100	113	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	94.05	-----	-----	75.18	34.56	10.73	36.42	10.00	100	113	AVERAGE																																																																																							







Mode	22																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.32</td><td>64.69</td><td>74.00</td><td>-9.31</td><td>45.71</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.32	64.69	74.00	-9.31	45.71	34.60	10.75	36.37	10.00	100	113	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5353.32	64.69	74.00	-9.31	45.71	34.60	10.75	36.37	10.00	100	113	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.32</td><td>52.36</td><td>54.00</td><td>-1.64</td><td>33.38</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.32	52.36	54.00	-1.64	33.38	34.60	10.75	36.37	10.00	100	113	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5353.32	52.36	54.00	-1.64	33.38	34.60	10.75	36.37	10.00	100	113	AVERAGE																																		




Mode	22																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																			
ANT	CDD 1S4T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.93</td><td>68.20</td><td>-23.27</td><td>58.73</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	44.93	68.20	-23.27	58.73	37.50	15.58	66.88	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.54</td><td>68.20</td><td>-22.66</td><td>59.34</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.54	68.20	-22.66	59.34	37.50	15.58	66.88	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10500.00	44.93	68.20	-23.27	58.73	37.50	15.58	66.88	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10500.00	45.54	68.20	-22.66	59.34	37.50	15.58	66.88	0.00	---	---	PEAK																																																																																								







Mode	35																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.08</td><td>64.89</td><td>74.00</td><td>-9.11</td><td>45.61</td><td>34.68</td><td>10.83</td><td>36.23</td><td>10.00</td><td>300</td><td>198</td><td>PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>64.95</td><td>68.20</td><td>-3.25</td><td>45.61</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>300</td><td>198</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.08	64.89	74.00	-9.11	45.61	34.68	10.83	36.23	10.00	300	198	PEAK	2	5466.64	64.95	68.20	-3.25	45.61	34.70	10.85	36.21	10.00	300	198	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>111.08</td><td>-----</td><td>-----</td><td>91.62</td><td>34.73</td><td>10.89</td><td>36.16</td><td>10.00</td><td>300</td><td>198</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	111.08	-----	-----	91.62	34.73	10.89	36.16	10.00	300	198
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5448.08	64.89	74.00	-9.11	45.61	34.68	10.83	36.23	10.00	300	198	PEAK																																																																																																				
2	5466.64	64.95	68.20	-3.25	45.61	34.70	10.85	36.21	10.00	300	198	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	111.08	-----	-----	91.62	34.73	10.89	36.16	10.00	300	198	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.72</td><td>52.34</td><td>54.00</td><td>-1.66</td><td>33.05</td><td>34.69</td><td>10.83</td><td>36.23</td><td>10.00</td><td>300</td><td>198</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.72	52.34	54.00	-1.66	33.05	34.69	10.83	36.23	10.00	300	198	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.42</td><td>-----</td><td>-----</td><td>81.96</td><td>34.73</td><td>10.89</td><td>36.16</td><td>10.00</td><td>300</td><td>198</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.42	-----	-----	81.96	34.73	10.89	36.16	10.00	300	198	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5448.72	52.34	54.00	-1.66	33.05	34.69	10.83	36.23	10.00	300	198	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	101.42	-----	-----	81.96	34.73	10.89	36.16	10.00	300	198	AVERAGE																																																																																																				



Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.96</td><td>58.66</td><td>68.20</td><td>-9.54</td><td>39.95</td><td>34.95</td><td>11.19</td><td>37.43</td><td>10.00</td><td>300</td><td>198</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.96	58.66	68.20	-9.54	39.95	34.95	11.19	37.43	10.00	300	198	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5733.96	58.66	68.20	-9.54	39.95	34.95	11.19	37.43	10.00	300	198	PEAK																																												





Mode	35																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																	
ANT	CDD 1S4T																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.68</td><td>64.68</td><td>74.00</td><td>-9.32</td><td>45.38</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>5463.28</td><td>66.38</td><td>68.20</td><td>-1.82</td><td>47.05</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>16</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.68	64.68	74.00	-9.32	45.38	34.69	10.83	36.22	10.00	16	PEAK	2	5463.28	66.38	68.20	-1.82	47.05	34.70	10.84	36.21	10.00	16	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5453.68	64.68	74.00	-9.32	45.38	34.69	10.83	36.22	10.00	16	PEAK																																																							
2	5463.28	66.38	68.20	-1.82	47.05	34.70	10.84	36.21	10.00	16	PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>109.23</td><td>-----</td><td>-----</td><td>89.79</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>16</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	109.23	-----	-----	89.79	34.73	10.88	36.17	10.00	16	PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5530.00	109.23	-----	-----	89.79	34.73	10.88	36.17	10.00	16	PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.00</td><td>53.63</td><td>54.00</td><td>-0.37</td><td>34.33</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>16</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.00	53.63	54.00	-0.37	34.33	34.69	10.83	36.22	10.00	16	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5454.00	53.63	54.00	-0.37	34.33	34.69	10.83	36.22	10.00	16	AVERAGE																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.22</td><td>-----</td><td>-----</td><td>79.57</td><td>34.78</td><td>10.95</td><td>36.08</td><td>10.00</td><td>16</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.22	-----	-----	79.57	34.78	10.95	36.08	10.00	16	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5530.00	99.22	-----	-----	79.57	34.78	10.95	36.08	10.00	16	AVERAGE																																																							







Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.68</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>39.92</td><td>34.96</td><td>11.20</td><td>37.57</td><td>10.00</td><td>100</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5742.68	58.51	68.20	-9.69	39.92	34.96	11.20	37.57	10.00	100	16	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5742.68	58.51	68.20	-9.69	39.92	34.96	11.20	37.57	10.00	100	16	PEAK																																												




Mode	35																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																
ANT	CDD 1S4T																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>65.13</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>143</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>54.99</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>143</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	52.48	74.00	-21.52	65.13	37.84	16.08	66.57	0.00	143	149	PEAK	2	11060.00	42.34	54.00	-11.66	54.99	37.84	16.08	66.57	0.00	143	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>58.02</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.37	74.00	-28.63	58.02	37.84	16.08	66.57	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11060.00	52.48	74.00	-21.52	65.13	37.84	16.08	66.57	0.00	143	149	PEAK																																																																																																					
2	11060.00	42.34	54.00	-11.66	54.99	37.84	16.08	66.57	0.00	143	149	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11060.00	45.37	74.00	-28.63	58.02	37.84	16.08	66.57	0.00	---	---	PEAK																																																																																																					



Mode	39																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5403.68</td><td>66.57</td><td>74.00</td><td>-7.43</td><td>47.44</td><td>34.64</td><td>10.78</td><td>36.29</td><td>10.00</td><td>117</td><td>186</td><td>PEAK</td></tr><tr><td>2</td><td>5462.86</td><td>62.67</td><td>68.20</td><td>-5.53</td><td>43.34</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>117</td><td>186</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5403.68	66.57	74.00	-7.43	47.44	34.64	10.78	36.29	10.00	117	186	PEAK	2	5462.86	62.67	68.20	-5.53	43.34	34.70	10.84	36.21	10.00	117	186	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>110.13</td><td>-----</td><td>-----</td><td>90.33</td><td>34.82</td><td>11.00</td><td>36.02</td><td>10.00</td><td>117</td><td>186</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	110.13	-----	-----	90.33	34.82	11.00	36.02	10.00	117	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5403.68	66.57	74.00	-7.43	47.44	34.64	10.78	36.29	10.00	117	186	PEAK																																																																																																				
2	5462.86	62.67	68.20	-5.53	43.34	34.70	10.84	36.21	10.00	117	186	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	110.13	-----	-----	90.33	34.82	11.00	36.02	10.00	117	186	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5424.14</td><td>53.06</td><td>54.00</td><td>-0.94</td><td>33.87</td><td>34.66</td><td>10.80</td><td>36.27</td><td>10.00</td><td>117</td><td>186</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.14	53.06	54.00	-0.94	33.87	34.66	10.80	36.27	10.00	117	186	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>98.27</td><td>-----</td><td>-----</td><td>78.62</td><td>34.78</td><td>10.95</td><td>36.08</td><td>10.00</td><td>117</td><td>186</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.27	-----	-----	78.62	34.78	10.95	36.08	10.00	117	186	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5424.14	53.06	54.00	-0.94	33.87	34.66	10.80	36.27	10.00	117	186	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	98.27	-----	-----	78.62	34.78	10.95	36.08	10.00	117	186	AVERAGE																																																																																																				




Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.68</td><td>60.79</td><td>68.20</td><td>-7.41</td><td>42.04</td><td>34.95</td><td>11.18</td><td>37.38</td><td>10.00</td><td>117</td><td>186</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.68	60.79	68.20	-7.41	42.04	34.95	11.18	37.38	10.00	117	186	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5730.68	60.79	68.20	-7.41	42.04	34.95	11.18	37.38	10.00	117	186	PEAK																																												





		39																																																															
Mode		Band Edge - L																																																															
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																															
ANT		CDD 1S4T																																																															
Pol.		Vertical					Fundamental																																																										
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.00</td><td>61.78</td><td>74.00</td><td>-12.22</td><td>42.69</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>15 PEAK</td></tr><tr><td>2</td><td>5465.50</td><td>61.09</td><td>68.20</td><td>-7.11</td><td>41.75</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>15 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.00	61.78	74.00	-12.22	42.69	34.63	10.77	36.31	10.00	15 PEAK	2	5465.50	61.09	68.20	-7.11	41.75	34.70	10.85	36.21	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5394.00	61.78	74.00	-12.22	42.69	34.63	10.77	36.31	10.00	15 PEAK																																																							
2	5465.50	61.09	68.20	-7.11	41.75	34.70	10.85	36.21	10.00	15 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.84</td><td>50.88</td><td>54.00</td><td>-3.12</td><td>31.58</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>15 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.84	50.88	54.00	-3.12	31.58	34.69	10.83	36.22	10.00	15 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5453.84	50.88	54.00	-3.12	31.58	34.69	10.83	36.22	10.00	15 AVERAGE																																																							
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>105.68</td><td>-----</td><td>-----</td><td>86.03</td><td>34.78</td><td>10.95</td><td>36.08</td><td>10.00</td><td>15 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	105.68	-----	-----	86.03	34.78	10.95	36.08	10.00	15 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5570.00	105.68	-----	-----	86.03	34.78	10.95	36.08	10.00	15 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>95.22</td><td>-----</td><td>-----</td><td>75.57</td><td>34.78</td><td>10.95</td><td>36.08</td><td>10.00</td><td>15 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.22	-----	-----	75.57	34.78	10.95	36.08	10.00	15 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5570.00	95.22	-----	-----	75.57	34.78	10.95	36.08	10.00	15 AVERAGE																																																							







Mode	39																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.39</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>41.10</td><td>34.96</td><td>11.19</td><td>37.44</td><td>10.00</td><td>100</td><td>15</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.39	59.81	68.20	-8.39	41.10	34.96	11.19	37.44	10.00	100	15	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5734.39	59.81	68.20	-8.39	41.10	34.96	11.19	37.44	10.00	100	15	PEAK																																		



Mode	39																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																			
ANT	CDD 1S4T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>57.94</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	45.38	74.00	-28.62	57.94	37.84	16.13	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>57.25</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	44.69	74.00	-29.31	57.25	37.84	16.13	66.53	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11140.00	45.38	74.00	-28.62	57.94	37.84	16.13	66.53	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11140.00	44.69	74.00	-29.31	57.25	37.84	16.13	66.53	0.00	---	---	PEAK																																																																																								







Mode	40																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.00</td><td>69.56</td><td>74.00</td><td>-4.44</td><td>50.29</td><td>34.68</td><td>10.82</td><td>36.23</td><td>10.00</td><td>307</td><td>199</td><td>PEAK</td></tr><tr><td>2</td><td>5461.10</td><td>59.43</td><td>68.20</td><td>-8.77</td><td>40.10</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>307</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.00	69.56	74.00	-4.44	50.29	34.68	10.82	36.23	10.00	307	199	PEAK	2	5461.10	59.43	68.20	-8.77	40.10	34.70	10.84	36.21	10.00	307	199	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>107.01</td><td>-----</td><td>-----</td><td>87.33</td><td>34.79</td><td>10.96</td><td>36.07</td><td>10.00</td><td>307</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	107.01	-----	-----	87.33	34.79	10.96	36.07	10.00	307	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5446.00	69.56	74.00	-4.44	50.29	34.68	10.82	36.23	10.00	307	199	PEAK																																																																																																				
2	5461.10	59.43	68.20	-8.77	40.10	34.70	10.84	36.21	10.00	307	199	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	107.01	-----	-----	87.33	34.79	10.96	36.07	10.00	307	199	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>49.48</td><td>54.00</td><td>-4.52</td><td>30.15</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>307</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	49.48	54.00	-4.52	30.15	34.70	10.84	36.21	10.00	307	199	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>97.24</td><td>-----</td><td>-----</td><td>77.56</td><td>34.79</td><td>10.96</td><td>36.07</td><td>10.00</td><td>307</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	97.24	-----	-----	77.56	34.79	10.96	36.07	10.00	307	199	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5460.00	49.48	54.00	-4.52	30.15	34.70	10.84	36.21	10.00	307	199	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	97.24	-----	-----	77.56	34.79	10.96	36.07	10.00	307	199	AVERAGE																																																																																																				




Mode	40	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m)	







		40																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																																																								
ANT		CDD 1S4T																																																																																																								
Pol.		Vertical						Fundamental																																																																																																		
Peak																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.58	60.68	74.00	-13.32	41.52	34.65	10.79	36.28	10.00	320	115	PEAK	2	5463.08	58.97	68.20	-9.23	39.64	34.70	10.84	36.21	10.00	320	115	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	104.86	-----	-----	85.00	34.84	11.02	36.00	10.00	320	115	PEAK					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5413.58	60.68	74.00	-13.32	41.52	34.65	10.79	36.28	10.00	320	115	PEAK																																																																																														
2	5463.08	58.97	68.20	-9.23	39.64	34.70	10.84	36.21	10.00	320	115	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5570.00	104.86	-----	-----	85.00	34.84	11.02	36.00	10.00	320	115	PEAK																																																																																														
Avg																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.74	48.77	54.00	-5.23	29.48	34.69	10.83	36.23	10.00	320	115	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	94.37	-----	-----	74.66	34.80	10.97	36.06	10.00	320	115	AVERAGE																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5452.74	48.77	54.00	-5.23	29.48	34.69	10.83	36.23	10.00	320	115	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5570.00	94.37	-----	-----	74.66	34.80	10.97	36.06	10.00	320	115	AVERAGE																																																																																														




Mode	40																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																												
ANT	CDD 1S4T																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.69</td><td>58.01</td><td>68.20</td><td>-10.19</td><td>39.56</td><td>34.97</td><td>11.22</td><td>37.74</td><td>10.00</td><td>320</td><td>115</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5753.69	58.01	68.20	-10.19	39.56	34.97	11.22	37.74	10.00	320	115	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																				
1	5753.69	58.01	68.20	-10.19	39.56	34.97	11.22	37.74	10.00	320	115	PEAK																																	







		41																																																																					
Mode		Band Edge - L																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																					
ANT		CDD 1S4T																																																																					
Pol.		Horizontal																																																																					
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5421.28</td><td>64.94</td><td>74.00</td><td>-9.06</td><td>45.75</td><td>34.66</td><td>10.80</td><td>36.27</td><td>10.00</td><td>304</td><td>200 PEAK</td></tr><tr><td>2</td><td>5467.70</td><td>65.28</td><td>68.20</td><td>-2.92</td><td>45.93</td><td>34.70</td><td>10.85</td><td>36.20</td><td>10.00</td><td>304</td><td>200 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5421.28	64.94	74.00	-9.06	45.75	34.66	10.80	36.27	10.00	304	200 PEAK	2	5467.70	65.28	68.20	-2.92	45.93	34.70	10.85	36.20	10.00	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5421.28	64.94	74.00	-9.06	45.75	34.66	10.80	36.27	10.00	304	200 PEAK																																																												
2	5467.70	65.28	68.20	-2.92	45.93	34.70	10.85	36.20	10.00	304	200 PEAK																																																												
Fundamental																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>106.49</td><td>-----</td><td>-----</td><td>86.75</td><td>34.81</td><td>10.98</td><td>36.05</td><td>10.00</td><td>304</td><td>200 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5570.00	106.49	-----	-----	86.75	34.81	10.98	36.05	10.00	304	200 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5570.00	106.49	-----	-----	86.75	34.81	10.98	36.05	10.00	304	200 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5460.00</td><td>52.03</td><td>54.00</td><td>-1.97</td><td>32.70</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>304</td><td>200 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5460.00	52.03	54.00	-1.97	32.70	34.70	10.84	36.21	10.00	304	200 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5460.00	52.03	54.00	-1.97	32.70	34.70	10.84	36.21	10.00	304	200 AVERAGE																																																												
Fundamental																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>97.21</td><td>-----</td><td>-----</td><td>77.53</td><td>34.79</td><td>10.96</td><td>36.07</td><td>10.00</td><td>304</td><td>200 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5570.00	97.21	-----	-----	77.53	34.79	10.96	36.07	10.00	304	200 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5570.00	97.21	-----	-----	77.53	34.79	10.96	36.07	10.00	304	200 AVERAGE																																																												




Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.41</td><td>60.51</td><td>68.20</td><td>-7.69</td><td>41.90</td><td>34.96</td><td>11.20</td><td>37.55</td><td>10.00</td><td>304</td><td>200</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5741.41	60.51	68.20	-7.69	41.90	34.96	11.20	37.55	10.00	304	200	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	5741.41	60.51	68.20	-7.69	41.90	34.96	11.20	37.55	10.00	304	200	PEAK																																												





		41																																																									
Mode		Band Edge - L																																																									
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																									
ANT		CDD 1S4T																																																									
Pol.		Vertical																																																									
Peak																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5432.72	62.76	74.00	-11.24	43.53	34.67	10.81	36.25	10.00	300	115 PEAK	2	5461.32	59.90	68.20	-8.30	40.57	34.70	10.84	36.21	10.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5432.72	62.76	74.00	-11.24	43.53	34.67	10.81	36.25	10.00	300	115 PEAK																																																
2	5461.32	59.90	68.20	-8.30	40.57	34.70	10.84	36.21	10.00	300	115 PEAK																																																
Fundamental																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	104.72	-----	-----	84.94	34.82	10.99	36.03	10.00	300	115 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5570.00	104.72	-----	-----	84.94	34.82	10.99	36.03	10.00	300	115 PEAK																																																
Avg																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5453.40	49.51	54.00	-4.49	30.21	34.69	10.83	36.22	10.00	300	115 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5453.40	49.51	54.00	-4.49	30.21	34.69	10.83	36.22	10.00	300	115 AVERAGE																																																
Fundamental																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	94.51	-----	-----	74.65	34.84	11.02	36.00	10.00	300	115 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5570.00	94.51	-----	-----	74.65	34.84	11.02	36.00	10.00	300	115 AVERAGE																																																



Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.22</td><td>57.67</td><td>68.20</td><td>-10.53</td><td>38.84</td><td>34.95</td><td>11.18</td><td>37.30</td><td>10.00</td><td>300</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.22	57.67	68.20	-10.53	38.84	34.95	11.18	37.30	10.00	300	115	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.22	57.67	68.20	-10.53	38.84	34.95	11.18	37.30	10.00	300	115	PEAK																																												






Mode	7	
	18G-40G	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Vertical
Peak		
Avg		






Mode	7										
	30-1G										
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz										
ANT	CDD 1S4T										
Pol.	Horizontal						Vertical				
Peak Avg	</										





	48																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5603.00</td><td>59.92</td><td>68.20</td><td>-8.28</td><td>40.09</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>58.81</td><td>68.20</td><td>-9.39</td><td>38.98</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr><tr><td>3 5710.22</td><td>73.58</td><td>108.16</td><td>-34.58</td><td>54.55</td><td>34.93</td><td>11.16</td><td>37.06</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>72.94</td><td>110.90</td><td>-37.96</td><td>54.05</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5603.00	59.92	68.20	-8.28	40.09	34.83	11.01	36.01	10.00	127	169	PEAK	2 5650.00	58.81	68.20	-9.39	38.98	34.88	11.07	36.12	10.00	127	169	PEAK	3 5710.22	73.58	108.16	-34.58	54.55	34.93	11.16	37.06	10.00	127	169	PEAK	4 5720.00	72.94	110.90	-37.96	54.05	34.94	11.17	37.22	10.00	127	169	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>122.28</td><td>-----</td><td>-----</td><td>103.77</td><td>34.97</td><td>11.21</td><td>37.67</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	122.28	-----	-----	103.77	34.97	11.21	37.67	10.00	127	169	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5603.00	59.92	68.20	-8.28	40.09	34.83	11.01	36.01	10.00	127	169	PEAK																																																																																																																														
2 5650.00	58.81	68.20	-9.39	38.98	34.88	11.07	36.12	10.00	127	169	PEAK																																																																																																																														
3 5710.22	73.58	108.16	-34.58	54.55	34.93	11.16	37.06	10.00	127	169	PEAK																																																																																																																														
4 5720.00	72.94	110.90	-37.96	54.05	34.94	11.17	37.22	10.00	127	169	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5745.00	122.28	-----	-----	103.77	34.97	11.21	37.67	10.00	127	169	PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>111.64</td><td>-----</td><td>-----</td><td>93.13</td><td>34.97</td><td>11.21</td><td>37.67</td><td>10.00</td><td>127</td><td>169</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	111.64	-----	-----	93.13	34.97	11.21	37.67	10.00	127	169	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5745.00	111.64	-----	-----	93.13	34.97	11.21	37.67	10.00	127	169	AVERAGE																																																																																																																														






Mode	48																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.60</td><td>59.88</td><td>68.20</td><td>-8.32</td><td>39.96</td><td>34.86</td><td>11.04</td><td>35.98</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5651.42</td><td>60.84</td><td>69.26</td><td>-8.42</td><td>41.03</td><td>34.88</td><td>11.07</td><td>36.14</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5717.80</td><td>78.67</td><td>110.28</td><td>-31.61</td><td>59.74</td><td>34.94</td><td>11.17</td><td>37.18</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>76.24</td><td>110.90</td><td>-34.66</td><td>57.35</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.60	59.88	68.20	-8.32	39.96	34.86	11.04	35.98	10.00	100	173	PEAK	2	5651.42	60.84	69.26	-8.42	41.03	34.88	11.07	36.14	10.00	100	173	PEAK	3	5717.80	78.67	110.28	-31.61	59.74	34.94	11.17	37.18	10.00	100	173	PEAK	4	5720.00	76.24	110.90	-34.66	57.35	34.94	11.17	37.22	10.00	100	173	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>119.01</td><td>-----</td><td>-----</td><td>100.34</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	119.01	-----	-----	100.34	34.96	11.19	37.48	10.00	100	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5628.60	59.88	68.20	-8.32	39.96	34.86	11.04	35.98	10.00	100	173	PEAK																																																																																																																														
2	5651.42	60.84	69.26	-8.42	41.03	34.88	11.07	36.14	10.00	100	173	PEAK																																																																																																																														
3	5717.80	78.67	110.28	-31.61	59.74	34.94	11.17	37.18	10.00	100	173	PEAK																																																																																																																														
4	5720.00	76.24	110.90	-34.66	57.35	34.94	11.17	37.22	10.00	100	173	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	119.01	-----	-----	100.34	34.96	11.19	37.48	10.00	100	173	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.53</td><td>-----</td><td>-----</td><td>89.86</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>100</td><td>173</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.53	-----	-----	89.86	34.96	11.19	37.48	10.00	100	173	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	108.53	-----	-----	89.86	34.96	11.19	37.48	10.00	100	173	AVERAGE																																																																																																																														




Mode	48																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																									
ANT	CDD 1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>62.79</td><td>74.00</td><td>-11.21</td><td>74.59</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>205</td><td>229 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>52.64</td><td>54.00</td><td>-1.36</td><td>64.44</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>205</td><td>229 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	62.79	74.00	-11.21	74.59	38.18	16.36	66.34	0.00	205	229 PEAK	2	11490.00	52.64	54.00	-1.36	64.44	38.18	16.36	66.34	0.00	205	229 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>60.55</td><td>74.00</td><td>-13.45</td><td>72.35</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>207</td><td>160 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.32</td><td>54.00</td><td>-4.68</td><td>61.12</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>207</td><td>160 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	60.55	74.00	-13.45	72.35	38.18	16.36	66.34	0.00	207	160 PEAK	2	11490.00	49.32	54.00	-4.68	61.12	38.18	16.36	66.34	0.00	207	160 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11490.00	62.79	74.00	-11.21	74.59	38.18	16.36	66.34	0.00	205	229 PEAK																																																																																																															
2	11490.00	52.64	54.00	-1.36	64.44	38.18	16.36	66.34	0.00	205	229 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11490.00	60.55	74.00	-13.45	72.35	38.18	16.36	66.34	0.00	207	160 PEAK																																																																																																															
2	11490.00	49.32	54.00	-4.68	61.12	38.18	16.36	66.34	0.00	207	160 AVERAGE																																																																																																															






Mode	49																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																		
ANT	CDD 1S4T																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.00</td><td>60.74</td><td>68.20</td><td>-7.46</td><td>40.85</td><td>34.87</td><td>11.07</td><td>36.05</td><td>10.00</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>59.55</td><td>68.65</td><td>-9.10</td><td>39.73</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5710.22</td><td>65.18</td><td>108.16</td><td>-42.98</td><td>46.15</td><td>34.93</td><td>11.16</td><td>37.06</td><td>10.00</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.90</td><td>110.90</td><td>-48.00</td><td>44.01</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5645.00	60.74	68.20	-7.46	40.85	34.87	11.07	36.05	10.00	172	PEAK	2	5650.60	59.55	68.65	-9.10	39.73	34.88	11.07	36.13	10.00	172	PEAK	3	5710.22	65.18	108.16	-42.98	46.15	34.93	11.16	37.06	10.00	172	PEAK	4	5720.00	62.90	110.90	-48.00	44.01	34.94	11.17	37.22	10.00	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>118.99</td><td>-----</td><td>-----</td><td>100.96</td><td>35.00</td><td>11.26</td><td>38.23</td><td>10.00</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	118.99	-----	-----	100.96	35.00	11.26	38.23	10.00	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5645.00	60.74	68.20	-7.46	40.85	34.87	11.07	36.05	10.00	172	PEAK																																																																																																								
2	5650.60	59.55	68.65	-9.10	39.73	34.88	11.07	36.13	10.00	172	PEAK																																																																																																								
3	5710.22	65.18	108.16	-42.98	46.15	34.93	11.16	37.06	10.00	172	PEAK																																																																																																								
4	5720.00	62.90	110.90	-48.00	44.01	34.94	11.17	37.22	10.00	172	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5785.00	118.99	-----	-----	100.96	35.00	11.26	38.23	10.00	172	PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>110.44</td><td>-----</td><td>-----</td><td>92.49</td><td>35.01</td><td>11.27</td><td>38.33</td><td>10.00</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	110.44	-----	-----	92.49	35.01	11.27	38.33	10.00	172	AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5785.00	110.44	-----	-----	92.49	35.01	11.27	38.33	10.00	172	AVERAGE																																																																																																								




Mode	49																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>57.40</td><td>111.81</td><td>-54.41</td><td>40.32</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>56.73</td><td>105.30</td><td>-48.57</td><td>39.59</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.44</td><td>68.20</td><td>-12.76</td><td>38.13</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5951.00</td><td>58.57</td><td>68.20</td><td>-9.63</td><td>41.15</td><td>35.16</td><td>11.43</td><td>39.17</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.60	57.40	111.81	-54.41	40.32	35.07	11.34	39.33	10.00	100	172	PEAK	2	5875.00	56.73	105.30	-48.57	39.59	35.09	11.35	39.30	10.00	100	172	PEAK	3	5925.00	55.44	68.20	-12.76	38.13	35.13	11.40	39.22	10.00	100	172	PEAK	4	5951.00	58.57	68.20	-9.63	41.15	35.16	11.43	39.17	10.00	100	172	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.60	57.40	111.81	-54.41	40.32	35.07	11.34	39.33	10.00	100	172	PEAK																																																																																			
2	5875.00	56.73	105.30	-48.57	39.59	35.09	11.35	39.30	10.00	100	172	PEAK																																																																																			
3	5925.00	55.44	68.20	-12.76	38.13	35.13	11.40	39.22	10.00	100	172	PEAK																																																																																			
4	5951.00	58.57	68.20	-9.63	41.15	35.16	11.43	39.17	10.00	100	172	PEAK																																																																																			





Mode	49																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5632.60</td><td>60.26</td><td>68.20</td><td>-7.94</td><td>40.32</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.78</td><td>68.20</td><td>-10.42</td><td>37.95</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5700.60</td><td>61.19</td><td>105.47</td><td>-44.28</td><td>42.04</td><td>34.92</td><td>11.14</td><td>36.91</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.31</td><td>110.90</td><td>-46.59</td><td>45.42</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.60	60.26	68.20	-7.94	40.32	34.86	11.05	35.97	10.00	186	172	PEAK	2	5650.00	57.78	68.20	-10.42	37.95	34.88	11.07	36.12	10.00	186	172	PEAK	3	5700.60	61.19	105.47	-44.28	42.04	34.92	11.14	36.91	10.00	186	172	PEAK	4	5720.00	64.31	110.90	-46.59	45.42	34.94	11.17	37.22	10.00	186	172	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>119.69</td><td>-----</td><td>-----</td><td>101.59</td><td>35.00</td><td>11.25</td><td>38.15</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	119.69	-----	-----	101.59	35.00	11.25	38.15	10.00	186	172	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5632.60	60.26	68.20	-7.94	40.32	34.86	11.05	35.97	10.00	186	172	PEAK																																																																																																																															
2	5650.00	57.78	68.20	-10.42	37.95	34.88	11.07	36.12	10.00	186	172	PEAK																																																																																																																															
3	5700.60	61.19	105.47	-44.28	42.04	34.92	11.14	36.91	10.00	186	172	PEAK																																																																																																																															
4	5720.00	64.31	110.90	-46.59	45.42	34.94	11.17	37.22	10.00	186	172	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	119.69	-----	-----	101.59	35.00	11.25	38.15	10.00	186	172	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>109.18</td><td>-----</td><td>-----</td><td>91.00</td><td>35.00</td><td>11.25</td><td>38.15</td><td>10.00</td><td>186</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	109.18	-----	-----	91.00	35.00	11.25	38.15	10.00	186	172	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	109.18	-----	-----	91.00	35.00	11.25	38.15	10.00	186	172	AVERAGE																																																																																																																															






Mode	49																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>56.81</td><td>111.81</td><td>-55.00</td><td>39.73</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5871.42</td><td>58.50</td><td>106.30</td><td>-47.00</td><td>41.37</td><td>35.08</td><td>11.35</td><td>39.30</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>55.42</td><td>68.50</td><td>-13.08</td><td>38.11</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5936.60</td><td>58.38</td><td>68.20</td><td>-9.82</td><td>41.02</td><td>35.15</td><td>11.41</td><td>39.20</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.60	56.81	111.81	-55.00	39.73	35.07	11.34	39.33	10.00	186	172	PEAK	2	5871.42	58.50	106.30	-47.00	41.37	35.08	11.35	39.30	10.00	186	172	PEAK	3	5924.60	55.42	68.50	-13.08	38.11	35.13	11.40	39.22	10.00	186	172	PEAK	4	5936.60	58.38	68.20	-9.82	41.02	35.15	11.41	39.20	10.00	186	172	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.60	56.81	111.81	-55.00	39.73	35.07	11.34	39.33	10.00	186	172	PEAK																																																																																			
2	5871.42	58.50	106.30	-47.00	41.37	35.08	11.35	39.30	10.00	186	172	PEAK																																																																																			
3	5924.60	55.42	68.50	-13.08	38.11	35.13	11.40	39.22	10.00	186	172	PEAK																																																																																			
4	5936.60	58.38	68.20	-9.82	41.02	35.15	11.41	39.20	10.00	186	172	PEAK																																																																																			






Mode	49																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																						
ANT	CDD 1S4T																																																																																																																																																																						
Pol.	Horizontal							Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>65.34</td><td>74.00</td><td>-8.66</td><td>77.06</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>148</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>52.11</td><td>54.00</td><td>-1.89</td><td>63.83</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>148</td><td>205</td><td>AVERAGE</td></tr><tr><td>3</td><td>17359.80</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>59.01</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11570.00	65.34	74.00	-8.66	77.06	38.20	16.41	66.33	0.00	148	205	PEAK	2	11570.00	52.11	54.00	-1.89	63.83	38.20	16.41	66.33	0.00	148	205	AVERAGE	3	17359.80	55.95	68.20	-12.25	59.01	41.10	20.24	64.40	0.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>58.01</td><td>74.00</td><td>-15.99</td><td>69.73</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>177</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.42</td><td>54.00</td><td>-8.58</td><td>57.14</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>177</td><td>115</td><td>AVERAGE</td></tr><tr><td>3</td><td>17373.73</td><td>53.27</td><td>68.20</td><td>-14.93</td><td>56.34</td><td>41.10</td><td>20.25</td><td>64.42</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11570.00	58.01	74.00	-15.99	69.73	38.20	16.41	66.33	0.00	177	115	PEAK	2	11570.00	45.42	54.00	-8.58	57.14	38.20	16.41	66.33	0.00	177	115	AVERAGE	3	17373.73	53.27	68.20	-14.93	56.34	41.10	20.25	64.42	0.00	---	---
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																												
1	11570.00	65.34	74.00	-8.66	77.06	38.20	16.41	66.33	0.00	148	205	PEAK																																																																																																																																																											
2	11570.00	52.11	54.00	-1.89	63.83	38.20	16.41	66.33	0.00	148	205	AVERAGE																																																																																																																																																											
3	17359.80	55.95	68.20	-12.25	59.01	41.10	20.24	64.40	0.00	---	---	Peak																																																																																																																																																											
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																												
1	11570.00	58.01	74.00	-15.99	69.73	38.20	16.41	66.33	0.00	177	115	PEAK																																																																																																																																																											
2	11570.00	45.42	54.00	-8.58	57.14	38.20	16.41	66.33	0.00	177	115	AVERAGE																																																																																																																																																											
3	17373.73	53.27	68.20	-14.93	56.34	41.10	20.25	64.42	0.00	---	---	Peak																																																																																																																																																											



	50																																																																																																																								
Mode	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																								
ANT	CDD 1S4T																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																			
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.22</td><td>66.09</td><td>112.67</td><td>-46.58</td><td>49.01</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>172 PEAK</td></tr><tr><td>2 5858.18</td><td>67.97</td><td>110.01</td><td>-42.04</td><td>50.88</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>172 PEAK</td></tr><tr><td>3 5924.22</td><td>55.51</td><td>68.77</td><td>-13.26</td><td>38.20</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>172 PEAK</td></tr><tr><td>4 5967.00</td><td>58.08</td><td>68.20</td><td>-10.12</td><td>40.62</td><td>35.17</td><td>11.44</td><td>39.15</td><td>10.00</td><td>172 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.22	66.09	112.67	-46.58	49.01	35.07	11.33	39.32	10.00	172 PEAK	2 5858.18	67.97	110.01	-42.04	50.88	35.07	11.34	39.32	10.00	172 PEAK	3 5924.22	55.51	68.77	-13.26	38.20	35.13	11.40	39.22	10.00	172 PEAK	4 5967.00	58.08	68.20	-10.12	40.62	35.17	11.44	39.15	10.00	172 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>119.16</td><td>-----</td><td>-----</td><td>101.71</td><td>35.04</td><td>11.31</td><td>38.90</td><td>10.00</td><td>100</td><td>172 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	119.16	-----	-----	101.71	35.04	11.31	38.90	10.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 5854.22	66.09	112.67	-46.58	49.01	35.07	11.33	39.32	10.00	172 PEAK																																																																																																																
2 5858.18	67.97	110.01	-42.04	50.88	35.07	11.34	39.32	10.00	172 PEAK																																																																																																																
3 5924.22	55.51	68.77	-13.26	38.20	35.13	11.40	39.22	10.00	172 PEAK																																																																																																																
4 5967.00	58.08	68.20	-10.12	40.62	35.17	11.44	39.15	10.00	172 PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5825.00	119.16	-----	-----	101.71	35.04	11.31	38.90	10.00	100	172 PEAK																																																																																																															
Avg	Blank																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.11</td><td>-----</td><td>-----</td><td>90.66</td><td>35.04</td><td>11.31</td><td>38.90</td><td>10.00</td><td>100</td><td>172 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.11	-----	-----	90.66	35.04	11.31	38.90	10.00	100	172 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5825.00	108.11	-----	-----	90.66	35.04	11.31	38.90	10.00	100	172 AVERAGE																																																																																																															





Mode	50																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>70.01</td><td>110.90</td><td>-40.89</td><td>52.93</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>136</td><td>173 PEAK</td></tr><tr><td>2 5866.60</td><td>67.04</td><td>107.65</td><td>-40.61</td><td>49.92</td><td>35.08</td><td>11.35</td><td>39.31</td><td>10.00</td><td>136</td><td>173 PEAK</td></tr><tr><td>3 5925.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>38.67</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>136</td><td>173 PEAK</td></tr><tr><td>4 5998.22</td><td>57.57</td><td>68.20</td><td>-10.63</td><td>40.00</td><td>35.20</td><td>11.47</td><td>39.10</td><td>10.00</td><td>136</td><td>173 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5855.00	70.01	110.90	-40.89	52.93	35.07	11.34	39.33	10.00	136	173 PEAK	2 5866.60	67.04	107.65	-40.61	49.92	35.08	11.35	39.31	10.00	136	173 PEAK	3 5925.00	55.98	68.20	-12.22	38.67	35.13	11.40	39.22	10.00	136	173 PEAK	4 5998.22	57.57	68.20	-10.63	40.00	35.20	11.47	39.10	10.00	136	173 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>116.46</td><td>-----</td><td>-----</td><td>98.84</td><td>35.03</td><td>11.30</td><td>38.71</td><td>10.00</td><td>136</td><td>173 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	116.46	-----	-----	98.84	35.03	11.30	38.71	10.00	136	173 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5855.00	70.01	110.90	-40.89	52.93	35.07	11.34	39.33	10.00	136	173 PEAK																																																																																																																										
2 5866.60	67.04	107.65	-40.61	49.92	35.08	11.35	39.31	10.00	136	173 PEAK																																																																																																																										
3 5925.00	55.98	68.20	-12.22	38.67	35.13	11.40	39.22	10.00	136	173 PEAK																																																																																																																										
4 5998.22	57.57	68.20	-10.63	40.00	35.20	11.47	39.10	10.00	136	173 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	116.46	-----	-----	98.84	35.03	11.30	38.71	10.00	136	173 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.91</td><td>-----</td><td>-----</td><td>89.29</td><td>35.03</td><td>11.30</td><td>38.71</td><td>10.00</td><td>136</td><td>173 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.91	-----	-----	89.29	35.03	11.30	38.71	10.00	136	173 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	106.91	-----	-----	89.29	35.03	11.30	38.71	10.00	136	173 AVERAGE																																																																																																																										






Mode	50																																																																																												
	Harmonic																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Horizontal												Vertical																																																																																
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>64.52</td><td>74.00</td><td>-9.48</td><td>76.14</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>252</td><td>200</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>53.36</td><td>54.00</td><td>-0.64</td><td>64.98</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>252</td><td>200</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>51.25</td><td>68.20</td><td>-16.95</td><td>54.27</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11650.00	64.52	74.00	-9.48	76.14	38.25	16.46	66.33	0.00	252	200	PEAK	2	11650.00	53.36	54.00	-0.64	64.98	38.25	16.46	66.33	0.00	252	200	AVERAGE	3	17475.00	51.25	68.20	-16.95	54.27	41.17	20.32	64.51	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	11650.00	64.52	74.00	-9.48	76.14	38.25	16.46	66.33	0.00	252	200	PEAK																																																																																	
2	11650.00	53.36	54.00	-0.64	64.98	38.25	16.46	66.33	0.00	252	200	AVERAGE																																																																																	
3	17475.00	51.25	68.20	-16.95	54.27	41.17	20.32	64.51	0.00	---	---	PEAK																																																																																	
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>60.53</td><td>74.00</td><td>-13.47</td><td>72.15</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>185</td><td>26</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>49.99</td><td>54.00</td><td>-4.01</td><td>61.61</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>185</td><td>26</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>48.62</td><td>68.20</td><td>-19.58</td><td>51.64</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11650.00	60.53	74.00	-13.47	72.15	38.25	16.46	66.33	0.00	185	26	PEAK	2	11650.00	49.99	54.00	-4.01	61.61	38.25	16.46	66.33	0.00	185	26	AVERAGE	3	17475.00	48.62	68.20	-19.58	51.64	41.17	20.32	64.51	0.00	---	---	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	11650.00	60.53	74.00	-13.47	72.15	38.25	16.46	66.33	0.00	185	26	PEAK																																																																																	
2	11650.00	49.99	54.00	-4.01	61.61	38.25	16.46	66.33	0.00	185	26	AVERAGE																																																																																	
3	17475.00	48.62	68.20	-19.58	51.64	41.17	20.32	64.51	0.00	---	---	PEAK																																																																																	





		51																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																				
ANT	CDD 1S4T																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5604.22</td><td>61.02</td><td>68.20</td><td>-7.18</td><td>41.19</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.66</td><td>68.20</td><td>-9.54</td><td>38.83</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5711.00</td><td>81.01</td><td>108.61</td><td>-27.60</td><td>62.01</td><td>34.93</td><td>11.16</td><td>37.09</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5720.22</td><td>80.18</td><td>111.41</td><td>-31.23</td><td>61.29</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5604.22	61.02	68.20	-7.18	41.19	34.83	11.01	36.01	10.00	100	171	PEAK	2	5650.00	58.66	68.20	-9.54	38.83	34.88	11.07	36.12	10.00	100	171	PEAK	3	5711.00	81.01	108.61	-27.60	62.01	34.93	11.16	37.09	10.00	100	171	PEAK	4	5720.22	80.18	111.41	-31.23	61.29	34.94	11.17	37.22	10.00	100	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5604.22	61.02	68.20	-7.18	41.19	34.83	11.01	36.01	10.00	100	171	PEAK																																																																																									
2	5650.00	58.66	68.20	-9.54	38.83	34.88	11.07	36.12	10.00	100	171	PEAK																																																																																									
3	5711.00	81.01	108.61	-27.60	62.01	34.93	11.16	37.09	10.00	100	171	PEAK																																																																																									
4	5720.22	80.18	111.41	-31.23	61.29	34.94	11.17	37.22	10.00	100	171	PEAK																																																																																									
Avg	Blank																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>121.63</td><td>-----</td><td>-----</td><td>103.12</td><td>34.97</td><td>11.21</td><td>37.67</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	121.63	-----	-----	103.12	34.97	11.21	37.67	10.00	100	171	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5745.00	121.63	-----	-----	103.12	34.97	11.21	37.67	10.00	100	171	PEAK																																																																																									






Mode	51																																																																																																			
	Band Edge																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																			
ANT	CDD 1S4T																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5640.22</td><td>60.23</td><td>68.20</td><td>-7.97</td><td>40.26</td><td>34.87</td><td>11.06</td><td>35.96</td><td>10.00</td><td>176</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5659.42</td><td>66.59</td><td>75.22</td><td>-8.63</td><td>46.88</td><td>34.88</td><td>11.09</td><td>36.26</td><td>10.00</td><td>176</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5715.00</td><td>83.77</td><td>109.50</td><td>-25.73</td><td>64.81</td><td>34.94</td><td>11.16</td><td>37.14</td><td>10.00</td><td>176</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>80.95</td><td>110.90</td><td>-29.95</td><td>62.06</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>176</td><td>171</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5640.22	60.23	68.20	-7.97	40.26	34.87	11.06	35.96	10.00	176	171	PEAK	2	5659.42	66.59	75.22	-8.63	46.88	34.88	11.09	36.26	10.00	176	171	PEAK	3	5715.00	83.77	109.50	-25.73	64.81	34.94	11.16	37.14	10.00	176	171	PEAK	4	5720.00	80.95	110.90	-29.95	62.06	34.94	11.17	37.22	10.00	176	171	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5640.22	60.23	68.20	-7.97	40.26	34.87	11.06	35.96	10.00	176	171	PEAK																																																																																								
2	5659.42	66.59	75.22	-8.63	46.88	34.88	11.09	36.26	10.00	176	171	PEAK																																																																																								
3	5715.00	83.77	109.50	-25.73	64.81	34.94	11.16	37.14	10.00	176	171	PEAK																																																																																								
4	5720.00	80.95	110.90	-29.95	62.06	34.94	11.17	37.22	10.00	176	171	PEAK																																																																																								
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>119.22</td><td>-----</td><td>-----</td><td>100.55</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>176</td><td>171</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	119.22	-----	-----	100.55	34.96	11.19	37.48	10.00	176	171	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5745.00	119.22	-----	-----	100.55	34.96	11.19	37.48	10.00	176	171	PEAK																																																																																								
Blank																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.13</td><td>-----</td><td>-----</td><td>91.46</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>176</td><td>171</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	110.13	-----	-----	91.46	34.96	11.19	37.48	10.00	176	171	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5745.00	110.13	-----	-----	91.46	34.96	11.19	37.48	10.00	176	171	AVERAGE																																																																																								




Mode	51																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																							
ANT	CDD 1S4T																																																																																																																																							
Pol.	Horizontal										Vertical																																																																																																																													
Peak Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 11490.00</td><td>61.75</td><td>74.00</td><td>-12.25</td><td>73.55</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>202 233 PEAK</td></tr><tr><td>2 11490.00</td><td>53.01</td><td>54.00</td><td>-0.99</td><td>64.81</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>202 233 AVERAGE</td></tr><tr><td>3 17235.00</td><td>53.02</td><td>68.20</td><td>-15.18</td><td>56.12</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>--- --- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 11490.00	61.75	74.00	-12.25	73.55	38.18	16.36	66.34	0.00	202 233 PEAK	2 11490.00	53.01	54.00	-0.99	64.81	38.18	16.36	66.34	0.00	202 233 AVERAGE	3 17235.00	53.02	68.20	-15.18	56.12	41.03	20.16	64.29	0.00	--- --- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 11490.00</td><td>60.70</td><td>74.00</td><td>-13.30</td><td>72.50</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300 27 PEAK</td></tr><tr><td>2 11490.00</td><td>49.71</td><td>54.00</td><td>-4.29</td><td>61.51</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300 27 AVERAGE</td></tr><tr><td>3 17235.00</td><td>48.97</td><td>68.20</td><td>-19.23</td><td>52.07</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>--- --- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 11490.00	60.70	74.00	-13.30	72.50	38.18	16.36	66.34	0.00	300 27 PEAK	2 11490.00	49.71	54.00	-4.29	61.51	38.18	16.36	66.34	0.00	300 27 AVERAGE	3 17235.00	48.97	68.20	-19.23	52.07	41.03	20.16	64.29	0.00	--- --- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1 11490.00	61.75	74.00	-12.25	73.55	38.18	16.36	66.34	0.00	202 233 PEAK																																																																																																																															
2 11490.00	53.01	54.00	-0.99	64.81	38.18	16.36	66.34	0.00	202 233 AVERAGE																																																																																																																															
3 17235.00	53.02	68.20	-15.18	56.12	41.03	20.16	64.29	0.00	--- --- PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1 11490.00	60.70	74.00	-13.30	72.50	38.18	16.36	66.34	0.00	300 27 PEAK																																																																																																																															
2 11490.00	49.71	54.00	-4.29	61.51	38.18	16.36	66.34	0.00	300 27 AVERAGE																																																																																																																															
3 17235.00	48.97	68.20	-19.23	52.07	41.03	20.16	64.29	0.00	--- --- PEAK																																																																																																																															






Mode	52																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.22</td><td>60.06</td><td>68.20</td><td>-8.14</td><td>40.12</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>100</td><td>173 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>59.03</td><td>68.20</td><td>-9.17</td><td>39.20</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>100</td><td>173 PEAK</td></tr><tr><td>3</td><td>5717.42</td><td>62.81</td><td>110.18</td><td>-47.37</td><td>43.87</td><td>34.94</td><td>11.17</td><td>37.17</td><td>10.00</td><td>100</td><td>173 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.68</td><td>110.90</td><td>-50.22</td><td>41.79</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>100</td><td>173 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.22	60.06	68.20	-8.14	40.12	34.86	11.05	35.97	10.00	100	173 PEAK	2	5650.00	59.03	68.20	-9.17	39.20	34.88	11.07	36.12	10.00	100	173 PEAK	3	5717.42	62.81	110.18	-47.37	43.87	34.94	11.17	37.17	10.00	100	173 PEAK	4	5720.00	60.68	110.90	-50.22	41.79	34.94	11.17	37.22	10.00	100	173 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>119.22</td><td>-----</td><td>-----</td><td>101.27</td><td>35.01</td><td>11.27</td><td>38.33</td><td>10.00</td><td>100</td><td>173 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	119.22	-----	-----	101.27	35.01	11.27	38.33	10.00	100	173 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5636.22	60.06	68.20	-8.14	40.12	34.86	11.05	35.97	10.00	100	173 PEAK																																																																																																																																
2	5650.00	59.03	68.20	-9.17	39.20	34.88	11.07	36.12	10.00	100	173 PEAK																																																																																																																																
3	5717.42	62.81	110.18	-47.37	43.87	34.94	11.17	37.17	10.00	100	173 PEAK																																																																																																																																
4	5720.00	60.68	110.90	-50.22	41.79	34.94	11.17	37.22	10.00	100	173 PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	119.22	-----	-----	101.27	35.01	11.27	38.33	10.00	100	173 PEAK																																																																																																																																
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>109.27</td><td>-----</td><td>-----</td><td>91.32</td><td>35.01</td><td>11.27</td><td>38.33</td><td>10.00</td><td>100</td><td>173 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	109.27	-----	-----	91.32	35.01	11.27	38.33	10.00	100	173 AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	109.27	-----	-----	91.32	35.01	11.27	38.33	10.00	100	173 AVERAGE																																																																																																																																




Mode	52																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>56.91</td><td>110.90</td><td>-53.99</td><td>39.83</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5872.60</td><td>56.83</td><td>105.97</td><td>-49.14</td><td>39.69</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>55.79</td><td>68.22</td><td>-12.43</td><td>38.48</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5965.02</td><td>58.37</td><td>68.20</td><td>-9.83</td><td>40.91</td><td>35.17</td><td>11.44</td><td>39.15</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	56.91	110.90	-53.99	39.83	35.07	11.34	39.33	10.00	100	173	PEAK	2	5872.60	56.83	105.97	-49.14	39.69	35.09	11.35	39.30	10.00	100	173	PEAK	3	5924.98	55.79	68.22	-12.43	38.48	35.13	11.40	39.22	10.00	100	173	PEAK	4	5965.02	58.37	68.20	-9.83	40.91	35.17	11.44	39.15	10.00	100	173	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5855.00	56.91	110.90	-53.99	39.83	35.07	11.34	39.33	10.00	100	173	PEAK																																																																																		
2	5872.60	56.83	105.97	-49.14	39.69	35.09	11.35	39.30	10.00	100	173	PEAK																																																																																		
3	5924.98	55.79	68.22	-12.43	38.48	35.13	11.40	39.22	10.00	100	173	PEAK																																																																																		
4	5965.02	58.37	68.20	-9.83	40.91	35.17	11.44	39.15	10.00	100	173	PEAK																																																																																		





Mode	52																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																															
ANT	CDD 1S4T																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5632.22</td><td>60.61</td><td>68.20</td><td>-7.59</td><td>40.67</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>184</td><td>172 PEAK</td></tr><tr><td>2 5654.22</td><td>60.35</td><td>71.35</td><td>-11.00</td><td>40.57</td><td>34.88</td><td>11.08</td><td>36.18</td><td>10.00</td><td>184</td><td>172 PEAK</td></tr><tr><td>3 5784.22</td><td>59.63</td><td>106.48</td><td>-46.85</td><td>40.52</td><td>34.93</td><td>11.15</td><td>36.97</td><td>10.00</td><td>184</td><td>172 PEAK</td></tr><tr><td>4 5728.22</td><td>61.04</td><td>111.41</td><td>-50.37</td><td>42.15</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>184</td><td>172 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5632.22	60.61	68.20	-7.59	40.67	34.86	11.05	35.97	10.00	184	172 PEAK	2 5654.22	60.35	71.35	-11.00	40.57	34.88	11.08	36.18	10.00	184	172 PEAK	3 5784.22	59.63	106.48	-46.85	40.52	34.93	11.15	36.97	10.00	184	172 PEAK	4 5728.22	61.04	111.41	-50.37	42.15	34.94	11.17	37.22	10.00	184	172 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>117.97</td><td>-----</td><td>-----</td><td>99.87</td><td>35.00</td><td>11.25</td><td>38.15</td><td>10.00</td><td>184</td><td>172 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	117.97	-----	-----	99.87	35.00	11.25	38.15	10.00	184	172 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5632.22	60.61	68.20	-7.59	40.67	34.86	11.05	35.97	10.00	184	172 PEAK																																																																																																																						
2 5654.22	60.35	71.35	-11.00	40.57	34.88	11.08	36.18	10.00	184	172 PEAK																																																																																																																						
3 5784.22	59.63	106.48	-46.85	40.52	34.93	11.15	36.97	10.00	184	172 PEAK																																																																																																																						
4 5728.22	61.04	111.41	-50.37	42.15	34.94	11.17	37.22	10.00	184	172 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5785.00	117.97	-----	-----	99.87	35.00	11.25	38.15	10.00	184	172 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>108.03</td><td>-----</td><td>-----</td><td>89.85</td><td>34.99</td><td>11.24</td><td>38.05</td><td>10.00</td><td>184</td><td>172 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	108.03	-----	-----	89.85	34.99	11.24	38.05	10.00	184	172 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5785.00	108.03	-----	-----	89.85	34.99	11.24	38.05	10.00	184	172 AVERAGE																																																																																																																						






Mode	52																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>55.29</td><td>110.90</td><td>-55.61</td><td>38.21</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5871.80</td><td>57.77</td><td>106.19</td><td>-48.42</td><td>40.64</td><td>35.08</td><td>11.35</td><td>39.30</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5921.42</td><td>58.72</td><td>70.84</td><td>-12.12</td><td>41.41</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5925.80</td><td>58.19</td><td>68.20</td><td>-10.01</td><td>40.86</td><td>35.14</td><td>11.40</td><td>39.21</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	55.29	110.90	-55.61	38.21	35.07	11.34	39.33	10.00	184	172	PEAK	2	5871.80	57.77	106.19	-48.42	40.64	35.08	11.35	39.30	10.00	184	172	PEAK	3	5921.42	58.72	70.84	-12.12	41.41	35.13	11.40	39.22	10.00	184	172	PEAK	4	5925.80	58.19	68.20	-10.01	40.86	35.14	11.40	39.21	10.00	184	172	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5855.00	55.29	110.90	-55.61	38.21	35.07	11.34	39.33	10.00	184	172	PEAK																																																																									
2	5871.80	57.77	106.19	-48.42	40.64	35.08	11.35	39.30	10.00	184	172	PEAK																																																																									
3	5921.42	58.72	70.84	-12.12	41.41	35.13	11.40	39.22	10.00	184	172	PEAK																																																																									
4	5925.80	58.19	68.20	-10.01	40.86	35.14	11.40	39.21	10.00	184	172	PEAK																																																																									





		52																																																																																		
Mode		Harmonic																																																																																		
		U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																		
ANT		CDD 1S4T																																																																																		
Pol.		Horizontal										Vertical																																																																								
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>65.84</td><td>74.00</td><td>-8.16</td><td>77.56</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>116</td><td>221</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>53.70</td><td>54.00</td><td>-0.30</td><td>65.42</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>116</td><td>221</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>59.37</td><td>68.20</td><td>-8.83</td><td>62.43</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	65.84	74.00	-8.16	77.56	38.20	16.41	66.33	0.00	116	221	PEAK	2	11570.00	53.70	54.00	-0.30	65.42	38.20	16.41	66.33	0.00	116	221	AVERAGE	3	17355.00	59.37	68.20	-8.83	62.43	41.10	20.24	64.40	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	11570.00	65.84	74.00	-8.16	77.56	38.20	16.41	66.33	0.00	116	221	PEAK																																																																								
2	11570.00	53.70	54.00	-0.30	65.42	38.20	16.41	66.33	0.00	116	221	AVERAGE																																																																								
3	17355.00	59.37	68.20	-8.83	62.43	41.10	20.24	64.40	0.00	---	---	PEAK																																																																								
																																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>63.14</td><td>74.00</td><td>-10.86</td><td>74.86</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>278</td><td>165</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>52.48</td><td>54.00</td><td>-1.52</td><td>64.20</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>278</td><td>165</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>51.59</td><td>68.20</td><td>-16.61</td><td>54.65</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	63.14	74.00	-10.86	74.86	38.20	16.41	66.33	0.00	278	165	PEAK	2	11570.00	52.48	54.00	-1.52	64.20	38.20	16.41	66.33	0.00	278	165	AVERAGE	3	17355.00	51.59	68.20	-16.61	54.65	41.10	20.24	64.40	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	11570.00	63.14	74.00	-10.86	74.86	38.20	16.41	66.33	0.00	278	165	PEAK																																																																								
2	11570.00	52.48	54.00	-1.52	64.20	38.20	16.41	66.33	0.00	278	165	AVERAGE																																																																								
3	17355.00	51.59	68.20	-16.61	54.65	41.10	20.24	64.40	0.00	---	---	PEAK																																																																								



Mode	53																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.40</td><td>61.70</td><td>116.83</td><td>-55.13</td><td>44.59</td><td>35.07</td><td>11.33</td><td>39.29</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>62.43</td><td>110.06</td><td>-47.63</td><td>45.34</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.78</td><td>68.94</td><td>-13.16</td><td>38.47</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5996.40</td><td>57.38</td><td>68.20</td><td>-10.82</td><td>39.81</td><td>35.20</td><td>11.47</td><td>39.10</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.40	61.70	116.83	-55.13	44.59	35.07	11.33	39.29	10.00	147	171	PEAK	2	5858.00	62.43	110.06	-47.63	45.34	35.07	11.34	39.32	10.00	147	171	PEAK	3	5924.00	55.78	68.94	-13.16	38.47	35.13	11.40	39.22	10.00	147	171	PEAK	4	5996.40	57.38	68.20	-10.82	39.81	35.20	11.47	39.10	10.00	147	171	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>115.94</td><td>-----</td><td>-----</td><td>98.52</td><td>35.05</td><td>11.31</td><td>38.94</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	115.94	-----	-----	98.52	35.05	11.31	38.94	10.00	147	171	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5852.40	61.70	116.83	-55.13	44.59	35.07	11.33	39.29	10.00	147	171	PEAK																																																																																																																														
2	5858.00	62.43	110.06	-47.63	45.34	35.07	11.34	39.32	10.00	147	171	PEAK																																																																																																																														
3	5924.00	55.78	68.94	-13.16	38.47	35.13	11.40	39.22	10.00	147	171	PEAK																																																																																																																														
4	5996.40	57.38	68.20	-10.82	39.81	35.20	11.47	39.10	10.00	147	171	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	115.94	-----	-----	98.52	35.05	11.31	38.94	10.00	147	171	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.67</td><td>-----</td><td>-----</td><td>89.25</td><td>35.05</td><td>11.31</td><td>38.94</td><td>10.00</td><td>147</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.67	-----	-----	89.25	35.05	11.31	38.94	10.00	147	171	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	106.67	-----	-----	89.25	35.05	11.31	38.94	10.00	147	171	AVERAGE																																																																																																																														






		53																																																																																											
Mode		Band Edge																																																																																											
		U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																											
ANT		CDD 1S4T																																																																																											
Pol.		Fundamental																																																																																											
Peak	Vertical																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.34</td><td>111.36</td><td>-56.02</td><td>38.26</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>150</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>60.58</td><td>109.83</td><td>-49.25</td><td>43.49</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>150</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>56.87</td><td>70.42</td><td>-13.55</td><td>39.56</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>150</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5956.40</td><td>57.07</td><td>68.20</td><td>-11.13</td><td>39.64</td><td>35.16</td><td>11.43</td><td>39.16</td><td>10.00</td><td>150</td><td>173</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.34	111.36	-56.02	38.26	35.07	11.34	39.33	10.00	150	173	PEAK	2	5858.00	60.58	109.83	-49.25	43.49	35.07	11.34	39.32	10.00	150	173	PEAK	3	5922.00	56.87	70.42	-13.55	39.56	35.13	11.40	39.22	10.00	150	173	PEAK	4	5956.40	57.07	68.20	-11.13	39.64	35.16	11.43	39.16	10.00	150	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5854.00	55.34	111.36	-56.02	38.26	35.07	11.34	39.33	10.00	150	173	PEAK																																																																																	
2	5858.00	60.58	109.83	-49.25	43.49	35.07	11.34	39.32	10.00	150	173	PEAK																																																																																	
3	5922.00	56.87	70.42	-13.55	39.56	35.13	11.40	39.22	10.00	150	173	PEAK																																																																																	
4	5956.40	57.07	68.20	-11.13	39.64	35.16	11.43	39.16	10.00	150	173	PEAK																																																																																	
Avg	Blank																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.35</td><td>-----</td><td>-----</td><td>87.77</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>150</td><td>173</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.35	-----	-----	87.77	35.03	11.30	38.75	10.00	150	173	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5825.00	105.35	-----	-----	87.77	35.03	11.30	38.75	10.00	150	173	AVERAGE																																																																																	




	53																																																																																																																																																						
Mode	Harmonic																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																																						
ANT	CDD 1S4T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>65.81</td><td>74.00</td><td>-8.19</td><td>77.43</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>259</td><td>213</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>53.09</td><td>54.00</td><td>-0.91</td><td>64.71</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>259</td><td>213</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>54.39</td><td>68.20</td><td>-13.81</td><td>57.41</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	65.81	74.00	-8.19	77.43	38.25	16.46	66.33	0.00	259	213	PEAK	2	11650.00	53.09	54.00	-0.91	64.71	38.25	16.46	66.33	0.00	259	213	AVERAGE	3	17475.00	54.39	68.20	-13.81	57.41	41.17	20.32	64.51	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>62.65</td><td>74.00</td><td>-11.35</td><td>74.27</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>176</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>49.90</td><td>54.00</td><td>-4.10</td><td>61.52</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>176</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>50.13</td><td>68.20</td><td>-18.07</td><td>53.15</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	62.65	74.00	-11.35	74.27	38.25	16.46	66.33	0.00	176	0	PEAK	2	11650.00	49.90	54.00	-4.10	61.52	38.25	16.46	66.33	0.00	176	0	AVERAGE	3	17475.00	50.13	68.20	-18.07	53.15	41.17	20.32	64.51	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11650.00	65.81	74.00	-8.19	77.43	38.25	16.46	66.33	0.00	259	213	PEAK																																																																																																																																											
2	11650.00	53.09	54.00	-0.91	64.71	38.25	16.46	66.33	0.00	259	213	AVERAGE																																																																																																																																											
3	17475.00	54.39	68.20	-13.81	57.41	41.17	20.32	64.51	0.00	---	---	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11650.00	62.65	74.00	-11.35	74.27	38.25	16.46	66.33	0.00	176	0	PEAK																																																																																																																																											
2	11650.00	49.90	54.00	-4.10	61.52	38.25	16.46	66.33	0.00	176	0	AVERAGE																																																																																																																																											
3	17475.00	50.13	68.20	-18.07	53.15	41.17	20.32	64.51	0.00	---	---	PEAK																																																																																																																																											






Mode	57																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.02</td><td>66.50</td><td>68.20</td><td>-1.70</td><td>46.55</td><td>34.87</td><td>11.06</td><td>35.98</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>63.04</td><td>68.65</td><td>-5.61</td><td>43.22</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5701.42</td><td>76.53</td><td>105.70</td><td>-29.17</td><td>57.39</td><td>34.92</td><td>11.14</td><td>36.92</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>73.07</td><td>110.90</td><td>-37.83</td><td>54.18</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.02	66.50	68.20	-1.70	46.55	34.87	11.06	35.98	10.00	116	171	PEAK	2	5650.60	63.04	68.65	-5.61	43.22	34.88	11.07	36.13	10.00	116	171	PEAK	3	5701.42	76.53	105.70	-29.17	57.39	34.92	11.14	36.92	10.00	116	171	PEAK	4	5720.00	73.07	110.90	-37.83	54.18	34.94	11.17	37.22	10.00	116	171	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>113.76</td><td>-----</td><td>-----</td><td>95.66</td><td>35.00</td><td>11.25</td><td>38.15</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	113.76	-----	-----	95.66	35.00	11.25	38.15	10.00	116	171	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5641.02	66.50	68.20	-1.70	46.55	34.87	11.06	35.98	10.00	116	171	PEAK																																																																																																																															
2	5650.60	63.04	68.65	-5.61	43.22	34.88	11.07	36.13	10.00	116	171	PEAK																																																																																																																															
3	5701.42	76.53	105.70	-29.17	57.39	34.92	11.14	36.92	10.00	116	171	PEAK																																																																																																																															
4	5720.00	73.07	110.90	-37.83	54.18	34.94	11.17	37.22	10.00	116	171	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	113.76	-----	-----	95.66	35.00	11.25	38.15	10.00	116	171	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>104.48</td><td>-----</td><td>-----</td><td>85.81</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>116</td><td>171</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	104.48	-----	-----	85.81	34.96	11.19	37.48	10.00	116	171	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	104.48	-----	-----	85.81	34.96	11.19	37.48	10.00	116	171	AVERAGE																																																																																																																															




Mode	57																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.02</td><td>69.16</td><td>115.41</td><td>-46.25</td><td>52.06</td><td>35.07</td><td>11.33</td><td>39.30</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5859.00</td><td>73.79</td><td>109.55</td><td>-35.76</td><td>56.70</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.39</td><td>68.20</td><td>-12.81</td><td>38.08</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5943.00</td><td>57.82</td><td>68.20</td><td>-10.38</td><td>40.44</td><td>35.15</td><td>11.42</td><td>39.19</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.02	69.16	115.41	-46.25	52.06	35.07	11.33	39.30	10.00	116	171	PEAK	2	5859.00	73.79	109.55	-35.76	56.70	35.07	11.34	39.32	10.00	116	171	PEAK	3	5925.00	55.39	68.20	-12.81	38.08	35.13	11.40	39.22	10.00	116	171	PEAK	4	5943.00	57.82	68.20	-10.38	40.44	35.15	11.42	39.19	10.00	116	171	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5853.02	69.16	115.41	-46.25	52.06	35.07	11.33	39.30	10.00	116	171	PEAK																																																																																		
2	5859.00	73.79	109.55	-35.76	56.70	35.07	11.34	39.32	10.00	116	171	PEAK																																																																																		
3	5925.00	55.39	68.20	-12.81	38.08	35.13	11.40	39.22	10.00	116	171	PEAK																																																																																		
4	5943.00	57.82	68.20	-10.38	40.44	35.15	11.42	39.19	10.00	116	171	PEAK																																																																																		





Mode	57																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.22</td><td>63.60</td><td>68.20</td><td>-4.60</td><td>43.70</td><td>34.87</td><td>11.06</td><td>36.03</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr><tr><td>2</td><td>5658.60</td><td>65.27</td><td>74.60</td><td>-9.33</td><td>45.56</td><td>34.88</td><td>11.08</td><td>36.25</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr><tr><td>3</td><td>5717.42</td><td>74.12</td><td>110.18</td><td>-36.06</td><td>55.18</td><td>34.94</td><td>11.17</td><td>37.17</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr><tr><td>4</td><td>5720.22</td><td>72.53</td><td>111.41</td><td>-38.88</td><td>53.64</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.22	63.60	68.20	-4.60	43.70	34.87	11.06	36.03	10.00	364	114 PEAK	2	5658.60	65.27	74.60	-9.33	45.56	34.88	11.08	36.25	10.00	364	114 PEAK	3	5717.42	74.12	110.18	-36.06	55.18	34.94	11.17	37.17	10.00	364	114 PEAK	4	5720.22	72.53	111.41	-38.88	53.64	34.94	11.17	37.22	10.00	364	114 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>114.06</td><td>-----</td><td>-----</td><td>95.39</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5775.00	114.06	-----	-----	95.39	34.96	11.19	37.48	10.00	364	114 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5644.22	63.60	68.20	-4.60	43.70	34.87	11.06	36.03	10.00	364	114 PEAK																																																																																																																															
2	5658.60	65.27	74.60	-9.33	45.56	34.88	11.08	36.25	10.00	364	114 PEAK																																																																																																																															
3	5717.42	74.12	110.18	-36.06	55.18	34.94	11.17	37.17	10.00	364	114 PEAK																																																																																																																															
4	5720.22	72.53	111.41	-38.88	53.64	34.94	11.17	37.22	10.00	364	114 PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	114.06	-----	-----	95.39	34.96	11.19	37.48	10.00	364	114 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.54</td><td>-----</td><td>-----</td><td>83.87</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>364</td><td>114 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5775.00	102.54	-----	-----	83.87	34.96	11.19	37.48	10.00	364	114 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	102.54	-----	-----	83.87	34.96	11.19	37.48	10.00	364	114 AVERAGE																																																																																																																															





Mode	57																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.22</td><td>61.48</td><td>112.67</td><td>-51.19</td><td>44.40</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>364</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5856.22</td><td>66.91</td><td>110.56</td><td>-43.65</td><td>49.83</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>364</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5923.42</td><td>58.18</td><td>69.37</td><td>-11.19</td><td>40.87</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>364</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5948.60</td><td>57.69</td><td>68.20</td><td>-10.51</td><td>40.29</td><td>35.16</td><td>11.42</td><td>39.18</td><td>10.00</td><td>364</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.22	61.48	112.67	-51.19	44.40	35.07	11.33	39.32	10.00	364	114	PEAK	2	5856.22	66.91	110.56	-43.65	49.83	35.07	11.34	39.33	10.00	364	114	PEAK	3	5923.42	58.18	69.37	-11.19	40.87	35.13	11.40	39.22	10.00	364	114	PEAK	4	5948.60	57.69	68.20	-10.51	40.29	35.16	11.42	39.18	10.00	364	114	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.22	61.48	112.67	-51.19	44.40	35.07	11.33	39.32	10.00	364	114	PEAK																																																																																		
2	5856.22	66.91	110.56	-43.65	49.83	35.07	11.34	39.33	10.00	364	114	PEAK																																																																																		
3	5923.42	58.18	69.37	-11.19	40.87	35.13	11.40	39.22	10.00	364	114	PEAK																																																																																		
4	5948.60	57.69	68.20	-10.51	40.29	35.16	11.42	39.18	10.00	364	114	PEAK																																																																																		





	57																																																																																																																												
Mode	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																												
ANT	CDD 1S4T																																																																																																																												
Pol.	Horizontal								Vertical																																																																																																																				
Peak Avg																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>11550.00</td><td>59.27</td><td>74.00</td><td>-14.73</td><td>71.01</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>122</td><td>219</td><td colspan="6"></td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>48.73</td><td>54.00</td><td>-5.27</td><td>60.47</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>122</td><td>219</td><td colspan="6"></td><td>AVERAGE</td></tr><tr><td>3</td><td>17325.00</td><td>52.95</td><td>68.20</td><td>-15.25</td><td>56.00</td><td>41.10</td><td>20.22</td><td>64.37</td><td>0.00</td><td>---</td><td>---</td><td colspan="6"></td><td>PEAK</td></tr></table>																		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	11550.00	59.27	74.00	-14.73	71.01	38.20	16.39	66.33	0.00	122	219							PEAK	2	11550.00	48.73	54.00	-5.27	60.47	38.20	16.39	66.33	0.00	122	219							AVERAGE	3	17325.00	52.95	68.20	-15.25	56.00	41.10	20.22	64.37	0.00	---	---							PEAK
			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11550.00	59.27	74.00	-14.73	71.01	38.20	16.39	66.33	0.00	122	219							PEAK																																																																																																											
2	11550.00	48.73	54.00	-5.27	60.47	38.20	16.39	66.33	0.00	122	219							AVERAGE																																																																																																											
3	17325.00	52.95	68.20	-15.25	56.00	41.10	20.22	64.37	0.00	---	---							PEAK																																																																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>11550.00</td><td>58.72</td><td>74.00</td><td>-15.28</td><td>70.46</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>285</td><td>163</td><td colspan="6"></td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>48.32</td><td>54.00</td><td>-5.68</td><td>60.06</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>285</td><td>163</td><td colspan="6"></td><td>AVERAGE</td></tr><tr><td>3</td><td>17325.00</td><td>48.32</td><td>68.20</td><td>-19.88</td><td>51.37</td><td>41.10</td><td>20.22</td><td>64.37</td><td>0.00</td><td>---</td><td>---</td><td colspan="6"></td><td>PEAK</td></tr></table>																		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	11550.00	58.72	74.00	-15.28	70.46	38.20	16.39	66.33	0.00	285	163							PEAK	2	11550.00	48.32	54.00	-5.68	60.06	38.20	16.39	66.33	0.00	285	163							AVERAGE	3	17325.00	48.32	68.20	-19.88	51.37	41.10	20.22	64.37	0.00	---	---							PEAK	
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11550.00	58.72	74.00	-15.28	70.46	38.20	16.39	66.33	0.00	285	163							PEAK																																																																																																											
2	11550.00	48.32	54.00	-5.68	60.06	38.20	16.39	66.33	0.00	285	163							AVERAGE																																																																																																											
3	17325.00	48.32	68.20	-19.88	51.37	41.10	20.22	64.37	0.00	---	---							PEAK																																																																																																											



Mode	52	
Mode	18G-40G	
Mode	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	52																																																																																																																																																																																										
Mode	30-1G																																																																																																																																																																																										
Mode	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
Peak																																																																																																																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>38.97</td><td>22.48</td><td>-17.68</td><td>40.00</td><td>30.59</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>89.17</td><td>22.96</td><td>-20.54</td><td>43.50</td><td>39.43</td><td>1.41</td><td>14.97</td><td>32.85</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>147.37</td><td>20.91</td><td>-22.59</td><td>43.50</td><td>35.44</td><td>1.83</td><td>16.46</td><td>32.82</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>381.14</td><td>21.31</td><td>-24.69</td><td>46.00</td><td>29.99</td><td>2.98</td><td>21.21</td><td>32.87</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>576.11</td><td>28.29</td><td>-17.71</td><td>46.00</td><td>32.70</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>635.28</td><td>26.08</td><td>-19.92</td><td>46.00</td><td>30.07</td><td>3.85</td><td>25.14</td><td>32.98</td><td>---</td><td>--- Peak</td></tr></tbody></table>							Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	38.97	22.48	-17.68	40.00	30.59	0.73	24.07	32.99	---	--- Peak	2	89.17	22.96	-20.54	43.50	39.43	1.41	14.97	32.85	---	--- Peak	3	147.37	20.91	-22.59	43.50	35.44	1.83	16.46	32.82	---	--- Peak	4	381.14	21.31	-24.69	46.00	29.99	2.98	21.21	32.87	---	--- Peak	5	576.11	28.29	-17.71	46.00	32.70	3.66	25.02	33.09	---	--- Peak	6	635.28	26.08	-19.92	46.00	30.07	3.85	25.14	32.98	---	--- Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>54.25</td><td>32.05</td><td>-7.95</td><td>40.00</td><td>50.24</td><td>1.10</td><td>13.63</td><td>32.92</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>83.35</td><td>35.07</td><td>-4.93</td><td>40.00</td><td>52.69</td><td>1.36</td><td>13.82</td><td>32.80</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>137.67</td><td>29.58</td><td>-14.00</td><td>43.50</td><td>43.99</td><td>1.76</td><td>16.58</td><td>32.83</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>480.08</td><td>26.82</td><td>-19.18</td><td>46.00</td><td>33.28</td><td>3.35</td><td>23.17</td><td>32.98</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>576.11</td><td>29.58</td><td>-16.42</td><td>46.00</td><td>33.99</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>956.35</td><td>31.57</td><td>-14.43</td><td>46.00</td><td>30.87</td><td>4.73</td><td>27.53</td><td>31.56</td><td>---</td><td>--- Peak</td></tr></tbody></table>						Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	54.25	32.05	-7.95	40.00	50.24	1.10	13.63	32.92	---	--- Peak	2	83.35	35.07	-4.93	40.00	52.69	1.36	13.82	32.80	---	--- Peak	3	137.67	29.58	-14.00	43.50	43.99	1.76	16.58	32.83	---	--- Peak	4	480.08	26.82	-19.18	46.00	33.28	3.35	23.17	32.98	---	--- Peak	5	576.11	29.58	-16.42	46.00	33.99	3.66	25.02	33.09	---	--- Peak	6	956.35	31.57	-14.43	46.00	30.87	4.73	27.53	31.56	---	--- Peak
		Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																	
1	38.97	22.48	-17.68	40.00	30.59	0.73	24.07	32.99	---	--- Peak																																																																																																																																																																																	
2	89.17	22.96	-20.54	43.50	39.43	1.41	14.97	32.85	---	--- Peak																																																																																																																																																																																	
3	147.37	20.91	-22.59	43.50	35.44	1.83	16.46	32.82	---	--- Peak																																																																																																																																																																																	
4	381.14	21.31	-24.69	46.00	29.99	2.98	21.21	32.87	---	--- Peak																																																																																																																																																																																	
5	576.11	28.29	-17.71	46.00	32.70	3.66	25.02	33.09	---	--- Peak																																																																																																																																																																																	
6	635.28	26.08	-19.92	46.00	30.07	3.85	25.14	32.98	---	--- Peak																																																																																																																																																																																	
	Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																	
1	54.25	32.05	-7.95	40.00	50.24	1.10	13.63	32.92	---	--- Peak																																																																																																																																																																																	
2	83.35	35.07	-4.93	40.00	52.69	1.36	13.82	32.80	---	--- Peak																																																																																																																																																																																	
3	137.67	29.58	-14.00	43.50	43.99	1.76	16.58	32.83	---	--- Peak																																																																																																																																																																																	
4	480.08	26.82	-19.18	46.00	33.28	3.35	23.17	32.98	---	--- Peak																																																																																																																																																																																	
5	576.11	29.58	-16.42	46.00	33.99	3.66	25.02	33.09	---	--- Peak																																																																																																																																																																																	
6	956.35	31.57	-14.43	46.00	30.87	4.73	27.53	31.56	---	--- Peak																																																																																																																																																																																	

<TX Beamforming mode>

Radiated Spurious Emission Test Modes





Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 64	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT40	38	5190	MCS0	Full	-
Mode 66	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT80	42	5210	MCS0	Full	-
Mode 73	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT160	50	5250	MCS0	Full	-
Mode 86	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT20	149	5745	MCS0	Full	-

Summary of each worse mode



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
64	802.11be EHT40	38	5149.60	53.26	54.00	-0.74	H	AVERAGE	Pass	Band Edge
64	802.11be EHT40	38	10380.00	46.74	68.20	-21.46	V	PEAK	Pass	Harmonic
66	802.11be EHT80	42	5149.92	53.16	54.00	-0.84	H	AVERAGE	Pass	Band Edge
66	802.11be EHT80	42	10420.00	45.79	68.20	-22.41	V	PEAK	Pass	Harmonic
73	802.11be EHT160	50	5379.78	53.12	54.00	-0.88	H	AVERAGE	Pass	Band Edge
73	802.11be EHT160	50	10500.00	45.64	68.20	-22.56	V	PEAK	Pass	Harmonic
86	802.11be EHT20	149	5356.00	53.67	54.00	-0.33	V	Average	Pass	Band Edge
86	802.11be EHT20	149	11490.00	41.88	54.00	-12.12	V	AVERAGE	Pass	Harmonic







Radiated Spurious Emission Test plots

Mode	64																																																							
Mode	Band Edge - L																																																							
Mode	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.76</td><td>70.18</td><td>74.00</td><td>-3.82</td><td>51.84</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>256</td><td>179</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.76	70.18	74.00	-3.82	51.84	34.40	10.60	36.66	10.00	256	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5145.76	70.18	74.00	-3.82	51.84	34.40	10.60	36.66	10.00	256	179	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>53.26</td><td>54.00</td><td>-0.74</td><td>34.90</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>256</td><td>179</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	53.26	54.00	-0.74	34.90	34.40	10.61	36.65	10.00	256	179	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5149.60	53.26	54.00	-0.74	34.90	34.40	10.61	36.65	10.00	256	179	AVERAGE																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>112.53</td><td>-----</td><td>-----</td><td>94.04</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>256</td><td>179</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	112.53	-----	-----	94.04	34.44	10.65	36.60	10.00	256	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5190.00	112.53	-----	-----	94.04	34.44	10.65	36.60	10.00	256	179	PEAK																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.37</td><td>-----</td><td>-----</td><td>83.88</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>256</td><td>179</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.37	-----	-----	83.88	34.44	10.65	36.60	10.00	256	179	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5190.00	102.37	-----	-----	83.88	34.44	10.65	36.60	10.00	256	179	AVERAGE																																												





Mode	64																																																
	Band Edge - R																																																
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																
ANT	TXBF1S4T																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.10</td><td>58.30</td><td>74.00</td><td>-15.70</td><td>39.25</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>256</td><td>179</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.10	58.30	74.00	-15.70	39.25	34.62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5381.10	58.30	74.00	-15.70	39.25	34.62	10.76	36.33	10.00	256	179	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.26</td><td>46.57</td><td>54.00</td><td>-7.43</td><td>27.48</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>256</td><td>179</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.26	46.57	54.00	-7.43	27.48	34.63
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5392.26	46.57	54.00	-7.43	27.48	34.63	10.77	36.31	10.00	256	179	AVERAGE																																					





Mode	64																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.68</td><td>66.38</td><td>74.00</td><td>-7.62</td><td>48.03</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>112</td><td>186</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.68	66.38	74.00	-7.62	48.03	34.40	10.61	36.66	10.00	112	186	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>110.30</td><td>-----</td><td>-----</td><td>91.77</td><td>34.45</td><td>10.66</td><td>36.58</td><td>10.00</td><td>112</td><td>186</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	110.30	-----	-----	91.77	34.45	10.66	36.58	10.00	112	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.68	66.38	74.00	-7.62	48.03	34.40	10.61	36.66	10.00	112	186	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	110.30	-----	-----	91.77	34.45	10.66	36.58	10.00	112	186	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.96</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>30.79</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>112</td><td>186</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	49.14	54.00	-4.86	30.79	34.40	10.61	36.66	10.00	112	186	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>99.17</td><td>-----</td><td>-----</td><td>80.64</td><td>34.45</td><td>10.66</td><td>36.58</td><td>10.00</td><td>112</td><td>186</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.17	-----	-----	80.64	34.45	10.66	36.58	10.00	112	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.96	49.14	54.00	-4.86	30.79	34.40	10.61	36.66	10.00	112	186	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	99.17	-----	-----	80.64	34.45	10.66	36.58	10.00	112	186	AVERAGE																																																																																							







Mode	64																																																				
	Band Edge - R																																																				
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Vertical										Fundamental																																										
Peak											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.54</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>38.68</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>112</td><td>186</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.54	57.91	74.00	-16.09	38.68	34.67	10.81	36.25	10.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5433.54	57.91	74.00	-16.09	38.68	34.67	10.81	36.25	10.00	112	186	PEAK																																									
Avg											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.85</td><td>46.21</td><td>54.00</td><td>-7.79</td><td>26.93</td><td>34.68</td><td>10.83</td><td>36.23</td><td>10.00</td><td>112</td><td>186</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.85	46.21	54.00	-7.79	26.93	34.68	10.83	36.23	10.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5447.85	46.21	54.00	-7.79	26.93	34.68	10.83	36.23	10.00	112	186	AVERAGE																																									





Mode	64																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>46.66</td><td>68.20</td><td>-21.54</td><td>60.76</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.66	68.20	-21.54	60.76	37.38	15.47	66.95	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10380.00	46.66	68.20	-21.54	60.76	37.38	15.47	66.95	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>46.74</td><td>68.20</td><td>-21.46</td><td>60.84</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.74	68.20	-21.46	60.84	37.38	15.47	66.95	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10380.00	46.74	68.20	-21.46	60.84	37.38	15.47	66.95	0.00	---	---	PEAK																																												







Mode	66																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.92</td><td>70.70</td><td>74.00</td><td>-3.30</td><td>52.40</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>263</td><td>196</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.92	70.70	74.00	-3.30	52.40	34.39	10.59	36.68	10.00	263	196	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>109.41</td><td>-----</td><td>-----</td><td>90.76</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>263</td><td>196</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	109.41	-----	-----	90.76	34.49	10.68	36.52	10.00	263	196
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5133.92	70.70	74.00	-3.30	52.40	34.39	10.59	36.68	10.00	263	196	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	109.41	-----	-----	90.76	34.49	10.68	36.52	10.00	263	196	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>53.16</td><td>54.00</td><td>-0.84</td><td>34.80</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>263</td><td>196</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	53.16	54.00	-0.84	34.80	34.40	10.61	36.65	10.00	263	196	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.40</td><td>-----</td><td>-----</td><td>80.72</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>263</td><td>196</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.40	-----	-----	80.72	34.50	10.69	36.51	10.00	263	196
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.92	53.16	54.00	-0.84	34.80	34.40	10.61	36.65	10.00	263	196	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	99.40	-----	-----	80.72	34.50	10.69	36.51	10.00	263	196	AVERAGE																																																																																																			





Mode	66																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.22</td><td>60.17</td><td>74.00</td><td>-13.83</td><td>41.20</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>263</td><td>196</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.22	60.17	74.00	-13.83	41.20	34.59	10.75	36.37	10.00	263	196	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.22	60.17	74.00	-13.83	41.20	34.59	10.75	36.37	10.00	263	196	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.70</td><td>47.84</td><td>54.00</td><td>-6.16</td><td>28.82</td><td>34.61</td><td>10.76</td><td>36.35</td><td>10.00</td><td>263</td><td>196</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.70	47.84	54.00	-6.16	28.82	34.61	10.76	36.35	10.00	263	196	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5366.70	47.84	54.00	-6.16	28.82	34.61	10.76	36.35	10.00	263	196	AVERAGE																																											





Mode	66																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5120.64</td><td>64.69</td><td>74.00</td><td>-9.31</td><td>46.43</td><td>34.38</td><td>10.58</td><td>36.70</td><td>10.00</td><td>116</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.64	64.69	74.00	-9.31	46.43	34.38	10.58	36.70	10.00	116	287	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>110.25</td><td>-----</td><td>-----</td><td>91.66</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>116</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	110.25	-----	-----	91.66	34.47	10.67	36.55	10.00	116	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5120.64	64.69	74.00	-9.31	46.43	34.38	10.58	36.70	10.00	116	287	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	110.25	-----	-----	91.66	34.47	10.67	36.55	10.00	116	287	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>50.81</td><td>54.00</td><td>-3.19</td><td>32.45</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>116</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	50.81	54.00	-3.19	32.45	34.40	10.61	36.65	10.00	116	287	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.32</td><td>-----</td><td>-----</td><td>81.74</td><td>34.47</td><td>10.67</td><td>36.56</td><td>10.00</td><td>116</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.32	-----	-----	81.74	34.47	10.67	36.56	10.00	116	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.92	50.81	54.00	-3.19	32.45	34.40	10.61	36.65	10.00	116	287	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	100.32	-----	-----	81.74	34.47	10.67	36.56	10.00	116	287	AVERAGE																																																																																							







Mode	66																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.36</td><td>59.61</td><td>74.00</td><td>-14.39</td><td>40.52</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>116</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.36	59.61	74.00	-14.39	40.52	34.63	10.77	36.31	10.00	116	287	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5391.36	59.61	74.00	-14.39	40.52	34.63	10.77	36.31	10.00	116	287	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.14</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>29.08</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>116</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.14	48.05	54.00	-5.95	29.08	34.59	10.75	36.37	10.00	116	287	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.14	48.05	54.00	-5.95	29.08	34.59	10.75	36.37	10.00	116	287	AVERAGE																																												





Mode	66																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																					
ANT	TXBF1S4T																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.73</td><td>68.20</td><td>-22.47</td><td>59.73</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	45.73	68.20	-22.47	59.73	37.42	15.51	66.93	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.79</td><td>68.20</td><td>-22.41</td><td>59.79</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	45.79	68.20	-22.41	59.79	37.42	15.51	66.93	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10420.00	45.73	68.20	-22.47	59.73	37.42	15.51	66.93	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10420.00	45.79	68.20	-22.41	59.79	37.42	15.51	66.93	0.00	---	---	PEAK																																																																																										







		73																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																											
ANT		TXBF1S4T																																																																																																											
Pol.	Horizontal											Fundamental																																																																																																	
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.25</td><td>64.68</td><td>74.00</td><td>-9.32</td><td>46.34</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>259</td><td>191</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.25	64.68	74.00	-9.32	46.34	34.40	10.60	36.66	10.00	259	191	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>107.49</td><td>-----</td><td>-----</td><td>88.65</td><td>34.55</td><td>10.72</td><td>36.43</td><td>10.00</td><td>259</td><td>191</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	107.49	-----	-----	88.65	34.55	10.72	36.43	10.00	259	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5143.25	64.68	74.00	-9.32	46.34	34.40	10.60	36.66	10.00	259	191	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5250.00	107.49	-----	-----	88.65	34.55	10.72	36.43	10.00	259	191	PEAK																																																																																																	
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5140.25</td><td>52.74</td><td>54.00</td><td>-1.26</td><td>34.42</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>259</td><td>191</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.25	52.74	54.00	-1.26	34.42	34.39	10.60	36.67	10.00	259	191	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>96.06</td><td>-----</td><td>-----</td><td>77.25</td><td>34.54</td><td>10.72</td><td>36.45</td><td>10.00</td><td>259</td><td>191</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	96.06	-----	-----	77.25	34.54	10.72	36.45	10.00	259	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5140.25	52.74	54.00	-1.26	34.42	34.39	10.60	36.67	10.00	259	191	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5250.00	96.06	-----	-----	77.25	34.54	10.72	36.45	10.00	259	191	AVERAGE																																																																																																	





	73																																																							
Mode	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.06</td><td>66.09</td><td>74.00</td><td>-7.91</td><td>47.06</td><td>34.61</td><td>10.76</td><td>36.34</td><td>10.00</td><td>259</td><td>191</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.06	66.09	74.00	-7.91	47.06	34.61	10.76	36.34	10.00	259	191	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5373.06	66.09	74.00	-7.91	47.06	34.61	10.76	36.34	10.00	259	191	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.78</td><td>53.12</td><td>54.00</td><td>-0.88</td><td>34.07</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>259</td><td>191</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.78	53.12	54.00	-0.88	34.07	34.62	10.76	36.33	10.00	259	191	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5379.78	53.12	54.00	-0.88	34.07	34.62	10.76	36.33	10.00	259	191	AVERAGE																																												





Mode	73																																																														
	Band Edge - L																																																														
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																														
ANT	TXBF1S4T																																																														
Pol.	Vertical						Fundamental																																																								
Peak																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5140.25</td><td>60.81</td><td>74.00</td><td>-13.19</td><td>42.49</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>301</td><td>158</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5140.25	60.81	74.00	-13.19	42.49	34.39	10.60	36.67	10.00	301	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5140.25	60.81	74.00	-13.19	42.49	34.39	10.60	36.67	10.00	301	158	PEAK																																																			
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5140.25</td><td>48.86</td><td>54.00</td><td>-5.14</td><td>30.54</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>301</td><td>158</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5140.25	48.86	54.00	-5.14	30.54	34.39	10.60	36.67	10.00	301	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5140.25	48.86	54.00	-5.14	30.54	34.39	10.60	36.67	10.00	301	158	AVERAGE																																																			
Peak																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5250.00</td><td>102.26</td><td>-----</td><td>-----</td><td>83.84</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>301</td><td>158</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5250.00	102.26	-----	-----	83.84	34.42	10.63	36.63	10.00	301	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5250.00	102.26	-----	-----	83.84	34.42	10.63	36.63	10.00	301	158	PEAK																																																			
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5250.00</td><td>91.82</td><td>-----</td><td>-----</td><td>73.37</td><td>34.43</td><td>10.64</td><td>36.62</td><td>10.00</td><td>301</td><td>158</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5250.00	91.82	-----	-----	73.37	34.43	10.64	36.62	10.00	301	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5250.00	91.82	-----	-----	73.37	34.43	10.64	36.62	10.00	301	158	AVERAGE																																																			






Mode	73																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																
ANT	TXBF1S4T																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5374.32</td><td>64.64</td><td>74.00</td><td>-9.36</td><td>45.60</td><td>34.62</td><td>10.76</td><td>36.34</td><td>10.00</td><td>301</td><td>158</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.32	64.64	74.00	-9.36	45.60	34.62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5374.32	64.64	74.00	-9.36	45.60	34.62	10.76	36.34	10.00	301	158	PEAK																																					
Avg							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5372.22</td><td>50.62</td><td>54.00</td><td>-3.38</td><td>31.59</td><td>34.61</td><td>10.76</td><td>36.34</td><td>10.00</td><td>301</td><td>158</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.22	50.62	54.00	-3.38	31.59	34.61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5372.22	50.62	54.00	-3.38	31.59	34.61	10.76	36.34	10.00	301	158	AVERAGE																																					







		73																																																														
Mode		Harmonic																																																														
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																														
ANT		TXBF1S4T																																																														
Pol.		Horizontal						Vertical																																																								
Peak Avg																																																																
																																																																
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10500.00</td><td>45.49</td><td>68.20</td><td>-22.71</td><td>59.29</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10500.00	45.49	68.20	-22.71	59.29	37.50	15.58	66.88	0.00	---	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																					
1 10500.00	45.49	68.20	-22.71	59.29	37.50	15.58	66.88	0.00	---	---	---	PEAK																																																				
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10500.00</td><td>45.64</td><td>68.20</td><td>-22.56</td><td>59.44</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10500.00	45.64	68.20	-22.56	59.44	37.50	15.58	66.88	0.00	---	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																					
1 10500.00	45.64	68.20	-22.56	59.44	37.50	15.58	66.88	0.00	---	---	---	PEAK																																																				





Mode	86																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.00</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>41.90</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>60.32</td><td>68.80</td><td>-8.48</td><td>40.50</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>67.24</td><td>110.90</td><td>-43.66</td><td>48.35</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5723.60</td><td>76.53</td><td>119.11</td><td>-42.58</td><td>57.69</td><td>34.94</td><td>11.17</td><td>37.27</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.00	61.84	68.20	-6.36	41.90	34.86	11.05	35.97	10.00	105	0	PEAK	2	5650.00	60.32	68.80	-8.48	40.50	34.88	11.07	36.13	10.00	105	0	PEAK	3	5720.00	67.24	110.90	-43.66	48.35	34.94	11.17	37.22	10.00	105	0	PEAK	4	5723.60	76.53	119.11	-42.58	57.69	34.94	11.17	37.27	10.00	105	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.41</td><td>-----</td><td>-----</td><td>95.78</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.41	-----	-----	95.78	34.96	11.20	37.53	10.00	105	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5635.00	61.84	68.20	-6.36	41.90	34.86	11.05	35.97	10.00	105	0	PEAK																																																																																																																														
2	5650.00	60.32	68.80	-8.48	40.50	34.88	11.07	36.13	10.00	105	0	PEAK																																																																																																																														
3	5720.00	67.24	110.90	-43.66	48.35	34.94	11.17	37.22	10.00	105	0	PEAK																																																																																																																														
4	5723.60	76.53	119.11	-42.58	57.69	34.94	11.17	37.27	10.00	105	0	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	114.41	-----	-----	95.78	34.96	11.20	37.53	10.00	105	0	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.23</td><td>-----</td><td>-----</td><td>86.52</td><td>34.95</td><td>11.19</td><td>37.43</td><td>10.00</td><td>105</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.23	-----	-----	86.52	34.95	11.19	37.43	10.00	105	0	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	105.23	-----	-----	86.52	34.95	11.19	37.43	10.00	105	0	AVERAGE																																																																																																																														



Mode	86																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>62.20</td><td>68.20</td><td>-6.00</td><td>42.37</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>103</td><td>277</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.66</td><td>68.20</td><td>-9.54</td><td>38.83</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>103</td><td>277</td><td>PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>61.46</td><td>106.20</td><td>-44.74</td><td>42.33</td><td>34.93</td><td>11.15</td><td>36.95</td><td>10.00</td><td>103</td><td>277</td><td>PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>74.82</td><td>120.02</td><td>-45.20</td><td>55.98</td><td>34.95</td><td>11.17</td><td>37.28</td><td>10.00</td><td>103</td><td>277</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5606.00	62.20	68.20	-6.00	42.37	34.83	11.01	36.01	10.00	103	277	PEAK	2	5650.00	58.66	68.20	-9.54	38.83	34.88	11.07	36.12	10.00	103	277	PEAK	3	5703.20	61.46	106.20	-44.74	42.33	34.93	11.15	36.95	10.00	103	277	PEAK	4	5724.00	74.82	120.02	-45.20	55.98	34.95	11.17	37.28	10.00	103	277	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>116.90</td><td>-----</td><td>-----</td><td>98.27</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>103</td><td>277</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	116.90	-----	-----	98.27	34.96	11.20	37.53	10.00	103	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5606.00	62.20	68.20	-6.00	42.37	34.83	11.01	36.01	10.00	103	277	PEAK																																																																																																																														
2	5650.00	58.66	68.20	-9.54	38.83	34.88	11.07	36.12	10.00	103	277	PEAK																																																																																																																														
3	5703.20	61.46	106.20	-44.74	42.33	34.93	11.15	36.95	10.00	103	277	PEAK																																																																																																																														
4	5724.00	74.82	120.02	-45.20	55.98	34.95	11.17	37.28	10.00	103	277	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	116.90	-----	-----	98.27	34.96	11.20	37.53	10.00	103	277	PEAK																																																																																																																														
Avg																																																																																																																																										
	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.00</td><td>53.67</td><td>54.00</td><td>-0.33</td><td>34.68</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>103</td><td>277</td><td>Average</td></tr><tr><td>2</td><td>5745.00</td><td>107.36</td><td>-----</td><td>-----</td><td>88.73</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>103</td><td>277</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5356.00	53.67	54.00	-0.33	34.68	34.60	10.75	36.36	10.00	103	277	Average	2	5745.00	107.36	-----	-----	88.73	34.96	11.20	37.53	10.00	103	277	AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5356.00	53.67	54.00	-0.33	34.68	34.60	10.75	36.36	10.00	103	277	Average																																																																																																																														
2	5745.00	107.36	-----	-----	88.73	34.96	11.20	37.53	10.00	103	277	AVERAGE																																																																																																																														



Mode	86																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																													
ANT	TXBF1S4T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>60.71</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.44</td><td>54.00</td><td>-16.56</td><td>49.24</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	48.91	74.00	-25.09	60.71	38.18	16.36	66.34	0.00	300	360	PEAK	2	11490.00	37.44	54.00	-16.56	49.24	38.18	16.36	66.34	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>53.69</td><td>74.00</td><td>-20.31</td><td>65.49</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>145</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>41.88</td><td>54.00</td><td>-12.12</td><td>53.71</td><td>38.16</td><td>16.35</td><td>66.34</td><td>0.00</td><td>145</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	53.69	74.00	-20.31	65.49	38.18	16.36	66.34	0.00	145	0	PEAK	2	11490.00	41.88	54.00	-12.12	53.71	38.16	16.35	66.34	0.00	145	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	48.91	74.00	-25.09	60.71	38.18	16.36	66.34	0.00	300	360	PEAK																																																																																																																		
2	11490.00	37.44	54.00	-16.56	49.24	38.18	16.36	66.34	0.00	300	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	53.69	74.00	-20.31	65.49	38.18	16.36	66.34	0.00	145	0	PEAK																																																																																																																		
2	11490.00	41.88	54.00	-12.12	53.71	38.16	16.35	66.34	0.00	145	0	AVERAGE																																																																																																																		