



Appendix C. Radiated Spurious Emission Test Data

Table of Contents

<CDD mode>	C2
Radiated Spurious Emission Test Modes.....	C2
Summary of each worse mode	C5
Radiated Spurious Emission Test plots.....	C9
<TX Beamforming mode>	C108
Radiated Spurious Emission Test Modes.....	C108
Summary of each worse mode	C110
Radiated Spurious Emission Test plots.....	C113
<Co-location>	C186
Radiated Spurious Emission Test Modes.....	C186
Summary of each worse mode	C186
Radiated Spurious Emission Test plots.....	C187



Test Engineer:	Koi Ji	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42%

<CDD mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 3	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT20	1	5955	MCS0	Full	Sample 1
Mode 4	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT20	45	6175	MCS0	Full	Sample 1
Mode 5	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT20	93	6415	MCS0	Full	Sample 1
Mode 6	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT40	3	5965	MCS0	Full	Sample 1
Mode 7	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT40	43	6165	MCS0	Full	Sample 1
Mode 8	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT40	91	6405	MCS0	Full	Sample 1
Mode 9	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT80	7	5985	MCS0	Full	Sample 1
Mode 10	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT80	7	5985	MCS0	PC 20MHz,Loc 4	Sample 1
Mode 11	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT80	39	6145	MCS0	Full	Sample 1
Mode 12	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT80	87	6385	MCS0	Full	Sample 1
Mode 13	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT160	15	6025	MCS0	Full	Sample 1
Mode 14	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT160	15	6025	MCS0	PC 40MHz,Loc 4	Sample 1
Mode 15	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT160	47	6185	MCS0	Full	Sample 1
Mode 16	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT160	79	6345	MCS0	Full	Sample 1
Mode 17	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT320	31	6105	MCS0	Full	Sample 1
Mode 18	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT20	1	5955	MCS0	RU52*4	Sample 1
Mode 19	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT320	31	6105	MCS0	PC 80+40MHz,Loc 6	Sample 1
Mode 20	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT320	63	6265	MCS0	Full	Sample 1
Mode 21	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT20	97	6435	MCS0	Full	Sample 1
Mode 22	U-NII-5	6.425-6.525	CDD 1S2T	802.11BE EHT20	105	6475	MCS0	Full	Sample 1
Mode 23	U-NII-5	6.425-6.525	CDD 1S2T	802.11BE EHT20	113	6515	MCS0	Full	Sample 1
Mode 24	U-NII-5	6.425-6.525	CDD 1S2T	802.11BE EHT40	99	6445	MCS0	Full	Sample 1
Mode 25	U-NII-5	6.425-6.525	CDD 1S2T	802.11BE EHT40	107	6485	MCS0	Full	Sample 1
Mode 26	U-NII-5	6.425-6.525	CDD 1S2T	802.11BE EHT80	103	6465	MCS0	Full	Sample 1
Mode 27	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT20	117	6535	MCS0	Full	Sample 1
Mode 28	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT20	149	6695	MCS0	Full	Sample 1
Mode 29	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT20	181	6855	MCS0	Full	Sample 1
Mode 30	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT40	123	6565	MCS0	Full	Sample 1
Mode 31	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT40	147	6685	MCS0	Full	Sample 1
Mode 32	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT40	179	6845	MCS0	Full	Sample 1



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 33	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT80	135	6625	MCS0	Full	Sample 1
Mode 34	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT80	151	6705	MCS0	Full	Sample 1
Mode 35	U-NII-5	6.525-6.875	CDD 1S2T	802.11be EHT80	167	6785	MCS0	Full	Sample 1
Mode 36	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT160	143	6665	MCS0	Full	Sample 1
Mode 37	U-NII-8	6.875-7.125	CDD 1S2T	802.11BE EHT20	189	6895	MCS0	Full	Sample 1
Mode 38	U-NII-8	6.875-7.125	CDD 1S2T	802.11BE EHT20	209	6995	MCS0	Full	Sample 1
Mode 39	U-NII-8	6.875-7.125	CDD 1S2T	802.11BE EHT20	229	7095	MCS0	Full	Sample 1
Mode 40	U-NII-8	6.525-7.125	CDD 1S2T	802.11BE EHT20	233	7115	MCS0	Full	Sample 1
Mode 41	U-NII-8	6.525-7.125	CDD 1S2T	802.11BE EHT20	233	7115	MCS0	RU52*4	Sample 1
Mode 42	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT40	195	6925	MCS0	Full	Sample 1
Mode 43	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT40	211	7005	MCS0	Full	Sample 1
Mode 44	U-NII-5	6.525-6.875	CDD 1S2T	802.11BE EHT40	227	7085	MCS0	Full	Sample 1
Mode 45	U-NII-8	6.875-7.125	CDD 1S2T	802.11BE EHT80	199	6945	MCS0	Full	Sample 1
Mode 46	U-NII-8	6.875-7.125	CDD 1S2T	802.11BE EHT80	215	7025	MCS0	Full	Sample 1
Mode 47	U-NII-8	6.875-7.125	CDD 1S2T	802.11BE EHT80	215	7025	MCS0	PC 20MHz,Loc 1	Sample 1
Mode 48	U-NII-8	6.875-7.125	CDD 1S2T	802.11BE EHT160	207	6985	MCS0	Full	Sample 1
Mode 49	U-NII-8	6.875-7.125	CDD 1S2T	802.11BE EHT160	207	6985	MCS0	PC 40MHz,Loc 1	Sample 1
Mode 50	U-NII-5	6.425-6.525	CDD 1S2T	802.11BE EHT40	115	6525	MCS0	Full	Sample 1
Mode 51	U-NII-5	6.425-6.525	CDD 1S2T	802.11BE EHT80	119	6545	MCS0	Full	Sample 1
Mode 52	U-NII-5	6.425-6.525	CDD 1S2T	802.11BE EHT160	111	6505	MCS0	Full	Sample 1
Mode 53	U-NII-8	6.525-7.125	CDD 1S2T	802.11BE EHT20	185	6875	MCS0	Full	Sample 1
Mode 54	U-NII-8	6.525-7.125	CDD 1S2T	802.11BE EHT40	187	6885	MCS0	Full	Sample 1
Mode 55	U-NII-8	6.525-7.125	CDD 1S2T	802.11BE EHT80	183	6865	MCS0	Full	Sample 1
Mode 56	U-NII-8	6.525-7.125	CDD 1S2T	802.11BE EHT160	175	6825	MCS0	Full	Sample 1
Mode 57	U-NII-5	5.925-6.425	CDD 1S2T	802.11BE EHT320	95	6425	MCS0	Full	Sample 1
Mode 58	U-NII-5	6.425-6.525	CDD 1S2T	802.11BE EHT320	127	6585	MCS0	Full	Sample 1
Mode 59	U-NII-8	6.525-6.875	CDD 1S2T	802.11BE EHT320	159	6745	MCS0	Full	Sample 1
Mode 60	U-NII-8	6.525-6.875	CDD 1S2T	802.11BE EHT320	191	6905	MCS0	Full	Sample 1
Mode 61	U-NII-8	6.525-6.875	CDD 1S2T	802.11BE EHT20	229	7095	MCS0	RU52*4;	Sample 1
Mode 62	U-NII-8	6.525-6.875	CDD 1S2T	802.11BE EHT320	191	6905	MCS0	PC 80+40MHz,Loc 7	Sample 1
Mode 114	U-NII-8	6.525-6.875	CDD 1S2T	802.11BE EHT320	191	6905	MCS0	Full	Sample 2
Mode 115	U-NII-8	6.525-6.875	CDD 1S2T	802.11BE EHT320	191	6905	MCS0	Full	Sample 3

**Note:**

1. There are three samples under test, only different for the antenna manufacturers. According to the difference, we choose sample 1 to full test and the sample 2/3 are verified the worst case for RSE.
2. For 802.11ax/be mode, the whole testing have assessed only 802.11be by referring to the higher output power for RSE testing
3. 802.11be EHT160 support Channel puncturing 20M and 40MHz, according to PSD of puncturing, 40M PSD > 20M PSD, so only the worst channel puncturing 40M is shown in the report.
4. 802.11be EHT320 support Channel puncturing 40M and 80MHz and 80+40MHz, according to PSD of puncturing, 80+40M PSD > 40M/80M PSD, so only the worst channel puncturing 80+40M is shown in the report.
5. Loc: Puncture Location. PC: channel puncturing.



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
3	802.11BE EHT20	1	5924.91	67.26	68.20	-0.94	V	AVERAGE	Pass	Band Edge
3	802.11BE EHT20	1	11910.00	44.49	54.00	-9.51	V	AVERAGE	Pass	Harmonic
4	802.11BE EHT20	45	-	-	-	-	-	-	-	Band Edge
4	802.11BE EHT20	45	12350.00	46.53	74.00	-27.47	H	PEAK	Pass	Harmonic
5	802.11BE EHT20	93	-	-	-	-	-	-	-	Band Edge
5	802.11BE EHT20	93	12830.00	45.95	88.20	-42.25	V	PEAK	Pass	Harmonic
6	802.11BE EHT40	3	5924.99	66.90	68.20	-1.30	V	AVERAGE	Pass	Band Edge
6	802.11BE EHT40	3	11930.00	47.35	54.00	-6.65	V	AVERAGE	Pass	Harmonic
7	802.11BE EHT40	43	-	-	-	-	-	-	-	Band Edge
7	802.11BE EHT40	43	12330.00	46.24	74.00	-27.76	V	PEAK	Pass	Harmonic
8	802.11BE EHT40	91	-	-	-	-	-	-	-	Band Edge
8	802.11BE EHT40	91	12810.00	46.18	88.20	-42.02	V	PEAK	Pass	Harmonic
9	802.11BE EHT80	7	5919.27	58.54	68.20	-9.66	H	AVERAGE	Pass	Band Edge
9	802.11BE EHT80	7	11970.00	41.23	54.00	-12.77	V	AVERAGE	Pass	Harmonic
10	802.11BE EHT80	7	5919.31	45.92	68.20	-22.28	H	AVERAGE	Pass	Band Edge
10	802.11BE EHT80	7	-	-	-	-	-	-	-	Harmonic
11	802.11BE EHT80	39	-	-	-	-	-	-	-	Band Edge
11	802.11BE EHT80	39	12290.00	46.23	74.00	-27.77	V	PEAK	Pass	Harmonic
12	802.11BE EHT80	87	-	-	-	-	-	-	-	Band Edge
12	802.11BE EHT80	87	12770.00	45.89	88.20	-42.31	H	PEAK	Pass	Harmonic
13	802.11BE EHT160	15	5924.92	53.94	68.20	-14.26	V	AVERAGE	Pass	Band Edge
13	802.11BE EHT160	15	12050.00	45.84	74.00	-28.16	V	PEAK	Pass	Harmonic
14	802.11BE EHT160	15	5912.18	47.55	68.20	-20.65	V	AVERAGE	Pass	Band Edge
14	802.11BE EHT160	15	-	-	-	-	-	-	-	Harmonic
15	802.11BE EHT160	47	-	-	-	-	-	-	-	Band Edge
15	802.11BE EHT160	47	12370.00	45.89	74.00	-28.11	H	PEAK	Pass	Harmonic
16	802.11BE EHT160	79	-	-	-	-	-	-	-	Band Edge
16	802.11BE EHT160	79	12690.00	45.82	74.00	-28.18	H	PEAK	Pass	Harmonic
17	802.11BE EHT320	31	5924.98	51.60	68.20	-16.60	V	AVERAGE	Pass	Band Edge
17	802.11BE EHT320	31	12210.00	46.79	74.00	-27.21	V	PEAK	Pass	Harmonic
18	802.11BE EHT20	1	5924.61	44.21	68.20	-23.99	V	AVERAGE	Pass	Band Edge
18	802.11BE EHT20	1	-	-	-	-	-	-	-	Harmonic
19	802.11BE EHT320	31	5913.43	67.04	68.20	-1.16	V	AVERAGE	Pass	Band Edge
19	802.11BE EHT320	31	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	802.11BE EHT320	63	-	-	-	-	-	-	-	Band Edge
20	802.11BE EHT320	63	12530.00	47.11	74.00	-26.89	V	PEAK	Pass	Harmonic
21	802.11BE EHT20	97	-	-	-	-	-	-	-	Band Edge
21	802.11BE EHT20	97	12870.00	45.83	88.20	-42.37	H	PEAK	Pass	Harmonic
22	802.11BE EHT20	105	-	-	-	-	-	-	-	Band Edge
22	802.11BE EHT20	105	12950.00	46.98	88.20	-41.22	V	PEAK	Pass	Harmonic
23	802.11BE EHT20	113	-	-	-	-	-	-	-	Band Edge
23	802.11BE EHT20	113	13030.00	46.51	88.20	-41.69	V	PEAK	Pass	Harmonic
24	802.11BE EHT40	99	-	-	-	-	-	-	-	Band Edge
24	802.11BE EHT40	99	12890.00	46.31	88.20	-41.89	H	PEAK	Pass	Harmonic
25	802.11BE EHT40	107	-	-	-	-	-	-	-	Band Edge
25	802.11BE EHT40	107	12970.00	46.82	88.20	-41.38	V	PEAK	Pass	Harmonic
26	802.11BE EHT80	103	-	-	-	-	-	-	-	Band Edge
26	802.11BE EHT80	103	12930.00	47.47	88.20	-40.73	H	PEAK	Pass	Harmonic
27	802.11BE EHT20	117	-	-	-	-	-	-	-	Band Edge
27	802.11BE EHT20	117	13070.00	47.24	88.20	-40.96	H	PEAK	Pass	Harmonic
28	802.11BE EHT20	149	-	-	-	-	-	-	-	Band Edge
28	802.11BE EHT20	149	13390.00	46.15	74.00	-27.85	H	PEAK	Pass	Harmonic
29	802.11BE EHT20	181	-	-	-	-	-	-	-	Band Edge
29	802.11BE EHT20	181	13710.00	45.62	88.20	-42.58	V	PEAK	Pass	Harmonic
30	802.11BE EHT40	123	-	-	-	-	-	-	-	Band Edge
30	802.11BE EHT40	123	13130.00	46.28	88.20	-41.92	H	PEAK	Pass	Harmonic
31	802.11BE EHT40	147	-	-	-	-	-	-	-	Band Edge
31	802.11BE EHT40	147	13370.00	45.17	74.00	-28.83	V	PEAK	Pass	Harmonic
32	802.11BE EHT40	179	-	-	-	-	-	-	-	Band Edge
32	802.11BE EHT40	179	13690.00	45.29	88.20	-42.91	H	PEAK	Pass	Harmonic
33	802.11BE EHT80	135	-	-	-	-	-	-	-	Band Edge
33	802.11BE EHT80	135	13250.00	45.74	74.00	-28.26	V	PEAK	Pass	Harmonic
34	802.11BE EHT80	151	-	-	-	-	-	-	-	Band Edge
34	802.11BE EHT80	151	13410.00	45.67	88.20	-42.53	V	PEAK	Pass	Harmonic
35	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT80	167	13570.00	46.10	88.20	-42.10	V	PEAK	Pass	Harmonic
36	802.11BE EHT160	143	-	-	-	-	-	-	-	Band Edge
36	802.11BE EHT160	143	13330.00	45.81	74.00	-28.19	H	PEAK	Pass	Harmonic
37	802.11BE EHT20	189	-	-	-	-	-	-	-	Band Edge
37	802.11BE EHT20	189	13790.00	45.89	88.20	-42.31	V	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
38	802.11BE EHT20	209	-	-	-	-	-	-	-	Band Edge
38	802.11BE EHT20	209	13990.00	45.21	88.20	-42.99	H	PEAK	Pass	Harmonic
39	802.11BE EHT20	229	7125.00	62.71	68.20	-5.49	H	AVERAGE	Pass	Band Edge
39	802.11BE EHT20	229	14190.00	45.97	88.20	-42.23	V	PEAK	Pass	Harmonic
40	802.11BE EHT20	233	7125.09	67.66	68.2	-0.54	V	AVERAGE	Pass	Band Edge
40	802.11BE EHT20	233	14230.00	46.06	88.20	-42.14	V	PEAK	Pass	Harmonic
41	802.11BE EHT20	233	7125.00	67.90	68.2	-0.30	V	AVERAGE	Pass	Band Edge
41	802.11BE EHT20	233	-	-	-	-	-	-	-	Harmonic
42	802.11BE EHT40	195	-	-	-	-	-	-	-	Band Edge
42	802.11BE EHT40	195	13850.00	45.63	88.20	-42.57	V	PEAK	Pass	Harmonic
43	802.11BE EHT40	211	-	-	-	-	-	-	-	Band Edge
43	802.11BE EHT40	211	14010.00	47.35	88.20	-40.85	V	PEAK	Pass	Harmonic
44	802.11BE EHT40	227	7125.00	53.29	68.20	-14.91	H	AVERAGE	Pass	Band Edge
44	802.11BE EHT40	227	14170.00	45.85	88.20	-42.35	V	PEAK	Pass	Harmonic
45	802.11BE EHT80	199	-	-	-	-	-	-	-	Band Edge
45	802.11BE EHT80	199	13890.00	45.98	88.20	-42.22	V	PEAK	Pass	Harmonic
46	802.11BE EHT80	215	7126.91	52.71	68.20	-15.49	H	AVERAGE	Pass	Band Edge
46	802.11BE EHT80	215	14050.00	46.03	88.20	-42.17	V	PEAK	Pass	Harmonic
47	802.11BE EHT80	215	7125.27	48.74	68.20	-19.46	H	AVERAGE	Pass	Band Edge
47	802.11BE EHT80	215	-	-	-	-	-	-	-	Harmonic
48	802.11BE EHT160	207	7129.35	61.29	68.20	-6.91	V	AVERAGE	Pass	Band Edge
48	802.11BE EHT160	207	13970.00	46.21	88.20	-41.99	V	PEAK	Pass	Harmonic
49	802.11BE EHT160	207	7126.71	58.00	68.20	-10.20	V	AVERAGE	Pass	Band Edge
49	802.11BE EHT160	207	-	-	-	-	-	-	-	Harmonic
50	802.11BE EHT40	115	-	-	-	-	-	-	-	Band Edge
50	802.11BE EHT40	115	13050.00	47.14	88.20	-41.06	H	PEAK	Pass	Harmonic
51	802.11BE EHT80	119	-	-	-	-	-	-	-	Band Edge
51	802.11BE EHT80	119	13090.00	46.48	88.20	-41.72	V	PEAK	Pass	Harmonic
52	802.11BE EHT160	111	-	-	-	-	-	-	-	Band Edge
52	802.11BE EHT160	111	13010.00	48.50	88.20	-39.70	V	PEAK	Pass	Harmonic
53	802.11BE EHT20	185	-	-	-	-	-	-	-	Band Edge
53	802.11BE EHT20	185	13750.00	45.74	88.20	-42.46	H	PEAK	Pass	Harmonic
54	802.11BE EHT40	187	-	-	-	-	-	-	-	Band Edge
54	802.11BE EHT40	187	13770.00	45.81	88.20	-42.39	V	PEAK	Pass	Harmonic
55	802.11BE EHT80	183	-	-	-	-	-	-	-	Band Edge
55	802.11BE EHT80	183	13730.00	45.78	88.20	-42.42	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
56	802.11BE EHT160	175	-	-	-	-	-	-	-	Band Edge
56	802.11BE EHT160	175	13650.00	46.52	88.20	-41.68	H	PEAK	Pass	Harmonic
57	802.11BE EHT320	95	-	-	-	-	-	-	-	Band Edge
57	802.11BE EHT320	95	12850.00	46.81	88.20	-41.39	V	PEAK	Pass	Harmonic
58	802.11BE EHT320	127	-	-	-	-	-	-	-	Band Edge
58	802.11BE EHT320	127	13170.00	46.99	88.20	-41.21	V	PEAK	Pass	Harmonic
59	802.11BE EHT320	159	-	-	-	-	-	-	-	Band Edge
59	802.11BE EHT320	159	13490.00	46.36	88.20	-41.84	V	PEAK	Pass	Harmonic
60	802.11BE EHT320	191	7267.40	53.74	54.00	-0.26	V	AVERAGE	Pass	Band Edge
60	802.11BE EHT320	191	13810.00	46.25	88.20	-41.95	V	PEAK	Pass	Harmonic
61	802.11BE EHT20	229	7125.00	47.52	68.20	-20.68	V	AVERAGE	Pass	Band Edge
61	802.11BE EHT20	229	-	-	-	-	-	-	-	Harmonic
62	802.11BE EHT320	191	7252.88	52.87	54.00	-1.13	V	AVERAGE	Pass	Band Edge
62	802.11BE EHT320	191	-	-	-	-	-	-	-	Harmonic
114	802.11BE EHT320	191	7255.16	51.92	54.00	-2.08	H	AVERAGE	Pass	Band Edge
114	802.11BE EHT320	191	13810.00	46.67	88.20	-41.53	V	PEAK	Pass	Harmonic
115	802.11BE EHT320	191	7254.20	50.92	54.00	-3.08	H	AVERAGE	Pass	Band Edge
115	802.11BE EHT320	191	13810.00	45.54	88.20	-42.66	H	PEAK	Pass	Harmonic





Radiated Spurious Emission Test plots

Mode	3																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_Full_5955MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.74</td><td>76.27</td><td>88.20</td><td>-11.93</td><td>68.72</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>110</td><td>158</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.74	76.27	88.20	-11.93	68.72	35.37	11.40	39.22	0.00	110	158	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>115.34</td><td>-----</td><td>-----</td><td>107.61</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>110</td><td>158</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.34	-----	-----	107.61	35.47	11.43	39.17	0.00	110	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.74	76.27	88.20	-11.93	68.72	35.37	11.40	39.22	0.00	110	158	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	115.34	-----	-----	107.61	35.47	11.43	39.17	0.00	110	158	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.99</td><td>64.37</td><td>68.20</td><td>-3.83</td><td>56.82</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>110</td><td>158</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.99	64.37	68.20	-3.83	56.82	35.37	11.40	39.22	0.00	110	158	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>106.41</td><td>-----</td><td>-----</td><td>98.63</td><td>35.49</td><td>11.44</td><td>39.15</td><td>0.00</td><td>110</td><td>158</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.41	-----	-----	98.63	35.49	11.44	39.15	0.00	110	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.99	64.37	68.20	-3.83	56.82	35.37	11.40	39.22	0.00	110	158	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	106.41	-----	-----	98.63	35.49	11.44	39.15	0.00	110	158	AVERAGE																																																																																							





		3																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_Full_5955MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.91</td><td>80.13</td><td>88.20</td><td>-8.07</td><td>72.58</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>318</td><td>81</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.91	80.13	88.20	-8.07	72.58	35.37	11.40	39.22	0.00	318	81	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.90</td><td>-----</td><td>-----</td><td>109.17</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>318</td><td>81</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	116.90	-----	-----	109.17	35.47	11.43	39.17	0.00	318	81
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5924.91	80.13	88.20	-8.07	72.58	35.37	11.40	39.22	0.00	318	81	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5955.00	116.90	-----	-----	109.17	35.47	11.43	39.17	0.00	318	81	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.91</td><td>67.26</td><td>68.20</td><td>-0.94</td><td>59.71</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>318</td><td>81</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.91	67.26	68.20	-0.94	59.71	35.37	11.40	39.22	0.00	318	81	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.42</td><td>-----</td><td>-----</td><td>99.64</td><td>35.49</td><td>11.44</td><td>39.15</td><td>0.00</td><td>318</td><td>81</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	107.42	-----	-----	99.64	35.49	11.44	39.15	0.00	318	81
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5924.91	67.26	68.20	-0.94	59.71	35.37	11.40	39.22	0.00	318	81	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5955.00	107.42	-----	-----	99.64	35.49	11.44	39.15	0.00	318	81	AVERAGE																																																																																																			





		3																																																																					
Mode		Harmonic																																																																					
		U-NII-5_5.925-6.425_802.11BE EHT20_CH1_Full_5955MHz																																																																					
ANT		CDD 1S2T																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.74</td><td>74.00</td><td>-25.26</td><td>59.65</td><td>38.00</td><td>16.62</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>36.62</td><td>54.00</td><td>-17.38</td><td>47.53</td><td>38.00</td><td>16.62</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	48.74	74.00	-25.26	59.65	38.00	16.62	66.33	0.00	300	360	PEAK	2	11910.00	36.62	54.00	-17.38	47.53	38.00	16.62	66.33	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11910.00	48.74	74.00	-25.26	59.65	38.00	16.62	66.33	0.00	300	360	PEAK																																																											
2	11910.00	36.62	54.00	-17.38	47.53	38.00	16.62	66.33	0.00	300	360	AVERAGE																																																											
																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>66.87</td><td>38.00</td><td>16.62</td><td>66.33</td><td>0.00</td><td>296</td><td>87</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>44.49</td><td>54.00</td><td>-9.51</td><td>55.40</td><td>38.00</td><td>16.62</td><td>66.33</td><td>0.00</td><td>296</td><td>87</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	55.96	74.00	-18.04	66.87	38.00	16.62	66.33	0.00	296	87	PEAK	2	11910.00	44.49	54.00	-9.51	55.40	38.00	16.62	66.33	0.00	296	87	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11910.00	55.96	74.00	-18.04	66.87	38.00	16.62	66.33	0.00	296	87	PEAK																																																											
2	11910.00	44.49	54.00	-9.51	55.40	38.00	16.62	66.33	0.00	296	87	AVERAGE																																																											







Mode	4																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5.925-6.425_802.11BE EHT20_CH45_Full_6175MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>56.57</td><td>39.04</td><td>16.91</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>56.48</td><td>39.04</td><td>16.91</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.53	74.00	-27.47	56.57	39.04	16.91	65.99	0.00	---	---	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.44	74.00	-27.56	56.48	39.04	16.91	65.99	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12350.00	46.53	74.00	-27.47	56.57	39.04	16.91	65.99	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12350.00	46.44	74.00	-27.56	56.48	39.04	16.91	65.99	0.00	---	---	PEAK																																																																																							







		5																																																						
Mode		Harmonic																																																						
		U-NII-5_5.925-6.425_802.11BE EHT20_CH93_Full_6415MHz																																																						
ANT		CDD 1S2T																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.54</td><td>88.20</td><td>-42.66</td><td>54.62</td><td>39.23</td><td>17.22</td><td>65.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.54	88.20	-42.66	54.62	39.23	17.22	65.53	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	12830.00	45.54	88.20	-42.66	54.62	39.23	17.22	65.53	0.00	---	---	PEAK																																												
		Vertical																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.95</td><td>88.20</td><td>-42.25</td><td>55.03</td><td>39.23</td><td>17.22</td><td>65.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.95	88.20	-42.25	55.03	39.23	17.22	65.53	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	12830.00	45.95	88.20	-42.25	55.03	39.23	17.22	65.53	0.00	---	---	PEAK																																												





Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT40_CH3_Full_5965MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.09</td><td>76.65</td><td>88.20</td><td>-11.55</td><td>69.14</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.09	76.65	88.20	-11.55	69.14	35.35	11.39	39.23	0.00	100	159	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>113.56</td><td>-----</td><td>-----</td><td>105.73</td><td>35.52</td><td>11.45</td><td>39.14</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.56	-----	-----	105.73	35.52	11.45	39.14	0.00	100	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5915.09	76.65	88.20	-11.55	69.14	35.35	11.39	39.23	0.00	100	159	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	113.56	-----	-----	105.73	35.52	11.45	39.14	0.00	100	159	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.90</td><td>63.68</td><td>68.20</td><td>-4.52</td><td>56.17</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.90	63.68	68.20	-4.52	56.17	35.35	11.39	39.23	0.00	100	159	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>103.94</td><td>-----</td><td>-----</td><td>96.11</td><td>35.52</td><td>11.45</td><td>39.14</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.94	-----	-----	96.11	35.52	11.45	39.14	0.00	100	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5916.90	63.68	68.20	-4.52	56.17	35.35	11.39	39.23	0.00	100	159	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	103.94	-----	-----	96.11	35.52	11.45	39.14	0.00	100	159	AVERAGE																																																																																																			





Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT40_CH3_Full_5965MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.17</td><td>77.70</td><td>88.20</td><td>-10.50</td><td>70.18</td><td>35.35</td><td>11.40</td><td>39.23</td><td>0.00</td><td>330</td><td>80</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.17	77.70	88.20	-10.50	70.18	35.35	11.40	39.23	0.00	330	80	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>114.12</td><td>-----</td><td>-----</td><td>106.29</td><td>35.52</td><td>11.45</td><td>39.14</td><td>0.00</td><td>330</td><td>80</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	114.12	-----	-----	106.29	35.52	11.45	39.14	0.00	330	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5918.17	77.70	88.20	-10.50	70.18	35.35	11.40	39.23	0.00	330	80	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	114.12	-----	-----	106.29	35.52	11.45	39.14	0.00	330	80	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.99</td><td>66.90</td><td>68.20</td><td>-1.30</td><td>59.35</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>330</td><td>80</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.99	66.90	68.20	-1.30	59.35	35.37	11.40	39.22	0.00	330	80	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.34</td><td>-----</td><td>-----</td><td>96.51</td><td>35.52</td><td>11.45</td><td>39.14</td><td>0.00</td><td>330</td><td>80</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.34	-----	-----	96.51	35.52	11.45	39.14	0.00	330	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.99	66.90	68.20	-1.30	59.35	35.37	11.40	39.22	0.00	330	80	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	104.34	-----	-----	96.51	35.52	11.45	39.14	0.00	330	80	AVERAGE																																																																																																			





Mode	6																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11BE EHT40_CH3_Full_5965MHz																																																																																																																													
ANT	CDD 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>64.00</td><td>38.82</td><td>16.63</td><td>66.33</td><td>0.00</td><td>286</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>54.31</td><td>38.82</td><td>16.63</td><td>66.33</td><td>0.00</td><td>286</td><td>280</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	53.20	74.00	-20.80	64.00	38.82	16.63	66.33	0.00	286	280	PEAK	2	11930.00	43.43	54.00	-10.57	54.31	38.82	16.63	66.33	0.00	286	280	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>57.04</td><td>74.00</td><td>-16.96</td><td>67.92</td><td>38.82</td><td>16.63</td><td>66.33</td><td>0.00</td><td>334</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>58.23</td><td>38.82</td><td>16.63</td><td>66.33</td><td>0.00</td><td>334</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	57.04	74.00	-16.96	67.92	38.82	16.63	66.33	0.00	334	298	PEAK	2	11930.00	47.35	54.00	-6.65	58.23	38.82	16.63	66.33	0.00	334	298	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11930.00	53.20	74.00	-20.80	64.00	38.82	16.63	66.33	0.00	286	280	PEAK																																																																																																																		
2	11930.00	43.43	54.00	-10.57	54.31	38.82	16.63	66.33	0.00	286	280	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11930.00	57.04	74.00	-16.96	67.92	38.82	16.63	66.33	0.00	334	298	PEAK																																																																																																																		
2	11930.00	47.35	54.00	-6.65	58.23	38.82	16.63	66.33	0.00	334	298	AVERAGE																																																																																																																		







		7																																																								
Mode		Harmonic																																																								
		U-NII-5_5.925-6.425_802.11BE EHT40_CH43_Full_6165MHz																																																								
ANT		CDD 1S2T																																																								
Pol.		Horizontal																																																								
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12330.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>56.31</td><td>39.03</td><td>16.90</td><td>66.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12330.00	46.23	74.00	-27.77	56.31	39.03	16.90	66.01	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 12330.00	46.23	74.00	-27.77	56.31	39.03	16.90	66.01	0.00	---	---	PEAK																																															
		Vertical																																																								
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12330.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>56.32</td><td>39.03</td><td>16.90</td><td>66.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12330.00	46.24	74.00	-27.76	56.32	39.03	16.90	66.01	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 12330.00	46.24	74.00	-27.76	56.32	39.03	16.90	66.01	0.00	---	---	PEAK																																															







Mode	8																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT40_CH91_Full_6405MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12810.00</td><td>45.84</td><td>88.20</td><td>-42.36</td><td>54.96</td><td>39.22</td><td>17.21</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12810.00	45.84	88.20	-42.36	54.96	39.22	17.21	65.55	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12810.00</td><td>46.18</td><td>88.20</td><td>-42.02</td><td>55.30</td><td>39.22</td><td>17.21</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12810.00	46.18	88.20	-42.02	55.30	39.22	17.21	65.55	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12810.00	45.84	88.20	-42.36	54.96	39.22	17.21	65.55	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12810.00	46.18	88.20	-42.02	55.30	39.22	17.21	65.55	0.00	---	---	PEAK																																																																																															



	9																																																																																																																
Mode	Band Edge																																																																																																																
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_Full_5985MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5917.56</td><td>71.72</td><td>88.20</td><td>-16.48</td><td>64.21</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>117</td><td>158</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5917.56	71.72	88.20	-16.48	64.21	35.35	11.39	39.23	0.00	117	158	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5985.00</td><td>110.99</td><td>-----</td><td>-----</td><td>103.16</td><td>35.52</td><td>11.45</td><td>39.14</td><td>0.00</td><td>117</td><td>158</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5985.00	110.99	-----	-----	103.16	35.52	11.45	39.14	0.00	117	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5917.56	71.72	88.20	-16.48	64.21	35.35	11.39	39.23	0.00	117	158	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5985.00	110.99	-----	-----	103.16	35.52	11.45	39.14	0.00	117	158	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5919.27</td><td>58.54</td><td>68.20</td><td>-9.66</td><td>51.00</td><td>35.36</td><td>11.40</td><td>39.22</td><td>0.00</td><td>117</td><td>158</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5919.27	58.54	68.20	-9.66	51.00	35.36	11.40	39.22	0.00	117	158	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5985.00</td><td>100.89</td><td>-----</td><td>-----</td><td>92.89</td><td>35.60</td><td>11.48</td><td>39.08</td><td>0.00</td><td>117</td><td>158</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5985.00	100.89	-----	-----	92.89	35.60	11.48	39.08	0.00	117	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5919.27	58.54	68.20	-9.66	51.00	35.36	11.40	39.22	0.00	117	158	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5985.00	100.89	-----	-----	92.89	35.60	11.48	39.08	0.00	117	158	AVERAGE																																																																																																					







Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_Full_5985MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.60</td><td>69.94</td><td>88.20</td><td>-18.26</td><td>62.43</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>343</td><td>77</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.60	69.94	88.20	-18.26	62.43	35.35	11.39	39.23	0.00	343	77	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>110.57</td><td>-----</td><td>-----</td><td>102.57</td><td>35.60</td><td>11.48</td><td>39.08</td><td>0.00</td><td>343</td><td>77</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	110.57	-----	-----	102.57	35.60	11.48	39.08	0.00	343	77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.60	69.94	88.20	-18.26	62.43	35.35	11.39	39.23	0.00	343	77	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	110.57	-----	-----	102.57	35.60	11.48	39.08	0.00	343	77	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.34</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>50.07</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>343</td><td>77</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.34	57.58	68.20	-10.62	50.07	35.35	11.39	39.23	0.00	343	77	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.77</td><td>-----</td><td>-----</td><td>92.77</td><td>35.60</td><td>11.48</td><td>39.08</td><td>0.00</td><td>343</td><td>77</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.77	-----	-----	92.77	35.60	11.48	39.08	0.00	343	77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5915.34	57.58	68.20	-10.62	50.07	35.35	11.39	39.23	0.00	343	77	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	100.77	-----	-----	92.77	35.60	11.48	39.08	0.00	343	77	AVERAGE																																																																																							







Mode	9																																																																																																														
	Harmonic																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_Full_5985MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>56.58</td><td>38.87</td><td>16.66</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11970.00	45.78	74.00	-28.22	56.58	38.87	16.66	66.33	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>62.49</td><td>38.87</td><td>16.66</td><td>66.33</td><td>0.00</td><td>100</td><td>104</td><td>PEAK</td></tr><tr><td>2 11970.00</td><td>41.23</td><td>54.00</td><td>-12.77</td><td>52.03</td><td>38.87</td><td>16.66</td><td>66.33</td><td>0.00</td><td>100</td><td>104</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11970.00	51.69	74.00	-22.31	62.49	38.87	16.66	66.33	0.00	100	104	PEAK	2 11970.00	41.23	54.00	-12.77	52.03	38.87	16.66	66.33	0.00	100	104
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 11970.00	45.78	74.00	-28.22	56.58	38.87	16.66	66.33	0.00	---	---	PEAK																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 11970.00	51.69	74.00	-22.31	62.49	38.87	16.66	66.33	0.00	100	104	PEAK																																																																																																				
2 11970.00	41.23	54.00	-12.77	52.03	38.87	16.66	66.33	0.00	100	104	AVERAGE																																																																																																				





Mode	10																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_PC 20MHz,Loc 4_5985MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.80</td><td>59.18</td><td>88.20</td><td>-29.02</td><td>51.64</td><td>35.36</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>245</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.80	59.18	88.20	-29.02	51.64	35.36	11.40	39.22	0.00	100	245	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.28</td><td>-----</td><td>-----</td><td>99.36</td><td>35.57</td><td>11.46</td><td>39.11</td><td>0.00</td><td>100</td><td>245</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.28	-----	-----	99.36	35.57	11.46	39.11	0.00	100	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5919.80	59.18	88.20	-29.02	51.64	35.36	11.40	39.22	0.00	100	245	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5985.00	107.28	-----	-----	99.36	35.57	11.46	39.11	0.00	100	245	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.31</td><td>45.92</td><td>68.20</td><td>-22.28</td><td>38.38</td><td>35.36</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>245</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.31	45.92	68.20	-22.28	38.38	35.36	11.40	39.22	0.00	100	245	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.15</td><td>-----</td><td>-----</td><td>88.23</td><td>35.57</td><td>11.46</td><td>39.11</td><td>0.00</td><td>100</td><td>245</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.15	-----	-----	88.23	35.57	11.46	39.11	0.00	100	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5919.31	45.92	68.20	-22.28	38.38	35.36	11.40	39.22	0.00	100	245	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5985.00	96.15	-----	-----	88.23	35.57	11.46	39.11	0.00	100	245	AVERAGE																																																																																																			





	10																																																																																																														
Mode	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_PC 20MHz,Loc 4_5985MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.29</td><td>57.26</td><td>88.20</td><td>-30.94</td><td>49.77</td><td>35.34</td><td>11.39</td><td>39.24</td><td>0.00</td><td>346</td><td>169</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.29	57.26	88.20	-30.94	49.77	35.34	11.39	39.24	0.00	346	169	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>109.61</td><td>-----</td><td>-----</td><td>101.69</td><td>35.57</td><td>11.46</td><td>39.11</td><td>0.00</td><td>346</td><td>169</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	109.61	-----	-----	101.69	35.57	11.46	39.11	0.00	346	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5912.29	57.26	88.20	-30.94	49.77	35.34	11.39	39.24	0.00	346	169	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5985.00	109.61	-----	-----	101.69	35.57	11.46	39.11	0.00	346	169	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.49</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>38.18</td><td>35.34</td><td>11.39</td><td>39.23</td><td>0.00</td><td>346</td><td>169</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.49	45.68	68.20	-22.52	38.18	35.34	11.39	39.23	0.00	346	169	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.24</td><td>-----</td><td>-----</td><td>88.32</td><td>35.57</td><td>11.46</td><td>39.11</td><td>0.00</td><td>346</td><td>169</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.24	-----	-----	88.32	35.57	11.46	39.11	0.00	346	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5914.49	45.68	68.20	-22.52	38.18	35.34	11.39	39.23	0.00	346	169	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5985.00	96.24	-----	-----	88.32	35.57	11.46	39.11	0.00	346	169	AVERAGE																																																																																																			







Mode	11																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT80_CH39_Full_6145MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12290.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>56.39</td><td>39.02</td><td>16.87</td><td>66.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12290.00	46.23	74.00	-27.77	56.39	39.02	16.87	66.05	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12290.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>56.39</td><td>39.02</td><td>16.87</td><td>66.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12290.00	46.23	74.00	-27.77	56.39	39.02	16.87	66.05	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12290.00	46.23	74.00	-27.77	56.39	39.02	16.87	66.05	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12290.00	46.23	74.00	-27.77	56.39	39.02	16.87	66.05	0.00	---	---	PEAK																																																																																															







Mode	12																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11BE EHT80_CH87_Full_6385MHz																																																																																																			
ANT	CDD 1S2T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12778.00</td><td>45.89</td><td>88.20</td><td>-42.31</td><td>55.89</td><td>39.21</td><td>17.18</td><td>65.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12778.00	45.89	88.20	-42.31	55.89	39.21	17.18	65.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12778.00</td><td>45.43</td><td>88.20</td><td>-42.77</td><td>54.63</td><td>39.21</td><td>17.18</td><td>65.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12778.00	45.43	88.20	-42.77	54.63	39.21	17.18	65.59	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	12778.00	45.89	88.20	-42.31	55.89	39.21	17.18	65.59	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	12778.00	45.43	88.20	-42.77	54.63	39.21	17.18	65.59	0.00	---	---	PEAK																																																																																								





Mode	13																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_Full_6025MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.71</td><td>64.53</td><td>88.20</td><td>-23.67</td><td>56.98</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>119</td><td>157</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.71	64.53	88.20	-23.67	56.98	35.37	11.40	39.22	0.00	119	157	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>108.85</td><td>-----</td><td>-----</td><td>100.81</td><td>35.60</td><td>11.49</td><td>39.05</td><td>0.00</td><td>119</td><td>157</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	108.85	-----	-----	100.81	35.60	11.49	39.05	0.00	119	157
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5921.71	64.53	88.20	-23.67	56.98	35.37	11.40	39.22	0.00	119	157	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	108.85	-----	-----	100.81	35.60	11.49	39.05	0.00	119	157	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.44</td><td>52.45</td><td>68.20</td><td>-15.75</td><td>44.94</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>119</td><td>157</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.44	52.45	68.20	-15.75	44.94	35.35	11.39	39.23	0.00	119	157	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.73</td><td>-----</td><td>-----</td><td>89.73</td><td>35.60</td><td>11.48</td><td>39.08</td><td>0.00</td><td>119</td><td>157</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.73	-----	-----	89.73	35.60	11.48	39.08	0.00	119	157
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5917.44	52.45	68.20	-15.75	44.94	35.35	11.39	39.23	0.00	119	157	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	97.73	-----	-----	89.73	35.60	11.48	39.08	0.00	119	157	AVERAGE																																																																																																			







Mode	13																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_Full_6025MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.71</td><td>66.66</td><td>88.20</td><td>-21.54</td><td>59.11</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>146</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.71	66.66	88.20	-21.54	59.11	35.37	11.40	39.22	0.00	300	146	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>107.30</td><td>-----</td><td>-----</td><td>99.22</td><td>35.60</td><td>11.50</td><td>39.02</td><td>0.00</td><td>300</td><td>146</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	107.30	-----	-----	99.22	35.60	11.50	39.02	0.00	300	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5923.71	66.66	88.20	-21.54	59.11	35.37	11.40	39.22	0.00	300	146	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	107.30	-----	-----	99.22	35.60	11.50	39.02	0.00	300	146	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.92</td><td>53.94</td><td>68.20</td><td>-14.26</td><td>46.39</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>146</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.92	53.94	68.20	-14.26	46.39	35.37	11.40	39.22	0.00	300	146	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>96.99</td><td>-----</td><td>-----</td><td>88.95</td><td>35.60</td><td>11.49</td><td>39.05</td><td>0.00</td><td>300</td><td>146</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	96.99	-----	-----	88.95	35.60	11.49	39.05	0.00	300	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.92	53.94	68.20	-14.26	46.39	35.37	11.40	39.22	0.00	300	146	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	96.99	-----	-----	88.95	35.60	11.49	39.05	0.00	300	146	AVERAGE																																																																																																			







Mode	13																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_Full_6025MHz																																																																																																			
ANT	CDD 1S2T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>55.83</td><td>38.92</td><td>16.71</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	45.18	74.00	-28.82	55.83	38.92	16.71	66.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>56.49</td><td>38.92</td><td>16.71</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	45.84	74.00	-28.16	56.49	38.92	16.71	66.28	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	12050.00	45.18	74.00	-28.82	55.83	38.92	16.71	66.28	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	12050.00	45.84	74.00	-28.16	56.49	38.92	16.71	66.28	0.00	---	---	PEAK																																																																																								





	14																																																																																								
Mode	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_PC 40MHz,Loc 4_6025MHz																																																																																								
ANT	CDD 1S2T																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5918.71</td><td>61.50</td><td>88.20 -26.70</td><td>53.97</td><td>35.36</td><td>11.40</td><td>39.23</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5918.71	61.50	88.20 -26.70	53.97	35.36	11.40	39.23	0.00	100	244 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>105.28</td><td>-----</td><td>97.20</td><td>35.60</td><td>11.50</td><td>39.02</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	105.28	-----	97.20	35.60	11.50	39.02	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5918.71	61.50	88.20 -26.70	53.97	35.36	11.40	39.23	0.00	100	244 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6025.00	105.28	-----	97.20	35.60	11.50	39.02	0.00	100	244 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5918.91</td><td>46.79</td><td>68.20 -21.41</td><td>39.25</td><td>35.36</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5918.91	46.79	68.20 -21.41	39.25	35.36	11.40	39.22	0.00	100	244 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>94.33</td><td>-----</td><td>86.23</td><td>35.60</td><td>11.51</td><td>39.01</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	94.33	-----	86.23	35.60	11.51	39.01	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5918.91	46.79	68.20 -21.41	39.25	35.36	11.40	39.22	0.00	100	244 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6025.00	94.33	-----	86.23	35.60	11.51	39.01	0.00	100	244 AVERAGE																																																																																





Mode	14																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_PC 40MHz,Loc 4_6025MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.10</td><td>59.61</td><td>88.20</td><td>-28.59</td><td>52.12</td><td>35.34</td><td>11.39</td><td>39.24</td><td>0.00</td><td>377</td><td>170</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.10	59.61	88.20	-28.59	52.12	35.34	11.39	39.24	0.00	377	170	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>106.01</td><td>-----</td><td>-----</td><td>97.97</td><td>35.60</td><td>11.49</td><td>39.05</td><td>0.00</td><td>377</td><td>170</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	106.01	-----	-----	97.97	35.60	11.49	39.05	0.00	377	170
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5912.10	59.61	88.20	-28.59	52.12	35.34	11.39	39.24	0.00	377	170	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	106.01	-----	-----	97.97	35.60	11.49	39.05	0.00	377	170	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.18</td><td>47.55</td><td>68.20</td><td>-20.65</td><td>40.06</td><td>35.34</td><td>11.39</td><td>39.24</td><td>0.00</td><td>377</td><td>170</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.18	47.55	68.20	-20.65	40.06	35.34	11.39	39.24	0.00	377	170	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>94.29</td><td>-----</td><td>-----</td><td>86.25</td><td>35.60</td><td>11.49</td><td>39.05</td><td>0.00</td><td>377</td><td>170</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.29	-----	-----	86.25	35.60	11.49	39.05	0.00	377	170
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5912.18	47.55	68.20	-20.65	40.06	35.34	11.39	39.24	0.00	377	170	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	94.29	-----	-----	86.25	35.60	11.49	39.05	0.00	377	170	AVERAGE																																																																																							







Mode	15																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5.925-6.425_802.11BE EHT160_CH47_Full_6185MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>55.89</td><td>39.05</td><td>16.92</td><td>65.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	45.89	74.00	-28.11	55.89	39.05	16.92	65.97	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>55.82</td><td>39.05</td><td>16.92</td><td>65.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	45.82	74.00	-28.18	55.82	39.05	16.92	65.97	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12370.00	45.89	74.00	-28.11	55.89	39.05	16.92	65.97	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12370.00	45.82	74.00	-28.18	55.82	39.05	16.92	65.97	0.00	---	---	PEAK																																																																																							







Mode	16																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11BE EHT160_CH79_Full_6345MHz																																																																																																								
ANT	CDD 1S2T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12690.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>55.17</td><td>39.18</td><td>17.13</td><td>65.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12690.00	45.82	74.00	-28.18	55.17	39.18	17.13	65.66	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12690.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>54.87</td><td>39.18</td><td>17.13</td><td>65.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12690.00	45.52	74.00	-28.48	54.87	39.18	17.13	65.66	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12690.00	45.82	74.00	-28.18	55.17	39.18	17.13	65.66	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12690.00	45.52	74.00	-28.48	54.87	39.18	17.13	65.66	0.00	---	---	PEAK																																																																																														





		17																																																																																																																																																																	
Mode		Band Edge																																																																																																																																																																	
		U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Full_6105MHz																																																																																																																																																																	
ANT		CDD 1S2T																																																																																																																																																																	
Pol.	Horizontal										Fundamental																																																																																																																																																								
Peak																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>5899.10</td><td>61.20</td><td>88.20</td><td>-27.00</td><td>53.78</td><td>35.30</td><td>11.38</td><td>39.26</td><td>0.00</td><td>125</td><td>155</td><td>PEAK</td><td colspan="5"></td></tr></table>												Limit		Read		Ant		Cable Preamp		Aux		APos		TPos				Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg						1	5899.10	61.20	88.20	-27.00	53.78	35.30	11.38	39.26	0.00	125	155	PEAK						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>6105.00</td><td>107.32</td><td>-----</td><td>-----</td><td>99.28</td><td>35.60</td><td>11.49</td><td>39.05</td><td>0.00</td><td>125</td><td>155</td><td>PEAK</td><td colspan="5"></td></tr></table>												Limit		Read		Ant		Cable Preamp		Aux		APos		TPos				Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg						1	6105.00	107.32	-----	-----	99.28	35.60	11.49	39.05	0.00	125	155	PEAK				
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																							
1	5899.10	61.20	88.20	-27.00	53.78	35.30	11.38	39.26	0.00	125	155	PEAK																																																																																																																																																							
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																							
1	6105.00	107.32	-----	-----	99.28	35.60	11.49	39.05	0.00	125	155	PEAK																																																																																																																																																							
Avg																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>5919.04</td><td>50.71</td><td>68.20</td><td>-17.49</td><td>43.17</td><td>35.36</td><td>11.40</td><td>39.22</td><td>0.00</td><td>125</td><td>155</td><td>AVERAGE</td><td colspan="5"></td></tr></table>												Limit		Read		Ant		Cable Preamp		Aux		APos		TPos				Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg						1	5919.04	50.71	68.20	-17.49	43.17	35.36	11.40	39.22	0.00	125	155	AVERAGE						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>6105.00</td><td>94.77</td><td>-----</td><td>-----</td><td>86.63</td><td>35.60</td><td>11.52</td><td>38.98</td><td>0.00</td><td>125</td><td>155</td><td>AVERAGE</td><td colspan="5"></td></tr></table>												Limit		Read		Ant		Cable Preamp		Aux		APos		TPos				Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg						1	6105.00	94.77	-----	-----	86.63	35.60	11.52	38.98	0.00	125	155	AVERAGE				
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																							
1	5919.04	50.71	68.20	-17.49	43.17	35.36	11.40	39.22	0.00	125	155	AVERAGE																																																																																																																																																							
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																							
1	6105.00	94.77	-----	-----	86.63	35.60	11.52	38.98	0.00	125	155	AVERAGE																																																																																																																																																							







Mode	17																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Full_6105MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.92</td><td>61.81</td><td>88.20</td><td>-26.39</td><td>54.33</td><td>35.33</td><td>11.39</td><td>39.24</td><td>0.00</td><td>329</td><td>145</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5910.92	61.81	88.20	-26.39	54.33	35.33	11.39	39.24	0.00	329	145	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>105.10</td><td>-----</td><td>-----</td><td>97.02</td><td>35.60</td><td>11.50</td><td>39.02</td><td>0.00</td><td>329</td><td>145</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	105.10	-----	-----	97.02	35.60	11.50	39.02	0.00	329	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5910.92	61.81	88.20	-26.39	54.33	35.33	11.39	39.24	0.00	329	145	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	105.10	-----	-----	97.02	35.60	11.50	39.02	0.00	329	145	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.98</td><td>51.60</td><td>68.20</td><td>-16.60</td><td>44.05</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>329</td><td>145</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.98	51.60	68.20	-16.60	44.05	35.37	11.40	39.22	0.00	329	145	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>93.77</td><td>-----</td><td>-----</td><td>85.65</td><td>35.60</td><td>11.51</td><td>38.99</td><td>0.00</td><td>329</td><td>145</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.77	-----	-----	85.65	35.60	11.51	38.99	0.00	329	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.98	51.60	68.20	-16.60	44.05	35.37	11.40	39.22	0.00	329	145	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	93.77	-----	-----	85.65	35.60	11.51	38.99	0.00	329	145	AVERAGE																																																																																																			



Mode	17																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Full_6105MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>55.94</td><td>38.98</td><td>16.82</td><td>66.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	45.61	74.00	-28.39	55.94	38.98	16.82	66.13	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>57.12</td><td>38.98</td><td>16.82</td><td>66.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	46.79	74.00	-27.21	57.12	38.98	16.82	66.13	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12210.00	45.61	74.00	-28.39	55.94	38.98	16.82	66.13	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12210.00	46.79	74.00	-27.21	57.12	38.98	16.82	66.13	0.00	---	---	PEAK																																																																																							







Mode	18																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_RU52*4_5955MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5877.20</td><td>56.89</td><td>88.20</td><td>-31.31</td><td>49.54</td><td>35.28</td><td>11.36</td><td>39.29</td><td>0.00</td><td>100</td><td>251</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5877.20	56.89	88.20	-31.31	49.54	35.28	11.36	39.29	0.00	100	251	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.62</td><td>-----</td><td>-----</td><td>97.89</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>100</td><td>251</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.62	-----	-----	97.89	35.47	11.43	39.17	0.00	100	251
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5877.20	56.89	88.20	-31.31	49.54	35.28	11.36	39.29	0.00	100	251	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	105.62	-----	-----	97.89	35.47	11.43	39.17	0.00	100	251	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.38</td><td>44.04</td><td>68.20</td><td>-24.16</td><td>36.49</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>251</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.38	44.04	68.20	-24.16	36.49	35.37	11.40	39.22	0.00	100	251	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.31</td><td>-----</td><td>-----</td><td>87.58</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>100</td><td>251</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.31	-----	-----	87.58	35.47	11.43	39.17	0.00	100	251
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.38	44.04	68.20	-24.16	36.49	35.37	11.40	39.22	0.00	100	251	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	95.31	-----	-----	87.58	35.47	11.43	39.17	0.00	100	251	AVERAGE																																																																																																			







		18																																																				
Mode		Band Edge																																																				
		U-NII-5_5.925-6.425_802.11BE EHT20_CH1_RU52*4_5955MHz																																																				
ANT		CDD 1S2T																																																				
Pol.		Vertical					Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.28</td><td>56.67</td><td>88.20</td><td>-31.53</td><td>49.15</td><td>35.35</td><td>11.40</td><td>39.23</td><td>0.00</td><td>300</td><td>172</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.28	56.67	88.20	-31.53	49.15	35.35	11.40	39.23	0.00	300	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5918.28	56.67	88.20	-31.53	49.15	35.35	11.40	39.23	0.00	300	172	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.61</td><td>44.21</td><td>68.20</td><td>-23.99</td><td>36.66</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>172</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.61	44.21	68.20	-23.99	36.66	35.37	11.40	39.22	0.00	300	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5924.61	44.21	68.20	-23.99	36.66	35.37	11.40	39.22	0.00	300	172	AVERAGE																																										
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.52</td><td>-----</td><td>-----</td><td>98.74</td><td>35.49</td><td>11.44</td><td>39.15</td><td>0.00</td><td>300</td><td>172</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.52	-----	-----	98.74	35.49	11.44	39.15	0.00	300	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5955.00	106.52	-----	-----	98.74	35.49	11.44	39.15	0.00	300	172	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.28</td><td>-----</td><td>-----</td><td>88.50</td><td>35.49</td><td>11.44</td><td>39.15</td><td>0.00</td><td>300</td><td>172</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.28	-----	-----	88.50	35.49	11.44	39.15	0.00	300	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5955.00	96.28	-----	-----	88.50	35.49	11.44	39.15	0.00	300	172	AVERAGE																																										





		19																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-5_5.925-6.425_802.11BE EHT320_CH31_PC 80+40MHz,Loc 6_6105MHz																																																																																																												
ANT		CDD 1S2T																																																																																																												
Pol.		Horizontal											Fundamental																																																																																																	
Peak																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.92</td><td>77.47</td><td>88.20</td><td>-10.73</td><td>69.93</td><td>35.36</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.92	77.47	88.20	-10.73	69.93	35.36	11.40	39.22	0.00	100	244	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>110.41</td><td>-----</td><td>-----</td><td>102.23</td><td>35.60</td><td>11.53</td><td>38.95</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	110.41	-----	-----	102.23	35.60	11.53	38.95	0.00	100	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5918.92	77.47	88.20	-10.73	69.93	35.36	11.40	39.22	0.00	100	244	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	6105.00	110.41	-----	-----	102.23	35.60	11.53	38.95	0.00	100	244	PEAK																																																																																																		
Avg																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.02</td><td>64.85</td><td>68.20</td><td>-3.35</td><td>57.34</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.02	64.85	68.20	-3.35	57.34	35.35	11.39	39.23	0.00	100	244	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>99.06</td><td>-----</td><td>-----</td><td>90.88</td><td>35.60</td><td>11.53</td><td>38.95</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	99.06	-----	-----	90.88	35.60	11.53	38.95	0.00	100	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5917.02	64.85	68.20	-3.35	57.34	35.35	11.39	39.23	0.00	100	244	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	6105.00	99.06	-----	-----	90.88	35.60	11.53	38.95	0.00	100	244	AVERAGE																																																																																																		





Mode	19																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_PC 80+40MHz,Loc 6_6105MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.50</td><td>78.98</td><td>88.20</td><td>-9.22</td><td>71.48</td><td>35.34</td><td>11.39</td><td>39.23</td><td>0.00</td><td>306</td><td>170</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.50	78.98	88.20	-9.22	71.48	35.34	11.39	39.23	0.00	306	170	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>110.05</td><td>-----</td><td>-----</td><td>101.91</td><td>35.60</td><td>11.52</td><td>38.98</td><td>0.00</td><td>306</td><td>170</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	110.05	-----	-----	101.91	35.60	11.52	38.98	0.00	306	170
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5913.50	78.98	88.20	-9.22	71.48	35.34	11.39	39.23	0.00	306	170	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	110.05	-----	-----	101.91	35.60	11.52	38.98	0.00	306	170	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.43</td><td>67.04</td><td>68.20</td><td>-1.16</td><td>59.54</td><td>35.34</td><td>11.39</td><td>39.23</td><td>0.00</td><td>306</td><td>170</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.43	67.04	68.20	-1.16	59.54	35.34	11.39	39.23	0.00	306	170	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>90.81</td><td>-----</td><td>-----</td><td>90.63</td><td>35.60</td><td>11.53</td><td>38.95</td><td>0.00</td><td>306</td><td>170</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	90.81	-----	-----	90.63	35.60	11.53	38.95	0.00	306	170
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5913.43	67.04	68.20	-1.16	59.54	35.34	11.39	39.23	0.00	306	170	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	90.81	-----	-----	90.63	35.60	11.53	38.95	0.00	306	170	AVERAGE																																																																																																			





Mode	20																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT320_CH63_Full_6265MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12530.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>55.48</td><td>39.11</td><td>17.03</td><td>65.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12530.00	45.80	74.00	-28.20	55.48	39.11	17.03	65.82	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12530.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>56.79</td><td>39.11</td><td>17.03</td><td>65.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12530.00	47.11	74.00	-26.89	56.79	39.11	17.03	65.82	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12530.00	45.80	74.00	-28.20	55.48	39.11	17.03	65.82	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12530.00	47.11	74.00	-26.89	56.79	39.11	17.03	65.82	0.00	---	---	PEAK																																																																																															





Mode	21																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11BE EHT20_CH97_Full_6435MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>45.83</td><td>88.20</td><td>-42.37</td><td>54.82</td><td>39.25</td><td>17.25</td><td>65.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	45.83	88.20	-42.37	54.82	39.25	17.25	65.49	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>45.64</td><td>88.20</td><td>-42.56</td><td>54.63</td><td>39.25</td><td>17.25</td><td>65.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	45.64	88.20	-42.56	54.63	39.25	17.25	65.49	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	12870.00	45.83	88.20	-42.37	54.82	39.25	17.25	65.49	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	12870.00	45.64	88.20	-42.56	54.63	39.25	17.25	65.49	0.00	---	---	PEAK																																																																																														





Mode	22																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_6.425-6.525_802.11BE EHT20_CH105_Full_6475MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.26</td><td>88.20</td><td>-41.94</td><td>55.09</td><td>39.28</td><td>17.30</td><td>65.41</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.26	88.20	-41.94	55.09	39.28	17.30	65.41	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.98</td><td>88.20</td><td>-41.22</td><td>55.81</td><td>39.28</td><td>17.30</td><td>65.41</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.98	88.20	-41.22	55.81	39.28	17.30	65.41	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12950.00	46.26	88.20	-41.94	55.09	39.28	17.30	65.41	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12950.00	46.98	88.20	-41.22	55.81	39.28	17.30	65.41	0.00	---	---	PEAK																																																																																							





		23																																																										
Mode		Harmonic																																																										
		U-NII-5_6.425-6.525_802.11BE EHT20_CH113_Full_6515MHz																																																										
ANT		CDD 1S2T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
																																																												
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>46.08</td><td>88.20</td><td>-42.12</td><td>54.76</td><td>39.29</td><td>17.36</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13030.00	46.08	88.20	-42.12	54.76	39.29	17.36	65.33	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	13030.00	46.08	88.20	-42.12	54.76	39.29	17.36	65.33	0.00	---	---	PEAK																																																
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>46.51</td><td>88.20</td><td>-41.69</td><td>55.19</td><td>39.29</td><td>17.36</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13030.00	46.51	88.20	-41.69	55.19	39.29	17.36	65.33	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	13030.00	46.51	88.20	-41.69	55.19	39.29	17.36	65.33	0.00	---	---	PEAK																																																





Mode	24																																																							
	Harmonic																																																							
	U-NII-5_6.425-6.525_802.11BE EHT40_CH99_Full_6445MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>46.31</td><td>88.20</td><td>-41.89</td><td>55.26</td><td>39.26</td><td>17.26</td><td>65.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	46.31	88.20	-41.89	55.26	39.26	17.26	65.47	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	12890.00	46.31	88.20	-41.89	55.26	39.26	17.26	65.47	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>45.95</td><td>88.20</td><td>-42.25</td><td>54.90</td><td>39.26</td><td>17.26</td><td>65.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	45.95	88.20	-42.25	54.90	39.26	17.26	65.47	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	12890.00	45.95	88.20	-42.25	54.90	39.26	17.26	65.47	0.00	---	---	PEAK																																												





Mode	25																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_6.425-6.525_802.11BE EHT40_CH107_Full_6485MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12970.00</td><td>46.53</td><td>88.20</td><td>-41.67</td><td>55.31</td><td>39.29</td><td>17.32</td><td>65.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12970.00	46.53	88.20	-41.67	55.31	39.29	17.32	65.39	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12970.00</td><td>46.82</td><td>88.20</td><td>-41.38</td><td>55.60</td><td>39.29</td><td>17.32</td><td>65.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12970.00	46.82	88.20	-41.38	55.60	39.29	17.32	65.39	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12970.00	46.53	88.20	-41.67	55.31	39.29	17.32	65.39	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12970.00	46.82	88.20	-41.38	55.60	39.29	17.32	65.39	0.00	---	---	PEAK																																																																																															





Mode	26																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_6.425-6.525_802.11BE EHT80_CH103_Full_6465MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>47.47</td><td>88.20</td><td>-40.73</td><td>56.34</td><td>39.27</td><td>17.29</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	47.47	88.20	-40.73	56.34	39.27	17.29	65.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>46.12</td><td>88.20</td><td>-42.08</td><td>54.99</td><td>39.27</td><td>17.29</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	46.12	88.20	-42.08	54.99	39.27	17.29	65.43	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12930.00	47.47	88.20	-40.73	56.34	39.27	17.29	65.43	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12930.00	46.12	88.20	-42.08	54.99	39.27	17.29	65.43	0.00	---	---	PEAK																																																																																							





Mode	27																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_6.525-6.875_802.11BE EHT20_CH117_Full_6535MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>55.88</td><td>39.28</td><td>17.38</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.24	88.20	-40.96	55.88	39.28	17.38	65.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>55.14</td><td>39.28</td><td>17.38</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.50	88.20	-41.70	55.14	39.28	17.38	65.30	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13070.00	47.24	88.20	-40.96	55.88	39.28	17.38	65.30	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13070.00	46.50	88.20	-41.70	55.14	39.28	17.38	65.30	0.00	---	---	PEAK																																																																																							





Mode	28																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_6.525-6.875_802.11BE EHT20_CH149_Full_6695MHz																																																																																																			
ANT	CDD 1S2T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>54.35</td><td>39.18</td><td>17.61</td><td>64.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.15	74.00	-27.85	54.35	39.18	17.61	64.99	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>54.06</td><td>39.18</td><td>17.61</td><td>64.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.86	74.00	-28.14	54.06	39.18	17.61	64.99	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13390.00	46.15	74.00	-27.85	54.35	39.18	17.61	64.99	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13390.00	45.86	74.00	-28.14	54.06	39.18	17.61	64.99	0.00	---	---	PEAK																																																																																								





		29																																																							
Mode		Harmonic																																																							
		U-NII-5_6.525-6.875_802.11BE EHT20_CH181_Full_6855MHz																																																							
ANT		CDD 1S2T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.26</td><td>88.20</td><td>-42.94</td><td>53.24</td><td>39.09</td><td>17.84</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	45.26	88.20	-42.94	53.24	39.09	17.84	64.91	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	13710.00	45.26	88.20	-42.94	53.24	39.09	17.84	64.91	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.62</td><td>88.20</td><td>-42.58</td><td>53.60</td><td>39.09</td><td>17.84</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	45.62	88.20	-42.58	53.60	39.09	17.84	64.91	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	13710.00	45.62	88.20	-42.58	53.60	39.09	17.84	64.91	0.00	---	---	PEAK																																													





Mode	30																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_6.525-6.875_802.11BE EHT40_CH123_Full_6565MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13130.00</td><td>46.28</td><td>88.20</td><td>-41.92</td><td>54.83</td><td>39.26</td><td>17.43</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13130.00	46.28	88.20	-41.92	54.83	39.26	17.43	65.24	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13130.00</td><td>45.86</td><td>88.20</td><td>-42.34</td><td>54.41</td><td>39.26</td><td>17.43</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13130.00	45.86	88.20	-42.34	54.41	39.26	17.43	65.24	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 13130.00	46.28	88.20	-41.92	54.83	39.26	17.43	65.24	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 13130.00	45.86	88.20	-42.34	54.41	39.26	17.43	65.24	0.00	---	---	PEAK																																																																																															





Mode	31																																																							
	Harmonic																																																							
	U-NII-5_6.525-6.875_802.11BE EHT40_CH147_Full_6685MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13378.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>53.39</td><td>39.19</td><td>17.60</td><td>65.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13378.00	45.17	74.00	-28.83	53.39	39.19	17.60	65.01	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13378.00	45.17	74.00	-28.83	53.39	39.19	17.60	65.01	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13378.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>53.39</td><td>39.19</td><td>17.60</td><td>65.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13378.00	45.17	74.00	-28.83	53.39	39.19	17.60	65.01	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13378.00	45.17	74.00	-28.83	53.39	39.19	17.60	65.01	0.00	---	---	PEAK																																												





Mode	32																																																							
	Harmonic																																																							
	U-NII-5_6.525-6.875_802.11BE EHT40_CH179_Full_6845MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>45.29</td><td>88.20</td><td>-42.91</td><td>53.29</td><td>39.09</td><td>17.82</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	45.29	88.20	-42.91	53.29	39.09	17.82	64.91	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13690.00	45.29	88.20	-42.91	53.29	39.09	17.82	64.91	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>45.27</td><td>88.20</td><td>-42.93</td><td>53.27</td><td>39.09</td><td>17.82</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	45.27	88.20	-42.93	53.27	39.09	17.82	64.91	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13690.00	45.27	88.20	-42.93	53.27	39.09	17.82	64.91	0.00	---	---	PEAK																																												





Mode	33																																																							
	Harmonic																																																							
	U-NII-5_6.525-6.875_802.11BE EHT80_CH135_Full_6625MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>53.95</td><td>39.22</td><td>17.51</td><td>65.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	45.56	74.00	-28.44	53.95	39.22	17.51	65.12	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13250.00	45.56	74.00	-28.44	53.95	39.22	17.51	65.12	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>54.13</td><td>39.22</td><td>17.51</td><td>65.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	45.74	74.00	-28.26	54.13	39.22	17.51	65.12	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13250.00	45.74	74.00	-28.26	54.13	39.22	17.51	65.12	0.00	---	---	PEAK																																												





		34																																																									
Mode		Harmonic																																																									
		U-NII-5_6.525-6.875_802.11BE EHT80_CH151_Full_6705MHz																																																									
ANT		CDD 1S2T																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13410.00</td><td>45.44</td><td>88.20</td><td>-42.76</td><td>53.61</td><td>39.18</td><td>17.62</td><td>64.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13410.00	45.44	88.20	-42.76	53.61	39.18	17.62	64.97	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 13410.00	45.44	88.20	-42.76	53.61	39.18	17.62	64.97	0.00	---	---	PEAK																																																
																																																											
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13410.00</td><td>45.67</td><td>88.20</td><td>-42.53</td><td>53.84</td><td>39.18</td><td>17.62</td><td>64.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13410.00	45.67	88.20	-42.53	53.84	39.18	17.62	64.97	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 13410.00	45.67	88.20	-42.53	53.84	39.18	17.62	64.97	0.00	---	---	PEAK																																																





Mode	35																																																								
	Harmonic																																																								
	U-NII-5_6.525-6.875_802.11be EHT80_CH167_Full_6785MHz																																																								
ANT	CDD 1S2T																																																								
Pol.	Horizontal						Vertical																																																		
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>45.67</td><td>88.20</td><td>-42.53</td><td>53.69</td><td>39.13</td><td>17.74</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	45.67	88.20	-42.53	53.69	39.13	17.74	64.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	13570.00	45.67	88.20	-42.53	53.69	39.13	17.74	64.89	0.00	---	---	PEAK																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>46.10</td><td>88.20</td><td>-42.10</td><td>54.12</td><td>39.13</td><td>17.74</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	46.10	88.20	-42.10	54.12	39.13	17.74	64.89	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	13570.00	46.10	88.20	-42.10	54.12	39.13	17.74	64.89	0.00	---	---	PEAK																																													





Mode	36																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_6.525-6.875_802.11BE EHT160_CH143_Full_6665MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>54.08</td><td>39.20</td><td>17.57</td><td>65.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	45.81	74.00	-28.19	54.08	39.20	17.57	65.04	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>54.01</td><td>39.20</td><td>17.57</td><td>65.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	45.74	74.00	-28.26	54.01	39.20	17.57	65.04	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13330.00	45.81	74.00	-28.19	54.08	39.20	17.57	65.04	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13330.00	45.74	74.00	-28.26	54.01	39.20	17.57	65.04	0.00	---	---	PEAK																																																																																							







Mode	37																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.875-7.125_802.11BE EHT20_CH189_Full_6895MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>45.54</td><td>88.20</td><td>-42.66</td><td>53.51</td><td>39.06</td><td>17.89</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	45.54	88.20	-42.66	53.51	39.06	17.89	64.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>45.89</td><td>88.20</td><td>-42.31</td><td>53.86</td><td>39.06</td><td>17.89</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	45.89	88.20	-42.31	53.86	39.06	17.89	64.92	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13790.00	45.54	88.20	-42.66	53.51	39.06	17.89	64.92	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13790.00	45.89	88.20	-42.31	53.86	39.06	17.89	64.92	0.00	---	---	PEAK																																																																																							







Mode	38																																																																																																			
	Harmonic																																																																																																			
	U-NII-8_6.875-7.125_802.11BE EHT20_CH209_Full_6995MHz																																																																																																			
ANT	CDD 1S2T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>45.21</td><td>88.20</td><td>-42.99</td><td>53.12</td><td>39.00</td><td>18.04</td><td>64.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	45.21	88.20	-42.99	53.12	39.00	18.04	64.95	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>45.16</td><td>88.20</td><td>-43.04</td><td>53.07</td><td>39.00</td><td>18.04</td><td>64.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	45.16	88.20	-43.04	53.07	39.00	18.04	64.95	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13990.00	45.21	88.20	-42.99	53.12	39.00	18.04	64.95	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13990.00	45.16	88.20	-43.04	53.07	39.00	18.04	64.95	0.00	---	---	PEAK																																																																																								





Mode	39																																																																																																												
	Band Edge																																																																																																												
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_Full_7095MHz																																																																																																												
ANT	CDD 1S2T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.25</td><td>75.87</td><td>88.20</td><td>-12.33</td><td>65.20</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>11 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.25	75.87	88.20	-12.33	65.20	35.90	12.62	37.85	0.00	100	11 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>116.07</td><td>-----</td><td>-----</td><td>105.52</td><td>35.90</td><td>12.56</td><td>37.91</td><td>0.00</td><td>100</td><td>11 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	116.07	-----	-----	105.52	35.90	12.56	37.91	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7125.25	75.87	88.20	-12.33	65.20	35.90	12.62	37.85	0.00	100	11 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7095.00	116.07	-----	-----	105.52	35.90	12.56	37.91	0.00	100	11 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>62.71</td><td>68.20</td><td>-5.49</td><td>52.04</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>11 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.71	68.20	-5.49	52.04	35.90	12.62	37.85	0.00	100	11 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>106.30</td><td>-----</td><td>-----</td><td>95.75</td><td>35.90</td><td>12.56</td><td>37.91</td><td>0.00</td><td>100</td><td>11 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	106.30	-----	-----	95.75	35.90	12.56	37.91	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7125.00	62.71	68.20	-5.49	52.04	35.90	12.62	37.85	0.00	100	11 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7095.00	106.30	-----	-----	95.75	35.90	12.56	37.91	0.00	100	11 AVERAGE																																																																																																		







Mode	39																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_Full_7095MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.34</td><td>73.27</td><td>88.20</td><td>-14.93</td><td>62.60</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>325</td><td>171</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.34	73.27	88.20	-14.93	62.60	35.90	12.62	37.85	0.00	325	171	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>117.86</td><td>-----</td><td>-----</td><td>107.27</td><td>35.90</td><td>12.58</td><td>37.89</td><td>0.00</td><td>325</td><td>171</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	117.86	-----	-----	107.27	35.90	12.58	37.89	0.00	325	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7126.34	73.27	88.20	-14.93	62.60	35.90	12.62	37.85	0.00	325	171	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7095.00	117.86	-----	-----	107.27	35.90	12.58	37.89	0.00	325	171	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>60.53</td><td>68.20</td><td>-7.67</td><td>49.86</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>325</td><td>171</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	60.53	68.20	-7.67	49.86	35.90	12.62	37.85	0.00	325	171	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>107.92</td><td>-----</td><td>-----</td><td>97.33</td><td>35.90</td><td>12.58</td><td>37.89</td><td>0.00</td><td>325</td><td>171</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	107.92	-----	-----	97.33	35.90	12.58	37.89	0.00	325	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.00	60.53	68.20	-7.67	49.86	35.90	12.62	37.85	0.00	325	171	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7095.00	107.92	-----	-----	97.33	35.90	12.58	37.89	0.00	325	171	AVERAGE																																																																																																			







Mode	39																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_Full_7095MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>45.55</td><td>88.20</td><td>-42.65</td><td>53.02</td><td>39.17</td><td>18.17</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.55	88.20	-42.65	53.02	39.17	18.17	64.81	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>45.97</td><td>88.20</td><td>-42.23</td><td>53.44</td><td>39.17</td><td>18.17</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.97	88.20	-42.23	53.44	39.17	18.17	64.81	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14190.00	45.55	88.20	-42.65	53.02	39.17	18.17	64.81	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14190.00	45.97	88.20	-42.23	53.44	39.17	18.17	64.81	0.00	---	---	PEAK																																																																																							



Mode	40																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.525-7.125_802.11BE EHT20_CH233_Full_7115MHz																																																																																																
ANT	CDD 1S2T																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>74.19</td><td>88.20</td><td>-14.01</td><td>63.52</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	74.19	88.20	-14.01	63.52	35.90	12.62	37.85	0.00	100	2 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>95.15</td><td>-----</td><td>-----</td><td>84.53</td><td>35.90</td><td>12.60</td><td>37.88</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	95.15	-----	-----	84.53	35.90	12.60	37.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.00	74.19	88.20	-14.01	63.52	35.90	12.62	37.85	0.00	100	2 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	95.15	-----	-----	84.53	35.90	12.60	37.88	0.00	100	2 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>61.80</td><td>68.20</td><td>-6.40</td><td>51.13</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	61.80	68.20	-6.40	51.13	35.90	12.62	37.85	0.00	100	2 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>86.06</td><td>-----</td><td>-----</td><td>75.44</td><td>35.90</td><td>12.60</td><td>37.88</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.06	-----	-----	75.44	35.90	12.60	37.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.00	61.80	68.20	-6.40	51.13	35.90	12.62	37.85	0.00	100	2 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	86.06	-----	-----	75.44	35.90	12.60	37.88	0.00	100	2 AVERAGE																																																																																						







Mode	40																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.525-7.125_802.11BE EHT20_CH233_Full_7115MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.09</td><td>85.62</td><td>88.20</td><td>-2.58</td><td>74.95</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>300</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.09	85.62	88.20	-2.58	74.95	35.90	12.62	37.85	0.00	300	167	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>95.43</td><td>-----</td><td>-----</td><td>84.84</td><td>35.90</td><td>12.58</td><td>37.89</td><td>0.00</td><td>300</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	95.43	-----	-----	84.84	35.90	12.58	37.89	0.00	300	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.09	85.62	88.20	-2.58	74.95	35.90	12.62	37.85	0.00	300	167	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	95.43	-----	-----	84.84	35.90	12.58	37.89	0.00	300	167	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>67.66</td><td>68.20</td><td>-0.54</td><td>56.99</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>300</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	67.66	68.20	-0.54	56.99	35.90	12.62	37.85	0.00	300	167	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>86.21</td><td>-----</td><td>-----</td><td>75.60</td><td>35.90</td><td>12.59</td><td>37.88</td><td>0.00</td><td>300</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.21	-----	-----	75.60	35.90	12.59	37.88	0.00	300	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.00	67.66	68.20	-0.54	56.99	35.90	12.62	37.85	0.00	300	167	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	86.21	-----	-----	75.60	35.90	12.59	37.88	0.00	300	167	AVERAGE																																																																																																			







Mode	40																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.525-7.125_802.11BE EHT20_CH233_Full_7115MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg	Horizontal Spectrum Plot (Peak) showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red step function for the limit and a blue line for the measured signal. A peak is marked at 14230.00 MHz.						Vertical Spectrum Plot (Peak) showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red step function for the limit and a blue line for the measured signal. A peak is marked at 14230.00 MHz.																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>45.44</td><td>88.20</td><td>-42.76</td><td>52.82</td><td>39.21</td><td>18.19</td><td>64.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	45.44	88.20	-42.76	52.82	39.21	18.19	64.78	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>46.06</td><td>88.20</td><td>-42.14</td><td>53.44</td><td>39.21</td><td>18.19</td><td>64.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	46.06	88.20	-42.14	53.44	39.21	18.19	64.78	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14230.00	45.44	88.20	-42.76	52.82	39.21	18.19	64.78	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14230.00	46.06	88.20	-42.14	53.44	39.21	18.19	64.78	0.00	---	---	PEAK																																																																																							





		41																																																																																						
Mode		Band Edge																																																																																						
		U-NII-8_6.525-7.125_802.11BE EHT20_CH233_RU52*4_7115MHz																																																																																						
ANT		CDD 1S2T																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak																																																																																								
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.00	79.03	88.20	-9.17	68.36	35.90	12.62	37.85	0.00	100	97 PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>93.10</td><td>-----</td><td>-----</td><td>82.45</td><td>35.90</td><td>12.61</td><td>37.86</td><td>0.00</td><td>100</td><td>97 PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	93.10	-----	-----	82.45	35.90	12.61	37.86	0.00	100
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 7125.00	79.03	88.20	-9.17	68.36	35.90	12.62	37.85	0.00	100	97 PEAK																																																																														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 7115.00	93.10	-----	-----	82.45	35.90	12.61	37.86	0.00	100	97 PEAK																																																																														
Avg																																																																																								
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.00	66.07	68.20	-2.13	55.40	35.90	12.62	37.85	0.00	100	97 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>82.59</td><td>-----</td><td>-----</td><td>71.94</td><td>35.90</td><td>12.61</td><td>37.86</td><td>0.00</td><td>100</td><td>97 AVERAGE</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	82.59	-----	-----	71.94	35.90	12.61	37.86	0.00	100
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 7125.00	66.07	68.20	-2.13	55.40	35.90	12.62	37.85	0.00	100	97 AVERAGE																																																																														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 7115.00	82.59	-----	-----	71.94	35.90	12.61	37.86	0.00	100	97 AVERAGE																																																																														





		41																																																																																																										
Mode	Band Edge																																																																																																											
	U-NII-8_6.525-7.125_802.11BE EHT20_CH233_RU52*4_7115MHz																																																																																																											
ANT	CDD 1S2T																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>80.75</td><td>88.20</td><td>-7.45</td><td>70.88</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>320</td><td>263 PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	80.75	88.20	-7.45	70.88	35.90	12.62	37.85	0.00	320	263 PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>94.02</td><td>-----</td><td>-----</td><td>83.37</td><td>35.90</td><td>12.61</td><td>37.86</td><td>0.00</td><td>320</td><td>263 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	94.02	-----	-----	83.37	35.90	12.61	37.86	0.00	320
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7125.00	80.75	88.20	-7.45	70.88	35.90	12.62	37.85	0.00	320	263 PEAK																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7115.00	94.02	-----	-----	83.37	35.90	12.61	37.86	0.00	320	263 PEAK																																																																																																	
Avg																																																																																																												
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>67.90</td><td>68.20</td><td>-0.30</td><td>57.23</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>320</td><td>263 AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	67.90	68.20	-0.30	57.23	35.90	12.62	37.85	0.00	320	263 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>83.60</td><td>-----</td><td>-----</td><td>72.95</td><td>35.90</td><td>12.61</td><td>37.86</td><td>0.00</td><td>320</td><td>263 AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	83.60	-----	-----	72.95	35.90	12.61	37.86	0.00	320
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7125.00	67.90	68.20	-0.30	57.23	35.90	12.62	37.85	0.00	320	263 AVERAGE																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	7115.00	83.60	-----	-----	72.95	35.90	12.61	37.86	0.00	320	263 AVERAGE																																																																																																	







Mode	42																																																							
	Harmonic																																																							
	U-NII-5_6.525-6.875_802.11BE EHT40_CH195_Full_6925MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>44.78</td><td>88.20</td><td>-43.42</td><td>52.73</td><td>39.04</td><td>17.94</td><td>64.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	44.78	88.20	-43.42	52.73	39.04	17.94	64.93	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13850.00	44.78	88.20	-43.42	52.73	39.04	17.94	64.93	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>45.63</td><td>88.20</td><td>-42.57</td><td>53.58</td><td>39.04</td><td>17.94</td><td>64.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	45.63	88.20	-42.57	53.58	39.04	17.94	64.93	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13850.00	45.63	88.20	-42.57	53.58	39.04	17.94	64.93	0.00	---	---	PEAK																																												







Mode	43																																																							
	Harmonic																																																							
	U-NII-5_6.525-6.875_802.11BE EHT40_CH211_Full_7005MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>45.28</td><td>88.20</td><td>-42.92</td><td>53.16</td><td>39.01</td><td>18.05</td><td>64.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	45.28	88.20	-42.92	53.16	39.01	18.05	64.94	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	14010.00	45.28	88.20	-42.92	53.16	39.01	18.05	64.94	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>47.35</td><td>88.20</td><td>-40.85</td><td>55.23</td><td>39.01</td><td>18.05</td><td>64.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	47.35	88.20	-40.85	55.23	39.01	18.05	64.94	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	14010.00	47.35	88.20	-40.85	55.23	39.01	18.05	64.94	0.00	---	---	PEAK																																												





Mode	44																																																																																																
	Band Edge																																																																																																
	U-NII-5_6.525-6.875_802.11BE EHT40_CH227_Full_7085MHz																																																																																																
ANT	CDD 1S2T																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.84</td><td>64.50</td><td>88.20</td><td>-23.70</td><td>53.83</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.84	64.50	88.20	-23.70	53.83	35.90	12.62	37.85	0.00	100	2 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>109.59</td><td>-----</td><td>-----</td><td>99.08</td><td>35.90</td><td>12.54</td><td>37.93</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	109.59	-----	-----	99.08	35.90	12.54	37.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7126.84	64.50	88.20	-23.70	53.83	35.90	12.62	37.85	0.00	100	2 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	109.59	-----	-----	99.08	35.90	12.54	37.93	0.00	100	2 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>53.29</td><td>68.20</td><td>-14.91</td><td>42.62</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	53.29	68.20	-14.91	42.62	35.90	12.62	37.85	0.00	100	2 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>99.90</td><td>-----</td><td>-----</td><td>89.39</td><td>35.90</td><td>12.54</td><td>37.93</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	99.90	-----	-----	89.39	35.90	12.54	37.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.00	53.29	68.20	-14.91	42.62	35.90	12.62	37.85	0.00	100	2 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	99.90	-----	-----	89.39	35.90	12.54	37.93	0.00	100	2 AVERAGE																																																																																						





Mode	44																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_6.525-6.875_802.11BE EHT40_CH227_Full_7085MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.37</td><td>63.29</td><td>88.20</td><td>-24.91</td><td>52.62</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>328</td><td>170</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.37	63.29	88.20	-24.91	52.62	35.90	12.62	37.85	0.00	328	170	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>112.01</td><td>-----</td><td>-----</td><td>101.48</td><td>35.90</td><td>12.55</td><td>37.92</td><td>0.00</td><td>328</td><td>170</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	112.01	-----	-----	101.48	35.90	12.55	37.92	0.00	328	170
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7126.37	63.29	88.20	-24.91	52.62	35.90	12.62	37.85	0.00	328	170	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7085.00	112.01	-----	-----	101.48	35.90	12.55	37.92	0.00	328	170	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>51.71</td><td>68.20</td><td>-16.49</td><td>41.04</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>328</td><td>170</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	51.71	68.20	-16.49	41.04	35.90	12.62	37.85	0.00	328	170	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>101.51</td><td>-----</td><td>-----</td><td>90.98</td><td>35.90</td><td>12.55</td><td>37.92</td><td>0.00</td><td>328</td><td>170</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	101.51	-----	-----	90.98	35.90	12.55	37.92	0.00	328	170
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.00	51.71	68.20	-16.49	41.04	35.90	12.62	37.85	0.00	328	170	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7085.00	101.51	-----	-----	90.98	35.90	12.55	37.92	0.00	328	170	AVERAGE																																																																																																			







Mode	44																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_6.525-6.875_802.11BE EHT40_CH227_Full_7085MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14170.00</td><td>44.89</td><td>88.20</td><td>-43.31</td><td>52.41</td><td>39.15</td><td>18.15</td><td>64.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 14170.00	44.89	88.20	-43.31	52.41	39.15	18.15	64.82	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14170.00</td><td>45.85</td><td>88.20</td><td>-42.35</td><td>53.37</td><td>39.15</td><td>18.15</td><td>64.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 14170.00	45.85	88.20	-42.35	53.37	39.15	18.15	64.82	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 14170.00	44.89	88.20	-43.31	52.41	39.15	18.15	64.82	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 14170.00	45.85	88.20	-42.35	53.37	39.15	18.15	64.82	0.00	---	---	PEAK																																																																																															







Mode	45																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.875-7.125_802.11BE EHT80_CH199_Full_6945MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>45.11</td><td>88.20</td><td>-43.09</td><td>53.05</td><td>39.03</td><td>17.96</td><td>64.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	45.11	88.20	-43.09	53.05	39.03	17.96	64.93	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>45.98</td><td>88.20</td><td>-42.22</td><td>53.92</td><td>39.03</td><td>17.96</td><td>64.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	45.98	88.20	-42.22	53.92	39.03	17.96	64.93	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13890.00	45.11	88.20	-43.09	53.05	39.03	17.96	64.93	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13890.00	45.98	88.20	-42.22	53.92	39.03	17.96	64.93	0.00	---	---	PEAK																																																																																							





		46																																																																																														
Mode	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_Full_7025MHz																																																																																															
ANT	CDD 1S2T																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.31</td><td>64.68</td><td>88.20</td><td>-23.52</td><td>54.01</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>119</td><td>92 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.31	64.68	88.20	-23.52	54.01	35.90	12.62	37.85	0.00	119	92 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>111.14</td><td>-----</td><td>-----</td><td>100.78</td><td>35.90</td><td>12.46</td><td>38.00</td><td>0.00</td><td>119</td><td>92 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	111.14	-----	-----	100.78	35.90	12.46	38.00	0.00	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7126.31	64.68	88.20	-23.52	54.01	35.90	12.62	37.85	0.00	119	92 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	111.14	-----	-----	100.78	35.90	12.46	38.00	0.00	119	92 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.91</td><td>52.71</td><td>68.20</td><td>-15.49</td><td>42.04</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>119</td><td>92 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.91	52.71	68.20	-15.49	42.04	35.90	12.62	37.85	0.00	119	92 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>98.99</td><td>-----</td><td>-----</td><td>88.64</td><td>35.92</td><td>12.44</td><td>38.01</td><td>0.00</td><td>119</td><td>92 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	98.99	-----	-----	88.64	35.92	12.44	38.01	0.00	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7126.91	52.71	68.20	-15.49	42.04	35.90	12.62	37.85	0.00	119	92 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	98.99	-----	-----	88.64	35.92	12.44	38.01	0.00	119	92 AVERAGE																																																																																					







Mode	46																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_Full_7025MHz																																																																																															
ANT	CDD 1S2T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7136.66</td><td>60.96</td><td>88.20</td><td>-27.24</td><td>50.27</td><td>35.90</td><td>12.63</td><td>37.84</td><td>0.00</td><td>309</td><td>261 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7136.66	60.96	88.20	-27.24	50.27	35.90	12.63	37.84	0.00	309	261 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>109.85</td><td>-----</td><td>-----</td><td>99.44</td><td>35.90</td><td>12.49</td><td>37.98</td><td>0.00</td><td>309</td><td>261 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	109.85	-----	-----	99.44	35.90	12.49	37.98	0.00	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7136.66	60.96	88.20	-27.24	50.27	35.90	12.63	37.84	0.00	309	261 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	109.85	-----	-----	99.44	35.90	12.49	37.98	0.00	309	261 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7132.87</td><td>50.03</td><td>68.20</td><td>-18.17</td><td>39.34</td><td>35.90</td><td>12.63</td><td>37.84</td><td>0.00</td><td>309</td><td>261 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7132.87	50.03	68.20	-18.17	39.34	35.90	12.63	37.84	0.00	309	261 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>99.38</td><td>-----</td><td>-----</td><td>89.04</td><td>35.91</td><td>12.44</td><td>38.01</td><td>0.00</td><td>309</td><td>261 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	99.38	-----	-----	89.04	35.91	12.44	38.01	0.00	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7132.87	50.03	68.20	-18.17	39.34	35.90	12.63	37.84	0.00	309	261 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	99.38	-----	-----	89.04	35.91	12.44	38.01	0.00	309	261 AVERAGE																																																																																					







Mode	46																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_Full_7025MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>45.89</td><td>88.20</td><td>-42.31</td><td>53.69</td><td>39.04</td><td>18.07</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>46.03</td><td>88.20</td><td>-42.17</td><td>53.83</td><td>39.04</td><td>18.07</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	45.89	88.20	-42.31	53.69	39.04	18.07	64.91	0.00	---	---	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	46.03	88.20	-42.17	53.83	39.04	18.07	64.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14050.00	45.89	88.20	-42.31	53.69	39.04	18.07	64.91	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14050.00	46.03	88.20	-42.17	53.83	39.04	18.07	64.91	0.00	---	---	PEAK																																																																																							







		47																																																		
Mode	Band Edge																																																			
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_PC 20MHz,Loc 1_7025MHz																																																			
ANT	CDD 1S2T																																																			
Pol.	Horizontal					Fundamental																																														
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7133.80</td><td>63.10</td><td>88.20</td><td>-25.10</td><td>52.41</td><td>35.90</td><td>12.63</td><td>37.84</td><td>0.00</td><td>100</td><td>96 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7133.80	63.10	88.20	-25.10	52.41	35.90	12.63	37.84	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 7133.80	63.10	88.20	-25.10	52.41	35.90	12.63	37.84	0.00	100	96 PEAK																																										
Fundamental																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>109.71</td><td>-----</td><td>-----</td><td>99.35</td><td>35.90</td><td>12.46</td><td>38.00</td><td>0.00</td><td>100</td><td>96 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	109.71	-----	-----	99.35	35.90	12.46	38.00	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 7025.00	109.71	-----	-----	99.35	35.90	12.46	38.00	0.00	100	96 PEAK																																										
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.27</td><td>48.74</td><td>68.20</td><td>-19.46</td><td>38.07</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>96 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.27	48.74	68.20	-19.46	38.07	35.90	12.62	37.85	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 7125.27	48.74	68.20	-19.46	38.07	35.90	12.62	37.85	0.00	100	96 AVERAGE																																										
Fundamental																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>97.77</td><td>-----</td><td>-----</td><td>87.41</td><td>35.90</td><td>12.46</td><td>38.00</td><td>0.00</td><td>100</td><td>96 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	97.77	-----	-----	87.41	35.90	12.46	38.00	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1 7025.00	97.77	-----	-----	87.41	35.90	12.46	38.00	0.00	100	96 AVERAGE																																										







Mode	47																																																						
	Band Edge																																																						
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_PC 20MHz,Loc 1_7025MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.16</td><td>60.57</td><td>88.20</td><td>-27.63</td><td>49.88</td><td>35.90</td><td>12.63</td><td>37.84</td><td>0.00</td><td>306</td><td>260</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.16	60.57	88.20	-27.63	49.88	35.90	12.63	37.84	0.00	306	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7131.16	60.57	88.20	-27.63	49.88	35.90	12.63	37.84	0.00	306	260	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>109.57</td><td>-----</td><td>-----</td><td>99.21</td><td>35.90</td><td>12.46</td><td>38.00</td><td>0.00</td><td>306</td><td>260</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	109.57	-----	-----	99.21	35.90	12.46	38.00	0.00	306	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7025.00	109.57	-----	-----	99.21	35.90	12.46	38.00	0.00	306	260	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7133.02</td><td>47.63</td><td>68.20</td><td>-20.57</td><td>36.94</td><td>35.90</td><td>12.63</td><td>37.84</td><td>0.00</td><td>306</td><td>260</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7133.02	47.63	68.20	-20.57	36.94	35.90	12.63	37.84	0.00	306	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7133.02	47.63	68.20	-20.57	36.94	35.90	12.63	37.84	0.00	306	260	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>90.79</td><td>-----</td><td>-----</td><td>88.43</td><td>35.90</td><td>12.46</td><td>38.00</td><td>0.00</td><td>306</td><td>260</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	90.79	-----	-----	88.43	35.90	12.46	38.00	0.00	306	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7025.00	90.79	-----	-----	88.43	35.90	12.46	38.00	0.00	306	260	AVERAGE																																											





Mode	48																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_Full_6985MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7174.49</td><td>74.12</td><td>88.20</td><td>-14.08</td><td>63.33</td><td>35.90</td><td>12.68</td><td>37.79</td><td>0.00</td><td>111</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7174.49	74.12	88.20	-14.08	63.33	35.90	12.68	37.79	0.00	111	64	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>110.55</td><td>-----</td><td>-----</td><td>100.19</td><td>35.90</td><td>12.46</td><td>38.00</td><td>0.00</td><td>111</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	110.55	-----	-----	100.19	35.90	12.46	38.00	0.00	111	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7174.49	74.12	88.20	-14.08	63.33	35.90	12.68	37.79	0.00	111	64	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	110.55	-----	-----	100.19	35.90	12.46	38.00	0.00	111	64	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7137.63</td><td>60.90</td><td>68.20</td><td>-7.30</td><td>50.20</td><td>35.90</td><td>12.64</td><td>37.84</td><td>0.00</td><td>111</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7137.63	60.90	68.20	-7.30	50.20	35.90	12.64	37.84	0.00	111	64	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>97.94</td><td>-----</td><td>-----</td><td>87.59</td><td>35.93</td><td>12.43</td><td>38.01</td><td>0.00</td><td>111</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	97.94	-----	-----	87.59	35.93	12.43	38.01	0.00	111	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7137.63	60.90	68.20	-7.30	50.20	35.90	12.64	37.84	0.00	111	64	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	97.94	-----	-----	87.59	35.93	12.43	38.01	0.00	111	64	AVERAGE																																																																																																			







Mode	48																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_Full_6985MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7144.01</td><td>74.72</td><td>88.20</td><td>-13.48</td><td>64.01</td><td>35.90</td><td>12.64</td><td>37.83</td><td>0.00</td><td>106</td><td>100</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7144.01	74.72	88.20	-13.48	64.01	35.90	12.64	37.83	0.00	106	100	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>110.47</td><td>-----</td><td>-----</td><td>100.06</td><td>35.90</td><td>12.49</td><td>37.98</td><td>0.00</td><td>106</td><td>100</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	110.47	-----	-----	100.06	35.90	12.49	37.98	0.00	106	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7144.01	74.72	88.20	-13.48	64.01	35.90	12.64	37.83	0.00	106	100	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	110.47	-----	-----	100.06	35.90	12.49	37.98	0.00	106	100	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7129.35</td><td>61.29</td><td>68.20</td><td>-6.91</td><td>50.62</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>106</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7129.35	61.29	68.20	-6.91	50.62	35.90	12.62	37.85	0.00	106	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>97.22</td><td>-----</td><td>-----</td><td>86.88</td><td>35.91</td><td>12.44</td><td>38.01</td><td>0.00</td><td>106</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	97.22	-----	-----	86.88	35.91	12.44	38.01	0.00	106	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7129.35	61.29	68.20	-6.91	50.62	35.90	12.62	37.85	0.00	106	100	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	97.22	-----	-----	86.88	35.91	12.44	38.01	0.00	106	100	AVERAGE																																																																																																			







Mode	48																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_Full_6985MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>46.18</td><td>88.20</td><td>-42.02</td><td>54.10</td><td>39.01</td><td>18.02</td><td>64.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13970.00	46.18	88.20	-42.02	54.10	39.01	18.02	64.95	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>46.21</td><td>88.20</td><td>-41.99</td><td>54.13</td><td>39.01</td><td>18.02</td><td>64.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13970.00	46.21	88.20	-41.99	54.13	39.01	18.02	64.95	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 13970.00	46.18	88.20	-42.02	54.10	39.01	18.02	64.95	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 13970.00	46.21	88.20	-41.99	54.13	39.01	18.02	64.95	0.00	---	---	PEAK																																																																																															





Mode	49																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_PC 40MHz,Loc 1_6985MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7146.17</td><td>69.04</td><td>88.20</td><td>-19.16</td><td>58.32</td><td>35.90</td><td>12.65</td><td>37.83</td><td>0.00</td><td>101</td><td>41</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7146.17	69.04	88.20	-19.16	58.32	35.90	12.65	37.83	0.00	101	41	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>109.80</td><td>-----</td><td>-----</td><td>99.44</td><td>35.96</td><td>12.40</td><td>38.00</td><td>0.00</td><td>101</td><td>41</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	109.80	-----	-----	99.44	35.96	12.40	38.00	0.00	101	41
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7146.17	69.04	88.20	-19.16	58.32	35.90	12.65	37.83	0.00	101	41	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	109.80	-----	-----	99.44	35.96	12.40	38.00	0.00	101	41	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>56.02</td><td>68.20</td><td>-12.18</td><td>45.35</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>101</td><td>41</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	56.02	68.20	-12.18	45.35	35.90	12.62	37.85	0.00	101	41	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>97.52</td><td>-----</td><td>-----</td><td>87.16</td><td>35.96</td><td>12.40</td><td>38.00</td><td>0.00</td><td>101</td><td>41</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	97.52	-----	-----	87.16	35.96	12.40	38.00	0.00	101	41
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.00	56.02	68.20	-12.18	45.35	35.90	12.62	37.85	0.00	101	41	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	97.52	-----	-----	87.16	35.96	12.40	38.00	0.00	101	41	AVERAGE																																																																																																			





		49																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-8_6.875-7.125_802.11BE EHT160_CH207_PC 40MHz,Loc 1_6985MHz																																																																																																								
ANT		CDD 1S2T																																																																																																								
Pol.		Vertical					Fundamental																																																																																																			
Peak																																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.49</td><td>72.54</td><td>88.20</td><td>-15.66</td><td>61.87</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.49	72.54	88.20	-15.66	61.87	35.90	12.62	37.85	0.00	100	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>107.19</td><td>-----</td><td>-----</td><td>96.84</td><td>35.93</td><td>12.43</td><td>38.01</td><td>0.00</td><td>100</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	107.19	-----	-----	96.84	35.93	12.43	38.01	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7126.49	72.54	88.20	-15.66	61.87	35.90	12.62	37.85	0.00	100	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	6985.00	107.19	-----	-----	96.84	35.93	12.43	38.01	0.00	100	PEAK																																																																																															
Avg																																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.71</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>47.33</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.71	58.00	68.20	-10.20	47.33	35.90	12.62	37.85	0.00	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>96.52</td><td>-----</td><td>-----</td><td>86.16</td><td>35.90</td><td>12.46</td><td>38.00</td><td>0.00</td><td>100</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	96.52	-----	-----	86.16	35.90	12.46	38.00	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7126.71	58.00	68.20	-10.20	47.33	35.90	12.62	37.85	0.00	100	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	6985.00	96.52	-----	-----	86.16	35.90	12.46	38.00	0.00	100	AVERAGE																																																																																															





Mode	50																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_6.425-6.525_802.11BE EHT40_CH115_Full_6525MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.14</td><td>88.20</td><td>-41.06</td><td>55.81</td><td>39.28</td><td>17.37</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>46.24</td><td>88.20</td><td>-41.96</td><td>54.91</td><td>39.28</td><td>17.37</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	47.14	88.20	-41.06	55.81	39.28	17.37	65.32	0.00	---	---	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	46.24	88.20	-41.96	54.91	39.28	17.37	65.32	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13050.00	47.14	88.20	-41.06	55.81	39.28	17.37	65.32	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13050.00	46.24	88.20	-41.96	54.91	39.28	17.37	65.32	0.00	---	---	PEAK																																																																																							





Mode	51																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_6.425-6.525_802.11BE EHT80_CH119_Full_6545MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13098.00</td><td>45.86</td><td>88.20</td><td>-42.34</td><td>54.47</td><td>39.27</td><td>17.40</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	13098.00	45.86	88.20	-42.34	54.47	39.27	17.40	65.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13098.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>55.09</td><td>39.27</td><td>17.40</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	13098.00	46.48	88.20	-41.72	55.09	39.27	17.40	65.28	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																									
1	13098.00	45.86	88.20	-42.34	54.47	39.27	17.40	65.28	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																									
1	13098.00	46.48	88.20	-41.72	55.09	39.27	17.40	65.28	0.00	---	---	PEAK																																																																																							





Mode	52																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_6.425-6.525_802.11BE EHT160_CH111_Full_6505MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>46.36</td><td>88.20</td><td>-41.84</td><td>55.07</td><td>39.30</td><td>17.34</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	46.36	88.20	-41.84	55.07	39.30	17.34	65.35	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>48.50</td><td>88.20</td><td>-39.70</td><td>57.21</td><td>39.30</td><td>17.34</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	48.50	88.20	-39.70	57.21	39.30	17.34	65.35	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13010.00	46.36	88.20	-41.84	55.07	39.30	17.34	65.35	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13010.00	48.50	88.20	-39.70	57.21	39.30	17.34	65.35	0.00	---	---	PEAK																																																																																							





Mode	53																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.525-7.125_802.11BE EHT20_CH185_Full_6875MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>45.74</td><td>88.20</td><td>-42.46</td><td>53.70</td><td>39.08</td><td>17.87</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	45.74	88.20	-42.46	53.70	39.08	17.87	64.91	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>45.51</td><td>88.20</td><td>-42.69</td><td>53.47</td><td>39.08</td><td>17.87</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	45.51	88.20	-42.69	53.47	39.08	17.87	64.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13750.00	45.74	88.20	-42.46	53.70	39.08	17.87	64.91	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13750.00	45.51	88.20	-42.69	53.47	39.08	17.87	64.91	0.00	---	---	PEAK																																																																																							





Mode	54																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.525-7.125_802.11BE EHT40_CH187_Full_6885MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13778.00</td><td>45.30</td><td>88.20</td><td>-42.90</td><td>53.27</td><td>39.07</td><td>17.88</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13778.00	45.30	88.20	-42.90	53.27	39.07	17.88	64.92	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13778.00</td><td>45.81</td><td>88.20</td><td>-42.39</td><td>53.78</td><td>39.07</td><td>17.88</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13778.00	45.81	88.20	-42.39	53.78	39.07	17.88	64.92	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 13778.00	45.30	88.20	-42.90	53.27	39.07	17.88	64.92	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 13778.00	45.81	88.20	-42.39	53.78	39.07	17.88	64.92	0.00	---	---	PEAK																																																																																															





Mode	55																																																							
	Harmonic																																																							
	U-NII-8_6.525-7.125_802.11BE EHT80_CH183_Full_6865MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>45.78</td><td>88.20</td><td>-42.42</td><td>53.76</td><td>39.08</td><td>17.85</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	45.78	88.20	-42.42	53.76	39.08	17.85	64.91	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13730.00	45.78	88.20	-42.42	53.76	39.08	17.85	64.91	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>45.73</td><td>88.20</td><td>-42.47</td><td>53.71</td><td>39.08</td><td>17.85</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	45.73	88.20	-42.47	53.71	39.08	17.85	64.91	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13730.00	45.73	88.20	-42.47	53.71	39.08	17.85	64.91	0.00	---	---	PEAK																																												





Mode	56																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.525-7.125_802.11BE EHT160_CH175_Full_6825MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>46.52</td><td>88.20</td><td>-41.68</td><td>54.53</td><td>39.10</td><td>17.79</td><td>64.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	46.52	88.20	-41.68	54.53	39.10	17.79	64.90	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>46.35</td><td>88.20</td><td>-41.85</td><td>54.36</td><td>39.10</td><td>17.79</td><td>64.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	46.35	88.20	-41.85	54.36	39.10	17.79	64.90	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13650.00	46.52	88.20	-41.68	54.53	39.10	17.79	64.90	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13650.00	46.35	88.20	-41.85	54.36	39.10	17.79	64.90	0.00	---	---	PEAK																																																																																							





		57																																																							
Mode		Harmonic																																																							
		U-NII-5_5.925-6.425_802.11BE EHT320_CH95_Full_6425MHz																																																							
ANT		CDD 1S2T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>46.29</td><td>88.20</td><td>-41.91</td><td>55.32</td><td>39.24</td><td>17.24</td><td>65.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	46.29	88.20	-41.91	55.32	39.24	17.24	65.51	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	12850.00	46.29	88.20	-41.91	55.32	39.24	17.24	65.51	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>55.84</td><td>39.24</td><td>17.24</td><td>65.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	46.81	88.20	-41.39	55.84	39.24	17.24	65.51	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	12850.00	46.81	88.20	-41.39	55.84	39.24	17.24	65.51	0.00	---	---	PEAK																																													







Mode	58																																																							
	Harmonic																																																							
	U-NII-5_6.425-6.525_802.11BE EHT320_CH127_Full_6585MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>46.10</td><td>88.20</td><td>-42.10</td><td>54.60</td><td>39.25</td><td>17.45</td><td>65.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	46.10	88.20	-42.10	54.60	39.25	17.45	65.20	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13170.00	46.10	88.20	-42.10	54.60	39.25	17.45	65.20	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>46.99</td><td>88.20</td><td>-41.21</td><td>55.49</td><td>39.25</td><td>17.45</td><td>65.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	46.99	88.20	-41.21	55.49	39.25	17.45	65.20	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13170.00	46.99	88.20	-41.21	55.49	39.25	17.45	65.20	0.00	---	---	PEAK																																												







		59																																																																																																																																										
Mode		Harmonic																																																																																																																																										
		U-NII-8_6.525-6.875_802.11BE EHT320_CH159_Full_6745MHz																																																																																																																																										
ANT		CDD 1S2T																																																																																																																																										
Pol.		Horizontal											Vertical																																																																																																																															
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13490.00</td><td>45.72</td><td>88.20</td><td>-42.48</td><td>53.78</td><td>39.15</td><td>17.68</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																									Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13490.00	45.72	88.20	-42.48	53.78	39.15	17.68	64.89	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13490.00</td><td>46.36</td><td>88.20</td><td>-41.84</td><td>54.42</td><td>39.15</td><td>17.68</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																									Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13490.00	46.36	88.20	-41.84	54.42	39.15	17.68	64.89	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 13490.00	45.72	88.20	-42.48	53.78	39.15	17.68	64.89	0.00	---	---	PEAK																																																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 13490.00	46.36	88.20	-41.84	54.42	39.15	17.68	64.89	0.00	---	---	PEAK																																																																																																																																	



Mode	60																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7250.12</td><td>65.37</td><td>74.00</td><td>-8.63</td><td>54.39</td><td>35.95</td><td>12.72</td><td>37.69</td><td>0.00</td><td>100</td><td>98</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7250.12	65.37	74.00	-8.63	54.39	35.95	12.72	37.69	0.00	100	98	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>101.85</td><td>-----</td><td>-----</td><td>91.49</td><td>35.96</td><td>12.40</td><td>38.00</td><td>0.00</td><td>100</td><td>98</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	101.85	-----	-----	91.49	35.96	12.40	38.00	0.00	100	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7250.12	65.37	74.00	-8.63	54.39	35.95	12.72	37.69	0.00	100	98	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6905.00	101.85	-----	-----	91.49	35.96	12.40	38.00	0.00	100	98	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7266.64</td><td>53.23</td><td>54.00</td><td>-0.77</td><td>42.21</td><td>35.97</td><td>12.72</td><td>37.67</td><td>0.00</td><td>100</td><td>98</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7266.64	53.23	54.00	-0.77	42.21	35.97	12.72	37.67	0.00	100	98	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>90.47</td><td>-----</td><td>-----</td><td>80.13</td><td>35.91</td><td>12.44</td><td>38.01</td><td>0.00</td><td>100</td><td>98</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	90.47	-----	-----	80.13	35.91	12.44	38.01	0.00	100	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7266.64	53.23	54.00	-0.77	42.21	35.97	12.72	37.67	0.00	100	98	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6905.00	90.47	-----	-----	80.13	35.91	12.44	38.01	0.00	100	98	AVERAGE																																																																																							







		60																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																																																																																																								
ANT		CDD 1S2T																																																																																																								
Pol.	Vertical										Fundamental																																																																																															
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7268.12</td><td>65.70</td><td>74.00</td><td>-8.30</td><td>54.68</td><td>35.97</td><td>12.72</td><td>37.67</td><td>0.00</td><td>300 261 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7268.12	65.70	74.00	-8.30	54.68	35.97	12.72	37.67	0.00	300 261 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 6905.00</td><td>101.56</td><td>-----</td><td>-----</td><td>91.20</td><td>35.90</td><td>12.46</td><td>38.00</td><td>0.00</td><td>300 261 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 6905.00	101.56	-----	-----	91.20	35.90	12.46	38.00	0.00	300 261 PEAK						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1 7268.12	65.70	74.00	-8.30	54.68	35.97	12.72	37.67	0.00	300 261 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1 6905.00	101.56	-----	-----	91.20	35.90	12.46	38.00	0.00	300 261 PEAK																																																																																																	
Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7267.40</td><td>53.74</td><td>54.00</td><td>-0.26</td><td>42.72</td><td>35.97</td><td>12.72</td><td>37.67</td><td>0.00</td><td>300 261 AVERAGE</td><td></td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB		1 7267.40	53.74	54.00	-0.26	42.72	35.97	12.72	37.67	0.00	300 261 AVERAGE		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 6905.00</td><td>90.88</td><td>-----</td><td>-----</td><td>80.54</td><td>35.91</td><td>12.44</td><td>38.01</td><td>0.00</td><td>300 261 AVERAGE</td><td></td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB		1 6905.00	90.88	-----	-----	80.54	35.91	12.44	38.01	0.00	300 261 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																	
1 7267.40	53.74	54.00	-0.26	42.72	35.97	12.72	37.67	0.00	300 261 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																	
1 6905.00	90.88	-----	-----	80.54	35.91	12.44	38.01	0.00	300 261 AVERAGE																																																																																																	







Mode	60																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg	Horizontal Spectrum Plot (Peak) showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red step function for the limit and a blue line for the measured signal. The measured signal is below the limit. A vertical blue line marks the frequency 13810.00 MHz.						Vertical Spectrum Plot (Peak) showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red step function for the limit and a blue line for the measured signal. The measured signal is below the limit. A vertical blue line marks the frequency 13810.00 MHz.																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>45.93</td><td>88.20</td><td>-42.27</td><td>53.88</td><td>39.06</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	45.93	88.20	-42.27	53.88	39.06	17.91	64.92	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>46.25</td><td>88.20</td><td>-41.95</td><td>54.20</td><td>39.06</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	46.25	88.20	-41.95	54.20	39.06	17.91	64.92	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13810.00	45.93	88.20	-42.27	53.88	39.06	17.91	64.92	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13810.00	46.25	88.20	-41.95	54.20	39.06	17.91	64.92	0.00	---	---	PEAK																																																																																							







Mode	61																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.525-6.875_802.11BE EHT20_CH229_RU52*4;_7095MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7174.52</td><td>59.26</td><td>88.20</td><td>-28.94</td><td>48.47</td><td>35.90</td><td>12.68</td><td>37.79</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7174.52	59.26	88.20	-28.94	48.47	35.90	12.68	37.79	0.00	100	83	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>106.85</td><td>-----</td><td>-----</td><td>96.26</td><td>35.90</td><td>12.58</td><td>37.89</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	106.85	-----	-----	96.26	35.90	12.58	37.89	0.00	100	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7174.52	59.26	88.20	-28.94	48.47	35.90	12.68	37.79	0.00	100	83	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	106.85	-----	-----	96.26	35.90	12.58	37.89	0.00	100	83	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>47.35</td><td>68.20</td><td>-20.85</td><td>36.68</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>83</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	47.35	68.20	-20.85	36.68	35.90	12.62	37.85	0.00	100	83	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>96.12</td><td>-----</td><td>-----</td><td>85.53</td><td>35.90</td><td>12.58</td><td>37.89</td><td>0.00</td><td>100</td><td>83</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.12	-----	-----	85.53	35.90	12.58	37.89	0.00	100	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.00	47.35	68.20	-20.85	36.68	35.90	12.62	37.85	0.00	100	83	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	96.12	-----	-----	85.53	35.90	12.58	37.89	0.00	100	83	AVERAGE																																																																																							



Mode	61																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.525-6.875_802.11BE EHT20_CH229_RU52*4;_7095MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7211.64</td><td>59.58</td><td>88.20</td><td>-28.62</td><td>48.70</td><td>35.91</td><td>12.71</td><td>37.74</td><td>0.00</td><td>300</td><td>83</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7211.64	59.58	88.20	-28.62	48.70	35.91	12.71	37.74	0.00	300	83	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>107.38</td><td>-----</td><td>-----</td><td>96.83</td><td>35.90</td><td>12.56</td><td>37.91</td><td>0.00</td><td>300</td><td>83</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	107.38	-----	-----	96.83	35.90	12.56	37.91	0.00	300	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7211.64	59.58	88.20	-28.62	48.70	35.91	12.71	37.74	0.00	300	83	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7095.00	107.38	-----	-----	96.83	35.90	12.56	37.91	0.00	300	83	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>47.52</td><td>68.20</td><td>-20.68</td><td>36.85</td><td>35.90</td><td>12.62</td><td>37.85</td><td>0.00</td><td>300</td><td>83</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	47.52	68.20	-20.68	36.85	35.90	12.62	37.85	0.00	300	83	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>96.69</td><td>-----</td><td>-----</td><td>86.14</td><td>35.90</td><td>12.56</td><td>37.91</td><td>0.00</td><td>300</td><td>83</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.69	-----	-----	86.14	35.90	12.56	37.91	0.00	300	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.00	47.52	68.20	-20.68	36.85	35.90	12.62	37.85	0.00	300	83	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7095.00	96.69	-----	-----	86.14	35.90	12.56	37.91	0.00	300	83	AVERAGE																																																																																																			







Mode	62																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.525-6.875_802.11BE EHT320_CH191_PC 80+40MHz,Loc 7_6905MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7257.56</td><td>64.15</td><td>74.00</td><td>-9.85</td><td>53.16</td><td>35.96</td><td>12.72</td><td>37.69</td><td>0.00</td><td>100</td><td>99</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7257.56	64.15	74.00	-9.85	53.16	35.96	12.72	37.69	0.00	100	99	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>106.86</td><td>-----</td><td>-----</td><td>96.51</td><td>35.99</td><td>12.36</td><td>38.00</td><td>0.00</td><td>100</td><td>99</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	106.86	-----	-----	96.51	35.99	12.36	38.00	0.00	100	99
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7257.56	64.15	74.00	-9.85	53.16	35.96	12.72	37.69	0.00	100	99	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	106.86	-----	-----	96.51	35.99	12.36	38.00	0.00	100	99	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7251.56</td><td>51.41</td><td>54.00</td><td>-2.59</td><td>40.43</td><td>35.95</td><td>12.72</td><td>37.69</td><td>0.00</td><td>100</td><td>99</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7251.56	51.41	54.00	-2.59	40.43	35.95	12.72	37.69	0.00	100	99	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>94.38</td><td>-----</td><td>-----</td><td>84.04</td><td>35.91</td><td>12.44</td><td>38.01</td><td>0.00</td><td>100</td><td>99</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	94.38	-----	-----	84.04	35.91	12.44	38.01	0.00	100	99
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7251.56	51.41	54.00	-2.59	40.43	35.95	12.72	37.69	0.00	100	99	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	94.38	-----	-----	84.04	35.91	12.44	38.01	0.00	100	99	AVERAGE																																																																																																			







Mode	62																																																						
	Band Edge																																																						
	U-NII-8_6.525-6.875_802.11BE EHT320_CH191_PC 80+40MHz,Loc 7_6905MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7252.28</td><td>66.58</td><td>74.00</td><td>-7.42</td><td>55.60</td><td>35.95</td><td>12.72</td><td>37.69</td><td>0.00</td><td>300</td><td>260</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7252.28	66.58	74.00	-7.42	55.60	35.95	12.72	37.69	0.00	300	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7252.28	66.58	74.00	-7.42	55.60	35.95	12.72	37.69	0.00	300	260	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>106.30</td><td>-----</td><td>-----</td><td>95.96</td><td>35.91</td><td>12.44</td><td>38.01</td><td>0.00</td><td>300</td><td>260</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	106.30	-----	-----	95.96	35.91	12.44	38.01	0.00	300	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6905.00	106.30	-----	-----	95.96	35.91	12.44	38.01	0.00	300	260	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7252.88</td><td>52.87</td><td>54.00</td><td>-1.13</td><td>41.89</td><td>35.95</td><td>12.72</td><td>37.69</td><td>0.00</td><td>300</td><td>260</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7252.88	52.87	54.00	-1.13	41.89	35.95	12.72	37.69	0.00	300	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7252.88	52.87	54.00	-1.13	41.89	35.95	12.72	37.69	0.00	300	260	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>95.57</td><td>-----</td><td>-----</td><td>85.23</td><td>35.91</td><td>12.44</td><td>38.01</td><td>0.00</td><td>300</td><td>260</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	95.57	-----	-----	85.23	35.91	12.44	38.01	0.00	300	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6905.00	95.57	-----	-----	85.23	35.91	12.44	38.01	0.00	300	260	AVERAGE																																											



		114																																																																																							
Mode		Band Edge																																																																																							
		U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																																																																																							
ANT		CDD 1S2T																																																																																							
Pol.		Fundamental																																																																																							
Peak	Horizontal	Fundamental																																																																																							
	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7274.56</td><td>65.09</td><td>74.00</td><td>-8.91</td><td>54.33</td><td>35.70</td><td>12.72</td><td>37.66</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7274.56	65.09	74.00	-8.91	54.33	35.70	12.72	37.66	0.00	100	116	PEAK	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>103.14</td><td>-----</td><td>-----</td><td>93.05</td><td>35.60</td><td>12.48</td><td>37.99</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	103.14	-----	-----	93.05	35.60	12.48	37.99	0.00	100	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	7274.56	65.09	74.00	-8.91	54.33	35.70	12.72	37.66	0.00	100	116	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6905.00	103.14	-----	-----	93.05	35.60	12.48	37.99	0.00	100	116	PEAK																																																																													
Avg	Horizontal	Fundamental																																																																																							
	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7255.16</td><td>51.92</td><td>54.00</td><td>-2.08</td><td>41.19</td><td>35.70</td><td>12.72</td><td>37.69</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7255.16	51.92	54.00	-2.08	41.19	35.70	12.72	37.69	0.00	100	116	AVERAGE	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>90.36</td><td>-----</td><td>-----</td><td>80.32</td><td>35.60</td><td>12.45</td><td>38.01</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	90.36	-----	-----	80.32	35.60	12.45	38.01	0.00	100	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	7255.16	51.92	54.00	-2.08	41.19	35.70	12.72	37.69	0.00	100	116	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6905.00	90.36	-----	-----	80.32	35.60	12.45	38.01	0.00	100	116	AVERAGE																																																																													







		114																																																																																							
Mode		Band Edge																																																																																							
		U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																																																																																							
ANT		CDD 1S2T																																																																																							
Pol.		Fundamental																																																																																							
Peak	Vertical	Fundamental																																																																																							
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7285.40</td><td>61.37</td><td>74.00</td><td>-12.63</td><td>50.60</td><td>35.70</td><td>12.72</td><td>37.65</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7285.40	61.37	74.00	-12.63	50.60	35.70	12.72	37.65	0.00	100	213	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>102.56</td><td>-----</td><td>-----</td><td>92.53</td><td>35.60</td><td>12.44</td><td>38.01</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	102.56	-----	-----	92.53	35.60	12.44	38.01	0.00	100	213
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	7285.40	61.37	74.00	-12.63	50.60	35.70	12.72	37.65	0.00	100	213	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6905.00	102.56	-----	-----	92.53	35.60	12.44	38.01	0.00	100	213	PEAK																																																																													
Avg	Vertical	Fundamental																																																																																							
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7262.32</td><td>51.34</td><td>54.00</td><td>-2.66</td><td>40.60</td><td>35.70</td><td>12.72</td><td>37.68</td><td>0.00</td><td>100</td><td>213</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7262.32	51.34	54.00	-2.66	40.60	35.70	12.72	37.68	0.00	100	213	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>90.19</td><td>-----</td><td>-----</td><td>80.22</td><td>35.60</td><td>12.37</td><td>38.00</td><td>0.00</td><td>100</td><td>213</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	90.19	-----	-----	80.22	35.60	12.37	38.00	0.00	100	213
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	7262.32	51.34	54.00	-2.66	40.60	35.70	12.72	37.68	0.00	100	213	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6905.00	90.19	-----	-----	80.22	35.60	12.37	38.00	0.00	100	213	AVERAGE																																																																													







		114																																																							
Mode		Harmonic																																																							
		U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																																																							
ANT		CDD 1S2T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>45.28</td><td>88.20</td><td>-42.92</td><td>53.78</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	45.28	88.20	-42.92	53.78	38.51	17.91	64.92	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	13810.00	45.28	88.20	-42.92	53.78	38.51	17.91	64.92	0.00	---	---	PEAK																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>46.67</td><td>88.20</td><td>-41.53</td><td>55.17</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	46.67	88.20	-41.53	55.17	38.51	17.91	64.92	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	13810.00	46.67	88.20	-41.53	55.17	38.51	17.91	64.92	0.00	---	---	PEAK																																													





Mode	115																																																																																																												
	Band Edge																																																																																																												
	U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																																																																																																												
ANT	CDD 1S2T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7277.44</td><td>61.93</td><td>74.00</td><td>-12.07</td><td>51.17</td><td>35.70</td><td>12.72</td><td>37.66</td><td>0.00</td><td>100</td><td>297 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7277.44	61.93	74.00	-12.07	51.17	35.70	12.72	37.66	0.00	100	297 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>103.16</td><td>-----</td><td>-----</td><td>93.07</td><td>35.60</td><td>12.48</td><td>37.99</td><td>0.00</td><td>100</td><td>297 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	103.16	-----	-----	93.07	35.60	12.48	37.99	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7277.44	61.93	74.00	-12.07	51.17	35.70	12.72	37.66	0.00	100	297 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6905.00	103.16	-----	-----	93.07	35.60	12.48	37.99	0.00	100	297 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7254.20</td><td>50.92</td><td>54.00</td><td>-3.08</td><td>40.19</td><td>35.70</td><td>12.72</td><td>37.69</td><td>0.00</td><td>100</td><td>297 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7254.20	50.92	54.00	-3.08	40.19	35.70	12.72	37.69	0.00	100	297 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>90.18</td><td>-----</td><td>-----</td><td>80.15</td><td>35.60</td><td>12.44</td><td>38.01</td><td>0.00</td><td>100</td><td>297 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	90.18	-----	-----	80.15	35.60	12.44	38.01	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7254.20	50.92	54.00	-3.08	40.19	35.70	12.72	37.69	0.00	100	297 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6905.00	90.18	-----	-----	80.15	35.60	12.44	38.01	0.00	100	297 AVERAGE																																																																																																		





		115																																																																																							
Mode		Band Edge																																																																																							
		U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																																																																																							
ANT		CDD 1S2T																																																																																							
Pol.		Fundamental																																																																																							
Peak	Vertical	Fundamental																																																																																							
	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7278.20</td><td>59.56</td><td>74.00</td><td>-14.44</td><td>48.80</td><td>35.70</td><td>12.72</td><td>37.66</td><td>0.00</td><td>267</td><td>272</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7278.20	59.56	74.00	-14.44	48.80	35.70	12.72	37.66	0.00	267	272	PEAK	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>102.83</td><td>-----</td><td>-----</td><td>93.03</td><td>35.52</td><td>12.26</td><td>37.98</td><td>0.00</td><td>267</td><td>272</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	102.83	-----	-----	93.03	35.52	12.26	37.98	0.00	267	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	7278.20	59.56	74.00	-14.44	48.80	35.70	12.72	37.66	0.00	267	272	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6905.00	102.83	-----	-----	93.03	35.52	12.26	37.98	0.00	267	272	PEAK																																																																													
Avg	Vertical	Fundamental																																																																																							
	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7255.60</td><td>49.35</td><td>54.00</td><td>-4.65</td><td>38.62</td><td>35.70</td><td>12.72</td><td>37.69</td><td>0.00</td><td>267</td><td>272</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7255.60	49.35	54.00	-4.65	38.62	35.70	12.72	37.69	0.00	267	272	AVERAGE	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>91.82</td><td>-----</td><td>-----</td><td>81.86</td><td>35.60</td><td>12.36</td><td>38.00</td><td>0.00</td><td>267</td><td>272</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.82	-----	-----	81.86	35.60	12.36	38.00	0.00	267	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	7255.60	49.35	54.00	-4.65	38.62	35.70	12.72	37.69	0.00	267	272	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6905.00	91.82	-----	-----	81.86	35.60	12.36	38.00	0.00	267	272	AVERAGE																																																																													





Mode	115																																																																																																				
	Harmonic																																																																																																				
	U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																																																																																																				
ANT	CDD 1S2T																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>45.54</td><td>88.20</td><td>-42.66</td><td>54.04</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	45.54	88.20	-42.66	54.04	38.51	17.91	64.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>44.45</td><td>88.20</td><td>-43.75</td><td>52.95</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13810.00	44.45	88.20	-43.75	52.95	38.51	17.91	64.92	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	13810.00	45.54	88.20	-42.66	54.04	38.51	17.91	64.92	0.00	---	---	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	13810.00	44.45	88.20	-43.75	52.95	38.51	17.91	64.92	0.00	---	---	PEAK																																																																																									



Mode	115	
	18G-40G	
	U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz	
ANT	CDD 1S2T	
Pol.	Horizontal	Vertical
Peak Avg		



		115																						
Mode	30-1G																							
	U-NII-8_6.525-6.875_802.11BE EHT320_CH191_Full_6905MHz																							
ANT	CDD 1S2T																							
Pol.	Horizontal						Vertical																	
QP																								
	Freq Level Over Limit Line Read CableAntenna Preamp A/Pos T/Pos Remark						Freq Level Over Limit Line Read CableAntenna Preamp A/Pos T/Pos Remark																	
	MHz dBuV/m dB dBuV/m dBuV dB dB/m dB cm deg						MHz dBuV/m dB dBuV/m dBuV dB dB/m dB cm deg																	
	1	30.00	20.51	-19.49	40.00	28.25	0.71	24.57	33.02	---	---	Peak	1	30.00	22.04	-17.96	40.00	29.78	0.71	24.57	33.02	---	---	Peak
	2	87.23	21.50	-18.50	40.00	38.36	1.40	14.58	32.84	---	---	Peak	2	89.17	24.93	-18.57	43.50	41.40	1.41	14.97	32.85	---	---	Peak
	3	136.70	21.73	-21.77	43.50	36.21	1.76	16.59	32.83	---	---	Peak	3	138.64	22.02	-21.48	43.50	36.51	1.77	16.57	32.83	---	---	Peak
	4	321.00	19.12	-26.88	46.00	29.47	2.73	19.79	32.87	---	---	Peak	4	182.29	21.91	-21.59	43.50	36.93	2.04	15.77	32.83	---	---	Peak
	5	575.14	26.31	-19.69	46.00	30.72	3.66	25.03	33.10	---	---	Peak	5	575.14	28.76	-17.24	46.00	33.17	3.66	25.03	33.10	---	---	Peak
	6	768.17	31.72	-14.28	46.00	34.26	4.24	25.99	32.77	---	---	Peak	6	780.78	30.35	-15.65	46.00	32.75	4.27	26.09	32.76	---	---	Peak



<TX Beamforming mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 63	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT20	1	5955	MCS0	Full	Sample 1
Mode 64	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT20	45	6175	MCS0	Full	Sample 1
Mode 65	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT20	93	6415	MCS0	Full	Sample 1
Mode 66	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT40	3	5965	MCS0	Full	Sample 1
Mode 67	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT40	43	6165	MCS0	Full	Sample 1
Mode 68	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT40	91	6405	MCS0	Full	Sample 1
Mode 69	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT80	7	5985	MCS0	Full	Sample 1
Mode 70	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT80	39	6145	MCS0	Full	Sample 1
Mode 71	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT80	87	6385	MCS0	Full	Sample 1
Mode 72	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT160	15	6025	MCS0	Full	Sample 1
Mode 73	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT160	47	6185	MCS0	Full	Sample 1
Mode 74	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT160	79	6345	MCS0	Full	Sample 1
Mode 75	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT320	31	6105	MCS0	Full	Sample 1
Mode 76	U-NII-5	5925-6425	TxBF 1S2T	802.11BE EHT320	63	6265	MCS0	Full	Sample 1
Mode 77	U-NII-5	6425-6525	TxBF 1S2T	802.11BE EHT20	97	6435	MCS0	Full	Sample 1
Mode 78	U-NII-5	6425-6525	TxBF 1S2T	802.11BE EHT20	105	6475	MCS0	Full	Sample 1
Mode 79	U-NII-5	6425-6525	TxBF 1S2T	802.11BE EHT20	113	6515	MCS0	Full	Sample 1
Mode 80	U-NII-8	6425-6525	TxBF 1S2T	802.11BE EHT40	99	6445	MCS0	Full	Sample 1
Mode 81	U-NII-8	6425-6525	TxBF 1S2T	802.11BE EHT40	107	6485	MCS0	Full	Sample 1
Mode 82	U-NII-8	6425-6525	TxBF 1S2T	802.11BE EHT80	103	6465	MCS0	Full	Sample 1
Mode 83	U-NII-8	6525-6875	TxBF 1S2T	802.11BE EHT20	117	6535	MCS0	Full	Sample 1
Mode 84	U-NII-5	6525-6875	TxBF 1S2T	802.11BE EHT20	149	6695	MCS0	Full	Sample 1
Mode 85	U-NII-5	6525-6875	TxBF 1S2T	802.11BE EHT20	181	6855	MCS0	Full	Sample 1
Mode 86	U-NII-5	6525-6875	TxBF 1S2T	802.11BE EHT40	123	6565	MCS0	Full	Sample 1
Mode 87	U-NII-8	6525-6875	TxBF 1S2T	802.11BE EHT40	147	6685	MCS0	Full	Sample 1
Mode 88	U-NII-8	6525-6875	TxBF 1S2T	802.11BE EHT40	179	6845	MCS0	Full	Sample 1
Mode 89	U-NII-8	6525-6875	TxBF 1S2T	802.11BE EHT80	135	6625	MCS0	Full	Sample 1
Mode 90	U-NII-5	6525-6875	TxBF 1S2T	802.11BE EHT80	151	6705	MCS0	Full	Sample 1
Mode 91	U-NII-5	6525-6875	TxBF 1S2T	802.11BE EHT80	167	6785	MCS0	Full	Sample 1
Mode 92	U-NII-5	6525-6875	TxBF 1S2T	802.11BE EHT160	143	6665	MCS0	Full	Sample 1
Mode 93	U-NII-8	6875-7125	TxBF 1S2T	802.11BE EHT20	189	6895	MCS0	Full	Sample 1
Mode 94	U-NII-8	6875-7125	TxBF 1S2T	802.11BE EHT20	209	6995	MCS0	Full	Sample 1
Mode 95	U-NII-8	6875-7125	TxBF 1S2T	802.11BE EHT20	229	7095	MCS0	Full	Sample 1



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 96	U-NII-8	6875-7125	TxBF 1S2T	802.11BE EHT20	233	7115	MCS0	Full	Sample 1
Mode 97	U-NII-5	6875-7125	TxBF 1S2T	802.11BE EHT40	195	6925	MCS0	Full	Sample 1
Mode 98	U-NII-5	6875-7125	TxBF 1S2T	802.11BE EHT40	211	7005	MCS0	Full	Sample 1
Mode 99	U-NII-8	6875-7125	TxBF 1S2T	802.11BE EHT40	227	7085	MCS0	Full	Sample 1
Mode 100	U-NII-8	6875-7125	TxBF 1S2T	802.11BE EHT80	199	6945	MCS0	Full	Sample 1
Mode 101	U-NII-8	6875-7125	TxBF 1S2T	802.11BE EHT80	215	7025	MCS0	Full	Sample 1
Mode 102	U-NII-8	6875-7125	TxBF 1S2T	802.11BE EHT160	207	6985	MCS0	Full	Sample 1
Mode 103	U-NII-8	6425-6875	TxBF 1S2T	802.11BE EHT40	115	6525	MCS0	Full	Sample 1
Mode 104	U-NII-8	6425-6875	TxBF 1S2T	802.11BE EHT80	119	6545	MCS0	Full	Sample 1
Mode 105	U-NII-5	6425-6875	TxBF 1S2T	802.11BE EHT160	111	6505	MCS0	Full	Sample 1
Mode 106	U-NII-5	6525-7125	TxBF 1S2T	802.11BE EHT20	185	6875	MCS0	Full	Sample 1
Mode 107	U-NII-8	6525-7125	TxBF 1S2T	802.11BE EHT40	187	6885	MCS0	Full	Sample 1
Mode 108	U-NII-8	6525-7125	TxBF 1S2T	802.11BE EHT80	183	6865	MCS0	Full	Sample 1
Mode 109	U-NII-8	6525-7125	TxBF 1S2T	802.11BE EHT160	175	6825	MCS0	Full	Sample 1
Mode 110	U-NII-8	5925-6525	TxBF 1S2T	802.11BE EHT320	95	6425	MCS0	Full	Sample 1
Mode 111	U-NII-8	6425-6875	TxBF 1S2T	802.11BE EHT320	127	6585	MCS0	Full	Sample 1
Mode 112	U-NII-8	6525-7125	TxBF 1S2T	802.11BE EHT320	159	6745	MCS0	Full	Sample 1
Mode 113	U-NII-5	6525-7125	TxBF 1S2T	802.11BE EHT320	191	6905	MCS0	Full	Sample 1



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
63	802.11BE EHT20	1	5923.48	45.60	68.20	-22.60	H	AVERAGE	Pass	Band Edge
63	802.11BE EHT20	1	11910.00	50.25	54.00	-3.75	H	AVERAGE	Pass	Harmonic
64	802.11BE EHT20	45	-	-	-	-	-	-	-	Band Edge
64	802.11BE EHT20	45	12350.00	47.52	54.00	-6.48	V	AVERAGE	Pass	Harmonic
65	802.11BE EHT20	93	-	-	-	-	-	-	-	Band Edge
65	802.11BE EHT20	93	12830.00	49.23	88.20	-38.97	V	PEAK	Pass	Harmonic
66	802.11BE EHT40	3	5924.20	53.72	68.20	-14.48	V	AVERAGE	Pass	Band Edge
66	802.11BE EHT40	3	11930.00	49.29	54.00	-4.71	H	AVERAGE	Pass	Harmonic
67	802.11BE EHT40	43	-	-	-	-	-	-	-	Band Edge
67	802.11BE EHT40	43	12330.00	49.53	54.00	-4.47	V	AVERAGE	Pass	Harmonic
68	802.11BE EHT40	91	-	-	-	-	-	-	-	Band Edge
68	802.11BE EHT40	91	12810.00	47.83	88.20	-40.37	H	PEAK	Pass	Harmonic
69	802.11BE EHT80	7	5920.74	66.68	68.20	-1.52	H	AVERAGE	Pass	Band Edge
69	802.11BE EHT80	7	11970.00	44.43	54.00	-9.57	H	AVERAGE	Pass	Harmonic
70	802.11BE EHT80	39	-	-	-	-	-	-	-	Band Edge
70	802.11BE EHT80	39	12290.00	50.89	54.00	-3.11	V	AVERAGE	Pass	Harmonic
71	802.11BE EHT80	87	-	-	-	-	-	-	-	Band Edge
71	802.11BE EHT80	87	12770.00	47.07	88.20	-41.13	H	PEAK	Pass	Harmonic
72	802.11BE EHT160	15	5924.70	67.27	68.20	-0.93	H	AVERAGE	Pass	Band Edge
72	802.11BE EHT160	15	12050.00	44.86	54.00	-9.14	H	AVERAGE	Pass	Harmonic
73	802.11BE EHT160	47	-	-	-	-	-	-	-	Band Edge
73	802.11BE EHT160	47	12370.00	45.88	54.00	-8.12	V	AVERAGE	Pass	Harmonic
74	802.11BE EHT160	79	-	-	-	-	-	-	-	Band Edge
74	802.11BE EHT160	79	12690.00	39.53	54.00	-14.47	V	AVERAGE	Pass	Harmonic
75	802.11BE EHT320	31	5917.32	63.99	68.20	-4.21	H	AVERAGE	Pass	Band Edge
75	802.11BE EHT320	31	12210.00	43.44	54.00	-10.56	H	AVERAGE	Pass	Harmonic
76	802.11BE EHT320	63	-	-	-	-	-	-	-	Band Edge
76	802.11BE EHT320	63	12530.00	37.81	54.00	-16.19	V	AVERAGE	Pass	Harmonic
77	802.11BE EHT20	97	-	-	-	-	-	-	-	Band Edge
77	802.11BE EHT20	97	12870.00	47.24	88.20	-40.96	H	PEAK	Pass	Harmonic
78	802.11BE EHT20	105	-	-	-	-	-	-	-	Band Edge
78	802.11BE EHT20	105	12950.00	53.54	88.20	-34.66	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
79	802.11BE EHT20	113	-	-	-	-	-	-	-	Band Edge
79	802.11BE EHT20	113	13030.00	51.59	88.20	-36.61	H	PEAK	Pass	Harmonic
80	802.11BE EHT40	99	-	-	-	-	-	-	-	Band Edge
80	802.11BE EHT40	99	12890.00	49.19	88.20	-39.01	H	PEAK	Pass	Harmonic
81	802.11BE EHT40	107	-	-	-	-	-	-	-	Band Edge
81	802.11BE EHT40	107	12970.00	52.16	88.20	-36.04	H	PEAK	Pass	Harmonic
82	802.11BE EHT80	103	-	-	-	-	-	-	-	Band Edge
82	802.11BE EHT80	103	12930.00	50.09	88.20	-38.11	V	PEAK	Pass	Harmonic
83	802.11BE EHT20	117	-	-	-	-	-	-	-	Band Edge
83	802.11BE EHT20	117	13070.00	52.99	88.20	-35.21	H	PEAK	Pass	Harmonic
84	802.11BE EHT20	149	-	-	-	-	-	-	-	Band Edge
84	802.11BE EHT20	149	13390.00	42.50	54.00	-11.50	H	AVERAGE	Pass	Harmonic
85	802.11BE EHT20	181	-	-	-	-	-	-	-	Band Edge
85	802.11BE EHT20	181	13710.00	48.73	88.20	-39.47	V	PEAK	Pass	Harmonic
86	802.11BE EHT40	123	-	-	-	-	-	-	-	Band Edge
86	802.11BE EHT40	123	13130.00	51.20	88.20	-37.00	V	PEAK	Pass	Harmonic
87	802.11BE EHT40	147	-	-	-	-	-	-	-	Band Edge
87	802.11BE EHT40	147	13370.00	42.57	54.00	-11.43	H	AVERAGE	Pass	Harmonic
88	802.11BE EHT40	179	-	-	-	-	-	-	-	Band Edge
88	802.11BE EHT40	179	13690.00	47.78	88.20	-40.42	V	PEAK	Pass	Harmonic
89	802.11BE EHT80	135	-	-	-	-	-	-	-	Band Edge
89	802.11BE EHT80	135	13250.00	40.79	54.00	-13.21	H	AVERAGE	Pass	Harmonic
90	802.11BE EHT80	151	-	-	-	-	-	-	-	Band Edge
90	802.11BE EHT80	151	13410.00	48.81	88.20	-39.39	V	PEAK	Pass	Harmonic
91	802.11BE EHT80	167	-	-	-	-	-	-	-	Band Edge
91	802.11BE EHT80	167	13570.00	47.00	88.20	-41.20	V	PEAK	Pass	Harmonic
92	802.11BE EHT160	143	-	-	-	-	-	-	-	Band Edge
92	802.11BE EHT160	143	13330.00	38.98	54.00	-15.02	H	AVERAGE	Pass	Harmonic
93	802.11BE EHT20	189	-	-	-	-	-	-	-	Band Edge
93	802.11BE EHT20	189	13790.00	47.63	88.20	-40.57	V	PEAK	Pass	Harmonic
94	802.11BE EHT20	209	-	-	-	-	-	-	-	Band Edge
94	802.11BE EHT20	209	13990.00	47.10	88.20	-41.10	V	PEAK	Pass	Harmonic
95	802.11BE EHT20	229	7128.12	48.15	68.20	-20.05	V	AVERAGE	Pass	Band Edge
95	802.11BE EHT20	229	14190.00	47.61	88.20	-40.59	V	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
96	802.11BE EHT20	233	7125	67.59	68.20	-0.61	H	AVERAGE	Pass	Band Edge
96	802.11BE EHT20	233	14230.00	47.45	88.20	-40.75	H	PEAK	Pass	Harmonic
97	802.11BE EHT40	195	-	-	-	-	-	-	-	Band Edge
97	802.11BE EHT40	195	13850.00	46.82	88.20	-41.38	H	PEAK	Pass	Harmonic
98	802.11BE EHT40	211	-	-	-	-	-	-	-	Band Edge
98	802.11BE EHT40	211	14010.00	46.74	88.20	-41.46	H	PEAK	Pass	Harmonic
99	802.11BE EHT40	227	7125.00	52.08	68.20	-16.12	V	AVERAGE	Pass	Band Edge
99	802.11BE EHT40	227	14170.00	47.55	88.20	-40.65	V	PEAK	Pass	Harmonic
100	802.11BE EHT80	199	-	-	-	-	-	-	-	Band Edge
100	802.11BE EHT80	199	13890.00	46.41	88.20	-41.79	V	PEAK	Pass	Harmonic
101	802.11BE EHT80	215	7125.59	62.27	68.20	-5.93	V	AVERAGE	Pass	Band Edge
101	802.11BE EHT80	215	14050.00	46.66	88.20	-41.54	H	PEAK	Pass	Harmonic
102	802.11BE EHT160	207	7125.97	59.82	68.20	-8.38	H	AVERAGE	Pass	Band Edge
102	802.11BE EHT160	207	13970.00	48.76	88.20	-39.44	V	PEAK	Pass	Harmonic
103	802.11BE EHT40	115	-	-	-	-	-	-	-	Band Edge
103	802.11BE EHT40	115	13050.00	50.16	88.20	-38.04	H	PEAK	Pass	Harmonic
104	802.11BE EHT80	119	-	-	-	-	-	-	-	Band Edge
104	802.11BE EHT80	119	13090.00	52.22	88.20	-35.98	V	PEAK	Pass	Harmonic
105	802.11BE EHT160	111	-	-	-	-	-	-	-	Band Edge
105	802.11BE EHT160	111	13010.00	51.75	88.20	-36.45	V	PEAK	Pass	Harmonic
106	802.11BE EHT20	185	-	-	-	-	-	-	-	Band Edge
106	802.11BE EHT20	185	13750.00	47.93	88.20	-40.27	V	PEAK	Pass	Harmonic
107	802.11BE EHT40	187	-	-	-	-	-	-	-	Band Edge
107	802.11BE EHT40	187	13770.00	47.76	88.20	-40.44	V	PEAK	Pass	Harmonic
108	802.11BE EHT80	183	-	-	-	-	-	-	-	Band Edge
108	802.11BE EHT80	183	13730.00	49.33	88.20	-38.87	V	PEAK	Pass	Harmonic
109	802.11BE EHT160	175	-	-	-	-	-	-	-	Band Edge
109	802.11BE EHT160	175	13650.00	50.79	88.20	-37.41	V	PEAK	Pass	Harmonic
110	802.11BE EHT320	95	-	-	-	-	-	-	-	Band Edge
110	802.11BE EHT320	95	12850.00	49.14	88.20	-39.06	V	PEAK	Pass	Harmonic
111	802.11BE EHT320	127	-	-	-	-	-	-	-	Band Edge
111	802.11BE EHT320	127	13170.00	47.85	88.20	-40.35	V	PEAK	Pass	Harmonic
112	802.11BE EHT320	159	-	-	-	-	-	-	-	Band Edge
112	802.11BE EHT320	159	13490.00	49.34	88.20	-38.86	V	PEAK	Pass	Harmonic
113	802.11BE EHT320	191	7250.12	52.92	54.00	-1.08	H	AVERAGE	Pass	Band Edge
113	802.11BE EHT320	191	13810.00	46.86	88.20	-41.34	V	PEAK	Pass	Harmonic





Radiated Spurious Emission Test plots

		63																																																																																																
Mode		Band Edge																																																																																																
		U-NII-5_5925-6425_802.11BE EHT20_CH1_Full_5955MHz																																																																																																
ANT		TxBF 1S2T																																																																																																
Pol.		Horizontal						Fundamental																																																																																										
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.12</td><td>58.07</td><td>88.20</td><td>-30.13</td><td>50.57</td><td>35.34</td><td>11.39</td><td>39.23</td><td>0.00</td><td>285</td><td>74</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.12	58.07	88.20	-30.13	50.57	35.34	11.39	39.23	0.00	285	74	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.79</td><td>-----</td><td>-----</td><td>105.01</td><td>35.49</td><td>11.44</td><td>39.15</td><td>0.00</td><td>285</td><td>74</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.79	-----	-----	105.01	35.49	11.44	39.15	0.00	285	74
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5914.12	58.07	88.20	-30.13	50.57	35.34	11.39	39.23	0.00	285	74	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	112.79	-----	-----	105.01	35.49	11.44	39.15	0.00	285	74	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.48</td><td>45.60</td><td>68.20</td><td>-22.60</td><td>38.05</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>285</td><td>74</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.48	45.60	68.20	-22.60	38.05	35.37	11.40	39.22	0.00	285	74	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.83</td><td>-----</td><td>-----</td><td>96.05</td><td>35.49</td><td>11.44</td><td>39.15</td><td>0.00</td><td>285</td><td>74</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.83	-----	-----	96.05	35.49	11.44	39.15	0.00	285	74
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.48	45.60	68.20	-22.60	38.05	35.37	11.40	39.22	0.00	285	74	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	103.83	-----	-----	96.05	35.49	11.44	39.15	0.00	285	74	AVERAGE																																																																																						





Mode	63																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5925-6425_802.11BE EHT20_CH1_Full_5955MHz																																																																																																														
ANT	TxBF 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5827.80</td><td>56.95</td><td>88.20</td><td>-31.25</td><td>49.32</td><td>35.23</td><td>11.31</td><td>38.91</td><td>0.00</td><td>300</td><td>238</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5827.80	56.95	88.20	-31.25	49.32	35.23	11.31	38.91	0.00	300	238	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.71</td><td>-----</td><td>-----</td><td>101.03</td><td>35.44</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300</td><td>238</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.71	-----	-----	101.03	35.44	11.42	39.18	0.00	300	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5827.80	56.95	88.20	-31.25	49.32	35.23	11.31	38.91	0.00	300	238	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	108.71	-----	-----	101.03	35.44	11.42	39.18	0.00	300	238	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.65</td><td>44.70</td><td>68.20</td><td>-23.50</td><td>37.15</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>238</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.65	44.70	68.20	-23.50	37.15	35.37	11.40	39.22	0.00	300	238	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>97.99</td><td>-----</td><td>-----</td><td>90.31</td><td>35.44</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300</td><td>238</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	97.99	-----	-----	90.31	35.44	11.42	39.18	0.00	300	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.65	44.70	68.20	-23.50	37.15	35.37	11.40	39.22	0.00	300	238	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	97.99	-----	-----	90.31	35.44	11.42	39.18	0.00	300	238	AVERAGE																																																																																																			





Mode	63																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5925-6425_802.11BE EHT20_CH1_Full_5955MHz																																																																																																																													
ANT	TxBF 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>61.86</td><td>74.00</td><td>-12.14</td><td>72.77</td><td>38.80</td><td>16.62</td><td>66.33</td><td>0.00</td><td>112</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>50.25</td><td>54.00</td><td>-3.75</td><td>61.16</td><td>38.80</td><td>16.62</td><td>66.33</td><td>0.00</td><td>112</td><td>328</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	61.86	74.00	-12.14	72.77	38.80	16.62	66.33	0.00	112	328	PEAK	2	11910.00	50.25	54.00	-3.75	61.16	38.80	16.62	66.33	0.00	112	328	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>59.86</td><td>74.00</td><td>-14.14</td><td>70.77</td><td>38.80</td><td>16.62</td><td>66.33</td><td>0.00</td><td>172</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>58.98</td><td>38.80</td><td>16.62</td><td>66.33</td><td>0.00</td><td>172</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	59.86	74.00	-14.14	70.77	38.80	16.62	66.33	0.00	172	0	PEAK	2	11910.00	48.07	54.00	-5.93	58.98	38.80	16.62	66.33	0.00	172	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11910.00	61.86	74.00	-12.14	72.77	38.80	16.62	66.33	0.00	112	328	PEAK																																																																																																																		
2	11910.00	50.25	54.00	-3.75	61.16	38.80	16.62	66.33	0.00	112	328	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11910.00	59.86	74.00	-14.14	70.77	38.80	16.62	66.33	0.00	172	0	PEAK																																																																																																																		
2	11910.00	48.07	54.00	-5.93	58.98	38.80	16.62	66.33	0.00	172	0	AVERAGE																																																																																																																		







Mode	64																																																																		
	Harmonic																																																																		
	U-NII-5_5925-6425_802.11BE EHT20_CH45_Full_6175MHz																																																																		
ANT	TxBF 1S2T																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>57.03</td><td>74.00</td><td>-16.97</td><td>67.07</td><td>39.04</td><td>16.91</td><td>65.99</td><td>0.00</td><td>105</td><td>5 PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>44.87</td><td>54.00</td><td>-9.13</td><td>54.93</td><td>39.04</td><td>16.90</td><td>66.00</td><td>0.00</td><td>105</td><td>5 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	57.03	74.00	-16.97	67.07	39.04	16.91	65.99	0.00	105	5 PEAK	2	12350.00	44.87	54.00	-9.13	54.93	39.04	16.90	66.00	0.00	105	5 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12350.00	57.03	74.00	-16.97	67.07	39.04	16.91	65.99	0.00	105	5 PEAK																																																								
2	12350.00	44.87	54.00	-9.13	54.93	39.04	16.90	66.00	0.00	105	5 AVERAGE																																																								
 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>59.93</td><td>74.00</td><td>-14.07</td><td>69.97</td><td>39.04</td><td>16.91</td><td>65.99</td><td>0.00</td><td>233</td><td>2 PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>47.52</td><td>54.00</td><td>-6.48</td><td>57.56</td><td>39.04</td><td>16.91</td><td>65.99</td><td>0.00</td><td>233</td><td>2 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	59.93	74.00	-14.07	69.97	39.04	16.91	65.99	0.00	233	2 PEAK	2	12350.00	47.52	54.00	-6.48	57.56	39.04	16.91	65.99	0.00	233	2 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12350.00	59.93	74.00	-14.07	69.97	39.04	16.91	65.99	0.00	233	2 PEAK																																																								
2	12350.00	47.52	54.00	-6.48	57.56	39.04	16.91	65.99	0.00	233	2 AVERAGE																																																								







Mode	65																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5925-6425_802.11BE EHT20_CH93_Full_6415MHz																																																																																																		
ANT	TxBF 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.25</td><td>88.20</td><td>-39.95</td><td>57.33</td><td>39.23</td><td>17.22</td><td>65.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	48.25	88.20	-39.95	57.33	39.23	17.22	65.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>49.23</td><td>88.20</td><td>-38.97</td><td>58.31</td><td>39.23</td><td>17.22</td><td>65.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	49.23	88.20	-38.97	58.31	39.23	17.22	65.53	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12830.00	48.25	88.20	-39.95	57.33	39.23	17.22	65.53	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12830.00	49.23	88.20	-38.97	58.31	39.23	17.22	65.53	0.00	---	---	PEAK																																																																																							





Mode	66																																																																																																															
	Band Edge																																																																																																															
	U-NII-5_5925-6425_802.11BE EHT40_CH3_Full_5965MHz																																																																																																															
ANT	TxBF 1S2T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.42</td><td>67.95</td><td>88.20</td><td>-20.25</td><td>60.41</td><td>35.36</td><td>11.40</td><td>39.22</td><td>0.00</td><td>206</td><td>67</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.42	67.95	88.20	-20.25	60.41	35.36	11.40	39.22	0.00	206	67	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>111.27</td><td>-----</td><td>-----</td><td>103.54</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>206</td><td>67</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	111.27	-----	-----	103.54	35.47	11.43	39.17	0.00	206	67
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5920.42	67.95	88.20	-20.25	60.41	35.36	11.40	39.22	0.00	206	67	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5965.00	111.27	-----	-----	103.54	35.47	11.43	39.17	0.00	206	67	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>52.64</td><td>68.20</td><td>-15.56</td><td>45.00</td><td>35.38</td><td>11.40</td><td>39.22</td><td>0.00</td><td>206</td><td>67</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	52.64	68.20	-15.56	45.00	35.38	11.40	39.22	0.00	206	67	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>100.71</td><td>-----</td><td>-----</td><td>92.98</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>206</td><td>67</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	100.71	-----	-----	92.98	35.47	11.43	39.17	0.00	206	67
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5925.00	52.64	68.20	-15.56	45.00	35.38	11.40	39.22	0.00	206	67	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5965.00	100.71	-----	-----	92.98	35.47	11.43	39.17	0.00	206	67	AVERAGE																																																																																																				





Mode	66																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5925-6425_802.11BE EHT40_CH3_Full_5965MHz																																																																																																		
ANT	TxBF 1S2T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.20</td><td>70.42</td><td>88.20</td><td>-17.78</td><td>62.91</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>274</td><td>188</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.20	70.42	88.20	-17.78	62.91	35.35	11.39	39.23	0.00	274	188	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.75</td><td>-----</td><td>-----</td><td>98.02</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>274</td><td>188</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.75	-----	-----	98.02	35.47	11.43	39.17	0.00	274	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5917.20	70.42	88.20	-17.78	62.91	35.35	11.39	39.23	0.00	274	188	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	105.75	-----	-----	98.02	35.47	11.43	39.17	0.00	274	188	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.20</td><td>53.72</td><td>68.20</td><td>-14.48</td><td>46.17</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>274</td><td>188</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.20	53.72	68.20	-14.48	46.17	35.37	11.40	39.22	0.00	274	188	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>94.85</td><td>-----</td><td>-----</td><td>87.12</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>274</td><td>188</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	94.85	-----	-----	87.12	35.47	11.43	39.17	0.00	274	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.20	53.72	68.20	-14.48	46.17	35.37	11.40	39.22	0.00	274	188	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	94.85	-----	-----	87.12	35.47	11.43	39.17	0.00	274	188	AVERAGE																																																																																							





Mode	66																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5925-6425_802.11BE EHT40_CH3_Full_5965MHz																																																																																																																									
ANT	TxBF 1S2T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>58.57</td><td>74.00</td><td>-15.43</td><td>69.45</td><td>38.82</td><td>16.63</td><td>66.33</td><td>0.00</td><td>113</td><td>9 PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>49.29</td><td>54.00</td><td>-4.71</td><td>60.17</td><td>38.82</td><td>16.63</td><td>66.33</td><td>0.00</td><td>113</td><td>9 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	58.57	74.00	-15.43	69.45	38.82	16.63	66.33	0.00	113	9 PEAK	2	11930.00	49.29	54.00	-4.71	60.17	38.82	16.63	66.33	0.00	113	9 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>58.95</td><td>74.00</td><td>-15.05</td><td>69.83</td><td>38.82</td><td>16.63</td><td>66.33</td><td>0.00</td><td>169</td><td>358 PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>47.44</td><td>54.00</td><td>-6.56</td><td>58.35</td><td>38.80</td><td>16.62</td><td>66.33</td><td>0.00</td><td>169</td><td>358 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	58.95	74.00	-15.05	69.83	38.82	16.63	66.33	0.00	169	358 PEAK	2	11930.00	47.44	54.00	-6.56	58.35	38.80	16.62	66.33	0.00	169	358 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11930.00	58.57	74.00	-15.43	69.45	38.82	16.63	66.33	0.00	113	9 PEAK																																																																																																															
2	11930.00	49.29	54.00	-4.71	60.17	38.82	16.63	66.33	0.00	113	9 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11930.00	58.95	74.00	-15.05	69.83	38.82	16.63	66.33	0.00	169	358 PEAK																																																																																																															
2	11930.00	47.44	54.00	-6.56	58.35	38.80	16.62	66.33	0.00	169	358 AVERAGE																																																																																																															







		67																																																																																																																																												
Mode		Harmonic																																																																																																																																												
		U-NII-5_5925-6425_802.11BE EHT40_CH43_Full_6165MHz																																																																																																																																												
ANT		TxBF 1S2T																																																																																																																																												
Pol.		Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>59.04</td><td>74.00</td><td>-14.96</td><td>69.12</td><td>39.03</td><td>16.90</td><td>66.01</td><td>0.00</td><td>116</td><td>9</td><td>PEAK</td></tr><tr><td>2</td><td>12330.00</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>56.14</td><td>39.03</td><td>16.89</td><td>66.03</td><td>0.00</td><td>116</td><td>9</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	59.04	74.00	-14.96	69.12	39.03	16.90	66.01	0.00	116	9	PEAK	2	12330.00	46.03	54.00	-7.97	56.14	39.03	16.89	66.03	0.00	116	9	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>59.37</td><td>74.00</td><td>-14.63</td><td>69.45</td><td>39.03</td><td>16.90</td><td>66.01</td><td>0.00</td><td>243</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12330.00</td><td>49.53</td><td>54.00</td><td>-4.47</td><td>59.62</td><td>39.03</td><td>16.89</td><td>66.01</td><td>0.00</td><td>243</td><td>360</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	59.37	74.00	-14.63	69.45	39.03	16.90	66.01	0.00	243	360	PEAK	2	12330.00	49.53	54.00	-4.47	59.62	39.03	16.89	66.01	0.00	243	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12330.00	59.04	74.00	-14.96	69.12	39.03	16.90	66.01	0.00	116	9	PEAK																																																																																																																																		
2	12330.00	46.03	54.00	-7.97	56.14	39.03	16.89	66.03	0.00	116	9	AVERAGE																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12330.00	59.37	74.00	-14.63	69.45	39.03	16.90	66.01	0.00	243	360	PEAK																																																																																																																																		
2	12330.00	49.53	54.00	-4.47	59.62	39.03	16.89	66.01	0.00	243	360	AVERAGE																																																																																																																																		







Mode	68																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11BE EHT40_CH91_Full_6405MHz																																																																																																									
ANT	TxBF 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12810.00</td><td>47.83</td><td>88.20</td><td>-40.37</td><td>56.95</td><td>39.22</td><td>17.21</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12810.00	47.83	88.20	-40.37	56.95	39.22	17.21	65.55	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12810.00</td><td>47.71</td><td>88.20</td><td>-40.49</td><td>56.83</td><td>39.22</td><td>17.21</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12810.00	47.71	88.20	-40.49	56.83	39.22	17.21	65.55	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12810.00	47.83	88.20	-40.37	56.95	39.22	17.21	65.55	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12810.00	47.71	88.20	-40.49	56.83	39.22	17.21	65.55	0.00	---	---	PEAK																																																																																															





Mode	69																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5925-6425_802.11BE EHT80_CH7_Full_5985MHz																																																																																																														
ANT	TxBF 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.13</td><td>83.70</td><td>88.20</td><td>-4.50</td><td>76.15</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>247</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.13	83.70	88.20	-4.50	76.15	35.37	11.40	39.22	0.00	247	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>109.57</td><td>-----</td><td>-----</td><td>101.79</td><td>35.49</td><td>11.44</td><td>39.15</td><td>0.00</td><td>247</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	109.57	-----	-----	101.79	35.49	11.44	39.15	0.00	247	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.13	83.70	88.20	-4.50	76.15	35.37	11.40	39.22	0.00	247	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5985.00	109.57	-----	-----	101.79	35.49	11.44	39.15	0.00	247	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.74</td><td>66.68</td><td>68.20</td><td>-1.52</td><td>59.14</td><td>35.36</td><td>11.40</td><td>39.22</td><td>0.00</td><td>247</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.74	66.68	68.20	-1.52	59.14	35.36	11.40	39.22	0.00	247	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>90.25</td><td>-----</td><td>-----</td><td>90.42</td><td>35.52</td><td>11.45</td><td>39.14</td><td>0.00</td><td>247</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	90.25	-----	-----	90.42	35.52	11.45	39.14	0.00	247	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5920.74	66.68	68.20	-1.52	59.14	35.36	11.40	39.22	0.00	247	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5985.00	90.25	-----	-----	90.42	35.52	11.45	39.14	0.00	247	360	AVERAGE																																																																																																			





		69																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-5_5925-6425_802.11BE EHT80_CH7_Full_5985MHz																																																																																																													
ANT		TxBF 1S2T																																																																																																													
Pol.		Vertical											Fundamental																																																																																																		
Peak																																																																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5915.17</td><td>78.13</td><td>88.20</td><td>-10.07</td><td>70.62</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>281</td><td>225</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.17	78.13	88.20	-10.07	70.62	35.35	11.39	39.23	0.00	281	225	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>109.45</td><td>-----</td><td>-----</td><td>101.53</td><td>35.57</td><td>11.46</td><td>39.11</td><td>0.00</td><td>281</td><td>225</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5985.00	109.45	-----	-----	101.53	35.57	11.46	39.11	0.00	281	225
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5915.17	78.13	88.20	-10.07	70.62	35.35	11.39	39.23	0.00	281	225	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5985.00	109.45	-----	-----	101.53	35.57	11.46	39.11	0.00	281	225	PEAK																																																																																																			
Avg																																																																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.13</td><td>65.82</td><td>68.20</td><td>-2.38</td><td>58.27</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>281</td><td>225</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.13	65.82	68.20	-2.38	58.27	35.37	11.40	39.22	0.00	281	225	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>98.55</td><td>-----</td><td>-----</td><td>90.63</td><td>35.57</td><td>11.46</td><td>39.11</td><td>0.00</td><td>281</td><td>225</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5985.00	98.55	-----	-----	90.63	35.57	11.46	39.11	0.00	281	225
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.13	65.82	68.20	-2.38	58.27	35.37	11.40	39.22	0.00	281	225	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5985.00	98.55	-----	-----	90.63	35.57	11.46	39.11	0.00	281	225	AVERAGE																																																																																																			





Mode	69																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-5_5925-6425_802.11BE EHT80_CH7_Full_5985MHz																																																																																																																																											
ANT	TxBF 1S2T																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11970.00</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>66.39</td><td>38.87</td><td>16.66</td><td>66.33</td><td>0.00</td><td>107</td><td>223</td><td>PEAK</td><td></td></tr><tr><td>2 11970.00</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>55.23</td><td>38.87</td><td>16.66</td><td>66.33</td><td>0.00</td><td>107</td><td>223</td><td>AVERAGE</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11970.00	55.59	74.00	-18.41	66.39	38.87	16.66	66.33	0.00	107	223	PEAK		2 11970.00	44.43	54.00	-9.57	55.23	38.87	16.66	66.33	0.00	107	223	AVERAGE		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11970.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>62.45</td><td>38.87</td><td>16.66</td><td>66.33</td><td>0.00</td><td>207</td><td>0</td><td>PEAK</td><td></td></tr><tr><td>2 11970.00</td><td>42.54</td><td>54.00</td><td>-11.46</td><td>53.34</td><td>38.87</td><td>16.66</td><td>66.33</td><td>0.00</td><td>207</td><td>0</td><td>AVERAGE</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11970.00	51.65	74.00	-22.35	62.45	38.87	16.66	66.33	0.00	207	0	PEAK		2 11970.00	42.54	54.00	-11.46	53.34	38.87	16.66	66.33	0.00	207	0	AVERAGE	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 11970.00	55.59	74.00	-18.41	66.39	38.87	16.66	66.33	0.00	107	223	PEAK																																																																																																																																	
2 11970.00	44.43	54.00	-9.57	55.23	38.87	16.66	66.33	0.00	107	223	AVERAGE																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 11970.00	51.65	74.00	-22.35	62.45	38.87	16.66	66.33	0.00	207	0	PEAK																																																																																																																																	
2 11970.00	42.54	54.00	-11.46	53.34	38.87	16.66	66.33	0.00	207	0	AVERAGE																																																																																																																																	







Mode	70																																																																				
	Harmonic																																																																				
	U-NII-5_5925-6425_802.11BE EHT80_CH39_Full_6145MHz																																																																				
ANT	TxBF 1S2T																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>59.17</td><td>74.00</td><td>-14.83</td><td>69.33</td><td>39.02</td><td>16.87</td><td>66.05</td><td>0.00</td><td>114</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12290.00</td><td>49.55</td><td>54.00</td><td>-4.45</td><td>59.77</td><td>39.01</td><td>16.85</td><td>66.08</td><td>0.00</td><td>114</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	59.17	74.00	-14.83	69.33	39.02	16.87	66.05	0.00	114	360	PEAK	2	12290.00	49.55	54.00	-4.45	59.77	39.01	16.85	66.08	0.00	114	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12290.00	59.17	74.00	-14.83	69.33	39.02	16.87	66.05	0.00	114	360	PEAK																																																									
2	12290.00	49.55	54.00	-4.45	59.77	39.01	16.85	66.08	0.00	114	360	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>61.25</td><td>74.00</td><td>-12.75</td><td>71.41</td><td>39.02</td><td>16.87</td><td>66.05</td><td>0.00</td><td>248</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>12290.00</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>61.08</td><td>39.01</td><td>16.86</td><td>66.06</td><td>0.00</td><td>248</td><td>359</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	61.25	74.00	-12.75	71.41	39.02	16.87	66.05	0.00	248	359	PEAK	2	12290.00	50.89	54.00	-3.11	61.08	39.01	16.86	66.06	0.00	248	359	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12290.00	61.25	74.00	-12.75	71.41	39.02	16.87	66.05	0.00	248	359	PEAK																																																									
2	12290.00	50.89	54.00	-3.11	61.08	39.01	16.86	66.06	0.00	248	359	AVERAGE																																																									







Mode	71																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5925-6425_802.11BE EHT80_CH87_Full_6385MHz																																																																																																		
ANT	TxBF 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>56.27</td><td>39.21</td><td>17.18</td><td>65.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.07	88.20	-41.13	56.27	39.21	17.18	65.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>46.83</td><td>88.20</td><td>-41.37</td><td>56.03</td><td>39.21</td><td>17.18</td><td>65.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	46.83	88.20	-41.37	56.03	39.21	17.18	65.59	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12770.00	47.07	88.20	-41.13	56.27	39.21	17.18	65.59	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12770.00	46.83	88.20	-41.37	56.03	39.21	17.18	65.59	0.00	---	---	PEAK																																																																																							





Mode	72																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5925-6425_802.11BE EHT160_CH15_Full_6025MHz																																																																																																														
ANT	TxBF 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5900.10</td><td>83.36</td><td>88.20</td><td>-4.84</td><td>75.94</td><td>35.30</td><td>11.38</td><td>39.26</td><td>0.00</td><td>260</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5900.10	83.36	88.20	-4.84	75.94	35.30	11.38	39.26	0.00	260	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>110.62</td><td>-----</td><td>-----</td><td>102.51</td><td>35.60</td><td>11.51</td><td>39.00</td><td>0.00</td><td>260</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	110.62	-----	-----	102.51	35.60	11.51	39.00	0.00	260	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5900.10	83.36	88.20	-4.84	75.94	35.30	11.38	39.26	0.00	260	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	110.62	-----	-----	102.51	35.60	11.51	39.00	0.00	260	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.70</td><td>67.27</td><td>68.20</td><td>-0.93</td><td>59.72</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>260</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.70	67.27	68.20	-0.93	59.72	35.37	11.40	39.22	0.00	260	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>99.65</td><td>-----</td><td>-----</td><td>91.57</td><td>35.60</td><td>11.50</td><td>39.02</td><td>0.00</td><td>260</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.65	-----	-----	91.57	35.60	11.50	39.02	0.00	260	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.70	67.27	68.20	-0.93	59.72	35.37	11.40	39.22	0.00	260	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	99.65	-----	-----	91.57	35.60	11.50	39.02	0.00	260	360	AVERAGE																																																																																																			





	72																																																						
Mode	Band Edge																																																						
	U-NII-5_5925-6425_802.11BE EHT160_CH15_Full_6025MHz																																																						
ANT	TxBF 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.50</td><td>75.88</td><td>88.20</td><td>-12.32</td><td>68.38</td><td>35.34</td><td>11.39</td><td>39.23</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.50	75.88	88.20	-12.32	68.38	35.34	11.39	39.23	0.00	100	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5914.50	75.88	88.20	-12.32	68.38	35.34	11.39	39.23	0.00	100	107	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>100.36</td><td>-----</td><td>-----</td><td>92.15</td><td>35.60</td><td>11.54</td><td>38.93</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.36	-----	-----	92.15	35.60	11.54	38.93	0.00	100	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6025.00	100.36	-----	-----	92.15	35.60	11.54	38.93	0.00	100	107	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.50</td><td>63.00</td><td>68.20</td><td>-5.12</td><td>55.53</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>107</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.50	63.00	68.20	-5.12	55.53	35.37	11.40	39.22	0.00	100	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.50	63.00	68.20	-5.12	55.53	35.37	11.40	39.22	0.00	100	107	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.59</td><td>-----</td><td>-----</td><td>82.38</td><td>35.60</td><td>11.54</td><td>38.93</td><td>0.00</td><td>100</td><td>107</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.59	-----	-----	82.38	35.60	11.54	38.93	0.00	100	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6025.00	90.59	-----	-----	82.38	35.60	11.54	38.93	0.00	100	107	AVERAGE																																											





Mode	72																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5925-6425_802.11BE EHT160_CH15_Full_6025MHz																																																																																																																													
ANT	TxBF 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>65.34</td><td>38.92</td><td>16.71</td><td>66.28</td><td>0.00</td><td>128</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>12050.00</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>55.51</td><td>38.92</td><td>16.71</td><td>66.28</td><td>0.00</td><td>128</td><td>352</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	54.69	74.00	-19.31	65.34	38.92	16.71	66.28	0.00	128	352	PEAK	2	12050.00	44.86	54.00	-9.14	55.51	38.92	16.71	66.28	0.00	128	352	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>50.77</td><td>74.00</td><td>-23.23</td><td>61.42</td><td>38.92</td><td>16.71</td><td>66.28</td><td>0.00</td><td>317</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>12050.00</td><td>40.09</td><td>54.00</td><td>-13.91</td><td>50.74</td><td>38.92</td><td>16.71</td><td>66.28</td><td>0.00</td><td>317</td><td>328</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	50.77	74.00	-23.23	61.42	38.92	16.71	66.28	0.00	317	328	PEAK	2	12050.00	40.09	54.00	-13.91	50.74	38.92	16.71	66.28	0.00	317	328	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12050.00	54.69	74.00	-19.31	65.34	38.92	16.71	66.28	0.00	128	352	PEAK																																																																																																																		
2	12050.00	44.86	54.00	-9.14	55.51	38.92	16.71	66.28	0.00	128	352	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12050.00	50.77	74.00	-23.23	61.42	38.92	16.71	66.28	0.00	317	328	PEAK																																																																																																																		
2	12050.00	40.09	54.00	-13.91	50.74	38.92	16.71	66.28	0.00	317	328	AVERAGE																																																																																																																		







Mode	73																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5925-6425_802.11BE EHT160_CH47_Full_6185MHz																																																																																																																													
ANT	TxBF 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>62.89</td><td>39.05</td><td>16.92</td><td>65.97</td><td>0.00</td><td>309</td><td>14</td><td>PEAK</td></tr><tr><td>2</td><td>12370.00</td><td>42.14</td><td>54.00</td><td>-11.86</td><td>52.23</td><td>39.03</td><td>16.89</td><td>66.01</td><td>0.00</td><td>309</td><td>14</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	52.89	74.00	-21.11	62.89	39.05	16.92	65.97	0.00	309	14	PEAK	2	12370.00	42.14	54.00	-11.86	52.23	39.03	16.89	66.01	0.00	309	14	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>55.38</td><td>74.00</td><td>-18.62</td><td>65.38</td><td>39.05</td><td>16.92</td><td>65.97</td><td>0.00</td><td>216</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>12370.00</td><td>45.88</td><td>54.00</td><td>-8.12</td><td>56.07</td><td>39.01</td><td>16.86</td><td>66.06</td><td>0.00</td><td>216</td><td>345</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	55.38	74.00	-18.62	65.38	39.05	16.92	65.97	0.00	216	345	PEAK	2	12370.00	45.88	54.00	-8.12	56.07	39.01	16.86	66.06	0.00	216	345	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12370.00	52.89	74.00	-21.11	62.89	39.05	16.92	65.97	0.00	309	14	PEAK																																																																																																																		
2	12370.00	42.14	54.00	-11.86	52.23	39.03	16.89	66.01	0.00	309	14	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12370.00	55.38	74.00	-18.62	65.38	39.05	16.92	65.97	0.00	216	345	PEAK																																																																																																																		
2	12370.00	45.88	54.00	-8.12	56.07	39.01	16.86	66.06	0.00	216	345	AVERAGE																																																																																																																		







Mode	74																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5925-6425_802.11BE EHT160_CH79_Full_6345MHz																																																																																																																													
ANT	TxBF 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>48.76</td><td>74.00</td><td>-25.24</td><td>58.11</td><td>39.18</td><td>17.13</td><td>65.66</td><td>0.00</td><td>120</td><td>355</td><td>PEAK</td></tr><tr><td>2</td><td>12690.00</td><td>37.69</td><td>54.00</td><td>-16.31</td><td>47.09</td><td>39.17</td><td>17.12</td><td>65.69</td><td>0.00</td><td>120</td><td>355</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	48.76	74.00	-25.24	58.11	39.18	17.13	65.66	0.00	120	355	PEAK	2	12690.00	37.69	54.00	-16.31	47.09	39.17	17.12	65.69	0.00	120	355	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>50.34</td><td>74.00</td><td>-23.66</td><td>59.69</td><td>39.18</td><td>17.13</td><td>65.66</td><td>0.00</td><td>241</td><td>11</td><td>PEAK</td></tr><tr><td>2</td><td>12690.00</td><td>39.53</td><td>54.00</td><td>-14.47</td><td>48.76</td><td>39.20</td><td>17.17</td><td>65.60</td><td>0.00</td><td>241</td><td>11</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	50.34	74.00	-23.66	59.69	39.18	17.13	65.66	0.00	241	11	PEAK	2	12690.00	39.53	54.00	-14.47	48.76	39.20	17.17	65.60	0.00	241	11	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12690.00	48.76	74.00	-25.24	58.11	39.18	17.13	65.66	0.00	120	355	PEAK																																																																																																																		
2	12690.00	37.69	54.00	-16.31	47.09	39.17	17.12	65.69	0.00	120	355	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12690.00	50.34	74.00	-23.66	59.69	39.18	17.13	65.66	0.00	241	11	PEAK																																																																																																																		
2	12690.00	39.53	54.00	-14.47	48.76	39.20	17.17	65.60	0.00	241	11	AVERAGE																																																																																																																		




		75																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-5_5925-6425_802.11BE EHT320_CH31_Full_6105MHz																																																																																																														
ANT	TxBF 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.26</td><td>79.09</td><td>88.20</td><td>-9.11</td><td>71.61</td><td>35.33</td><td>11.39</td><td>39.24</td><td>0.00</td><td>300</td><td>284</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.26	79.09	88.20	-9.11	71.61	35.33	11.39	39.24	0.00	300	284	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>101.71</td><td>-----</td><td>-----</td><td>93.69</td><td>35.60</td><td>11.48</td><td>39.06</td><td>0.00</td><td>300</td><td>284</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	101.71	-----	-----	93.69	35.60	11.48	39.06	0.00	300	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5911.26	79.09	88.20	-9.11	71.61	35.33	11.39	39.24	0.00	300	284	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	101.71	-----	-----	93.69	35.60	11.48	39.06	0.00	300	284	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.32</td><td>63.99</td><td>68.20</td><td>-4.21</td><td>56.48</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>300</td><td>284</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.32	63.99	68.20	-4.21	56.48	35.35	11.39	39.23	0.00	300	284	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>91.19</td><td>-----</td><td>-----</td><td>82.92</td><td>35.60</td><td>11.56</td><td>38.89</td><td>0.00</td><td>300</td><td>284</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	91.19	-----	-----	82.92	35.60	11.56	38.89	0.00	300	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5917.32	63.99	68.20	-4.21	56.48	35.35	11.39	39.23	0.00	300	284	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	91.19	-----	-----	82.92	35.60	11.56	38.89	0.00	300	284	AVERAGE																																																																																																			





Mode	75																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5925-6425_802.11BE EHT320_CH31_Full_6105MHz																																																																																																														
ANT	TxBF 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.30</td><td>70.23</td><td>88.20</td><td>-17.97</td><td>62.71</td><td>35.35</td><td>11.40</td><td>39.23</td><td>0.00</td><td>265</td><td>314</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.30	70.23	88.20	-17.97	62.71	35.35	11.40	39.23	0.00	265	314	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>101.84</td><td>-----</td><td>-----</td><td>93.32</td><td>35.60</td><td>11.64</td><td>38.72</td><td>0.00</td><td>265</td><td>314</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	101.84	-----	-----	93.32	35.60	11.64	38.72	0.00	265	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5918.30	70.23	88.20	-17.97	62.71	35.35	11.40	39.23	0.00	265	314	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	101.84	-----	-----	93.32	35.60	11.64	38.72	0.00	265	314	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.35</td><td>58.52</td><td>68.20</td><td>-9.68</td><td>51.01</td><td>35.35</td><td>11.39</td><td>39.23</td><td>0.00</td><td>265</td><td>314</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.35	58.52	68.20	-9.68	51.01	35.35	11.39	39.23	0.00	265	314	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>91.00</td><td>-----</td><td>-----</td><td>82.42</td><td>35.60</td><td>11.67</td><td>38.69</td><td>0.00</td><td>265</td><td>314</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	91.00	-----	-----	82.42	35.60	11.67	38.69	0.00	265	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5915.35	58.52	68.20	-9.68	51.01	35.35	11.39	39.23	0.00	265	314	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	91.00	-----	-----	82.42	35.60	11.67	38.69	0.00	265	314	AVERAGE																																																																																																			





Mode	75																																																															
	Harmonic																																																															
	U-NII-5_5925-6425_802.11BE EHT320_CH31_Full_6105MHz																																																															
ANT	TxBF 1S2T																																																															
Pol.	Horizontal							Vertical																																																								
Peak Avg																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12210.00</td><td>53.00</td><td>74.00</td><td>-21.00</td><td>63.33</td><td>38.98</td><td>16.82</td><td>66.13</td><td>0.00</td><td>101 12 PEAK</td></tr><tr><td>2 12210.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>53.77</td><td>38.98</td><td>16.82</td><td>66.13</td><td>0.00</td><td>101 12 AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12210.00	53.00	74.00	-21.00	63.33	38.98	16.82	66.13	0.00	101 12 PEAK	2 12210.00	43.44	54.00	-10.56	53.77	38.98	16.82	66.13	0.00	101 12 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1 12210.00	53.00	74.00	-21.00	63.33	38.98	16.82	66.13	0.00	101 12 PEAK																																																							
2 12210.00	43.44	54.00	-10.56	53.77	38.98	16.82	66.13	0.00	101 12 AVERAGE																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12210.00</td><td>56.11</td><td>74.00</td><td>-17.89</td><td>66.44</td><td>38.98</td><td>16.82</td><td>66.13</td><td>0.00</td><td>218 360 PEAK</td></tr><tr><td>2 12210.00</td><td>41.33</td><td>54.00</td><td>-12.67</td><td>51.64</td><td>38.99</td><td>16.82</td><td>66.12</td><td>0.00</td><td>218 360 AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12210.00	56.11	74.00	-17.89	66.44	38.98	16.82	66.13	0.00	218 360 PEAK	2 12210.00	41.33	54.00	-12.67	51.64	38.99	16.82	66.12	0.00	218 360 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1 12210.00	56.11	74.00	-17.89	66.44	38.98	16.82	66.13	0.00	218 360 PEAK																																																							
2 12210.00	41.33	54.00	-12.67	51.64	38.99	16.82	66.12	0.00	218 360 AVERAGE																																																							





Mode	76																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5925-6425_802.11BE EHT320_CH63_Full_6265MHz																																																																																																																								
ANT	TxBF 1S2T																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>56.74</td><td>39.11</td><td>17.03</td><td>65.82</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>12530.00</td><td>36.02</td><td>54.00</td><td>-17.98</td><td>46.31</td><td>38.99</td><td>16.83</td><td>66.11</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12530.00	47.06	74.00	-26.94	56.74	39.11	17.03	65.82	0.00	300	0 PEAK	2	12530.00	36.02	54.00	-17.98	46.31	38.99	16.83	66.11	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>58.75</td><td>39.11</td><td>17.03</td><td>65.82</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>12530.00</td><td>37.81</td><td>54.00</td><td>-16.19</td><td>47.97</td><td>39.02</td><td>16.87</td><td>66.05</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12530.00	49.07	74.00	-24.93	58.75	39.11	17.03	65.82	0.00	100	0 PEAK	2	12530.00	37.81	54.00	-16.19	47.97	39.02	16.87	66.05	0.00	100	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	12530.00	47.06	74.00	-26.94	56.74	39.11	17.03	65.82	0.00	300	0 PEAK																																																																																																														
2	12530.00	36.02	54.00	-17.98	46.31	38.99	16.83	66.11	0.00	300	0 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	12530.00	49.07	74.00	-24.93	58.75	39.11	17.03	65.82	0.00	100	0 PEAK																																																																																																														
2	12530.00	37.81	54.00	-16.19	47.97	39.02	16.87	66.05	0.00	100	0 AVERAGE																																																																																																														





Mode	77																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_6425-6525_802.11BE EHT20_CH97_Full_6435MHz																																																																																																	
ANT	TxBF 1S2T																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>56.23</td><td>39.25</td><td>17.25</td><td>65.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	47.24	88.20	-40.96	56.23	39.25	17.25	65.49	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>47.12</td><td>88.20</td><td>-41.08</td><td>56.11</td><td>39.25</td><td>17.25</td><td>65.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	47.12	88.20	-41.08	56.11	39.25	17.25	65.49	0.00	---	---
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 12870.00	47.24	88.20	-40.96	56.23	39.25	17.25	65.49	0.00	---	---	PEAK																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 12870.00	47.12	88.20	-41.08	56.11	39.25	17.25	65.49	0.00	---	---	PEAK																																																																																							





Mode	78																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_6425-6525_802.11BE EHT20_CH105_Full_6475MHz																																																																																																		
ANT	TxBF 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.54</td><td>88.20</td><td>-34.66</td><td>62.37</td><td>39.28</td><td>17.30</td><td>65.41</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>49.00</td><td>88.20</td><td>-39.20</td><td>57.83</td><td>39.28</td><td>17.30</td><td>65.41</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.54	88.20	-34.66	62.37	39.28	17.30	65.41	0.00	---	---	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	49.00	88.20	-39.20	57.83	39.28	17.30	65.41	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12950.00	53.54	88.20	-34.66	62.37	39.28	17.30	65.41	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12950.00	49.00	88.20	-39.20	57.83	39.28	17.30	65.41	0.00	---	---	PEAK																																																																																							





		79																																																							
Mode		Harmonic																																																							
		U-NII-5_6425-6525_802.11BE EHT20_CH113_Full_6515MHz																																																							
ANT		TxBF 1S2T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>51.59</td><td>88.20</td><td>-36.61</td><td>60.27</td><td>39.29</td><td>17.36</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	51.59	88.20	-36.61	60.27	39.29	17.36	65.33	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	13030.00	51.59	88.20	-36.61	60.27	39.29	17.36	65.33	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.73</td><td>88.20</td><td>-40.47</td><td>56.41</td><td>39.29</td><td>17.36</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.73	88.20	-40.47	56.41	39.29	17.36	65.33	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	13030.00	47.73	88.20	-40.47	56.41	39.29	17.36	65.33	0.00	---	---	PEAK																																													





Mode	80																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6425-6525_802.11BE EHT40_CH99_Full_6445MHz																																																																																																		
ANT	TxBF 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>49.19</td><td>88.20</td><td>-39.01</td><td>58.14</td><td>39.26</td><td>17.26</td><td>65.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	49.19	88.20	-39.01	58.14	39.26	17.26	65.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>48.56</td><td>88.20</td><td>-39.64</td><td>57.51</td><td>39.26</td><td>17.26</td><td>65.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	48.56	88.20	-39.64	57.51	39.26	17.26	65.47	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12890.00	49.19	88.20	-39.01	58.14	39.26	17.26	65.47	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12890.00	48.56	88.20	-39.64	57.51	39.26	17.26	65.47	0.00	---	---	PEAK																																																																																							





Mode	81																																																																																																			
	Harmonic																																																																																																			
	U-NII-8_6425-6525_802.11BE EHT40_CH107_Full_6485MHz																																																																																																			
ANT	TxBF 1S2T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>52.16</td><td>88.20</td><td>-36.04</td><td>60.94</td><td>39.29</td><td>17.32</td><td>65.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	52.16	88.20	-36.04	60.94	39.29	17.32	65.39	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>48.31</td><td>88.20</td><td>-39.89</td><td>57.09</td><td>39.29</td><td>17.32</td><td>65.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	48.31	88.20	-39.89	57.09	39.29	17.32	65.39	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	12970.00	52.16	88.20	-36.04	60.94	39.29	17.32	65.39	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	12970.00	48.31	88.20	-39.89	57.09	39.29	17.32	65.39	0.00	---	---	PEAK																																																																																								





Mode	82																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6425-6525_802.11BE EHT80_CH103_Full_6465MHz																																																																																																		
ANT	TxBF 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>48.80</td><td>88.20</td><td>-39.40</td><td>57.67</td><td>39.27</td><td>17.29</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	12930.00	48.80	88.20	-39.40	57.67	39.27	17.29	65.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>50.09</td><td>88.20</td><td>-38.11</td><td>58.96</td><td>39.27</td><td>17.29</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	12930.00	50.09	88.20	-38.11	58.96	39.27	17.29	65.43	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																									
1	12930.00	48.80	88.20	-39.40	57.67	39.27	17.29	65.43	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																									
1	12930.00	50.09	88.20	-38.11	58.96	39.27	17.29	65.43	0.00	---	---	PEAK																																																																																							





		83																																																							
Mode		Harmonic																																																							
		U-NII-8_6525-6875_802.11BE EHT20_CH117_Full_6535MHz																																																							
ANT		TxBF 1S2T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>52.99</td><td>88.20</td><td>-35.21</td><td>61.63</td><td>39.28</td><td>17.38</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	52.99	88.20	-35.21	61.63	39.28	17.38	65.30	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	13070.00	52.99	88.20	-35.21	61.63	39.28	17.38	65.30	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.49</td><td>88.20</td><td>-40.71</td><td>56.13</td><td>39.28</td><td>17.38</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.49	88.20	-40.71	56.13	39.28	17.38	65.30	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	13070.00	47.49	88.20	-40.71	56.13	39.28	17.38	65.30	0.00	---	---	PEAK																																													





Mode	84																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_6525-6875_802.11BE EHT20_CH149_Full_6695MHz																																																																																																																													
ANT	TxBF 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>54.71</td><td>74.00</td><td>-19.29</td><td>62.91</td><td>39.18</td><td>17.61</td><td>64.99</td><td>0.00</td><td>102</td><td>37</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>50.71</td><td>39.19</td><td>17.60</td><td>65.00</td><td>0.00</td><td>102</td><td>37</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	54.71	74.00	-19.29	62.91	39.18	17.61	64.99	0.00	102	37	PEAK	2	13390.00	42.50	54.00	-11.50	50.71	39.19	17.60	65.00	0.00	102	37	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>52.13</td><td>74.00</td><td>-21.87</td><td>60.33</td><td>39.18</td><td>17.61</td><td>64.99</td><td>0.00</td><td>107</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>40.07</td><td>54.00</td><td>-13.93</td><td>48.27</td><td>39.18</td><td>17.61</td><td>64.99</td><td>0.00</td><td>107</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	52.13	74.00	-21.87	60.33	39.18	17.61	64.99	0.00	107	360	PEAK	2	13390.00	40.07	54.00	-13.93	48.27	39.18	17.61	64.99	0.00	107	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13390.00	54.71	74.00	-19.29	62.91	39.18	17.61	64.99	0.00	102	37	PEAK																																																																																																																		
2	13390.00	42.50	54.00	-11.50	50.71	39.19	17.60	65.00	0.00	102	37	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13390.00	52.13	74.00	-21.87	60.33	39.18	17.61	64.99	0.00	107	360	PEAK																																																																																																																		
2	13390.00	40.07	54.00	-13.93	48.27	39.18	17.61	64.99	0.00	107	360	AVERAGE																																																																																																																		





		85																																																									
Mode		Harmonic																																																									
		U-NII-5_6525-6875_802.11BE EHT20_CH181_Full_6855MHz																																																									
ANT		TxBF 1S2T																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13710.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>54.48</td><td>39.09</td><td>17.84</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13710.00	46.50	88.20	-41.70	54.48	39.09	17.84	64.91	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 13710.00	46.50	88.20	-41.70	54.48	39.09	17.84	64.91	0.00	---	---	PEAK																																																
		Vertical																																																									
																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13710.00</td><td>48.73</td><td>88.20</td><td>-39.47</td><td>56.71</td><td>39.09</td><td>17.84</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13710.00	48.73	88.20	-39.47	56.71	39.09	17.84	64.91	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 13710.00	48.73	88.20	-39.47	56.71	39.09	17.84	64.91	0.00	---	---	PEAK																																																





Mode	86																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_6525-6875_802.11BE EHT40_CH123_Full_6565MHz																																																																																																		
ANT	TxBF 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.96</td><td>88.20</td><td>-40.24</td><td>56.51</td><td>39.26</td><td>17.43</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>51.20</td><td>88.20</td><td>-37.00</td><td>59.75</td><td>39.26</td><td>17.43</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.96	88.20	-40.24	56.51	39.26	17.43	65.24	0.00	---	---	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	51.20	88.20	-37.00	59.75	39.26	17.43	65.24	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13130.00	47.96	88.20	-40.24	56.51	39.26	17.43	65.24	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13130.00	51.20	88.20	-37.00	59.75	39.26	17.43	65.24	0.00	---	---	PEAK																																																																																							





Mode	87																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-8_6525-6875_802.11BE EHT40_CH147_Full_6685MHz																																																																																																																													
ANT	TxBF 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>53.29</td><td>74.00</td><td>-20.71</td><td>61.51</td><td>39.19</td><td>17.60</td><td>65.01</td><td>0.00</td><td>285</td><td>19</td><td>PEAK</td></tr><tr><td>2</td><td>13370.00</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>50.79</td><td>39.19</td><td>17.60</td><td>65.01</td><td>0.00</td><td>285</td><td>19</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	53.29	74.00	-20.71	61.51	39.19	17.60	65.01	0.00	285	19	PEAK	2	13370.00	42.57	54.00	-11.43	50.79	39.19	17.60	65.01	0.00	285	19	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>58.26</td><td>39.19</td><td>17.60</td><td>65.01</td><td>0.00</td><td>177</td><td>14</td><td>PEAK</td></tr><tr><td>2</td><td>13370.00</td><td>40.09</td><td>54.00</td><td>-13.91</td><td>48.30</td><td>39.19</td><td>17.60</td><td>65.00</td><td>0.00</td><td>177</td><td>14</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	50.04	74.00	-23.96	58.26	39.19	17.60	65.01	0.00	177	14	PEAK	2	13370.00	40.09	54.00	-13.91	48.30	39.19	17.60	65.00	0.00	177	14	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13370.00	53.29	74.00	-20.71	61.51	39.19	17.60	65.01	0.00	285	19	PEAK																																																																																																																		
2	13370.00	42.57	54.00	-11.43	50.79	39.19	17.60	65.01	0.00	285	19	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13370.00	50.04	74.00	-23.96	58.26	39.19	17.60	65.01	0.00	177	14	PEAK																																																																																																																		
2	13370.00	40.09	54.00	-13.91	48.30	39.19	17.60	65.00	0.00	177	14	AVERAGE																																																																																																																		





Mode	88																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6525-6875_802.11BE EHT40_CH179_Full_6845MHz																																																																																																		
ANT	TxBF 1S2T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.43</td><td>88.20</td><td>-41.77</td><td>54.43</td><td>39.09</td><td>17.82</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.78</td><td>88.20</td><td>-40.42</td><td>55.78</td><td>39.09</td><td>17.82</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	46.43	88.20	-41.77	54.43	39.09	17.82	64.91	0.00	---	---	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	47.78	88.20	-40.42	55.78	39.09	17.82	64.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13690.00	46.43	88.20	-41.77	54.43	39.09	17.82	64.91	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13690.00	47.78	88.20	-40.42	55.78	39.09	17.82	64.91	0.00	---	---	PEAK																																																																																							





Mode	89																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-8_6525-6875_802.11BE EHT80_CH135_Full_6625MHz																																																																																																																													
ANT	TxBF 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>58.88</td><td>39.22</td><td>17.51</td><td>65.12</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>40.79</td><td>54.00</td><td>-13.21</td><td>49.18</td><td>39.23</td><td>17.51</td><td>65.13</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	50.49	74.00	-23.51	58.88	39.22	17.51	65.12	0.00	300	360	PEAK	2	13250.00	40.79	54.00	-13.21	49.18	39.23	17.51	65.13	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>56.81</td><td>39.22</td><td>17.51</td><td>65.12</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>38.22</td><td>54.00</td><td>-15.78</td><td>46.60</td><td>39.23</td><td>17.51</td><td>65.12</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	48.42	74.00	-25.58	56.81	39.22	17.51	65.12	0.00	100	360	PEAK	2	13250.00	38.22	54.00	-15.78	46.60	39.23	17.51	65.12	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13250.00	50.49	74.00	-23.51	58.88	39.22	17.51	65.12	0.00	300	360	PEAK																																																																																																																		
2	13250.00	40.79	54.00	-13.21	49.18	39.23	17.51	65.13	0.00	300	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	13250.00	48.42	74.00	-25.58	56.81	39.22	17.51	65.12	0.00	100	360	PEAK																																																																																																																		
2	13250.00	38.22	54.00	-15.78	46.60	39.23	17.51	65.12	0.00	100	360	AVERAGE																																																																																																																		



Mode	90																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_6525-6875_802.11BE EHT80_CH151_Full_6705MHz																																																																																																			
ANT	TxBF 1S2T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>55.45</td><td>39.18</td><td>17.62</td><td>64.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.28	88.20	-40.92	55.45	39.18	17.62	64.97	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>48.81</td><td>88.20</td><td>-39.39</td><td>56.98</td><td>39.18</td><td>17.62</td><td>64.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	48.81	88.20	-39.39	56.98	39.18	17.62	64.97	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13410.00	47.28	88.20	-40.92	55.45	39.18	17.62	64.97	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13410.00	48.81	88.20	-39.39	56.98	39.18	17.62	64.97	0.00	---	---	PEAK																																																																																								



		91																																																										
Mode		Harmonic																																																										
		U-NII-5_6525-6875_802.11BE EHT80_CH167_Full_6785MHz																																																										
ANT		TxBF 1S2T																																																										
Pol.		Horizontal																																																										
Peak Avg																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13570.00</td><td>46.04</td><td>88.20</td><td>-42.16</td><td>54.06</td><td>39.13</td><td>17.74</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13570.00	46.04	88.20	-42.16	54.06	39.13	17.74	64.89	0.00	---	---	PEAK	
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 13570.00	46.04	88.20	-42.16	54.06	39.13	17.74	64.89	0.00	---	---	PEAK																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13570.00</td><td>47.00</td><td>88.20</td><td>-41.20</td><td>55.02</td><td>39.13</td><td>17.74</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13570.00	47.00	88.20	-41.20	55.02	39.13	17.74	64.89	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 13570.00	47.00	88.20	-41.20	55.02	39.13	17.74	64.89	0.00	---	---	PEAK																																																	
		Vertical																																																										
Peak Avg																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13570.00</td><td>47.00</td><td>88.20</td><td>-41.20</td><td>55.02</td><td>39.13</td><td>17.74</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13570.00	47.00	88.20	-41.20	55.02	39.13	17.74	64.89	0.00	---	---	PEAK	
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 13570.00	47.00	88.20	-41.20	55.02	39.13	17.74	64.89	0.00	---	---	PEAK																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13570.00</td><td>47.00</td><td>88.20</td><td>-41.20</td><td>55.02</td><td>39.13</td><td>17.74</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13570.00	47.00	88.20	-41.20	55.02	39.13	17.74	64.89	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 13570.00	47.00	88.20	-41.20	55.02	39.13	17.74	64.89	0.00	---	---	PEAK																																																	



Mode	92																																																																				
	Harmonic																																																																				
	U-NII-5_6525-6875_802.11BE EHT160_CH143_Full_6665MHz																																																																				
ANT	TxBF 1S2T																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>57.10</td><td>39.20</td><td>17.57</td><td>65.04</td><td>0.00</td><td>116</td><td>77</td><td>PEAK</td></tr><tr><td>2</td><td>13330.00</td><td>38.98</td><td>54.00</td><td>-15.02</td><td>47.23</td><td>39.20</td><td>17.58</td><td>65.03</td><td>0.00</td><td>116</td><td>77</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	48.83	74.00	-25.17	57.10	39.20	17.57	65.04	0.00	116	77	PEAK	2	13330.00	38.98	54.00	-15.02	47.23	39.20	17.58	65.03	0.00	116	77	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13330.00	48.83	74.00	-25.17	57.10	39.20	17.57	65.04	0.00	116	77	PEAK																																																									
2	13330.00	38.98	54.00	-15.02	47.23	39.20	17.58	65.03	0.00	116	77	AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>57.19</td><td>39.20</td><td>17.57</td><td>65.04</td><td>0.00</td><td>101</td><td>21</td><td>PEAK</td></tr><tr><td>2</td><td>13330.00</td><td>38.45</td><td>54.00</td><td>-15.55</td><td>46.70</td><td>39.19</td><td>17.58</td><td>65.02</td><td>0.00</td><td>101</td><td>21</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	48.92	74.00	-25.08	57.19	39.20	17.57	65.04	0.00	101	21	PEAK	2	13330.00	38.45	54.00	-15.55	46.70	39.19	17.58	65.02	0.00	101	21	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13330.00	48.92	74.00	-25.08	57.19	39.20	17.57	65.04	0.00	101	21	PEAK																																																									
2	13330.00	38.45	54.00	-15.55	46.70	39.19	17.58	65.02	0.00	101	21	AVERAGE																																																									