




Band4 5MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 5MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4\_5MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTNV




Band4\_5MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTNV




Band4\_5MHz\_QPSK\_HCH\_1752.5MHz\_RB\_1\_0\_NTNV




Band4\_5MHz\_QPSK\_HCH\_1752.5MHz\_RB\_1\_0\_NTNV




Band4 5MHz QPSK HCH 1752.5MHz RB 1 0 NTN




Band4 5MHz QPSK HCH 1752.5MHz RB 1 0 NTN




Band4 5MHz QPSK HCH 1752.5MHz RB 1 0 NTN




Band4 5MHz QPSK HCH 1752.5MHz RB 1 24 NTN




Band4 5MHz QPSK HCH 1752.5MHz RB 25 0 NTV




5.2.4 B4\_10MHz




Band4\_10MHz\_QPSK\_LCH\_1715MHz\_RB\_1\_0\_NTNV




Band4\_10MHz\_QPSK\_LCH\_1715MHz\_RB\_1\_0\_NTNV




Band4\_10MHz\_QPSK\_LCH\_1715MHz\_RB\_1\_0\_NTNV




Band4\_10MHz\_QPSK\_LCH\_1715MHz\_RB\_1\_0\_NTNV




Band4\_10MHz\_QPSK\_LCH\_1715MHz\_RB\_50\_0\_NTNV




Band4\_10MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTNV




Band4 10MHz QPSK MCH 1732.5MHz RB 1 0 NTV




Band4\_10MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTV




Band4 10MHz QPSK MCH 1732.5MHz RB 1 0 NTV




Band4\_10MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTV




Band4\_10MHz\_QPSK\_HCH\_1750MHz\_RB\_1\_0\_NTNV




Band4\_10MHz\_QPSK\_HCH\_1750MHz\_RB\_1\_0\_NTNV




Band4\_10MHz\_QPSK\_HCH\_1750MHz\_RB\_1\_0\_NTNV




Band4\_10MHz\_QPSK\_HCH\_1750MHz\_RB\_1\_0\_NTNV




Band4\_10MHz\_QPSK\_HCH\_1750MHz\_RB\_1\_0\_NTNV




Band4\_10MHz\_QPSK\_HCH\_1750MHz\_RB\_1\_49\_NTNV




Band4 10MHz QPSK HCH 1750MHz RB 50 0 NTNV




5.2.5 B4\_15MHz




Band4 15MHz QPSK LCH 1717.5MHz RB 1 0 NTNV




Band4 15MHz QPSK LCH 1717.5MHz RB 1 0 NTNV




Band4 15MHz QPSK LCH 1717.5MHz RB 1 0 NTV




Band4 15MHz QPSK LCH 1717.5MHz RB 1 0 NTV




Band4\_15MHz\_QPSK\_LCH\_1717.5MHz\_RB\_75\_0\_NTNV




Band4\_15MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTNV




Band4 15MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4\_15MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTNV




Band4 15MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4\_15MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTNV




Band4 15MHz QPSK HCH 1747.5MHz RB 1 0 NTNV




Band4\_15MHz\_QPSK\_HCH\_1747.5MHz\_RB\_1\_0\_NTNV




Band4 15MHz QPSK HCH 1747.5MHz RB 1 0 NTNV




Band4\_15MHz\_QPSK\_HCH\_1747.5MHz\_RB\_1\_0\_NTNV




Band4 15MHz QPSK HCH 1747.5MHz RB 1 0 NTNV




Band4\_15MHz\_QPSK\_HCH\_1747.5MHz\_RB\_1\_74\_NTNV




Band4 15MHz QPSK HCH 1747.5MHz RB 75 0 NTNV




5.2.6 B4\_20MHz




Band4\_20MHz\_QPSK\_LCH\_1720MHz\_RB\_1\_0\_NTNV




Band4\_20MHz\_QPSK\_LCH\_1720MHz\_RB\_1\_0\_NTNV




Band4\_20MHz\_QPSK\_LCH\_1720MHz\_RB\_1\_0\_NTNV




Band4\_20MHz\_QPSK\_LCH\_1720MHz\_RB\_1\_0\_NTNV




Band4 20MHz QPSK LCH 1720MHz RB 100 0 NTNV




Band4\_20MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTNV




Band4 20MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4\_20MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTNV




Band4 20MHz QPSK MCH 1732.5MHz RB 1 0 NTV




Band4\_20MHz\_QPSK\_MCH\_1732.5MHz\_RB\_1\_0\_NTV




Band4\_20MHz\_QPSK\_HCH\_1745MHz\_RB\_1\_0\_NTNV




Band4\_20MHz\_QPSK\_HCH\_1745MHz\_RB\_1\_0\_NTNV




Band4\_20MHz\_QPSK\_HCH\_1745MHz\_RB\_1\_0\_NTNV




Band4\_20MHz\_QPSK\_HCH\_1745MHz\_RB\_1\_0\_NTNV




Band4 20MHz QPSK HCH 1745MHz RB 1 0 NTN



Band4\_20MHz\_QPSK\_HCH\_1745MHz\_RB\_1\_99 NTN



Band4 20MHz QPSK HCH 1745MHz RB 100 0 NTNV



## 6. Field Strength of Spurious Radiation

For Sample #1:

**Test Band = LTE Band4\_ TM1**

**Test Channel = Low**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 3599.25         | 43.81          | -46.13      | 28.76    | -68.82      | -13.00      | 55.82       | Horizontal |
| 2               | 5423.25         | 41.69          | -45.29      | 32.16    | -66.69      | -13.00      | 53.69       | Horizontal |
| 3               | 7243.5          | 41.45          | -43.56      | 35.68    | -61.69      | -13.00      | 48.69       | Horizontal |
| 4               | 8752.5          | 40.60          | -41.46      | 36.65    | -59.47      | -13.00      | 46.47       | Horizontal |
| 5               | 12088.5         | 35.09          | -37.37      | 39.13    | -58.42      | -13.00      | 45.42       | Horizontal |
| 6               | 14256           | 33.35          | -35.78      | 41.00    | -56.69      | -13.00      | 43.69       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 3594            | 43.63          | -46.14      | 28.75    | -69.02      | -13.00      | 56.02       | Vertical |
| 2               | 4434            | 42.82          | -45.78      | 30.44    | -67.78      | -13.00      | 54.78       | Vertical |
| 3               | 6846            | 42.07          | -44.14      | 34.72    | -62.61      | -13.00      | 49.61       | Vertical |
| 4               | 8808.75         | 40.46          | -41.25      | 36.61    | -59.43      | -13.00      | 46.43       | Vertical |
| 5               | 11404.5         | 35.58          | -37.37      | 38.80    | -58.25      | -13.00      | 45.25       | Vertical |
| 6               | 13591.5         | 33.42          | -36.16      | 40.23    | -57.77      | -13.00      | 44.77       | Vertical |

**Test Band = LTE Band4\_ TM1**  
**Test Channel = Mid**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 3782.25         | 42.93          | -45.85      | 29.05    | -69.12      | -13.00      | 56.12       | Horizontal |
| 2               | 4923            | 41.64          | -45.56      | 31.28    | -67.90      | -13.00      | 54.90       | Horizontal |
| 3               | 6793.5          | 42.91          | -44.15      | 34.63    | -61.87      | -13.00      | 48.87       | Horizontal |
| 4               | 7786.5          | 40.68          | -42.42      | 36.80    | -60.20      | -13.00      | 47.20       | Horizontal |
| 5               | 10312.5         | 37.46          | -39.08      | 38.53    | -58.35      | -13.00      | 45.35       | Horizontal |
| 6               | 13592.25        | 33.82          | -36.15      | 40.23    | -57.36      | -13.00      | 44.36       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 3719.25         | 42.72          | -45.58      | 28.95    | -69.17      | -13.00      | 56.17       | Vertical |
| 2               | 4906.5          | 41.47          | -45.54      | 31.25    | -68.08      | -13.00      | 55.08       | Vertical |
| 3               | 7200.75         | 41.88          | -43.42      | 35.56    | -61.24      | -13.00      | 48.24       | Vertical |
| 4               | 9417.75         | 39.68          | -39.90      | 37.34    | -58.15      | -13.00      | 45.15       | Vertical |
| 5               | 12774.75        | 34.99          | -36.79      | 39.33    | -57.73      | -13.00      | 44.73       | Vertical |
| 6               | 14944.5         | 32.70          | -34.66      | 41.56    | -55.67      | -13.00      | 42.67       | Vertical |

**Test Band = LTE Band4\_ TM1**  
**Test Channel = High**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 3733.5          | 42.98          | -45.64      | 28.97    | -68.95      | -13.00      | 55.95       | Horizontal |
| 2               | 5532            | 42.21          | -45.19      | 32.31    | -65.93      | -13.00      | 52.93       | Horizontal |
| 3               | 7134            | 41.72          | -43.94      | 35.38    | -62.11      | -13.00      | 49.11       | Horizontal |
| 4               | 8854.5          | 40.41          | -41.24      | 36.59    | -59.51      | -13.00      | 46.51       | Horizontal |
| 5               | 12100.5         | 35.15          | -37.34      | 39.13    | -58.32      | -13.00      | 45.32       | Horizontal |
| 6               | 14946.75        | 33.32          | -34.66      | 41.56    | -55.04      | -13.00      | 42.04       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 3472.5          | 43.01          | -46.27      | 28.57    | -69.94      | -13.00      | 56.94       | Vertical |
| 2               | 4415.25         | 42.48          | -45.80      | 30.40    | -68.19      | -13.00      | 55.19       | Vertical |
| 3               | 6793.5          | 42.19          | -44.15      | 34.63    | -62.59      | -13.00      | 49.59       | Vertical |
| 4               | 8808            | 40.17          | -41.25      | 36.62    | -59.72      | -13.00      | 46.72       | Vertical |
| 5               | 11293.5         | 35.23          | -37.42      | 38.75    | -58.70      | -13.00      | 45.70       | Vertical |
| 6               | 13348.5         | 34.47          | -36.60      | 39.89    | -57.51      | -13.00      | 44.51       | Vertical |

**Test Band = 4A-5A\_ TM1**  
**Test Channel = Low**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 4476.375        | 45.33          | -45.74      | 30.54    | -65.12      | -13.00      | 52.12       | Horizontal |
| 2               | 6123            | 45.67          | -44.52      | 32.82    | -61.29      | -13.00      | 48.29       | Horizontal |
| 3               | 8421.375        | 44.65          | -41.49      | 36.85    | -55.25      | -13.00      | 42.25       | Horizontal |
| 4               | 10419           | 42.33          | -38.97      | 38.54    | -53.36      | -13.00      | 40.36       | Horizontal |
| 5               | 12012           | 43.41          | -37.60      | 39.10    | -50.34      | -13.00      | 37.34       | Horizontal |
| 6               | 14511.375       | 44.74          | -34.89      | 41.21    | -44.20      | -13.00      | 31.20       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4142.25         | 44.38          | -45.76      | 29.74    | -66.90      | -13.00      | 53.90       | Vertical |
| 2               | 5369.25         | 45.74          | -45.24      | 32.06    | -62.69      | -13.00      | 49.69       | Vertical |
| 3               | 7094.625        | 45.00          | -44.17      | 35.26    | -59.17      | -13.00      | 46.17       | Vertical |
| 4               | 9408.75         | 44.28          | -39.87      | 37.32    | -53.53      | -13.00      | 40.53       | Vertical |
| 5               | 10896.375       | 42.08          | -37.84      | 38.59    | -52.43      | -13.00      | 39.43       | Vertical |
| 6               | 13528.5         | 43.61          | -36.75      | 40.14    | -48.26      | -13.00      | 35.26       | Vertical |

**Test Band = 4A-5A\_ TM1**  
**Test Channel = Mid**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 3512.625        | 45.80          | -46.24      | 28.62    | -67.08      | -13.00      | 54.08       | Horizontal |
| 2               | 5023.125        | 44.77          | -45.58      | 31.44    | -64.63      | -13.00      | 51.63       | Horizontal |
| 3               | 6157.5          | 45.72          | -44.63      | 32.94    | -61.23      | -13.00      | 48.23       | Horizontal |
| 4               | 9394.125        | 44.26          | -39.85      | 37.29    | -53.56      | -13.00      | 40.56       | Horizontal |
| 5               | 11443.875       | 42.57          | -37.34      | 38.82    | -51.21      | -13.00      | 38.21       | Horizontal |
| 6               | 14176.5         | 44.82          | -35.51      | 40.94    | -45.01      | -13.00      | 32.01       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 3780.75         | 45.40          | -45.84      | 29.05    | -66.65      | -13.00      | 53.65       | Vertical |
| 2               | 6003.75         | 45.85          | -44.82      | 32.41    | -61.81      | -13.00      | 48.81       | Vertical |
| 3               | 7217.25         | 44.56          | -43.48      | 35.61    | -58.57      | -13.00      | 45.57       | Vertical |
| 4               | 9979.875        | 42.69          | -39.26      | 38.46    | -53.37      | -13.00      | 40.37       | Vertical |
| 5               | 12686.625       | 43.69          | -36.81      | 39.31    | -49.07      | -13.00      | 36.07       | Vertical |
| 6               | 14404.125       | 44.36          | -34.80      | 41.12    | -44.58      | -13.00      | 31.58       | Vertical |

**Test Band = 4A-5A\_ TM1**  
**Test Channel = High**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 4257            | 44.30          | -45.64      | 30.02    | -66.58      | -13.00      | 53.58       | Horizontal |
| 2               | 5640.375        | 44.72          | -44.98      | 32.33    | -63.19      | -13.00      | 50.19       | Horizontal |
| 3               | 7255.5          | 44.78          | -43.60      | 35.72    | -58.37      | -13.00      | 45.37       | Horizontal |
| 4               | 10029           | 42.27          | -39.21      | 38.50    | -53.69      | -13.00      | 40.69       | Horizontal |
| 5               | 12749.625       | 43.42          | -36.75      | 39.32    | -49.27      | -13.00      | 36.27       | Horizontal |
| 6               | 14514.75        | 44.27          | -34.91      | 41.21    | -44.68      | -13.00      | 31.68       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4245.75         | 44.20          | -45.66      | 29.99    | -66.73      | -13.00      | 53.73       | Vertical |
| 2               | 6585            | 44.55          | -44.39      | 34.25    | -60.85      | -13.00      | 47.85       | Vertical |
| 3               | 7832.625        | 44.53          | -42.48      | 36.87    | -56.34      | -13.00      | 43.34       | Vertical |
| 4               | 9547.5          | 43.49          | -39.96      | 37.60    | -54.14      | -13.00      | 41.14       | Vertical |
| 5               | 11676.375       | 41.83          | -36.95      | 38.94    | -51.44      | -13.00      | 38.44       | Vertical |
| 6               | 14434.875       | 44.52          | -34.81      | 41.15    | -44.41      | -13.00      | 31.41       | Vertical |

**Test Band = 4A-12A\_ TM1**  
**Test Channel = Low**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 4098.75         | 44.41          | -45.76      | 29.64    | -66.98      | -13.00      | 53.98       | Horizontal |
| 2               | 5504.25         | 45.73          | -45.23      | 32.30    | -62.46      | -13.00      | 49.46       | Horizontal |
| 3               | 6120.375        | 45.67          | -44.51      | 32.81    | -61.29      | -13.00      | 48.29       | Horizontal |
| 4               | 7869.75         | 44.64          | -42.67      | 36.92    | -56.37      | -13.00      | 43.37       | Horizontal |
| 5               | 10172.25        | 42.73          | -39.39      | 38.52    | -53.41      | -13.00      | 40.41       | Horizontal |
| 6               | 13369.875       | 43.48          | -36.48      | 39.92    | -48.34      | -13.00      | 35.34       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4141.5          | 44.22          | -45.76      | 29.74    | -67.06      | -13.00      | 54.06       | Vertical |
| 2               | 6061.875        | 45.67          | -44.59      | 32.61    | -61.57      | -13.00      | 48.57       | Vertical |
| 3               | 7199.625        | 45.10          | -43.42      | 35.56    | -58.02      | -13.00      | 45.02       | Vertical |
| 4               | 9441            | 44.23          | -39.99      | 37.38    | -53.64      | -13.00      | 40.64       | Vertical |
| 5               | 12739.5         | 43.93          | -36.74      | 39.32    | -48.75      | -13.00      | 35.75       | Vertical |
| 6               | 14506.125       | 44.60          | -34.87      | 41.20    | -44.32      | -13.00      | 31.32       | Vertical |

**Test Band = 4A-12A\_ TM1**  
**Test Channel = Mid**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 3952.5          | 45.44          | -46.15      | 29.32    | -66.65      | -13.00      | 53.65       | Horizontal |
| 2               | 6639.75         | 44.69          | -44.14      | 34.35    | -60.35      | -13.00      | 47.35       | Horizontal |
| 3               | 8853.375        | 44.30          | -41.24      | 36.59    | -55.62      | -13.00      | 42.62       | Horizontal |
| 4               | 11299.5         | 42.64          | -37.42      | 38.75    | -51.29      | -13.00      | 38.29       | Horizontal |
| 5               | 14176.5         | 43.53          | -35.51      | 40.94    | -46.30      | -13.00      | 33.30       | Horizontal |
| 6               | 15399           | 43.37          | -33.50      | 40.76    | -44.63      | -13.00      | 31.63       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4157.25         | 44.91          | -45.77      | 29.78    | -66.34      | -13.00      | 53.34       | Vertical |
| 2               | 6118.5          | 45.29          | -44.51      | 32.80    | -61.67      | -13.00      | 48.67       | Vertical |
| 3               | 7871.25         | 45.11          | -42.67      | 36.92    | -55.90      | -13.00      | 42.90       | Vertical |
| 4               | 10095.75        | 42.95          | -39.13      | 38.51    | -52.93      | -13.00      | 39.93       | Vertical |
| 5               | 12771.375       | 43.39          | -36.79      | 39.33    | -49.33      | -13.00      | 36.33       | Vertical |
| 6               | 15217.125       | 44.26          | -34.01      | 41.14    | -43.86      | -13.00      | 30.86       | Vertical |

**Test Band = 4A-12A\_ TM1**  
**Test Channel = High**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 4161.75         | 44.81          | -45.77      | 29.79    | -66.43      | -13.00      | 53.43       | Horizontal |
| 2               | 5821.125        | 45.27          | -44.80      | 32.36    | -62.42      | -13.00      | 49.42       | Horizontal |
| 3               | 7395.75         | 44.52          | -43.42      | 36.11    | -58.06      | -13.00      | 45.06       | Horizontal |
| 4               | 8767.5          | 44.42          | -41.39      | 36.64    | -55.59      | -13.00      | 42.59       | Horizontal |
| 5               | 11436.375       | 42.18          | -37.35      | 38.82    | -51.61      | -13.00      | 38.61       | Horizontal |
| 6               | 13573.875       | 43.59          | -36.33      | 40.20    | -47.79      | -13.00      | 34.79       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 3954.375        | 46.01          | -46.15      | 29.33    | -66.07      | -13.00      | 53.07       | Vertical |
| 2               | 5645.625        | 44.74          | -44.97      | 32.33    | -63.16      | -13.00      | 50.16       | Vertical |
| 3               | 7544.625        | 44.01          | -43.05      | 36.46    | -57.83      | -13.00      | 44.83       | Vertical |
| 4               | 9366.75         | 44.71          | -39.96      | 37.23    | -53.28      | -13.00      | 40.28       | Vertical |
| 5               | 13137           | 42.80          | -37.07      | 39.59    | -49.94      | -13.00      | 36.94       | Vertical |
| 6               | 14969.625       | 44.74          | -34.65      | 41.58    | -43.59      | -13.00      | 30.59       | Vertical |

For Sample #2:

**Test Band = LTE Band4\_ TM1**

**Test Channel = Low**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 3711            | 43.25          | -45.55      | 28.94    | -68.62      | -13.00      | 55.62       | Horizontal |
| 2               | 4897.5          | 42.73          | -45.53      | 31.24    | -66.82      | -13.00      | 53.82       | Horizontal |
| 3               | 6349.5          | 42.12          | -44.48      | 33.59    | -64.03      | -13.00      | 51.03       | Horizontal |
| 4               | 7346.25         | 41.76          | -43.59      | 35.97    | -61.12      | -13.00      | 48.12       | Horizontal |
| 5               | 9414            | 39.34          | -39.89      | 37.33    | -58.48      | -13.00      | 45.48       | Horizontal |
| 6               | 11808.75        | 34.14          | -36.95      | 39.00    | -59.07      | -13.00      | 46.07       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4284.75         | 42.47          | -45.58      | 30.08    | -68.28      | -13.00      | 55.28       | Vertical |
| 2               | 5400            | 43.71          | -45.30      | 32.12    | -64.73      | -13.00      | 51.73       | Vertical |
| 3               | 7182            | 42.03          | -43.56      | 35.51    | -61.28      | -13.00      | 48.28       | Vertical |
| 4               | 8883.75         | 40.20          | -41.24      | 36.57    | -59.73      | -13.00      | 46.73       | Vertical |
| 5               | 11940           | 35.08          | -37.31      | 39.07    | -58.42      | -13.00      | 45.42       | Vertical |
| 6               | 13731           | 33.86          | -36.23      | 40.42    | -57.21      | -13.00      | 44.21       | Vertical |

**Test Band = LTE Band4\_ TM1**  
**Test Channel = Mid**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 3958.5          | 43.94          | -46.14      | 29.33    | -68.13      | -13.00      | 55.13       | Horizontal |
| 2               | 5032.5          | 42.71          | -45.55      | 31.46    | -66.64      | -13.00      | 53.64       | Horizontal |
| 3               | 6317.25         | 42.57          | -44.52      | 33.48    | -63.73      | -13.00      | 50.73       | Horizontal |
| 4               | 7753.5          | 40.78          | -42.69      | 36.75    | -60.41      | -13.00      | 47.41       | Horizontal |
| 5               | 10658.25        | 35.54          | -38.13      | 38.57    | -59.28      | -13.00      | 46.28       | Horizontal |
| 6               | 13596.75        | 33.87          | -36.11      | 40.24    | -57.27      | -13.00      | 44.27       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4162.5          | 42.81          | -45.77      | 29.79    | -68.43      | -13.00      | 55.43       | Vertical |
| 2               | 5526.75         | 43.01          | -45.19      | 32.31    | -65.14      | -13.00      | 52.14       | Vertical |
| 3               | 7587            | 40.99          | -42.96      | 36.52    | -60.71      | -13.00      | 47.71       | Vertical |
| 4               | 10050.75        | 36.91          | -39.18      | 38.51    | -59.02      | -13.00      | 46.02       | Vertical |
| 5               | 12577.5         | 35.06          | -37.47      | 39.27    | -58.40      | -13.00      | 45.40       | Vertical |
| 6               | 15342           | 31.03          | -34.03      | 40.88    | -57.38      | -13.00      | 44.38       | Vertical |

**Test Band = LTE Band4\_ TM1**  
**Test Channel = High**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 3930            | 43.43          | -46.21      | 29.29    | -68.75      | -13.00      | 55.75       | Horizontal |
| 2               | 5443.5          | 43.48          | -45.27      | 32.20    | -64.86      | -13.00      | 51.86       | Horizontal |
| 3               | 7410.75         | 41.33          | -43.38      | 36.15    | -61.16      | -13.00      | 48.16       | Horizontal |
| 4               | 10038.75        | 36.86          | -39.19      | 38.50    | -59.09      | -13.00      | 46.09       | Horizontal |
| 5               | 13374           | 34.47          | -36.46      | 39.92    | -57.32      | -13.00      | 44.32       | Horizontal |
| 6               | 17682.75        | 30.44          | -33.89      | 45.10    | -53.61      | -13.00      | 40.61       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4057.5          | 43.78          | -45.88      | 29.54    | -67.82      | -13.00      | 54.82       | Vertical |
| 2               | 5827.5          | 42.98          | -44.81      | 32.37    | -64.73      | -13.00      | 51.73       | Vertical |
| 3               | 7926            | 41.33          | -42.70      | 37.00    | -59.63      | -13.00      | 46.63       | Vertical |
| 4               | 10265.25        | 36.29          | -39.23      | 38.53    | -59.68      | -13.00      | 46.68       | Vertical |
| 5               | 13772.25        | 33.97          | -36.33      | 40.48    | -57.14      | -13.00      | 44.14       | Vertical |
| 6               | 15790.5         | 30.75          | -33.08      | 39.94    | -57.65      | -13.00      | 44.65       | Vertical |

**Test Band = 4A-5A\_ TM1**  
**Test Channel = High**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 4178.25         | 43.07          | -45.77      | 29.83    | -68.13      | -13.00      | 55.13       | Horizontal |
| 2               | 5417.625        | 44.67          | -45.29      | 32.15    | -63.73      | -13.00      | 50.73       | Horizontal |
| 3               | 7284.375        | 42.63          | -43.70      | 35.80    | -60.53      | -13.00      | 47.53       | Horizontal |
| 4               | 8874.375        | 40.78          | -41.24      | 36.58    | -59.15      | -13.00      | 46.15       | Horizontal |
| 5               | 10623.375       | 36.37          | -38.33      | 38.56    | -58.66      | -13.00      | 45.66       | Horizontal |
| 6               | 12090.75        | 35.68          | -37.37      | 39.13    | -57.82      | -13.00      | 44.82       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4154.625        | 42.91          | -45.77      | 29.77    | -68.34      | -13.00      | 55.34       | Vertical |
| 2               | 5440.5          | 44.39          | -45.28      | 32.19    | -63.95      | -13.00      | 50.95       | Vertical |
| 3               | 6829.125        | 43.06          | -44.15      | 34.69    | -61.66      | -13.00      | 48.66       | Vertical |
| 4               | 8077.875        | 41.35          | -41.58      | 37.05    | -58.44      | -13.00      | 45.44       | Vertical |
| 5               | 10106.625       | 37.05          | -39.15      | 38.51    | -58.84      | -13.00      | 45.84       | Vertical |
| 6               | 12139.125       | 35.75          | -37.40      | 39.14    | -57.77      | -13.00      | 44.77       | Vertical |

**Test Band = 4A-5A\_ TM1**  
**Test Channel = Mid**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 4320            | 43.86          | -45.60      | 30.17    | -66.83      | -13.00      | 53.83       | Horizontal |
| 2               | 5593.5          | 43.28          | -45.08      | 32.32    | -64.74      | -13.00      | 51.74       | Horizontal |
| 3               | 6623.625        | 41.93          | -44.22      | 34.32    | -63.23      | -13.00      | 50.23       | Horizontal |
| 4               | 8029.125        | 41.41          | -42.06      | 37.08    | -58.83      | -13.00      | 45.83       | Horizontal |
| 5               | 9864            | 38.12          | -39.38      | 38.23    | -58.30      | -13.00      | 45.30       | Horizontal |
| 6               | 12317.25        | 36.61          | -37.44      | 39.20    | -56.89      | -13.00      | 43.89       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4259.625        | 43.82          | -45.63      | 30.02    | -67.05      | -13.00      | 54.05       | Vertical |
| 2               | 5376.375        | 44.16          | -45.25      | 32.08    | -64.27      | -13.00      | 51.27       | Vertical |
| 3               | 6238.875        | 43.46          | -44.67      | 33.21    | -63.26      | -13.00      | 50.26       | Vertical |
| 4               | 7750.5          | 42.08          | -42.71      | 36.75    | -59.14      | -13.00      | 46.14       | Vertical |
| 5               | 9132.75         | 39.06          | -40.32      | 36.77    | -59.75      | -13.00      | 46.75       | Vertical |
| 6               | 11929.5         | 35.31          | -37.26      | 39.06    | -58.14      | -13.00      | 45.14       | Vertical |

**Test Band = 4A-5A\_ TM1**  
**Test Channel = High**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 4292.25         | 43.62          | -45.56      | 30.10    | -67.10      | -13.00      | 54.10       | Horizontal |
| 2               | 6019.875        | 43.94          | -44.75      | 32.47    | -63.61      | -13.00      | 50.61       | Horizontal |
| 3               | 7010.25         | 42.06          | -43.62      | 35.03    | -61.79      | -13.00      | 48.79       | Horizontal |
| 4               | 8751            | 40.96          | -41.47      | 36.65    | -59.12      | -13.00      | 46.12       | Horizontal |
| 5               | 10911.75        | 35.78          | -37.81      | 38.59    | -58.70      | -13.00      | 45.70       | Horizontal |
| 6               | 12792.75        | 35.22          | -36.82      | 39.34    | -57.52      | -13.00      | 44.52       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4072.875        | 43.99          | -45.84      | 29.57    | -67.53      | -13.00      | 54.53       | Vertical |
| 2               | 4931.625        | 43.67          | -45.56      | 31.29    | -65.86      | -13.00      | 52.86       | Vertical |
| 3               | 6063.75         | 43.85          | -44.59      | 32.62    | -63.38      | -13.00      | 50.38       | Vertical |
| 4               | 7565.625        | 41.80          | -43.00      | 36.49    | -59.97      | -13.00      | 46.97       | Vertical |
| 5               | 9167.625        | 38.48          | -40.28      | 36.84    | -60.23      | -13.00      | 47.23       | Vertical |
| 6               | 11964.375       | 36.04          | -37.44      | 39.08    | -57.58      | -13.00      | 44.58       | Vertical |

**Test Band = 4A-12A\_ TM1**  
**Test Channel = Low**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 4533            | 44.16          | -45.70      | 30.65    | -66.14      | -13.00      | 53.14       | Horizontal |
| 2               | 5833.5          | 43.54          | -44.82      | 32.37    | -64.18      | -13.00      | 51.18       | Horizontal |
| 3               | 6943.5          | 42.34          | -43.86      | 34.90    | -61.88      | -13.00      | 48.88       | Horizontal |
| 4               | 8041.5          | 42.00          | -41.94      | 37.08    | -58.12      | -13.00      | 45.12       | Horizontal |
| 5               | 9359.625        | 39.72          | -39.99      | 37.22    | -58.31      | -13.00      | 45.31       | Horizontal |
| 6               | 11727.75        | 34.32          | -36.95      | 38.96    | -58.93      | -13.00      | 45.93       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 3982.125        | 44.49          | -46.08      | 29.37    | -67.48      | -13.00      | 54.48       | Vertical |
| 2               | 5362.875        | 44.69          | -45.22      | 32.05    | -63.74      | -13.00      | 50.74       | Vertical |
| 3               | 6244.125        | 43.33          | -44.66      | 33.23    | -63.36      | -13.00      | 50.36       | Vertical |
| 4               | 7587.75         | 41.49          | -42.96      | 36.52    | -60.20      | -13.00      | 47.20       | Vertical |
| 5               | 9170.625        | 38.96          | -40.28      | 36.84    | -59.74      | -13.00      | 46.74       | Vertical |
| 6               | 12161.25        | 35.87          | -37.43      | 39.15    | -57.67      | -13.00      | 44.67       | Vertical |

**Test Band = 4A-12A\_ TM1**  
**Test Channel = Mid**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 3899.625        | 44.51          | -46.28      | 29.24    | -67.79      | -13.00      | 54.79       | Horizontal |
| 2               | 4933.875        | 43.70          | -45.57      | 31.29    | -65.83      | -13.00      | 52.83       | Horizontal |
| 3               | 6346.125        | 43.01          | -44.48      | 33.58    | -63.15      | -13.00      | 50.15       | Horizontal |
| 4               | 7704.375        | 42.20          | -43.08      | 36.69    | -59.46      | -13.00      | 46.46       | Horizontal |
| 5               | 9463.125        | 40.46          | -40.08      | 37.43    | -57.46      | -13.00      | 44.46       | Horizontal |
| 6               | 11881.125       | 34.82          | -37.07      | 39.04    | -58.47      | -13.00      | 45.47       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 3946.5          | 44.17          | -46.17      | 29.31    | -67.94      | -13.00      | 54.94       | Vertical |
| 2               | 4865.25         | 43.51          | -45.53      | 31.18    | -66.10      | -13.00      | 53.10       | Vertical |
| 3               | 5987.625        | 44.10          | -44.85      | 32.40    | -63.61      | -13.00      | 50.61       | Vertical |
| 4               | 7885.125        | 41.95          | -42.74      | 36.94    | -59.11      | -13.00      | 46.11       | Vertical |
| 5               | 9296.625        | 39.23          | -40.22      | 37.09    | -59.16      | -13.00      | 46.16       | Vertical |
| 6               | 12124.125       | 35.54          | -37.38      | 39.14    | -57.96      | -13.00      | 44.96       | Vertical |

**Test Band = 4A-12A\_TM1**  
**Test Channel = High**

| Final Data List |                 |                |             |          |             |             |             |            |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|------------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity   |
| 1               | 4185            | 43.19          | -45.77      | 29.84    | -67.99      | -13.00      | 54.99       | Horizontal |
| 2               | 5560.5          | 43.38          | -45.14      | 32.31    | -64.71      | -13.00      | 51.71       | Horizontal |
| 3               | 6762.375        | 42.69          | -44.03      | 34.57    | -62.03      | -13.00      | 49.03       | Horizontal |
| 4               | 8451.75         | 41.89          | -41.54      | 36.83    | -58.08      | -13.00      | 45.08       | Horizontal |
| 5               | 10272.75        | 37.00          | -39.20      | 38.53    | -58.93      | -13.00      | 45.93       | Horizontal |
| 6               | 12339.375       | 35.55          | -37.47      | 39.20    | -57.98      | -13.00      | 44.98       | Horizontal |

| Final Data List |                 |                |             |          |             |             |             |          |
|-----------------|-----------------|----------------|-------------|----------|-------------|-------------|-------------|----------|
| NO.             | Frequency [MHz] | Reading [dBμV] | Factor [dB] | AF[dB/m] | Level [dBm] | Limit [dBm] | Margin [dB] | Polarity |
| 1               | 4216.5          | 42.86          | -45.73      | 29.92    | -68.21      | -13.00      | 55.21       | Vertical |
| 2               | 5539.125        | 43.92          | -45.17      | 32.31    | -64.21      | -13.00      | 51.21       | Vertical |
| 3               | 6324            | 43.26          | -44.51      | 33.50    | -63.01      | -13.00      | 50.01       | Vertical |
| 4               | 8206.5          | 40.62          | -42.30      | 36.98    | -59.96      | -13.00      | 46.96       | Vertical |
| 5               | 10066.125       | 37.16          | -39.16      | 38.51    | -58.75      | -13.00      | 45.75       | Vertical |
| 6               | 12526.875       | 35.39          | -37.13      | 39.26    | -57.74      | -13.00      | 44.74       | Vertical |