





Test Mode :	802.11ax HE40	Test Channel :	06 Full RU
--------------------	---------------	-----------------------	------------






Test Mode :	802.11ax HE40	Test Channel :	09 Full RU
-------------	---------------	----------------	------------


100kHz PSD reference Level




High Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






<TXBF Modes>


6dB and 99% Occupied Bandwidth

<802.11ax HE20>



Note: The occupied channel bandwidth is maintained within the band of operation for all of the modulations.


<802.11ax HE40>




Note: The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

**Power Spectral Density(dBm/3kHz)**

<802.11ax HE20>



<802.11ax HE40>






Band Edges and Spurious Emission


Number of TX = 2, Ant. 1 (Measured)

Test Mode :	802.11ax HE20	Test Channel :	01 Full RU
-------------	---------------	----------------	------------






Test Mode :	802.11ax HE20	Test Channel :	06 Full RU
-------------	---------------	----------------	------------







Test Mode :	802.11ax HE20	Test Channel :	11 Full RU
-------------	---------------	----------------	------------






Test Mode :	802.11ax HE40	Test Channel :	03 Full RU
--------------------	---------------	-----------------------	------------








Test Mode :	802.11ax HE40	Test Channel :	09 Full RU
-------------	---------------	----------------	------------






Number of TX = 2, Ant. 2 (Measured)

Test Mode :	802.11ax HE20	Test Channel :	01 Full RU
-------------	---------------	----------------	------------






Test Mode :	802.11ax HE20	Test Channel :	06 Full RU
--------------------	---------------	-----------------------	------------






Test Mode :	802.11ax HE20	Test Channel :	11 Full RU
-------------	---------------	----------------	------------


100kHz PSD reference Level




High Channel Plot



Spurious Emission 30MHz~1GHz




Spurious Emission 1GHz~26.5GHz






Test Mode :	802.11ax HE40	Test Channel :	03 Full RU
-------------	---------------	----------------	------------






Test Mode :	802.11ax HE40	Test Channel :	06 Full RU
--------------------	---------------	-----------------------	------------






Test Mode :	802.11ax HE40	Test Channel :	09 Full RU
-------------	---------------	----------------	------------


100kHz PSD reference Level




High Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO : 330612
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	35.78	56.00	20.22	L1	OFF	19.9
0.150000	51.72	---	66.00	14.28	L1	OFF	19.9
0.161250	---	31.75	55.40	23.65	L1	OFF	19.9
0.161250	48.72	---	65.40	16.68	L1	OFF	19.9
0.181500	---	29.63	54.42	24.79	L1	OFF	19.9
0.181500	44.71	---	64.42	19.71	L1	OFF	19.9
0.190500	---	31.02	54.02	23.00	L1	OFF	19.9
0.190500	44.21	---	64.02	19.81	L1	OFF	19.9
0.485250	---	33.65	46.25	12.60	L1	OFF	19.9
0.485250	40.16	---	56.25	16.09	L1	OFF	19.9
0.539250	---	26.88	46.00	19.12	L1	OFF	19.9
0.539250	35.28	---	56.00	20.72	L1	OFF	19.9
2.096250	---	25.62	46.00	20.38	L1	OFF	19.9
2.096250	28.83	---	56.00	27.17	L1	OFF	19.9
7.469250	---	29.11	50.00	20.89	L1	OFF	20.1
7.469250	33.04	---	60.00	26.96	L1	OFF	20.1
16.149750	---	32.56	50.00	17.44	L1	OFF	20.4
16.149750	37.01	---	60.00	22.99	L1	OFF	20.4

EUT Information

Report NO : 330612
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	35.71	55.88	20.17	N	OFF	19.9
0.152250	51.27	---	65.88	14.61	N	OFF	19.9
0.165750	---	31.82	55.17	23.35	N	OFF	19.9
0.165750	47.23	---	65.17	17.94	N	OFF	19.9
0.181500	---	30.16	54.42	24.26	N	OFF	19.9
0.181500	45.29	---	64.42	19.13	N	OFF	19.9
0.465000	---	30.44	46.60	16.16	N	OFF	19.9
0.465000	39.50	---	56.60	17.10	N	OFF	19.9
0.516750	---	30.64	46.00	15.36	N	OFF	19.9
0.516750	37.82	---	56.00	18.18	N	OFF	19.9
1.776750	---	25.38	46.00	20.62	N	OFF	19.9
1.776750	28.82	---	56.00	27.18	N	OFF	19.9
8.124000	---	29.46	50.00	20.54	N	OFF	20.2
8.124000	33.55	---	60.00	26.45	N	OFF	20.2
17.022750	---	32.04	50.00	17.96	N	OFF	20.5
17.022750	36.50	---	60.00	23.50	N	OFF	20.5



Appendix C. Radiated Spurious Emission

Test Engineer :	Jesse Wang, Stan Hsieh and Ken Wu	Temperature :	20.1~25.5°C
		Relative Humidity :	52.3~68.1%

<CDD Mode>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		2383.5	59.12	-14.88	74	43.87	32.1	18.27	35.12	191	131	P	H
		2383.08	52.13	-1.87	54	36.88	32.1	18.27	35.12	191	131	A	H
	*	2412	118.52	-	-	103.29	32.08	18.27	35.12	191	131	P	H
	*	2412	115.51	-	-	100.28	32.08	18.27	35.12	191	131	A	H
													H
													H
		2383.08	59.62	-14.38	74	44.37	32.1	18.27	35.12	195	24	P	V
		2383.29	52.74	-1.26	54	37.49	32.1	18.27	35.12	195	24	A	V
	*	2412	117.27	-	-	102.04	32.08	18.27	35.12	195	24	P	V
	*	2412	114.09	-	-	98.86	32.08	18.27	35.12	195	24	A	V
													V
													V
802.11b CH 06 2437MHz		2315.6	57.16	-16.84	74	42.38	31.89	18.03	35.14	348	129	P	H
		2340.52	47.44	-6.56	54	32.38	32.04	18.15	35.13	348	129	A	H
	*	2437	118.75	-	-	103.49	32.03	18.34	35.11	348	129	P	H
	*	2437	115.56	-	-	100.3	32.03	18.34	35.11	348	129	A	H
		2483.69	55.8	-18.2	74	40.51	32	18.39	35.1	348	129	P	H
		2490.83	47.16	-6.84	54	31.87	32	18.39	35.1	348	129	A	H
		2317.56	61.86	-12.14	74	47.06	31.91	18.03	35.14	204	101	P	V
		2378.74	48.79	-5.21	54	33.64	32.1	18.17	35.12	204	101	A	V
	*	2437	122.47	-	-	107.21	32.03	18.34	35.11	204	101	P	V
	*	2437	119.22	-	-	103.96	32.03	18.34	35.11	204	101	A	V
		2491.11	56.9	-17.1	74	41.61	32	18.39	35.1	204	101	P	V
		2487.89	48.93	-5.07	54	33.64	32	18.39	35.1	204	101	A	V



802.11b CH 11 2462MHz	*	2462	113.06	-	-	97.76	32	18.41	35.11	354	0	P	H
	*	2462	110.02	-	-	94.72	32	18.41	35.11	354	0	A	H
		2487.8	58.5	-15.5	74	43.21	32	18.39	35.1	354	0	P	H
		2486.84	50.86	-3.14	54	35.57	32	18.39	35.1	354	0	A	H
													H
													H
	*	2462	117.89	-	-	102.59	32	18.41	35.11	197	62	P	V
	*	2462	114.73	-	-	99.43	32	18.41	35.11	197	62	A	V
		2488.32	60.32	-13.68	74	45.03	32	18.39	35.1	197	62	P	V
		2486.84	51.86	-2.14	54	36.57	32	18.39	35.1	197	62	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz****WIFI 802.11b (Harmonic @ 3m)**

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 10 2457MHz	*	2457	114.88	-	-	98.76	32	18.33	34.21	356	360	P	H
	*	2457	111.72	-	-	95.6	32	18.33	34.21	356	360	A	H
		2484.44	58.31	-15.69	74	42.14	32	18.39	34.22	356	360	P	H
		2485.2	51.12	-2.88	54	34.95	32	18.39	34.22	356	360	A	H
													H
													H
	*	2457	118.71	-	-	102.59	32	18.33	34.21	200	58	P	V
	*	2457	115.64	-	-	99.52	32	18.33	34.21	200	58	A	V
		2485.44	59.68	-14.32	74	43.51	32	18.39	34.22	200	58	P	V
		2483.8	53.3	-0.7	54	37.13	32	18.39	34.22	200	58	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz****WIFI 802.11b (Harmonic @ 3m)**

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	42.11	-31.89	74	53.94	34.1	13.03	58.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4824	41.49	-32.51	74	53.32	34.1	13.03	58.96	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



Report No. : FR330612A

802.11b
CH 06
2437MHz

[illegible]



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2389.59	59.89	-14.11	74	44.64	32.1	18.27	35.12	250	173	P	H
		2389.275	49.63	-4.37	54	34.38	32.1	18.27	35.12	250	173	A	H
	*	2412	113.99	-	-	98.76	32.08	18.27	35.12	250	173	P	H
	*	2412	106.96	-	-	91.73	32.08	18.27	35.12	250	173	A	H
													H
													H
		2389.38	60.8	-13.2	74	45.55	32.1	18.27	35.12	268	123	P	V
		2389.905	52.06	-1.94	54	36.81	32.1	18.27	35.12	268	123	A	V
	*	2412	117.58	-	-	102.35	32.08	18.27	35.12	268	123	P	V
	*	2412	110.41	-	-	95.18	32.08	18.27	35.12	268	123	A	V
													V
													V
802.11g CH 06 2437MHz		2389.66	57.67	-16.33	74	42.42	32.1	18.27	35.12	250	188	P	H
		2389.24	48.93	-5.07	54	33.68	32.1	18.27	35.12	250	188	A	H
	*	2437	119.92	-	-	104.66	32.03	18.34	35.11	250	188	P	H
	*	2437	112.51	-	-	97.25	32.03	18.34	35.11	250	188	A	H
		2498.32	56.35	-17.65	74	41.06	32	18.39	35.1	250	188	P	H
		2483.9	46.69	-7.31	54	31.4	32	18.39	35.1	250	188	A	H
		2386.02	59.23	-14.77	74	43.98	32.1	18.27	35.12	202	259	P	V
		2385.88	48.53	-5.47	54	33.28	32.1	18.27	35.12	202	259	A	V
	*	2437	123.55	-	-	108.29	32.03	18.34	35.11	202	259	P	V
	*	2437	115.82	-	-	100.56	32.03	18.34	35.11	202	259	A	V
		2486	60.54	-13.46	74	45.25	32	18.39	35.1	202	259	P	V
		2485.16	49.22	-4.78	54	33.93	32	18.39	35.1	202	259	A	V



802.11g CH 11 2462MHz	*	2462	109.86	-	-	94.56	32	18.41	35.11	351	4	P	H
	*	2462	102.98	-	-	87.68	32	18.41	35.11	351	4	A	H
		2483.6	59.41	-14.59	74	44.12	32	18.39	35.1	351	4	P	H
		2483.52	50.37	-3.63	54	35.08	32	18.39	35.1	351	4	A	H
													H
													H
	*	2462	114.6	-	-	99.3	32	18.41	35.11	200	91	P	V
	*	2462	107.49	-	-	92.19	32	18.41	35.11	200	91	A	V
		2483.68	63.58	-10.42	74	48.29	32	18.39	35.1	200	91	P	V
		2483.6	52.79	-1.21	54	37.5	32	18.39	35.1	200	91	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 02 2417MHz		2389.8	61.95	-12.05	74	45.78	32.1	18.27	34.2	358	185	P	H
		2388.96	50.82	-3.18	54	34.65	32.1	18.27	34.2	358	185	A	H
	*	2417	113.53	-	-	97.39	32.07	18.27	34.2	358	185	P	H
	*	2417	106.33	-	-	90.19	32.07	18.27	34.2	358	185	A	H
													H
													H
		2388.855	64.49	-9.51	74	48.32	32.1	18.27	34.2	200	46	P	V
		2388.96	53.49	-0.51	54	37.32	32.1	18.27	34.2	200	46	A	V
	*	2417	115.94	-	-	99.8	32.07	18.27	34.2	200	46	P	V
	*	2417	108.91	-	-	92.77	32.07	18.27	34.2	200	46	A	V
													V
													V
802.11g CH 10 2457MHz	*	2457	111.19	-	-	95.07	32	18.33	34.21	356	156	P	H
	*	2457	104.18	-	-	88.06	32	18.33	34.21	356	156	A	H
		2483.84	62.99	-11.01	74	46.82	32	18.39	34.22	356	156	P	H
		2484.32	50.92	-3.08	54	34.75	32	18.39	34.22	356	156	A	H
													H
													H
	*	2457	116.13	-	-	100.01	32	18.33	34.21	179	0	P	V
	*	2457	108.88	-	-	92.76	32	18.33	34.21	179	0	A	V
		2486.04	65.03	-8.97	74	48.86	32	18.39	34.22	179	0	P	V
		2485.52	51.87	-2.13	54	35.7	32	18.39	34.22	179	0	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 2412MHz		2389.38	60.97	-13.03	74	45.72	32.1	18.27	35.12	389	137	P	H
		2390	49.74	-4.26	54	34.49	32.1	18.27	35.12	389	137	A	H
	*	2412	116.47	-	-	101.24	32.08	18.27	35.12	389	137	P	H
	*	2412	107.02	-	-	91.79	32.08	18.27	35.12	389	137	A	H
													H
													H
		2390	62.85	-11.15	74	47.6	32.1	18.27	35.12	207	185	P	V
		2390	52.9	-1.1	54	37.65	32.1	18.27	35.12	207	185	A	V
	*	2412	118.06	-	-	102.83	32.08	18.27	35.12	207	185	P	V
	*	2412	108.55	-	-	93.32	32.08	18.27	35.12	207	185	A	V
													V
													V
802.11ax HE20 Full CH 06 2437MHz		2369.22	56.89	-17.11	74	41.76	32.1	18.16	35.13	305	138	P	H
		2386.86	47.99	-6.01	54	32.74	32.1	18.27	35.12	305	138	A	H
	*	2437	121.16	-	-	105.9	32.03	18.34	35.11	305	138	P	H
	*	2437	112.52	-	-	97.26	32.03	18.34	35.11	305	138	A	H
		2485.06	59.13	-14.87	74	43.84	32	18.39	35.1	305	138	P	H
		2483.53	48.64	-5.36	54	33.35	32	18.39	35.1	305	138	A	H
		2388.4	60.7	-13.3	74	45.45	32.1	18.27	35.12	204	110	P	V
		2387.42	50.45	-3.55	54	35.2	32.1	18.27	35.12	204	110	A	V
	*	2437	124.51	-	-	109.25	32.03	18.34	35.11	204	110	P	V
	*	2437	115.6	-	-	100.34	32.03	18.34	35.11	204	110	A	V
		2483.89	61.41	-12.59	74	46.12	32	18.39	35.1	204	110	P	V
		2484.79	50.11	-3.89	54	34.82	32	18.39	35.1	204	110	A	V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz	*	2462	113.46	-	-	98.16	32	18.41	35.11	400	18	P	H
	*	2462	103.18	-	-	87.88	32	18.41	35.11	400	18	A	H
		2483.72	59.85	-14.15	74	44.56	32	18.39	35.1	400	18	P	H
		2483.56	50.04	-3.96	54	34.75	32	18.39	35.1	400	18	A	H
													H
													H
	*	2462	114.77	-	-	99.47	32	18.41	35.11	212	57	P	V
	*	2462	105.7	-	-	90.4	32	18.41	35.11	212	57	A	V
		2485.16	66.2	-7.8	74	50.91	32	18.39	35.1	212	57	P	V
		2483.56	53.3	-0.7	54	38.01	32	18.39	35.1	212	57	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 02 2417MHz		2389.94	60.37	-13.63	74	44.2	32.1	18.27	34.2	181	180	P	H
		2389.94	50.83	-3.17	54	34.66	32.1	18.27	34.2	181	180	A	H
	*	2417	115.2	-	-	99.06	32.07	18.27	34.2	181	180	P	H
	*	2417	105.85	-	-	89.71	32.07	18.27	34.2	181	180	A	H
													H
													H
		2389.8	63.87	-10.13	74	47.7	32.1	18.27	34.2	200	47	P	V
		2389.94	53.24	-0.76	54	37.07	32.1	18.27	34.2	200	47	A	V
	*	2417	118.49	-	-	102.35	32.07	18.27	34.2	200	47	P	V
	*	2417	108.17	-	-	92.03	32.07	18.27	34.2	200	47	A	V
													V
													V
802.11ax HE20 Full CH 10 2457MHz	*	2457	111.25	-	-	95.13	32	18.33	34.21	355	155	P	H
	*	2457	102.69	-	-	86.57	32	18.33	34.21	355	155	A	H
		2483.62	62.96	-11.04	74	46.79	32	18.39	34.22	355	155	P	H
		2483.5	51.07	-2.93	54	34.9	32	18.39	34.22	355	155	A	H
													H
													H
	*	2457	117.83	-	-	101.71	32	18.33	34.21	176	0	P	V
	*	2457	107.7	-	-	91.58	32	18.33	34.21	176	0	A	V
		2483.68	64.98	-9.02	74	48.81	32	18.39	34.22	176	0	P	V
		2483.56	52.95	-1.05	54	36.78	32	18.39	34.22	176	0	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 03 2422MHz		2389.66	59.75	-14.25	74	43.58	32.1	18.27	34.2	198	331	P	H
		2389.94	49.28	-4.72	54	33.11	32.1	18.27	34.2	198	331	A	H
	*	2422	115.43	-	-	99.22	32.06	18.35	34.2	198	331	P	H
	*	2422	105.87	-	-	89.66	32.06	18.35	34.2	198	331	A	H
		2487.13	55.89	-18.11	74	39.72	32	18.39	34.22	198	331	P	H
		2493.43	45.34	-8.66	54	29.17	32	18.39	34.22	198	331	A	H
		2389.52	64.8	-9.2	74	48.63	32.1	18.27	34.2	220	188	P	V
		2389.8	53.12	-0.88	54	36.95	32.1	18.27	34.2	220	188	A	V
	*	2422	117.38	-	-	101.17	32.06	18.35	34.2	220	188	P	V
	*	2422	109.01	-	-	92.8	32.06	18.35	34.2	220	188	A	V
		2485.33	55.88	-18.12	74	39.71	32	18.39	34.22	220	188	P	V
		2486.68	46.06	-7.94	54	29.89	32	18.39	34.22	220	188	A	V
802.11ax HE20 Full CH 09 2452MHz		2342.48	55.19	-18.81	74	39.18	32.05	18.15	34.19	265	0	P	H
		2389.94	44.99	-9.01	54	28.82	32.1	18.27	34.2	265	0	A	H
	*	2452	114.73	-	-	98.61	32	18.33	34.21	265	0	P	H
	*	2452	105	-	-	88.88	32	18.33	34.21	265	0	A	H
		2484.52	59.93	-14.07	74	43.76	32	18.39	34.22	265	0	P	H
		2483.53	49.85	-4.15	54	33.68	32	18.39	34.22	265	0	A	H
		2331.28	59.11	-14.89	74	43.27	31.99	18.04	34.19	198	92	P	V
		2388.4	46.55	-7.45	54	30.38	32.1	18.27	34.2	198	92	A	V
	*	2452	119.3	-	-	103.18	32	18.33	34.21	198	92	P	V
	*	2452	108.72	-	-	92.6	32	18.33	34.21	198	92	A	V
		2483.53	63	-11	74	46.83	32	18.39	34.22	198	92	P	V
		2483.8	52.06	-1.94	54	35.89	32	18.39	34.22	198	92	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 06 2437MHz		4874	41.91	-32.09	74	53.59	34.15	13.04	58.87	-	-	P	H
		7311	44.24	-29.76	74	50.66	35.7	15.38	57.5	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	42.07	-31.93	74	53.75	34.15	13.04	58.87	-	-	P	V
		7311	43.58	-30.42	74	50	35.7	15.38	57.5	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/53 CH 01 2412MHz		2389.8	59.05	-14.95	74	43.8	32.1	18.27	35.12	387	1	P	H
		2390	50.2	-3.8	54	34.95	32.1	18.27	35.12	387	1	A	H
	*	2412	113.14	-	-	97.91	32.08	18.27	35.12	387	1	P	H
	*	2412	105.57	-	-	90.34	32.08	18.27	35.12	387	1	A	H
													H
													H
		2389.275	63.2	-10.8	74	47.95	32.1	18.27	35.12	210	194	P	V
		2390	52.85	-1.15	54	37.6	32.1	18.27	35.12	210	194	A	V
	*	2412	115.92	-	-	100.69	32.08	18.27	35.12	210	194	P	V
	*	2412	107.94	-	-	92.71	32.08	18.27	35.12	210	194	A	V
													V
													V
802.11ax HE20 Partial 106/54 CH 11 2462MHz	*	2462	108.57	-	-	93.27	32	18.41	35.11	358	12	P	H
	*	2462	100.54	-	-	85.24	32	18.41	35.11	358	12	A	H
		2484.28	59.13	-14.87	74	43.84	32	18.39	35.1	358	12	P	H
		2483.96	49.45	-4.55	54	34.16	32	18.39	35.1	358	12	A	H
													H
													H
	*	2462	112.53	-	-	97.23	32	18.41	35.11	210	62	P	V
	*	2462	104.9	-	-	89.6	32	18.41	35.11	210	62	A	V
		2483.88	63.95	-10.05	74	48.66	32	18.39	35.1	210	62	P	V
		2483.72	53.44	-0.56	54	38.15	32	18.39	35.1	210	62	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 2422MHz		2388.54	59.26	-14.74	74	44.01	32.1	18.27	35.12	388	0	P	H
		2389.94	50.11	-3.89	54	34.86	32.1	18.27	35.12	388	0	A	H
	*	2422	110.56	-	-	95.27	32.06	18.35	35.12	388	0	P	H
	*	2422	101.61	-	-	86.32	32.06	18.35	35.12	388	0	A	H
		2488.39	55.8	-18.2	74	40.51	32	18.39	35.1	388	0	P	H
		2483.8	45.81	-8.19	54	30.52	32	18.39	35.1	388	0	A	H
		2387.98	63.44	-10.56	74	48.19	32.1	18.27	35.12	145	187	P	V
		2388.96	53.15	-0.85	54	37.9	32.1	18.27	35.12	145	187	A	V
	*	2422	113.78	-	-	98.49	32.06	18.35	35.12	145	187	P	V
	*	2422	104.6	-	-	89.31	32.06	18.35	35.12	145	187	A	V
		2484.61	56.62	-17.38	74	41.33	32	18.39	35.1	145	187	P	V
		2488.57	46.05	-7.95	54	30.76	32	18.39	35.1	145	187	A	V
802.11ax HE40 Full CH 06 2437MHz		2315.74	56.92	-17.08	74	42.14	31.89	18.03	35.14	353	152	P	H
		2389.66	46.31	-7.69	54	31.06	32.1	18.27	35.12	353	152	A	H
	*	2437	111.18	-	-	95.92	32.03	18.34	35.11	353	152	P	H
	*	2437	101.97	-	-	86.71	32.03	18.34	35.11	353	152	A	H
		2485.24	63.98	-10.02	74	48.69	32	18.39	35.1	353	152	P	H
		2483.71	52.49	-1.51	54	37.2	32	18.39	35.1	353	152	A	H
		2315.88	60.93	-13.07	74	46.14	31.9	18.03	35.14	200	259	P	V
		2375.52	47.72	-6.28	54	32.57	32.1	18.17	35.12	200	259	A	V
	*	2437	115.37	-	-	100.11	32.03	18.34	35.11	200	259	P	V
	*	2437	107.03	-	-	91.77	32.03	18.34	35.11	200	259	A	V
		2484.43	64.89	-9.11	74	49.6	32	18.39	35.1	200	259	P	V
		2483.62	53.54	-0.46	54	38.25	32	18.39	35.1	200	259	A	V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 09 2452MHz		2352.7	55.64	-18.36	74	40.52	32.1	18.15	35.13	354	357	P	H
		2388.96	45.36	-8.64	54	30.11	32.1	18.27	35.12	354	357	A	H
	*	2452	106.49	-	-	91.27	32	18.33	35.11	354	357	P	H
	*	2452	97.78	-	-	82.56	32	18.33	35.11	354	357	A	H
		2484.25	61.72	-12.28	74	46.43	32	18.39	35.1	354	357	P	H
		2484.07	51.84	-2.16	54	36.55	32	18.39	35.1	354	357	A	H
		2332.82	59.59	-14.41	74	44.68	32	18.04	35.13	205	96	P	V
		2389.52	45.67	-8.33	54	30.42	32.1	18.27	35.12	205	96	A	V
	*	2452	111.42	-	-	96.2	32	18.33	35.11	205	96	P	V
	*	2452	103.12	-	-	87.9	32	18.33	35.11	205	96	A	V
		2485.06	63.46	-10.54	74	48.17	32	18.39	35.1	205	96	P	V
		2485.24	53.42	-0.58	54	38.13	32	18.39	35.1	205	96	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 08 2447MHz		2365.02	56.42	-17.58	74	40.35	32.1	18.16	34.19	353	158	P	H
		2385.6	44.77	-9.23	54	28.6	32.1	18.27	34.2	353	158	A	H
	*	2447	104.73	-	-	88.6	32.01	18.33	34.21	353	158	P	H
	*	2447	95.14	-	-	79.01	32.01	18.33	34.21	353	158	A	H
		2483.62	60.21	-13.79	74	44.04	32	18.39	34.22	353	158	P	H
		2483.53	51.08	-2.92	54	34.91	32	18.39	34.22	353	158	A	H
		2324.98	57.62	-16.38	74	41.81	31.95	18.04	34.18	181	360	P	V
		2385.88	45.25	-8.75	54	29.08	32.1	18.27	34.2	181	360	A	V
	*	2447	108.47	-	-	92.34	32.01	18.33	34.21	181	360	P	V
	*	2447	100.18	-	-	84.05	32.01	18.33	34.21	181	360	A	V
		2485.06	63.07	-10.93	74	46.9	32	18.39	34.22	181	360	P	V
		2484.52	53.11	-0.89	54	36.94	32	18.39	34.22	181	360	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]

Emission above 18GHz

2.4GHz WIFI 802.11ax HE40 (SHF)

[illegible]

Emission below 1GHz

2.4GHz WIFI 802.11ax HE40 (LF)

[illegible]



<TXBF Mode>

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant. 1+2		(MHz)	(dBμV/m)	(dB)	Line (dBμV/m)	Level (dBμV)	Factor (dB/m)	Loss (dB)	Factor (dB)	Pos (cm)	Pos (deg)	Avg. (P/A)	(H/V)
802.11ax HE20 Full CH 01 2412MHz		2387.91	69.42	-4.58	74	53.25	32.1	18.27	34.2	132	182	P	H
		2388.645	50.61	-3.39	54	34.44	32.1	18.27	34.2	132	182	A	H
	*	2412	112.66	-	-	96.51	32.08	18.27	34.2	132	182	P	H
	*	2412	102.35	-	-	86.2	32.08	18.27	34.2	132	182	A	H
													H
													H
		2385.39	68.77	-5.23	74	52.6	32.1	18.27	34.2	205	71	P	V
		2388.54	51.98	-2.02	54	35.81	32.1	18.27	34.2	205	71	A	V
	*	2412	115.92	-	-	99.77	32.08	18.27	34.2	205	71	P	V
	*	2412	106.45	-	-	90.3	32.08	18.27	34.2	205	71	A	V
													V
													V
802.11ax HE20 Full CH 06 2437MHz		2385.74	58.68	-15.32	74	42.51	32.1	18.27	34.2	374	360	P	H
		2389.8	46.84	-7.16	54	30.67	32.1	18.27	34.2	374	360	A	H
	*	2437	114.52	-	-	98.36	32.03	18.34	34.21	374	360	P	H
	*	2437	103.6	-	-	87.44	32.03	18.34	34.21	374	360	A	H
		2490.06	60.79	-13.21	74	44.62	32	18.39	34.22	374	360	P	H
		2486.49	48.34	-5.66	54	32.17	32	18.39	34.22	374	360	A	H
		2388.68	65.06	-8.94	74	48.89	32.1	18.27	34.2	203	107	P	V
		2384.34	49.76	-4.24	54	33.59	32.1	18.27	34.2	203	107	A	V
	*	2437	118.07	-	-	101.91	32.03	18.34	34.21	203	107	P	V
	*	2437	106.8	-	-	90.64	32.03	18.34	34.21	203	107	A	V
		2483.55	63.58	-10.42	74	47.41	32	18.39	34.22	203	107	P	V
		2483.55	49.29	-4.71	54	33.12	32	18.39	34.22	203	107	A	V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz	*	2462	108.9	-	-	92.7	32	18.41	34.21	400	147	P	H
	*	2462	100.38	-	-	84.18	32	18.41	34.21	400	147	A	H
		2484.84	63.78	-10.22	74	47.61	32	18.39	34.22	400	147	P	H
		2483.8	50.05	-3.95	54	33.88	32	18.39	34.22	400	147	A	H
													H
													H
	*	2462	110.53	-	-	94.33	32	18.41	34.21	230	66	P	V
	*	2462	101.61	-	-	85.41	32	18.41	34.21	230	66	A	V
		2484.44	62.45	-11.55	74	46.28	32	18.39	34.22	230	66	P	V
		2483.68	52.61	-1.39	54	36.44	32	18.39	34.22	230	66	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 06 2437MHz		4874	42.49	-31.51	74	54.22	34.15	13.04	58.92	-	-	P	H
		7311	44.05	-29.95	74	50.53	35.7	15.38	57.56	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	43.55	-30.45	74	55.28	34.15	13.04	58.92	-	-	P	V
		7311	43.34	-30.66	74	49.82	35.7	15.38	57.56	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz		4924	41.03	-32.97	74	52.64	34.2	13.03	58.84	-	-	P	H
		7386	42.94	-31.06	74	49.61	35.63	15.34	57.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 2422MHz		2389.52	64.3	-9.7	74	48.13	32.1	18.27	34.2	177	184	P	H
		2389.94	50.58	-3.42	54	34.41	32.1	18.27	34.2	177	184	A	H
	*	2422	106.77	-	-	90.56	32.06	18.35	34.2	177	184	P	H
	*	2422	98.08	-	-	81.87	32.06	18.35	34.2	177	184	A	H
		2498.95	56.4	-17.6	74	40.23	32	18.39	34.22	177	184	P	H
		2486.07	46.22	-7.78	54	30.05	32	18.39	34.22	177	184	A	H
		2389.94	64.61	-9.39	74	48.44	32.1	18.27	34.2	336	110	P	V
		2389.8	51.73	-2.27	54	35.56	32.1	18.27	34.2	336	110	A	V
	*	2422	111.39	-	-	95.18	32.06	18.35	34.2	336	110	P	V
	*	2422	108.14	-	-	91.93	32.06	18.35	34.2	336	110	P	V
		2494.75	56.78	-17.22	74	40.61	32	18.39	34.22	336	110	P	V
		2486.21	47.59	-6.41	54	31.42	32	18.39	34.22	336	110	A	V
802.11ax HE40 Full CH 06 2437MHz		2386.3	61.11	-12.89	74	44.94	32.1	18.27	34.2	377	17	P	H
		2386.16	47.38	-6.62	54	31.21	32.1	18.27	34.2	377	17	A	H
	*	2437	111.49	-	-	95.33	32.03	18.34	34.21	377	17	P	H
	*	2437	102.77	-	-	86.61	32.03	18.34	34.21	377	17	A	H
		2486.98	61.85	-12.15	74	45.68	32	18.39	34.22	377	17	P	H
		2487.4	48.51	-5.49	54	32.34	32	18.39	34.22	377	17	A	H
		2387.7	65.38	-8.62	74	49.21	32.1	18.27	34.2	100	56	P	V
		2387.14	50.37	-3.63	54	34.2	32.1	18.27	34.2	100	56	A	V
	*	2437	114.2	-	-	98.04	32.03	18.34	34.21	100	56	P	V
	*	2437	106.06	-	-	89.9	32.03	18.34	34.21	100	56	A	V
		2487.61	65.48	-8.52	74	49.31	32	18.39	34.22	100	56	P	V
		2488.03	50.76	-3.24	54	34.59	32	18.39	34.22	100	56	A	V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 09 2452MHz		2333.1	60.11	-13.89	74	44.26	32	18.04	34.19	293	165	P	H
		2332.68	46.86	-7.14	54	31.01	32	18.04	34.19	293	165	A	H
	*	2452	104.02	-	-	87.9	32	18.33	34.21	293	165	P	H
	*	2452	95.13	-	-	79.01	32	18.33	34.21	293	165	A	H
		2483.55	61.68	-12.32	74	45.51	32	18.39	34.22	293	165	P	H
		2488.52	51.17	-2.83	54	35	32	18.39	34.22	293	165	A	H
		2332.12	56.53	-17.47	74	40.69	31.99	18.04	34.19	120	348	P	V
		2356.76	46.82	-7.18	54	30.75	32.1	18.16	34.19	120	348	A	V
	*	2452	105.73	-	-	89.61	32	18.33	34.21	120	348	P	V
	*	2452	96.96	-	-	80.84	32	18.33	34.21	120	348	A	V
		2483.9	63.19	-10.81	74	47.02	32	18.39	34.22	120	348	P	V
		2486.21	53.28	-0.72	54	37.11	32	18.39	34.22	120	348	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is over limit line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Margin(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Margin(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Jesse Wang, Stan Hsieh and Ken Wu	Temperature :	20.1~25.5°C
		Relative Humidity :	52.3~68.1%

Note symbol





-L	Low channel location
-R	High channel location







<CDD Mode>

2.4GHz 2400~2483.5MHz





WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_78 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_F4 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_F4 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Left blank











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH10 2457MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH10 2457MHz	
1+2	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-04-27 PEAK_BE_74 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Level (dBuV/m) Date: 2023-04-27 PEAK_74 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	Level (dBuV/m) Date: 2023-04-27 AVG_BE_54 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Level (dBuV/m) Date: 2023-04-27 AVG_54 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto
Avg.		

2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH02 2417MHz	
1+2	Horizontal	Fundamental
Peak	Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto




WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH02 2417MHz	
1+2	Vertical	Fundamental
Peak	Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00070962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left Blank
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00070962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	Left Blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH10 2457MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH10 2457MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto
Avg.		





2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
1+2	Vertical	Fundamental
Peak	Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH02 2417MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH02 2417MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH03 2422MHz - L	
1+2	Horizontal	Fundamental
Peak	Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH03 2422MHz - R	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH03 2422MHz - L	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH03 2422MHz - R	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto




WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH09 2452MHz - L	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH09 2452MHz - R	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH09 2452MHz - L	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH09 2452MHz - R	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH10 2457MHz	
1+2	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH10 2457MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto







2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HE_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HE_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HE_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HE_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
	 Site : 03CH07-HY Condition : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz	
1+2	Horizontal	Fundamental
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for Peak. The plot shows a sharp peak at 2462 MHz, labeled 'PEAK_BE_74'. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2400 to 2500 MHz. Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for Peak. The plot shows a sharp peak at 2462 MHz, labeled 'PEAK_74'. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	Horizontal Avg. Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for Avg. The plot shows a broad peak at 2462 MHz, labeled 'AVG_BE_54'. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2400 to 2500 MHz. Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Fundamental Avg. Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) for Avg. The plot shows a broad peak at 2462 MHz, labeled 'AVG_54'. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto





2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
1+2	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH08 2447MHz - L	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_RE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH07-HY Condition : : AVG_RE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto