










		59																																																																																																																																							
Mode	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5619.80</td><td>60.22</td><td>68.20</td><td>-7.98</td><td>50.33</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>311</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>57.95</td><td>68.37</td><td>-10.42</td><td>48.12</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>311</td><td>245</td><td>PEAK</td></tr><tr><td>3</td><td>5705.02</td><td>68.09</td><td>106.71</td><td>-38.62</td><td>58.99</td><td>34.93</td><td>11.15</td><td>36.98</td><td>0.00</td><td>311</td><td>245</td><td>PEAK</td></tr><tr><td>4</td><td>5722.60</td><td>73.30</td><td>116.83</td><td>-43.53</td><td>64.45</td><td>34.94</td><td>11.17</td><td>37.26</td><td>0.00</td><td>311</td><td>245</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5619.80	60.22	68.20	-7.98	50.33	34.85	11.03	35.99	0.00	311	245	PEAK	2	5650.22	57.95	68.37	-10.42	48.12	34.88	11.07	36.12	0.00	311	245	PEAK	3	5705.02	68.09	106.71	-38.62	58.99	34.93	11.15	36.98	0.00	311	245	PEAK	4	5722.60	73.30	116.83	-43.53	64.45	34.94	11.17	37.26	0.00	311	245	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>110.91</td><td>-----</td><td>-----</td><td>102.56</td><td>34.98</td><td>11.23</td><td>37.86</td><td>0.00</td><td>311</td><td>245</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	110.91	-----	-----	102.56	34.98	11.23	37.86	0.00	311	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5619.80	60.22	68.20	-7.98	50.33	34.85	11.03	35.99	0.00	311	245	PEAK																																																																																																																													
2	5650.22	57.95	68.37	-10.42	48.12	34.88	11.07	36.12	0.00	311	245	PEAK																																																																																																																													
3	5705.02	68.09	106.71	-38.62	58.99	34.93	11.15	36.98	0.00	311	245	PEAK																																																																																																																													
4	5722.60	73.30	116.83	-43.53	64.45	34.94	11.17	37.26	0.00	311	245	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	110.91	-----	-----	102.56	34.98	11.23	37.86	0.00	311	245	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.17</td><td>-----</td><td>-----</td><td>92.59</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>311</td><td>245</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.17	-----	-----	92.59	34.96	11.20	37.58	0.00	311	245	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	101.17	-----	-----	92.59	34.96	11.20	37.58	0.00	311	245	AVERAGE																																																																																																																													




Mode	59																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>54.50</td><td>110.90</td><td>-56.40</td><td>47.42</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>311</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>5874.60</td><td>56.31</td><td>105.41</td><td>-49.10</td><td>49.17</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>311</td><td>245</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.41</td><td>68.20</td><td>-12.79</td><td>48.10</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>311</td><td>245</td><td>PEAK</td></tr><tr><td>4</td><td>5940.60</td><td>56.38</td><td>68.20</td><td>-11.82</td><td>49.00</td><td>35.15</td><td>11.42</td><td>39.19</td><td>0.00</td><td>311</td><td>245</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	54.50	110.90	-56.40	47.42	35.07	11.34	39.33	0.00	311	245	PEAK	2	5874.60	56.31	105.41	-49.10	49.17	35.09	11.35	39.30	0.00	311	245	PEAK	3	5925.00	55.41	68.20	-12.79	48.10	35.13	11.40	39.22	0.00	311	245	PEAK	4	5940.60	56.38	68.20	-11.82	49.00	35.15	11.42	39.19	0.00	311	245	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5855.00	54.50	110.90	-56.40	47.42	35.07	11.34	39.33	0.00	311	245	PEAK																																																																									
2	5874.60	56.31	105.41	-49.10	49.17	35.09	11.35	39.30	0.00	311	245	PEAK																																																																									
3	5925.00	55.41	68.20	-12.79	48.10	35.13	11.40	39.22	0.00	311	245	PEAK																																																																									
4	5940.60	56.38	68.20	-11.82	49.00	35.15	11.42	39.19	0.00	311	245	PEAK																																																																									






Mode	59																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																																				
ANT	CDD 1S4T																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.60</td><td>61.88</td><td>68.20</td><td>-6.32</td><td>52.00</td><td>34.87</td><td>11.07</td><td>36.06</td><td>0.00</td><td>169</td><td>0 PEAK</td></tr><tr><td>2</td><td>5652.22</td><td>61.75</td><td>69.86</td><td>-8.11</td><td>51.94</td><td>34.88</td><td>11.08</td><td>36.15</td><td>0.00</td><td>169</td><td>0 PEAK</td></tr><tr><td>3</td><td>5706.60</td><td>81.63</td><td>107.15</td><td>-25.52</td><td>72.55</td><td>34.93</td><td>11.15</td><td>37.00</td><td>0.00</td><td>169</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>81.90</td><td>110.90</td><td>-29.00</td><td>73.01</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>169</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.60	61.88	68.20	-6.32	52.00	34.87	11.07	36.06	0.00	169	0 PEAK	2	5652.22	61.75	69.86	-8.11	51.94	34.88	11.08	36.15	0.00	169	0 PEAK	3	5706.60	81.63	107.15	-25.52	72.55	34.93	11.15	37.00	0.00	169	0 PEAK	4	5720.00	81.90	110.90	-29.00	73.01	34.94	11.17	37.22	0.00	169	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>117.50</td><td>-----</td><td>-----</td><td>108.92</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>169</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	117.50	-----	-----	108.92	34.96	11.20	37.58	0.00	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5646.60	61.88	68.20	-6.32	52.00	34.87	11.07	36.06	0.00	169	0 PEAK																																																																																																																										
2	5652.22	61.75	69.86	-8.11	51.94	34.88	11.08	36.15	0.00	169	0 PEAK																																																																																																																										
3	5706.60	81.63	107.15	-25.52	72.55	34.93	11.15	37.00	0.00	169	0 PEAK																																																																																																																										
4	5720.00	81.90	110.90	-29.00	73.01	34.94	11.17	37.22	0.00	169	0 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5775.00	117.50	-----	-----	108.92	34.96	11.20	37.58	0.00	169	0 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>107.03</td><td>-----</td><td>-----</td><td>98.45</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>169</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	107.03	-----	-----	98.45	34.96	11.20	37.58	0.00	169	0 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5775.00	107.03	-----	-----	98.45	34.96	11.20	37.58	0.00	169	0 AVERAGE																																																																																																																										




Mode	59																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>60.57</td><td>110.90</td><td>-50.33</td><td>53.49</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>169</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5862.60</td><td>63.60</td><td>108.77</td><td>-45.17</td><td>56.50</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>169</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>48.34</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>169</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5948.22</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>49.36</td><td>35.16</td><td>11.42</td><td>39.18</td><td>0.00</td><td>169</td><td>0</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	60.57	110.90	-50.33	53.49	35.07	11.34	39.33	0.00	169	0	PEAK	2	5862.60	63.60	108.77	-45.17	56.50	35.08	11.34	39.32	0.00	169	0	PEAK	3	5925.00	55.65	68.20	-12.55	48.34	35.13	11.40	39.22	0.00	169	0	PEAK	4	5948.22	56.76	68.20	-11.44	49.36	35.16	11.42	39.18	0.00	169	0	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5855.00	60.57	110.90	-50.33	53.49	35.07	11.34	39.33	0.00	169	0	PEAK																																																																									
2	5862.60	63.60	108.77	-45.17	56.50	35.08	11.34	39.32	0.00	169	0	PEAK																																																																									
3	5925.00	55.65	68.20	-12.55	48.34	35.13	11.40	39.22	0.00	169	0	PEAK																																																																									
4	5948.22	56.76	68.20	-11.44	49.36	35.16	11.42	39.18	0.00	169	0	PEAK																																																																									






Mode	60																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.00</td><td>60.29</td><td>68.20</td><td>-7.91</td><td>50.38</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>295</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>58.38</td><td>68.37</td><td>-9.99</td><td>48.55</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>295</td><td>246</td><td>PEAK</td></tr><tr><td>3</td><td>5704.24</td><td>61.23</td><td>106.49</td><td>-45.26</td><td>52.12</td><td>34.93</td><td>11.15</td><td>36.97</td><td>0.00</td><td>295</td><td>246</td><td>PEAK</td></tr><tr><td>4</td><td>5721.42</td><td>63.33</td><td>114.14</td><td>-50.81</td><td>54.46</td><td>34.94</td><td>11.17</td><td>37.24</td><td>0.00</td><td>295</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5625.00	60.29	68.20	-7.91	50.38	34.85	11.04	35.98	0.00	295	246	PEAK	2	5650.22	58.38	68.37	-9.99	48.55	34.88	11.07	36.12	0.00	295	246	PEAK	3	5704.24	61.23	106.49	-45.26	52.12	34.93	11.15	36.97	0.00	295	246	PEAK	4	5721.42	63.33	114.14	-50.81	54.46	34.94	11.17	37.24	0.00	295	246	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>109.39</td><td>-----</td><td>-----</td><td>101.04</td><td>34.98</td><td>11.23</td><td>37.86</td><td>0.00</td><td>295</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	109.39	-----	-----	101.04	34.98	11.23	37.86	0.00	295	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5625.00	60.29	68.20	-7.91	50.38	34.85	11.04	35.98	0.00	295	246	PEAK																																																																																																																														
2	5650.22	58.38	68.37	-9.99	48.55	34.88	11.07	36.12	0.00	295	246	PEAK																																																																																																																														
3	5704.24	61.23	106.49	-45.26	52.12	34.93	11.15	36.97	0.00	295	246	PEAK																																																																																																																														
4	5721.42	63.33	114.14	-50.81	54.46	34.94	11.17	37.24	0.00	295	246	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	109.39	-----	-----	101.04	34.98	11.23	37.86	0.00	295	246	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.37</td><td>-----</td><td>-----</td><td>92.02</td><td>34.98</td><td>11.23</td><td>37.86</td><td>0.00</td><td>295</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	100.37	-----	-----	92.02	34.98	11.23	37.86	0.00	295	246	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	100.37	-----	-----	92.02	34.98	11.23	37.86	0.00	295	246	AVERAGE																																																																																																																														




Mode	60																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>55.02</td><td>110.90</td><td>-55.88</td><td>47.94</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>295</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5871.42</td><td>57.73</td><td>106.30</td><td>-48.57</td><td>50.60</td><td>35.08</td><td>11.35</td><td>39.30</td><td>0.00</td><td>295</td><td>246</td><td>PEAK</td></tr><tr><td>3</td><td>5923.00</td><td>56.90</td><td>69.09</td><td>-12.19</td><td>49.59</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>295</td><td>246</td><td>PEAK</td></tr><tr><td>4</td><td>5933.42</td><td>56.79</td><td>68.20</td><td>-11.41</td><td>49.44</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>295</td><td>246</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	55.02	110.90	-55.88	47.94	35.07	11.34	39.33	0.00	295	246	PEAK	2	5871.42	57.73	106.30	-48.57	50.60	35.08	11.35	39.30	0.00	295	246	PEAK	3	5923.00	56.90	69.09	-12.19	49.59	35.13	11.40	39.22	0.00	295	246	PEAK	4	5933.42	56.79	68.20	-11.41	49.44	35.14	11.41	39.20	0.00	295	246	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5855.00	55.02	110.90	-55.88	47.94	35.07	11.34	39.33	0.00	295	246	PEAK																																																																																			
2	5871.42	57.73	106.30	-48.57	50.60	35.08	11.35	39.30	0.00	295	246	PEAK																																																																																			
3	5923.00	56.90	69.09	-12.19	49.59	35.13	11.40	39.22	0.00	295	246	PEAK																																																																																			
4	5933.42	56.79	68.20	-11.41	49.44	35.14	11.41	39.20	0.00	295	246	PEAK																																																																																			







Mode	60																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																						
ANT	CDD 1S4T																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5623.00</td><td>62.19</td><td>68.20</td><td>-6.01</td><td>52.29</td><td>34.85</td><td>11.03</td><td>35.98</td><td>0.00</td><td>99 PEAK</td></tr><tr><td>2 5651.80</td><td>60.45</td><td>69.54</td><td>-9.09</td><td>50.65</td><td>34.88</td><td>11.07</td><td>36.15</td><td>0.00</td><td>99 PEAK</td></tr><tr><td>3 5717.80</td><td>81.11</td><td>110.28</td><td>-29.17</td><td>72.18</td><td>34.94</td><td>11.17</td><td>37.18</td><td>0.00</td><td>99 PEAK</td></tr><tr><td>4 5720.00</td><td>75.03</td><td>110.90</td><td>-35.87</td><td>66.14</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>99 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5623.00	62.19	68.20	-6.01	52.29	34.85	11.03	35.98	0.00	99 PEAK	2 5651.80	60.45	69.54	-9.09	50.65	34.88	11.07	36.15	0.00	99 PEAK	3 5717.80	81.11	110.28	-29.17	72.18	34.94	11.17	37.18	0.00	99 PEAK	4 5720.00	75.03	110.90	-35.87	66.14	34.94	11.17	37.22	0.00	99 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5775.00</td><td>116.07</td><td>-----</td><td>-----</td><td>107.89</td><td>34.99</td><td>11.24</td><td>38.05</td><td>0.00</td><td>100 99 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5775.00	116.07	-----	-----	107.89	34.99	11.24	38.05	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5623.00	62.19	68.20	-6.01	52.29	34.85	11.03	35.98	0.00	99 PEAK																																																																																																														
2 5651.80	60.45	69.54	-9.09	50.65	34.88	11.07	36.15	0.00	99 PEAK																																																																																																														
3 5717.80	81.11	110.28	-29.17	72.18	34.94	11.17	37.18	0.00	99 PEAK																																																																																																														
4 5720.00	75.03	110.90	-35.87	66.14	34.94	11.17	37.22	0.00	99 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5775.00	116.07	-----	-----	107.89	34.99	11.24	38.05	0.00	100 99 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5775.00</td><td>106.79</td><td>-----</td><td>-----</td><td>98.37</td><td>34.97</td><td>11.22</td><td>37.77</td><td>0.00</td><td>99 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5775.00	106.79	-----	-----	98.37	34.97	11.22	37.77	0.00	99 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5775.00	106.79	-----	-----	98.37	34.97	11.22	37.77	0.00	99 AVERAGE																																																																																																														





Mode	60																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																									
ANT	CDD 1S4T																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>68.46</td><td>111.81</td><td>-43.35</td><td>61.38</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr><tr><td>2</td><td>5855.00</td><td>66.69</td><td>110.90</td><td>-44.21</td><td>59.61</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>54.36</td><td>68.20</td><td>-13.84</td><td>47.05</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr><tr><td>4</td><td>5933.42</td><td>58.33</td><td>68.20</td><td>-9.87</td><td>50.98</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.60	68.46	111.81	-43.35	61.38	35.07	11.34	39.33	0.00	100	99 PEAK	2	5855.00	66.69	110.90	-44.21	59.61	35.07	11.34	39.33	0.00	100	99 PEAK	3	5925.00	54.36	68.20	-13.84	47.05	35.13	11.40	39.22	0.00	100	99 PEAK	4	5933.42	58.33	68.20	-9.87	50.98	35.14	11.41	39.20	0.00	100	99 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5854.60	68.46	111.81	-43.35	61.38	35.07	11.34	39.33	0.00	100	99 PEAK																																																																															
2	5855.00	66.69	110.90	-44.21	59.61	35.07	11.34	39.33	0.00	100	99 PEAK																																																																															
3	5925.00	54.36	68.20	-13.84	47.05	35.13	11.40	39.22	0.00	100	99 PEAK																																																																															
4	5933.42	58.33	68.20	-9.87	50.98	35.14	11.41	39.20	0.00	100	99 PEAK																																																																															







Mode	92																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5096.64</td><td>57.90</td><td>74.00</td><td>-16.10</td><td>49.77</td><td>34.34</td><td>10.54</td><td>36.75</td><td>0.00</td><td>101</td><td>166</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5096.64	57.90	74.00	-16.10	49.77	34.34	10.54	36.75	0.00	101	166	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>115.79</td><td>-----</td><td>-----</td><td>107.11</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td><td>101</td><td>166</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	115.79	-----	-----	107.11	34.50	10.69	36.51	0.00	101	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5096.64	57.90	74.00	-16.10	49.77	34.34	10.54	36.75	0.00	101	166	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	115.79	-----	-----	107.11	34.50	10.69	36.51	0.00	101	166	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5093.60</td><td>46.76</td><td>54.00</td><td>-7.24</td><td>38.59</td><td>34.35</td><td>10.55</td><td>36.73</td><td>0.00</td><td>101</td><td>166</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.60	46.76	54.00	-7.24	38.59	34.35	10.55	36.73	0.00	101	166	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>107.52</td><td>-----</td><td>-----</td><td>98.84</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td><td>101</td><td>166</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	107.52	-----	-----	98.84	34.50	10.69	36.51	0.00	101	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5093.60	46.76	54.00	-7.24	38.59	34.35	10.55	36.73	0.00	101	166	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	107.52	-----	-----	98.84	34.50	10.69	36.51	0.00	101	166	AVERAGE																																																																																																			





Mode	92																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.34</td><td>57.65</td><td>74.00</td><td>-16.35</td><td>48.36</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>101</td><td>166</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.34	57.65	74.00	-16.35	48.36	34.69	10.83	36.23	0.00	101	166	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5448.34	57.65	74.00	-16.35	48.36	34.69	10.83	36.23	0.00	101	166	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.06</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>36.00</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>101</td><td>166</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.06	45.11	54.00	-8.89	36.00	34.64	10.77	36.30	0.00	101	166	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5399.06	45.11	54.00	-8.89	36.00	34.64	10.77	36.30	0.00	101	166	AVERAGE																																												





Mode	92																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5093.12</td><td>60.91</td><td>74.00</td><td>-13.09</td><td>52.74</td><td>34.35</td><td>10.55</td><td>36.73</td><td>0.00</td><td>100</td><td>173</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.12	60.91	74.00	-13.09	52.74	34.35	10.55	36.73	0.00	100	173	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>121.81</td><td>-----</td><td>-----</td><td>113.16</td><td>34.49</td><td>10.68</td><td>36.52</td><td>0.00</td><td>100</td><td>173</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	121.81	-----	-----	113.16	34.49	10.68	36.52	0.00	100	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5093.12	60.91	74.00	-13.09	52.74	34.35	10.55	36.73	0.00	100	173	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	121.81	-----	-----	113.16	34.49	10.68	36.52	0.00	100	173	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5093.60</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>40.55</td><td>34.35</td><td>10.55</td><td>36.73</td><td>0.00</td><td>100</td><td>173</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.60	48.72	54.00	-5.28	40.55	34.35	10.55	36.73	0.00	100	173	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>112.95</td><td>-----</td><td>-----</td><td>104.30</td><td>34.49</td><td>10.68</td><td>36.52</td><td>0.00</td><td>100</td><td>173</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	112.95	-----	-----	104.30	34.49	10.68	36.52	0.00	100	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5093.60	48.72	54.00	-5.28	40.55	34.35	10.55	36.73	0.00	100	173	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	112.95	-----	-----	104.30	34.49	10.68	36.52	0.00	100	173	AVERAGE																																																																																																			



Mode	92																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.86</td><td>61.48</td><td>74.00</td><td>-12.52</td><td>52.37</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>100</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.86	61.48	74.00	-12.52	52.37	34.64	10.77	36.30	0.00	100	173	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5396.86	61.48	74.00	-12.52	52.37	34.64	10.77	36.30	0.00	100	173	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.98</td><td>50.30</td><td>54.00</td><td>-3.70</td><td>41.20</td><td>34.64</td><td>10.77</td><td>36.31</td><td>0.00</td><td>100</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.98	50.30	54.00	-3.70	41.20	34.64	10.77	36.31	0.00	100	173	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5395.98	50.30	54.00	-3.70	41.20	34.64	10.77	36.31	0.00	100	173	AVERAGE																																												



Mode	92																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.03</td><td>68.20</td><td>-23.17</td><td>58.88</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.03	68.20	-23.17	58.88	37.48	15.56	66.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10480.00	45.03	68.20	-23.17	58.88	37.48	15.56	66.89	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.46</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	44.61	68.20	-23.59	58.46	37.48	15.56	66.89	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10480.00	44.61	68.20	-23.59	58.46	37.48	15.56	66.89	0.00	---	---	PEAK																																												



<TX Beamforming mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 62	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	44	5220	MCS0	Full RU	-
Mode 63	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	48	5240	MCS0	Full RU	-
Mode 64	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT40	38	5190	MCS0	Full	-
Mode 65	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT40	46	5230	MCS0	Full	-
Mode 66	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT80	42	5210	MCS0	Full	-
Mode 67	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT20	52	5260	MCS0	Full RU	-
Mode 68	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT20	60	5300	MCS0	Full RU	-
Mode 69	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 70	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT40	54	5270	MCS0	Full	-
Mode 71	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT40	62	5310	MCS0	Full	-
Mode 72	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT80	58	5290	MCS0	Full	-
Mode 73	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT160	50	5250	MCS0	Full	-
Mode 74	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT20	100	5500	MCS0	Full	-
Mode 75	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT20	116	5580	MCS0	Full	-
Mode 76	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT20	140	5700	MCS0	Full	-
Mode 77	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT40	102	5510	MCS0	Full	-
Mode 78	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT40	110	5550	MCS0	Full	-
Mode 79	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT40	134	5670	MCS0	Full	-
Mode 80	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT80	106	5530	MCS0	Full	-
Mode 81	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT80	122	5610	MCS0	Full	-
Mode 82	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT160	114	5570	MCS0	Full	-
Mode 83	U-NII-2C	5.725-5.85	TXBF1S4T	802.11BE EHT20	144	5720	MCS0	Full	-
Mode 84	U-NII-2C	5.725-5.85	TXBF1S4T	802.11BE EHT40	142	5710	MCS0	Full	-
Mode 85	U-NII-2C	5.725-5.85	TXBF1S4T	802.11BE EHT80	138	5690	MCS0	Full	-
Mode 86	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT20	149	5745	MCS0	Full	-
Mode 87	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT20	157	5785	MCS0	Full	-
Mode 88	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT20	165	5825	MCS0	Full	-
Mode 89	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT40	151	5755	MCS0	Full	-
Mode 90	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT40	159	5795	MCS0	Full	-
Mode 91	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT80	155	5775	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
61	802.11be EHT20	36	10360.00	44.65	68.20	-23.55	H	PEAK	Pass	Harmonic
62	802.11be EHT20	44	10440.00	44.84	68.20	-23.36	H	PEAK	Pass	Harmonic
63	802.11be EHT20	48	10480.00	45.69	68.20	-22.51	H	PEAK	Pass	Harmonic
64	802.11be EHT40	38	10380.00	43.64	68.20	-24.56	V	PEAK	Pass	Harmonic
65	802.11be EHT40	46	10460.00	43.57	68.20	-24.63	V	PEAK	Pass	Harmonic
66	802.11be EHT80	42	10420.00	45.97	68.20	-22.23	H	PEAK	Pass	Harmonic
67	802.11be EHT20	52	10520.00	44.57	68.20	-23.63	V	PEAK	Pass	Harmonic
68	802.11be EHT20	60	10600.00	44.33	74.00	-29.67	V	PEAK	Pass	Harmonic
69	802.11be EHT20	64	10640.00	43.78	74.00	-30.22	H	PEAK	Pass	Harmonic
70	802.11be EHT40	54	10540.00	43.75	68.20	-24.45	V	PEAK	Pass	Harmonic
71	802.11be EHT40	62	10620.00	42.93	74.00	-31.07	V	PEAK	Pass	Harmonic
72	802.11be EHT80	58	10580.00	44.81	68.20	-23.39	H	PEAK	Pass	Harmonic
73	802.11be EHT160	50	10500.00	45.24	68.20	-22.96	V	PEAK	Pass	Harmonic
74	802.11be EHT20	100	11000.00	44.61	74.00	-29.39	H	PEAK	Pass	Harmonic
75	802.11be EHT20	116	11160.00	44.92	74.00	-29.08	H	PEAK	Pass	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
76	802.11be EHT20	140	11400.00	44.63	74.00	-29.37	H	PEAK	Pass	Harmonic
77	802.11be EHT40	102	11020.00	45.70	74.00	-28.30	H	PEAK	Pass	Harmonic
78	802.11be EHT40	110	11100.00	45.79	74.00	-28.21	H	PEAK	Pass	Harmonic
79	802.11be EHT40	134	11340.00	45.07	74.00	-28.93	H	PEAK	Pass	Harmonic
80	802.11be EHT80	106	11060.00	45.42	74.00	-28.58	H	PEAK	Pass	Harmonic
81	802.11be EHT80	122	11220.00	46.37	74.00	-27.63	V	PEAK	Pass	Harmonic
82	802.11be EHT160	114	11140.00	45.17	74.00	-28.83	H	PEAK	Pass	Harmonic
83	802.11BE EHT20	144	11440.00	44.94	74.00	-29.06	H	PEAK	Pass	Harmonic
84	802.11BE EHT40	142	11420.00	45.90	74.00	-28.10	H	PEAK	Pass	Harmonic
85	802.11BE EHT80	138	11380.00	45.91	74.00	-28.09	H	PEAK	Pass	Harmonic
86	802.11BE EHT20	149	5646.60	67.35	68.20	-0.85	V	PEAK	Pass	Band Edge
86	802.11BE EHT20	149	11490.20	46.36	74.00	-27.64	V	Peak	Pass	Harmonic
87	802.11BE EHT20	157	5639.00	67.38	68.20	-0.82	V	PEAK	Pass	Band Edge
87	802.11BE EHT20	157	11570.50	47.82	74.00	-26.18	V	Peak	Pass	Harmonic
88	802.11BE EHT20	165	5955.80	63.66	68.20	-4.54	H	PEAK	Pass	Band Edge
88	802.11BE EHT20	165	11650.00	47.97	54.00	-6.03	V	AVERAGE	Pass	Harmonic
89	802.11BE EHT40	151	5650.15	67.85	68.31	-0.46	V	PEAK	Pass	Band Edge
89	802.11BE EHT40	151	11510.00	43.14	74.00	-30.86	V	PEAK	Pass	Harmonic
90	802.11BE EHT40	159	5635.00	66.74	68.20	-1.46	V	PEAK	Pass	Band Edge
90	802.11BE EHT40	159	11590.30	48.78	74.00	-25.22	V	Peak	Pass	Harmonic
91	802.11BE EHT80	155	5647.00	67.20	68.20	-1.00	V	PEAK	Pass	Band Edge
91	802.11BE EHT80	155	11550.00	45.84	74.00	-28.16	H	PEAK	Pass	Harmonic





Radiated Spurious Emission Test plots

Mode	61																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>113.42</td><td>-----</td><td>104.93</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>327</td><td>146</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	113.42	-----	104.93	34.44	10.65	36.60	0.00	327	146	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5180.00	113.42	-----	104.93	34.44	10.65	36.60	0.00	327	146	Peak																																											
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5170.00</td><td>103.71</td><td>-----</td><td>95.29</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>327</td><td>146</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5170.00	103.71	-----	95.29	34.42	10.63	36.63	0.00	327	146	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5170.00	103.71	-----	95.29	34.42	10.63	36.63	0.00	327	146	Average																																											





Mode	61																																																				
	Band Edge - L																																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5188.00</td><td>122.31</td><td>-----</td><td>113.82</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>121</td><td>162</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5188.00	122.31	-----	113.82	34.44	10.65	36.60	0.00	121	162	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5188.00	122.31	-----	113.82	34.44	10.65	36.60	0.00	121	162	Peak																																										
Avg	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5188.00</td><td>122.20</td><td>-----</td><td>103.71</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>121</td><td>162</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5188.00	122.20	-----	103.71	34.44	10.65	36.60	0.00	121	162	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5188.00	122.20	-----	103.71	34.44	10.65	36.60	0.00	121	162	Average																																										





		61																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.65</td><td>68.20</td><td>-23.55</td><td>58.80</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.65	68.20	-23.55	58.80	37.36	15.45	66.96	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10360.00	44.65	68.20	-23.55	58.80	37.36	15.45	66.96	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.45</td><td>68.20</td><td>-23.75</td><td>58.60</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.45	68.20	-23.75	58.60	37.36	15.45	66.96	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10360.00	44.45	68.20	-23.75	58.60	37.36	15.45	66.96	0.00	---	---	PEAK																																													





Mode	62																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>113.63</td><td>-----</td><td>-----</td><td>105.01</td><td>34.48</td><td>10.68</td><td>36.54</td><td>0.00</td><td>100</td><td>205</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	113.63	-----	-----	105.01	34.48	10.68	36.54	0.00	100	205	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5230.00	113.63	-----	-----	105.01	34.48	10.68	36.54	0.00	100	205	Peak																																											
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>103.62</td><td>-----</td><td>-----</td><td>95.00</td><td>34.48</td><td>10.68</td><td>36.54</td><td>0.00</td><td>100</td><td>205</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	103.62	-----	-----	95.00	34.48	10.68	36.54	0.00	100	205	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5230.00	103.62	-----	-----	95.00	34.48	10.68	36.54	0.00	100	205	Average																																											





Mode	62																																																									
	Band Edge																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																									
ANT	TXBF1S4T																																																									
Pol.	Vertical						Fundamental																																																			
Peak	Blank						 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5224.00</td><td>118.75</td><td>-----</td><td>-----</td><td>110.16</td><td>34.47</td><td>10.67</td><td>36.55</td><td>0.00</td><td>211</td><td>0</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5224.00	118.75	-----	-----	110.16	34.47	10.67	36.55	0.00	211	0	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5224.00	118.75	-----	-----	110.16	34.47	10.67	36.55	0.00	211	0	Peak																																														
Avg	Blank						 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5224.00</td><td>108.84</td><td>-----</td><td>-----</td><td>100.25</td><td>34.47</td><td>10.67</td><td>36.55</td><td>0.00</td><td>211</td><td>0</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5224.00	108.84	-----	-----	100.25	34.47	10.67	36.55	0.00	211	0	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5224.00	108.84	-----	-----	100.25	34.47	10.67	36.55	0.00	211	0	Average																																														





		62																																																								
Mode		Harmonic																																																								
		U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																								
ANT		TXBF1S4T																																																								
Pol.		Horizontal																																																								
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10440.00</td><td>44.84</td><td>68.20</td><td>-23.36</td><td>58.80</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10440.00	44.84	68.20	-23.36	58.80	37.44	15.52	66.92	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 10440.00	44.84	68.20	-23.36	58.80	37.44	15.52	66.92	0.00	---	---	PEAK																																															
		Vertical																																																								
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10440.00</td><td>44.49</td><td>68.20</td><td>-23.71</td><td>58.45</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10440.00	44.49	68.20	-23.71	58.45	37.44	15.52	66.92	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 10440.00	44.49	68.20	-23.71	58.45	37.44	15.52	66.92	0.00	---	---	PEAK																																															





Mode	63																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>116.65</td><td>-----</td><td>-----</td><td>108.03</td><td>34.48</td><td>10.68</td><td>36.54</td><td>0.00</td><td>103</td><td>207</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	116.65	-----	-----	108.03	34.48	10.68	36.54	0.00	103	207	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5230.00	116.65	-----	-----	108.03	34.48	10.68	36.54	0.00	103	207	Peak																																											
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>104.10</td><td>-----</td><td>-----</td><td>95.48</td><td>34.48</td><td>10.68</td><td>36.54</td><td>0.00</td><td>103</td><td>207</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	104.10	-----	-----	95.48	34.48	10.68	36.54	0.00	103	207	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5230.00	104.10	-----	-----	95.48	34.48	10.68	36.54	0.00	103	207	Average																																											





Mode	63																																																							
	Band Edge - L																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical	Fundamental																																																						
Peak	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5242.00</td><td>121.82</td><td>-----</td><td>-----</td><td>113.17</td><td>34.49</td><td>10.68</td><td>36.52</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>202</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5242.00	121.82	-----	-----	113.17	34.49	10.68	36.52	0.00									202									0 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																
1 5242.00	121.82	-----	-----	113.17	34.49	10.68	36.52	0.00																																																
								202																																																
								0 Peak																																																
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5248.00</td><td>111.21</td><td>-----</td><td>-----</td><td>102.53</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>202</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5248.00	111.21	-----	-----	102.53	34.50	10.69	36.51	0.00									202									0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																
1 5248.00	111.21	-----	-----	102.53	34.50	10.69	36.51	0.00																																																
								202																																																
								0 Average																																																





		63																																																																																																																		
Mode		Harmonic																																																																																																																		
		U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																																																		
ANT		TXBF1S4T																																																																																																																		
Pol.		Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.69</td><td>68.20</td><td>-22.51</td><td>59.54</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.69	68.20	-22.51	59.54	37.48	15.56	66.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.49</td><td>68.20</td><td>-22.71</td><td>59.34</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.49	68.20	-22.71	59.34	37.48	15.56	66.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	10480.00	45.69	68.20	-22.51	59.54	37.48	15.56	66.89	0.00	---	---	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	10480.00	45.49	68.20	-22.71	59.34	37.48	15.56	66.89	0.00	---	---	PEAK																																																																																																								



Mode	64																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5190.00</td><td>107.16</td><td>-----</td><td>-----</td><td>98.74</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>100</td><td>197</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	107.16	-----	-----	98.74	34.42	10.63	36.63	0.00	100	197	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5190.00	107.16	-----	-----	98.74	34.42	10.63	36.63	0.00	100	197	PEAK																																											
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5190.00</td><td>97.68</td><td>-----</td><td>-----</td><td>89.24</td><td>34.43</td><td>10.63</td><td>36.62</td><td>0.00</td><td>100</td><td>197</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	97.68	-----	-----	89.24	34.43	10.63	36.62	0.00	100	197	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5190.00	97.68	-----	-----	89.24	34.43	10.63	36.62	0.00	100	197	AVERAGE																																											





Mode	64																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>116.27</td><td>-----</td><td>-----</td><td>107.78</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	116.27	-----	-----	107.78	34.44	10.65	36.60	0.00	100	164	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5190.00	116.27	-----	-----	107.78	34.44	10.65	36.60	0.00	100	164	PEAK																																											
Avg	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>106.41</td><td>-----</td><td>-----</td><td>97.97</td><td>34.43</td><td>10.63</td><td>36.62</td><td>0.00</td><td>100</td><td>164</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	106.41	-----	-----	97.97	34.43	10.63	36.62	0.00	100	164	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5190.00	106.41	-----	-----	97.97	34.43	10.63	36.62	0.00	100	164	AVERAGE																																											





		64																																																								
Mode		Harmonic																																																								
		U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																								
ANT		TXBF1S4T																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>43.10</td><td>68.20</td><td>-25.10</td><td>57.20</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	43.10	68.20	-25.10	57.20	37.38	15.47	66.95	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	10380.00	43.10	68.20	-25.10	57.20	37.38	15.47	66.95	0.00	---	---	PEAK																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>43.64</td><td>68.20</td><td>-24.56</td><td>57.74</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	43.64	68.20	-24.56	57.74	37.38	15.47	66.95	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	10380.00	43.64	68.20	-24.56	57.74	37.38	15.47	66.95	0.00	---	---	PEAK																																														





Mode	65																																																				
	Band Edge - L																																																				
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Horizontal					Fundamental																																															
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>111.96</td><td>-----</td><td>103.34</td><td>34.48</td><td>10.68</td><td>36.54</td><td>0.00</td><td>100</td><td>207</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	111.96	-----	103.34	34.48	10.68	36.54	0.00	100	207	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5230.00	111.96	-----	103.34	34.48	10.68	36.54	0.00	100	207	PEAK																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>102.51</td><td>-----</td><td>93.89</td><td>34.48</td><td>10.68</td><td>36.54</td><td>0.00</td><td>100</td><td>207</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	102.51	-----	93.89	34.48	10.68	36.54	0.00	100	207	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5230.00	102.51	-----	93.89	34.48	10.68	36.54	0.00	100	207	AVERAGE																																										





Mode	65																																																				
	Band Edge - L																																																				
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5230.00</td><td>118.72</td><td>-----</td><td>-----</td><td>110.06</td><td>34.49</td><td>10.69</td><td>36.52</td><td>0.00</td><td>199</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5230.00	118.72	-----	-----	110.06	34.49	10.69	36.52	0.00	199	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5230.00	118.72	-----	-----	110.06	34.49	10.69	36.52	0.00	199	0 PEAK																																											
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5230.00</td><td>108.25</td><td>-----</td><td>-----</td><td>99.59</td><td>34.49</td><td>10.69</td><td>36.52</td><td>0.00</td><td>199</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5230.00	108.25	-----	-----	99.59	34.49	10.69	36.52	0.00	199	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5230.00	108.25	-----	-----	99.59	34.49	10.69	36.52	0.00	199	0 AVERAGE																																											





		65																																																									
Mode		Harmonic																																																									
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																									
ANT		TXBF1S4T																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>43.21</td><td>68.20</td><td>-24.99</td><td>57.12</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10460.00	43.21	68.20	-24.99	57.12	37.46	15.54	66.91	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10460.00	43.21	68.20	-24.99	57.12	37.46	15.54	66.91	0.00	---	---	PEAK																																															
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>43.57</td><td>68.20</td><td>-24.63</td><td>57.48</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10460.00	43.57	68.20	-24.63	57.48	37.46	15.54	66.91	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10460.00	43.57	68.20	-24.63	57.48	37.46	15.54	66.91	0.00	---	---	PEAK																																															





Mode	66																																																					
	Band Edge -																																																					
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>107.84</td><td>-----</td><td>-----</td><td>99.39</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>300</td><td>129</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	107.84	-----	-----	99.39	34.43	10.64	36.62	0.00	300	129	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5210.00	107.84	-----	-----	99.39	34.43	10.64	36.62	0.00	300	129	PEAK																																											
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>97.35</td><td>-----</td><td>-----</td><td>88.93</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>300</td><td>129</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	97.35	-----	-----	88.93	34.42	10.63	36.63	0.00	300	129	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5210.00	97.35	-----	-----	88.93	34.42	10.63	36.63	0.00	300	129	AVERAGE																																											





Mode	66																																																											
	Band Edge -																																																											
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																											
ANT	TXBF1S4T																																																											
Pol.	Vertical					Fundamental																																																						
Peak	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5210.00</td><td>103.09</td><td>-----</td><td>-----</td><td>94.50</td><td>34.47</td><td>10.67</td><td>36.55</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>203 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5210.00	103.09	-----	-----	94.50	34.47	10.67	36.55	0.00	100										203 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																			
1 5210.00	103.09	-----	-----	94.50	34.47	10.67	36.55	0.00	100																																																			
									203 PEAK																																																			
Avg	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5210.00</td><td>94.93</td><td>-----</td><td>-----</td><td>86.34</td><td>34.47</td><td>10.67</td><td>36.55</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>203 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5210.00	94.93	-----	-----	86.34	34.47	10.67	36.55	0.00	100										203 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																			
1 5210.00	94.93	-----	-----	86.34	34.47	10.67	36.55	0.00	100																																																			
									203 AVERAGE																																																			





		66																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.97</td><td>68.20</td><td>-22.23</td><td>59.97</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.97	68.20	-22.23	59.97	37.42	15.51	66.93	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10420.00	45.97	68.20	-22.23	59.97	37.42	15.51	66.93	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.92</td><td>68.20</td><td>-23.28</td><td>58.92</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.92	68.20	-23.28	58.92	37.42	15.51	66.93	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10420.00	44.92	68.20	-23.28	58.92	37.42	15.51	66.93	0.00	---	---	PEAK																																													





Mode	67																																																				
	Band Edge																																																				
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Horizontal					Fundamental																																															
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5266.00</td><td>107.75</td><td>-----</td><td>-----</td><td>99.03</td><td>34.51</td><td>10.70</td><td>36.49</td><td>0.00</td><td>300</td><td>277 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5266.00	107.75	-----	-----	99.03	34.51	10.70	36.49	0.00	300	277 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5266.00	107.75	-----	-----	99.03	34.51	10.70	36.49	0.00	300	277 Peak																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5266.00</td><td>99.39</td><td>-----</td><td>-----</td><td>90.67</td><td>34.51</td><td>10.70</td><td>36.49</td><td>0.00</td><td>300</td><td>277 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5266.00	99.39	-----	-----	90.67	34.51	10.70	36.49	0.00	300	277 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5266.00	99.39	-----	-----	90.67	34.51	10.70	36.49	0.00	300	277 Average																																										





Mode	67																																																									
	Band Edge																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																									
ANT	TXBF1S4T																																																									
Pol.	Vertical						Fundamental																																																			
Peak	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5266.00</td><td>119.07</td><td>-----</td><td>-----</td><td>110.35</td><td>34.51</td><td>10.70</td><td>36.49</td><td>0.00</td><td>211</td><td>0</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5266.00	119.07	-----	-----	110.35	34.51	10.70	36.49	0.00	211	0	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5266.00	119.07	-----	-----	110.35	34.51	10.70	36.49	0.00	211	0	Peak																																														
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5266.00</td><td>107.85</td><td>-----</td><td>-----</td><td>99.13</td><td>34.51</td><td>10.70</td><td>36.49</td><td>0.00</td><td>211</td><td>0</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5266.00	107.85	-----	-----	99.13	34.51	10.70	36.49	0.00	211	0	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5266.00	107.85	-----	-----	99.13	34.51	10.70	36.49	0.00	211	0	Average																																														





Mode	67																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																			
ANT	TXBF1S4T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>44.45</td><td>68.20</td><td>-23.75</td><td>58.20</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	10520.00	44.45	68.20	-23.75	58.20	37.52	15.60	66.87	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>44.57</td><td>68.20</td><td>-23.63</td><td>58.32</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	10520.00	44.57	68.20	-23.63	58.32	37.52	15.60	66.87	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10520.00	44.45	68.20	-23.75	58.20	37.52	15.60	66.87	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10520.00	44.57	68.20	-23.63	58.32	37.52	15.60	66.87	0.00	---	---	PEAK																																																																																								





Mode	68																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>110.45</td><td>-----</td><td>-----</td><td>101.66</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>300</td><td>181</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	110.45	-----	-----	101.66	34.54	10.71	36.46	0.00	300	181	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5290.00	110.45	-----	-----	101.66	34.54	10.71	36.46	0.00	300	181	Peak																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>102.29</td><td>-----</td><td>-----</td><td>93.50</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>300</td><td>181</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.29	-----	-----	93.50	34.54	10.71	36.46	0.00	300	181	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5290.00	102.29	-----	-----	93.50	34.54	10.71	36.46	0.00	300	181	Average																																										





Mode	68																																																							
	Band Edge - L																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical	Fundamental																																																						
Peak	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5308.00</td><td>119.14</td><td>-----</td><td>-----</td><td>110.30</td><td>34.55</td><td>10.72</td><td>36.43</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>206</td><td>0 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5308.00	119.14	-----	-----	110.30	34.55	10.72	36.43								0.00									206	0 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5308.00	119.14	-----	-----	110.30	34.55	10.72	36.43																																																
							0.00																																																	
							206	0 Peak																																																
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5308.00</td><td>107.84</td><td>-----</td><td>-----</td><td>99.00</td><td>34.55</td><td>10.72</td><td>36.43</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>206</td><td>0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5308.00	107.84	-----	-----	99.00	34.55	10.72	36.43								0.00									206	0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5308.00	107.84	-----	-----	99.00	34.55	10.72	36.43																																																
							0.00																																																	
							206	0 Average																																																



		68																																																							
Mode		Harmonic																																																							
		U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>43.49</td><td>74.00</td><td>-30.51</td><td>57.05</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	43.49	74.00	-30.51	57.05	37.60	15.67	66.83	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10600.00	43.49	74.00	-30.51	57.05	37.60	15.67	66.83	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>57.09</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	44.33	74.00	-29.67	57.09	37.60	15.67	66.83	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10600.00	44.33	74.00	-29.67	57.09	37.60	15.67	66.83	0.00	---	---	PEAK																																													





Mode	69																																																									
	Band Edge - L																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																									
ANT	TXBF1S4T																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>114.70</td><td>-----</td><td>-----</td><td>105.83</td><td>34.56</td><td>10.73</td><td>36.42</td><td>0.00</td><td>113</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	114.70	-----	-----	105.83	34.56	10.73	36.42	0.00	113	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5320.00	114.70	-----	-----	105.83	34.56	10.73	36.42	0.00	113	360	PEAK																																														
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.28</td><td>-----</td><td>-----</td><td>96.41</td><td>34.56</td><td>10.73</td><td>36.42</td><td>0.00</td><td>113</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	105.28	-----	-----	96.41	34.56	10.73	36.42	0.00	113	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5320.00	105.28	-----	-----	96.41	34.56	10.73	36.42	0.00	113	360	AVERAGE																																														





Mode	69																																																									
	Band Edge - L																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																									
ANT	TXBF1S4T																																																									
Pol.	Vertical						Fundamental																																																			
Peak	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>120.51</td><td>-----</td><td>-----</td><td>111.64</td><td>34.56</td><td>10.73</td><td>36.42</td><td>0.00</td><td>194</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	120.51	-----	-----	111.64	34.56	10.73	36.42	0.00	194	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5320.00	120.51	-----	-----	111.64	34.56	10.73	36.42	0.00	194	360	PEAK																																														
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.01</td><td>-----</td><td>-----</td><td>102.11</td><td>34.57</td><td>10.73</td><td>36.40</td><td>0.00</td><td>194</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	111.01	-----	-----	102.11	34.57	10.73	36.40	0.00	194	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5320.00	111.01	-----	-----	102.11	34.57	10.73	36.40	0.00	194	360	AVERAGE																																														





4

		69																																																											
Mode		Harmonic																																																											
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																											
ANT		TXBF1S4T																																																											
Pol.		Horizontal						Vertical																																																					
Peak Avg																																																													
																																																													
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10640.00</td><td>43.78</td><td>74.00</td><td>-30.22</td><td>57.28</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10640.00	43.78	74.00	-30.22	57.28	37.60	15.71	66.81	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1 10640.00	43.78	74.00	-30.22	57.28	37.60	15.71	66.81	0.00	---	---	PEAK																																																		
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10640.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>56.47</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10640.00	42.97	74.00	-31.03	56.47	37.60	15.71	66.81	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1 10640.00	42.97	74.00	-31.03	56.47	37.60	15.71	66.81	0.00	---	---	PEAK																																																		





Mode	70																																																								
	Band Edge - L																																																								
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																								
ANT	TXBF1S4T																																																								
Pol.	Horizontal					Fundamental																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>117.04</td><td>-----</td><td>-----</td><td>108.30</td><td>34.52</td><td>10.70</td><td>36.48</td><td>0.00</td><td>110</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	117.04	-----	-----	108.30	34.52	10.70	36.48	0.00	110	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5270.00	117.04	-----	-----	108.30	34.52	10.70	36.48	0.00	110	360	PEAK																																													
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>107.07</td><td>-----</td><td>-----</td><td>98.33</td><td>34.52</td><td>10.70</td><td>36.48</td><td>0.00</td><td>110</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	107.07	-----	-----	98.33	34.52	10.70	36.48	0.00	110	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5270.00	107.07	-----	-----	98.33	34.52	10.70	36.48	0.00	110	360	AVERAGE																																													





Mode	70																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5270.00</td><td>112.18</td><td>-----</td><td>-----</td><td>103.50</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td><td>370</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5270.00	112.18	-----	-----	103.50	34.50	10.69	36.51	0.00	370	171	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5270.00	112.18	-----	-----	103.50	34.50	10.69	36.51	0.00	370	171	PEAK																																											
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5270.00</td><td>103.77</td><td>-----</td><td>-----</td><td>95.09</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td><td>370</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5270.00	103.77	-----	-----	95.09	34.50	10.69	36.51	0.00	370	171	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5270.00	103.77	-----	-----	95.09	34.50	10.69	36.51	0.00	370	171	AVERAGE																																											





		70																																																							
Mode		Harmonic																																																							
		U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>42.57</td><td>68.20</td><td>-25.63</td><td>56.27</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	42.57	68.20	-25.63	56.27	37.54	15.62	66.86	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10540.00	42.57	68.20	-25.63	56.27	37.54	15.62	66.86	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>43.75</td><td>68.20</td><td>-24.45</td><td>57.45</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	43.75	68.20	-24.45	57.45	37.54	15.62	66.86	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10540.00	43.75	68.20	-24.45	57.45	37.54	15.62	66.86	0.00	---	---	PEAK																																													





Mode	71																																																						
	Band Edge -																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>110.21</td><td>-----</td><td>-----</td><td>101.41</td><td>34.54</td><td>10.71</td><td>36.45</td><td>0.00</td><td>368</td><td>149</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	110.21	-----	-----	101.41	34.54	10.71	36.45	0.00	368	149	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	110.21	-----	-----	101.41	34.54	10.71	36.45	0.00	368	149	PEAK																																											
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>100.65</td><td>-----</td><td>-----</td><td>91.85</td><td>34.54</td><td>10.71</td><td>36.45</td><td>0.00</td><td>368</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.65	-----	-----	91.85	34.54	10.71	36.45	0.00	368	149	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	100.65	-----	-----	91.85	34.54	10.71	36.45	0.00	368	149	AVERAGE																																											





Mode	71																																																				
	Band Edge -																																																				
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>116.03</td><td>-----</td><td>-----</td><td>107.21</td><td>34.54</td><td>10.72</td><td>36.44</td><td>0.00</td><td>201</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	116.03	-----	-----	107.21	34.54	10.72	36.44	0.00	201	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5310.00	116.03	-----	-----	107.21	34.54	10.72	36.44	0.00	201	360	PEAK																																										
Avg	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>105.60</td><td>-----</td><td>-----</td><td>96.73</td><td>34.56</td><td>10.73</td><td>36.42</td><td>0.00</td><td>201</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	105.60	-----	-----	96.73	34.56	10.73	36.42	0.00	201	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5310.00	105.60	-----	-----	96.73	34.56	10.73	36.42	0.00	201	360	AVERAGE																																										





		71																																																																			
Mode		Harmonic																																																																			
		U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																			
ANT		TXBF1S4T																																																																			
Pol.		Horizontal						Vertical																																																													
Peak Avg																																																																					
																																																																					
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>10620.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>56.06</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td colspan="2">PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos			Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10620.00	42.53	74.00	-31.47	56.06	37.60	15.69	66.82	0.00	---	---	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																									
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	10620.00	42.53	74.00	-31.47	56.06	37.60	15.69	66.82	0.00	---	---	PEAK																																																									
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>10620.00</td><td>42.93</td><td>74.00</td><td>-31.07</td><td>56.46</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td colspan="2">PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos			Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10620.00	42.93	74.00	-31.07	56.46	37.60	15.69	66.82	0.00	---	---	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																									
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	10620.00	42.93	74.00	-31.07	56.46	37.60	15.69	66.82	0.00	---	---	PEAK																																																									





Mode	72																																																					
	Band Edge -																																																					
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>103.35</td><td>-----</td><td>94.57</td><td>34.53</td><td>10.71</td><td>36.46</td><td>0.00</td><td>300</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	103.35	-----	94.57	34.53	10.71	36.46	0.00	300	185	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5290.00	103.35	-----	94.57	34.53	10.71	36.46	0.00	300	185	PEAK																																											
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.22</td><td>-----</td><td>85.44</td><td>34.53</td><td>10.71</td><td>36.46</td><td>0.00</td><td>300</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	94.22	-----	85.44	34.53	10.71	36.46	0.00	300	185	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5290.00	94.22	-----	85.44	34.53	10.71	36.46	0.00	300	185	AVERAGE																																											





Mode	72																																																									
	Band Edge -																																																									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																									
ANT	TXBF1S4T																																																									
Pol.	Vertical						Fundamental																																																			
Peak	Blank						 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>112.84</td><td>-----</td><td>-----</td><td>104.12</td><td>34.51</td><td>10.70</td><td>36.49</td><td>0.00</td><td>225</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	112.84	-----	-----	104.12	34.51	10.70	36.49	0.00	225	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5290.00	112.84	-----	-----	104.12	34.51	10.70	36.49	0.00	225	0	PEAK																																														
Avg	Blank						 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>101.41</td><td>-----</td><td>-----</td><td>92.73</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td><td>225</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	101.41	-----	-----	92.73	34.50	10.69	36.51	0.00	225	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5290.00	101.41	-----	-----	92.73	34.50	10.69	36.51	0.00	225	0	AVERAGE																																														





Mode	72																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																			
ANT	TXBF1S4T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.81</td><td>68.20</td><td>-23.39</td><td>58.42</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.81	68.20	-23.39	58.42	37.58	15.65	66.84	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>58.08</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.47	68.20	-23.73	58.08	37.58	15.65	66.84	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10580.00	44.81	68.20	-23.39	58.42	37.58	15.65	66.84	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10580.00	44.47	68.20	-23.73	58.08	37.58	15.65	66.84	0.00	---	---	PEAK																																																																																								





Mode	73																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>100.09</td><td>-----</td><td>-----</td><td>91.64</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>327</td><td>84</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	100.09	-----	-----	91.64	34.43	10.64	36.62	0.00	327	84	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5250.00	100.09	-----	-----	91.64	34.43	10.64	36.62	0.00	327	84	PEAK																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>90.34</td><td>-----</td><td>-----</td><td>81.92</td><td>34.42</td><td>10.63</td><td>36.63</td><td>0.00</td><td>327</td><td>84</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.34	-----	-----	81.92	34.42	10.63	36.63	0.00	327	84	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5250.00	90.34	-----	-----	81.92	34.42	10.63	36.63	0.00	327	84	AVERAGE																																										





Mode	73																																									
	Band Edge - L																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																									
ANT	TXBF1S4T																																									
Pol.	Vertical	Fundamental																																								
Peak	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5248.00</td><td>110.48</td><td>-----</td><td>-----</td><td>101.00</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td><td>100 59 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5248.00	110.48	-----	-----	101.00	34.50	10.69	36.51	0.00	100 59 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 5248.00	110.48	-----	-----	101.00	34.50	10.69	36.51	0.00	100 59 Peak																																	
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5296.00</td><td>98.45</td><td>-----</td><td>-----</td><td>89.64</td><td>34.54</td><td>10.72</td><td>36.45</td><td>0.00</td><td>100 59 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5296.00	98.45	-----	-----	89.64	34.54	10.72	36.45	0.00	100 59 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 5296.00	98.45	-----	-----	89.64	34.54	10.72	36.45	0.00	100 59 Average																																	





		73																																																							
Mode		Harmonic																																																							
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.27</td><td>68.20</td><td>-23.93</td><td>58.07</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	44.27	68.20	-23.93	58.07	37.50	15.58	66.88	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10500.00	44.27	68.20	-23.93	58.07	37.50	15.58	66.88	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.24</td><td>68.20</td><td>-22.96</td><td>59.04</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.24	68.20	-22.96	59.04	37.50	15.58	66.88	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10500.00	45.24	68.20	-22.96	59.04	37.50	15.58	66.88	0.00	---	---	PEAK																																													





Mode	74																																																							
	Band Edge - L																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal					Fundamental																																																		
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>108.05</td><td>-----</td><td>-----</td><td>98.59</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>368</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	108.05	-----	-----	98.59	34.73	10.89	36.16	0.00	368	304	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5500.00	108.05	-----	-----	98.59	34.73	10.89	36.16	0.00	368	304	PEAK																																												
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>98.11</td><td>-----</td><td>-----</td><td>88.63</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>368</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	98.11	-----	-----	88.63	34.74	10.89	36.15	0.00	368	304	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5500.00	98.11	-----	-----	88.63	34.74	10.89	36.15	0.00	368	304	AVERAGE																																												





Mode	74																																																						
	Band Edge - L																																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>119.40</td><td>-----</td><td>-----</td><td>109.96</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>131</td><td>92</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	119.40	-----	-----	109.96	34.73	10.88	36.17	0.00	131	92	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5500.00	119.40	-----	-----	109.96	34.73	10.88	36.17	0.00	131	92	PEAK																																											
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.50</td><td>-----</td><td>-----</td><td>99.06</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>131</td><td>92</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.50	-----	-----	99.06	34.73	10.88	36.17	0.00	131	92	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5500.00	108.50	-----	-----	99.06	34.73	10.88	36.17	0.00	131	92	AVERAGE																																											





		74																																																									
Mode		Harmonic																																																									
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																									
ANT		TXBF1S4T																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>44.61</td><td>74.00</td><td>-29.39</td><td>57.28</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11000.00	44.61	74.00	-29.39	57.28	37.90	16.04	66.61	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11000.00	44.61	74.00	-29.39	57.28	37.90	16.04	66.61	0.00	---	---	PEAK																																															
																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>57.25</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11000.00	44.58	74.00	-29.42	57.25	37.90	16.04	66.61	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11000.00	44.58	74.00	-29.42	57.25	37.90	16.04	66.61	0.00	---	---	PEAK																																															



Mode	75																																																							
	Band Edge - L																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Blank						 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>108.50</td><td>-----</td><td>-----</td><td>98.79</td><td>34.80</td><td>10.97</td><td>36.06</td><td>0.00</td><td>303</td><td>169</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	108.50	-----	-----	98.79	34.80	10.97	36.06	0.00	303	169	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5580.00	108.50	-----	-----	98.79	34.80	10.97	36.06	0.00	303	169	PEAK																																												
Avg	Blank						 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>98.55</td><td>-----</td><td>-----</td><td>88.84</td><td>34.80</td><td>10.97</td><td>36.06</td><td>0.00</td><td>303</td><td>169</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	98.55	-----	-----	88.84	34.80	10.97	36.06	0.00	303	169	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5580.00	98.55	-----	-----	88.84	34.80	10.97	36.06	0.00	303	169	AVERAGE																																												





Mode	75																																																					
	Band Edge - L																																																					
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>117.56</td><td>-----</td><td>-----</td><td>107.78</td><td>34.82</td><td>10.99</td><td>36.03</td><td>0.00</td><td>116</td><td>91</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	117.56	-----	-----	107.78	34.82	10.99	36.03	0.00	116	91	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5580.00	117.56	-----	-----	107.78	34.82	10.99	36.03	0.00	116	91	PEAK																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>107.52</td><td>-----</td><td>-----</td><td>97.81</td><td>34.80</td><td>10.97</td><td>36.06</td><td>0.00</td><td>116</td><td>91</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	107.52	-----	-----	97.81	34.80	10.97	36.06	0.00	116	91	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5580.00	107.52	-----	-----	97.81	34.80	10.97	36.06	0.00	116	91	AVERAGE																																										





Mode	75																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																			
ANT	TXBF1S4T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>57.43</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	44.92	74.00	-29.08	57.43	37.86	16.15	66.52	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>56.90</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	44.39	74.00	-29.61	56.90	37.86	16.15	66.52	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11160.00	44.92	74.00	-29.08	57.43	37.86	16.15	66.52	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11160.00	44.39	74.00	-29.61	56.90	37.86	16.15	66.52	0.00	---	---	PEAK																																																																																								



Mode	76																																																		
	Band Edge																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																		
ANT	TXBF1S4T																																																		
Pol.	Horizontal					Fundamental																																													
Peak	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5700.00</td><td>108.32</td><td>-----</td><td>-----</td><td>99.13</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>314 257 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5700.00	108.32	-----	-----	99.13	34.92	11.14	36.87	0.00	314 257 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
1 5700.00	108.32	-----	-----	99.13	34.92	11.14	36.87	0.00	314 257 PEAK																																										
Avg	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5700.00</td><td>100.03</td><td>-----</td><td>-----</td><td>90.84</td><td>34.92</td><td>11.14</td><td>36.87</td><td>0.00</td><td>314 257 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5700.00	100.03	-----	-----	90.84	34.92	11.14	36.87	0.00	314 257 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																											
1 5700.00	100.03	-----	-----	90.84	34.92	11.14	36.87	0.00	314 257 AVERAGE																																										





Mode	76																																																					
	Band Edge -																																																					
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>118.63</td><td>-----</td><td>-----</td><td>109.36</td><td>34.92</td><td>11.13</td><td>36.78</td><td>0.00</td><td>162</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	118.63	-----	-----	109.36	34.92	11.13	36.78	0.00	162	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5700.00	118.63	-----	-----	109.36	34.92	11.13	36.78	0.00	162	0 PEAK																																											
Avg	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.98</td><td>-----</td><td>-----</td><td>99.71</td><td>34.92</td><td>11.13</td><td>36.78</td><td>0.00</td><td>162</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	108.98	-----	-----	99.71	34.92	11.13	36.78	0.00	162	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5700.00	108.98	-----	-----	99.71	34.92	11.13	36.78	0.00	162	0 AVERAGE																																											





		76																																																																																																	
Mode		Harmonic																																																																																																	
		U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																	
ANT		TXBF1S4T																																																																																																	
Pol.		Horizontal						Vertical																																																																																											
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>56.72</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>56.42</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	44.63	74.00	-29.37	56.72	38.00	16.30	66.39	0.00	---	---	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	44.33	74.00	-29.67	56.42	38.00	16.30	66.39	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 11400.00	44.63	74.00	-29.37	56.72	38.00	16.30	66.39	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 11400.00	44.33	74.00	-29.67	56.42	38.00	16.30	66.39	0.00	---	---	PEAK																																																																																								





Mode	77																																																					
	Band Edge																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>109.64</td><td>-----</td><td>-----</td><td>100.19</td><td>34.73</td><td>10.88</td><td>36.16</td><td>0.00</td><td>371</td><td>257</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	109.64	-----	-----	100.19	34.73	10.88	36.16	0.00	371	257	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5510.00	109.64	-----	-----	100.19	34.73	10.88	36.16	0.00	371	257	PEAK																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.69</td><td>-----</td><td>-----</td><td>89.25</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>371</td><td>257</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.69	-----	-----	89.25	34.73	10.88	36.17	0.00	371	257	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5510.00	98.69	-----	-----	89.25	34.73	10.88	36.17	0.00	371	257	AVERAGE																																										





Mode	77																																																						
	Band Edge -																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5510.00</td><td>115.67</td><td>-----</td><td>-----</td><td>106.23</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>118</td><td>92</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5510.00	115.67	-----	-----	106.23	34.73	10.88	36.17	0.00	118	92	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																															
1	5510.00	115.67	-----	-----	106.23	34.73	10.88	36.17	0.00	118	92	PEAK																																											
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5510.00</td><td>105.51</td><td>-----</td><td>-----</td><td>96.06</td><td>34.73</td><td>10.88</td><td>36.16</td><td>0.00</td><td>118</td><td>92</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	5510.00	105.51	-----	-----	96.06	34.73	10.88	36.16	0.00	118	92	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																															
1	5510.00	105.51	-----	-----	96.06	34.73	10.88	36.16	0.00	118	92	AVERAGE																																											





Mode	77																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																					
ANT	TXBF1S4T																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>58.36</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.70	74.00	-28.30	58.36	37.88	16.06	66.60	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>57.69</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.03	74.00	-28.97	57.69	37.88	16.06	66.60	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11020.00	45.70	74.00	-28.30	58.36	37.88	16.06	66.60	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11020.00	45.03	74.00	-28.97	57.69	37.88	16.06	66.60	0.00	---	---	PEAK																																																																																										





Mode	78																																																										
	Band Edge																																																										
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																										
ANT	TXBF1S4T																																																										
Pol.	Horizontal					Fundamental																																																					
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5550.00</td><td>111.03</td><td>-----</td><td>-----</td><td>101.40</td><td>34.78</td><td>10.94</td><td>36.09</td><td>0.00</td><td>300</td><td>169</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5550.00	111.03	-----	-----	101.40	34.78	10.94	36.09	0.00	300	169	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	APos	TPos	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5550.00	111.03	-----	-----	101.40	34.78	10.94	36.09	0.00	300	169	PEAK																																															
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5550.00</td><td>101.09</td><td>-----</td><td>-----</td><td>91.41</td><td>34.79</td><td>10.96</td><td>36.07</td><td>0.00</td><td>300</td><td>169</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5550.00	101.09	-----	-----	91.41	34.79	10.96	36.07	0.00	300	169	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	APos	TPos	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5550.00	101.09	-----	-----	91.41	34.79	10.96	36.07	0.00	300	169	AVERAGE																																															





Mode	78																																																					
	Band Edge -																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>119.04</td><td>-----</td><td>-----</td><td>109.41</td><td>34.78</td><td>10.94</td><td>36.09</td><td>0.00</td><td>101</td><td>91</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	119.04	-----	-----	109.41	34.78	10.94	36.09	0.00	101	91	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5550.00	119.04	-----	-----	109.41	34.78	10.94	36.09	0.00	101	91	PEAK																																										
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>109.27</td><td>-----</td><td>-----</td><td>99.64</td><td>34.78</td><td>10.94</td><td>36.09</td><td>0.00</td><td>101</td><td>91</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	109.27	-----	-----	99.64	34.78	10.94	36.09	0.00	101	91	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5550.00	109.27	-----	-----	99.64	34.78	10.94	36.09	0.00	101	91	AVERAGE																																										





		78																																																																																											
Mode		Harmonic																																																																																											
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																											
ANT		TXBF1S4T																																																																																											
Pol.		Horizontal						Vertical																																																																																					
Peak Avg																																																																																													
																																																																																													
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>58.43</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos				Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	11100.00	45.79	74.00	-28.21	58.43	37.80	16.11	66.55	0.00	---	---	---	---	---	---	---	---	---	PEAK
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark																																																																										
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																											
1	11100.00	45.79	74.00	-28.21	58.43	37.80	16.11	66.55	0.00	---	---	---	---	---	---	---	---	---	PEAK																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>58.03</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos				Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	11100.00	45.39	74.00	-28.61	58.03	37.80	16.11	66.55	0.00	---	---	---	---	---	---	---	---	---	PEAK
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark																																																																										
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																											
1	11100.00	45.39	74.00	-28.61	58.03	37.80	16.11	66.55	0.00	---	---	---	---	---	---	---	---	---	PEAK																																																																										





Mode	79																																																					
	Band Edge																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>107.73</td><td>-----</td><td>-----</td><td>97.90</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>152</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	107.73	-----	-----	97.90	34.88	11.07	36.12	0.00	152	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5670.00	107.73	-----	-----	97.90	34.88	11.07	36.12	0.00	152	360	PEAK																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>98.04</td><td>-----</td><td>-----</td><td>88.21</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>152</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	98.04	-----	-----	88.21	34.88	11.07	36.12	0.00	152	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5670.00	98.04	-----	-----	88.21	34.88	11.07	36.12	0.00	152	360	AVERAGE																																										





Mode	79																																																					
	Band Edge -																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>118.15</td><td>-----</td><td>-----</td><td>108.40</td><td>34.88</td><td>11.08</td><td>36.21</td><td>0.00</td><td>141</td><td>176</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	118.15	-----	-----	108.40	34.88	11.08	36.21	0.00	141	176	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5670.00	118.15	-----	-----	108.40	34.88	11.08	36.21	0.00	141	176	PEAK																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>106.57</td><td>-----</td><td>-----</td><td>96.74</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>141</td><td>176</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.57	-----	-----	96.74	34.88	11.07	36.12	0.00	141	176	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5670.00	106.57	-----	-----	96.74	34.88	11.07	36.12	0.00	141	176	AVERAGE																																										





		79																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg		 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>45.07</td><td>74.00</td><td>-28.93</td><td>57.29</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	45.07	74.00	-28.93	57.29	37.94	16.26	66.42	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11340.00	45.07	74.00	-28.93	57.29	37.94	16.26	66.42	0.00	---	---	PEAK																																													
		 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>57.14</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	44.92	74.00	-29.08	57.14	37.94	16.26	66.42	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11340.00	44.92	74.00	-29.08	57.14	37.94	16.26	66.42	0.00	---	---	PEAK																																													





Mode	80																																																				
	Band Edge																																																				
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Horizontal					Fundamental																																															
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>104.95</td><td>-----</td><td>95.25</td><td>34.80</td><td>10.96</td><td>36.06</td><td>0.00</td><td>313</td><td>182</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	104.95	-----	95.25	34.80	10.96	36.06	0.00	313	182	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5530.00	104.95	-----	95.25	34.80	10.96	36.06	0.00	313	182	PEAK																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>95.58</td><td>-----</td><td>85.88</td><td>34.80</td><td>10.96</td><td>36.06</td><td>0.00</td><td>313</td><td>182</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	95.58	-----	85.88	34.80	10.96	36.06	0.00	313	182	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	5530.00	95.58	-----	85.88	34.80	10.96	36.06	0.00	313	182	AVERAGE																																										





Mode	80																																																						
	Band Edge -																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>114.42</td><td>-----</td><td>-----</td><td>104.91</td><td>34.75</td><td>10.90</td><td>36.14</td><td>0.00</td><td>100</td><td>94</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	114.42	-----	-----	104.91	34.75	10.90	36.14	0.00	100	94	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5530.00	114.42	-----	-----	104.91	34.75	10.90	36.14	0.00	100	94	PEAK																																											
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.28</td><td>-----</td><td>-----</td><td>92.77</td><td>34.75</td><td>10.90</td><td>36.14</td><td>0.00</td><td>100</td><td>94</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	102.28	-----	-----	92.77	34.75	10.90	36.14	0.00	100	94	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5530.00	102.28	-----	-----	92.77	34.75	10.90	36.14	0.00	100	94	AVERAGE																																											





		80																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11068.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>58.07</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11068.00	45.42	74.00	-28.58	58.07	37.84	16.08	66.57	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11068.00	45.42	74.00	-28.58	58.07	37.84	16.08	66.57	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11068.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>57.93</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11068.00	45.28	74.00	-28.72	57.93	37.84	16.08	66.57	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11068.00	45.28	74.00	-28.72	57.93	37.84	16.08	66.57	0.00	---	---	PEAK																																													





Mode	81																																																					
	Band Edge																																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>104.94</td><td>-----</td><td>-----</td><td>95.08</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>300</td><td>168</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.94	-----	-----	95.08	34.84	11.02	36.00	0.00	300	168	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5610.00	104.94	-----	-----	95.08	34.84	11.02	36.00	0.00	300	168	PEAK																																										
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.42</td><td>-----</td><td>-----</td><td>85.58</td><td>34.84</td><td>11.01</td><td>36.01</td><td>0.00</td><td>300</td><td>168</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.42	-----	-----	85.58	34.84	11.01	36.01	0.00	300	168	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5610.00	95.42	-----	-----	85.58	34.84	11.01	36.01	0.00	300	168	AVERAGE																																										





Mode	81																																																									
	Band Edge -																																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																									
ANT	TXBF1S4T																																																									
Pol.	Vertical						Fundamental																																																			
Peak	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>113.34</td><td>-----</td><td>-----</td><td>105.40</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>115</td><td>90</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	113.34	-----	-----	105.40	34.86	11.05	35.97	0.00	115	90	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5610.00	113.34	-----	-----	105.40	34.86	11.05	35.97	0.00	115	90	PEAK																																														
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.61</td><td>-----</td><td>-----</td><td>92.65</td><td>34.86</td><td>11.06</td><td>35.96</td><td>0.00</td><td>115</td><td>90</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	102.61	-----	-----	92.65	34.86	11.06	35.96	0.00	115	90	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5610.00	102.61	-----	-----	92.65	34.86	11.06	35.96	0.00	115	90	AVERAGE																																														





		81																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11228.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>58.70</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11228.00	46.30	74.00	-27.70	58.70	37.90	16.18	66.48	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11228.00	46.30	74.00	-27.70	58.70	37.90	16.18	66.48	0.00	---	---	PEAK																																													
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11228.00</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>58.77</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11228.00	46.37	74.00	-27.63	58.77	37.90	16.18	66.48	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11228.00	46.37	74.00	-27.63	58.77	37.90	16.18	66.48	0.00	---	---	PEAK																																													





Mode	82																																												
	Band Edge																																												
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																												
ANT	TXBF1S4T																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5570.00</td><td>97.60</td><td>-----</td><td>-----</td><td>87.89</td><td>34.80</td><td>10.97</td><td>36.06</td><td>0.00</td><td>141</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5570.00	97.60	-----	-----	87.89	34.80	10.97	36.06	0.00	141	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5570.00	97.60	-----	-----	87.89	34.80	10.97	36.06	0.00	141	360	PEAK																																		
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5570.00</td><td>87.24</td><td>-----</td><td>-----</td><td>77.53</td><td>34.80</td><td>10.97</td><td>36.06</td><td>0.00</td><td>141</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5570.00	87.24	-----	-----	77.53	34.80	10.97	36.06	0.00	141	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5570.00	87.24	-----	-----	77.53	34.80	10.97	36.06	0.00	141	360	AVERAGE																																		





Mode	82																																																	
	Band Edge -																																																	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																	
ANT	TXBF1S4T																																																	
Pol.	Vertical					Fundamental																																												
Peak	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5570.00</td><td>109.57</td><td>-----</td><td>-----</td><td>100.04</td><td>34.75</td><td>10.91</td><td>36.13</td><td>0.00</td><td>114 90 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5570.00	109.57	-----	-----	100.04	34.75	10.91	36.13	0.00	114 90 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																									
1 5570.00	109.57	-----	-----	100.04	34.75	10.91	36.13	0.00	114 90 PEAK																																									
Avg	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5570.00</td><td>98.74</td><td>-----</td><td>-----</td><td>89.21</td><td>34.75</td><td>10.91</td><td>36.13</td><td>0.00</td><td>114 90 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5570.00	98.74	-----	-----	89.21	34.75	10.91	36.13	0.00	114 90 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																									
1 5570.00	98.74	-----	-----	89.21	34.75	10.91	36.13	0.00	114 90 AVERAGE																																									



Mode	82																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>57.73</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>57.29</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	45.17	74.00	-28.83	57.73	37.84	16.13	66.53	0.00	---	---	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	44.73	74.00	-29.27	57.29	37.84	16.13	66.53	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11140.00	45.17	74.00	-28.83	57.73	37.84	16.13	66.53	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11140.00	44.73	74.00	-29.27	57.29	37.84	16.13	66.53	0.00	---	---	PEAK																																																																																							




		83																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.725-5.85_802.11BE EHT20_CH144_Full_5720MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>56.90</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.94	74.00	-29.06	56.90	38.08	16.32	66.36	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11440.00	44.94	74.00	-29.06	56.90	38.08	16.32	66.36	0.00	---	---	PEAK																																													
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>56.08</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.12	74.00	-29.88	56.08	38.08	16.32	66.36	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11440.00	44.12	74.00	-29.88	56.08	38.08	16.32	66.36	0.00	---	---	PEAK																																													






Mode	84																																																								
	Harmonic																																																								
	U-NII-2C_5.725-5.85_802.11BE EHT40_CH142_Full_5710MHz																																																								
ANT	TXBF1S4T																																																								
Pol.	Horizontal						Vertical																																																		
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>57.92</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.90	74.00	-28.10	57.92	38.04	16.31	66.37	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11420.00	45.90	74.00	-28.10	57.92	38.04	16.31	66.37	0.00	---	---	PEAK																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>57.70</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.68	74.00	-28.32	57.70	38.04	16.31	66.37	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11420.00	45.68	74.00	-28.32	57.70	38.04	16.31	66.37	0.00	---	---	PEAK																																													






Mode	85																																																								
	Harmonic																																																								
	U-NII-2C_5.725-5.85_802.11BE EHT80_CH138_Full_5690MHz																																																								
ANT	TXBF1S4T																																																								
Pol.	Horizontal						Vertical																																																		
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>58.04</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.91	74.00	-28.09	58.04	37.98	16.29	66.40	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11380.00	45.91	74.00	-28.09	58.04	37.98	16.29	66.40	0.00	---	---	PEAK																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>57.72</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.59	74.00	-28.41	57.72	37.98	16.29	66.40	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11380.00	45.59	74.00	-28.41	57.72	37.98	16.29	66.40	0.00	---	---	PEAK																																													





Mode	86																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5601.02</td><td>65.22</td><td>68.20</td><td>-2.98</td><td>55.41</td><td>34.83</td><td>11.00</td><td>36.02</td><td>0.00</td><td>303</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.91</td><td>68.20</td><td>-6.29</td><td>52.08</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>303</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>87.43</td><td>110.90</td><td>-23.47</td><td>78.54</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>303</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>5720.50</td><td>87.43</td><td>112.04</td><td>-24.61</td><td>78.54</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>303</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5601.02	65.22	68.20	-2.98	55.41	34.83	11.00	36.02	0.00	303	244	PEAK	2	5650.00	61.91	68.20	-6.29	52.08	34.88	11.07	36.12	0.00	303	244	PEAK	3	5720.00	87.43	110.90	-23.47	78.54	34.94	11.17	37.22	0.00	303	244	PEAK	4	5720.50	87.43	112.04	-24.61	78.54	34.94	11.17	37.22	0.00	303	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>121.21</td><td>-----</td><td>-----</td><td>112.46</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>303</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	121.21	-----	-----	112.46	34.95	11.19	37.39	0.00	303	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5601.02	65.22	68.20	-2.98	55.41	34.83	11.00	36.02	0.00	303	244	PEAK																																																																																																																														
2	5650.00	61.91	68.20	-6.29	52.08	34.88	11.07	36.12	0.00	303	244	PEAK																																																																																																																														
3	5720.00	87.43	110.90	-23.47	78.54	34.94	11.17	37.22	0.00	303	244	PEAK																																																																																																																														
4	5720.50	87.43	112.04	-24.61	78.54	34.94	11.17	37.22	0.00	303	244	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	121.21	-----	-----	112.46	34.95	11.19	37.39	0.00	303	244	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.13</td><td>-----</td><td>-----</td><td>103.38</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>303</td><td>244</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.13	-----	-----	103.38	34.95	11.19	37.39	0.00	303	244	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	112.13	-----	-----	103.38	34.95	11.19	37.39	0.00	303	244	AVERAGE																																																																																																																														






Mode	86																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.60</td><td>67.35</td><td>68.20</td><td>-0.85</td><td>57.47</td><td>34.87</td><td>11.07</td><td>36.06</td><td>0.00</td><td>148</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5652.22</td><td>64.89</td><td>69.86</td><td>-4.97</td><td>55.08</td><td>34.88</td><td>11.08</td><td>36.15</td><td>0.00</td><td>148</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5719.80</td><td>98.15</td><td>110.84</td><td>-12.69</td><td>89.25</td><td>34.94</td><td>11.17</td><td>37.21</td><td>0.00</td><td>148</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5722.22</td><td>104.88</td><td>115.97</td><td>-11.09</td><td>96.02</td><td>34.94</td><td>11.17</td><td>37.25</td><td>0.00</td><td>148</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.60	67.35	68.20	-0.85	57.47	34.87	11.07	36.06	0.00	148	0	PEAK	2	5652.22	64.89	69.86	-4.97	55.08	34.88	11.08	36.15	0.00	148	0	PEAK	3	5719.80	98.15	110.84	-12.69	89.25	34.94	11.17	37.21	0.00	148	0	PEAK	4	5722.22	104.88	115.97	-11.09	96.02	34.94	11.17	37.25	0.00	148	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>126.21</td><td>-----</td><td>-----</td><td>117.46</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>148</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	126.21	-----	-----	117.46	34.95	11.19	37.39	0.00	148	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5646.60	67.35	68.20	-0.85	57.47	34.87	11.07	36.06	0.00	148	0	PEAK																																																																																																																														
2	5652.22	64.89	69.86	-4.97	55.08	34.88	11.08	36.15	0.00	148	0	PEAK																																																																																																																														
3	5719.80	98.15	110.84	-12.69	89.25	34.94	11.17	37.21	0.00	148	0	PEAK																																																																																																																														
4	5722.22	104.88	115.97	-11.09	96.02	34.94	11.17	37.25	0.00	148	0	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	126.21	-----	-----	117.46	34.95	11.19	37.39	0.00	148	0	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>117.13</td><td>-----</td><td>-----</td><td>108.38</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>148</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	117.13	-----	-----	108.38	34.95	11.19	37.39	0.00	148	0	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	117.13	-----	-----	108.38	34.95	11.19	37.39	0.00	148	0	AVERAGE																																																																																																																														




Mode	86																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																															
ANT	TXBF1S4T																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>56.75</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.95	74.00	-29.05	56.75	38.18	16.36	66.34	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.20</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>58.16</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.20	46.36	74.00	-27.64	58.16	38.18	16.36	66.34	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11490.00	44.95	74.00	-29.05	56.75	38.18	16.36	66.34	0.00	---	---	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11490.20	46.36	74.00	-27.64	58.16	38.18	16.36	66.34	0.00	---	---	Peak																																																																																																				






Mode	87																																																																																																																																											
	Band Edge - L																																																																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																																											
ANT	TXBF1S4T																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.80</td><td>66.11</td><td>68.20</td><td>-2.09</td><td>56.22</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>62.84</td><td>68.65</td><td>-5.81</td><td>53.02</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5782.22</td><td>64.25</td><td>105.92</td><td>-41.67</td><td>55.13</td><td>34.92</td><td>11.14</td><td>36.94</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.28</td><td>110.90</td><td>-48.62</td><td>53.39</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5621.80	66.11	68.20	-2.09	56.22	34.85	11.03	35.99	0.00	300	258	PEAK	2	5650.60	62.84	68.65	-5.81	53.02	34.88	11.07	36.13	0.00	300	258	PEAK	3	5782.22	64.25	105.92	-41.67	55.13	34.92	11.14	36.94	0.00	300	258	PEAK	4	5720.00	62.28	110.90	-48.62	53.39	34.94	11.17	37.22	0.00	300	258	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>119.88</td><td>-----</td><td>-----</td><td>111.70</td><td>34.99</td><td>11.24</td><td>38.05</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	119.88	-----	-----	111.70	34.99	11.24	38.05	0.00	300	258	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5621.80	66.11	68.20	-2.09	56.22	34.85	11.03	35.99	0.00	300	258	PEAK																																																																																																																																
2	5650.60	62.84	68.65	-5.81	53.02	34.88	11.07	36.13	0.00	300	258	PEAK																																																																																																																																
3	5782.22	64.25	105.92	-41.67	55.13	34.92	11.14	36.94	0.00	300	258	PEAK																																																																																																																																
4	5720.00	62.28	110.90	-48.62	53.39	34.94	11.17	37.22	0.00	300	258	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	119.88	-----	-----	111.70	34.99	11.24	38.05	0.00	300	258	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>110.41</td><td>-----</td><td>-----</td><td>102.23</td><td>34.99</td><td>11.24</td><td>38.05</td><td>0.00</td><td>300</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	110.41	-----	-----	102.23	34.99	11.24	38.05	0.00	300	258	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	110.41	-----	-----	102.23	34.99	11.24	38.05	0.00	300	258	AVERAGE																																																																																																																																




Mode	87																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.22</td><td>61.56</td><td>112.67</td><td>-51.11</td><td>54.48</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>62.51</td><td>105.30</td><td>-42.79</td><td>55.37</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>60.89</td><td>68.20</td><td>-7.31</td><td>53.58</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5938.22</td><td>62.93</td><td>68.20</td><td>-5.27</td><td>55.59</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.22	61.56	112.67	-51.11	54.48	35.07	11.33	39.32	0.00	300	258	PEAK	2	5875.00	62.51	105.30	-42.79	55.37	35.09	11.35	39.30	0.00	300	258	PEAK	3	5925.00	60.89	68.20	-7.31	53.58	35.13	11.40	39.22	0.00	300	258	PEAK	4	5938.22	62.93	68.20	-5.27	55.59	35.14	11.41	39.21	0.00	300	258	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.22	61.56	112.67	-51.11	54.48	35.07	11.33	39.32	0.00	300	258	PEAK																																																																																		
2	5875.00	62.51	105.30	-42.79	55.37	35.09	11.35	39.30	0.00	300	258	PEAK																																																																																		
3	5925.00	60.89	68.20	-7.31	53.58	35.13	11.40	39.22	0.00	300	258	PEAK																																																																																		
4	5938.22	62.93	68.20	-5.27	55.59	35.14	11.41	39.21	0.00	300	258	PEAK																																																																																		





Mode	87																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.00</td><td>67.38</td><td>68.20</td><td>-0.82</td><td>57.41</td><td>34.87</td><td>11.06</td><td>35.96</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>63.93</td><td>68.37</td><td>-4.44</td><td>54.10</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5700.60</td><td>64.19</td><td>105.47</td><td>-41.28</td><td>55.04</td><td>34.92</td><td>11.14</td><td>36.91</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.60</td><td>66.15</td><td>112.27</td><td>-46.12</td><td>57.26</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.00	67.38	68.20	-0.82	57.41	34.87	11.06	35.96	0.00	160	360	PEAK	2	5650.22	63.93	68.37	-4.44	54.10	34.88	11.07	36.12	0.00	160	360	PEAK	3	5700.60	64.19	105.47	-41.28	55.04	34.92	11.14	36.91	0.00	160	360	PEAK	4	5720.60	66.15	112.27	-46.12	57.26	34.94	11.17	37.22	0.00	160	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>126.40</td><td>-----</td><td>-----</td><td>118.22</td><td>34.99</td><td>11.24</td><td>38.05</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	126.40	-----	-----	118.22	34.99	11.24	38.05	0.00	160	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5639.00	67.38	68.20	-0.82	57.41	34.87	11.06	35.96	0.00	160	360	PEAK																																																																																																																														
2	5650.22	63.93	68.37	-4.44	54.10	34.88	11.07	36.12	0.00	160	360	PEAK																																																																																																																														
3	5700.60	64.19	105.47	-41.28	55.04	34.92	11.14	36.91	0.00	160	360	PEAK																																																																																																																														
4	5720.60	66.15	112.27	-46.12	57.26	34.94	11.17	37.22	0.00	160	360	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	126.40	-----	-----	118.22	34.99	11.24	38.05	0.00	160	360	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>117.00</td><td>-----</td><td>-----</td><td>108.82</td><td>34.99</td><td>11.24</td><td>38.05</td><td>0.00</td><td>160</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	117.00	-----	-----	108.82	34.99	11.24	38.05	0.00	160	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	117.00	-----	-----	108.82	34.99	11.24	38.05	0.00	160	360	AVERAGE																																																																																																																														






Mode	87																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.22</td><td>64.56</td><td>112.67</td><td>-48.11</td><td>57.48</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5874.60</td><td>62.13</td><td>105.41</td><td>-43.28</td><td>54.99</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>60.93</td><td>68.20</td><td>-7.27</td><td>53.62</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5938.22</td><td>63.03</td><td>68.20</td><td>-5.17</td><td>55.66</td><td>35.15</td><td>11.41</td><td>39.19</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.22	64.56	112.67	-48.11	57.48	35.07	11.33	39.32	0.00	160	360	PEAK	2	5874.60	62.13	105.41	-43.28	54.99	35.09	11.35	39.30	0.00	160	360	PEAK	3	5925.00	60.93	68.20	-7.27	53.62	35.13	11.40	39.22	0.00	160	360	PEAK	4	5938.22	63.03	68.20	-5.17	55.66	35.15	11.41	39.19	0.00	160	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.22	64.56	112.67	-48.11	57.48	35.07	11.33	39.32	0.00	160	360	PEAK																																																																									
2	5874.60	62.13	105.41	-43.28	54.99	35.09	11.35	39.30	0.00	160	360	PEAK																																																																									
3	5925.00	60.93	68.20	-7.27	53.62	35.13	11.40	39.22	0.00	160	360	PEAK																																																																									
4	5938.22	63.03	68.20	-5.17	55.66	35.15	11.41	39.19	0.00	160	360	PEAK																																																																									






Mode	87																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>56.38</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	44.66	74.00	-29.34	56.38	38.20	16.41	66.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.50</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>59.54</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.50	47.82	74.00	-26.18	59.54	38.20	16.41	66.33	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.00	44.66	74.00	-29.34	56.38	38.20	16.41	66.33	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.50	47.82	74.00	-26.18	59.54	38.20	16.41	66.33	0.00	---	---	Peak																																																																																							





	88																																																																																																												
Mode	Band Edge																																																																																																												
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																												
ANT	TXBF1S4T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.60</td><td>70.65</td><td>116.37</td><td>-45.72</td><td>63.55</td><td>35.07</td><td>11.33</td><td>39.30</td><td>0.00</td><td>159 360 PEAK</td></tr><tr><td>2</td><td>5862.60</td><td>64.74</td><td>108.77</td><td>-44.03</td><td>57.64</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>159 360 PEAK</td></tr><tr><td>3</td><td>5924.22</td><td>62.67</td><td>68.77</td><td>-6.10</td><td>55.36</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>159 360 PEAK</td></tr><tr><td>4</td><td>5955.80</td><td>63.66</td><td>68.20</td><td>-4.54</td><td>56.23</td><td>35.16</td><td>11.43</td><td>39.16</td><td>0.00</td><td>159 360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5852.60	70.65	116.37	-45.72	63.55	35.07	11.33	39.30	0.00	159 360 PEAK	2	5862.60	64.74	108.77	-44.03	57.64	35.08	11.34	39.32	0.00	159 360 PEAK	3	5924.22	62.67	68.77	-6.10	55.36	35.13	11.40	39.22	0.00	159 360 PEAK	4	5955.80	63.66	68.20	-4.54	56.23	35.16	11.43	39.16	0.00	159 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>118.22</td><td>-----</td><td>-----</td><td>110.77</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>159 360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	118.22	-----	-----	110.77	35.04	11.31	38.90	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1	5852.60	70.65	116.37	-45.72	63.55	35.07	11.33	39.30	0.00	159 360 PEAK																																																																																																			
2	5862.60	64.74	108.77	-44.03	57.64	35.08	11.34	39.32	0.00	159 360 PEAK																																																																																																			
3	5924.22	62.67	68.77	-6.10	55.36	35.13	11.40	39.22	0.00	159 360 PEAK																																																																																																			
4	5955.80	63.66	68.20	-4.54	56.23	35.16	11.43	39.16	0.00	159 360 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1	5825.00	118.22	-----	-----	110.77	35.04	11.31	38.90	0.00	159 360 PEAK																																																																																																			
Avg	Blank																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.20</td><td>-----</td><td>-----</td><td>99.75</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>159 360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	107.20	-----	-----	99.75	35.04	11.31	38.90	0.00	159 360 AVERAGE																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1	5825.00	107.20	-----	-----	99.75	35.04	11.31	38.90	0.00	159 360 AVERAGE																																																																																																			






Mode	88																																																																																						
	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																						
ANT	TXBF1S4T																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.22</td><td>87.63</td><td>112.67</td><td>-25.04</td><td>80.55</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>162</td><td>0 PEAK</td></tr><tr><td>2 5855.42</td><td>86.20</td><td>110.78</td><td>-24.58</td><td>79.12</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>162</td><td>0 PEAK</td></tr><tr><td>3 5923.00</td><td>61.12</td><td>69.09</td><td>-7.97</td><td>53.81</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>162</td><td>0 PEAK</td></tr><tr><td>4 5974.22</td><td>63.06</td><td>68.20</td><td>-5.14</td><td>55.56</td><td>35.18</td><td>11.45</td><td>39.13</td><td>0.00</td><td>162</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.22	87.63	112.67	-25.04	80.55	35.07	11.33	39.32	0.00	162	0 PEAK	2 5855.42	86.20	110.78	-24.58	79.12	35.07	11.34	39.33	0.00	162	0 PEAK	3 5923.00	61.12	69.09	-7.97	53.81	35.13	11.40	39.22	0.00	162	0 PEAK	4 5974.22	63.06	68.20	-5.14	55.56	35.18	11.45	39.13	0.00	162
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5854.22	87.63	112.67	-25.04	80.55	35.07	11.33	39.32	0.00	162	0 PEAK																																																																													
2 5855.42	86.20	110.78	-24.58	79.12	35.07	11.34	39.33	0.00	162	0 PEAK																																																																													
3 5923.00	61.12	69.09	-7.97	53.81	35.13	11.40	39.22	0.00	162	0 PEAK																																																																													
4 5974.22	63.06	68.20	-5.14	55.56	35.18	11.45	39.13	0.00	162	0 PEAK																																																																													
Fundamental																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>125.77</td><td>-----</td><td>-----</td><td>118.15</td><td>35.03</td><td>11.30</td><td>38.71</td><td>0.00</td><td>162</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	125.77	-----	-----	118.15	35.03	11.30	38.71	0.00	162	0 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5825.00	125.77	-----	-----	118.15	35.03	11.30	38.71	0.00	162	0 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>116.19</td><td>-----</td><td>-----</td><td>108.57</td><td>35.03</td><td>11.30</td><td>38.71</td><td>0.00</td><td>162</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	116.19	-----	-----	108.57	35.03	11.30	38.71	0.00	162	0 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5825.00	116.19	-----	-----	108.57	35.03	11.30	38.71	0.00	162	0 AVERAGE																																																																													




Mode	88																																																																																																														
	Harmonic																																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11649.70</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>58.50</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11649.70	46.88	74.00	-27.12	58.50	38.25	16.46	66.33	0.00	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>61.57</td><td>74.00</td><td>-12.43</td><td>73.19</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>127</td><td>0</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>47.97</td><td>54.00</td><td>-6.03</td><td>59.59</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>127</td><td>0</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	61.57	74.00	-12.43	73.19	38.25	16.46	66.33	0.00	127	0	PEAK	2 11650.00	47.97	54.00	-6.03	59.59	38.25	16.46	66.33	0.00	127	0
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 11649.70	46.88	74.00	-27.12	58.50	38.25	16.46	66.33	0.00	---	---	Peak																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 11650.00	61.57	74.00	-12.43	73.19	38.25	16.46	66.33	0.00	127	0	PEAK																																																																																																				
2 11650.00	47.97	54.00	-6.03	59.59	38.25	16.46	66.33	0.00	127	0	AVERAGE																																																																																																				





	89																																																																																																																																									
Mode	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5629.37</td><td>59.95</td><td>68.20</td><td>-8.25</td><td>50.03</td><td>34.06</td><td>11.04</td><td>35.98</td><td>0.00</td><td>344</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>5651.07</td><td>59.26</td><td>69.00</td><td>-9.74</td><td>49.44</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>344</td><td>287</td><td>PEAK</td></tr><tr><td>3</td><td>5714.94</td><td>78.47</td><td>109.49</td><td>-31.02</td><td>69.51</td><td>34.94</td><td>11.16</td><td>37.14</td><td>0.00</td><td>344</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>5720.68</td><td>71.79</td><td>112.44</td><td>-40.65</td><td>62.91</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>344</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.37	59.95	68.20	-8.25	50.03	34.06	11.04	35.98	0.00	344	287	PEAK	2	5651.07	59.26	69.00	-9.74	49.44	34.88	11.07	36.13	0.00	344	287	PEAK	3	5714.94	78.47	109.49	-31.02	69.51	34.94	11.16	37.14	0.00	344	287	PEAK	4	5720.68	71.79	112.44	-40.65	62.91	34.94	11.17	37.23	0.00	344	287	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>114.33</td><td>-----</td><td>-----</td><td>105.75</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>344</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	114.33	-----	-----	105.75	34.96	11.20	37.58	0.00	344	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5629.37	59.95	68.20	-8.25	50.03	34.06	11.04	35.98	0.00	344	287	PEAK																																																																																																																														
2	5651.07	59.26	69.00	-9.74	49.44	34.88	11.07	36.13	0.00	344	287	PEAK																																																																																																																														
3	5714.94	78.47	109.49	-31.02	69.51	34.94	11.16	37.14	0.00	344	287	PEAK																																																																																																																														
4	5720.68	71.79	112.44	-40.65	62.91	34.94	11.17	37.23	0.00	344	287	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	114.33	-----	-----	105.75	34.96	11.20	37.58	0.00	344	287	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.50</td><td>-----</td><td>-----</td><td>94.83</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>344</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	103.50	-----	-----	94.83	34.96	11.19	37.48	0.00	344	287	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	103.50	-----	-----	94.83	34.96	11.19	37.48	0.00	344	287	AVERAGE																																																																																																																														




Mode	89																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																														
ANT	TXBF1S4T																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.74</td><td>55.49</td><td>111.49</td><td>-56.00</td><td>48.41</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>344</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>5873.28</td><td>55.77</td><td>105.78</td><td>-50.01</td><td>48.63</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>344</td><td>287</td><td>PEAK</td></tr><tr><td>3</td><td>5924.94</td><td>56.92</td><td>68.24</td><td>-11.32</td><td>49.61</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>344</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>5937.62</td><td>57.20</td><td>68.20</td><td>-11.00</td><td>49.83</td><td>35.15</td><td>11.41</td><td>39.19</td><td>0.00</td><td>344</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.74	55.49	111.49	-56.00	48.41	35.07	11.34	39.33	0.00	344	287	PEAK	2	5873.28	55.77	105.78	-50.01	48.63	35.09	11.35	39.30	0.00	344	287	PEAK	3	5924.94	56.92	68.24	-11.32	49.61	35.13	11.40	39.22	0.00	344	287	PEAK	4	5937.62	57.20	68.20	-11.00	49.83	35.15	11.41	39.19	0.00	344	287	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.74	55.49	111.49	-56.00	48.41	35.07	11.34	39.33	0.00	344	287	PEAK																																																																																			
2	5873.28	55.77	105.78	-50.01	48.63	35.09	11.35	39.30	0.00	344	287	PEAK																																																																																			
3	5924.94	56.92	68.24	-11.32	49.61	35.13	11.40	39.22	0.00	344	287	PEAK																																																																																			
4	5937.62	57.20	68.20	-11.00	49.83	35.15	11.41	39.19	0.00	344	287	PEAK																																																																																			





Mode	89																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.50</td><td>67.71</td><td>68.20</td><td>-0.49</td><td>57.80</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>118</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.15</td><td>67.85</td><td>68.31</td><td>-0.46</td><td>58.02</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>118</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5707.49</td><td>95.66</td><td>107.40</td><td>-11.74</td><td>86.60</td><td>34.93</td><td>11.15</td><td>37.02</td><td>0.00</td><td>118</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.20</td><td>92.81</td><td>111.36</td><td>-18.55</td><td>83.92</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>118</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.50	67.71	68.20	-0.49	57.80	34.85	11.04	35.98	0.00	118	360	PEAK	2	5650.15	67.85	68.31	-0.46	58.02	34.88	11.07	36.12	0.00	118	360	PEAK	3	5707.49	95.66	107.40	-11.74	86.60	34.93	11.15	37.02	0.00	118	360	PEAK	4	5720.20	92.81	111.36	-18.55	83.92	34.94	11.17	37.22	0.00	118	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5625.50	67.71	68.20	-0.49	57.80	34.85	11.04	35.98	0.00	118	360	PEAK																																																																																		
2	5650.15	67.85	68.31	-0.46	58.02	34.88	11.07	36.12	0.00	118	360	PEAK																																																																																		
3	5707.49	95.66	107.40	-11.74	86.60	34.93	11.15	37.02	0.00	118	360	PEAK																																																																																		
4	5720.20	92.81	111.36	-18.55	83.92	34.94	11.17	37.22	0.00	118	360	PEAK																																																																																		
Avg	Blank																																																																																													
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>122.15</td><td>-----</td><td>-----</td><td>113.48</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>118</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	122.15	-----	-----	113.48	34.96	11.19	37.48	0.00	118	360	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5755.00	122.15	-----	-----	113.48	34.96	11.19	37.48	0.00	118	360	PEAK																																																																																		






Mode	89																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.73</td><td>60.96</td><td>111.51</td><td>-50.55</td><td>53.88</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>118</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5870.72</td><td>62.24</td><td>106.50</td><td>-44.26</td><td>55.11</td><td>35.08</td><td>11.35</td><td>39.30</td><td>0.00</td><td>118</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.98</td><td>59.51</td><td>68.96</td><td>-9.45</td><td>52.20</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>118</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5943.26</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>50.18</td><td>35.15</td><td>11.42</td><td>39.19</td><td>0.00</td><td>118</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.73	60.96	111.51	-50.55	53.88	35.07	11.34	39.33	0.00	118	360	PEAK	2	5870.72	62.24	106.50	-44.26	55.11	35.08	11.35	39.30	0.00	118	360	PEAK	3	5923.98	59.51	68.96	-9.45	52.20	35.13	11.40	39.22	0.00	118	360	PEAK	4	5943.26	57.56	68.20	-10.64	50.18	35.15	11.42	39.19	0.00	118	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.73	60.96	111.51	-50.55	53.88	35.07	11.34	39.33	0.00	118	360	PEAK																																																																																		
2	5870.72	62.24	106.50	-44.26	55.11	35.08	11.35	39.30	0.00	118	360	PEAK																																																																																		
3	5923.98	59.51	68.96	-9.45	52.20	35.13	11.40	39.22	0.00	118	360	PEAK																																																																																		
4	5943.26	57.56	68.20	-10.64	50.18	35.15	11.42	39.19	0.00	118	360	PEAK																																																																																		




		89																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																							
ANT		TXBF1S4T																																																							
Pol.		Horizontal					Vertical																																																		
Peak Avg																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11510.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>54.29</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	42.53	74.00	-31.47	54.29	38.20	16.37	66.33	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11510.00	42.53	74.00	-31.47	54.29	38.20	16.37	66.33	0.00	---	---	PEAK																																														
																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11510.00</td><td>43.14</td><td>74.00</td><td>-30.86</td><td>54.90</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	43.14	74.00	-30.86	54.90	38.20	16.37	66.33	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11510.00	43.14	74.00	-30.86	54.90	38.20	16.37	66.33	0.00	---	---	PEAK																																														






Mode	90																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																																													
ANT	TXBF1S4T																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.22</td><td>66.14</td><td>68.20</td><td>-2.06</td><td>56.20</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>358</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>61.79</td><td>68.95</td><td>-7.16</td><td>51.97</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>358</td><td>337</td><td>PEAK</td></tr><tr><td>3</td><td>5701.02</td><td>63.10</td><td>105.59</td><td>-42.49</td><td>53.96</td><td>34.92</td><td>11.14</td><td>36.92</td><td>0.00</td><td>358</td><td>337</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>63.54</td><td>110.90</td><td>-47.36</td><td>54.65</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>358</td><td>337</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.22	66.14	68.20	-2.06	56.20	34.86	11.05	35.97	0.00	358	337	PEAK	2	5651.00	61.79	68.95	-7.16	51.97	34.88	11.07	36.13	0.00	358	337	PEAK	3	5701.02	63.10	105.59	-42.49	53.96	34.92	11.14	36.92	0.00	358	337	PEAK	4	5720.00	63.54	110.90	-47.36	54.65	34.94	11.17	37.22	0.00	358	337	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>115.64</td><td>-----</td><td>-----</td><td>107.54</td><td>35.00</td><td>11.25</td><td>38.15</td><td>0.00</td><td>358</td><td>337</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	115.64	-----	-----	107.54	35.00	11.25	38.15	0.00	358	337	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5632.22	66.14	68.20	-2.06	56.20	34.86	11.05	35.97	0.00	358	337	PEAK																																																																																																																																		
2	5651.00	61.79	68.95	-7.16	51.97	34.88	11.07	36.13	0.00	358	337	PEAK																																																																																																																																		
3	5701.02	63.10	105.59	-42.49	53.96	34.92	11.14	36.92	0.00	358	337	PEAK																																																																																																																																		
4	5720.00	63.54	110.90	-47.36	54.65	34.94	11.17	37.22	0.00	358	337	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	115.64	-----	-----	107.54	35.00	11.25	38.15	0.00	358	337	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.41</td><td>-----</td><td>-----</td><td>97.23</td><td>34.99</td><td>11.24</td><td>38.05</td><td>0.00</td><td>358</td><td>337</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	105.41	-----	-----	97.23	34.99	11.24	38.05	0.00	358	337	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	105.41	-----	-----	97.23	34.99	11.24	38.05	0.00	358	337	AVERAGE																																																																																																																																		




Mode	90																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>62.49</td><td>110.90</td><td>-48.41</td><td>55.41</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>358</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>5874.22</td><td>61.89</td><td>105.52</td><td>-43.63</td><td>54.75</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>358</td><td>337</td><td>PEAK</td></tr><tr><td>3</td><td>5924.22</td><td>61.42</td><td>68.77</td><td>-7.35</td><td>54.11</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>358</td><td>337</td><td>PEAK</td></tr><tr><td>4</td><td>5948.22</td><td>62.89</td><td>68.20</td><td>-5.31</td><td>55.51</td><td>35.15</td><td>11.42</td><td>39.19</td><td>0.00</td><td>358</td><td>337</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	62.49	110.90	-48.41	55.41	35.07	11.34	39.33	0.00	358	337	PEAK	2	5874.22	61.89	105.52	-43.63	54.75	35.09	11.35	39.30	0.00	358	337	PEAK	3	5924.22	61.42	68.77	-7.35	54.11	35.13	11.40	39.22	0.00	358	337	PEAK	4	5948.22	62.89	68.20	-5.31	55.51	35.15	11.42	39.19	0.00	358	337	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5855.00	62.49	110.90	-48.41	55.41	35.07	11.34	39.33	0.00	358	337	PEAK																																																																																		
2	5874.22	61.89	105.52	-43.63	54.75	35.09	11.35	39.30	0.00	358	337	PEAK																																																																																		
3	5924.22	61.42	68.77	-7.35	54.11	35.13	11.40	39.22	0.00	358	337	PEAK																																																																																		
4	5948.22	62.89	68.20	-5.31	55.51	35.15	11.42	39.19	0.00	358	337	PEAK																																																																																		





Mode	90																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																																							
ANT	TXBF1S4T																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5635.00</td><td>66.74</td><td>68.20</td><td>-1.46</td><td>56.80</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>153</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>64.71</td><td>68.37</td><td>-3.66</td><td>54.88</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>153</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5711.00</td><td>79.92</td><td>108.38</td><td>-28.46</td><td>70.90</td><td>34.93</td><td>11.16</td><td>37.07</td><td>0.00</td><td>153</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>79.91</td><td>110.90</td><td>-30.99</td><td>71.02</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>153</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5635.00	66.74	68.20	-1.46	56.80	34.86	11.05	35.97	0.00	153	0	PEAK	2	5650.22	64.71	68.37	-3.66	54.88	34.88	11.07	36.12	0.00	153	0	PEAK	3	5711.00	79.92	108.38	-28.46	70.90	34.93	11.16	37.07	0.00	153	0	PEAK	4	5720.00	79.91	110.90	-30.99	71.02	34.94	11.17	37.22	0.00	153	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5773.00</td><td>123.11</td><td>-----</td><td>-----</td><td>114.93</td><td>34.99</td><td>11.24</td><td>38.05</td><td>0.00</td><td>153</td><td>0</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5773.00	123.11	-----	-----	114.93	34.99	11.24	38.05	0.00	153	0	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5635.00	66.74	68.20	-1.46	56.80	34.86	11.05	35.97	0.00	153	0	PEAK																																																																																																																												
2	5650.22	64.71	68.37	-3.66	54.88	34.88	11.07	36.12	0.00	153	0	PEAK																																																																																																																												
3	5711.00	79.92	108.38	-28.46	70.90	34.93	11.16	37.07	0.00	153	0	PEAK																																																																																																																												
4	5720.00	79.91	110.90	-30.99	71.02	34.94	11.17	37.22	0.00	153	0	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5773.00	123.11	-----	-----	114.93	34.99	11.24	38.05	0.00	153	0	Peak																																																																																																																												
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>113.13</td><td>-----</td><td>-----</td><td>104.95</td><td>34.99</td><td>11.24</td><td>38.05</td><td>0.00</td><td>153</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5795.00	113.13	-----	-----	104.95	34.99	11.24	38.05	0.00	153	0	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5795.00	113.13	-----	-----	104.95	34.99	11.24	38.05	0.00	153	0	AVERAGE																																																																																																																												






Mode	90																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>79.83</td><td>110.90</td><td>-31.07</td><td>72.75</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>153</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5857.02</td><td>79.82</td><td>110.33</td><td>-30.51</td><td>72.74</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>153</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5923.00</td><td>62.61</td><td>69.09</td><td>-6.48</td><td>55.30</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>153</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5944.60</td><td>64.68</td><td>68.20</td><td>-3.52</td><td>57.29</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>153</td><td>0</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	79.83	110.90	-31.07	72.75	35.07	11.34	39.33	0.00	153	0	PEAK	2	5857.02	79.82	110.33	-30.51	72.74	35.07	11.34	39.33	0.00	153	0	PEAK	3	5923.00	62.61	69.09	-6.48	55.30	35.13	11.40	39.22	0.00	153	0	PEAK	4	5944.60	64.68	68.20	-3.52	57.29	35.15	11.42	39.18	0.00	153	0	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5855.00	79.83	110.90	-31.07	72.75	35.07	11.34	39.33	0.00	153	0	PEAK																																																																									
2	5857.02	79.82	110.33	-30.51	72.74	35.07	11.34	39.33	0.00	153	0	PEAK																																																																									
3	5923.00	62.61	69.09	-6.48	55.30	35.13	11.40	39.22	0.00	153	0	PEAK																																																																									
4	5944.60	64.68	68.20	-3.52	57.29	35.15	11.42	39.18	0.00	153	0	PEAK																																																																									




Mode	90																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																						
ANT	TXBF1S4T																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11590.00</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>54.33</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11590.00	42.62	74.00	-31.38	54.33	38.20	16.42	66.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11590.30</td><td>48.78</td><td>74.00</td><td>-25.22</td><td>60.49</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11590.30	48.78	74.00	-25.22	60.49	38.20	16.42	66.33	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11590.00	42.62	74.00	-31.38	54.33	38.20	16.42	66.33	0.00	---	---	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11590.30	48.78	74.00	-25.22	60.49	38.20	16.42	66.33	0.00	---	---	Peak																																																																																											






Mode	91																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																																										
ANT	TXBF1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.80</td><td>59.42</td><td>68.20</td><td>-8.78</td><td>49.51</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>244</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>57.20</td><td>68.65</td><td>-11.45</td><td>47.38</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>244</td><td>289</td><td>PEAK</td></tr><tr><td>3</td><td>5707.42</td><td>65.02</td><td>107.38</td><td>-42.36</td><td>55.96</td><td>34.93</td><td>11.15</td><td>37.02</td><td>0.00</td><td>244</td><td>289</td><td>PEAK</td></tr><tr><td>4</td><td>5722.60</td><td>69.90</td><td>116.83</td><td>-46.93</td><td>61.05</td><td>34.94</td><td>11.17</td><td>37.26</td><td>0.00</td><td>244</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5625.80	59.42	68.20	-8.78	49.51	34.85	11.04	35.98	0.00	244	289	PEAK	2	5650.60	57.20	68.65	-11.45	47.38	34.88	11.07	36.13	0.00	244	289	PEAK	3	5707.42	65.02	107.38	-42.36	55.96	34.93	11.15	37.02	0.00	244	289	PEAK	4	5722.60	69.90	116.83	-46.93	61.05	34.94	11.17	37.26	0.00	244	289	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>107.94</td><td>-----</td><td>-----</td><td>99.27</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>244</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	107.94	-----	-----	99.27	34.96	11.19	37.48	0.00	244	289	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5625.80	59.42	68.20	-8.78	49.51	34.85	11.04	35.98	0.00	244	289	PEAK																																																																																																																															
2	5650.60	57.20	68.65	-11.45	47.38	34.88	11.07	36.13	0.00	244	289	PEAK																																																																																																																															
3	5707.42	65.02	107.38	-42.36	55.96	34.93	11.15	37.02	0.00	244	289	PEAK																																																																																																																															
4	5722.60	69.90	116.83	-46.93	61.05	34.94	11.17	37.26	0.00	244	289	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	107.94	-----	-----	99.27	34.96	11.19	37.48	0.00	244	289	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>98.12</td><td>-----</td><td>-----</td><td>89.45</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>244</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	98.12	-----	-----	89.45	34.96	11.19	37.48	0.00	244	289	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	98.12	-----	-----	89.45	34.96	11.19	37.48	0.00	244	289	AVERAGE																																																																																																																															




Mode	91																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>54.13</td><td>110.90</td><td>-56.77</td><td>47.05</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>244</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>5871.00</td><td>55.98</td><td>106.42</td><td>-50.44</td><td>48.85</td><td>35.08</td><td>11.35</td><td>39.30</td><td>0.00</td><td>244</td><td>289</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.76</td><td>68.20</td><td>-12.44</td><td>48.45</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>244</td><td>289</td><td>PEAK</td></tr><tr><td>4</td><td>5929.42</td><td>57.38</td><td>68.20</td><td>-10.82</td><td>50.04</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>244</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	54.13	110.90	-56.77	47.05	35.07	11.34	39.33	0.00	244	289	PEAK	2	5871.00	55.98	106.42	-50.44	48.85	35.08	11.35	39.30	0.00	244	289	PEAK	3	5925.00	55.76	68.20	-12.44	48.45	35.13	11.40	39.22	0.00	244	289	PEAK	4	5929.42	57.38	68.20	-10.82	50.04	35.14	11.41	39.21	0.00	244	289	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5855.00	54.13	110.90	-56.77	47.05	35.07	11.34	39.33	0.00	244	289	PEAK																																																																																		
2	5871.00	55.98	106.42	-50.44	48.85	35.08	11.35	39.30	0.00	244	289	PEAK																																																																																		
3	5925.00	55.76	68.20	-12.44	48.45	35.13	11.40	39.22	0.00	244	289	PEAK																																																																																		
4	5929.42	57.38	68.20	-10.82	50.04	35.14	11.41	39.21	0.00	244	289	PEAK																																																																																		





Mode	91																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																																										
ANT	TXBF1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.00</td><td>67.20</td><td>68.20</td><td>-1.00</td><td>57.33</td><td>34.87</td><td>11.07</td><td>36.07</td><td>0.00</td><td>101</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5651.42</td><td>65.54</td><td>69.26</td><td>-3.72</td><td>55.73</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>101</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5702.22</td><td>84.70</td><td>105.92</td><td>-21.22</td><td>75.58</td><td>34.92</td><td>11.14</td><td>36.94</td><td>0.00</td><td>101</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5720.60</td><td>85.90</td><td>112.27</td><td>-26.37</td><td>77.01</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>101</td><td>176</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.00	67.20	68.20	-1.00	57.33	34.87	11.07	36.07	0.00	101	176	PEAK	2	5651.42	65.54	69.26	-3.72	55.73	34.88	11.07	36.14	0.00	101	176	PEAK	3	5702.22	84.70	105.92	-21.22	75.58	34.92	11.14	36.94	0.00	101	176	PEAK	4	5720.60	85.90	112.27	-26.37	77.01	34.94	11.17	37.22	0.00	101	176	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>114.69</td><td>-----</td><td>-----</td><td>106.02</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>101</td><td>176</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	114.69	-----	-----	106.02	34.96	11.19	37.48	0.00	101	176
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5647.00	67.20	68.20	-1.00	57.33	34.87	11.07	36.07	0.00	101	176	PEAK																																																																																																																															
2	5651.42	65.54	69.26	-3.72	55.73	34.88	11.07	36.14	0.00	101	176	PEAK																																																																																																																															
3	5702.22	84.70	105.92	-21.22	75.58	34.92	11.14	36.94	0.00	101	176	PEAK																																																																																																																															
4	5720.60	85.90	112.27	-26.37	77.01	34.94	11.17	37.22	0.00	101	176	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	114.69	-----	-----	106.02	34.96	11.19	37.48	0.00	101	176	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>104.51</td><td>-----</td><td>-----</td><td>95.84</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>101</td><td>176</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	104.51	-----	-----	95.84	34.96	11.19	37.48	0.00	101	176	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	104.51	-----	-----	95.84	34.96	11.19	37.48	0.00	101	176	AVERAGE																																																																																																																															





Mode	91																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																							
ANT	TXBF1S4T																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5855.00</td><td>82.90</td><td>110.90</td><td>-28.00</td><td>75.82</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00 101 176 PEAK</td></tr><tr><td>2</td><td>5859.42</td><td>83.63</td><td>109.66</td><td>-26.03</td><td>76.54</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00 101 176 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>60.36</td><td>68.20</td><td>-7.84</td><td>53.05</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00 101 176 PEAK</td></tr><tr><td>4</td><td>5925.02</td><td>60.47</td><td>68.20</td><td>-7.73</td><td>53.15</td><td>35.13</td><td>11.40</td><td>39.21</td><td>0.00 101 176 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5855.00	82.90	110.90	-28.00	75.82	35.07	11.34	39.33	0.00 101 176 PEAK	2	5859.42	83.63	109.66	-26.03	76.54	35.07	11.34	39.32	0.00 101 176 PEAK	3	5925.00	60.36	68.20	-7.84	53.05	35.13	11.40	39.22	0.00 101 176 PEAK	4	5925.02	60.47	68.20	-7.73	53.15	35.13	11.40	39.21	0.00 101 176 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1	5855.00	82.90	110.90	-28.00	75.82	35.07	11.34	39.33	0.00 101 176 PEAK																																																															
2	5859.42	83.63	109.66	-26.03	76.54	35.07	11.34	39.32	0.00 101 176 PEAK																																																															
3	5925.00	60.36	68.20	-7.84	53.05	35.13	11.40	39.22	0.00 101 176 PEAK																																																															
4	5925.02	60.47	68.20	-7.73	53.15	35.13	11.40	39.21	0.00 101 176 PEAK																																																															





Mode	91																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																									
ANT	TXBF1S4T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11550.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>57.58</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11550.00	45.84	74.00	-28.16	57.58	38.20	16.39	66.33	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11550.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>57.37</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11550.00	45.63	74.00	-28.37	57.37	38.20	16.39	66.33	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 11550.00	45.84	74.00	-28.16	57.58	38.20	16.39	66.33	0.00	---	---	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 11550.00	45.63	74.00	-28.37	57.37	38.20	16.39	66.33	0.00	---	---	PEAK																																																																																															



Mode	89	
	18G-40G	
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz	
ANT	TXBF1S4T	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	89																																																																																																																																																																								
	30M-1G																																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																																																								
ANT	TXBF1S4T																																																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																									
	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>71.71</td><td>31.49</td><td>-8.51</td><td>40.00</td><td>50.60</td><td>1.25</td><td>12.44</td><td>32.00</td><td>--- Peak</td></tr><tr><td>2</td><td>94.99</td><td>26.65</td><td>-16.85</td><td>43.50</td><td>41.94</td><td>1.47</td><td>16.11</td><td>32.87</td><td>--- Peak</td></tr><tr><td>3</td><td>152.22</td><td>26.00</td><td>-17.50</td><td>43.50</td><td>40.58</td><td>1.86</td><td>16.38</td><td>32.82</td><td>--- Peak</td></tr><tr><td>4</td><td>322.94</td><td>24.57</td><td>-21.43</td><td>46.00</td><td>34.87</td><td>2.74</td><td>19.83</td><td>32.87</td><td>--- Peak</td></tr><tr><td>5</td><td>739.07</td><td>30.44</td><td>-15.56</td><td>46.00</td><td>33.43</td><td>4.16</td><td>25.70</td><td>32.85</td><td>--- Peak</td></tr><tr><td>6</td><td>881.66</td><td>31.42</td><td>-14.58</td><td>46.00</td><td>32.26</td><td>4.54</td><td>26.64</td><td>32.02</td><td>--- Peak</td></tr></table>					Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	71.71	31.49	-8.51	40.00	50.60	1.25	12.44	32.00	--- Peak	2	94.99	26.65	-16.85	43.50	41.94	1.47	16.11	32.87	--- Peak	3	152.22	26.00	-17.50	43.50	40.58	1.86	16.38	32.82	--- Peak	4	322.94	24.57	-21.43	46.00	34.87	2.74	19.83	32.87	--- Peak	5	739.07	30.44	-15.56	46.00	33.43	4.16	25.70	32.85	--- Peak	6	881.66	31.42	-14.58	46.00	32.26	4.54	26.64	32.02	--- Peak	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>152.22</td><td>20.73</td><td>-22.77</td><td>43.50</td><td>35.31</td><td>1.86</td><td>16.38</td><td>32.82</td><td>--- Peak</td></tr><tr><td>2</td><td>300.63</td><td>28.77</td><td>-17.23</td><td>46.00</td><td>39.61</td><td>2.64</td><td>19.34</td><td>32.82</td><td>--- Peak</td></tr><tr><td>3</td><td>392.78</td><td>26.99</td><td>-19.01</td><td>46.00</td><td>35.31</td><td>3.02</td><td>21.50</td><td>32.84</td><td>--- Peak</td></tr><tr><td>4</td><td>490.75</td><td>21.35</td><td>-24.65</td><td>46.00</td><td>27.51</td><td>3.39</td><td>23.40</td><td>32.95</td><td>--- Peak</td></tr><tr><td>5</td><td>708.03</td><td>26.07</td><td>-19.93</td><td>46.00</td><td>29.71</td><td>4.07</td><td>25.32</td><td>33.03</td><td>--- Peak</td></tr><tr><td>6</td><td>881.66</td><td>28.05</td><td>-17.95</td><td>46.00</td><td>28.89</td><td>4.54</td><td>26.64</td><td>32.02</td><td>--- Peak</td></tr></table>					Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	152.22	20.73	-22.77	43.50	35.31	1.86	16.38	32.82	--- Peak	2	300.63	28.77	-17.23	46.00	39.61	2.64	19.34	32.82	--- Peak	3	392.78	26.99	-19.01	46.00	35.31	3.02	21.50	32.84	--- Peak	4	490.75	21.35	-24.65	46.00	27.51	3.39	23.40	32.95	--- Peak	5	708.03	26.07	-19.93	46.00	29.71	4.07	25.32	33.03	--- Peak	6	881.66	28.05	-17.95	46.00	28.89	4.54	26.64	32.02
Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																
1	71.71	31.49	-8.51	40.00	50.60	1.25	12.44	32.00	--- Peak																																																																																																																																																																
2	94.99	26.65	-16.85	43.50	41.94	1.47	16.11	32.87	--- Peak																																																																																																																																																																
3	152.22	26.00	-17.50	43.50	40.58	1.86	16.38	32.82	--- Peak																																																																																																																																																																
4	322.94	24.57	-21.43	46.00	34.87	2.74	19.83	32.87	--- Peak																																																																																																																																																																
5	739.07	30.44	-15.56	46.00	33.43	4.16	25.70	32.85	--- Peak																																																																																																																																																																
6	881.66	31.42	-14.58	46.00	32.26	4.54	26.64	32.02	--- Peak																																																																																																																																																																
Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																
1	152.22	20.73	-22.77	43.50	35.31	1.86	16.38	32.82	--- Peak																																																																																																																																																																
2	300.63	28.77	-17.23	46.00	39.61	2.64	19.34	32.82	--- Peak																																																																																																																																																																
3	392.78	26.99	-19.01	46.00	35.31	3.02	21.50	32.84	--- Peak																																																																																																																																																																
4	490.75	21.35	-24.65	46.00	27.51	3.39	23.40	32.95	--- Peak																																																																																																																																																																
5	708.03	26.07	-19.93	46.00	29.71	4.07	25.32	33.03	--- Peak																																																																																																																																																																
6	881.66	28.05	-17.95	46.00	28.89	4.54	26.64	32.02	--- Peak																																																																																																																																																																

<Co-location>
Radiated Spurious Emission Test Modes





Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
1	2400-2483.5	2400-2483.5	CDD 1S4T	802.11BE EHT40	9	2452	MCS0	-	-
	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	48	5240	6Mbps	-	-
	U-NII-8	6.875-7.125	CDD 1S4T	802.11BE EHT20	233	7115	MCS0	RU52*4	-

Summary of each worse mode



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11BE EHT40	9	2484.58	51.67	54.00	-2.33	V	AVERAGE	Pass	Band Edge
	802.11BE EHT40	9	7356.00	42.65	74.00	-31.35	V	PEAK	Pass	Harmonic
	802.11a	48	5396.42	49.06	54.00	-4.94	V	AVERAGE	Pass	Band Edge
	802.11a	48	10480.00	45.04	68.20	-23.16	V	PEAK	Pass	Harmonic
	802.11BE EHT20	233	7125.00	67.75	68.2	-0.45	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	233	-	-	-	-	-	-	-	Harmonic







Radiated Spurious Emission Test plots

		1																																																																																																
Mode		Band Edge - L																																																																																																
		2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz																																																																																																
ANT		CDD 1S4T																																																																																																
Pol.		Horizontal						Fundamental																																																																																										
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.34</td><td>57.77</td><td>74.00</td><td>-16.23</td><td>49.97</td><td>31.81</td><td>7.05</td><td>37.06</td><td>6.00</td><td>262</td><td>159</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.34	57.77	74.00	-16.23	49.97	31.81	7.05	37.06	6.00	262	159	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>115.95</td><td>74.00</td><td>41.95</td><td>107.33</td><td>32.38</td><td>7.19</td><td>36.95</td><td>6.00</td><td>262</td><td>159</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	115.95	74.00	41.95	107.33	32.38	7.19	36.95	6.00	262	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2351.34	57.77	74.00	-16.23	49.97	31.81	7.05	37.06	6.00	262	159	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	115.95	74.00	41.95	107.33	32.38	7.19	36.95	6.00	262	159	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.55</td><td>44.26</td><td>54.00</td><td>-9.74</td><td>36.12</td><td>32.10</td><td>7.09</td><td>37.05</td><td>6.00</td><td>262</td><td>159</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.55	44.26	54.00	-9.74	36.12	32.10	7.09	37.05	6.00	262	159	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>104.36</td><td>54.00</td><td>50.36</td><td>95.74</td><td>32.38</td><td>7.19</td><td>36.95</td><td>6.00</td><td>262</td><td>159</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.36	54.00	50.36	95.74	32.38	7.19	36.95	6.00	262	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2379.55	44.26	54.00	-9.74	36.12	32.10	7.09	37.05	6.00	262	159	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	104.36	54.00	50.36	95.74	32.38	7.19	36.95	6.00	262	159	AVERAGE																																																																																						





Mode	1																																																
	Band Edge - R																																																
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz																																																
ANT	CDD 1S4T																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.06</td><td>63.36</td><td>74.00</td><td>-10.64</td><td>54.44</td><td>32.48</td><td>7.27</td><td>36.83</td><td>6.00</td><td>262</td><td>159</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.06	63.36	74.00	-10.64	54.44	32.48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2491.06	63.36	74.00	-10.64	54.44	32.48	7.27	36.83	6.00	262	159	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.96</td><td>48.29</td><td>54.00</td><td>-5.71</td><td>39.40</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>262</td><td>159</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.96	48.29	54.00	-5.71	39.40	32.47
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2485.96	48.29	54.00	-5.71	39.40	32.47	7.26	36.84	6.00	262	159	AVERAGE																																					





		1																																																																																																													
Mode	Band Edge - L																																																																																																														
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>59.58</td><td>74.00</td><td>-14.42</td><td>51.37</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>132</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	59.58	74.00	-14.42	51.37	32.16	7.10	37.05	6.00	132	303	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>118.01</td><td>74.00</td><td>44.01</td><td>109.35</td><td>32.39</td><td>7.20</td><td>36.93</td><td>6.00</td><td>132</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	118.01	74.00	44.01	109.35	32.39	7.20	36.93	6.00	132	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.31	59.58	74.00	-14.42	51.37	32.16	7.10	37.05	6.00	132	303	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	118.01	74.00	44.01	109.35	32.39	7.20	36.93	6.00	132	303	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>45.85</td><td>54.00</td><td>-8.15</td><td>37.64</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>132</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	45.85	54.00	-8.15	37.64	32.16	7.10	37.05	6.00	132	303	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>106.83</td><td>54.00</td><td>52.83</td><td>98.17</td><td>32.39</td><td>7.20</td><td>36.93</td><td>6.00</td><td>132</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	106.83	54.00	52.83	98.17	32.39	7.20	36.93	6.00	132	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.31	45.85	54.00	-8.15	37.64	32.16	7.10	37.05	6.00	132	303	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	106.83	54.00	52.83	98.17	32.39	7.20	36.93	6.00	132	303	AVERAGE																																																																																																			







Mode	1																																													
	Band Edge - R																																													
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.02</td><td>68.02</td><td>74.00</td><td>-5.98</td><td>59.13</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>132</td><td>303</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.02	68.02	74.00	-5.98	59.13	32.47	7.26	36.84	6.00	132	303	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2486.02	68.02	74.00	-5.98	59.13	32.47	7.26	36.84	6.00	132	303	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>51.67</td><td>54.00</td><td>-2.33</td><td>42.79</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>132</td><td>303</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.58	51.67	54.00	-2.33	42.79	32.47	7.26	36.85	6.00	132	303	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2484.58	51.67	54.00	-2.33	42.79	32.47	7.26	36.85	6.00	132	303	AVERAGE																																		





Mode	1																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH9_2452MHz																																																																																																																									
ANT	CDD 1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>63.31</td><td>34.17</td><td>10.33</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>60.45</td><td>35.00</td><td>12.73</td><td>66.41</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	42.26	74.00	-31.74	63.31	34.17	10.33	65.55	0.00	---	PEAK	2	7356.00	42.57	74.00	-31.43	60.45	35.00	12.73	66.41	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>41.58</td><td>74.00</td><td>-32.42</td><td>62.63</td><td>34.17</td><td>10.33</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.65</td><td>74.00</td><td>-31.35</td><td>60.53</td><td>35.80</td><td>12.73</td><td>66.41</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	41.58	74.00	-32.42	62.63	34.17	10.33	65.55	0.00	---	PEAK	2	7356.00	42.65	74.00	-31.35	60.53	35.80	12.73	66.41	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4904.00	42.26	74.00	-31.74	63.31	34.17	10.33	65.55	0.00	---	PEAK																																																																																																															
2	7356.00	42.57	74.00	-31.43	60.45	35.00	12.73	66.41	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4904.00	41.58	74.00	-32.42	62.63	34.17	10.33	65.55	0.00	---	PEAK																																																																																																															
2	7356.00	42.65	74.00	-31.35	60.53	35.80	12.73	66.41	0.00	---	PEAK																																																																																																															







		1																																																																																																																																																	
Mode		Band Edge - L																																																																																																																																																	
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																	
ANT		CDD 1S4T																																																																																																																																																	
Pol.	Horizontal												Fundamental																																																																																																																																						
Peak																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5089.76</td><td>58.85</td><td>74.00</td><td>-15.15</td><td>50.69</td><td>34.35</td><td>10.55</td><td>36.74</td><td>0.00</td><td>161</td><td>81</td><td>PEAK</td><td></td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	5089.76	58.85	74.00	-15.15	50.69	34.35	10.55	36.74	0.00	161	81	PEAK		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>2446.00</td><td>111.21</td><td>-----</td><td>-----</td><td>108.55</td><td>32.39</td><td>7.20</td><td>36.93</td><td>0.00</td><td>161</td><td>81</td><td>Peak</td><td></td></tr><tr><td>2</td><td>5240.00</td><td>117.85</td><td>-----</td><td>-----</td><td>109.20</td><td>34.49</td><td>10.68</td><td>36.52</td><td>0.00</td><td>161</td><td>81</td><td>PEAK</td><td></td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	2446.00	111.21	-----	-----	108.55	32.39	7.20	36.93	0.00	161	81	Peak		2	5240.00	117.85	-----	-----	109.20	34.49	10.68	36.52	0.00	161	81	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5089.76	58.85	74.00	-15.15	50.69	34.35	10.55	36.74	0.00	161	81	PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	2446.00	111.21	-----	-----	108.55	32.39	7.20	36.93	0.00	161	81	Peak																																																																																																																																							
2	5240.00	117.85	-----	-----	109.20	34.49	10.68	36.52	0.00	161	81	PEAK																																																																																																																																							
Avg																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5090.00</td><td>46.22</td><td>54.00</td><td>-7.78</td><td>38.06</td><td>34.35</td><td>10.55</td><td>36.74</td><td>0.00</td><td>161</td><td>81</td><td>AVERAGE</td><td></td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	5090.00	46.22	54.00	-7.78	38.06	34.35	10.55	36.74	0.00	161	81	AVERAGE		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>2446.00</td><td>101.47</td><td>-----</td><td>-----</td><td>98.81</td><td>32.39</td><td>7.20</td><td>36.93</td><td>0.00</td><td>161</td><td>81</td><td>Average</td><td></td></tr><tr><td>2</td><td>5240.00</td><td>108.28</td><td>-----</td><td>-----</td><td>99.63</td><td>34.49</td><td>10.68</td><td>36.52</td><td>0.00</td><td>161</td><td>81</td><td>AVERAGE</td><td></td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	2446.00	101.47	-----	-----	98.81	32.39	7.20	36.93	0.00	161	81	Average		2	5240.00	108.28	-----	-----	99.63	34.49	10.68	36.52	0.00	161	81	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5090.00	46.22	54.00	-7.78	38.06	34.35	10.55	36.74	0.00	161	81	AVERAGE																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	2446.00	101.47	-----	-----	98.81	32.39	7.20	36.93	0.00	161	81	Average																																																																																																																																							
2	5240.00	108.28	-----	-----	99.63	34.49	10.68	36.52	0.00	161	81	AVERAGE																																																																																																																																							





Mode	1																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																												
ANT	CDD 1S4T																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.14</td><td>56.78</td><td>74.00</td><td>-17.22</td><td>47.47</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>161</td><td>81 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.14	56.78	74.00	-17.22	47.47	34.69	10.84	36.22	0.00	161	81 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5457.14	56.78	74.00	-17.22	47.47	34.69	10.84	36.22	0.00	161	81 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5389.38</td><td>45.68</td><td>54.00</td><td>-8.32</td><td>36.59</td><td>34.63</td><td>10.77</td><td>36.31</td><td>0.00</td><td>161</td><td>81 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5389.38	45.68	54.00	-8.32	36.59	34.63	10.77	36.31	0.00	161	81 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5389.38	45.68	54.00	-8.32	36.59	34.63	10.77	36.31	0.00	161	81 AVERAGE																																		





		1																																																																																																																
Mode		Band Edge - L																																																																																																																
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																
ANT		CDD 1S4T																																																																																																																
Pol.		Vertical					Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5094.08</td><td>59.27</td><td>74.00</td><td>-14.73</td><td>51.10</td><td>34.35</td><td>10.55</td><td>36.73</td><td>0.00</td><td>175 174 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5094.08	59.27	74.00	-14.73	51.10	34.35	10.55	36.73	0.00	175 174 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>113.03</td><td>-----</td><td>-----</td><td>110.34</td><td>32.40</td><td>7.21</td><td>36.92</td><td>0.00</td><td>175 174 Peak</td></tr><tr><td>2</td><td>5240.00</td><td>122.16</td><td>-----</td><td>-----</td><td>113.48</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td><td>175 174 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	113.03	-----	-----	110.34	32.40	7.21	36.92	0.00	175 174 Peak	2	5240.00	122.16	-----	-----	113.48	34.50	10.69	36.51	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5094.08	59.27	74.00	-14.73	51.10	34.35	10.55	36.73	0.00	175 174 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2452.00	113.03	-----	-----	110.34	32.40	7.21	36.92	0.00	175 174 Peak																																																																																																								
2	5240.00	122.16	-----	-----	113.48	34.50	10.69	36.51	0.00	175 174 PEAK																																																																																																								
Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5093.84</td><td>47.86</td><td>54.00</td><td>-6.14</td><td>39.69</td><td>34.35</td><td>10.55</td><td>36.73</td><td>0.00</td><td>175 174 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5093.84	47.86	54.00	-6.14	39.69	34.35	10.55	36.73	0.00	175 174 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>103.23</td><td>-----</td><td>-----</td><td>100.54</td><td>32.40</td><td>7.21</td><td>36.92</td><td>0.00</td><td>175 174 Average</td></tr><tr><td>2</td><td>5240.00</td><td>113.67</td><td>-----</td><td>-----</td><td>105.02</td><td>34.49</td><td>10.68</td><td>36.52</td><td>0.00</td><td>175 174 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	103.23	-----	-----	100.54	32.40	7.21	36.92	0.00	175 174 Average	2	5240.00	113.67	-----	-----	105.02	34.49	10.68	36.52	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5093.84	47.86	54.00	-6.14	39.69	34.35	10.55	36.73	0.00	175 174 AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2452.00	103.23	-----	-----	100.54	32.40	7.21	36.92	0.00	175 174 Average																																																																																																								
2	5240.00	113.67	-----	-----	105.02	34.49	10.68	36.52	0.00	175 174 AVERAGE																																																																																																								







Mode	1																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.96</td><td>59.30</td><td>74.00</td><td>-14.70</td><td>50.19</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>175</td><td>174</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.96	59.30	74.00	-14.70	50.19	34.64	10.77	36.30	0.00	175	174	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5397.96	59.30	74.00	-14.70	50.19	34.64	10.77	36.30	0.00	175	174	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.42</td><td>49.06</td><td>54.00</td><td>-4.94</td><td>39.95</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>175</td><td>174</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.42	49.06	54.00	-4.94	39.95	34.64	10.77	36.30	0.00	175	174	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5396.42	49.06	54.00	-4.94	39.95	34.64	10.77	36.30	0.00	175	174	AVERAGE																																		







Mode	1																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>44.55</td><td>68.20</td><td>-23.65</td><td>58.40</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	44.55	68.20	-23.65	58.40	37.48	15.56	66.89	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>45.04</td><td>68.20</td><td>-23.16</td><td>58.89</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	45.04	68.20	-23.16	58.89	37.48	15.56	66.89	0.00	---	---
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 10480.00	44.55	68.20	-23.65	58.40	37.48	15.56	66.89	0.00	---	---	PEAK																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 10480.00	45.04	68.20	-23.16	58.89	37.48	15.56	66.89	0.00	---	---	PEAK																																																																																								



		1																																																																																																																								
Mode		Band Edge - L																																																																																																																								
		U-NII-8_6.875-7.125_802.11BE EHT20_CH233_RU52*4_7115MHz																																																																																																																								
ANT		CDD 1S4T																																																																																																																								
Pol.		Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.25</td><td>77.60</td><td>88.20</td><td>-10.60</td><td>67.13</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>108</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.25	77.60	88.20	-10.60	67.13	35.70	12.62	37.85	0.00	108	48	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2435.50</td><td>110.71</td><td>-----</td><td>108.12</td><td>32.37</td><td>7.18</td><td>36.96</td><td>0.00</td><td>108</td><td>48</td><td>Peak</td></tr><tr><td>2</td><td>5243.50</td><td>108.46</td><td>-----</td><td>99.80</td><td>34.49</td><td>10.69</td><td>36.52</td><td>0.00</td><td>108</td><td>48</td><td>Peak</td></tr><tr><td>3</td><td>7107.00</td><td>92.23</td><td>-----</td><td>81.81</td><td>35.70</td><td>12.60</td><td>37.88</td><td>0.00</td><td>108</td><td>48</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2435.50	110.71	-----	108.12	32.37	7.18	36.96	0.00	108	48	Peak	2	5243.50	108.46	-----	99.80	34.49	10.69	36.52	0.00	108	48	Peak	3	7107.00	92.23	-----	81.81	35.70	12.60	37.88	0.00	108	48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7125.25	77.60	88.20	-10.60	67.13	35.70	12.62	37.85	0.00	108	48	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2435.50	110.71	-----	108.12	32.37	7.18	36.96	0.00	108	48	Peak																																																																																																															
2	5243.50	108.46	-----	99.80	34.49	10.69	36.52	0.00	108	48	Peak																																																																																																															
3	7107.00	92.23	-----	81.81	35.70	12.60	37.88	0.00	108	48	Peak																																																																																																															
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>67.75</td><td>68.20</td><td>-0.45</td><td>57.28</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>108</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	67.75	68.20	-0.45	57.28	35.70	12.62	37.85	0.00	108	48	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2435.50</td><td>100.39</td><td>-----</td><td>97.00</td><td>32.37</td><td>7.18</td><td>36.96</td><td>0.00</td><td>108</td><td>48</td><td>Average</td></tr><tr><td>2</td><td>5243.50</td><td>99.66</td><td>-----</td><td>91.00</td><td>34.49</td><td>10.69</td><td>36.52</td><td>0.00</td><td>108</td><td>48</td><td>Average</td></tr><tr><td>3</td><td>7107.00</td><td>81.91</td><td>-----</td><td>71.49</td><td>35.70</td><td>12.60</td><td>37.88</td><td>0.00</td><td>108</td><td>48</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2435.50	100.39	-----	97.00	32.37	7.18	36.96	0.00	108	48	Average	2	5243.50	99.66	-----	91.00	34.49	10.69	36.52	0.00	108	48	Average	3	7107.00	81.91	-----	71.49	35.70	12.60	37.88	0.00	108	48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7125.00	67.75	68.20	-0.45	57.28	35.70	12.62	37.85	0.00	108	48	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2435.50	100.39	-----	97.00	32.37	7.18	36.96	0.00	108	48	Average																																																																																																															
2	5243.50	99.66	-----	91.00	34.49	10.69	36.52	0.00	108	48	Average																																																																																																															
3	7107.00	81.91	-----	71.49	35.70	12.60	37.88	0.00	108	48	Average																																																																																																															



Mode	1																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-8_6.875-7.125_802.11BE EHT20_CH233_RU52*4_7115MHz																																																																																																																									
ANT	CDD 1S4T																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>78.96</td><td>88.20</td><td>-9.24</td><td>68.49</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	78.96	88.20	-9.24	68.49	35.70	12.62	37.85	0.00	100	240	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2445.00</td><td>114.22</td><td>-----</td><td>111.58</td><td>32.39</td><td>7.19</td><td>36.94</td><td>0.00</td><td>100</td><td>240</td><td>Peak</td></tr><tr><td>2</td><td>5235.00</td><td>118.39</td><td>-----</td><td>109.76</td><td>34.48</td><td>10.68</td><td>36.53</td><td>0.00</td><td>100</td><td>240</td><td>Peak</td></tr><tr><td>3</td><td>7107.00</td><td>99.29</td><td>-----</td><td>88.87</td><td>35.70</td><td>12.60</td><td>37.88</td><td>0.00</td><td>100</td><td>240</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2445.00	114.22	-----	111.58	32.39	7.19	36.94	0.00	100	240	Peak	2	5235.00	118.39	-----	109.76	34.48	10.68	36.53	0.00	100	240	Peak	3	7107.00	99.29	-----	88.87	35.70	12.60	37.88	0.00	100	240
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7125.00	78.96	88.20	-9.24	68.49	35.70	12.62	37.85	0.00	100	240	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2445.00	114.22	-----	111.58	32.39	7.19	36.94	0.00	100	240	Peak																																																																																																															
2	5235.00	118.39	-----	109.76	34.48	10.68	36.53	0.00	100	240	Peak																																																																																																															
3	7107.00	99.29	-----	88.87	35.70	12.60	37.88	0.00	100	240	Peak																																																																																																															
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>66.46</td><td>68.20</td><td>-1.74</td><td>55.99</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	66.46	68.20	-1.74	55.99	35.70	12.62	37.85	0.00	100	240	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2445.00</td><td>104.10</td><td>-----</td><td>101.46</td><td>32.39</td><td>7.19</td><td>36.94</td><td>0.00</td><td>100</td><td>240</td><td>Average</td></tr><tr><td>2</td><td>5235.00</td><td>109.21</td><td>-----</td><td>100.58</td><td>34.48</td><td>10.68</td><td>36.53</td><td>0.00</td><td>100</td><td>240</td><td>Average</td></tr><tr><td>3</td><td>7107.00</td><td>89.23</td><td>-----</td><td>78.81</td><td>35.70</td><td>12.60</td><td>37.88</td><td>0.00</td><td>100</td><td>240</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2445.00	104.10	-----	101.46	32.39	7.19	36.94	0.00	100	240	Average	2	5235.00	109.21	-----	100.58	34.48	10.68	36.53	0.00	100	240	Average	3	7107.00	89.23	-----	78.81	35.70	12.60	37.88	0.00	100	240
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7125.00	66.46	68.20	-1.74	55.99	35.70	12.62	37.85	0.00	100	240	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2445.00	104.10	-----	101.46	32.39	7.19	36.94	0.00	100	240	Average																																																																																																															
2	5235.00	109.21	-----	100.58	34.48	10.68	36.53	0.00	100	240	Average																																																																																																															
3	7107.00	89.23	-----	78.81	35.70	12.60	37.88	0.00	100	240	Average																																																																																																															