











Mode	71																																																									
	Band Edge - L																																																									
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																																									
ANT	TXBF 1S4T																																																									
Pol.	Horizontal						Fundamental																																																			
Peak																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5106.40</td><td>57.60</td><td>74.00</td><td>-16.40</td><td>38.75</td><td>34.01</td><td>11.76</td><td>36.92</td><td>10.00</td><td>102</td><td>110</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5106.40	57.60	74.00	-16.40	38.75	34.01	11.76	36.92	10.00	102	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5106.40	57.60	74.00	-16.40	38.75	34.01	11.76	36.92	10.00	102	110	PEAK																																														
Fundamental																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>109.31</td><td>-----</td><td>-----</td><td>89.79</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>102</td><td>110</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5260.00	109.31	-----	-----	89.79	34.51	11.89	36.88	10.00	102	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5260.00	109.31	-----	-----	89.79	34.51	11.89	36.88	10.00	102	110	PEAK																																														
Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.00</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>25.80</td><td>34.10</td><td>11.80</td><td>37.03</td><td>10.00</td><td>102</td><td>110</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.00	44.67	54.00	-9.33	25.80	34.10	11.80	37.03	10.00	102	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5148.00	44.67	54.00	-9.33	25.80	34.10	11.80	37.03	10.00	102	110	AVERAGE																																														
Fundamental																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>100.10</td><td>-----</td><td>-----</td><td>80.58</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>102</td><td>110</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5260.00	100.10	-----	-----	80.58	34.51	11.89	36.88	10.00	102	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5260.00	100.10	-----	-----	80.58	34.51	11.89	36.88	10.00	102	110	AVERAGE																																														





Mode	71																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																														
ANT	TXBF 1S4T																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.60</td><td>59.96</td><td>74.00</td><td>-14.04</td><td>39.62</td><td>34.69</td><td>12.08</td><td>36.43</td><td>10.00</td><td>102</td><td>110 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.60	59.96	74.00	-14.04	39.62	34.69	12.08	36.43	10.00	102	110 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5444.60	59.96	74.00	-14.04	39.62	34.69	12.08	36.43	10.00	102	110 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5431.00</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>26.36</td><td>34.66</td><td>12.06</td><td>36.42</td><td>10.00</td><td>102</td><td>110 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.00	46.66	54.00	-7.34	26.36	34.66	12.06	36.42	10.00	102	110 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5431.00	46.66	54.00	-7.34	26.36	34.66	12.06	36.42	10.00	102	110 AVERAGE																																				



Mode	71																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																																																																																								
ANT	TXBF 1S4T																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5113.44</td><td>58.93</td><td>74.00</td><td>-15.07</td><td>40.07</td><td>34.03</td><td>11.76</td><td>36.93</td><td>10.00</td><td>100</td><td>203</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5113.44	58.93	74.00	-15.07	40.07	34.03	11.76	36.93	10.00	100	203	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5260.00</td><td>119.44</td><td>-----</td><td>-----</td><td>99.83</td><td>34.53</td><td>11.90</td><td>36.82</td><td>10.00</td><td>100</td><td>203</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5260.00	119.44	-----	-----	99.83	34.53	11.90	36.82	10.00	100	203
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5113.44	58.93	74.00	-15.07	40.07	34.03	11.76	36.93	10.00	100	203	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5260.00	119.44	-----	-----	99.83	34.53	11.90	36.82	10.00	100	203	PEAK																																																																																													
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.96</td><td>45.49</td><td>54.00</td><td>-8.51</td><td>26.63</td><td>34.07</td><td>11.79</td><td>37.00</td><td>10.00</td><td>100</td><td>203</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5136.96	45.49	54.00	-8.51	26.63	34.07	11.79	37.00	10.00	100	203	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5260.00</td><td>108.71</td><td>-----</td><td>-----</td><td>89.05</td><td>34.54</td><td>11.91</td><td>36.79</td><td>10.00</td><td>100</td><td>203</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5260.00	108.71	-----	-----	89.05	34.54	11.91	36.79	10.00	100	203
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5136.96	45.49	54.00	-8.51	26.63	34.07	11.79	37.00	10.00	100	203	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5260.00	108.71	-----	-----	89.05	34.54	11.91	36.79	10.00	100	203	AVERAGE																																																																																													





Mode	71																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																																		
ANT	TXBF 1S4T																																																		
Pol.	Vertical						Fundamental																																												
Peak							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.20</td><td>60.68</td><td>74.00</td><td>-13.32</td><td>40.62</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>100</td><td>203 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.20	60.68	74.00	-13.32	40.62
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	5353.20	60.68	74.00	-13.32	40.62	34.60	11.97	36.51	10.00	100	203 PEAK																																								
Avg							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.00</td><td>47.64</td><td>54.00</td><td>-6.36</td><td>27.55</td><td>34.60</td><td>11.98</td><td>36.49</td><td>10.00</td><td>100</td><td>203 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5363.00	47.64	54.00	-6.36	27.55
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	5363.00	47.64	54.00	-6.36	27.55	34.60	11.98	36.49	10.00	100	203 AVERAGE																																								







Mode	72																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																																																																																				
ANT	TXBF 1S4T																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.00</td><td>58.56</td><td>74.00</td><td>-15.44</td><td>39.72</td><td>34.00</td><td>11.75</td><td>36.91</td><td>10.00</td><td>339</td><td>93</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.00	58.56	74.00	-15.44	39.72	34.00	11.75	36.91	10.00	339	93	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>106.27</td><td>-----</td><td>-----</td><td>86.35</td><td>34.60</td><td>11.94</td><td>36.62</td><td>10.00</td><td>339</td><td>93</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5300.00	106.27	-----	-----	86.35	34.60	11.94	36.62	10.00	339	93	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5102.00	58.56	74.00	-15.44	39.72	34.00	11.75	36.91	10.00	339	93	PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5300.00	106.27	-----	-----	86.35	34.60	11.94	36.62	10.00	339	93	PEAK																																																																																									
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5024.00</td><td>45.13</td><td>54.00</td><td>-8.87</td><td>26.46</td><td>33.95</td><td>11.67</td><td>36.95</td><td>10.00</td><td>339</td><td>93</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5024.00	45.13	54.00	-8.87	26.46	33.95	11.67	36.95	10.00	339	93	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>96.00</td><td>-----</td><td>-----</td><td>76.00</td><td>34.60</td><td>11.94</td><td>36.62</td><td>10.00</td><td>339</td><td>93</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5300.00	96.00	-----	-----	76.00	34.60	11.94	36.62	10.00	339	93
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5024.00	45.13	54.00	-8.87	26.46	33.95	11.67	36.95	10.00	339	93	AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5300.00	96.00	-----	-----	76.00	34.60	11.94	36.62	10.00	339	93	AVERAGE																																																																																									



	72																																																						
Mode	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5383.90</td><td>61.36</td><td>74.00</td><td>-12.64</td><td>41.20</td><td>34.60</td><td>12.00</td><td>36.44</td><td>10.00</td><td>339 93 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5383.90	61.36	74.00	-12.64	41.20	34.60	12.00	36.44	10.00	339 93 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5383.90	61.36	74.00	-12.64	41.20	34.60	12.00	36.44	10.00	339 93 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5386.90</td><td>46.52</td><td>54.00</td><td>-7.48</td><td>26.35</td><td>34.60</td><td>12.00</td><td>36.43</td><td>10.00</td><td>339 93 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5386.90	46.52	54.00	-7.48	26.35	34.60	12.00	36.43	10.00	339 93 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5386.90	46.52	54.00	-7.48	26.35	34.60	12.00	36.43	10.00	339 93 AVERAGE																																													






Mode	72																																																							
	Band Edge - L																																																							
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																																							
ANT	TXBF 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5009.60</td><td>59.91</td><td>74.00</td><td>-14.09</td><td>41.22</td><td>33.98</td><td>11.66</td><td>36.95</td><td>10.00</td><td>302</td><td>94 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5009.60	59.91	74.00	-14.09	41.22	33.98	11.66	36.95	10.00	302
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5009.60	59.91	74.00	-14.09	41.22	33.98	11.66	36.95	10.00	302	94 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>117.66</td><td>-----</td><td>-----</td><td>97.77</td><td>34.60</td><td>11.93</td><td>36.64</td><td>10.00</td><td>302</td><td>94 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5300.00	117.66	-----	-----	97.77	34.60	11.93	36.64	10.00	302
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5300.00	117.66	-----	-----	97.77	34.60	11.93	36.64	10.00	302	94 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5020.10</td><td>45.75</td><td>54.00</td><td>-8.25</td><td>27.07</td><td>33.96</td><td>11.67</td><td>36.95</td><td>10.00</td><td>302</td><td>94 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5020.10	45.75	54.00	-8.25	27.07	33.96	11.67	36.95	10.00	302
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5020.10	45.75	54.00	-8.25	27.07	33.96	11.67	36.95	10.00	302	94 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>106.78</td><td>-----</td><td>-----</td><td>86.92</td><td>34.59</td><td>11.93</td><td>36.66</td><td>10.00</td><td>302</td><td>94 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5300.00	106.78	-----	-----	86.92	34.59	11.93	36.66	10.00	302
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5300.00	106.78	-----	-----	86.92	34.59	11.93	36.66	10.00	302	94 AVERAGE																																													







	72																																														
Mode	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																														
ANT	TXBF 1S4T																																														
Pol.	Vertical						Fundamental																																								
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5356.80</td><td>61.04</td><td>74.00</td><td>-12.96</td><td>40.96</td><td>34.60</td><td>11.98</td><td>36.50</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5356.80	61.04	74.00	-12.96	40.96	34.60	11.98	36.50	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1	5356.80	61.04	74.00	-12.96	40.96	34.60	11.98	36.50																																							
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5358.20</td><td>47.96</td><td>54.00</td><td>-6.04</td><td>27.91</td><td>34.60</td><td>11.97</td><td>36.52</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5358.20	47.96	54.00	-6.04	27.91	34.60	11.97	36.52	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1	5358.20	47.96	54.00	-6.04	27.91	34.60	11.97	36.52																																							







		73																																																						
Mode	Band Edge																																																							
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH64_Full RU_5320MHz																																																							
ANT	TXBF 1S4T																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.77</td><td>-----</td><td>-----</td><td>85.84</td><td>34.60</td><td>11.94</td><td>36.61</td><td>10.00</td><td>366</td><td>116 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	105.77	-----	-----	85.84	34.60	11.94	36.61	10.00	366
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5320.00	105.77	-----	-----	85.84	34.60	11.94	36.61	10.00	366	116 PEAK																																													
Avg																																																								
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>95.12</td><td>-----</td><td>-----</td><td>75.19</td><td>34.60</td><td>11.94</td><td>36.61</td><td>10.00</td><td>366</td><td>116 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	95.12	-----	-----	75.19	34.60	11.94	36.61	10.00	366
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5320.00	95.12	-----	-----	75.19	34.60	11.94	36.61	10.00	366	116 AVERAGE																																													





	73																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH64_Full RU_5320MHz																																																																																																	
ANT	TXBF 1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.90</td><td>61.70</td><td>74.00</td><td>-12.30</td><td>41.64</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>153 252 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.90	61.70	74.00	-12.30	41.64	34.60	11.97	36.51	10.00	153 252 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>118.63</td><td>-----</td><td>-----</td><td>98.67</td><td>34.60</td><td>11.95</td><td>36.59</td><td>10.00</td><td>153 252 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	118.63	-----	-----	98.67	34.60	11.95	36.59	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5352.90	61.70	74.00	-12.30	41.64	34.60	11.97	36.51	10.00	153 252 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	118.63	-----	-----	98.67	34.60	11.95	36.59	10.00	153 252 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5372.30</td><td>48.46</td><td>54.00</td><td>-5.54</td><td>28.34</td><td>34.60</td><td>11.99</td><td>36.47</td><td>10.00</td><td>153 252 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.30	48.46	54.00	-5.54	28.34	34.60	11.99	36.47	10.00	153 252 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>108.90</td><td>-----</td><td>-----</td><td>88.90</td><td>34.60</td><td>11.96</td><td>36.56</td><td>10.00</td><td>153 252 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.90	-----	-----	88.90	34.60	11.96	36.56	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5372.30	48.46	54.00	-5.54	28.34	34.60	11.99	36.47	10.00	153 252 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	108.90	-----	-----	88.90	34.60	11.96	36.56	10.00	153 252 AVERAGE																																																																																								







	74																																																						
Mode	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.42</td><td>58.05</td><td>74.00</td><td>-15.95</td><td>39.18</td><td>34.09</td><td>11.80</td><td>37.02</td><td>10.00</td><td>300 137 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.42	58.05	74.00	-15.95	39.18	34.09	11.80	37.02	10.00	300 137 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.42	58.05	74.00	-15.95	39.18	34.09	11.80	37.02	10.00	300 137 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.21</td><td>45.29</td><td>54.00</td><td>-8.71</td><td>26.43</td><td>34.00</td><td>11.79</td><td>37.01</td><td>10.00</td><td>300 137 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.21	45.29	54.00	-8.71	26.43	34.00	11.79	37.01	10.00	300 137 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5141.21	45.29	54.00	-8.71	26.43	34.00	11.79	37.01	10.00	300 137 AVERAGE																																													
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>107.76</td><td>-----</td><td>-----</td><td>88.24</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>300 137 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	107.76	-----	-----	88.24	34.51	11.89	36.88	10.00	300 137 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	107.76	-----	-----	88.24	34.51	11.89	36.88	10.00	300 137 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>98.13</td><td>-----</td><td>-----</td><td>78.61</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>300 137 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	98.13	-----	-----	78.61	34.51	11.89	36.88	10.00	300 137 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	98.13	-----	-----	78.61	34.51	11.89	36.88	10.00	300 137 AVERAGE																																													





Mode	74																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																
ANT	TXBF 1S4T																																																
Pol.	Horizontal	Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5419.34</td><td>60.97</td><td>74.00</td><td>-13.03</td><td>40.70</td><td>34.64</td><td>12.04</td><td>36.41</td><td>10.00</td><td>300</td><td>137</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5419.34	60.97	74.00	-13.03	40.70	34.64	12.04	36.41	10.00	300	137	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5419.34	60.97	74.00	-13.03	40.70	34.64	12.04	36.41	10.00	300	137	PEAK																																					
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5417.44</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>26.96</td><td>34.63</td><td>12.04</td><td>36.41</td><td>10.00</td><td>300</td><td>137</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5417.44	47.22	54.00	-6.78	26.96	34.63	12.04	36.41	10.00	300	137	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5417.44	47.22	54.00	-6.78	26.96	34.63	12.04	36.41	10.00	300	137	AVERAGE																																					







Mode	74																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																																																																	
ANT	TXBF 1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5061.02</td><td>60.02</td><td>74.00</td><td>-13.98</td><td>41.31</td><td>33.92</td><td>11.71</td><td>36.92</td><td>10.00</td><td>202 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5061.02	60.02	74.00	-13.98	41.31	33.92	11.71	36.92	10.00	202 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>117.22</td><td>-----</td><td>-----</td><td>97.70</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>202 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	117.22	-----	-----	97.70	34.51	11.89	36.88	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5061.02	60.02	74.00	-13.98	41.31	33.92	11.71	36.92	10.00	202 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5270.00	117.22	-----	-----	97.70	34.51	11.89	36.88	10.00	202 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.31</td><td>46.46</td><td>54.00</td><td>-7.54</td><td>27.59</td><td>34.10</td><td>11.80</td><td>37.03</td><td>10.00</td><td>202 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.31	46.46	54.00	-7.54	27.59	34.10	11.80	37.03	10.00	202 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>105.02</td><td>-----</td><td>-----</td><td>85.50</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>202 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	105.02	-----	-----	85.50	34.51	11.89	36.88	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.31	46.46	54.00	-7.54	27.59	34.10	11.80	37.03	10.00	202 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5270.00	105.02	-----	-----	85.50	34.51	11.89	36.88	10.00	202 AVERAGE																																																																																								



	74																																																					
Mode	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																					
ANT	TXBF 1S4T																																																					
Pol.	Vertical					Fundamental																																																
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5394.45</td><td>61.62</td><td>74.00</td><td>-12.38</td><td>41.42</td><td>34.60</td><td>12.01</td><td>36.41</td><td>10.00</td><td>100</td><td>202 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5394.45	61.62	74.00	-12.38	41.42	34.60	12.01	36.41	10.00	100	202 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5394.45	61.62	74.00	-12.38	41.42	34.60	12.01	36.41	10.00	100	202 PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5367.66</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>28.46</td><td>34.60</td><td>11.98</td><td>36.48</td><td>10.00</td><td>100</td><td>202 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5367.66	48.56	54.00	-5.44	28.46	34.60	11.98	36.48	10.00	100	202 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5367.66	48.56	54.00	-5.44	28.46	34.60	11.98	36.48	10.00	100	202 AVERAGE																																												







Mode	75																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.12</td><td>59.39</td><td>74.00</td><td>-14.61</td><td>40.53</td><td>34.07</td><td>11.79</td><td>37.00</td><td>10.00</td><td>341 100 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.12	59.39	74.00	-14.61	40.53	34.07	11.79	37.00	10.00	341 100 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5137.12	59.39	74.00	-14.61	40.53	34.07	11.79	37.00	10.00	341 100 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.48</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>26.81</td><td>34.00</td><td>11.75</td><td>36.90</td><td>10.00</td><td>341 100 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.48	45.66	54.00	-8.34	26.81	34.00	11.75	36.90	10.00	341 100 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5100.48	45.66	54.00	-8.34	26.81	34.00	11.75	36.90	10.00	341 100 AVERAGE																																													
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>103.25</td><td>-----</td><td>-----</td><td>83.36</td><td>34.60</td><td>11.93</td><td>36.64</td><td>10.00</td><td>341 100 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.25	-----	-----	83.36	34.60	11.93	36.64	10.00	341 100 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	103.25	-----	-----	83.36	34.60	11.93	36.64	10.00	341 100 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>91.18</td><td>-----</td><td>-----</td><td>71.29</td><td>34.60</td><td>11.93</td><td>36.64</td><td>10.00</td><td>341 100 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	91.18	-----	-----	71.29	34.60	11.93	36.64	10.00	341 100 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	91.18	-----	-----	71.29	34.60	11.93	36.64	10.00	341 100 AVERAGE																																													



Mode	75																																																									
	Band Edge - R																																																									
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																									
ANT	TXBF 1S4T																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.60</td><td>60.02</td><td>74.00</td><td>-13.98</td><td>39.88</td><td>34.60</td><td>11.99</td><td>36.45</td><td>10.00</td><td>341</td><td>100</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5379.60	60.02	74.00	-13.98	39.88	34.60	11.99	36.45	10.00	341	100	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5379.60	60.02	74.00	-13.98	39.88	34.60	11.99	36.45	10.00	341	100	PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.10</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>26.70</td><td>34.60</td><td>12.00</td><td>36.43</td><td>10.00</td><td>341</td><td>100</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5388.10	46.87	54.00	-7.13	26.70	34.60	12.00	36.43	10.00	341	100	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5388.10	46.87	54.00	-7.13	26.70	34.60	12.00	36.43	10.00	341	100	AVERAGE																																														







Mode	75																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																																																																	
ANT	TXBF 1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.44</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>41.47</td><td>34.07</td><td>11.78</td><td>36.99</td><td>10.00</td><td>102 199 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.44	60.33	74.00	-13.67	41.47	34.07	11.78	36.99	10.00	102 199 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>118.51</td><td>-----</td><td>-----</td><td>98.59</td><td>34.60</td><td>11.94</td><td>36.62</td><td>10.00</td><td>102 199 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	118.51	-----	-----	98.59	34.60	11.94	36.62	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5133.44	60.33	74.00	-13.67	41.47	34.07	11.78	36.99	10.00	102 199 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	118.51	-----	-----	98.59	34.60	11.94	36.62	10.00	102 199 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.96</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>27.32</td><td>34.10</td><td>11.80</td><td>37.03</td><td>10.00</td><td>102 199 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	46.19	54.00	-7.81	27.32	34.10	11.80	37.03	10.00	102 199 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>105.46</td><td>-----</td><td>-----</td><td>85.57</td><td>34.60</td><td>11.93</td><td>36.64</td><td>10.00</td><td>102 199 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.46	-----	-----	85.57	34.60	11.93	36.64	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.96	46.19	54.00	-7.81	27.32	34.10	11.80	37.03	10.00	102 199 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	105.46	-----	-----	85.57	34.60	11.93	36.64	10.00	102 199 AVERAGE																																																																																								



	75																																																						
Mode	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.00</td><td>64.99</td><td>74.00</td><td>-9.01</td><td>44.91</td><td>34.60</td><td>11.98</td><td>36.50</td><td>10.00</td><td>102 199 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.00	64.99	74.00	-9.01	44.91	34.60	11.98	36.50	10.00	102 199 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5358.00	64.99	74.00	-9.01	44.91	34.60	11.98	36.50	10.00	102 199 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.00</td><td>51.41</td><td>54.00</td><td>-2.59</td><td>31.36</td><td>34.60</td><td>11.97</td><td>36.52</td><td>10.00</td><td>102 199 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.00	51.41	54.00	-2.59	31.36	34.60	11.97	36.52	10.00	102 199 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5358.00	51.41	54.00	-2.59	31.36	34.60	11.97	36.52	10.00	102 199 AVERAGE																																													







	76																																																											
Mode	Band Edge - L																																																											
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																											
ANT	TXBF 1S4T																																																											
Pol.	Horizontal						Fundamental																																																					
Peak																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.52</td><td>59.43</td><td>74.00</td><td>-14.57</td><td>40.57</td><td>34.05</td><td>11.77</td><td>36.96</td><td>10.00</td><td>300</td><td>98 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5123.52	59.43	74.00	-14.57	40.57	34.05	11.77	36.96	10.00	300	98 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5123.52	59.43	74.00	-14.57	40.57	34.05	11.77	36.96	10.00	300	98 PEAK																																																	
Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5108.16</td><td>46.40</td><td>54.00</td><td>-7.60</td><td>27.54</td><td>34.02</td><td>11.76</td><td>36.92</td><td>10.00</td><td>300</td><td>98 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5108.16	46.40	54.00	-7.60	27.54	34.02	11.76	36.92	10.00	300	98 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5108.16	46.40	54.00	-7.60	27.54	34.02	11.76	36.92	10.00	300	98 AVERAGE																																																	
																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>103.88</td><td>-----</td><td>-----</td><td>84.22</td><td>34.54</td><td>11.91</td><td>36.79</td><td>10.00</td><td>300</td><td>98 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	103.88	-----	-----	84.22	34.54	11.91	36.79	10.00	300	98 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5290.00	103.88	-----	-----	84.22	34.54	11.91	36.79	10.00	300	98 PEAK																																																	
																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>92.08</td><td>-----</td><td>-----</td><td>72.16</td><td>34.60</td><td>11.94</td><td>36.62</td><td>10.00</td><td>300</td><td>98 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	92.08	-----	-----	72.16	34.60	11.94	36.62	10.00	300	98 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5290.00	92.08	-----	-----	72.16	34.60	11.94	36.62	10.00	300	98 AVERAGE																																																	



Mode	76																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																								
ANT	TXBF 1S4T																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.50</td><td>60.36</td><td>74.00</td><td>-13.64</td><td>40.23</td><td>34.60</td><td>11.99</td><td>36.46</td><td>10.00</td><td>300</td><td>98 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5374.50	60.36	74.00	-13.64	40.23	34.60	11.99	36.46	10.00	300	98 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5374.50	60.36	74.00	-13.64	40.23	34.60	11.99	36.46	10.00	300	98 PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.20</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>27.37</td><td>34.60</td><td>12.01</td><td>36.40</td><td>10.00</td><td>300</td><td>98 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5399.20	47.58	54.00	-6.42	27.37	34.60	12.01	36.40	10.00	300	98 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5399.20	47.58	54.00	-6.42	27.37	34.60	12.01	36.40	10.00	300	98 AVERAGE																																														







Mode	76																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																																																																																				
ANT	TXBF 1S4T																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.84</td><td>60.29</td><td>74.00</td><td>-13.71</td><td>41.42</td><td>34.07</td><td>11.79</td><td>36.99</td><td>10.00</td><td>100</td><td>200</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5135.84	60.29	74.00	-13.71	41.42	34.07	11.79	36.99	10.00	100	200	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>115.68</td><td>-----</td><td>-----</td><td>95.75</td><td>34.60</td><td>11.94</td><td>36.61</td><td>10.00</td><td>100</td><td>200</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	115.68	-----	-----	95.75	34.60	11.94	36.61	10.00	100	200
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5135.84	60.29	74.00	-13.71	41.42	34.07	11.79	36.99	10.00	100	200	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5290.00	115.68	-----	-----	95.75	34.60	11.94	36.61	10.00	100	200	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.52</td><td>46.59</td><td>54.00</td><td>-7.41</td><td>27.71</td><td>34.10</td><td>11.80</td><td>37.02</td><td>10.00</td><td>100</td><td>200</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.52	46.59	54.00	-7.41	27.71	34.10	11.80	37.02	10.00	100	200	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>102.50</td><td>-----</td><td>-----</td><td>82.93</td><td>34.52</td><td>11.90</td><td>36.85</td><td>10.00</td><td>100</td><td>200</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	102.50	-----	-----	82.93	34.52	11.90	36.85	10.00	100	200
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5147.52	46.59	54.00	-7.41	27.71	34.10	11.80	37.02	10.00	100	200	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5290.00	102.50	-----	-----	82.93	34.52	11.90	36.85	10.00	100	200	AVERAGE																																																																																																									





Mode	76																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.20</td><td>65.80</td><td>74.00</td><td>-8.20</td><td>45.74</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>200 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.20	65.80	74.00	-8.20	45.74	34.60	11.97	36.51	10.00	200 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.20	65.80	74.00	-8.20	45.74	34.60	11.97	36.51	10.00	200 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>51.77</td><td>54.00</td><td>-2.23</td><td>31.72</td><td>34.60</td><td>11.97</td><td>36.52</td><td>10.00</td><td>200 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.40	51.77	54.00	-2.23	31.72	34.60	11.97	36.52	10.00	200 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.40	51.77	54.00	-2.23	31.72	34.60	11.97	36.52	10.00	200 AVERAGE																																													







	77																																																											
Mode	Band Edge - L																																																											
	U-NII-2A_5.25-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																											
ANT	TXBF 1S4T																																																											
Pol.	Horizontal						Fundamental																																																					
Peak																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5055.75</td><td>59.74</td><td>74.00</td><td>-14.26</td><td>41.05</td><td>33.91</td><td>11.71</td><td>36.93</td><td>10.00</td><td>311</td><td>97 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5055.75	59.74	74.00	-14.26	41.05	33.91	11.71	36.93	10.00	311	97 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5055.75	59.74	74.00	-14.26	41.05	33.91	11.71	36.93	10.00	311	97 PEAK																																																	
Fundamental																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>100.68</td><td>-----</td><td>-----</td><td>81.27</td><td>34.47</td><td>11.88</td><td>36.94</td><td>10.00</td><td>311</td><td>97 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	100.68	-----	-----	81.27	34.47	11.88	36.94	10.00	311	97 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5250.00	100.68	-----	-----	81.27	34.47	11.88	36.94	10.00	311	97 PEAK																																																	
Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5051.00</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>27.71</td><td>33.90</td><td>11.70</td><td>36.93</td><td>10.00</td><td>311</td><td>97 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5051.00	46.38	54.00	-7.62	27.71	33.90	11.70	36.93	10.00	311	97 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5051.00	46.38	54.00	-7.62	27.71	33.90	11.70	36.93	10.00	311	97 AVERAGE																																																	
Fundamental																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>89.38</td><td>-----</td><td>-----</td><td>69.97</td><td>34.47</td><td>11.88</td><td>36.94</td><td>10.00</td><td>311</td><td>97 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	89.38	-----	-----	69.97	34.47	11.88	36.94	10.00	311	97 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5250.00	89.38	-----	-----	69.97	34.47	11.88	36.94	10.00	311	97 AVERAGE																																																	





	77																																																								
Mode	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																								
ANT	TXBF 1S4T																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.82</td><td>61.16</td><td>74.00</td><td>-12.84</td><td>40.81</td><td>34.70</td><td>12.08</td><td>36.43</td><td>10.00</td><td>311</td><td>97 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5447.82	61.16	74.00	-12.84	40.81	34.70	12.08	36.43	10.00	311	97 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5447.82	61.16	74.00	-12.84	40.81	34.70	12.08	36.43	10.00	311	97 PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.85</td><td>47.88</td><td>54.00</td><td>-6.12</td><td>27.55</td><td>34.67</td><td>12.10</td><td>36.44</td><td>10.00</td><td>311</td><td>97 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.85	47.88	54.00	-6.12	27.55	34.67	12.10	36.44	10.00	311	97 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5456.85	47.88	54.00	-6.12	27.55	34.67	12.10	36.44	10.00	311	97 AVERAGE																																														







		77																																																				
Mode	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																					
ANT	TXBF 1S4T																																																					
Pol.	Fundamental																																																					
Peak	Vertical																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.00</td><td>64.44</td><td>74.00</td><td>-9.56</td><td>45.57</td><td>34.07</td><td>11.79</td><td>36.99</td><td>10.00</td><td>207 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.00	64.44	74.00	-9.56	45.57	34.07	11.79	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5136.00	64.44	74.00	-9.56	45.57	34.07	11.79	36.99	10.00	207 PEAK																																												
Avg	Fundamental																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>110.71</td><td>-----</td><td>-----</td><td>91.14</td><td>34.52</td><td>11.90</td><td>36.85</td><td>10.00</td><td>207 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	110.71	-----	-----	91.14	34.52	11.90	36.85	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5250.00	110.71	-----	-----	91.14	34.52	11.90	36.85	10.00	207 PEAK																																												
Peak	Vertical																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.00</td><td>64.44</td><td>74.00</td><td>-9.56</td><td>45.57</td><td>34.07</td><td>11.79</td><td>36.99</td><td>10.00</td><td>207 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.00	64.44	74.00	-9.56	45.57	34.07	11.79	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5136.00	64.44	74.00	-9.56	45.57	34.07	11.79	36.99	10.00	207 PEAK																																												
Avg	Fundamental																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>110.71</td><td>-----</td><td>-----</td><td>91.14</td><td>34.52</td><td>11.90</td><td>36.85</td><td>10.00</td><td>207 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	110.71	-----	-----	91.14	34.52	11.90	36.85	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5250.00	110.71	-----	-----	91.14	34.52	11.90	36.85	10.00	207 PEAK																																												







	77																																																										
Mode	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																										
ANT	TXBF 1S4T																																																										
Pol.	Vertical						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.74</td><td>65.93</td><td>74.00</td><td>-8.07</td><td>45.87</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>100</td><td>207</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.74	65.93	74.00	-8.07	45.87	34.60	11.97	36.51	10.00	100	207	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5353.74	65.93	74.00	-8.07	45.87	34.60	11.97	36.51	10.00	100	207	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.59</td><td>52.51</td><td>54.00</td><td>-1.49</td><td>32.46</td><td>34.60</td><td>11.97</td><td>36.52</td><td>10.00</td><td>100</td><td>207</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.59	52.51	54.00	-1.49	32.46	34.60	11.97	36.52	10.00	100	207	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.59	52.51	54.00	-1.49	32.46	34.60	11.97	36.52	10.00	100	207	AVERAGE																																															







		78																																																																																																										
Mode		Band Edge																																																																																																										
		U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_5500MHz																																																																																																										
ANT		TXBF 1S4T																																																																																																										
Pol.	Horizontal										Fundamental																																																																																																	
Peak																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.56	60.11	74.00	-13.89	39.83	34.65	12.05	36.42	10.00	304	96 PEAK	2	5461.20	60.09	68.20	-8.11	39.77	34.66	12.10	36.44	10.00	304	96 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	106.86	-----	-----	86.66	34.52	12.15	36.47	10.00	304	96 PEAK									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5424.56	60.11	74.00	-13.89	39.83	34.65	12.05	36.42	10.00	304	96 PEAK																																																																																																	
2	5461.20	60.09	68.20	-8.11	39.77	34.66	12.10	36.44	10.00	304	96 PEAK																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5500.00	106.86	-----	-----	86.66	34.52	12.15	36.47	10.00	304	96 PEAK																																																																																																	
Avg																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	46.88	54.00	-7.12	26.55	34.67	12.10	36.44	10.00	304	96 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	95.84	-----	-----	75.64	34.52	12.15	36.47	10.00	304	96 AVERAGE																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5458.32	46.88	54.00	-7.12	26.55	34.67	12.10	36.44	10.00	304	96 AVERAGE																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5500.00	95.84	-----	-----	75.64	34.52	12.15	36.47	10.00	304	96 AVERAGE																																																																																																	




Mode	78																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_5500MHz																																																																																																																
ANT	TXBF 1S4T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.00</td><td>61.47</td><td>74.00</td><td>-12.53</td><td>41.15</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>191</td><td>181 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>62.63</td><td>68.20</td><td>-5.57</td><td>42.35</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>191</td><td>181 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	61.47	74.00	-12.53	41.15	34.66	12.10	36.44	10.00	191	181 PEAK	2	5469.52	62.63	68.20	-5.57	42.35	34.62	12.11	36.45	10.00	191	181 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>118.86</td><td>-----</td><td>-----</td><td>98.64</td><td>34.48</td><td>12.18</td><td>36.44</td><td>10.00</td><td>191</td><td>181 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	118.86	-----	-----	98.64	34.48	12.18	36.44	10.00	191	181 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.00	61.47	74.00	-12.53	41.15	34.66	12.10	36.44	10.00	191	181 PEAK																																																																																																						
2	5469.52	62.63	68.20	-5.57	42.35	34.62	12.11	36.45	10.00	191	181 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	118.86	-----	-----	98.64	34.48	12.18	36.44	10.00	191	181 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>48.55</td><td>54.00</td><td>-5.45</td><td>28.23</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>191</td><td>181 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	48.55	54.00	-5.45	28.23	34.66	12.10	36.44	10.00	191	181 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.12</td><td>-----</td><td>-----</td><td>87.92</td><td>34.52</td><td>12.15</td><td>36.47</td><td>10.00</td><td>191</td><td>181 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.12	-----	-----	87.92	34.52	12.15	36.47	10.00	191	181 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.76	48.55	54.00	-5.45	28.23	34.66	12.10	36.44	10.00	191	181 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	108.12	-----	-----	87.92	34.52	12.15	36.47	10.00	191	181 AVERAGE																																																																																																						



		79																																																																																																																
Mode	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																																																																																	
ANT	TXBF 1S4T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.16</td><td>59.74</td><td>74.00</td><td>-14.26</td><td>39.41</td><td>34.67</td><td>12.10</td><td>36.44</td><td>10.00</td><td>247</td><td>PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>59.82</td><td>68.20</td><td>-8.38</td><td>39.53</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>247</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	59.74	74.00	-14.26	39.41	34.67	12.10	36.44	10.00	247	PEAK	2	5468.08	59.82	68.20	-8.38	39.53	34.63	12.11	36.45	10.00	247	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5578.00</td><td>117.62</td><td>-----</td><td>-----</td><td>97.19</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>247</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5578.00	117.62	-----	-----	97.19	34.46	12.28	36.31	10.00	247	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5458.16	59.74	74.00	-14.26	39.41	34.67	12.10	36.44	10.00	247	PEAK																																																																																																							
2	5468.08	59.82	68.20	-8.38	39.53	34.63	12.11	36.45	10.00	247	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5578.00	117.62	-----	-----	97.19	34.46	12.28	36.31	10.00	247	Peak																																																																																																							
Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.60</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>26.29</td><td>34.69</td><td>12.08</td><td>36.43</td><td>10.00</td><td>247</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.60	46.63	54.00	-7.37	26.29	34.69	12.08	36.43	10.00	247	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5572.00</td><td>107.90</td><td>-----</td><td>-----</td><td>87.51</td><td>34.44</td><td>12.27</td><td>36.32</td><td>10.00</td><td>247</td><td>Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5572.00	107.90	-----	-----	87.51	34.44	12.27	36.32	10.00	247	Average												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5443.60	46.63	54.00	-7.37	26.29	34.69	12.08	36.43	10.00	247	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5572.00	107.90	-----	-----	87.51	34.44	12.27	36.32	10.00	247	Average																																																																																																							




Mode	79																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.48</td><td>60.40</td><td>68.20</td><td>-7.80</td><td>39.73</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>247 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.48	60.40	68.20	-7.80	39.73	34.65	12.42	36.40	10.00	247 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.48	60.40	68.20	-7.80	39.73	34.65	12.42	36.40	10.00	247 PEAK																																													






	79																																																																																																																
Mode	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																																																																																
ANT	TXBF 1S4T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.36</td><td>60.23</td><td>74.00</td><td>-13.77</td><td>39.92</td><td>34.67</td><td>12.06</td><td>36.42</td><td>10.00</td><td>133</td><td>176 PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>60.40</td><td>68.20</td><td>-7.80</td><td>40.11</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>133</td><td>176 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.36	60.23	74.00	-13.77	39.92	34.67	12.06	36.42	10.00	133	176 PEAK	2	5466.64	60.40	68.20	-7.80	40.11	34.63	12.11	36.45	10.00	133	176 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>118.86</td><td>-----</td><td>-----</td><td>98.43</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>133</td><td>176 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	118.86	-----	-----	98.43	34.46	12.28	36.31	10.00	133
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5433.36	60.23	74.00	-13.77	39.92	34.67	12.06	36.42	10.00	133	176 PEAK																																																																																																						
2	5466.64	60.40	68.20	-7.80	40.11	34.63	12.11	36.45	10.00	133	176 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5580.00	118.86	-----	-----	98.43	34.46	12.28	36.31	10.00	133	176 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.00</td><td>47.11</td><td>54.00</td><td>-6.89</td><td>26.79</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>133</td><td>176 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.00	47.11	54.00	-6.89	26.79	34.66	12.10	36.44	10.00	133	176 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>107.62</td><td>-----</td><td>-----</td><td>87.12</td><td>34.48</td><td>12.30</td><td>36.28</td><td>10.00</td><td>133</td><td>176 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	107.62	-----	-----	87.12	34.48	12.30	36.28	10.00	133	176 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5458.00	47.11	54.00	-6.89	26.79	34.66	12.10	36.44	10.00	133	176 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5580.00	107.62	-----	-----	87.12	34.48	12.30	36.28	10.00	133	176 AVERAGE																																																																																																						






Mode	79																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.52</td><td>59.98</td><td>68.20</td><td>-8.22</td><td>39.29</td><td>34.66</td><td>12.43</td><td>36.40</td><td>10.00</td><td>133 176 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.52	59.98	68.20	-8.22	39.29	34.66	12.43	36.40	10.00	133 176 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5728.52	59.98	68.20	-8.22	39.29	34.66	12.43	36.40	10.00	133 176 PEAK																																													







Mode	80																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_5700MHz																																																																																																						
ANT	TXBF 1S4T																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5737.32</td><td>60.54</td><td>68.20</td><td>-7.66</td><td>39.86</td><td>34.67</td><td>12.43</td><td>36.42</td><td>10.00</td><td>300</td><td>118 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5737.32	60.54	68.20	-7.66	39.86	34.67	12.43	36.42	10.00	300	118 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.30</td><td>-----</td><td>-----</td><td>86.67</td><td>34.58</td><td>12.39</td><td>36.34</td><td>10.00</td><td>300</td><td>118 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	107.30	-----	-----	86.67	34.58	12.39	36.34	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5737.32	60.54	68.20	-7.66	39.86	34.67	12.43	36.42	10.00	300	118 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5700.00	107.30	-----	-----	86.67	34.58	12.39	36.34	10.00	300	118 PEAK																																																																																												
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.71</td><td>-----</td><td>-----</td><td>76.00</td><td>34.58</td><td>12.39</td><td>36.34</td><td>10.00</td><td>300</td><td>118 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	96.71	-----	-----	76.00	34.58	12.39	36.34	10.00	300	118 AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5700.00	96.71	-----	-----	76.00	34.58	12.39	36.34	10.00	300	118 AVERAGE																																																																																												




Mode	80																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_5700MHz																																																																																																					
ANT	TXBF 1S4T																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.00</td><td>64.65</td><td>68.20</td><td>-3.55</td><td>43.98</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>151</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.00	64.65	68.20	-3.55	43.98	34.65	12.42	36.40	10.00	151	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>120.64</td><td>-----</td><td>-----</td><td>99.99</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>151</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	120.64	-----	-----	99.99	34.60	12.40	36.35	10.00	151
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5725.00	64.65	68.20	-3.55	43.98	34.65	12.42	36.40	10.00	151	0 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	120.64	-----	-----	99.99	34.60	12.40	36.35	10.00	151	0 PEAK																																																																																											
Avg	Blank																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.98</td><td>-----</td><td>-----</td><td>88.35</td><td>34.58</td><td>12.39</td><td>36.34</td><td>10.00</td><td>151</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	108.98	-----	-----	88.35	34.58	12.39	36.34	10.00	151	0 AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	108.98	-----	-----	88.35	34.58	12.39	36.34	10.00	151	0 AVERAGE																																																																																											







Mode	81																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																																																																																
ANT	TXBF 1S4T																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.16</td><td>60.26</td><td>74.00</td><td>-13.74</td><td>39.93</td><td>34.68</td><td>12.09</td><td>36.44</td><td>10.00</td><td>378</td><td>37 PEAK</td></tr><tr><td>2</td><td>5465.84</td><td>60.25</td><td>68.20</td><td>-7.95</td><td>39.95</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>378</td><td>37 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.16	60.26	74.00	-13.74	39.93	34.68	12.09	36.44	10.00	378	37 PEAK	2	5465.84	60.25	68.20	-7.95	39.95	34.64	12.11	36.45	10.00	378	37 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>106.63</td><td>-----</td><td>-----</td><td>86.44</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>378</td><td>37 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.63	-----	-----	86.44	34.50	12.16	36.47	10.00	378	37 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5454.16	60.26	74.00	-13.74	39.93	34.68	12.09	36.44	10.00	378	37 PEAK																																																																																																						
2	5465.84	60.25	68.20	-7.95	39.95	34.64	12.11	36.45	10.00	378	37 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	106.63	-----	-----	86.44	34.50	12.16	36.47	10.00	378	37 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.48</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>27.01</td><td>34.69</td><td>12.00</td><td>36.43</td><td>10.00</td><td>378</td><td>37 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.48	47.35	54.00	-6.65	27.01	34.69	12.00	36.43	10.00	378	37 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>94.49</td><td>-----</td><td>-----</td><td>74.30</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>378</td><td>37 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.49	-----	-----	74.30	34.50	12.16	36.47	10.00	378	37 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5446.48	47.35	54.00	-6.65	27.01	34.69	12.00	36.43	10.00	378	37 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	94.49	-----	-----	74.30	34.50	12.16	36.47	10.00	378	37 AVERAGE																																																																																																						




Mode	81																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																							
ANT	TXBF 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.24</td><td>60.84</td><td>68.20</td><td>-7.36</td><td>40.09</td><td>34.76</td><td>12.45</td><td>36.46</td><td>10.00</td><td>378</td><td>37 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.24	60.84	68.20	-7.36	40.09	34.76	12.45	36.46	10.00	378	37 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.24	60.84	68.20	-7.36	40.09	34.76	12.45	36.46	10.00	378	37 PEAK																																													







Mode	81																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																																																																																			
ANT	TXBF 1S4T																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.12</td><td>61.92</td><td>74.00</td><td>-12.08</td><td>41.59</td><td>34.68</td><td>12.09</td><td>36.44</td><td>10.00</td><td>122</td><td>145</td><td>PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>62.73</td><td>68.20</td><td>-5.47</td><td>42.44</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>122</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.12	61.92	74.00	-12.08	41.59	34.68	12.09	36.44	10.00	122	145	PEAK	2	5468.08	62.73	68.20	-5.47	42.44	34.63	12.11	36.45	10.00	122	145	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>117.41</td><td>-----</td><td>-----</td><td>97.19</td><td>34.46</td><td>12.19</td><td>36.43</td><td>10.00</td><td>122</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	117.41	-----	-----	97.19	34.46	12.19	36.43	10.00	122	145
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5455.12	61.92	74.00	-12.08	41.59	34.68	12.09	36.44	10.00	122	145	PEAK																																																																																																								
2	5468.08	62.73	68.20	-5.47	42.44	34.63	12.11	36.45	10.00	122	145	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5510.00	117.41	-----	-----	97.19	34.46	12.19	36.43	10.00	122	145	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>49.22</td><td>54.00</td><td>-4.78</td><td>28.90</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>122</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	49.22	54.00	-4.78	28.90	34.66	12.10	36.44	10.00	122	145	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>105.47</td><td>-----</td><td>-----</td><td>85.24</td><td>34.45</td><td>12.20</td><td>36.42</td><td>10.00</td><td>122</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.47	-----	-----	85.24	34.45	12.20	36.42	10.00	122	145	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.92	49.22	54.00	-4.78	28.90	34.66	12.10	36.44	10.00	122	145	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5510.00	105.47	-----	-----	85.24	34.45	12.20	36.42	10.00	122	145	AVERAGE																																																																																																								



Mode	81																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.92</td><td>62.62</td><td>68.20</td><td>-5.58</td><td>41.92</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>122 145 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.92	62.62	68.20	-5.58	41.92	34.69	12.44	36.43	10.00	122 145 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5742.92	62.62	68.20	-5.58	41.92	34.69	12.44	36.43	10.00	122 145 PEAK																																													







Mode	82																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																																																																																
ANT	TXBF 1S4T																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.00</td><td>60.26</td><td>74.00</td><td>-13.74</td><td>40.20</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>142</td><td>109 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>59.70</td><td>68.20</td><td>-8.50</td><td>39.40</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>142</td><td>109 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.00	60.26	74.00	-13.74	40.20	34.60	11.97	36.51	10.00	142	109 PEAK	2	5466.00	59.70	68.20	-8.50	39.40	34.64	12.11	36.45	10.00	142	109 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>105.63</td><td>-----</td><td>-----</td><td>85.30</td><td>34.42</td><td>12.25</td><td>36.34</td><td>10.00</td><td>142</td><td>109 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	105.63	-----	-----	85.30	34.42	12.25	36.34	10.00	142
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5354.00	60.26	74.00	-13.74	40.20	34.60	11.97	36.51	10.00	142	109 PEAK																																																																																																						
2	5466.00	59.70	68.20	-8.50	39.40	34.64	12.11	36.45	10.00	142	109 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5550.00	105.63	-----	-----	85.30	34.42	12.25	36.34	10.00	142	109 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.60</td><td>47.45</td><td>54.00</td><td>-6.55</td><td>27.12</td><td>34.68</td><td>12.09</td><td>36.44</td><td>10.00</td><td>142</td><td>109 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5455.60	47.45	54.00	-6.55	27.12	34.68	12.09	36.44	10.00	142	109 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>94.64</td><td>-----</td><td>-----</td><td>74.39</td><td>34.43</td><td>12.21</td><td>36.39</td><td>10.00</td><td>142</td><td>109 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	94.64	-----	-----	74.39	34.43	12.21	36.39	10.00	142	109 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5455.60	47.45	54.00	-6.55	27.12	34.68	12.09	36.44	10.00	142	109 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5550.00	94.64	-----	-----	74.39	34.43	12.21	36.39	10.00	142	109 AVERAGE																																																																																																						




Mode	82																																																																									
	Band Edge - R																																																																									
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																																									
ANT	TXBF 1S4T																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5743.29</td><td>59.71</td><td>68.20</td><td>-8.49</td><td>39.01</td><td>34.69</td><td>12.44</td><td>36.43</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>10.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>142</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>109</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5743.29	59.71	68.20	-8.49	39.01	34.69	12.44	36.43								10.00										142									109									PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1	5743.29	59.71	68.20	-8.49	39.01	34.69	12.44	36.43																																																																		
							10.00																																																																			
								142																																																																		
								109																																																																		
								PEAK																																																																		







Mode	82																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																																																																																				
ANT	TXBF 1S4T																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.00</td><td>61.15</td><td>74.00</td><td>-12.85</td><td>40.82</td><td>34.68</td><td>12.09</td><td>36.44</td><td>10.00</td><td>171</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.00</td><td>60.07</td><td>68.20</td><td>-8.13</td><td>39.79</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>171</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.00	61.15	74.00	-12.85	40.82	34.68	12.09	36.44	10.00	171	360	PEAK	2	5469.00	60.07	68.20	-8.13	39.79	34.62	12.11	36.45	10.00	171	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>116.88</td><td>-----</td><td>-----</td><td>96.55</td><td>34.42</td><td>12.25</td><td>36.34</td><td>10.00</td><td>171</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	116.88	-----	-----	96.55	34.42	12.25	36.34	10.00	171	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5454.00	61.15	74.00	-12.85	40.82	34.68	12.09	36.44	10.00	171	360	PEAK																																																																																																									
2	5469.00	60.07	68.20	-8.13	39.79	34.62	12.11	36.45	10.00	171	360	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5550.00	116.88	-----	-----	96.55	34.42	12.25	36.34	10.00	171	360	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.20</td><td>48.29</td><td>54.00</td><td>-5.71</td><td>27.97</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>171</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.20	48.29	54.00	-5.71	27.97	34.66	12.10	36.44	10.00	171	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>104.80</td><td>-----</td><td>-----</td><td>84.41</td><td>34.44</td><td>12.27</td><td>36.32</td><td>10.00</td><td>171</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	104.80	-----	-----	84.41	34.44	12.27	36.32	10.00	171	360	AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5459.20	48.29	54.00	-5.71	27.97	34.66	12.10	36.44	10.00	171	360	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5550.00	104.80	-----	-----	84.41	34.44	12.27	36.32	10.00	171	360	AVERAGE																																																																																																									




Mode	82																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																													
ANT	TXBF 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.48</td><td>60.65</td><td>68.20</td><td>-7.55</td><td>39.91</td><td>34.74</td><td>12.45</td><td>36.45</td><td>10.00</td><td>171 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.48	60.65	68.20	-7.55	39.91	34.74	12.45	36.45	10.00	171 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5757.48	60.65	68.20	-7.55	39.91	34.74	12.45	36.45	10.00	171 360 PEAK																																				







Mode	83																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																																	
ANT	TXBF 1S4T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.24</td><td>60.00</td><td>74.00</td><td>-13.92</td><td>39.78</td><td>34.67</td><td>12.06</td><td>36.43</td><td>10.00</td><td>354</td><td>66 PEAK</td></tr><tr><td>2</td><td>5464.56</td><td>59.28</td><td>68.20</td><td>-8.92</td><td>38.98</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>354</td><td>66 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.24	60.00	74.00	-13.92	39.78	34.67	12.06	36.43	10.00	354	66 PEAK	2	5464.56	59.28	68.20	-8.92	38.98	34.64	12.11	36.45	10.00	354	66 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>108.51</td><td>-----</td><td>-----</td><td>87.89</td><td>34.57</td><td>12.39</td><td>36.34</td><td>10.00</td><td>354</td><td>66 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	108.51	-----	-----	87.89	34.57	12.39	36.34	10.00	354	66 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5436.24	60.00	74.00	-13.92	39.78	34.67	12.06	36.43	10.00	354	66 PEAK																																																																																																							
2	5464.56	59.28	68.20	-8.92	38.98	34.64	12.11	36.45	10.00	354	66 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5670.00	108.51	-----	-----	87.89	34.57	12.39	36.34	10.00	354	66 PEAK																																																																																																							
Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.64</td><td>47.46</td><td>54.00</td><td>-6.54</td><td>27.13</td><td>34.69</td><td>12.07</td><td>36.43</td><td>10.00</td><td>354</td><td>66 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5442.64	47.46	54.00	-6.54	27.13	34.69	12.07	36.43	10.00	354	66 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>96.41</td><td>-----</td><td>-----</td><td>75.79</td><td>34.57</td><td>12.39</td><td>36.34</td><td>10.00</td><td>354</td><td>66 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	96.41	-----	-----	75.79	34.57	12.39	36.34	10.00	354	66 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5442.64	47.46	54.00	-6.54	27.13	34.69	12.07	36.43	10.00	354	66 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5670.00	96.41	-----	-----	75.79	34.57	12.39	36.34	10.00	354	66 AVERAGE																																																																																																							




Mode	83																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																													
ANT	TXBF 1S4T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5744.92</td><td>60.38</td><td>68.20</td><td>-7.82</td><td>39.68</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>354 66 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5744.92	60.38	68.20	-7.82	39.68	34.69	12.44	36.43	10.00	354 66 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																					
1	5744.92	60.38	68.20	-7.82	39.68	34.69	12.44	36.43	10.00	354 66 PEAK																																				







Mode	83																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																																				
ANT	TXBF 1S4T																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5367.44</td><td>61.06</td><td>74.00</td><td>-12.94</td><td>40.96</td><td>34.60</td><td>11.90</td><td>36.48</td><td>10.00</td><td>168</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>5468.24</td><td>59.98</td><td>68.20</td><td>-8.22</td><td>39.66</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>168</td><td>149</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.44	61.06	74.00	-12.94	40.96	34.60	11.90	36.48	10.00	168	149	PEAK	2	5468.24	59.98	68.20	-8.22	39.66	34.66	12.10	36.44	10.00	168	149	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>115.92</td><td>-----</td><td>-----</td><td>95.30</td><td>34.57</td><td>12.39</td><td>36.34</td><td>10.00</td><td>168</td><td>149</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	115.92	-----	-----	95.30	34.57	12.39	36.34	10.00	168	149	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5367.44	61.06	74.00	-12.94	40.96	34.60	11.90	36.48	10.00	168	149	PEAK																																																																																																									
2	5468.24	59.98	68.20	-8.22	39.66	34.66	12.10	36.44	10.00	168	149	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5670.00	115.92	-----	-----	95.30	34.57	12.39	36.34	10.00	168	149	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.84</td><td>47.83</td><td>54.00</td><td>-6.17</td><td>27.49</td><td>34.69</td><td>12.00</td><td>36.43</td><td>10.00</td><td>168</td><td>149</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.84	47.83	54.00	-6.17	27.49	34.69	12.00	36.43	10.00	168	149	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.04</td><td>-----</td><td>-----</td><td>84.48</td><td>34.51</td><td>12.36</td><td>36.31</td><td>10.00</td><td>168</td><td>149</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.04	-----	-----	84.48	34.51	12.36	36.31	10.00	168	149	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5445.84	47.83	54.00	-6.17	27.49	34.69	12.00	36.43	10.00	168	149	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5670.00	105.04	-----	-----	84.48	34.51	12.36	36.31	10.00	168	149	AVERAGE																																																																																																									




Mode	83																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																										
ANT	TXBF 1S4T																																																										
Pol.	Vertical						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.64</td><td>61.22</td><td>68.20</td><td>-6.98</td><td>40.50</td><td>34.72</td><td>12.45</td><td>36.45</td><td>10.00</td><td>168</td><td>149</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5753.64	61.22	68.20	-6.98	40.50	34.72	12.45	36.45	10.00	168	149	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5753.64	61.22	68.20	-6.98	40.50	34.72	12.45	36.45	10.00	168	149	PEAK																																															







Mode	84																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																															
ANT	TXBF 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5405.04</td><td>60.34</td><td>74.00</td><td>-13.66</td><td>40.11</td><td>34.61</td><td>12.02</td><td>36.40</td><td>10.00</td><td>300</td><td>311 PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>59.22</td><td>68.20</td><td>-8.98</td><td>38.94</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>300</td><td>311 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.04	60.34	74.00	-13.66	40.11	34.61	12.02	36.40	10.00	300	311 PEAK	2	5468.88	59.22	68.20	-8.98	38.94	34.62	12.11	36.45	10.00	300	311 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>103.11</td><td>-----</td><td>-----</td><td>82.75</td><td>34.43</td><td>12.26</td><td>36.33</td><td>10.00</td><td>300</td><td>311 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.11	-----	-----	82.75	34.43	12.26	36.33	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5405.04	60.34	74.00	-13.66	40.11	34.61	12.02	36.40	10.00	300	311 PEAK																																																																																																					
2	5468.88	59.22	68.20	-8.98	38.94	34.62	12.11	36.45	10.00	300	311 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	103.11	-----	-----	82.75	34.43	12.26	36.33	10.00	300	311 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.16</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>26.31</td><td>34.70</td><td>12.09</td><td>36.44</td><td>10.00</td><td>300</td><td>311 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.16	46.66	54.00	-7.34	26.31	34.70	12.09	36.44	10.00	300	311 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>92.84</td><td>-----</td><td>-----</td><td>72.45</td><td>34.44</td><td>12.27</td><td>36.32</td><td>10.00</td><td>300</td><td>311 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.84	-----	-----	72.45	34.44	12.27	36.32	10.00	300	311 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5450.16	46.66	54.00	-7.34	26.31	34.70	12.09	36.44	10.00	300	311 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	92.84	-----	-----	72.45	34.44	12.27	36.32	10.00	300	311 AVERAGE																																																																																																					




Mode	84																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.12</td><td>60.07</td><td>68.20</td><td>-8.13</td><td>39.37</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>300 311 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.12	60.07	68.20	-8.13	39.37	34.69	12.44	36.43	10.00	300 311 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5746.12	60.07	68.20	-8.13	39.37	34.69	12.44	36.43	10.00	300 311 PEAK																																													







Mode	84																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																													
ANT	TXBF 1S4T																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5439.44</td><td>62.76</td><td>74.00</td><td>-11.24</td><td>42.44</td><td>34.68</td><td>12.07</td><td>36.43</td><td>10.00</td><td>122 PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>63.01</td><td>68.20</td><td>-5.19</td><td>42.73</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>122 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.44	62.76	74.00	-11.24	42.44	34.68	12.07	36.43	10.00	122 PEAK	2	5469.04	63.01	68.20	-5.19	42.73	34.62	12.11	36.45	10.00	122 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>114.31</td><td>-----</td><td>-----</td><td>94.06</td><td>34.43</td><td>12.21</td><td>36.39</td><td>10.00</td><td>122 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	114.31	-----	-----	94.06	34.43	12.21	36.39	10.00	122 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5439.44	62.76	74.00	-11.24	42.44	34.68	12.07	36.43	10.00	122 PEAK																																																																																																				
2	5469.04	63.01	68.20	-5.19	42.73	34.62	12.11	36.45	10.00	122 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	114.31	-----	-----	94.06	34.43	12.21	36.39	10.00	122 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>49.19</td><td>54.00</td><td>-4.81</td><td>28.87</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>122 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	49.19	54.00	-4.81	28.87	34.66	12.10	36.44	10.00	122 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>101.55</td><td>-----</td><td>-----</td><td>81.35</td><td>34.52</td><td>12.15</td><td>36.47</td><td>10.00</td><td>122 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.55	-----	-----	81.35	34.52	12.15	36.47	10.00	122 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.92	49.19	54.00	-4.81	28.87	34.66	12.10	36.44	10.00	122 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	101.55	-----	-----	81.35	34.52	12.15	36.47	10.00	122 AVERAGE																																																																																																				




Mode	84																																																
	Band Edge - R																																																
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																
ANT	TXBF 1S4T																																																
Pol.	Vertical	Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.08</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>40.69</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>100</td><td>122</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5751.08	61.41	68.20	-6.79	40.69	34.71	12.45	36.44	10.00	100	122	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5751.08	61.41	68.20	-6.79	40.69	34.71	12.45	36.44	10.00	100	122	PEAK																																					







		85																																																																																																																	
Mode	Band Edge - L																																																																																																																		
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																																																		
ANT	TXBF 1S4T																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																													
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.12</td><td>59.72</td><td>74.00</td><td>-14.28</td><td>39.66</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>283</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5466.32</td><td>59.77</td><td>68.20</td><td>-8.43</td><td>39.48</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>283</td><td>244</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.12	59.72	74.00	-14.28	39.66	34.60	11.97	36.51	10.00	283	244	PEAK	2	5466.32	59.77	68.20	-8.43	39.48	34.63	12.11	36.45	10.00	283	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>103.81</td><td>-----</td><td>-----</td><td>83.26</td><td>34.50</td><td>12.32</td><td>36.27</td><td>10.00</td><td>283</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.81	-----	-----	83.26	34.50	12.32	36.27	10.00	283	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5355.12	59.72	74.00	-14.28	39.66	34.60	11.97	36.51	10.00	283	244	PEAK																																																																																																							
2	5466.32	59.77	68.20	-8.43	39.48	34.63	12.11	36.45	10.00	283	244	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5610.00	103.81	-----	-----	83.26	34.50	12.32	36.27	10.00	283	244	PEAK																																																																																																							
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.36</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>27.05</td><td>34.67</td><td>12.10</td><td>36.44</td><td>10.00</td><td>283</td><td>244</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.36	47.38	54.00	-6.62	27.05	34.67	12.10	36.44	10.00	283	244	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>92.38</td><td>-----</td><td>-----</td><td>71.83</td><td>34.50</td><td>12.31</td><td>36.26</td><td>10.00</td><td>283</td><td>244</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.38	-----	-----	71.83	34.50	12.31	36.26	10.00	283	244	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5457.36	47.38	54.00	-6.62	27.05	34.67	12.10	36.44	10.00	283	244	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5610.00	92.38	-----	-----	71.83	34.50	12.31	36.26	10.00	283	244	AVERAGE																																																																																																							




Mode	85																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																													
ANT	TXBF 1S4T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.08</td><td>60.21</td><td>68.20</td><td>-7.99</td><td>39.52</td><td>34.67</td><td>12.43</td><td>36.41</td><td>10.00</td><td>283 244 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.08	60.21	68.20	-7.99	39.52	34.67	12.43	36.41	10.00	283 244 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5733.08	60.21	68.20	-7.99	39.52	34.67	12.43	36.41	10.00	283 244 PEAK																																				







Mode	85																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																																															
ANT	TXBF 1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.68</td><td>61.02</td><td>74.00</td><td>-12.98</td><td>40.68</td><td>34.69</td><td>12.08</td><td>36.43</td><td>10.00</td><td>107</td><td>211 PEAK</td></tr><tr><td>2</td><td>5460.72</td><td>60.90</td><td>68.20</td><td>-7.30</td><td>40.58</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>107</td><td>211 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.68	61.02	74.00	-12.98	40.68	34.69	12.08	36.43	10.00	107	211 PEAK	2	5460.72	60.90	68.20	-7.30	40.58	34.66	12.10	36.44	10.00	107	211 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>115.12</td><td>-----</td><td>-----</td><td>94.57</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>107</td><td>211 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	115.12	-----	-----	94.57	34.50	12.35	36.30	10.00	107
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5445.68	61.02	74.00	-12.98	40.68	34.69	12.08	36.43	10.00	107	211 PEAK																																																																																																					
2	5460.72	60.90	68.20	-7.30	40.58	34.66	12.10	36.44	10.00	107	211 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	115.12	-----	-----	94.57	34.50	12.35	36.30	10.00	107	211 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.32</td><td>48.35</td><td>54.00</td><td>-5.65</td><td>28.02</td><td>34.67</td><td>12.10</td><td>36.44</td><td>10.00</td><td>107</td><td>211 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	48.35	54.00	-5.65	28.02	34.67	12.10	36.44	10.00	107	211 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.39</td><td>-----</td><td>-----</td><td>81.96</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>107</td><td>211 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.39	-----	-----	81.96	34.46	12.28	36.31	10.00	107	211 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.32	48.35	54.00	-5.65	28.02	34.67	12.10	36.44	10.00	107	211 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	102.39	-----	-----	81.96	34.46	12.28	36.31	10.00	107	211 AVERAGE																																																																																																					



Mode	85																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.24</td><td>61.07</td><td>68.20</td><td>-7.13</td><td>40.38</td><td>34.66</td><td>12.43</td><td>36.40</td><td>10.00</td><td>107 211 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.24	61.07	68.20	-7.13	40.38	34.66	12.43	36.40	10.00	107 211 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5729.24	61.07	68.20	-7.13	40.38	34.66	12.43	36.40	10.00	107 211 PEAK																																													







		86																																																																																																																						
Mode		Band Edge - L																																																																																																																						
		U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																																																																																						
ANT		TXBF 1S4T																																																																																																																						
Pol.		Horizontal										Fundamental																																																																																																												
Peak																																																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5405.22</td><td>60.73</td><td>74.00</td><td>-13.27</td><td>40.50</td><td>34.61</td><td>12.02</td><td>36.40</td><td>10.00</td><td>297 121 PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>60.57</td><td>68.20</td><td>-7.63</td><td>40.27</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>297 121 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.22	60.73	74.00	-13.27	40.50	34.61	12.02	36.40	10.00	297 121 PEAK	2	5464.40	60.57	68.20	-7.63	40.27	34.64	12.11	36.45	10.00	297 121 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>101.94</td><td>-----</td><td>-----</td><td>81.47</td><td>34.47</td><td>12.29</td><td>36.29</td><td>10.00</td><td>297 121 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	101.94	-----	-----	81.47	34.47	12.29	36.29	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	5405.22	60.73	74.00	-13.27	40.50	34.61	12.02	36.40	10.00	297 121 PEAK																																																																																																														
2	5464.40	60.57	68.20	-7.63	40.27	34.64	12.11	36.45	10.00	297 121 PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5570.00	101.94	-----	-----	81.47	34.47	12.29	36.29	10.00	297 121 PEAK																																																																																																														
Avg																																																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.72</td><td>47.06</td><td>54.00</td><td>-6.94</td><td>26.73</td><td>34.68</td><td>12.09</td><td>36.44</td><td>10.00</td><td>297 121 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5454.72	47.06	54.00	-6.94	26.73	34.68	12.09	36.44	10.00	297 121 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.69</td><td>-----</td><td>-----</td><td>70.22</td><td>34.47</td><td>12.29</td><td>36.29</td><td>10.00</td><td>297 121 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	90.69	-----	-----	70.22	34.47	12.29	36.29	10.00	297 121 AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5454.72	47.06	54.00	-6.94	26.73	34.68	12.09	36.44	10.00	297 121 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5570.00	90.69	-----	-----	70.22	34.47	12.29	36.29	10.00	297 121 AVERAGE																																																																																																														




Mode	86																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																						
ANT	TXBF 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.04</td><td>61.12</td><td>68.20</td><td>-7.08</td><td>40.42</td><td>34.70</td><td>12.44</td><td>36.44</td><td>10.00</td><td>297 121 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.04	61.12	68.20	-7.08	40.42	34.70	12.44	36.44	10.00	297 121 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5748.04	61.12	68.20	-7.08	40.42	34.70	12.44	36.44	10.00	297 121 PEAK																																													







		86																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																																																																						
ANT	TXBF 1S4T																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5456.70	67.39	74.00	-6.61	47.06	34.67	12.10	36.44	10.00	132	106 PEAK	2 5463.74	66.26	68.20	-1.94	45.94	34.65	12.11	36.44	10.00	132	106 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>112.84</td><td>-----</td><td>-----</td><td>92.65</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>132</td><td>106 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5570.00	112.84	-----	-----	92.65	34.50	12.16	36.47	10.00	132
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5456.70	67.39	74.00	-6.61	47.06	34.67	12.10	36.44	10.00	132	106 PEAK																																																																																													
2 5463.74	66.26	68.20	-1.94	45.94	34.65	12.11	36.44	10.00	132	106 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5570.00	112.84	-----	-----	92.65	34.50	12.16	36.47	10.00	132	106 PEAK																																																																																													
Avg																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5458.68	52.86	54.00	-1.14	32.53	34.67	12.10	36.44	10.00	132	106 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>99.82</td><td>-----</td><td>-----</td><td>79.56</td><td>34.40</td><td>12.23</td><td>36.37</td><td>10.00</td><td>132</td><td>106 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5570.00	99.82	-----	-----	79.56	34.40	12.23	36.37	10.00	132	106 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5458.68	52.86	54.00	-1.14	32.53	34.67	12.10	36.44	10.00	132	106 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 5570.00	99.82	-----	-----	79.56	34.40	12.23	36.37	10.00	132	106 AVERAGE																																																																																													




Mode	86																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																													
ANT	TXBF 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.34</td><td>62.25</td><td>68.20</td><td>-5.95</td><td>41.57</td><td>34.67</td><td>12.43</td><td>36.42</td><td>10.00</td><td>132</td><td>106</td><td>PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5736.34	62.25	68.20	-5.95	41.57	34.67	12.43	36.42	10.00	132	106	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5736.34	62.25	68.20	-5.95	41.57	34.67	12.43	36.42	10.00	132	106	PEAK																																		







		96																																																																																																											
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																																																												
ANT	CDD 1S4T																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5401.92</td><td>70.01</td><td>74.00</td><td>-3.99</td><td>49.80</td><td>34.60</td><td>12.01</td><td>36.40</td><td>10.00</td><td>191 360 PEAK</td></tr><tr><td>2</td><td>5461.32</td><td>66.81</td><td>68.20</td><td>-1.39</td><td>46.50</td><td>34.65</td><td>12.10</td><td>36.44</td><td>10.00</td><td>191 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5401.92	70.01	74.00	-3.99	49.80	34.60	12.01	36.40	10.00	191 360 PEAK	2	5461.32	66.81	68.20	-1.39	46.50	34.65	12.10	36.44	10.00	191 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>112.18</td><td>-----</td><td>-----</td><td>91.85</td><td>34.42</td><td>12.25</td><td>36.34</td><td>10.00</td><td>191 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	112.18	-----	-----	91.85	34.42	12.25	36.34	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5401.92	70.01	74.00	-3.99	49.80	34.60	12.01	36.40	10.00	191 360 PEAK																																																																																																			
2	5461.32	66.81	68.20	-1.39	46.50	34.65	12.10	36.44	10.00	191 360 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	112.18	-----	-----	91.85	34.42	12.25	36.34	10.00	191 360 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.34</td><td>51.19</td><td>54.00</td><td>-2.81</td><td>30.87</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>191 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.34	51.19	54.00	-2.81	30.87	34.66	12.10	36.44	10.00	191 360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>98.58</td><td>-----</td><td>-----</td><td>78.35</td><td>34.45</td><td>12.20</td><td>36.42</td><td>10.00</td><td>191 360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.58	-----	-----	78.35	34.45	12.20	36.42	10.00	191 360 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.34	51.19	54.00	-2.81	30.87	34.66	12.10	36.44	10.00	191 360 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	98.58	-----	-----	78.35	34.45	12.20	36.42	10.00	191 360 AVERAGE																																																																																																			





Mode	96																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.21</td><td>62.41</td><td>68.20</td><td>-5.79</td><td>41.71</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>191 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.21	62.41	68.20	-5.79	41.71	34.68	12.44	36.42	10.00	191 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5741.21	62.41	68.20	-5.79	41.71	34.68	12.44	36.42	10.00	191 360 PEAK																																				





		96																																																																																																							
Mode		Band Edge - L																																																																																																							
		U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																																																							
ANT		CDD 1S4T																																																																																																							
Pol.	Vertical										Fundamental																																																																																														
Peak																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5447.68	62.45	74.00	-11.55	42.10	34.70	12.00	36.43	10.00	388	100	PEAK	2	5466.82	59.66	68.20	-8.54	39.37	34.63	12.11	36.45	10.00	388	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>104.36</td><td>-----</td><td>-----</td><td>84.11</td><td>34.43</td><td>12.21</td><td>36.39</td><td>10.00</td><td>388</td><td>100</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	104.36	-----	-----	84.11	34.43	12.21	36.39	10.00	388	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5447.68	62.45	74.00	-11.55	42.10	34.70	12.00	36.43	10.00	388	100	PEAK																																																																																													
2	5466.82	59.66	68.20	-8.54	39.37	34.63	12.11	36.45	10.00	388	100	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5570.00	104.36	-----	-----	84.11	34.43	12.21	36.39	10.00	388	100	PEAK																																																																																													
Avg																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5416.22	47.73	54.00	-6.27	27.48	34.63	12.03	36.41	10.00	388	100	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>93.31</td><td>-----</td><td>-----</td><td>73.06</td><td>34.43</td><td>12.21</td><td>36.39</td><td>10.00</td><td>388</td><td>100</td><td>AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	93.31	-----	-----	73.06	34.43	12.21	36.39	10.00	388	100	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5416.22	47.73	54.00	-6.27	27.48	34.63	12.03	36.41	10.00	388	100	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5570.00	93.31	-----	-----	73.06	34.43	12.21	36.39	10.00	388	100	AVERAGE																																																																																													



Mode	96																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.18</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>40.02</td><td>34.70</td><td>12.45</td><td>36.44</td><td>10.00</td><td>388 100 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.18	60.73	68.20	-7.47	40.02	34.70	12.45	36.44	10.00	388 100 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5750.18	60.73	68.20	-7.47	40.02	34.70	12.45	36.44	10.00	388 100 PEAK																																													








Mode	7																																																																																																																																																																																																																										
	30-1G																																																																																																																																																																																																																										
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																																				
Peak																																																																																																																																																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>111.72</td><td>25.30</td><td>43.50</td><td>-18.20</td><td>39.25</td><td>17.23</td><td>1.70</td><td>32.88</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>221.33</td><td>28.79</td><td>46.00</td><td>-17.21</td><td>43.65</td><td>15.56</td><td>2.42</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>292.87</td><td>23.50</td><td>46.00</td><td>-22.50</td><td>34.25</td><td>19.39</td><td>2.79</td><td>32.93</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>377.50</td><td>24.20</td><td>46.00</td><td>-21.80</td><td>32.75</td><td>21.22</td><td>3.16</td><td>32.93</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>480.08</td><td>28.45</td><td>46.00</td><td>-17.55</td><td>33.85</td><td>23.87</td><td>3.56</td><td>32.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>763.08</td><td>27.17</td><td>46.00</td><td>-18.83</td><td>26.64</td><td>28.68</td><td>4.48</td><td>32.63</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	111.72	25.30	43.50	-18.20	39.25	17.23	1.70	32.88	0.00	---	---	Peak	2	221.33	28.79	46.00	-17.21	43.65	15.56	2.42	32.84	0.00	---	---	Peak	3	292.87	23.50	46.00	-22.50	34.25	19.39	2.79	32.93	0.00	---	---	Peak	4	377.50	24.20	46.00	-21.80	32.75	21.22	3.16	32.93	0.00	---	---	Peak	5	480.08	28.45	46.00	-17.55	33.85	23.87	3.56	32.83	0.00	---	---	Peak	6	763.08	27.17	46.00	-18.83	26.64	28.68	4.48	32.63	0.00	---	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>52.80</td><td>31.53</td><td>40.00</td><td>-8.47</td><td>50.09</td><td>13.47</td><td>0.89</td><td>32.92</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>108.57</td><td>23.50</td><td>43.50</td><td>-20.00</td><td>37.66</td><td>17.02</td><td>1.68</td><td>32.86</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>218.91</td><td>25.40</td><td>46.00</td><td>-20.60</td><td>40.47</td><td>15.37</td><td>2.40</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>285.60</td><td>23.40</td><td>46.00</td><td>-22.60</td><td>34.31</td><td>19.24</td><td>2.76</td><td>32.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>480.08</td><td>35.48</td><td>46.00</td><td>-10.52</td><td>40.88</td><td>23.87</td><td>3.56</td><td>32.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>805.27</td><td>26.81</td><td>46.00</td><td>-19.19</td><td>26.17</td><td>28.42</td><td>4.60</td><td>32.38</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	52.80	31.53	40.00	-8.47	50.09	13.47	0.89	32.92	0.00	---	---	Peak	2	108.57	23.50	43.50	-20.00	37.66	17.02	1.68	32.86	0.00	---	---	Peak	3	218.91	25.40	46.00	-20.60	40.47	15.37	2.40	32.84	0.00	---	---	Peak	4	285.60	23.40	46.00	-22.60	34.31	19.24	2.76	32.91	0.00	---	---	Peak	5	480.08	35.48	46.00	-10.52	40.88	23.87	3.56	32.83	0.00	---	---	Peak	6	805.27	26.81	46.00	-19.19	26.17	28.42	4.60	32.38	0.00	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	111.72	25.30	43.50	-18.20	39.25	17.23	1.70	32.88	0.00	---	---	Peak																																																																																																																																																																																																															
2	221.33	28.79	46.00	-17.21	43.65	15.56	2.42	32.84	0.00	---	---	Peak																																																																																																																																																																																																															
3	292.87	23.50	46.00	-22.50	34.25	19.39	2.79	32.93	0.00	---	---	Peak																																																																																																																																																																																																															
4	377.50	24.20	46.00	-21.80	32.75	21.22	3.16	32.93	0.00	---	---	Peak																																																																																																																																																																																																															
5	480.08	28.45	46.00	-17.55	33.85	23.87	3.56	32.83	0.00	---	---	Peak																																																																																																																																																																																																															
6	763.08	27.17	46.00	-18.83	26.64	28.68	4.48	32.63	0.00	---	---	Peak																																																																																																																																																																																																															
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	52.80	31.53	40.00	-8.47	50.09	13.47	0.89	32.92	0.00	---	---	Peak																																																																																																																																																																																																															
2	108.57	23.50	43.50	-20.00	37.66	17.02	1.68	32.86	0.00	---	---	Peak																																																																																																																																																																																																															
3	218.91	25.40	46.00	-20.60	40.47	15.37	2.40	32.84	0.00	---	---	Peak																																																																																																																																																																																																															
4	285.60	23.40	46.00	-22.60	34.31	19.24	2.76	32.91	0.00	---	---	Peak																																																																																																																																																																																																															
5	480.08	35.48	46.00	-10.52	40.88	23.87	3.56	32.83	0.00	---	---	Peak																																																																																																																																																																																																															
6	805.27	26.81	46.00	-19.19	26.17	28.42	4.60	32.38	0.00	---	---	Peak																																																																																																																																																																																																															





Mode	48										
	Band Edge										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz										
ANT	CDD 1S4T										
Pol.	Horizontal										
Peak	Level (dBuV/m) </										






Mode	48																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																														
ANT	CDD 1S4T																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>60.91</td><td>68.20</td><td>-7.29</td><td>40.36</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>360</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>60.36</td><td>68.50</td><td>-8.14</td><td>39.81</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>360</td><td>101</td><td>PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>76.56</td><td>108.66</td><td>-32.10</td><td>55.90</td><td>34.62</td><td>12.41</td><td>36.37</td><td>10.00</td><td>360</td><td>101</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>74.74</td><td>110.90</td><td>-36.16</td><td>54.07</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>360</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.20	60.91	68.20	-7.29	40.36	34.50	12.35	36.30	10.00	360	101	PEAK	2	5650.40	60.36	68.50	-8.14	39.81	34.50	12.36	36.31	10.00	360	101	PEAK	3	5712.00	76.56	108.66	-32.10	55.90	34.62	12.41	36.37	10.00	360	101	PEAK	4	5720.00	74.74	110.90	-36.16	54.07	34.64	12.42	36.39	10.00	360	101	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>120.33</td><td>-----</td><td>-----</td><td>99.61</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>360</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	120.33	-----	-----	99.61	34.71	12.45	36.44	10.00	360	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5649.20	60.91	68.20	-7.29	40.36	34.50	12.35	36.30	10.00	360	101	PEAK																																																																																																																																			
2	5650.40	60.36	68.50	-8.14	39.81	34.50	12.36	36.31	10.00	360	101	PEAK																																																																																																																																			
3	5712.00	76.56	108.66	-32.10	55.90	34.62	12.41	36.37	10.00	360	101	PEAK																																																																																																																																			
4	5720.00	74.74	110.90	-36.16	54.07	34.64	12.42	36.39	10.00	360	101	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	120.33	-----	-----	99.61	34.71	12.45	36.44	10.00	360	101	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.22</td><td>-----</td><td>-----</td><td>90.50</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>360</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.22	-----	-----	90.50	34.71	12.45	36.44	10.00	360	101	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	111.22	-----	-----	90.50	34.71	12.45	36.44	10.00	360	101	AVERAGE																																																																																																																																			




Mode	48																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																															
ANT	CDD 1S4T																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>55.31</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17235.00</td><td>44.02</td><td>68.20</td><td>-24.18</td><td>45.63</td><td>41.00</td><td>22.05</td><td>64.66</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.68	74.00	-29.32	55.31	38.09	17.86	66.58	0.00	---	PEAK	2	17235.00	44.02	68.20	-24.18	45.63	41.00	22.05	64.66	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>55.58</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17235.00</td><td>45.13</td><td>68.20</td><td>-23.07</td><td>46.74</td><td>41.00</td><td>22.05</td><td>64.66</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.95	74.00	-29.05	55.58	38.09	17.86	66.58	0.00	---	PEAK	2	17235.00	45.13	68.20	-23.07	46.74	41.00	22.05	64.66	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	11490.00	44.68	74.00	-29.32	55.31	38.09	17.86	66.58	0.00	---	PEAK																																																																																																																					
2	17235.00	44.02	68.20	-24.18	45.63	41.00	22.05	64.66	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	11490.00	44.95	74.00	-29.05	55.58	38.09	17.86	66.58	0.00	---	PEAK																																																																																																																					
2	17235.00	45.13	68.20	-23.07	46.74	41.00	22.05	64.66	0.00	---	PEAK																																																																																																																					






Mode	49																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5637.20</td><td>61.23</td><td>68.20</td><td>-6.97</td><td>40.68</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>60.79</td><td>69.09</td><td>-8.30</td><td>40.24</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>76.75</td><td>109.78</td><td>-33.03</td><td>56.09</td><td>34.63</td><td>12.41</td><td>36.38</td><td>10.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>70.99</td><td>111.81</td><td>-40.82</td><td>50.32</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>280</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5637.20	61.23	68.20	-6.97	40.68	34.50	12.34	36.29	10.00	280	360	PEAK	2	5651.20	60.79	69.09	-8.30	40.24	34.50	12.36	36.31	10.00	280	360	PEAK	3	5716.00	76.75	109.78	-33.03	56.09	34.63	12.41	36.38	10.00	280	360	PEAK	4	5720.40	70.99	111.81	-40.82	50.32	34.64	12.42	36.39	10.00	280	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>124.63</td><td>-----</td><td>-----</td><td>103.74</td><td>34.91</td><td>12.48</td><td>36.50</td><td>10.00</td><td>280</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5785.00	124.63	-----	-----	103.74	34.91	12.48	36.50	10.00	280	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5637.20	61.23	68.20	-6.97	40.68	34.50	12.34	36.29	10.00	280	360	PEAK																																																																																																												
2	5651.20	60.79	69.09	-8.30	40.24	34.50	12.36	36.31	10.00	280	360	PEAK																																																																																																												
3	5716.00	76.75	109.78	-33.03	56.09	34.63	12.41	36.38	10.00	280	360	PEAK																																																																																																												
4	5720.40	70.99	111.81	-40.82	50.32	34.64	12.42	36.39	10.00	280	360	PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5785.00	124.63	-----	-----	103.74	34.91	12.48	36.50	10.00	280	360	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>114.58</td><td>-----</td><td>-----</td><td>93.68</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>280</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5785.00	114.58	-----	-----	93.68	34.93	12.48	36.51	10.00	280	360	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5785.00	114.58	-----	-----	93.68	34.93	12.48	36.51	10.00	280	360	AVERAGE																																																																																																												




Mode	49																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																															
ANT	CDD 1S4T																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>74.23</td><td>111.36</td><td>-37.13</td><td>53.18</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>79.23</td><td>107.15</td><td>-27.92</td><td>58.13</td><td>35.17</td><td>12.58</td><td>36.65</td><td>10.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>62.48</td><td>69.23</td><td>-6.75</td><td>41.34</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>62.55</td><td>68.20</td><td>-5.65</td><td>41.43</td><td>35.30</td><td>12.66</td><td>36.84</td><td>10.00</td><td>280</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	74.23	111.36	-37.13	53.18	35.12	12.56	36.63	10.00	280	360	PEAK	2	5868.40	79.23	107.15	-27.92	58.13	35.17	12.58	36.65	10.00	280	360	PEAK	3	5923.60	62.48	69.23	-6.75	41.34	35.30	12.66	36.82	10.00	280	360	PEAK	4	5928.00	62.55	68.20	-5.65	41.43	35.30	12.66	36.84	10.00	280	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.80	74.23	111.36	-37.13	53.18	35.12	12.56	36.63	10.00	280	360	PEAK																																																																																				
2	5868.40	79.23	107.15	-27.92	58.13	35.17	12.58	36.65	10.00	280	360	PEAK																																																																																				
3	5923.60	62.48	69.23	-6.75	41.34	35.30	12.66	36.82	10.00	280	360	PEAK																																																																																				
4	5928.00	62.55	68.20	-5.65	41.43	35.30	12.66	36.84	10.00	280	360	PEAK																																																																																				




		49																																																																																					
Mode		Band Edge - L																																																																																					
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																					
ANT		CDD 1S4T																																																																																					
Pol.		Vertical																																																																																					
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.00</td><td>59.98</td><td>68.20</td><td>-8.22</td><td>39.43</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>355</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>59.40</td><td>68.20</td><td>-8.80</td><td>38.86</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>355</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>71.54</td><td>108.66</td><td>-37.12</td><td>50.88</td><td>34.62</td><td>12.41</td><td>36.37</td><td>10.00</td><td>355</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>72.11</td><td>115.46</td><td>-43.35</td><td>51.44</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>355</td><td>100</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5618.00	59.98	68.20	-8.22	39.43	34.50	12.33	36.28	10.00	355	100	PEAK	2	5650.00	59.40	68.20	-8.80	38.86	34.50	12.35	36.31	10.00	355	100	PEAK	3	5712.00	71.54	108.66	-37.12	50.88	34.62	12.41	36.37	10.00	355	100	PEAK	4	5722.00	72.11	115.46	-43.35	51.44	34.64	12.42	36.39	10.00	355	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																												
1	5618.00	59.98	68.20	-8.22	39.43	34.50	12.33	36.28	10.00	355	100	PEAK																																																																											
2	5650.00	59.40	68.20	-8.80	38.86	34.50	12.35	36.31	10.00	355	100	PEAK																																																																											
3	5712.00	71.54	108.66	-37.12	50.88	34.62	12.41	36.37	10.00	355	100	PEAK																																																																											
4	5722.00	72.11	115.46	-43.35	51.44	34.64	12.42	36.39	10.00	355	100	PEAK																																																																											
Fundamental																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>119.96</td><td>-----</td><td>-----</td><td>99.04</td><td>34.96</td><td>12.48</td><td>36.52</td><td>10.00</td><td>355</td><td>100</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5785.00	119.96	-----	-----	99.04	34.96	12.48	36.52	10.00	355	100	PEAK																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																												
1	5785.00	119.96	-----	-----	99.04	34.96	12.48	36.52	10.00	355	100	PEAK																																																																											
Avg	Blank																																																																																						
																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>110.60</td><td>-----</td><td>-----</td><td>89.68</td><td>34.96</td><td>12.48</td><td>36.52</td><td>10.00</td><td>355</td><td>100</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5785.00	110.60	-----	-----	89.68	34.96	12.48	36.52	10.00	355	100	AVERAGE																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																												
1	5785.00	110.60	-----	-----	89.68	34.96	12.48	36.52	10.00	355	100	AVERAGE																																																																											






Mode	49																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																
ANT	CDD 1S4T																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.40</td><td>68.16</td><td>112.27</td><td>-44.11</td><td>47.11</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>355</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>70.59</td><td>106.03</td><td>-35.44</td><td>49.47</td><td>35.19</td><td>12.59</td><td>36.66</td><td>10.00</td><td>355</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>59.13</td><td>68.35</td><td>-9.22</td><td>37.99</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>355</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5955.60</td><td>60.86</td><td>68.20</td><td>-7.34</td><td>39.82</td><td>35.30</td><td>12.70</td><td>36.96</td><td>10.00</td><td>355</td><td>100</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.40	68.16	112.27	-44.11	47.11	35.12	12.56	36.63	10.00	355	100	PEAK	2	5872.40	70.59	106.03	-35.44	49.47	35.19	12.59	36.66	10.00	355	100	PEAK	3	5924.80	59.13	68.35	-9.22	37.99	35.30	12.66	36.82	10.00	355	100	PEAK	4	5955.60	60.86	68.20	-7.34	39.82	35.30	12.70	36.96	10.00	355	100	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5854.40	68.16	112.27	-44.11	47.11	35.12	12.56	36.63	10.00	355	100	PEAK																																																																																					
2	5872.40	70.59	106.03	-35.44	49.47	35.19	12.59	36.66	10.00	355	100	PEAK																																																																																					
3	5924.80	59.13	68.35	-9.22	37.99	35.30	12.66	36.82	10.00	355	100	PEAK																																																																																					
4	5955.60	60.86	68.20	-7.34	39.82	35.30	12.70	36.96	10.00	355	100	PEAK																																																																																					





		49																																																												
Mode		Harmonic																																																												
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																												
ANT		CDD 1S4T																																																												
Pol.		Horizontal						Vertical																																																						
Peak Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.60</td><td>74.00</td><td>-29.40</td><td>55.04</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.60	74.00	-29.40	55.04	38.17	17.92	66.53	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	11570.00	44.60	74.00	-29.40	55.04	38.17	17.92	66.53	0.00	---	---	PEAK																																																		
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>55.15</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.71	74.00	-29.29	55.15	38.17	17.92	66.53	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	11570.00	44.71	74.00	-29.29	55.15	38.17	17.92	66.53	0.00	---	---	PEAK																																																		





Mode	50																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																							
ANT	CDD 1S4T																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.80</td><td>80.27</td><td>111.36</td><td>-31.09</td><td>59.22</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>316</td><td>359 PEAK</td></tr><tr><td>2 5867.20</td><td>83.37</td><td>107.48</td><td>-24.11</td><td>62.27</td><td>35.17</td><td>12.58</td><td>36.65</td><td>10.00</td><td>316</td><td>359 PEAK</td></tr><tr><td>3 5908.40</td><td>77.66</td><td>80.48</td><td>-2.82</td><td>56.47</td><td>35.30</td><td>12.64</td><td>36.75</td><td>10.00</td><td>316</td><td>359 PEAK</td></tr><tr><td>4 5927.60</td><td>67.29</td><td>68.20</td><td>-0.91</td><td>46.16</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>316</td><td>359 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	80.27	111.36	-31.09	59.22	35.12	12.56	36.63	10.00	316	359 PEAK	2 5867.20	83.37	107.48	-24.11	62.27	35.17	12.58	36.65	10.00	316	359 PEAK	3 5908.40	77.66	80.48	-2.82	56.47	35.30	12.64	36.75	10.00	316	359 PEAK	4 5927.60	67.29	68.20	-0.91	46.16	35.30	12.66	36.83	10.00	316	359 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.80	80.27	111.36	-31.09	59.22	35.12	12.56	36.63	10.00	316	359 PEAK																																																																														
2 5867.20	83.37	107.48	-24.11	62.27	35.17	12.58	36.65	10.00	316	359 PEAK																																																																														
3 5908.40	77.66	80.48	-2.82	56.47	35.30	12.64	36.75	10.00	316	359 PEAK																																																																														
4 5927.60	67.29	68.20	-0.91	46.16	35.30	12.66	36.83	10.00	316	359 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>124.05</td><td>-----</td><td>-----</td><td>103.04</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>316</td><td>359 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	124.05	-----	-----	103.04	35.06	12.53	36.58	10.00	316	359 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	124.05	-----	-----	103.04	35.06	12.53	36.58	10.00	316	359 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>114.67</td><td>-----</td><td>-----</td><td>93.66</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>316</td><td>359 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	114.67	-----	-----	93.66	35.06	12.53	36.58	10.00	316	359 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	114.67	-----	-----	93.66	35.06	12.53	36.58	10.00	316	359 AVERAGE																																																																														






Mode	50																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.20</td><td>84.61</td><td>115.00</td><td>-30.39</td><td>63.57</td><td>35.11</td><td>12.56</td><td>36.63</td><td>10.00</td><td>366</td><td>97 PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>80.55</td><td>110.06</td><td>-29.51</td><td>59.48</td><td>35.13</td><td>12.57</td><td>36.63</td><td>10.00</td><td>366</td><td>97 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>61.98</td><td>68.94</td><td>-6.96</td><td>40.84</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>366</td><td>97 PEAK</td></tr><tr><td>4</td><td>5931.20</td><td>61.26</td><td>68.20</td><td>-6.94</td><td>40.14</td><td>35.30</td><td>12.67</td><td>36.85</td><td>10.00</td><td>366</td><td>97 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.20	84.61	115.00	-30.39	63.57	35.11	12.56	36.63	10.00	366	97 PEAK	2	5858.00	80.55	110.06	-29.51	59.48	35.13	12.57	36.63	10.00	366	97 PEAK	3	5924.00	61.98	68.94	-6.96	40.84	35.30	12.66	36.82	10.00	366	97 PEAK	4	5931.20	61.26	68.20	-6.94	40.14	35.30	12.67	36.85	10.00	366	97 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5853.20	84.61	115.00	-30.39	63.57	35.11	12.56	36.63	10.00	366	97 PEAK																																																																																	
2	5858.00	80.55	110.06	-29.51	59.48	35.13	12.57	36.63	10.00	366	97 PEAK																																																																																	
3	5924.00	61.98	68.94	-6.96	40.84	35.30	12.66	36.82	10.00	366	97 PEAK																																																																																	
4	5931.20	61.26	68.20	-6.94	40.14	35.30	12.67	36.85	10.00	366	97 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.30</td><td>-----</td><td>-----</td><td>88.28</td><td>35.07</td><td>12.54</td><td>36.59</td><td>10.00</td><td>366</td><td>97 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.30	-----	-----	88.28	35.07	12.54	36.59	10.00	366	97 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	109.30	-----	-----	88.28	35.07	12.54	36.59	10.00	366	97 AVERAGE																																																																																	






Mode	50																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																												
ANT	CDD 1S4T																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>55.27</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 17475.00</td><td>43.87</td><td>68.20</td><td>-24.33</td><td>45.13</td><td>41.08</td><td>22.25</td><td>64.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	45.08	74.00	-28.92	55.27	38.30	17.98	66.47	0.00	---	---	PEAK	2 17475.00	43.87	68.20	-24.33	45.13	41.08	22.25	64.59	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>60.15</td><td>74.00</td><td>-13.85</td><td>70.34</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>100</td><td>217</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>48.60</td><td>54.00</td><td>-5.40</td><td>58.76</td><td>38.32</td><td>17.98</td><td>66.46</td><td>0.00</td><td>100</td><td>217</td><td>AVERAGE</td></tr><tr><td>3 17475.00</td><td>48.79</td><td>68.20</td><td>-19.41</td><td>50.05</td><td>41.08</td><td>22.25</td><td>64.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	60.15	74.00	-13.85	70.34	38.30	17.98	66.47	0.00	100	217	PEAK	2 11650.00	48.60	54.00	-5.40	58.76	38.32	17.98	66.46	0.00	100	217	AVERAGE	3 17475.00	48.79	68.20	-19.41	50.05	41.08	22.25	64.59	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 11650.00	45.08	74.00	-28.92	55.27	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																																																																		
2 17475.00	43.87	68.20	-24.33	45.13	41.08	22.25	64.59	0.00	---	---	PEAK																																																																																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 11650.00	60.15	74.00	-13.85	70.34	38.30	17.98	66.47	0.00	100	217	PEAK																																																																																																																																		
2 11650.00	48.60	54.00	-5.40	58.76	38.32	17.98	66.46	0.00	100	217	AVERAGE																																																																																																																																		
3 17475.00	48.79	68.20	-19.41	50.05	41.08	22.25	64.59	0.00	---	---	PEAK																																																																																																																																		





		51																																																																																																																
Mode	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																	
ANT	CDD 1S4T																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																												
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>63.85</td><td>68.20</td><td>-4.35</td><td>43.30</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>117</td><td>166 PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>66.15</td><td>68.80</td><td>-2.65</td><td>45.60</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>117</td><td>166 PEAK</td></tr><tr><td>3</td><td>5718.40</td><td>81.31</td><td>110.45</td><td>-29.14</td><td>60.63</td><td>34.64</td><td>12.42</td><td>36.38</td><td>10.00</td><td>117</td><td>166 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>77.55</td><td>110.90</td><td>-33.35</td><td>56.88</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>117</td><td>166 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5649.20	63.85	68.20	-4.35	43.30	34.50	12.35	36.30	10.00	117	166 PEAK	2	5650.80	66.15	68.80	-2.65	45.60	34.50	12.36	36.31	10.00	117	166 PEAK	3	5718.40	81.31	110.45	-29.14	60.63	34.64	12.42	36.38	10.00	117	166 PEAK	4	5720.00	77.55	110.90	-33.35	56.88	34.64	12.42	36.39	10.00	117	166 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>124.21</td><td>-----</td><td>-----</td><td>103.51</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>117</td><td>166 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	124.21	-----	-----	103.51	34.68	12.44	36.42	10.00	117
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5649.20	63.85	68.20	-4.35	43.30	34.50	12.35	36.30	10.00	117	166 PEAK																																																																																																							
2	5650.80	66.15	68.80	-2.65	45.60	34.50	12.36	36.31	10.00	117	166 PEAK																																																																																																							
3	5718.40	81.31	110.45	-29.14	60.63	34.64	12.42	36.38	10.00	117	166 PEAK																																																																																																							
4	5720.00	77.55	110.90	-33.35	56.88	34.64	12.42	36.39	10.00	117	166 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	124.21	-----	-----	103.51	34.68	12.44	36.42	10.00	117	166 PEAK																																																																																																							
Avg	Blank																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.82</td><td>-----</td><td>-----</td><td>94.12</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>117</td><td>166 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	114.82	-----	-----	94.12	34.68	12.44	36.42	10.00	117	166 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	114.82	-----	-----	94.12	34.68	12.44	36.42	10.00	117	166 AVERAGE																																																																																																							






Mode	51																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																		
ANT	CDD 1S4T																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5650.00</td><td>60.69</td><td>68.20</td><td>-7.51</td><td>40.15</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>359</td><td>100 PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>60.69</td><td>68.95</td><td>-8.26</td><td>40.14</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>359</td><td>100 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>68.22</td><td>106.09</td><td>-37.87</td><td>47.57</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>359</td><td>100 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>69.71</td><td>111.81</td><td>-42.10</td><td>49.04</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>359</td><td>100 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5650.00	60.69	68.20	-7.51	40.15	34.50	12.35	36.31	10.00	359	100 PEAK	2	5651.00	60.69	68.95	-8.26	40.14	34.50	12.36	36.31	10.00	359	100 PEAK	3	5702.00	68.22	106.09	-37.87	47.57	34.61	12.40	36.36	10.00	359	100 PEAK	4	5720.40	69.71	111.81	-42.10	49.04	34.64	12.42	36.39	10.00	359	100 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>119.46</td><td>-----</td><td>-----</td><td>98.74</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>359</td><td>100 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	119.46	-----	-----	98.74	34.71	12.45	36.44	10.00	359
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5650.00	60.69	68.20	-7.51	40.15	34.50	12.35	36.31	10.00	359	100 PEAK																																																																																																								
2	5651.00	60.69	68.95	-8.26	40.14	34.50	12.36	36.31	10.00	359	100 PEAK																																																																																																								
3	5702.00	68.22	106.09	-37.87	47.57	34.61	12.40	36.36	10.00	359	100 PEAK																																																																																																								
4	5720.40	69.71	111.81	-42.10	49.04	34.64	12.42	36.39	10.00	359	100 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	119.46	-----	-----	98.74	34.71	12.45	36.44	10.00	359	100 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.39</td><td>-----</td><td>-----</td><td>88.67</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>359</td><td>100 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	109.39	-----	-----	88.67	34.71	12.45	36.44	10.00	359	100 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	109.39	-----	-----	88.67	34.71	12.45	36.44	10.00	359	100 AVERAGE																																																																																																								




Mode	51																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																													
ANT	CDD 1S4T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>56.32</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17235.00</td><td>49.65</td><td>68.20</td><td>-18.55</td><td>51.26</td><td>41.00</td><td>22.05</td><td>64.66</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.69	74.00	-28.31	56.32	38.09	17.86	66.58	0.00	---	PEAK	2	17235.00	49.65	68.20	-18.55	51.26	41.00	22.05	64.66	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>56.37</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17235.00</td><td>49.28</td><td>68.20</td><td>-18.92</td><td>50.90</td><td>41.00</td><td>22.04</td><td>64.66</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.74	74.00	-28.26	56.37	38.09	17.86	66.58	0.00	---	PEAK	2	17235.00	49.28	68.20	-18.92	50.90	41.00	22.04	64.66	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	45.69	74.00	-28.31	56.32	38.09	17.86	66.58	0.00	---	PEAK																																																																																																																			
2	17235.00	49.65	68.20	-18.55	51.26	41.00	22.05	64.66	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	45.74	74.00	-28.26	56.37	38.09	17.86	66.58	0.00	---	PEAK																																																																																																																			
2	17235.00	49.28	68.20	-18.92	50.90	41.00	22.04	64.66	0.00	---	PEAK																																																																																																																			





		52																																																																																																																	
Mode	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																		
ANT	CDD 1S4T																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5623.20</td><td>61.47</td><td>68.20</td><td>-6.73</td><td>40.92</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>124</td><td>178 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>60.26</td><td>68.50</td><td>-8.24</td><td>39.71</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>124</td><td>178 PEAK</td></tr><tr><td>3</td><td>5716.80</td><td>81.26</td><td>110.01</td><td>-28.75</td><td>60.59</td><td>34.63</td><td>12.42</td><td>36.38</td><td>10.00</td><td>124</td><td>178 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>79.32</td><td>110.90</td><td>-31.58</td><td>58.65</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>124</td><td>178 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5623.20	61.47	68.20	-6.73	40.92	34.50	12.33	36.28	10.00	124	178 PEAK	2	5650.40	60.26	68.50	-8.24	39.71	34.50	12.36	36.31	10.00	124	178 PEAK	3	5716.80	81.26	110.01	-28.75	60.59	34.63	12.42	36.38	10.00	124	178 PEAK	4	5720.00	79.32	110.90	-31.58	58.65	34.64	12.42	36.39	10.00	124	178 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>126.43</td><td>-----</td><td>-----</td><td>105.59</td><td>34.86</td><td>12.47</td><td>36.49</td><td>10.00</td><td>124</td><td>178 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5785.00	126.43	-----	-----	105.59	34.86	12.47	36.49	10.00	124
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5623.20	61.47	68.20	-6.73	40.92	34.50	12.33	36.28	10.00	124	178 PEAK																																																																																																								
2	5650.40	60.26	68.50	-8.24	39.71	34.50	12.36	36.31	10.00	124	178 PEAK																																																																																																								
3	5716.80	81.26	110.01	-28.75	60.59	34.63	12.42	36.38	10.00	124	178 PEAK																																																																																																								
4	5720.00	79.32	110.90	-31.58	58.65	34.64	12.42	36.39	10.00	124	178 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5785.00	126.43	-----	-----	105.59	34.86	12.47	36.49	10.00	124	178 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>115.59</td><td>-----</td><td>-----</td><td>94.75</td><td>34.86</td><td>12.47</td><td>36.49</td><td>10.00</td><td>124</td><td>178 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5785.00	115.59	-----	-----	94.75	34.86	12.47	36.49	10.00	124	178 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5785.00	115.59	-----	-----	94.75	34.86	12.47	36.49	10.00	124	178 AVERAGE																																																																																																								




Mode	52																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																
ANT	CDD 1S4T																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>81.93</td><td>113.18</td><td>-31.25</td><td>60.88</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>124</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5856.80</td><td>84.22</td><td>110.40</td><td>-26.18</td><td>63.15</td><td>35.13</td><td>12.57</td><td>36.63</td><td>10.00</td><td>124</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>60.62</td><td>68.35</td><td>-7.73</td><td>39.48</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>124</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5934.80</td><td>62.37</td><td>68.20</td><td>-5.83</td><td>41.27</td><td>35.30</td><td>12.67</td><td>36.87</td><td>10.00</td><td>124</td><td>178</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	81.93	113.18	-31.25	60.88	35.12	12.56	36.63	10.00	124	178	PEAK	2	5856.80	84.22	110.40	-26.18	63.15	35.13	12.57	36.63	10.00	124	178	PEAK	3	5924.80	60.62	68.35	-7.73	39.48	35.30	12.66	36.82	10.00	124	178	PEAK	4	5934.80	62.37	68.20	-5.83	41.27	35.30	12.67	36.87	10.00	124	178	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5854.00	81.93	113.18	-31.25	60.88	35.12	12.56	36.63	10.00	124	178	PEAK																																																																																					
2	5856.80	84.22	110.40	-26.18	63.15	35.13	12.57	36.63	10.00	124	178	PEAK																																																																																					
3	5924.80	60.62	68.35	-7.73	39.48	35.30	12.66	36.82	10.00	124	178	PEAK																																																																																					
4	5934.80	62.37	68.20	-5.83	41.27	35.30	12.67	36.87	10.00	124	178	PEAK																																																																																					





Mode	52																																																																																
	Band Edge - L																																																																																
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																
ANT	CDD 1S4T																																																																																
Pol.	Vertical																																																																																
Peak																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5633.60</td><td>59.95</td><td>68.20</td><td>-8.25</td><td>39.40</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>336</td><td>98 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>60.32</td><td>69.39</td><td>-9.07</td><td>39.77</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>336</td><td>98 PEAK</td></tr><tr><td>3</td><td>5712.40</td><td>71.53</td><td>108.77</td><td>-37.24</td><td>50.87</td><td>34.62</td><td>12.41</td><td>36.37</td><td>10.00</td><td>336</td><td>98 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>68.00</td><td>110.90</td><td>-42.90</td><td>47.33</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>336</td><td>98 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5633.60	59.95	68.20	-8.25	39.40	34.50	12.34	36.29	10.00	336	98 PEAK	2	5651.60	60.32	69.39	-9.07	39.77	34.50	12.36	36.31	10.00	336	98 PEAK	3	5712.40	71.53	108.77	-37.24	50.87	34.62	12.41	36.37	10.00	336	98 PEAK	4	5720.00	68.00	110.90	-42.90	47.33	34.64	12.42	36.39	10.00	336	98 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
1	5633.60	59.95	68.20	-8.25	39.40	34.50	12.34	36.29	10.00	336	98 PEAK																																																																						
2	5651.60	60.32	69.39	-9.07	39.77	34.50	12.36	36.31	10.00	336	98 PEAK																																																																						
3	5712.40	71.53	108.77	-37.24	50.87	34.62	12.41	36.37	10.00	336	98 PEAK																																																																						
4	5720.00	68.00	110.90	-42.90	47.33	34.64	12.42	36.39	10.00	336	98 PEAK																																																																						
Avg	Blank																																																																																
																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>109.07</td><td>-----</td><td>-----</td><td>88.15</td><td>34.96</td><td>12.48</td><td>36.52</td><td>10.00</td><td>336</td><td>98 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	109.07	-----	-----	88.15	34.96	12.48	36.52	10.00	336	98 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																									
1	5785.00	109.07	-----	-----	88.15	34.96	12.48	36.52	10.00	336	98 AVERAGE																																																																						






Mode	52																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>70.42</td><td>111.36</td><td>-40.94</td><td>49.37</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>336</td><td>98 PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>69.06</td><td>105.92</td><td>-36.86</td><td>47.94</td><td>35.19</td><td>12.59</td><td>36.66</td><td>10.00</td><td>336</td><td>98 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>59.81</td><td>69.23</td><td>-9.42</td><td>38.67</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>336</td><td>98 PEAK</td></tr><tr><td>4</td><td>5944.00</td><td>61.57</td><td>68.20</td><td>-6.63</td><td>40.50</td><td>35.30</td><td>12.68</td><td>36.91</td><td>10.00</td><td>336</td><td>98 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	70.42	111.36	-40.94	49.37	35.12	12.56	36.63	10.00	336	98 PEAK	2	5872.80	69.06	105.92	-36.86	47.94	35.19	12.59	36.66	10.00	336	98 PEAK	3	5923.60	59.81	69.23	-9.42	38.67	35.30	12.66	36.82	10.00	336	98 PEAK	4	5944.00	61.57	68.20	-6.63	40.50	35.30	12.68	36.91	10.00	336	98 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.80	70.42	111.36	-40.94	49.37	35.12	12.56	36.63	10.00	336	98 PEAK																																																																																	
2	5872.80	69.06	105.92	-36.86	47.94	35.19	12.59	36.66	10.00	336	98 PEAK																																																																																	
3	5923.60	59.81	69.23	-9.42	38.67	35.30	12.66	36.82	10.00	336	98 PEAK																																																																																	
4	5944.00	61.57	68.20	-6.63	40.50	35.30	12.68	36.91	10.00	336	98 PEAK																																																																																	






		52																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																										
ANT		CDD 1S4T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>56.19</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.75	74.00	-28.25	56.19	38.17	17.92	66.53	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11570.00	45.75	74.00	-28.25	56.19	38.17	17.92	66.53	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>56.59</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.15	74.00	-27.85	56.59	38.17	17.92	66.53	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11570.00	46.15	74.00	-27.85	56.59	38.17	17.92	66.53	0.00	---	---	PEAK																																																





		53																																																																																																																					
Mode	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																						
ANT	CDD 1S4T																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>78.85</td><td>111.36</td><td>-32.51</td><td>57.80</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>318</td><td>359 PEAK</td></tr><tr><td>2</td><td>5867.60</td><td>82.01</td><td>107.37</td><td>-25.36</td><td>60.91</td><td>35.17</td><td>12.58</td><td>36.65</td><td>10.00</td><td>318</td><td>359 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>66.00</td><td>70.42</td><td>-4.42</td><td>44.86</td><td>35.30</td><td>12.65</td><td>36.81</td><td>10.00</td><td>318</td><td>359 PEAK</td></tr><tr><td>4</td><td>5928.40</td><td>67.14</td><td>68.20</td><td>-1.06</td><td>46.02</td><td>35.30</td><td>12.66</td><td>36.84</td><td>10.00</td><td>318</td><td>359 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	78.85	111.36	-32.51	57.80	35.12	12.56	36.63	10.00	318	359 PEAK	2	5867.60	82.01	107.37	-25.36	60.91	35.17	12.58	36.65	10.00	318	359 PEAK	3	5922.00	66.00	70.42	-4.42	44.86	35.30	12.65	36.81	10.00	318	359 PEAK	4	5928.40	67.14	68.20	-1.06	46.02	35.30	12.66	36.84	10.00	318	359 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>124.37</td><td>-----</td><td>-----</td><td>103.36</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>318</td><td>359 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	124.37	-----	-----	103.36	35.06	12.53	36.58	10.00	318
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.00	78.85	111.36	-32.51	57.80	35.12	12.56	36.63	10.00	318	359 PEAK																																																																																																												
2	5867.60	82.01	107.37	-25.36	60.91	35.17	12.58	36.65	10.00	318	359 PEAK																																																																																																												
3	5922.00	66.00	70.42	-4.42	44.86	35.30	12.65	36.81	10.00	318	359 PEAK																																																																																																												
4	5928.40	67.14	68.20	-1.06	46.02	35.30	12.66	36.84	10.00	318	359 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	124.37	-----	-----	103.36	35.06	12.53	36.58	10.00	318	359 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.70</td><td>-----</td><td>-----</td><td>92.69</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>318</td><td>359 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	113.70	-----	-----	92.69	35.06	12.53	36.58	10.00	318	359 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	113.70	-----	-----	92.69	35.06	12.53	36.58	10.00	318	359 AVERAGE																																																																																																												






		53																																																																																					
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																						
ANT	CDD 1S4T																																																																																						
Pol.	Vertical																																																																																						
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with peaks at 5825 MHz and 5925 MHz. The peak at 5825 MHz is labeled 'U-NII-3'.																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.60</td><td>83.63</td><td>118.65</td><td>-35.02</td><td>62.58</td><td>35.11</td><td>12.56</td><td>36.62</td><td>10.00</td><td>372 65 PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>75.94</td><td>106.36</td><td>-30.42</td><td>54.83</td><td>35.18</td><td>12.59</td><td>36.66</td><td>10.00</td><td>372 65 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>63.61</td><td>68.94</td><td>-5.33</td><td>42.47</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>372 65 PEAK</td></tr><tr><td>4</td><td>5929.20</td><td>61.54</td><td>68.20</td><td>-6.66</td><td>40.42</td><td>35.30</td><td>12.66</td><td>36.84</td><td>10.00</td><td>372 65 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5851.60	83.63	118.65	-35.02	62.58	35.11	12.56	36.62	10.00	372 65 PEAK	2	5871.20	75.94	106.36	-30.42	54.83	35.18	12.59	36.66	10.00	372 65 PEAK	3	5924.00	63.61	68.94	-5.33	42.47	35.30	12.66	36.82	10.00	372 65 PEAK	4	5929.20	61.54	68.20	-6.66	40.42	35.30	12.66	36.84	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5851.60	83.63	118.65	-35.02	62.58	35.11	12.56	36.62	10.00	372 65 PEAK																																																																													
2	5871.20	75.94	106.36	-30.42	54.83	35.18	12.59	36.66	10.00	372 65 PEAK																																																																													
3	5924.00	63.61	68.94	-5.33	42.47	35.30	12.66	36.82	10.00	372 65 PEAK																																																																													
4	5929.20	61.54	68.20	-6.66	40.42	35.30	12.66	36.84	10.00	372 65 PEAK																																																																													
Fundamental	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. The peak is labeled 'U-NII-3'.																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>118.38</td><td>-----</td><td>-----</td><td>97.37</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>372 65 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	118.38	-----	-----	97.37	35.06	12.53	36.58	10.00	372 65 PEAK																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5825.00	118.38	-----	-----	97.37	35.06	12.53	36.58	10.00	372 65 PEAK																																																																													
Avg	Blank																																																																																						
	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5825 MHz. The peak is labeled 'U-NII-3(AVG)'.																																																																																						
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.95</td><td>-----</td><td>-----</td><td>86.94</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>372 65 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.95	-----	-----	86.94	35.06	12.53	36.58	10.00	372 65 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5825.00	107.95	-----	-----	86.94	35.06	12.53	36.58	10.00	372 65 AVERAGE																																																																													




Mode	53																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>56.53</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.34	74.00	-27.66	56.53	38.30	17.98	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>56.65</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.46	74.00	-27.54	56.65	38.30	17.98	66.47	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	46.34	74.00	-27.66	56.53	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	46.46	74.00	-27.54	56.65	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																													






	54																																																																																																																																									
Mode	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.45</td><td>64.58</td><td>68.20</td><td>-3.62</td><td>44.03</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>112</td><td>166 PEAK</td></tr><tr><td>2</td><td>5651.31</td><td>63.82</td><td>69.17</td><td>-5.35</td><td>43.27</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>112</td><td>166 PEAK</td></tr><tr><td>3</td><td>5706.80</td><td>76.02</td><td>107.20</td><td>-31.18</td><td>55.36</td><td>34.61</td><td>12.41</td><td>36.36</td><td>10.00</td><td>112</td><td>166 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>69.15</td><td>111.54</td><td>-42.39</td><td>48.48</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>112</td><td>166 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.45	64.58	68.20	-3.62	44.03	34.50	12.35	36.30	10.00	112	166 PEAK	2	5651.31	63.82	69.17	-5.35	43.27	34.50	12.36	36.31	10.00	112	166 PEAK	3	5706.80	76.02	107.20	-31.18	55.36	34.61	12.41	36.36	10.00	112	166 PEAK	4	5720.28	69.15	111.54	-42.39	48.48	34.64	12.42	36.39	10.00	112	166 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>122.22</td><td>-----</td><td>-----</td><td>101.52</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>112</td><td>166 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5755.00	122.22	-----	-----	101.52	34.69	12.44	36.43	10.00	112	166 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5649.45	64.58	68.20	-3.62	44.03	34.50	12.35	36.30	10.00	112	166 PEAK																																																																																																																															
2	5651.31	63.82	69.17	-5.35	43.27	34.50	12.36	36.31	10.00	112	166 PEAK																																																																																																																															
3	5706.80	76.02	107.20	-31.18	55.36	34.61	12.41	36.36	10.00	112	166 PEAK																																																																																																																															
4	5720.28	69.15	111.54	-42.39	48.48	34.64	12.42	36.39	10.00	112	166 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	122.22	-----	-----	101.52	34.69	12.44	36.43	10.00	112	166 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>110.90</td><td>-----</td><td>-----</td><td>90.20</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>112</td><td>166 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5755.00	110.90	-----	-----	90.20	34.69	12.44	36.43	10.00	112	166 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	110.90	-----	-----	90.20	34.69	12.44	36.43	10.00	112	166 AVERAGE																																																																																																																															




Mode	54																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																						
ANT	CDD 1S4T																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>61.39</td><td>111.71</td><td>-50.32</td><td>40.34</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>112</td><td>166</td><td>PEAK</td></tr><tr><td>2</td><td>5866.74</td><td>64.08</td><td>107.61</td><td>-43.53</td><td>42.98</td><td>35.17</td><td>12.58</td><td>36.65</td><td>10.00</td><td>112</td><td>166</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>59.68</td><td>68.60</td><td>-8.92</td><td>38.54</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>112</td><td>166</td><td>PEAK</td></tr><tr><td>4</td><td>5939.86</td><td>60.91</td><td>68.20</td><td>-7.29</td><td>39.82</td><td>35.30</td><td>12.68</td><td>36.89</td><td>10.00</td><td>112</td><td>166</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	61.39	111.71	-50.32	40.34	35.12	12.56	36.63	10.00	112	166	PEAK	2	5866.74	64.08	107.61	-43.53	42.98	35.17	12.58	36.65	10.00	112	166	PEAK	3	5924.46	59.68	68.60	-8.92	38.54	35.30	12.66	36.82	10.00	112	166	PEAK	4	5939.86	60.91	68.20	-7.29	39.82	35.30	12.68	36.89	10.00	112	166	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.65	61.39	111.71	-50.32	40.34	35.12	12.56	36.63	10.00	112	166	PEAK																																																																											
2	5866.74	64.08	107.61	-43.53	42.98	35.17	12.58	36.65	10.00	112	166	PEAK																																																																											
3	5924.46	59.68	68.60	-8.92	38.54	35.30	12.66	36.82	10.00	112	166	PEAK																																																																											
4	5939.86	60.91	68.20	-7.29	39.82	35.30	12.68	36.89	10.00	112	166	PEAK																																																																											





Mode	54																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																													
ANT	CDD 1S4T																																																																																																																													
Pol.	Vertical																																																																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5641.39</td><td>60.26</td><td>68.20</td><td>-7.94</td><td>39.71</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>343</td><td>102 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>59.29</td><td>68.36</td><td>-9.07</td><td>38.74</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>343</td><td>102 PEAK</td></tr><tr><td>3</td><td>5700.75</td><td>65.80</td><td>105.51</td><td>-39.71</td><td>45.15</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>343</td><td>102 PEAK</td></tr><tr><td>4</td><td>5721.21</td><td>69.12</td><td>113.66</td><td>-44.54</td><td>48.45</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>343</td><td>102 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5641.39	60.26	68.20	-7.94	39.71	34.50	12.35	36.30	10.00	343	102 PEAK	2	5650.22	59.29	68.36	-9.07	38.74	34.50	12.36	36.31	10.00	343	102 PEAK	3	5700.75	65.80	105.51	-39.71	45.15	34.60	12.40	36.35	10.00	343	102 PEAK	4	5721.21	69.12	113.66	-44.54	48.45	34.64	12.42	36.39	10.00	343	102 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5755.00</td><td>115.95</td><td>-----</td><td>-----</td><td>95.25</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>343</td><td>102 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5755.00	115.95	-----	-----	95.25	34.69	12.44	36.43	10.00	343	102 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
1	5641.39	60.26	68.20	-7.94	39.71	34.50	12.35	36.30	10.00	343	102 PEAK																																																																																																																			
2	5650.22	59.29	68.36	-9.07	38.74	34.50	12.36	36.31	10.00	343	102 PEAK																																																																																																																			
3	5700.75	65.80	105.51	-39.71	45.15	34.60	12.40	36.35	10.00	343	102 PEAK																																																																																																																			
4	5721.21	69.12	113.66	-44.54	48.45	34.64	12.42	36.39	10.00	343	102 PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
1	5755.00	115.95	-----	-----	95.25	34.69	12.44	36.43	10.00	343	102 PEAK																																																																																																																			
Avg	Blank											<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5755.00</td><td>106.16</td><td>-----</td><td>-----</td><td>85.46</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>343</td><td>102 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5755.00	106.16	-----	-----	85.46	34.68	12.44	36.42	10.00	343	102 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
1	5755.00	106.16	-----	-----	85.46	34.68	12.44	36.42	10.00	343	102 AVERAGE																																																																																																																			






Mode	54																																																																																												
	Band Edge - R																																																																																												
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>60.65</td><td>112.15</td><td>-51.50</td><td>39.60</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>343</td><td>102 PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>59.66</td><td>105.32</td><td>-45.66</td><td>38.53</td><td>35.20</td><td>12.59</td><td>36.66</td><td>10.00</td><td>343</td><td>102 PEAK</td></tr><tr><td>3</td><td>5923.87</td><td>59.83</td><td>69.03</td><td>-9.20</td><td>38.69</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>343</td><td>102 PEAK</td></tr><tr><td>4</td><td>5926.41</td><td>60.82</td><td>68.20</td><td>-7.38</td><td>39.69</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>343</td><td>102 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	60.65	112.15	-51.50	39.60	35.12	12.56	36.63	10.00	343	102 PEAK	2	5874.93	59.66	105.32	-45.66	38.53	35.20	12.59	36.66	10.00	343	102 PEAK	3	5923.87	59.83	69.03	-9.20	38.69	35.30	12.66	36.82	10.00	343	102 PEAK	4	5926.41	60.82	68.20	-7.38	39.69	35.30	12.66	36.83	10.00	343	102 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.45	60.65	112.15	-51.50	39.60	35.12	12.56	36.63	10.00	343	102 PEAK																																																																																		
2	5874.93	59.66	105.32	-45.66	38.53	35.20	12.59	36.66	10.00	343	102 PEAK																																																																																		
3	5923.87	59.83	69.03	-9.20	38.69	35.30	12.66	36.82	10.00	343	102 PEAK																																																																																		
4	5926.41	60.82	68.20	-7.38	39.69	35.30	12.66	36.83	10.00	343	102 PEAK																																																																																		






		54																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																										
ANT		CDD 1S4T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>55.86</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.28	74.00	-28.72	55.86	38.11	17.88	66.57	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11510.00	45.28	74.00	-28.72	55.86	38.11	17.88	66.57	0.00	---	---	PEAK																																																
																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>57.16</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.58	74.00	-27.42	57.16	38.11	17.88	66.57	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11510.00	46.58	74.00	-27.42	57.16	38.11	17.88	66.57	0.00	---	---	PEAK																																																






	55																																																																																																																																															
Mode	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_RU52*4_5745MHz																																																																																																																																															
ANT	CDD 1S4T																																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																																									
Peak																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>62.54</td><td>68.20</td><td>-5.66</td><td>41.99</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>100</td><td>167</td><td>PEAK</td></tr><tr><td>2</td><td>5654.00</td><td>66.46</td><td>71.18</td><td>-4.72</td><td>45.90</td><td>34.51</td><td>12.36</td><td>36.31</td><td>10.00</td><td>100</td><td>167</td><td>PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>92.95</td><td>110.23</td><td>-17.28</td><td>72.27</td><td>34.64</td><td>12.42</td><td>36.38</td><td>10.00</td><td>100</td><td>167</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>88.69</td><td>110.90</td><td>-22.21</td><td>68.02</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>100</td><td>167</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.20	62.54	68.20	-5.66	41.99	34.50	12.35	36.30	10.00	100	167	PEAK	2	5654.00	66.46	71.18	-4.72	45.90	34.51	12.36	36.31	10.00	100	167	PEAK	3	5717.60	92.95	110.23	-17.28	72.27	34.64	12.42	36.38	10.00	100	167	PEAK	4	5720.00	88.69	110.90	-22.21	68.02	34.64	12.42	36.39	10.00	100	167	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>124.97</td><td>-----</td><td>-----</td><td>104.27</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>100</td><td>167</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	124.97	-----	-----	104.27	34.68	12.44	36.42	10.00	100	167
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5649.20	62.54	68.20	-5.66	41.99	34.50	12.35	36.30	10.00	100	167	PEAK																																																																																																																																				
2	5654.00	66.46	71.18	-4.72	45.90	34.51	12.36	36.31	10.00	100	167	PEAK																																																																																																																																				
3	5717.60	92.95	110.23	-17.28	72.27	34.64	12.42	36.38	10.00	100	167	PEAK																																																																																																																																				
4	5720.00	88.69	110.90	-22.21	68.02	34.64	12.42	36.39	10.00	100	167	PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	124.97	-----	-----	104.27	34.68	12.44	36.42	10.00	100	167	PEAK																																																																																																																																				
Avg	Blank																																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.45</td><td>-----</td><td>-----</td><td>93.75</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>100</td><td>167</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.45	-----	-----	93.75	34.68	12.44	36.42	10.00	100	167	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	114.45	-----	-----	93.75	34.68	12.44	36.42	10.00	100	167	AVERAGE																																																																																																																																				




Mode	55																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_RU52*4_5745MHz																																																																																																																																
ANT	CDD 1S4T																																																																																																																																
Pol.	Vertical						Fundamental																																																																																																																										
Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5648.00</td><td>60.46</td><td>68.20</td><td>-7.74</td><td>39.91</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>344</td><td>101</td><td>Peak</td></tr><tr><td>2</td><td>5652.00</td><td>61.55</td><td>69.69</td><td>-8.14</td><td>41.00</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>344</td><td>101</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>85.71</td><td>108.10</td><td>-22.39</td><td>65.05</td><td>34.62</td><td>12.41</td><td>36.37</td><td>10.00</td><td>344</td><td>101</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>80.94</td><td>110.90</td><td>-29.96</td><td>60.27</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>344</td><td>101</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5648.00	60.46	68.20	-7.74	39.91	34.50	12.35	36.30	10.00	344	101	Peak	2	5652.00	61.55	69.69	-8.14	41.00	34.50	12.36	36.31	10.00	344	101	Peak	3	5710.00	85.71	108.10	-22.39	65.05	34.62	12.41	36.37	10.00	344	101	PEAK	4	5720.00	80.94	110.90	-29.96	60.27	34.64	12.42	36.39	10.00	344	101	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>120.08</td><td>-----</td><td>-----</td><td>99.36</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>344</td><td>101</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	120.08	-----	-----	99.36	34.71	12.45	36.44	10.00	344	101	PEAK
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5648.00	60.46	68.20	-7.74	39.91	34.50	12.35	36.30	10.00	344	101	Peak																																																																																																																					
2	5652.00	61.55	69.69	-8.14	41.00	34.50	12.36	36.31	10.00	344	101	Peak																																																																																																																					
3	5710.00	85.71	108.10	-22.39	65.05	34.62	12.41	36.37	10.00	344	101	PEAK																																																																																																																					
4	5720.00	80.94	110.90	-29.96	60.27	34.64	12.42	36.39	10.00	344	101	PEAK																																																																																																																					
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5745.00	120.08	-----	-----	99.36	34.71	12.45	36.44	10.00	344	101	PEAK																																																																																																																					
Avg	Blank						<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.68</td><td>-----</td><td>-----</td><td>89.96</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>344</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	110.68	-----	-----	89.96	34.71	12.45	36.44	10.00	344	101	AVERAGE																																																																														
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5745.00	110.68	-----	-----	89.96	34.71	12.45	36.44	10.00	344	101	AVERAGE																																																																																																																					






		56																																																																																																																									
Mode		Band Edge - L																																																																																																																									
		U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																									
ANT		CDD 1S4T																																																																																																																									
Pol.	Horizontal										Fundamental																																																																																																																
Peak																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5643.60</td><td>62.42</td><td>68.20</td><td>-5.78</td><td>41.87</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>123</td><td>179 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>60.78</td><td>68.20</td><td>-7.42</td><td>40.24</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>123</td><td>179 PEAK</td></tr><tr><td>3</td><td>5707.20</td><td>70.28</td><td>107.32</td><td>-37.04</td><td>49.62</td><td>34.61</td><td>12.41</td><td>36.36</td><td>10.00</td><td>123</td><td>179 PEAK</td></tr><tr><td>4</td><td>5724.40</td><td>76.17</td><td>120.93</td><td>-44.76</td><td>55.49</td><td>34.65</td><td>12.42</td><td>36.39</td><td>10.00</td><td>123</td><td>179 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5643.60	62.42	68.20	-5.78	41.87	34.50	12.35	36.30	10.00	123	179 PEAK	2	5650.00	60.78	68.20	-7.42	40.24	34.50	12.35	36.31	10.00	123	179 PEAK	3	5707.20	70.28	107.32	-37.04	49.62	34.61	12.41	36.36	10.00	123	179 PEAK	4	5724.40	76.17	120.93	-44.76	55.49	34.65	12.42	36.39	10.00	123	179 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>123.10</td><td>-----</td><td>-----</td><td>102.20</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>123</td><td>179 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	123.10	-----	-----	102.20	34.93	12.48	36.51	10.00	123
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
1	5643.60	62.42	68.20	-5.78	41.87	34.50	12.35	36.30	10.00	123	179 PEAK																																																																																																																
2	5650.00	60.78	68.20	-7.42	40.24	34.50	12.35	36.31	10.00	123	179 PEAK																																																																																																																
3	5707.20	70.28	107.32	-37.04	49.62	34.61	12.41	36.36	10.00	123	179 PEAK																																																																																																																
4	5724.40	76.17	120.93	-44.76	55.49	34.65	12.42	36.39	10.00	123	179 PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
1	5795.00	123.10	-----	-----	102.20	34.93	12.48	36.51	10.00	123	179 PEAK																																																																																																																
Avg	Blank																																																																																																																										
											<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>111.44</td><td>-----</td><td>-----</td><td>90.54</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>123</td><td>179 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	111.44	-----	-----	90.54	34.93	12.48	36.51	10.00	123	179 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
1	5795.00	111.44	-----	-----	90.54	34.93	12.48	36.51	10.00	123	179 AVERAGE																																																																																																																




Mode	56																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																						
ANT	CDD 1S4T																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>71.44</td><td>111.36</td><td>-39.92</td><td>50.39</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>123</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5863.60</td><td>79.81</td><td>108.49</td><td>-28.68</td><td>58.72</td><td>35.15</td><td>12.58</td><td>36.64</td><td>10.00</td><td>123</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>67.78</td><td>69.23</td><td>-1.45</td><td>46.64</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>123</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>65.54</td><td>68.20</td><td>-2.66</td><td>44.41</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>123</td><td>179</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	71.44	111.36	-39.92	50.39	35.12	12.56	36.63	10.00	123	179	PEAK	2	5863.60	79.81	108.49	-28.68	58.72	35.15	12.58	36.64	10.00	123	179	PEAK	3	5923.60	67.78	69.23	-1.45	46.64	35.30	12.66	36.82	10.00	123	179	PEAK	4	5926.00	65.54	68.20	-2.66	44.41	35.30	12.66	36.83	10.00	123	179	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.80	71.44	111.36	-39.92	50.39	35.12	12.56	36.63	10.00	123	179	PEAK																																																																											
2	5863.60	79.81	108.49	-28.68	58.72	35.15	12.58	36.64	10.00	123	179	PEAK																																																																											
3	5923.60	67.78	69.23	-1.45	46.64	35.30	12.66	36.82	10.00	123	179	PEAK																																																																											
4	5926.00	65.54	68.20	-2.66	44.41	35.30	12.66	36.83	10.00	123	179	PEAK																																																																											





Mode	56																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																																													
ANT	CDD 1S4T																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.20</td><td>60.05</td><td>68.20</td><td>-8.15</td><td>39.50</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>357</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.77</td><td>68.20</td><td>-9.43</td><td>38.23</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>357</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>63.33</td><td>105.64</td><td>-42.31</td><td>42.68</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>357</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>68.04</td><td>111.81</td><td>-43.77</td><td>47.37</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>357</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.20	60.05	68.20	-8.15	39.50	34.50	12.33	36.28	10.00	357	100	PEAK	2	5650.00	58.77	68.20	-9.43	38.23	34.50	12.35	36.31	10.00	357	100	PEAK	3	5701.20	63.33	105.64	-42.31	42.68	34.60	12.40	36.35	10.00	357	100	PEAK	4	5720.40	68.04	111.81	-43.77	47.37	34.64	12.42	36.39	10.00	357	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>118.15</td><td>-----</td><td>-----</td><td>97.29</td><td>34.89</td><td>12.47</td><td>36.50</td><td>10.00</td><td>357</td><td>100</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	118.15	-----	-----	97.29	34.89	12.47	36.50	10.00	357	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5625.20	60.05	68.20	-8.15	39.50	34.50	12.33	36.28	10.00	357	100	PEAK																																																																																																																																		
2	5650.00	58.77	68.20	-9.43	38.23	34.50	12.35	36.31	10.00	357	100	PEAK																																																																																																																																		
3	5701.20	63.33	105.64	-42.31	42.68	34.60	12.40	36.35	10.00	357	100	PEAK																																																																																																																																		
4	5720.40	68.04	111.81	-43.77	47.37	34.64	12.42	36.39	10.00	357	100	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5795.00	118.15	-----	-----	97.29	34.89	12.47	36.50	10.00	357	100	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.33</td><td>-----</td><td>-----</td><td>86.47</td><td>34.89</td><td>12.47</td><td>36.50</td><td>10.00</td><td>357</td><td>100</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	107.33	-----	-----	86.47	34.89	12.47	36.50	10.00	357	100	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5795.00	107.33	-----	-----	86.47	34.89	12.47	36.50	10.00	357	100	AVERAGE																																																																																																																																		





Mode	56																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																															
ANT	CDD 1S4T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>71.35</td><td>111.36</td><td>-40.01</td><td>50.30</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>357</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>70.51</td><td>105.47</td><td>-34.96</td><td>49.38</td><td>35.20</td><td>12.59</td><td>36.66</td><td>10.00</td><td>357</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>61.18</td><td>69.23</td><td>-8.05</td><td>40.04</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>357</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5977.20</td><td>60.74</td><td>68.20</td><td>-7.46</td><td>39.77</td><td>35.30</td><td>12.73</td><td>37.06</td><td>10.00</td><td>357</td><td>100</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	71.35	111.36	-40.01	50.30	35.12	12.56	36.63	10.00	357	100	PEAK	2	5874.40	70.51	105.47	-34.96	49.38	35.20	12.59	36.66	10.00	357	100	PEAK	3	5923.60	61.18	69.23	-8.05	40.04	35.30	12.66	36.82	10.00	357	100	PEAK	4	5977.20	60.74	68.20	-7.46	39.77	35.30	12.73	37.06	10.00	357	100	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.80	71.35	111.36	-40.01	50.30	35.12	12.56	36.63	10.00	357	100	PEAK																																																																																				
2	5874.40	70.51	105.47	-34.96	49.38	35.20	12.59	36.66	10.00	357	100	PEAK																																																																																				
3	5923.60	61.18	69.23	-8.05	40.04	35.30	12.66	36.82	10.00	357	100	PEAK																																																																																				
4	5977.20	60.74	68.20	-7.46	39.77	35.30	12.73	37.06	10.00	357	100	PEAK																																																																																				




Mode	56																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>56.78</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	46.38	74.00	-27.62	56.78	38.19	17.93	66.52	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>56.21</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.81	74.00	-28.19	56.21	38.19	17.93	66.52	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11590.00	46.38	74.00	-27.62	56.78	38.19	17.93	66.52	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11590.00	45.81	74.00	-28.19	56.21	38.19	17.93	66.52	0.00	---	---	PEAK																																																																																													






		57																																																																																													
Mode		Band Edge - L																																																																																													
		U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																													
ANT		CDD 1S4T																																																																																													
Pol.		Fundamental																																																																																													
Peak	Horizontal																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.40</td><td>67.21</td><td>68.20</td><td>-0.99</td><td>46.66</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>123</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>64.72</td><td>68.50</td><td>-3.78</td><td>44.17</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>123</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5706.80</td><td>73.64</td><td>107.21</td><td>-33.57</td><td>52.98</td><td>34.61</td><td>12.41</td><td>36.36</td><td>10.00</td><td>123</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>77.47</td><td>116.37</td><td>-38.90</td><td>56.80</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>123</td><td>180</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.40	67.21	68.20	-0.99	46.66	34.50	12.35	36.30	10.00	123	180	PEAK	2	5650.40	64.72	68.50	-3.78	44.17	34.50	12.36	36.31	10.00	123	180	PEAK	3	5706.80	73.64	107.21	-33.57	52.98	34.61	12.41	36.36	10.00	123	180	PEAK	4	5722.40	77.47	116.37	-38.90	56.80	34.64	12.42	36.39	10.00	123	180
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5644.40	67.21	68.20	-0.99	46.66	34.50	12.35	36.30	10.00	123	180	PEAK																																																																																			
2	5650.40	64.72	68.50	-3.78	44.17	34.50	12.36	36.31	10.00	123	180	PEAK																																																																																			
3	5706.80	73.64	107.21	-33.57	52.98	34.61	12.41	36.36	10.00	123	180	PEAK																																																																																			
4	5722.40	77.47	116.37	-38.90	56.80	34.64	12.42	36.39	10.00	123	180	PEAK																																																																																			
Avg	Blank																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>106.98</td><td>-----</td><td>-----</td><td>86.28</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>123</td><td>180</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	106.98	-----	-----	86.28	34.69	12.44	36.43	10.00	123	180	AVERAGE																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5775.00	106.98	-----	-----	86.28	34.69	12.44	36.43	10.00	123	180	AVERAGE																																																																																			




Mode	57																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																															
ANT	CDD 1S4T																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>65.58</td><td>111.36</td><td>-45.78</td><td>44.53</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>123</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5866.80</td><td>71.91</td><td>107.59</td><td>-35.68</td><td>50.81</td><td>35.17</td><td>12.58</td><td>36.65</td><td>10.00</td><td>123</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>65.59</td><td>69.23</td><td>-3.64</td><td>44.45</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>123</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>65.48</td><td>68.20</td><td>-2.72</td><td>44.35</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>123</td><td>180</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	65.58	111.36	-45.78	44.53	35.12	12.56	36.63	10.00	123	180	PEAK	2	5866.80	71.91	107.59	-35.68	50.81	35.17	12.58	36.65	10.00	123	180	PEAK	3	5923.60	65.59	69.23	-3.64	44.45	35.30	12.66	36.82	10.00	123	180	PEAK	4	5925.60	65.48	68.20	-2.72	44.35	35.30	12.66	36.83	10.00	123	180	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.80	65.58	111.36	-45.78	44.53	35.12	12.56	36.63	10.00	123	180	PEAK																																																																																				
2	5866.80	71.91	107.59	-35.68	50.81	35.17	12.58	36.65	10.00	123	180	PEAK																																																																																				
3	5923.60	65.59	69.23	-3.64	44.45	35.30	12.66	36.82	10.00	123	180	PEAK																																																																																				
4	5925.60	65.48	68.20	-2.72	44.35	35.30	12.66	36.83	10.00	123	180	PEAK																																																																																				





Mode	57																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																	
ANT	CDD 1S4T																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5641.60</td><td>63.62</td><td>68.20</td><td>-4.58</td><td>43.07</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>283</td><td>102 PEAK</td></tr><tr><td>2</td><td>5654.00</td><td>62.66</td><td>71.18</td><td>-8.52</td><td>42.10</td><td>34.51</td><td>12.36</td><td>36.31</td><td>10.00</td><td>283</td><td>102 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>67.11</td><td>105.41</td><td>-38.30</td><td>46.46</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>283</td><td>102 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>67.90</td><td>110.90</td><td>-43.00</td><td>47.23</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>283</td><td>102 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5641.60	63.62	68.20	-4.58	43.07	34.50	12.35	36.30	10.00	283	102 PEAK	2	5654.00	62.66	71.18	-8.52	42.10	34.51	12.36	36.31	10.00	283	102 PEAK	3	5700.40	67.11	105.41	-38.30	46.46	34.60	12.40	36.35	10.00	283	102 PEAK	4	5720.00	67.90	110.90	-43.00	47.23	34.64	12.42	36.39	10.00	283	102 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>112.47</td><td>-----</td><td>-----</td><td>91.70</td><td>34.78</td><td>12.46</td><td>36.47</td><td>10.00</td><td>283</td><td>102 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	112.47	-----	-----	91.70	34.78	12.46	36.47	10.00	283
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5641.60	63.62	68.20	-4.58	43.07	34.50	12.35	36.30	10.00	283	102 PEAK																																																																																																							
2	5654.00	62.66	71.18	-8.52	42.10	34.51	12.36	36.31	10.00	283	102 PEAK																																																																																																							
3	5700.40	67.11	105.41	-38.30	46.46	34.60	12.40	36.35	10.00	283	102 PEAK																																																																																																							
4	5720.00	67.90	110.90	-43.00	47.23	34.64	12.42	36.39	10.00	283	102 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5775.00	112.47	-----	-----	91.70	34.78	12.46	36.47	10.00	283	102 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.54</td><td>-----</td><td>-----</td><td>80.77</td><td>34.78</td><td>12.46</td><td>36.47</td><td>10.00</td><td>283</td><td>102 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	101.54	-----	-----	80.77	34.78	12.46	36.47	10.00	283	102 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5775.00	101.54	-----	-----	80.77	34.78	12.46	36.47	10.00	283	102 AVERAGE																																																																																																							






Mode	57																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>67.22</td><td>111.36</td><td>-44.14</td><td>46.17</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>283</td><td>102 PEAK</td></tr><tr><td>2</td><td>5861.60</td><td>69.52</td><td>109.05</td><td>-39.53</td><td>48.44</td><td>35.15</td><td>12.57</td><td>36.64</td><td>10.00</td><td>283</td><td>102 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>60.65</td><td>69.53</td><td>-8.88</td><td>39.50</td><td>35.30</td><td>12.66</td><td>36.81</td><td>10.00</td><td>283</td><td>102 PEAK</td></tr><tr><td>4</td><td>5948.80</td><td>60.11</td><td>68.20</td><td>-8.09</td><td>39.02</td><td>35.30</td><td>12.68</td><td>36.89</td><td>10.00</td><td>283</td><td>102 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	67.22	111.36	-44.14	46.17	35.12	12.56	36.63	10.00	283	102 PEAK	2	5861.60	69.52	109.05	-39.53	48.44	35.15	12.57	36.64	10.00	283	102 PEAK	3	5923.20	60.65	69.53	-8.88	39.50	35.30	12.66	36.81	10.00	283	102 PEAK	4	5948.80	60.11	68.20	-8.09	39.02	35.30	12.68	36.89	10.00	283	102 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.80	67.22	111.36	-44.14	46.17	35.12	12.56	36.63	10.00	283	102 PEAK																																																																																	
2	5861.60	69.52	109.05	-39.53	48.44	35.15	12.57	36.64	10.00	283	102 PEAK																																																																																	
3	5923.20	60.65	69.53	-8.88	39.50	35.30	12.66	36.81	10.00	283	102 PEAK																																																																																	
4	5948.80	60.11	68.20	-8.09	39.02	35.30	12.68	36.89	10.00	283	102 PEAK																																																																																	






		57																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																										
ANT		CDD 1S4T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>55.06</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	44.58	74.00	-29.42	55.06	38.15	17.91	66.54	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11550.00	44.58	74.00	-29.42	55.06	38.15	17.91	66.54	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>56.27</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.79	74.00	-28.21	56.27	38.15	17.91	66.54	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11550.00	45.79	74.00	-28.21	56.27	38.15	17.91	66.54	0.00	---	---	PEAK																																																






Mode	58																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_RU52*4_5825MHz																																																																																																																	
ANT	CDD 1S4T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>91.88</td><td>111.36</td><td>-19.48</td><td>70.83</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>149</td><td>360 PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>89.23</td><td>110.84</td><td>-21.61</td><td>68.18</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>149</td><td>360 PEAK</td></tr><tr><td>3</td><td>5914.00</td><td>71.10</td><td>76.34</td><td>-5.24</td><td>49.93</td><td>35.30</td><td>12.64</td><td>36.77</td><td>10.00</td><td>149</td><td>360 PEAK</td></tr><tr><td>4</td><td>5930.00</td><td>62.93</td><td>68.20</td><td>-5.27</td><td>41.81</td><td>35.30</td><td>12.67</td><td>36.85</td><td>10.00</td><td>149</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5854.00	91.88	111.36	-19.48	70.83	35.12	12.56	36.63	10.00	149	360 PEAK	2	5855.20	89.23	110.84	-21.61	68.18	35.12	12.56	36.63	10.00	149	360 PEAK	3	5914.00	71.10	76.34	-5.24	49.93	35.30	12.64	36.77	10.00	149	360 PEAK	4	5930.00	62.93	68.20	-5.27	41.81	35.30	12.67	36.85	10.00	149	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>122.98</td><td>-----</td><td>-----</td><td>101.96</td><td>35.07</td><td>12.54</td><td>36.59</td><td>10.00</td><td>149</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	122.98	-----	-----	101.96	35.07	12.54	36.59	10.00	149
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5854.00	91.88	111.36	-19.48	70.83	35.12	12.56	36.63	10.00	149	360 PEAK																																																																																																							
2	5855.20	89.23	110.84	-21.61	68.18	35.12	12.56	36.63	10.00	149	360 PEAK																																																																																																							
3	5914.00	71.10	76.34	-5.24	49.93	35.30	12.64	36.77	10.00	149	360 PEAK																																																																																																							
4	5930.00	62.93	68.20	-5.27	41.81	35.30	12.67	36.85	10.00	149	360 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5825.00	122.98	-----	-----	101.96	35.07	12.54	36.59	10.00	149	360 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.70</td><td>-----</td><td>-----</td><td>91.68</td><td>35.07</td><td>12.54</td><td>36.59</td><td>10.00</td><td>149</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	112.70	-----	-----	91.68	35.07	12.54	36.59	10.00	149	360 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5825.00	112.70	-----	-----	91.68	35.07	12.54	36.59	10.00	149	360 AVERAGE																																																																																																							




Mode	58																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_RU52*4_5825MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>80.61</td><td>112.27</td><td>-31.66</td><td>59.56</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>318</td><td>138 PEAK</td></tr><tr><td>2</td><td>5866.00</td><td>79.12</td><td>107.82</td><td>-28.70</td><td>58.03</td><td>35.16</td><td>12.58</td><td>36.65</td><td>10.00</td><td>318</td><td>138 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>60.69</td><td>68.64</td><td>-7.95</td><td>39.55</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>318</td><td>138 PEAK</td></tr><tr><td>4</td><td>5950.00</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>40.79</td><td>35.30</td><td>12.69</td><td>36.94</td><td>10.00</td><td>318</td><td>138 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.40	80.61	112.27	-31.66	59.56	35.12	12.56	36.63	10.00	318	138 PEAK	2	5866.00	79.12	107.82	-28.70	58.03	35.16	12.58	36.65	10.00	318	138 PEAK	3	5924.40	60.69	68.64	-7.95	39.55	35.30	12.66	36.82	10.00	318	138 PEAK	4	5950.00	61.84	68.20	-6.36	40.79	35.30	12.69	36.94	10.00	318	138 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>116.71</td><td>-----</td><td>-----</td><td>95.69</td><td>35.07</td><td>12.54</td><td>36.59</td><td>10.00</td><td>318</td><td>138 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	116.71	-----	-----	95.69	35.07	12.54	36.59	10.00	318	138 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5854.40	80.61	112.27	-31.66	59.56	35.12	12.56	36.63	10.00	318	138 PEAK																																																																																																													
2	5866.00	79.12	107.82	-28.70	58.03	35.16	12.58	36.65	10.00	318	138 PEAK																																																																																																													
3	5924.40	60.69	68.64	-7.95	39.55	35.30	12.66	36.82	10.00	318	138 PEAK																																																																																																													
4	5950.00	61.84	68.20	-6.36	40.79	35.30	12.69	36.94	10.00	318	138 PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5825.00	116.71	-----	-----	95.69	35.07	12.54	36.59	10.00	318	138 PEAK																																																																																																													
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.69</td><td>-----</td><td>-----</td><td>85.67</td><td>35.07</td><td>12.54</td><td>36.59</td><td>10.00</td><td>318</td><td>138 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	106.69	-----	-----	85.67	35.07	12.54	36.59	10.00	318	138 AVERAGE																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5825.00	106.69	-----	-----	85.67	35.07	12.54	36.59	10.00	318	138 AVERAGE																																																																																																													






Mode	59																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5648.00</td><td>64.18</td><td>68.20</td><td>-4.02</td><td>43.63</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>110</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.75</td><td>68.20</td><td>-6.45</td><td>41.21</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>110</td><td>168</td><td>PEAK</td></tr><tr><td>3</td><td>5708.00</td><td>75.36</td><td>107.54</td><td>-32.18</td><td>54.69</td><td>34.62</td><td>12.41</td><td>36.36</td><td>10.00</td><td>110</td><td>168</td><td>PEAK</td></tr><tr><td>4</td><td>5723.20</td><td>79.67</td><td>118.20</td><td>-38.53</td><td>58.99</td><td>34.65</td><td>12.42</td><td>36.39</td><td>10.00</td><td>110</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5648.00	64.18	68.20	-4.02	43.63	34.50	12.35	36.30	10.00	110	168	PEAK	2	5650.00	61.75	68.20	-6.45	41.21	34.50	12.35	36.31	10.00	110	168	PEAK	3	5708.00	75.36	107.54	-32.18	54.69	34.62	12.41	36.36	10.00	110	168	PEAK	4	5723.20	79.67	118.20	-38.53	58.99	34.65	12.42	36.39	10.00	110	168	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>116.47</td><td>-----</td><td>-----</td><td>95.67</td><td>34.82</td><td>12.46</td><td>36.48</td><td>10.00</td><td>110</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	116.47	-----	-----	95.67	34.82	12.46	36.48	10.00	110	168
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5648.00	64.18	68.20	-4.02	43.63	34.50	12.35	36.30	10.00	110	168	PEAK																																																																																																												
2	5650.00	61.75	68.20	-6.45	41.21	34.50	12.35	36.31	10.00	110	168	PEAK																																																																																																												
3	5708.00	75.36	107.54	-32.18	54.69	34.62	12.41	36.36	10.00	110	168	PEAK																																																																																																												
4	5723.20	79.67	118.20	-38.53	58.99	34.65	12.42	36.39	10.00	110	168	PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5775.00	116.47	-----	-----	95.67	34.82	12.46	36.48	10.00	110	168	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.72</td><td>-----</td><td>-----</td><td>85.02</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>110</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	105.72	-----	-----	85.02	34.69	12.44	36.43	10.00	110	168	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5775.00	105.72	-----	-----	85.02	34.69	12.44	36.43	10.00	110	168	AVERAGE																																																																																																												




Mode	59																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																															
ANT	CDD 1S4T																																																																																															
Pol.	Horizontal							Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>60.08</td><td>111.36</td><td>-51.28</td><td>39.03</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>110</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>5865.60</td><td>72.25</td><td>107.93</td><td>-35.68</td><td>51.16</td><td>35.16</td><td>12.58</td><td>36.65</td><td>10.00</td><td>110</td><td>168</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>60.79</td><td>68.64</td><td>-7.85</td><td>39.65</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>110</td><td>168</td><td>PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>61.29</td><td>68.20</td><td>-6.91</td><td>40.16</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>110</td><td>168</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	60.08	111.36	-51.28	39.03	35.12	12.56	36.63	10.00	110	168	PEAK	2	5865.60	72.25	107.93	-35.68	51.16	35.16	12.58	36.65	10.00	110	168	PEAK	3	5924.40	60.79	68.64	-7.85	39.65	35.30	12.66	36.82	10.00	110	168	PEAK	4	5927.20	61.29	68.20	-6.91	40.16	35.30	12.66	36.83	10.00	110	168	PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.80	60.08	111.36	-51.28	39.03	35.12	12.56	36.63	10.00	110	168	PEAK																																																																																				
2	5865.60	72.25	107.93	-35.68	51.16	35.16	12.58	36.65	10.00	110	168	PEAK																																																																																				
3	5924.40	60.79	68.64	-7.85	39.65	35.30	12.66	36.82	10.00	110	168	PEAK																																																																																				
4	5927.20	61.29	68.20	-6.91	40.16	35.30	12.66	36.83	10.00	110	168	PEAK																																																																																				






Mode	59																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																	
ANT	CDD 1S4T																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5600.00</td><td>59.79</td><td>68.20</td><td>-8.41</td><td>39.24</td><td>34.50</td><td>12.31</td><td>36.26</td><td>10.00</td><td>300</td><td>106 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>59.80</td><td>69.39</td><td>-9.59</td><td>39.25</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>300</td><td>106 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>71.49</td><td>105.41</td><td>-33.92</td><td>50.84</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>300</td><td>106 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>74.51</td><td>111.81</td><td>-37.30</td><td>53.84</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>300</td><td>106 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5600.00	59.79	68.20	-8.41	39.24	34.50	12.31	36.26	10.00	300	106 PEAK	2	5651.60	59.80	69.39	-9.59	39.25	34.50	12.36	36.31	10.00	300	106 PEAK	3	5700.40	71.49	105.41	-33.92	50.84	34.60	12.40	36.35	10.00	300	106 PEAK	4	5720.40	74.51	111.81	-37.30	53.84	34.64	12.42	36.39	10.00	300	106 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>114.39</td><td>-----</td><td>-----</td><td>93.69</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>300</td><td>106 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	114.39	-----	-----	93.69	34.68	12.44	36.42	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5600.00	59.79	68.20	-8.41	39.24	34.50	12.31	36.26	10.00	300	106 PEAK																																																																																																							
2	5651.60	59.80	69.39	-9.59	39.25	34.50	12.36	36.31	10.00	300	106 PEAK																																																																																																							
3	5700.40	71.49	105.41	-33.92	50.84	34.60	12.40	36.35	10.00	300	106 PEAK																																																																																																							
4	5720.40	74.51	111.81	-37.30	53.84	34.64	12.42	36.39	10.00	300	106 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5775.00	114.39	-----	-----	93.69	34.68	12.44	36.42	10.00	300	106 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.64</td><td>-----</td><td>-----</td><td>80.94</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>300</td><td>106 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	101.64	-----	-----	80.94	34.68	12.44	36.42	10.00	300	106 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5775.00	101.64	-----	-----	80.94	34.68	12.44	36.42	10.00	300	106 AVERAGE																																																																																																							




Mode	59																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																															
ANT	CDD 1S4T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>65.62</td><td>111.36</td><td>-45.74</td><td>44.57</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>300</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>5868.80</td><td>68.55</td><td>109.27</td><td>-40.72</td><td>47.48</td><td>35.14</td><td>12.57</td><td>36.64</td><td>10.00</td><td>300</td><td>106</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>59.44</td><td>68.35</td><td>-8.91</td><td>38.30</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>300</td><td>106</td><td>PEAK</td></tr><tr><td>4</td><td>5947.60</td><td>61.00</td><td>68.20</td><td>-7.20</td><td>39.93</td><td>35.30</td><td>12.69</td><td>36.92</td><td>10.00</td><td>300</td><td>106</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	65.62	111.36	-45.74	44.57	35.12	12.56	36.63	10.00	300	106	PEAK	2	5868.80	68.55	109.27	-40.72	47.48	35.14	12.57	36.64	10.00	300	106	PEAK	3	5924.80	59.44	68.35	-8.91	38.30	35.30	12.66	36.82	10.00	300	106	PEAK	4	5947.60	61.00	68.20	-7.20	39.93	35.30	12.69	36.92	10.00	300	106	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.80	65.62	111.36	-45.74	44.57	35.12	12.56	36.63	10.00	300	106	PEAK																																																																																				
2	5868.80	68.55	109.27	-40.72	47.48	35.14	12.57	36.64	10.00	300	106	PEAK																																																																																				
3	5924.80	59.44	68.35	-8.91	38.30	35.30	12.66	36.82	10.00	300	106	PEAK																																																																																				
4	5947.60	61.00	68.20	-7.20	39.93	35.30	12.69	36.92	10.00	300	106	PEAK																																																																																				



Mode	60																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5648.00</td><td>62.78</td><td>68.20</td><td>-5.42</td><td>42.23</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>124</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>59.41</td><td>68.80</td><td>-9.39</td><td>38.86</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>124</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5706.00</td><td>67.74</td><td>106.98</td><td>-39.24</td><td>47.08</td><td>34.61</td><td>12.41</td><td>36.36</td><td>10.00</td><td>124</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5724.40</td><td>78.49</td><td>120.93</td><td>-42.44</td><td>57.81</td><td>34.65</td><td>12.42</td><td>36.39</td><td>10.00</td><td>124</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5648.00	62.78	68.20	-5.42	42.23	34.50	12.35	36.30	10.00	124	180	PEAK	2	5650.00	59.41	68.80	-9.39	38.86	34.50	12.36	36.31	10.00	124	180	PEAK	3	5706.00	67.74	106.98	-39.24	47.08	34.61	12.41	36.36	10.00	124	180	PEAK	4	5724.40	78.49	120.93	-42.44	57.81	34.65	12.42	36.39	10.00	124	180	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>116.38</td><td>-----</td><td>-----</td><td>95.58</td><td>34.82</td><td>12.46</td><td>36.48</td><td>10.00</td><td>124</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	116.38	-----	-----	95.58	34.82	12.46	36.48	10.00	124	180
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5648.00	62.78	68.20	-5.42	42.23	34.50	12.35	36.30	10.00	124	180	PEAK																																																																																																												
2	5650.00	59.41	68.80	-9.39	38.86	34.50	12.36	36.31	10.00	124	180	PEAK																																																																																																												
3	5706.00	67.74	106.98	-39.24	47.08	34.61	12.41	36.36	10.00	124	180	PEAK																																																																																																												
4	5724.40	78.49	120.93	-42.44	57.81	34.65	12.42	36.39	10.00	124	180	PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5775.00	116.38	-----	-----	95.58	34.82	12.46	36.48	10.00	124	180	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.26</td><td>-----</td><td>-----</td><td>84.46</td><td>34.82</td><td>12.46</td><td>36.48</td><td>10.00</td><td>124</td><td>180</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	105.26	-----	-----	84.46	34.82	12.46	36.48	10.00	124	180	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5775.00	105.26	-----	-----	84.46	34.82	12.46	36.48	10.00	124	180	AVERAGE																																																																																																												




Mode	60																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																															
ANT	CDD 1S4T																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>63.22</td><td>111.36</td><td>-48.14</td><td>42.17</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>124</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5865.60</td><td>72.16</td><td>107.93</td><td>-35.77</td><td>51.07</td><td>35.16</td><td>12.58</td><td>36.65</td><td>10.00</td><td>124</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>61.07</td><td>68.35</td><td>-7.28</td><td>39.93</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>124</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>61.28</td><td>68.20</td><td>-6.92</td><td>40.15</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>124</td><td>180</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	63.22	111.36	-48.14	42.17	35.12	12.56	36.63	10.00	124	180	PEAK	2	5865.60	72.16	107.93	-35.77	51.07	35.16	12.58	36.65	10.00	124	180	PEAK	3	5924.80	61.07	68.35	-7.28	39.93	35.30	12.66	36.82	10.00	124	180	PEAK	4	5927.60	61.28	68.20	-6.92	40.15	35.30	12.66	36.83	10.00	124	180	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.80	63.22	111.36	-48.14	42.17	35.12	12.56	36.63	10.00	124	180	PEAK																																																																																				
2	5865.60	72.16	107.93	-35.77	51.07	35.16	12.58	36.65	10.00	124	180	PEAK																																																																																				
3	5924.80	61.07	68.35	-7.28	39.93	35.30	12.66	36.82	10.00	124	180	PEAK																																																																																				
4	5927.60	61.28	68.20	-6.92	40.15	35.30	12.66	36.83	10.00	124	180	PEAK																																																																																				






Mode	60																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																																							
ANT	CDD 1S4T																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.40</td><td>59.99</td><td>68.20</td><td>-8.21</td><td>39.44</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>360</td><td>102 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>59.08</td><td>69.09</td><td>-10.01</td><td>38.53</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>360</td><td>102 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>68.62</td><td>106.09</td><td>-37.47</td><td>47.97</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>360</td><td>102 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>70.71</td><td>111.81</td><td>-41.10</td><td>50.04</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>360</td><td>102 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5626.40	59.99	68.20	-8.21	39.44	34.50	12.33	36.28	10.00	360	102 PEAK	2	5651.20	59.08	69.09	-10.01	38.53	34.50	12.36	36.31	10.00	360	102 PEAK	3	5702.00	68.62	106.09	-37.47	47.97	34.61	12.40	36.36	10.00	360	102 PEAK	4	5720.40	70.71	111.81	-41.10	50.04	34.64	12.42	36.39	10.00	360	102 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>112.59</td><td>-----</td><td>-----</td><td>91.82</td><td>34.78</td><td>12.46</td><td>36.47</td><td>10.00</td><td>360</td><td>102 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	112.59	-----	-----	91.82	34.78	12.46	36.47	10.00	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5626.40	59.99	68.20	-8.21	39.44	34.50	12.33	36.28	10.00	360	102 PEAK																																																																																																																													
2	5651.20	59.08	69.09	-10.01	38.53	34.50	12.36	36.31	10.00	360	102 PEAK																																																																																																																													
3	5702.00	68.62	106.09	-37.47	47.97	34.61	12.40	36.36	10.00	360	102 PEAK																																																																																																																													
4	5720.40	70.71	111.81	-41.10	50.04	34.64	12.42	36.39	10.00	360	102 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	112.59	-----	-----	91.82	34.78	12.46	36.47	10.00	360	102 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.37</td><td>-----</td><td>-----</td><td>80.60</td><td>34.78</td><td>12.46</td><td>36.47</td><td>10.00</td><td>360</td><td>102 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.37	-----	-----	80.60	34.78	12.46	36.47	10.00	360	102 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	101.37	-----	-----	80.60	34.78	12.46	36.47	10.00	360	102 AVERAGE																																																																																																																													



Mode	60																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																		
ANT	CDD 1S4T																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>67.57</td><td>112.27</td><td>-44.70</td><td>46.52</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>360</td><td>102 PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>69.04</td><td>108.71</td><td>-39.67</td><td>47.96</td><td>35.15</td><td>12.57</td><td>36.64</td><td>10.00</td><td>360</td><td>102 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>61.11</td><td>69.53</td><td>-8.42</td><td>39.96</td><td>35.30</td><td>12.66</td><td>36.81</td><td>10.00</td><td>360</td><td>102 PEAK</td></tr><tr><td>4</td><td>5931.20</td><td>60.39</td><td>68.20</td><td>-7.81</td><td>39.27</td><td>35.30</td><td>12.67</td><td>36.85</td><td>10.00</td><td>360</td><td>102 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	67.57	112.27	-44.70	46.52	35.12	12.56	36.63	10.00	360	102 PEAK	2	5862.80	69.04	108.71	-39.67	47.96	35.15	12.57	36.64	10.00	360	102 PEAK	3	5923.20	61.11	69.53	-8.42	39.96	35.30	12.66	36.81	10.00	360	102 PEAK	4	5931.20	60.39	68.20	-7.81	39.27	35.30	12.67	36.85	10.00	360	102 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.40	67.57	112.27	-44.70	46.52	35.12	12.56	36.63	10.00	360	102 PEAK																																																																								
2	5862.80	69.04	108.71	-39.67	47.96	35.15	12.57	36.64	10.00	360	102 PEAK																																																																								
3	5923.20	61.11	69.53	-8.42	39.96	35.30	12.66	36.81	10.00	360	102 PEAK																																																																								
4	5931.20	60.39	68.20	-7.81	39.27	35.30	12.67	36.85	10.00	360	102 PEAK																																																																								



Mode	90																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																			
ANT	TXBF 1S4T																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5648.00</td><td>59.87</td><td>68.20</td><td>-8.33</td><td>39.32</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>331</td><td>61 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.81</td><td>68.20</td><td>-9.39</td><td>38.27</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>331</td><td>61 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>73.34</td><td>110.90</td><td>-37.56</td><td>52.67</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>331</td><td>61 PEAK</td></tr><tr><td>4</td><td>5723.60</td><td>78.74</td><td>119.11</td><td>-40.37</td><td>58.06</td><td>34.65</td><td>12.42</td><td>36.39</td><td>10.00</td><td>331</td><td>61 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5648.00	59.87	68.20	-8.33	39.32	34.50	12.35	36.30	10.00	331	61 PEAK	2	5650.00	58.81	68.20	-9.39	38.27	34.50	12.35	36.31	10.00	331	61 PEAK	3	5720.00	73.34	110.90	-37.56	52.67	34.64	12.42	36.39	10.00	331	61 PEAK	4	5723.60	78.74	119.11	-40.37	58.06	34.65	12.42	36.39	10.00	331	61 Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.54</td><td>-----</td><td>-----</td><td>94.84</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>331</td><td>61 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	115.54	-----	-----	94.84	34.68	12.44	36.42	10.00	331	61 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
1	5648.00	59.87	68.20	-8.33	39.32	34.50	12.35	36.30	10.00	331	61 PEAK																																																																																																									
2	5650.00	58.81	68.20	-9.39	38.27	34.50	12.35	36.31	10.00	331	61 PEAK																																																																																																									
3	5720.00	73.34	110.90	-37.56	52.67	34.64	12.42	36.39	10.00	331	61 PEAK																																																																																																									
4	5723.60	78.74	119.11	-40.37	58.06	34.65	12.42	36.39	10.00	331	61 Peak																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
1	5745.00	115.54	-----	-----	94.84	34.68	12.44	36.42	10.00	331	61 PEAK																																																																																																									
Avg	Blank																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.78</td><td>-----</td><td>-----</td><td>84.00</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>331</td><td>61 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	104.78	-----	-----	84.00	34.68	12.44	36.42	10.00	331	61 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
1	5745.00	104.78	-----	-----	84.00	34.68	12.44	36.42	10.00	331	61 AVERAGE																																																																																																									