










Mode	90																																																																																																																																																										
	Band Edge																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																																																										
ANT	TXBF 1S4T																																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																																				
Peak																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.00</td><td>63.20</td><td>68.20</td><td>-5.00</td><td>42.65</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.69</td><td>68.20</td><td>-6.51</td><td>41.15</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>83.00</td><td>110.90</td><td>-27.82</td><td>62.41</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>85.39</td><td>112.72</td><td>-27.33</td><td>64.72</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>100</td><td>356</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.00	63.20	68.20	-5.00	42.65	34.50	12.35	36.30	10.00	100	356	PEAK	2	5650.00	61.69	68.20	-6.51	41.15	34.50	12.35	36.31	10.00	100	356	PEAK	3	5720.00	83.00	110.90	-27.82	62.41	34.64	12.42	36.39	10.00	100	356	PEAK	4	5720.80	85.39	112.72	-27.33	64.72	34.64	12.42	36.39	10.00	100	356	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4216.00</td><td>68.50</td><td>74.00</td><td>-5.50</td><td>51.51</td><td>33.43</td><td>10.64</td><td>37.08</td><td>10.00</td><td>200</td><td>356</td><td>Peak</td></tr><tr><td>2</td><td>5745.00</td><td>129.28</td><td>-----</td><td>-----</td><td>108.58</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>100</td><td>356</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4216.00	68.50	74.00	-5.50	51.51	33.43	10.64	37.08	10.00	200	356	Peak	2	5745.00	129.28	-----	-----	108.58	34.69	12.44	36.43	10.00	100	356
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	5640.00	63.20	68.20	-5.00	42.65	34.50	12.35	36.30	10.00	100	356	PEAK																																																																																																																																															
2	5650.00	61.69	68.20	-6.51	41.15	34.50	12.35	36.31	10.00	100	356	PEAK																																																																																																																																															
3	5720.00	83.00	110.90	-27.82	62.41	34.64	12.42	36.39	10.00	100	356	PEAK																																																																																																																																															
4	5720.80	85.39	112.72	-27.33	64.72	34.64	12.42	36.39	10.00	100	356	PEAK																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	4216.00	68.50	74.00	-5.50	51.51	33.43	10.64	37.08	10.00	200	356	Peak																																																																																																																																															
2	5745.00	129.28	-----	-----	108.58	34.69	12.44	36.43	10.00	100	356	PEAK																																																																																																																																															
Avg																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4216.00</td><td>52.99</td><td>54.00</td><td>-1.01</td><td>36.00</td><td>33.43</td><td>10.64</td><td>37.08</td><td>10.00</td><td>200</td><td>356</td><td>Average</td></tr><tr><td>2</td><td>5745.00</td><td>115.93</td><td>-----</td><td>-----</td><td>95.23</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>100</td><td>356</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4216.00	52.99	54.00	-1.01	36.00	33.43	10.64	37.08	10.00	200	356	Average	2	5745.00	115.93	-----	-----	95.23	34.68	12.44	36.42	10.00	100	356	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4216.00</td><td>52.99</td><td>54.00</td><td>-1.01</td><td>36.00</td><td>33.43</td><td>10.64</td><td>37.08</td><td>10.00</td><td>200</td><td>356</td><td>Average</td></tr><tr><td>2</td><td>5745.00</td><td>115.93</td><td>-----</td><td>-----</td><td>95.23</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>100</td><td>356</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4216.00	52.99	54.00	-1.01	36.00	33.43	10.64	37.08	10.00	200	356	Average	2	5745.00	115.93	-----	-----	95.23	34.68	12.44	36.42	10.00	100	356	AVERAGE																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	4216.00	52.99	54.00	-1.01	36.00	33.43	10.64	37.08	10.00	200	356	Average																																																																																																																																															
2	5745.00	115.93	-----	-----	95.23	34.68	12.44	36.42	10.00	100	356	AVERAGE																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	4216.00	52.99	54.00	-1.01	36.00	33.43	10.64	37.08	10.00	200	356	Average																																																																																																																																															
2	5745.00	115.93	-----	-----	95.23	34.68	12.44	36.42	10.00	100	356	AVERAGE																																																																																																																																															






Mode	91																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																																			
ANT	TXBF 1S4T																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.20</td><td>60.47</td><td>68.20</td><td>-7.73</td><td>39.92</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>121 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>59.24</td><td>68.50</td><td>-9.26</td><td>38.69</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>121 PEAK</td></tr><tr><td>3</td><td>5708.00</td><td>67.45</td><td>107.54</td><td>-40.09</td><td>46.78</td><td>34.62</td><td>12.41</td><td>36.36</td><td>10.00</td><td>121 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>66.73</td><td>110.90</td><td>-44.17</td><td>46.06</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>121 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.20	60.47	68.20	-7.73	39.92	34.50	12.34	36.29	10.00	121 PEAK	2	5650.40	59.24	68.50	-9.26	38.69	34.50	12.36	36.31	10.00	121 PEAK	3	5708.00	67.45	107.54	-40.09	46.78	34.62	12.41	36.36	10.00	121 PEAK	4	5720.00	66.73	110.90	-44.17	46.06	34.64	12.42	36.39	10.00	121 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>116.58</td><td>-----</td><td>-----</td><td>95.66</td><td>34.96</td><td>12.48</td><td>36.52</td><td>10.00</td><td>121 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	116.58	-----	-----	95.66	34.96	12.48	36.52	10.00	121 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5635.20	60.47	68.20	-7.73	39.92	34.50	12.34	36.29	10.00	121 PEAK																																																																																																																										
2	5650.40	59.24	68.50	-9.26	38.69	34.50	12.36	36.31	10.00	121 PEAK																																																																																																																										
3	5708.00	67.45	107.54	-40.09	46.78	34.62	12.41	36.36	10.00	121 PEAK																																																																																																																										
4	5720.00	66.73	110.90	-44.17	46.06	34.64	12.42	36.39	10.00	121 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5785.00	116.58	-----	-----	95.66	34.96	12.48	36.52	10.00	121 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>106.47</td><td>-----</td><td>-----</td><td>85.55</td><td>34.96</td><td>12.48</td><td>36.52</td><td>10.00</td><td>121 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	106.47	-----	-----	85.55	34.96	12.48	36.52	10.00	121 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5785.00	106.47	-----	-----	85.55	34.96	12.48	36.52	10.00	121 AVERAGE																																																																																																																										




Mode	91																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																											
ANT	TXBF 1S4T																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>70.09</td><td>113.18</td><td>-43.09</td><td>49.04</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>69.27</td><td>110.28</td><td>-41.01</td><td>48.20</td><td>35.13</td><td>12.57</td><td>36.63</td><td>10.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>60.70</td><td>68.94</td><td>-8.24</td><td>39.56</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>61.50</td><td>68.20</td><td>-6.70</td><td>40.37</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>100</td><td>121 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	70.09	113.18	-43.09	49.04	35.12	12.56	36.63	10.00	100	121 PEAK	2	5857.20	69.27	110.28	-41.01	48.20	35.13	12.57	36.63	10.00	100	121 PEAK	3	5924.00	60.70	68.94	-8.24	39.56	35.30	12.66	36.82	10.00	100	121 PEAK	4	5927.20	61.50	68.20	-6.70	40.37	35.30	12.66	36.83	10.00	100	121 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	70.09	113.18	-43.09	49.04	35.12	12.56	36.63	10.00	100	121 PEAK																																																																																	
2	5857.20	69.27	110.28	-41.01	48.20	35.13	12.57	36.63	10.00	100	121 PEAK																																																																																	
3	5924.00	60.70	68.94	-8.24	39.56	35.30	12.66	36.82	10.00	100	121 PEAK																																																																																	
4	5927.20	61.50	68.20	-6.70	40.37	35.30	12.66	36.83	10.00	100	121 PEAK																																																																																	






Mode	91																																																																																																																																																										
	Band Edge - L																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																																																										
ANT	TXBF 1S4T																																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																																				
Peak																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.40</td><td>62.22</td><td>68.20</td><td>-5.98</td><td>41.67</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>61.58</td><td>68.50</td><td>-6.92</td><td>41.03</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5709.20</td><td>76.78</td><td>107.88</td><td>-31.10</td><td>56.12</td><td>34.62</td><td>12.41</td><td>36.37</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>80.26</td><td>112.72</td><td>-32.46</td><td>59.59</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.40	62.22	68.20	-5.98	41.67	34.50	12.35	36.30	10.00	132	360	PEAK	2	5650.40	61.58	68.50	-6.92	41.03	34.50	12.36	36.31	10.00	132	360	PEAK	3	5709.20	76.78	107.88	-31.10	56.12	34.62	12.41	36.37	10.00	132	360	PEAK	4	5720.80	80.26	112.72	-32.46	59.59	34.64	12.42	36.39	10.00	132	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4270.00</td><td>64.55</td><td>74.00</td><td>-9.45</td><td>47.36</td><td>33.54</td><td>10.70</td><td>37.05</td><td>10.00</td><td>132</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>5785.00</td><td>127.86</td><td>-----</td><td>-----</td><td>107.00</td><td>34.89</td><td>12.47</td><td>36.50</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4270.00	64.55	74.00	-9.45	47.36	33.54	10.70	37.05	10.00	132	360	Peak	2	5785.00	127.86	-----	-----	107.00	34.89	12.47	36.50	10.00	132	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	5640.40	62.22	68.20	-5.98	41.67	34.50	12.35	36.30	10.00	132	360	PEAK																																																																																																																																															
2	5650.40	61.58	68.50	-6.92	41.03	34.50	12.36	36.31	10.00	132	360	PEAK																																																																																																																																															
3	5709.20	76.78	107.88	-31.10	56.12	34.62	12.41	36.37	10.00	132	360	PEAK																																																																																																																																															
4	5720.80	80.26	112.72	-32.46	59.59	34.64	12.42	36.39	10.00	132	360	PEAK																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	4270.00	64.55	74.00	-9.45	47.36	33.54	10.70	37.05	10.00	132	360	Peak																																																																																																																																															
2	5785.00	127.86	-----	-----	107.00	34.89	12.47	36.50	10.00	132	360	PEAK																																																																																																																																															
Avg	Blank																																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4276.00</td><td>51.90</td><td>54.00</td><td>-2.10</td><td>34.68</td><td>33.55</td><td>10.71</td><td>37.04</td><td>10.00</td><td>132</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>5785.00</td><td>116.66</td><td>-----</td><td>-----</td><td>95.82</td><td>34.86</td><td>12.47</td><td>36.49</td><td>10.00</td><td>132</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4276.00	51.90	54.00	-2.10	34.68	33.55	10.71	37.04	10.00	132	360	Average	2	5785.00	116.66	-----	-----	95.82	34.86	12.47	36.49	10.00	132	360	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	4276.00	51.90	54.00	-2.10	34.68	33.55	10.71	37.04	10.00	132	360	Average																																																																																																																																															
2	5785.00	116.66	-----	-----	95.82	34.86	12.47	36.49	10.00	132	360	AVERAGE																																																																																																																																															






Mode	91																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																						
ANT	TXBF 1S4T																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>77.78</td><td>111.36</td><td>-33.58</td><td>56.73</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>79.07</td><td>107.48</td><td>-28.41</td><td>57.97</td><td>35.17</td><td>12.58</td><td>36.65</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>62.86</td><td>68.64</td><td>-5.78</td><td>41.72</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>63.02</td><td>68.20</td><td>-5.18</td><td>41.89</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>132</td><td>360</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	77.78	111.36	-33.58	56.73	35.12	12.56	36.63	10.00	132	360	PEAK	2	5867.20	79.07	107.48	-28.41	57.97	35.17	12.58	36.65	10.00	132	360	PEAK	3	5924.40	62.86	68.64	-5.78	41.72	35.30	12.66	36.82	10.00	132	360	PEAK	4	5925.60	63.02	68.20	-5.18	41.89	35.30	12.66	36.83	10.00	132	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.80	77.78	111.36	-33.58	56.73	35.12	12.56	36.63	10.00	132	360	PEAK																																																																											
2	5867.20	79.07	107.48	-28.41	57.97	35.17	12.58	36.65	10.00	132	360	PEAK																																																																											
3	5924.40	62.86	68.64	-5.78	41.72	35.30	12.66	36.82	10.00	132	360	PEAK																																																																											
4	5925.60	63.02	68.20	-5.18	41.89	35.30	12.66	36.83	10.00	132	360	PEAK																																																																											






Mode	92																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																		
ANT	TXBF 1S4T																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>73.63</td><td>111.36</td><td>-37.73</td><td>52.58</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>363</td><td>124 PEAK</td></tr><tr><td>2</td><td>5862.40</td><td>73.84</td><td>108.83</td><td>-34.99</td><td>52.76</td><td>35.15</td><td>12.57</td><td>36.64</td><td>10.00</td><td>363</td><td>124 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>62.17</td><td>68.35</td><td>-6.18</td><td>41.03</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>363</td><td>124 PEAK</td></tr><tr><td>4</td><td>5954.00</td><td>62.88</td><td>68.20</td><td>-5.32</td><td>41.84</td><td>35.30</td><td>12.70</td><td>36.96</td><td>10.00</td><td>363</td><td>124 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5854.00	73.63	111.36	-37.73	52.58	35.12	12.56	36.63	10.00	363	124 PEAK	2	5862.40	73.84	108.83	-34.99	52.76	35.15	12.57	36.64	10.00	363	124 PEAK	3	5924.00	62.17	68.35	-6.18	41.03	35.30	12.66	36.82	10.00	363	124 PEAK	4	5954.00	62.88	68.20	-5.32	41.84	35.30	12.70	36.96	10.00	363	124 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>116.73</td><td>-----</td><td>-----</td><td>95.74</td><td>35.04</td><td>12.51</td><td>36.56</td><td>10.00</td><td>363</td><td>124 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	116.73	-----	-----	95.74	35.04	12.51	36.56	10.00	363	124 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5854.00	73.63	111.36	-37.73	52.58	35.12	12.56	36.63	10.00	363	124 PEAK																																																																																																								
2	5862.40	73.84	108.83	-34.99	52.76	35.15	12.57	36.64	10.00	363	124 PEAK																																																																																																								
3	5924.00	62.17	68.35	-6.18	41.03	35.30	12.66	36.82	10.00	363	124 PEAK																																																																																																								
4	5954.00	62.88	68.20	-5.32	41.84	35.30	12.70	36.96	10.00	363	124 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5825.00	116.73	-----	-----	95.74	35.04	12.51	36.56	10.00	363	124 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.59</td><td>-----</td><td>-----</td><td>84.60</td><td>35.04</td><td>12.51</td><td>36.56</td><td>10.00</td><td>363</td><td>124 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	105.59	-----	-----	84.60	35.04	12.51	36.56	10.00	363	124 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5825.00	105.59	-----	-----	84.60	35.04	12.51	36.56	10.00	363	124 AVERAGE																																																																																																								




Mode	92																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																							
ANT	TXBF 1S4T																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>83.30</td><td>111.36</td><td>-28.06</td><td>62.25</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>156</td><td>360 PEAK</td></tr><tr><td>2 5860.00</td><td>85.29</td><td>109.50</td><td>-24.21</td><td>64.22</td><td>35.14</td><td>12.57</td><td>36.64</td><td>10.00</td><td>156</td><td>360 PEAK</td></tr><tr><td>3 5924.00</td><td>67.06</td><td>68.94</td><td>-1.88</td><td>45.92</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>156</td><td>360 PEAK</td></tr><tr><td>4 5929.60</td><td>67.62</td><td>68.20</td><td>-0.58</td><td>46.50</td><td>35.30</td><td>12.66</td><td>36.84</td><td>10.00</td><td>156</td><td>360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	83.30	111.36	-28.06	62.25	35.12	12.56	36.63	10.00	156	360 PEAK	2 5860.00	85.29	109.50	-24.21	64.22	35.14	12.57	36.64	10.00	156	360 PEAK	3 5924.00	67.06	68.94	-1.88	45.92	35.30	12.66	36.82	10.00	156	360 PEAK	4 5929.60	67.62	68.20	-0.58	46.50	35.30	12.66	36.84	10.00	156	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	83.30	111.36	-28.06	62.25	35.12	12.56	36.63	10.00	156	360 PEAK																																																																														
2 5860.00	85.29	109.50	-24.21	64.22	35.14	12.57	36.64	10.00	156	360 PEAK																																																																														
3 5924.00	67.06	68.94	-1.88	45.92	35.30	12.66	36.82	10.00	156	360 PEAK																																																																														
4 5929.60	67.62	68.20	-0.58	46.50	35.30	12.66	36.84	10.00	156	360 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>126.42</td><td>-----</td><td>-----</td><td>105.41</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>156</td><td>360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	126.42	-----	-----	105.41	35.06	12.53	36.58	10.00	156	360 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	126.42	-----	-----	105.41	35.06	12.53	36.58	10.00	156	360 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>114.85</td><td>-----</td><td>-----</td><td>93.84</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>156</td><td>360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	114.85	-----	-----	93.84	35.06	12.53	36.58	10.00	156	360 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	114.85	-----	-----	93.84	35.06	12.53	36.58	10.00	156	360 AVERAGE																																																																														






Mode	93																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																		
ANT	TXBF 1S4T																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5644.64</td><td>61.24</td><td>68.20</td><td>-6.96</td><td>40.69</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>376</td><td>59 PEAK</td></tr><tr><td>2 5650.07</td><td>60.72</td><td>68.25</td><td>-7.53</td><td>40.17</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>376</td><td>59 PEAK</td></tr><tr><td>3 5700.75</td><td>61.94</td><td>105.51</td><td>-43.57</td><td>41.29</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>376</td><td>59 PEAK</td></tr><tr><td>4 5721.37</td><td>67.80</td><td>114.01</td><td>-46.21</td><td>47.13</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>376</td><td>59 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5644.64	61.24	68.20	-6.96	40.69	34.50	12.35	36.30	10.00	376	59 PEAK	2 5650.07	60.72	68.25	-7.53	40.17	34.50	12.36	36.31	10.00	376	59 PEAK	3 5700.75	61.94	105.51	-43.57	41.29	34.60	12.40	36.35	10.00	376	59 PEAK	4 5721.37	67.80	114.01	-46.21	47.13	34.64	12.42	36.39	10.00	376	59 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>114.50</td><td>-----</td><td>-----</td><td>93.80</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>376</td><td>59 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	114.50	-----	-----	93.80	34.69	12.44	36.43	10.00	376
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5644.64	61.24	68.20	-6.96	40.69	34.50	12.35	36.30	10.00	376	59 PEAK																																																																																																																									
2 5650.07	60.72	68.25	-7.53	40.17	34.50	12.36	36.31	10.00	376	59 PEAK																																																																																																																									
3 5700.75	61.94	105.51	-43.57	41.29	34.60	12.40	36.35	10.00	376	59 PEAK																																																																																																																									
4 5721.37	67.80	114.01	-46.21	47.13	34.64	12.42	36.39	10.00	376	59 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5755.00	114.50	-----	-----	93.80	34.69	12.44	36.43	10.00	376	59 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>102.50</td><td>-----</td><td>-----</td><td>81.80</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>376</td><td>59 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	102.50	-----	-----	81.80	34.68	12.44	36.42	10.00	376	59 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5755.00	102.50	-----	-----	81.80	34.68	12.44	36.42	10.00	376	59 AVERAGE																																																																																																																									




Mode	93																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																		
ANT	TXBF 1S4T																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>60.18</td><td>111.26</td><td>-51.08</td><td>39.13</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>376</td><td>59 PEAK</td></tr><tr><td>2</td><td>5872.59</td><td>60.77</td><td>105.98</td><td>-45.21</td><td>39.65</td><td>35.19</td><td>12.59</td><td>36.66</td><td>10.00</td><td>376</td><td>59 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>60.81</td><td>68.60</td><td>-7.79</td><td>39.67</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>376</td><td>59 PEAK</td></tr><tr><td>4</td><td>5941.23</td><td>61.05</td><td>68.20</td><td>-7.15</td><td>39.97</td><td>35.30</td><td>12.68</td><td>36.90</td><td>10.00</td><td>376</td><td>59 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	60.18	111.26	-51.08	39.13	35.12	12.56	36.63	10.00	376	59 PEAK	2	5872.59	60.77	105.98	-45.21	39.65	35.19	12.59	36.66	10.00	376	59 PEAK	3	5924.46	60.81	68.60	-7.79	39.67	35.30	12.66	36.82	10.00	376	59 PEAK	4	5941.23	61.05	68.20	-7.15	39.97	35.30	12.68	36.90	10.00	376	59 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.84	60.18	111.26	-51.08	39.13	35.12	12.56	36.63	10.00	376	59 PEAK																																																																								
2	5872.59	60.77	105.98	-45.21	39.65	35.19	12.59	36.66	10.00	376	59 PEAK																																																																								
3	5924.46	60.81	68.60	-7.79	39.67	35.30	12.66	36.82	10.00	376	59 PEAK																																																																								
4	5941.23	61.05	68.20	-7.15	39.97	35.30	12.68	36.90	10.00	376	59 PEAK																																																																								






Mode	93																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																			
ANT	TXBF 1S4T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.67</td><td>63.03</td><td>68.20</td><td>-5.17</td><td>42.48</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>142 360 PEAK</td></tr><tr><td>2</td><td>5651.15</td><td>62.70</td><td>69.06</td><td>-6.36</td><td>42.15</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>142 360 PEAK</td></tr><tr><td>3</td><td>5707.73</td><td>73.95</td><td>107.47</td><td>-33.52</td><td>53.28</td><td>34.62</td><td>12.41</td><td>36.36</td><td>10.00</td><td>142 360 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>69.52</td><td>111.19</td><td>-41.67</td><td>48.85</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>142 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.67	63.03	68.20	-5.17	42.48	34.50	12.35	36.30	10.00	142 360 PEAK	2	5651.15	62.70	69.06	-6.36	42.15	34.50	12.36	36.31	10.00	142 360 PEAK	3	5707.73	73.95	107.47	-33.52	53.28	34.62	12.41	36.36	10.00	142 360 PEAK	4	5720.13	69.52	111.19	-41.67	48.85	34.64	12.42	36.39	10.00	142 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>120.71</td><td>-----</td><td>-----</td><td>99.91</td><td>34.82</td><td>12.46</td><td>36.48</td><td>10.00</td><td>142 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	120.71	-----	-----	99.91	34.82	12.46	36.48	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5648.67	63.03	68.20	-5.17	42.48	34.50	12.35	36.30	10.00	142 360 PEAK																																																																																																																										
2	5651.15	62.70	69.06	-6.36	42.15	34.50	12.36	36.31	10.00	142 360 PEAK																																																																																																																										
3	5707.73	73.95	107.47	-33.52	53.28	34.62	12.41	36.36	10.00	142 360 PEAK																																																																																																																										
4	5720.13	69.52	111.19	-41.67	48.85	34.64	12.42	36.39	10.00	142 360 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5755.00	120.71	-----	-----	99.91	34.82	12.46	36.48	10.00	142 360 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>110.77</td><td>-----</td><td>-----</td><td>89.97</td><td>34.82</td><td>12.46</td><td>36.48</td><td>10.00</td><td>142 360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	110.77	-----	-----	89.97	34.82	12.46	36.48	10.00	142 360 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5755.00	110.77	-----	-----	89.97	34.82	12.46	36.48	10.00	142 360 AVERAGE																																																																																																																										




Mode	93																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																															
ANT	TXBF 1S4T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>61.69</td><td>111.71</td><td>-50.02</td><td>40.64</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>142</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5868.10</td><td>65.02</td><td>107.23</td><td>-42.21</td><td>43.92</td><td>35.17</td><td>12.58</td><td>36.65</td><td>10.00</td><td>142</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>60.84</td><td>68.46</td><td>-7.62</td><td>39.70</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>142</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5929.33</td><td>61.11</td><td>68.20</td><td>-7.09</td><td>39.99</td><td>35.30</td><td>12.66</td><td>36.84</td><td>10.00</td><td>142</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	61.69	111.71	-50.02	40.64	35.12	12.56	36.63	10.00	142	360	PEAK	2	5868.10	65.02	107.23	-42.21	43.92	35.17	12.58	36.65	10.00	142	360	PEAK	3	5924.65	60.84	68.46	-7.62	39.70	35.30	12.66	36.82	10.00	142	360	PEAK	4	5929.33	61.11	68.20	-7.09	39.99	35.30	12.66	36.84	10.00	142	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.65	61.69	111.71	-50.02	40.64	35.12	12.56	36.63	10.00	142	360	PEAK																																																																																				
2	5868.10	65.02	107.23	-42.21	43.92	35.17	12.58	36.65	10.00	142	360	PEAK																																																																																				
3	5924.65	60.84	68.46	-7.62	39.70	35.30	12.66	36.82	10.00	142	360	PEAK																																																																																				
4	5929.33	61.11	68.20	-7.09	39.99	35.30	12.66	36.84	10.00	142	360	PEAK																																																																																				






Mode	94																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																																		
ANT	TXBF 1S4T																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5641.20</td><td>60.99</td><td>68.20</td><td>-7.21</td><td>40.44</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>297 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>59.06</td><td>69.09</td><td>-9.23</td><td>39.31</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>297 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>59.81</td><td>105.30</td><td>-45.49</td><td>39.16</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>297 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.63</td><td>110.90</td><td>-51.27</td><td>38.96</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>297 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.20	60.99	68.20	-7.21	40.44	34.50	12.35	36.30	10.00	297 PEAK	2	5651.20	59.06	69.09	-9.23	39.31	34.50	12.36	36.31	10.00	297 PEAK	3	5700.00	59.81	105.30	-45.49	39.16	34.60	12.40	36.35	10.00	297 PEAK	4	5720.00	59.63	110.90	-51.27	38.96	34.64	12.42	36.39	10.00	297 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>112.28</td><td>-----</td><td>-----</td><td>91.36</td><td>34.96</td><td>12.48</td><td>36.52</td><td>10.00</td><td>297 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	112.28	-----	-----	91.36	34.96	12.48	36.52	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5641.20	60.99	68.20	-7.21	40.44	34.50	12.35	36.30	10.00	297 PEAK																																																																																																																									
2	5651.20	59.06	69.09	-9.23	39.31	34.50	12.36	36.31	10.00	297 PEAK																																																																																																																									
3	5700.00	59.81	105.30	-45.49	39.16	34.60	12.40	36.35	10.00	297 PEAK																																																																																																																									
4	5720.00	59.63	110.90	-51.27	38.96	34.64	12.42	36.39	10.00	297 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5795.00	112.28	-----	-----	91.36	34.96	12.48	36.52	10.00	297 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>101.20</td><td>-----</td><td>-----</td><td>80.30</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>297 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.20	-----	-----	80.30	34.93	12.48	36.51	10.00	297 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5795.00	101.20	-----	-----	80.30	34.93	12.48	36.51	10.00	297 AVERAGE																																																																																																																									




Mode	94																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																		
ANT	TXBF 1S4T																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>62.43</td><td>112.27</td><td>-49.84</td><td>41.38</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>100</td><td>297 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>61.49</td><td>105.47</td><td>-43.98</td><td>40.36</td><td>35.20</td><td>12.59</td><td>36.66</td><td>10.00</td><td>100</td><td>297 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>61.19</td><td>68.94</td><td>-7.75</td><td>40.05</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>100</td><td>297 PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>61.96</td><td>68.20</td><td>-6.24</td><td>40.85</td><td>35.30</td><td>12.67</td><td>36.86</td><td>10.00</td><td>100</td><td>297 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	62.43	112.27	-49.84	41.38	35.12	12.56	36.63	10.00	100	297 PEAK	2	5874.40	61.49	105.47	-43.98	40.36	35.20	12.59	36.66	10.00	100	297 PEAK	3	5924.00	61.19	68.94	-7.75	40.05	35.30	12.66	36.82	10.00	100	297 PEAK	4	5934.00	61.96	68.20	-6.24	40.85	35.30	12.67	36.86	10.00	100	297 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.40	62.43	112.27	-49.84	41.38	35.12	12.56	36.63	10.00	100	297 PEAK																																																																								
2	5874.40	61.49	105.47	-43.98	40.36	35.20	12.59	36.66	10.00	100	297 PEAK																																																																								
3	5924.00	61.19	68.94	-7.75	40.05	35.30	12.66	36.82	10.00	100	297 PEAK																																																																								
4	5934.00	61.96	68.20	-6.24	40.85	35.30	12.67	36.86	10.00	100	297 PEAK																																																																								






Mode	94																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																																														
ANT	TXBF 1S4T																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.20</td><td>61.75</td><td>68.20</td><td>-6.45</td><td>41.20</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>158</td><td>350</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>60.78</td><td>68.50</td><td>-7.72</td><td>40.23</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>158</td><td>350</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>63.18</td><td>105.86</td><td>-42.68</td><td>42.53</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>158</td><td>350</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.90</td><td>110.90</td><td>-46.00</td><td>44.23</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>158</td><td>350</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.20	61.75	68.20	-6.45	41.20	34.50	12.34	36.29	10.00	158	350	PEAK	2	5650.40	60.78	68.50	-7.72	40.23	34.50	12.36	36.31	10.00	158	350	PEAK	3	5702.00	63.18	105.86	-42.68	42.53	34.60	12.40	36.35	10.00	158	350	PEAK	4	5720.00	64.90	110.90	-46.00	44.23	34.64	12.42	36.39	10.00	158	350	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>123.22</td><td>-----</td><td>-----</td><td>102.36</td><td>34.89</td><td>12.47</td><td>36.50</td><td>10.00</td><td>158</td><td>350</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	123.22	-----	-----	102.36	34.89	12.47	36.50	10.00	158	350
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5635.20	61.75	68.20	-6.45	41.20	34.50	12.34	36.29	10.00	158	350	PEAK																																																																																																																																			
2	5650.40	60.78	68.50	-7.72	40.23	34.50	12.36	36.31	10.00	158	350	PEAK																																																																																																																																			
3	5702.00	63.18	105.86	-42.68	42.53	34.60	12.40	36.35	10.00	158	350	PEAK																																																																																																																																			
4	5720.00	64.90	110.90	-46.00	44.23	34.64	12.42	36.39	10.00	158	350	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	123.22	-----	-----	102.36	34.89	12.47	36.50	10.00	158	350	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>112.32</td><td>-----</td><td>-----</td><td>91.33</td><td>35.04</td><td>12.51</td><td>36.56</td><td>10.00</td><td>158</td><td>350</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	112.32	-----	-----	91.33	35.04	12.51	36.56	10.00	158	350	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	112.32	-----	-----	91.33	35.04	12.51	36.56	10.00	158	350	AVERAGE																																																																																																																																			




Mode	94																																																																																								
	Band Edge - R																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																								
ANT	TXBF 1S4T																																																																																								
Pol.	Vertical						Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5853.20</td><td>77.26</td><td>115.00</td><td>-37.74</td><td>56.22</td><td>35.11</td><td>12.56</td><td>36.63</td><td>10.00</td><td>158</td><td>350 PEAK</td></tr><tr><td>2 5873.20</td><td>70.93</td><td>105.80</td><td>-34.87</td><td>49.81</td><td>35.19</td><td>12.59</td><td>36.66</td><td>10.00</td><td>158</td><td>350 PEAK</td></tr><tr><td>3 5924.80</td><td>61.89</td><td>68.35</td><td>-6.46</td><td>40.75</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>158</td><td>350 PEAK</td></tr><tr><td>4 5938.80</td><td>63.14</td><td>68.20</td><td>-5.06</td><td>42.02</td><td>35.30</td><td>12.67</td><td>36.85</td><td>10.00</td><td>158</td><td>350 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5853.20	77.26	115.00	-37.74	56.22	35.11	12.56	36.63	10.00	158	350 PEAK	2 5873.20	70.93	105.80	-34.87	49.81	35.19	12.59	36.66	10.00	158	350 PEAK	3 5924.80	61.89	68.35	-6.46	40.75	35.30	12.66	36.82	10.00	158	350 PEAK	4 5938.80	63.14	68.20	-5.06	42.02	35.30	12.67	36.85	10.00	158	350 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 5853.20	77.26	115.00	-37.74	56.22	35.11	12.56	36.63	10.00	158	350 PEAK																																																																															
2 5873.20	70.93	105.80	-34.87	49.81	35.19	12.59	36.66	10.00	158	350 PEAK																																																																															
3 5924.80	61.89	68.35	-6.46	40.75	35.30	12.66	36.82	10.00	158	350 PEAK																																																																															
4 5938.80	63.14	68.20	-5.06	42.02	35.30	12.67	36.85	10.00	158	350 PEAK																																																																															







		95																																																																																																																																	
Mode	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																																		
ANT	TXBF 1S4T																																																																																																																																		
Pol.	Horizontal										Fundamental																																																																																																																								
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.80</td><td>60.70</td><td>68.20</td><td>-7.50</td><td>40.15</td><td>34.50</td><td>12.32</td><td>36.27</td><td>10.00</td><td>386</td><td>65 PEAK</td></tr><tr><td>2 5650.40</td><td>59.65</td><td>68.50</td><td>-8.85</td><td>39.10</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>386</td><td>65 PEAK</td></tr><tr><td>3 5703.20</td><td>61.25</td><td>106.20</td><td>-44.95</td><td>40.60</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>386</td><td>65 PEAK</td></tr><tr><td>4 5721.20</td><td>67.67</td><td>113.64</td><td>-45.97</td><td>47.00</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>386</td><td>65 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5610.80	60.70	68.20	-7.50	40.15	34.50	12.32	36.27	10.00	386	65 PEAK	2 5650.40	59.65	68.50	-8.85	39.10	34.50	12.36	36.31	10.00	386	65 PEAK	3 5703.20	61.25	106.20	-44.95	40.60	34.61	12.40	36.36	10.00	386	65 PEAK	4 5721.20	67.67	113.64	-45.97	47.00	34.64	12.42	36.39	10.00	386	65 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>108.03</td><td>-----</td><td>-----</td><td>87.33</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>386</td><td>65 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	108.03	-----	-----	87.33	34.69	12.44	36.43	10.00	386
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5610.80	60.70	68.20	-7.50	40.15	34.50	12.32	36.27	10.00	386	65 PEAK																																																																																																																									
2 5650.40	59.65	68.50	-8.85	39.10	34.50	12.36	36.31	10.00	386	65 PEAK																																																																																																																									
3 5703.20	61.25	106.20	-44.95	40.60	34.61	12.40	36.36	10.00	386	65 PEAK																																																																																																																									
4 5721.20	67.67	113.64	-45.97	47.00	34.64	12.42	36.39	10.00	386	65 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	108.03	-----	-----	87.33	34.69	12.44	36.43	10.00	386	65 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
											<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>95.05</td><td>-----</td><td>-----</td><td>74.33</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>386</td><td>65 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	95.05	-----	-----	74.33	34.71	12.45	36.44	10.00	386	65 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	95.05	-----	-----	74.33	34.71	12.45	36.44	10.00	386	65 AVERAGE																																																																																																																									




Mode	95																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																											
ANT	TXBF 1S4T																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>63.47</td><td>111.36</td><td>-47.89</td><td>42.42</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>386</td><td>65 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>61.20</td><td>105.36</td><td>-44.16</td><td>40.07</td><td>35.20</td><td>12.59</td><td>36.66</td><td>10.00</td><td>386</td><td>65 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>61.41</td><td>68.35</td><td>-6.94</td><td>40.27</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>386</td><td>65 PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>40.71</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>386</td><td>65 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	63.47	111.36	-47.89	42.42	35.12	12.56	36.63	10.00	386	65 PEAK	2	5874.00	61.20	105.36	-44.16	40.07	35.20	12.59	36.66	10.00	386	65 PEAK	3	5924.00	61.41	68.35	-6.94	40.27	35.30	12.66	36.82	10.00	386	65 PEAK	4	5926.00	61.84	68.20	-6.36	40.71	35.30	12.66	36.83	10.00	386	65 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	63.47	111.36	-47.89	42.42	35.12	12.56	36.63	10.00	386	65 PEAK																																																																																	
2	5874.00	61.20	105.36	-44.16	40.07	35.20	12.59	36.66	10.00	386	65 PEAK																																																																																	
3	5924.00	61.41	68.35	-6.94	40.27	35.30	12.66	36.82	10.00	386	65 PEAK																																																																																	
4	5926.00	61.84	68.20	-6.36	40.71	35.30	12.66	36.83	10.00	386	65 PEAK																																																																																	





		95																																																																																															
Mode		Band Edge - L																																																																																															
		U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																															
ANT		TXBF 1S4T																																																																																															
Pol.		Vertical																																																																																															
Peak																																																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>63.84</td><td>68.20</td><td>-4.36</td><td>43.29</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>153</td><td>351</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.70</td><td>68.20</td><td>-6.50</td><td>41.16</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>153</td><td>351</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>74.29</td><td>105.64</td><td>-31.35</td><td>53.64</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>153</td><td>351</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>79.27</td><td>112.72</td><td>-33.45</td><td>58.60</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>153</td><td>351</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5634.00	63.84	68.20	-4.36	43.29	34.50	12.34	36.29	10.00	153	351	PEAK	2	5650.00	61.70	68.20	-6.50	41.16	34.50	12.35	36.31	10.00	153	351	PEAK	3	5701.20	74.29	105.64	-31.35	53.64	34.60	12.40	36.35	10.00	153	351	PEAK	4	5720.80	79.27	112.72	-33.45	58.60	34.64	12.42	36.39	10.00	153	351
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5634.00	63.84	68.20	-4.36	43.29	34.50	12.34	36.29	10.00	153	351	PEAK																																																																																					
2	5650.00	61.70	68.20	-6.50	41.16	34.50	12.35	36.31	10.00	153	351	PEAK																																																																																					
3	5701.20	74.29	105.64	-31.35	53.64	34.60	12.40	36.35	10.00	153	351	PEAK																																																																																					
4	5720.80	79.27	112.72	-33.45	58.60	34.64	12.42	36.39	10.00	153	351	PEAK																																																																																					
																																																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>120.20</td><td>-----</td><td>-----</td><td>99.50</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>153</td><td>351</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	120.20	-----	-----	99.50	34.69	12.44	36.43	10.00	153	351	PEAK																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5775.00	120.20	-----	-----	99.50	34.69	12.44	36.43	10.00	153	351	PEAK																																																																																					
Avg																																																																																																	
		Blank																																																																																															
																																																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>108.18</td><td>-----</td><td>-----</td><td>87.48</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>153</td><td>351</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	108.18	-----	-----	87.48	34.68	12.44	36.42	10.00	153	351	AVERAGE																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5775.00	108.18	-----	-----	87.48	34.68	12.44	36.42	10.00	153	351	AVERAGE																																																																																					





Mode	95																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																											
ANT	TXBF 1S4T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>73.27</td><td>111.36</td><td>-38.09</td><td>52.22</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>153</td><td>351 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>73.17</td><td>105.69</td><td>-32.52</td><td>52.05</td><td>35.19</td><td>12.59</td><td>36.66</td><td>10.00</td><td>153</td><td>351 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>65.41</td><td>68.64</td><td>-3.23</td><td>44.27</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>153</td><td>351 PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>65.08</td><td>68.20</td><td>-3.12</td><td>43.96</td><td>35.30</td><td>12.66</td><td>36.84</td><td>10.00</td><td>153</td><td>351 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	73.27	111.36	-38.09	52.22	35.12	12.56	36.63	10.00	153	351 PEAK	2	5873.60	73.17	105.69	-32.52	52.05	35.19	12.59	36.66	10.00	153	351 PEAK	3	5924.40	65.41	68.64	-3.23	44.27	35.30	12.66	36.82	10.00	153	351 PEAK	4	5929.60	65.08	68.20	-3.12	43.96	35.30	12.66	36.84	10.00	153	351 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	73.27	111.36	-38.09	52.22	35.12	12.56	36.63	10.00	153	351 PEAK																																																																																	
2	5873.60	73.17	105.69	-32.52	52.05	35.19	12.59	36.66	10.00	153	351 PEAK																																																																																	
3	5924.40	65.41	68.64	-3.23	44.27	35.30	12.66	36.82	10.00	153	351 PEAK																																																																																	
4	5929.60	65.08	68.20	-3.12	43.96	35.30	12.66	36.84	10.00	153	351 PEAK																																																																																	





Mode	92	
	18G-25G	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz	
ANT	TXBF 1S4T	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	92																																																																																																																																																																																																											
	30-1G																																																																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																																																																																																											
ANT	TXBF 1S4T																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>71.23</td><td>20.47</td><td>40.00</td><td>-19.53</td><td>39.82</td><td>12.64</td><td>1.18</td><td>33.17</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>110.75</td><td>24.33</td><td>43.50</td><td>-19.17</td><td>38.34</td><td>17.17</td><td>1.69</td><td>32.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>221.33</td><td>29.55</td><td>46.00</td><td>-16.45</td><td>44.41</td><td>15.56</td><td>2.42</td><td>32.84</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>285.35</td><td>24.08</td><td>46.00</td><td>-21.92</td><td>35.01</td><td>19.23</td><td>2.75</td><td>32.91</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>370.47</td><td>21.57</td><td>46.00</td><td>-24.43</td><td>30.29</td><td>21.06</td><td>3.13</td><td>32.91</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>480.08</td><td>29.56</td><td>46.00</td><td>-16.44</td><td>34.96</td><td>23.87</td><td>3.56</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	71.23	20.47	40.00	-19.53	39.82	12.64	1.18	33.17	0.00	---	Peak	2	110.75	24.33	43.50	-19.17	38.34	17.17	1.69	32.87	0.00	---	Peak	3	221.33	29.55	46.00	-16.45	44.41	15.56	2.42	32.84	0.00	---	Peak	4	285.35	24.08	46.00	-21.92	35.01	19.23	2.75	32.91	0.00	---	Peak	5	370.47	21.57	46.00	-24.43	30.29	21.06	3.13	32.91	0.00	---	Peak	6	480.08	29.56	46.00	-16.44	34.96	23.87	3.56	32.83	0.00	---	Peak	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>52.00</td><td>31.59</td><td>40.00</td><td>-8.41</td><td>50.15</td><td>13.47</td><td>0.89</td><td>32.92</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>107.12</td><td>23.82</td><td>43.50</td><td>-19.68</td><td>38.09</td><td>16.91</td><td>1.67</td><td>32.85</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>218.91</td><td>25.22</td><td>46.00</td><td>-20.78</td><td>40.29</td><td>15.37</td><td>2.40</td><td>32.84</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>289.72</td><td>22.98</td><td>46.00</td><td>-23.02</td><td>33.77</td><td>19.35</td><td>2.78</td><td>32.92</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>480.08</td><td>35.10</td><td>46.00</td><td>-10.90</td><td>40.50</td><td>23.87</td><td>3.56</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>795.33</td><td>26.93</td><td>46.00</td><td>-19.07</td><td>26.15</td><td>28.65</td><td>4.57</td><td>32.44</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	52.00	31.59	40.00	-8.41	50.15	13.47	0.89	32.92	0.00	---	Peak	2	107.12	23.82	43.50	-19.68	38.09	16.91	1.67	32.85	0.00	---	Peak	3	218.91	25.22	46.00	-20.78	40.29	15.37	2.40	32.84	0.00	---	Peak	4	289.72	22.98	46.00	-23.02	33.77	19.35	2.78	32.92	0.00	---	Peak	5	480.08	35.10	46.00	-10.90	40.50	23.87	3.56	32.83	0.00	---	Peak	6	795.33	26.93	46.00	-19.07	26.15	28.65	4.57	32.44	0.00	---	Peak
		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																
	1	71.23	20.47	40.00	-19.53	39.82	12.64	1.18	33.17	0.00	---	Peak																																																																																																																																																																																																
	2	110.75	24.33	43.50	-19.17	38.34	17.17	1.69	32.87	0.00	---	Peak																																																																																																																																																																																																
	3	221.33	29.55	46.00	-16.45	44.41	15.56	2.42	32.84	0.00	---	Peak																																																																																																																																																																																																
	4	285.35	24.08	46.00	-21.92	35.01	19.23	2.75	32.91	0.00	---	Peak																																																																																																																																																																																																
	5	370.47	21.57	46.00	-24.43	30.29	21.06	3.13	32.91	0.00	---	Peak																																																																																																																																																																																																
	6	480.08	29.56	46.00	-16.44	34.96	23.87	3.56	32.83	0.00	---	Peak																																																																																																																																																																																																
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	52.00	31.59	40.00	-8.41	50.15	13.47	0.89	32.92	0.00	---	Peak																																																																																																																																																																																																	
2	107.12	23.82	43.50	-19.68	38.09	16.91	1.67	32.85	0.00	---	Peak																																																																																																																																																																																																	
3	218.91	25.22	46.00	-20.78	40.29	15.37	2.40	32.84	0.00	---	Peak																																																																																																																																																																																																	
4	289.72	22.98	46.00	-23.02	33.77	19.35	2.78	32.92	0.00	---	Peak																																																																																																																																																																																																	
5	480.08	35.10	46.00	-10.90	40.50	23.87	3.56	32.83	0.00	---	Peak																																																																																																																																																																																																	
6	795.33	26.93	46.00	-19.07	26.15	28.65	4.57	32.44	0.00	---	Peak																																																																																																																																																																																																	





Mode	44																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.725-5.85_802.11a_CH144_5720MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>56.31</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.59	74.00	-28.41	56.31	38.04	17.83	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>57.02</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.30	74.00	-27.70	57.02	38.04	17.83	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11440.00	45.59	74.00	-28.41	56.31	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11440.00	46.30	74.00	-27.70	57.02	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																													



Mode	45																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.725-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>57.05</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.33	74.00	-27.67	57.05	38.04	17.83	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>57.07</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.35	74.00	-27.65	57.07	38.04	17.83	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11440.00	46.33	74.00	-27.67	57.05	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11440.00	46.35	74.00	-27.65	57.07	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																													



		46																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.725-5.85_802.11ax HE40_CH142_Full_5710MHz																																																										
ANT		CDD 1S4T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>57.49</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.73	74.00	-27.27	57.49	38.02	17.81	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11420.00	46.73	74.00	-27.27	57.49	38.02	17.81	66.59	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.31</td><td>74.00</td><td>-27.69</td><td>57.07</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.31	74.00	-27.69	57.07	38.02	17.81	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11420.00	46.31	74.00	-27.69	57.07	38.02	17.81	66.59	0.00	---	---	PEAK																																																



		47																																																											
Mode		Harmonic																																																											
		U-NII-2C_5.725-5.85_802.11ax HE80_CH138_Full_5690MHz																																																											
ANT		CDD 1S4T																																																											
Pol.		Horizontal						Vertical																																																					
Peak Avg																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>56.32</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.50	74.00	-28.50	56.32	37.98	17.79	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11380.00	45.50	74.00	-28.50	56.32	37.98	17.79	66.59	0.00	---	---	PEAK																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>55.77</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	44.95	74.00	-29.05	55.77	37.98	17.79	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	11380.00	44.95	74.00	-29.05	55.77	37.98	17.79	66.59	0.00	---	---	PEAK																																																	