




EUT Mode


802.11be EHT160 Full RU

Plot on Channel 6185 MHz




01:13:14 PM 12/28/2023

Plot on Channel 6345 MHz




01:47:25 PM 12/28/2023

Plot on Channel 6505 MHz



02:17:35 PM 12/28/2023


Plot on Channel 6665 MHz




02:35:19 PM 12/28/2023



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz






EUT Mode


802.11be EHT320 Full RU

Plot on Channel 6265 MHz




04:38:21 PM 12/28/2023

Plot on Channel 6425 MHz




04:02:10 AM 12/29/2023

Plot on Channel 6585 MHz



04:21:25 AM 12/29/2023


Plot on Channel 6745 MHz



05:01:11 AM 12/29/2023



Plot on Channel 6905 MHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 3N0940
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	37.82	55.88	18.06	L1	OFF	19.9
0.152250	54.99	---	65.88	10.89	L1	OFF	19.9
0.156750	---	40.57	55.63	15.06	L1	OFF	19.9
0.156750	55.66	---	65.63	9.97	L1	OFF	19.9
0.163500	---	40.90	55.28	14.38	L1	OFF	19.9
0.163500	54.02	---	65.28	11.26	L1	OFF	19.9
0.174750	---	29.13	54.73	25.60	L1	OFF	19.9
0.174750	44.84	---	64.73	19.89	L1	OFF	19.9
0.197250	---	34.70	53.73	19.03	L1	OFF	19.9
0.197250	46.93	---	63.73	16.80	L1	OFF	19.9
0.417750	---	28.98	47.49	18.51	L1	OFF	19.9
0.417750	38.39	---	57.49	19.10	L1	OFF	19.9
0.485250	---	32.21	46.25	14.04	L1	OFF	19.9
0.485250	41.99	---	56.25	14.26	L1	OFF	19.9
0.510000	---	37.01	46.00	8.99	L1	OFF	19.9
0.510000	46.02	---	56.00	9.98	L1	OFF	19.9
0.530250	---	35.27	46.00	10.73	L1	OFF	19.9
0.530250	45.91	---	56.00	10.09	L1	OFF	19.9
0.566250	---	31.54	46.00	14.46	L1	OFF	19.9
0.566250	40.56	---	56.00	15.44	L1	OFF	19.9
3.574500	---	26.93	46.00	19.07	L1	OFF	20.0

3.574500	31.76	---	56.00	24.24	L1	OFF	20.0
12.275250	---	28.43	50.00	21.57	L1	OFF	20.3
12.275250	31.96	---	60.00	28.04	L1	OFF	20.3

EUT Information

Report NO : 3N0940
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	39.79	55.88	16.09	N	OFF	19.9
0.152250	54.71	---	65.88	11.17	N	OFF	19.9
0.159000	---	41.92	55.52	13.60	N	OFF	19.9
0.159000	54.57	---	65.52	10.95	N	OFF	19.9
0.170250	---	35.12	54.95	19.83	N	OFF	19.9
0.170250	50.96	---	64.95	13.99	N	OFF	19.9
0.199500	---	34.44	53.63	19.19	N	OFF	19.9
0.199500	46.48	---	63.63	17.15	N	OFF	19.9
0.251250	---	28.72	51.72	23.00	N	OFF	19.9
0.251250	40.13	---	61.72	21.59	N	OFF	19.9
0.516750	---	29.95	46.00	16.05	N	OFF	19.9
0.516750	38.11	---	56.00	17.89	N	OFF	19.9
0.528000	---	28.82	46.00	17.18	N	OFF	19.9
0.528000	37.36	---	56.00	18.64	N	OFF	19.9
3.502500	---	26.83	46.00	19.17	N	OFF	20.0
3.502500	30.20	---	56.00	25.80	N	OFF	20.0
12.369750	---	31.24	50.00	18.76	N	OFF	20.3
12.369750	35.52	---	60.00	24.48	N	OFF	20.3



Appendix C. Radiated Spurious Emission

Test Engineer :	Jacky Hung , Mancy Chou, Michael Liu and Rain Lee	Temperature :	20~26°C
		Relative Humidity :	40~65%

<CDD Mode>

N_{SS}=1

Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 33 6115MHz		5921	46.87	-41.33	88.2	42.62	34.5	6.96	37.21	187	84	P	H
		5886.5	37	-31.2	68.2	32.81	34.42	6.95	37.18	187	84	A	H
	*	6115	102.32	-	-	98.13	34.23	7.19	37.23	187	84	P	H
	*	6115	93.77	-	-	89.58	34.23	7.19	37.23	187	84	A	H
													H
													H
		5851.7	47.44	-40.76	88.2	43.44	34.21	6.94	37.15	223	100	P	V
		5884.7	37.05	-31.15	68.2	32.87	34.41	6.95	37.18	223	100	A	V
	*	6115	108.71	-	-	104.52	34.23	7.19	37.23	223	100	P	V
	*	6115	100.99	-	-	96.8	34.23	7.19	37.23	223	100	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 OFDMA RU52*4 CH 33 6115MHz		5867.9	48.12	-40.08	88.2	44.03	34.31	6.94	37.16	203	348	P	H
		5888	37.14	-31.06	68.2	32.94	34.43	6.95	37.18	203	348	A	H
	*	6115	101.52	-	-	97.33	34.23	7.19	37.23	203	348	P	H
	*	6115	94.14	-	-	89.95	34.23	7.19	37.23	203	348	A	H
													H
													H
		5919.5	46.22	-41.98	88.2	41.97	34.5	6.96	37.21	186	101	P	V
		5886.5	37.16	-31.04	68.2	32.97	34.42	6.95	37.18	186	101	A	V
	*	6115	109.8	-	-	105.61	34.23	7.19	37.23	186	101	P	V
	*	6115	101.94	-	-	97.75	34.23	7.19	37.23	186	101	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 35 6125MHz		5856	46.73	-41.47	88.2	42.7	34.24	6.94	37.15	157	9	P	H
		5885.45	36.98	-31.22	68.2	32.8	34.41	6.95	37.18	157	9	A	H
	*	6125	101.4	-	-	97.18	34.25	7.2	37.23	157	9	P	H
	*	6125	93.02	-	-	88.8	34.25	7.2	37.23	157	9	A	H
													H
													H
		5901.26	46.41	-41.79	88.2	42.14	34.5	6.96	37.19	197	318	P	V
		5885.45	37.08	-31.12	68.2	32.9	34.41	6.95	37.18	197	318	A	V
	*	6125	107.41	-	-	103.19	34.25	7.2	37.23	197	318	P	V
	*	6125	98.78	-	-	94.56	34.25	7.2	37.23	197	318	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT40 OFDMA RU52*8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 OFDMA RU52*8 CH 35 6125MHz		5916.14	46.33	-41.87	88.2	42.07	34.5	6.96	37.2	112	155	P	H
		5879.56	37.19	-31.01	68.2	33.03	34.38	6.95	37.17	112	155	A	H
	*	6125	102.01	-	-	97.79	34.25	7.2	37.23	112	155	P	H
	*	6125	94.05	-	-	89.83	34.25	7.2	37.23	112	155	A	H
													H
													H
		5909.01	46.37	-41.83	88.2	42.11	34.5	6.96	37.2	232	100	P	V
		5887.62	37.18	-31.02	68.2	32.98	34.43	6.95	37.18	232	100	A	V
	*	6125	110.41	-	-	106.19	34.25	7.2	37.23	232	100	P	V
	*	6125	101.87	-	-	97.65	34.25	7.2	37.23	232	100	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 39 6145MHz		5902.8	47.88	-40.32	88.2	43.61	34.5	6.96	37.19	142	8	P	H
		5884.8	37.07	-31.13	68.2	32.89	34.41	6.95	37.18	142	8	A	H
	*	6145	101.8	-	-	97.49	34.29	7.24	37.22	142	8	P	H
	*	6145	93.94	-	-	89.63	34.29	7.24	37.22	142	8	A	H
													H
													H
		5924.4	46.54	-41.66	88.2	42.29	34.5	6.96	37.21	202	318	P	V
		5880	37.06	-31.14	68.2	32.9	34.38	6.95	37.17	202	318	A	V
	*	6145	108.61	-	-	104.3	34.29	7.24	37.22	202	318	P	V
	*	6145	99.57	-	-	95.26	34.29	7.24	37.22	202	318	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 OFDMA RU52*16 CH 39 6145MHz		5887.8	47.27	-40.93	88.2	43.07	34.43	6.95	37.18	117	156	P	H
		5885.7	37.17	-31.03	68.2	32.99	34.41	6.95	37.18	117	156	A	H
	*	6145	102.5	-	-	98.19	34.29	7.24	37.22	117	156	P	H
	*	6145	94.94	-	-	90.63	34.29	7.24	37.22	117	156	A	H
													H
													H
		5904.9	48.01	-40.19	88.2	43.74	34.5	6.96	37.19	185	100	P	V
		5883.3	37.23	-30.97	68.2	33.06	34.4	6.95	37.18	185	100	A	V
	*	6145	109.92	-	-	105.61	34.29	7.24	37.22	185	100	P	V
	*	6145	101.86	-	-	97.55	34.29	7.24	37.22	185	100	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Test 80MHz Channel Puncture Location 4 CH 39 6145MHz		5900.1	46.32	-41.88	88.2	42.05	34.5	6.96	37.19	201	348	P	H
		5922.6	35.95	-32.25	68.2	31.7	34.5	6.96	37.21	201	348	A	H
	*	6145	104.15	-	-	99.84	34.29	7.24	37.22	201	348	P	H
	*	6145	96	-	-	91.69	34.29	7.24	37.22	201	348	A	H
													H
													H
		5907.9	46.53	-41.67	88.2	42.27	34.5	6.96	37.2	263	100	P	V
		5920.2	36.09	-32.11	68.2	31.84	34.5	6.96	37.21	263	100	A	V
	*	6145	109.99	-	-	105.68	34.29	7.24	37.22	263	100	P	V
	*	6145	102.59	-	-	98.28	34.29	7.24	37.22	263	100	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Band 5 5925~6425MHz****WIFI 802.11be EHT160 Full (Band Edge @ 3m)**

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		5811.46	47.39	-40.81	88.2	43.54	34.05	6.92	37.12	160	10	P	H
		5882.02	37.17	-31.03	68.2	33.01	34.39	6.95	37.18	160	10	A	H
	*	6185	103.41	-	-	99.02	34.3	7.3	37.21	160	10	P	H
	*	6185	94.91	-	-	90.52	34.3	7.3	37.21	160	10	A	H
													H
													H
		5823.22	47.52	-40.68	88.2	43.63	34.09	6.93	37.13	201	318	P	V
		5884.12	37.1	-31.1	68.2	32.93	34.4	6.95	37.18	201	318	A	V
	*	6185	108.01	-	-	103.62	34.3	7.3	37.21	201	318	P	V
	*	6185	99.37	-	-	94.98	34.3	7.3	37.21	201	318	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		12370	52.58	-21.42	74	58.46	39.04	10.58	56.14	355	167	P	H
		12370	49.23	-4.77	54	55.11	39.04	10.58	56.14	355	167	A	H
		18555	36.86	-37.14	74	57.93	38.11	6.03	55.67	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12370	51.87	-22.13	74	57.75	39.04	10.58	56.14	398	264	P	V
		12370	48.23	-5.77	54	54.11	39.04	10.58	56.14	398	264	A	V
		18555	36.61	-37.39	74	57.68	38.11	6.03	55.67	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 79 6345MHz		12690	55.22	-18.78	74	60.57	39.58	60.57	56.45	369	168	P	H
		12690	52.05	-1.95	54	57.4	39.58	57.4	56.45	369	168	A	H
		19035	36.63	-37.37	74	57.21	38.24	57.21	55.39	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12690	53.05	-20.95	74	58.4	39.58	58.4	56.45	393	152	P	V
		12690	49.46	-4.54	54	54.81	39.58	54.81	56.45	393	152	A	V
		19035	36.35	-37.65	74	56.93	38.24	56.93	55.39	-	-	P	V
													V
													V
													V
													V
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	



Band 5 5925~6425MHz

WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 OFDMA RU106*16 CH 47 6185MHz		5816.5	48.52	-39.68	88.2	44.64	34.07	6.93	37.12	177	119	P	H
		5885.8	37.4	-30.8	68.2	33.22	34.41	6.95	37.18	177	119	A	H
	*	6185	102.2	-	-	97.81	34.3	7.3	37.21	177	119	P	H
	*	6185	94.94	-	-	90.55	34.3	7.3	37.21	177	119	A	H
													H
													H
		5873.62	47.08	-41.12	88.2	42.96	34.34	6.95	37.17	221	101	P	V
		5887.48	37.49	-30.71	68.2	33.3	34.42	6.95	37.18	221	101	A	V
	*	6185	111.08	-	-	106.69	34.3	7.3	37.21	221	101	P	V
	*	6185	101.91	-	-	97.52	34.3	7.3	37.21	221	101	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 20MHz Channel Puncture Location 8 CH 47 6185MHz		5922.34	46.89	-41.31	88.2	42.64	34.5	6.96	37.21	187	348	P	H
		5884.54	36.03	-32.17	68.2	31.85	34.41	6.95	37.18	187	348	A	H
	*	6185	104.11	-	-	99.72	34.3	7.3	37.21	187	348	P	H
	*	6185	95.66	-	-	91.27	34.3	7.3	37.21	187	348	A	H
													H
													H
		5874.04	46.38	-41.82	88.2	42.26	34.34	6.95	37.17	261	100	P	V
		5924.44	36.05	-32.15	68.2	31.8	34.5	6.96	37.21	261	100	A	V
	*	6185	111.98	-	-	107.59	34.3	7.3	37.21	261	100	P	V
	*	6185	101.36	-	-	96.97	34.3	7.3	37.21	261	100	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 40MHz Channel Puncture Location 4 CH 47 6185MHz		5904.28	46.07	-42.13	88.2	41.8	34.5	6.96	37.19	206	350	P	H
		5885.8	35.96	-32.24	68.2	31.78	34.41	6.95	37.18	206	350	A	H
	*	6185	104.95	-	-	100.56	34.3	7.3	37.21	206	350	P	H
	*	6185	96.53	-	-	92.14	34.3	7.3	37.21	206	350	A	H
													H
													H
		5921.5	46.26	-41.94	88.2	42.01	34.5	6.96	37.21	250	102	P	V
		5921.08	36.08	-32.12	68.2	31.83	34.5	6.96	37.21	250	102	A	V
	*	6185	110.33	-	-	105.94	34.3	7.3	37.21	250	102	P	V
	*	6185	101.98	-	-	97.59	34.3	7.3	37.21	250	102	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 63 6265MHz		5896.72	47.37	-40.83	88.2	43.13	34.48	6.95	37.19	208	1	P	H
		5885.45	37.47	-30.73	68.2	33.29	34.41	6.95	37.18	208	1	A	H
	*	6265	104.85	-	-	100.3	34.4	7.34	37.19	208	1	P	H
	*	6265	95.82	-	-	91.27	34.4	7.34	37.19	208	1	A	H
													H
													H
		5888.88	49.02	-39.18	88.2	44.82	34.43	6.95	37.18	186	322	P	V
		5890.84	39.29	-28.91	68.2	35.07	34.45	6.95	37.18	186	322	A	V
	*	6265	108.93	-	-	104.38	34.4	7.34	37.19	186	322	P	V
	*	6265	100.86	-	-	96.31	34.4	7.34	37.19	186	322	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 63 6265MHz		12530	46.9	-27.1	74	52.59	39.2	11.37	56.26	-	-	P	H
		18795	36.96	-37.04	74	57.37	38.58	-3.47	55.52	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12530	47.26	-26.74	74	52.95	39.2	11.37	56.26	-	-	P	V
		18795	37.11	-36.89	74	57.52	38.58	-3.47	55.52	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 40MHz Channel Puncture Location 8 CH 63 6265MHz		5806.56	47.28	-40.92	88.2	43.45	34.03	6.92	37.12	204	350	P	H
		5919.26	36.15	-32.05	68.2	31.9	34.5	6.96	37.21	204	350	A	H
	*	6265	104.56	-	-	100.01	34.4	7.34	37.19	204	350	P	H
	*	6265	95.67	-	-	91.12	34.4	7.34	37.19	204	350	A	H
													H
													H
		5912.4	49.95	-38.25	88.2	45.69	34.5	6.96	37.2	213	182	P	V
		5912.89	38.78	-29.42	68.2	34.52	34.5	6.96	37.2	213	182	A	V
	*	6265	109.24	-	-	104.69	34.4	7.34	37.19	213	182	P	V
	*	6265	101	-	-	96.45	34.4	7.34	37.19	213	182	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 80MHz Channel Puncture Location 4 CH 63 6265MHz		5904.56	46.86	-41.34	88.2	42.59	34.5	6.96	37.19	215	351	P	H
		5923.67	35.79	-32.41	68.2	31.54	34.5	6.96	37.21	215	351	A	H
	*	6265	104.54	-	-	99.99	34.4	7.34	37.19	215	351	P	H
	*	6265	95.83	-	-	91.28	34.4	7.34	37.19	215	351	A	H
													H
													H
		5916.81	48.93	-39.27	88.2	44.67	34.5	6.96	37.2	232	102	P	V
		5917.3	37.2	-31	68.2	32.94	34.5	6.96	37.2	232	102	A	V
	*	6265	110.49	-	-	105.94	34.4	7.34	37.19	232	102	P	V
	*	6265	101.72	-	-	97.17	34.4	7.34	37.19	232	102	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 CH 63 6265MHz		5920.73	46.79	-41.41	88.2	42.54	34.5	6.96	37.21	205	348	P	H
		5921.71	35.73	-32.47	68.2	31.48	34.5	6.96	37.21	205	348	A	H
	*	6265	104.97	-	-	100.42	34.4	7.34	37.19	205	348	P	H
	*	6265	97.11	-	-	92.56	34.4	7.34	37.19	205	348	A	H
													H
													H
		5895.74	47.38	-40.82	88.2	43.15	34.47	6.95	37.19	235	100	P	V
		5925	36	-32.2	68.2	31.75	34.5	6.96	37.21	235	100	A	V
	*	6265	111.16	-	-	106.61	34.4	7.34	37.19	235	100	P	V
	*	6265	102.86	-	-	98.31	34.4	7.34	37.19	235	100	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 6 - 6425~6525MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 111 6505MHz		13010	51.84	-36.36	88.2	56.9	39.96	11.81	56.83	366	161	P	H
		13010	47.75	-20.45	68.2	52.81	39.96	11.81	56.83	366	161	A	H
		19515	35.68	-38.32	74	56.13	37.98	-3.24	55.19	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13010	52.64	-35.56	88.2	57.7	39.96	11.81	56.83	386	76	P	V
		13010	48.46	-19.74	68.2	53.52	39.96	11.81	56.83	386	76	A	V
		19515	35.84	-38.16	74	56.29	37.98	-3.24	55.19	-	-	P	V
													V
													V
													V
													V
													V
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	

**Band 7 - 6525~6875MHz****WIFI 802.11be EHT160 Full (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT160 Full CH 143 6665MHz		13330	52.57	-21.43	74	57.34	40.16	12.01	56.94	347	134	P	H
		13330	48.08	-5.92	54	52.85	40.16	12.01	56.94	347	134	A	H
		19995	36.09	-37.91	74	56.83	37.62	-3.36	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13330	52.43	-21.57	74	57.2	40.16	12.01	56.94	323	65	P	V
		13330	47.63	-6.37	54	52.4	40.16	12.01	56.94	323	65	A	V
		19995	35.25	-38.75	74	55.99	37.62	-3.36	55	-	-	P	V
													V
													V
													V
													V
													V
													V

WIFI	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamplifier Factor	Ant. Pos.	Table Pos.	Peak Avg.	Pol.
Ant. 5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT160 Full CH 175 6825MHz		13650	55.62	-32.58	88.2	59.94	40.6	11.38	57.13	400	154	P	H
		13650	51.95	-16.25	68.2	56.27	40.6	11.38	57.13	400	154	A	H
		20475	36.61	-37.39	74	56.99	37.9	6.26	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 229 7095MHz	*	7095	103.01	-	-	96.33	36.38	7.59	37.29	202	12	P	H
	*	7095	94.27	-	-	87.59	36.38	7.59	37.29	202	12	A	H
		7240.84	49.69	-38.51	88.2	42.32	36.98	7.68	37.29	202	12	P	H
		7243.72	40.49	-27.71	68.2	33.1	36.99	7.69	37.29	202	12	A	H
													H
													H
	*	7095	105.05	-	-	98.37	36.38	7.59	37.29	100	317	P	V
	*	7095	96.34	-	-	89.66	36.38	7.59	37.29	100	317	A	V
		7169.48	50.72	-37.48	88.2	43.59	36.78	7.64	37.29	100	317	P	V
		7244.84	40.59	-27.61	68.2	33.2	36.99	7.69	37.29	100	317	A	V
													V
													V
802.11be EHT20 Full CH 233 7115MHz	*	7115	93.77	-	-	86.97	36.49	7.6	37.29	350	146	P	H
	*	7115	85.58	-	-	78.78	36.49	7.6	37.29	350	146	A	H
		7125	70.4	-17.8	88.2	63.53	36.55	7.61	37.29	350	146	P	H
		7125	60.58	-7.62	68.2	53.71	36.55	7.61	37.29	350	146	A	H
													H
													H
	*	7115	100.38	-	-	93.58	36.49	7.6	37.29	250	98	P	V
	*	7115	93.31	-	-	86.51	36.49	7.6	37.29	250	98	A	V
		7125	78.38	-9.82	88.2	71.51	36.55	7.61	37.29	250	98	P	V
		7125	67.56	-0.64	68.2	60.69	36.55	7.61	37.29	250	98	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 OFDMA RU52*4 CH 229 7095MHz	*	7095	102.75	-	-	96.07	36.38	7.59	37.29	339	149	P	H
	*	7095	95.07	-	-	88.39	36.38	7.59	37.29	339	149	A	H
		7242.6	51	-37.2	88.2	43.61	36.99	7.69	37.29	339	149	P	H
		7240.84	40.36	-27.84	68.2	32.99	36.98	7.68	37.29	339	149	A	H
													H
													H
	*	7095	108.62	-	-	101.94	36.38	7.59	37.29	188	0	P	V
	*	7095	101.41	-	-	94.73	36.38	7.59	37.29	188	0	A	V
		7242.92	50.95	-37.25	88.2	43.56	36.99	7.69	37.29	188	0	P	V
		7244.84	41.81	-26.39	68.2	34.42	36.99	7.69	37.29	188	0	A	V
													V
													V
802.11be EHT20 OFDMA RU52*4 CH 233 7115MHz	*	7115	96.66	-	-	89.86	36.49	7.6	37.29	250	101	P	H
	*	7115	88.79	-	-	81.99	36.49	7.6	37.29	250	101	A	H
		7125	71.7	-16.5	88.2	64.83	36.55	7.61	37.29	250	101	P	H
		7125	60.28	-7.92	68.2	53.41	36.55	7.61	37.29	250	101	A	H
													H
													H
	*	7115	103.97	-	-	97.17	36.49	7.6	37.29	250	98	P	V
	*	7115	96.67	-	-	89.87	36.49	7.6	37.29	250	98	A	V
		7125	79.12	-9.08	88.2	72.25	36.55	7.61	37.29	250	98	P	V
		7125	67.63	-0.57	68.2	60.76	36.55	7.61	37.29	250	98	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 227 7085MHz	*	7085	101.36	-	-	94.72	36.34	7.59	37.29	184	9	P	H
	*	7085	93.49	-	-	86.85	36.34	7.59	37.29	184	9	A	H
		7219.44	50.32	-37.88	88.2	43	36.94	7.67	37.29	184	9	P	H
		7235.64	40.47	-27.73	68.2	33.11	36.97	7.68	37.29	184	9	A	H
													H
													H
	*	7085	109.94	-	-	103.3	36.34	7.59	37.29	199	314	P	V
	*	7085	100.82	-	-	94.18	36.34	7.59	37.29	199	314	A	V
		7126.02	51.46	-36.74	88.2	44.58	36.56	7.61	37.29	199	314	P	V
		7125.48	43.39	-24.81	68.2	36.52	36.55	7.61	37.29	199	314	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 OFDMA RU52*16 CH 227 7085MHz	*	7085	103.96	-	-	97.32	36.34	7.59	37.29	100	222	P	H
	*	7085	93.63	-	-	86.99	36.34	7.59	37.29	100	222	A	H
		7238.7	50.06	-38.14	88.2	42.69	36.98	7.68	37.29	100	222	P	H
		7220.34	40.39	-27.81	68.2	33.07	36.94	7.67	37.29	100	222	A	H
													H
													H
	*	7085	109.17	-	-	102.53	36.34	7.59	37.29	208	315	P	V
	*	7085	101.89	-	-	95.25	36.34	7.59	37.29	208	315	A	V
		7125.66	53.07	-35.13	88.2	46.2	36.55	7.61	37.29	208	315	P	V
		7125	44	-24.2	68.2	37.13	36.55	7.61	37.29	208	315	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 215 7025MHz	*	7025	102.74	-	-	96.43	36.05	7.55	37.29	200	12	P	H
	*	7025	94.3	-	-	87.99	36.05	7.55	37.29	200	12	A	H
		7141.16	49.44	-38.76	88.2	42.46	36.65	7.62	37.29	200	12	P	H
		7140.68	40.51	-27.69	68.2	33.54	36.64	7.62	37.29	200	12	A	H
													H
													H
	*	7025	109.96	-	-	103.65	36.05	7.55	37.29	202	317	P	V
	*	7025	101.47	-	-	95.16	36.05	7.55	37.29	202	317	A	V
		7129.96	51.34	-36.86	88.2	44.44	36.58	7.61	37.29	202	317	P	V
		7140.52	42.34	-25.86	68.2	35.37	36.64	7.62	37.29	202	317	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 OFDMA RU52*16 CH 215 7025MHz	*	7025	104.22	-	-	97.91	36.05	7.55	37.29	315	0	P	H
	*	7025	95.81	-	-	89.5	36.05	7.55	37.29	315	0	A	H
		7138.92	51.01	-37.19	88.2	44.05	36.63	7.62	37.29	315	0	P	H
		7140.2	40.48	-27.72	68.2	33.51	36.64	7.62	37.29	315	0	A	H
													H
													H
	*	7025	111.82	-	-	105.51	36.05	7.55	37.29	188	317	P	V
	*	7025	102.76	-	-	96.45	36.05	7.55	37.29	188	317	A	V
		7126.44	51.87	-36.33	88.2	44.99	36.56	7.61	37.29	188	317	P	V
		7125.32	43	-25.2	68.2	36.13	36.55	7.61	37.29	188	317	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Test 20MHz Channel Puncture Location 1 CH 215 7025MHz	*	7025	104.1	-	-	97.79	36.05	7.55	37.29	195	35	P	H
	*	7025	95.89	-	-	89.58	36.05	7.55	37.29	195	35	A	H
		7140.2	49.83	-38.37	88.2	42.86	36.64	7.62	37.29	195	35	P	H
		7125.48	39.47	-28.73	68.2	32.6	36.55	7.61	37.29	195	35	A	H
													H
													H
	*	7025	110.79	-	-	104.48	36.05	7.55	37.29	201	316	P	V
	*	7025	102.07	-	-	95.76	36.05	7.55	37.29	201	316	A	V
		7130.6	51.96	-36.24	88.2	45.06	36.58	7.61	37.29	201	316	P	V
		7126.12	41.77	-26.43	68.2	34.89	36.56	7.61	37.29	201	316	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 207 6985MHz	*	6985	102.91	-	-	96.8	35.87	7.52	37.28	187	6	P	H
	*	6985	93.59	-	-	87.48	35.87	7.52	37.28	187	6	A	H
		7145	50.83	-37.37	88.2	43.83	36.67	7.62	37.29	187	6	P	H
		7141.8	40.72	-27.48	68.2	33.74	36.65	7.62	37.29	187	6	A	H
													H
													H
	*	6985	109.35	-	-	103.24	35.87	7.52	37.28	206	316	P	V
	*	6985	100.99	-	-	94.88	35.87	7.52	37.28	206	316	A	V
		7126.76	53.97	-34.23	88.2	47.09	36.56	7.61	37.29	206	316	P	V
		7125.8	45.73	-22.47	68.2	38.86	36.55	7.61	37.29	206	316	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 207 6985MHz		9314	56.95	-17.05	74	64.26	38.23	11.06	56.6	293	130	P	H
		9314	53.3	-0.7	54	60.61	38.23	11.06	56.6	293	130	A	H
		13970	56.75	-31.45	88.2	61	40.74	12.41	57.4	225	181	P	H
		13970	53.05	-15.15	68.2	57.3	40.74	12.41	57.4	225	181	A	H
		20955	36.89	-37.11	74	57.52	37.44	-3.16	54.91	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
		9314	53.44	-20.56	74	60.75	38.23	11.06	56.6	400	272	P	V
		9314	48.21	-5.79	54	55.52	38.23	11.06	56.6	400	272	A	V
		13970	58.5	-29.7	88.2	62.75	40.74	12.41	57.4	386	97	P	V
		13970	55.6	-12.6	68.2	59.85	40.74	12.41	57.4	386	97	A	V
		20955	36.2	-37.8	74	56.83	37.44	-3.16	54.91	-	-	P	V
													V
													V
													V
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 OFDMA RU106*16 CH 207 6985MHz	*	6985	102.62	-	-	96.51	35.87	7.52	37.28	300	318	P	H
	*	6985	94.2	-	-	88.09	35.87	7.52	37.28	300	318	A	H
		7209.32	64.88	-23.32	88.2	57.58	36.92	7.67	37.29	300	318	P	H
		7129.96	45.52	-22.68	68.2	38.62	36.58	7.61	37.29	300	318	A	H
													H
													H
	*	6985	109.31	-	-	103.2	35.87	7.52	37.28	191	313	P	V
	*	6985	99.83	-	-	93.72	35.87	7.52	37.28	191	313	A	V
		7128.68	72.49	-15.71	88.2	65.6	36.57	7.61	37.29	191	313	P	V
		7126.12	52.03	-16.17	68.2	45.15	36.56	7.61	37.29	191	313	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 20MHz Channel Puncture Location 1 CH 207 6985MHz	*	6985	102.47	-	-	96.36	35.87	7.52	37.28	200	36	P	H
	*	6985	94.58	-	-	88.47	35.87	7.52	37.28	200	36	A	H
		7146.92	59.17	-29.03	88.2	52.15	36.68	7.63	37.29	200	36	P	H
		7126.76	43.17	-25.03	68.2	36.29	36.56	7.61	37.29	200	36	A	H
													H
													H
	*	6985	109.39	-	-	103.28	35.87	7.52	37.28	190	316	P	V
	*	6985	101.87	-	-	95.76	35.87	7.52	37.28	190	316	A	V
		7142.76	67.26	-20.94	88.2	60.27	36.66	7.62	37.29	190	316	P	V
		7126.12	48.94	-19.26	68.2	42.06	36.56	7.61	37.29	190	316	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 40MHz Channel Puncture Location 1 CH 207 6985MHz	*	6985	104.42	-	-	98.31	35.87	7.52	37.28	200	36	P	H
	*	6985	94.75	-	-	88.64	35.87	7.52	37.28	200	36	A	H
		7125.48	61.17	-27.03	88.2	54.3	36.55	7.61	37.29	200	36	P	H
		7126.12	43.09	-25.11	68.2	36.21	36.56	7.61	37.29	200	36	A	H
													H
													H
	*	6985	111.75	-	-	105.64	35.87	7.52	37.28	197	316	P	V
	*	6985	101.65	-	-	95.54	35.87	7.52	37.28	197	316	A	V
		7126.12	67.84	-20.36	88.2	60.96	36.56	7.61	37.29	197	316	P	V
		7126.12	49.3	-18.9	68.2	42.42	36.56	7.61	37.29	197	316	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 6-8 - Straddle Channel

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT320 Full CH 191 6905MHz	*	6905	103.09	-	-	96.99	35.89	7.47	37.26	198	2	P	H
	*	6905	94.89	-	-	88.79	35.89	7.47	37.26	198	2	A	H
		7181.44	55.52	-32.68	88.2	48.33	36.83	7.65	37.29	198	2	P	H
		7141.84	45.93	-22.27	68.2	38.95	36.65	7.62	37.29	198	2	A	H
													H
													H
	*	6905	109.34	-	-	103.24	35.89	7.47	37.26	200	318	P	V
	*	6905	101.21	-	-	95.11	35.89	7.47	37.26	200	318	A	V
		7207.84	63.07	-25.13	88.2	55.78	36.92	7.66	37.29	200	318	P	V
		7125.67	53.74	-14.46	68.2	46.87	36.55	7.61	37.29	200	318	A	V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												

**Straddle Channel****WIFI 802.11be EHT320 Full (Harmonic @ 3m)**

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 95 6425MHz		12850	53.15	-35.05	88.2	58.23	39.9	11.67	56.65	351	164	P	H
		12850	49.11	-19.09	68.2	54.19	39.9	11.67	56.65	351	164	A	H
		19275	35.55	-38.45	74	56.22	37.95	-3.33	55.29	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12850	52.22	-35.98	88.2	57.3	39.9	11.67	56.65	400	231	P	V
		12850	47.91	-20.29	68.2	52.99	39.9	11.67	56.65	400	231	A	V
		19275	36.8	-37.2	74	57.47	37.95	-3.33	55.29	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 159 6745MHz		13490	55.26	-32.94	88.2	59.65	40.5	12.11	57	354	135	P	H
		13490	51.48	-16.72	68.2	55.87	40.5	12.11	57	354	135	A	H
		20235	37.24	-36.76	74	57.6	37.96	-3.32	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		13490	57.35	-30.85	88.2	61.74	40.5	12.11	57	158	95	P	V
		13490	54.84	-13.36	68.2	59.23	40.5	12.11	57	158	95	A	V
		20235	37.35	-36.65	74	57.71	37.96	-3.32	55	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 127 6585MHz		13170	53.46	-34.74	88.2	58.41	40.02	11.92	56.89	326	120	P	H
		13170	48.16	-20.04	68.2	53.11	40.02	11.92	56.89	326	120	A	H
		19755	38.13	-35.87	74	58.46	38.07	-3.3	55.1	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13170	54	-34.2	88.2	58.95	40.02	11.92	56.89	368	73	P	V
		13170	49.21	-18.99	68.2	54.16	40.02	11.92	56.89	368	73	A	V
		19755	36.86	-37.14	74	57.19	38.07	-3.3	55.1	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Straddle Channel

WIFI 802.11be EHT320 OFDMA RU242*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 OFDMA RU242*16 CH 95 6425MHz		5879.4	46.69	-41.51	88.2	42.53	34.38	6.95	37.17	173	118	P	H
		5847.4	36.13	-32.07	68.2	32.15	34.19	6.94	37.15	173	118	A	H
	*	6425	104.36	-	-	99.19	34.95	7.35	37.13	173	118	P	H
	*	6425	95.79	-	-	90.62	34.95	7.35	37.13	173	118	A	H
													H
													H
		5912.2	46.63	-41.57	88.2	42.37	34.5	6.96	37.2	164	320	P	V
		5886.6	36.17	-32.03	68.2	31.98	34.42	6.95	37.18	164	320	A	V
	*	6425	107.96	-	-	102.79	34.95	7.35	37.13	164	320	P	V
	*	6425	99.82	-	-	94.65	34.95	7.35	37.13	164	320	A	V
													V
													V
802.11be EHT320 OFDMA RU242*16 CH 191 6905MHz	*	6905	100.09	-	-	93.99	35.89	7.47	37.26	200	14	P	H
	*	6905	91.5	-	-	85.4	35.89	7.47	37.26	200	14	A	H
		7205.53	69.07	-19.13	88.2	61.79	36.91	7.66	37.29	200	14	P	H
		7211.14	53.98	-14.22	68.2	46.68	36.92	7.67	37.29	200	14	A	H
													H
													H
	*	6905	109.17	-	-	103.07	35.89	7.47	37.26	191	315	P	V
	*	6905	100.41	-	-	94.31	35.89	7.47	37.26	191	315	A	V
		7205.2	77.84	-10.36	88.2	70.56	36.91	7.66	37.29	191	315	P	V
		7186.72	61.32	-6.88	68.2	54.11	36.85	7.65	37.29	191	315	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Straddle Channel

WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 40MHz Channel Puncture Location 1 CH 191 6905MHz	*	6905	104.38	-	-	98.28	35.89	7.47	37.26	201	359	P	H
	*	6905	95.76	-	-	89.66	35.89	7.47	37.26	201	359	A	H
		7199.26	59.18	-29.02	88.2	51.91	36.9	7.66	37.29	201	359	P	H
		7140.19	45.93	-22.27	68.2	38.96	36.64	7.62	37.29	201	359	A	H
													H
													H
	*	6905	112.27	-	-	106.17	35.89	7.47	37.26	201	318	P	V
	*	6905	102.09	-	-	95.99	35.89	7.47	37.26	201	318	A	V
		7187.38	68.71	-19.49	88.2	61.5	36.85	7.65	37.29	201	318	P	V
		7125.67	55.81	-12.39	68.2	48.94	36.55	7.61	37.29	201	318	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Straddle Channel

WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 80MHz Channel Puncture Location 1 CH 191 6905MHz	*	6905	104.47	-	-	98.37	35.89	7.47	37.26	192	359	P	H
	*	6905	96.03	-	-	89.93	35.89	7.47	37.26	192	359	A	H
		7140.19	58.94	-29.26	88.2	51.97	36.64	7.62	37.29	192	359	P	H
		7140.52	45.22	-22.98	68.2	38.25	36.64	7.62	37.29	192	359	A	H
													H
													H
	*	6905	108.61	-	-	102.51	35.89	7.47	37.26	192	359	P	V
	*	6905	100.06	-	-	93.96	35.89	7.47	37.26	192	359	A	V
		7143.49	65.69	-22.51	88.2	58.7	36.66	7.62	37.29	192	359	P	V
		7125.01	54.13	-14.07	68.2	47.26	36.55	7.61	37.29	192	359	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Straddle Channel

WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 7 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 80+40MHz Channel Puncture Location 7 CH 191 6905MHz	*	6905	103.52	-	-	97.42	35.89	7.47	37.26	205	14	P	H
	*	6905	94.57	-	-	88.47	35.89	7.47	37.26	205	14	A	H
		7144.81	61.41	-26.79	88.2	54.41	36.67	7.62	37.29	205	14	P	H
		7125.34	50.61	-17.59	68.2	43.74	36.55	7.61	37.29	205	14	A	H
													H
													H
	*	6905	112.24	-	-	106.14	35.89	7.47	37.26	188	317	P	V
	*	6905	103.02	-	-	96.92	35.89	7.47	37.26	188	317	A	V
		7125.01	67.02	-21.18	88.2	60.15	36.55	7.61	37.29	188	317	P	V
		7126	56.51	-11.69	68.2	49.63	36.56	7.61	37.29	188	317	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Emission below 1GHz

WIFI 802.11be EHT20 (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT20 LF		31.08	23.62	-16.38	40	30.54	24.58	0.83	32.33	-	-	P	H
		131.52	20.74	-22.76	43.5	34	17.68	1.3	32.24	-	-	P	H
		260.04	19.84	-26.16	46	30.21	20.03	1.73	32.13	-	-	P	H
		514.2	24.45	-21.55	46	30.23	24.12	2.29	32.19	-	-	P	H
		708.1	39.13	-6.87	46	41.91	26.69	2.66	32.13	-	-	P	H
		969.2	33.4	-20.6	54	30	31.1	3.12	30.82	-	-	P	H
													H
													H
													H
													H
													H
													H
		30.81	22.77	-17.23	40	29.57	24.69	0.83	32.32	-	-	P	V
		137.73	17.89	-25.61	43.5	31.03	17.78	1.31	32.23	-	-	P	V
		259.77	19.97	-26.03	46	30.38	19.99	1.73	32.13	-	-	P	V
		577.9	26.71	-19.29	46	30.74	26.02	2.17	32.22	-	-	P	V
		708.1	39.06	-6.94	46	41.84	26.69	2.66	32.13	-	-	P	V
		973.4	33.57	-20.43	54	30.18	31.05	3.12	30.78	-	-	P	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against limit line.												
	3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												

N_{SS}=4

Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 33 6115MHz		5917.1	48.24	-39.96	88.2	43.98	34.5	6.96	37.2	279	96	P	H
		5881.1	37.35	-30.85	68.2	33.18	34.39	6.95	37.17	279	96	A	H
	*	6115	100.14	-	-	95.95	34.23	7.19	37.23	279	96	P	H
	*	6115	90.07	-	-	85.88	34.23	7.19	37.23	279	96	A	H
													H
													H
		5850.2	46.68	-41.52	88.2	42.69	34.2	6.94	37.15	194	162	P	V
		5887.1	37.17	-31.03	68.2	32.98	34.42	6.95	37.18	194	162	A	V
	*	6115	105.21	-	-	101.02	34.23	7.19	37.23	194	162	P	V
	*	6115	96.23	-	-	92.04	34.23	7.19	37.23	194	162	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 OFDMA RU52*4 CH 33 6115MHz		5897.9	47.89	-40.31	88.2	43.64	34.49	6.95	37.19	195	349	P	H
		5888.3	37.16	-31.04	68.2	32.96	34.43	6.95	37.18	195	349	A	H
	*	6115	101.96	-	-	97.77	34.23	7.19	37.23	195	349	P	H
	*	6115	94.27	-	-	90.08	34.23	7.19	37.23	195	349	A	H
													H
													H
		5894.6	46.27	-41.93	88.2	42.04	34.47	6.95	37.19	224	101	P	V
		5880.2	37.13	-31.07	68.2	32.97	34.38	6.95	37.17	224	101	A	V
	*	6115	109.89	-	-	105.7	34.23	7.19	37.23	224	101	P	V
	*	6115	102.19	-	-	98	34.23	7.19	37.23	224	101	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 35 6125MHz		5923.89	46.49	-41.71	88.2	42.24	34.5	6.96	37.21	100	156	P	H
		5893.82	37.11	-31.09	68.2	32.89	34.46	6.95	37.19	100	156	A	H
	*	6125	98.87	-	-	94.65	34.25	7.2	37.23	100	156	P	H
	*	6125	89.29	-	-	85.07	34.25	7.2	37.23	100	156	A	H
													H
													H
		5864.37	47.81	-40.39	88.2	43.74	34.29	6.94	37.16	185	102	P	V
		5889.79	37.14	-31.06	68.2	32.93	34.44	6.95	37.18	185	102	A	V
	*	6125	107.28	-	-	103.06	34.25	7.2	37.23	185	102	P	V
	*	6125	96.24	-	-	92.02	34.25	7.2	37.23	185	102	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT40 OFDMA RU52*8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 OFDMA RU52*8 CH 35 6125MHz		5902.81	45.59	-42.61	88.2	41.32	34.5	6.96	37.19	100	153	P	H
		5886.69	37.14	-31.06	68.2	32.95	34.42	6.95	37.18	100	153	A	H
	*	6125	98.75	-	-	94.53	34.25	7.2	37.23	100	153	P	H
	*	6125	90.92	-	-	86.7	34.25	7.2	37.23	100	153	A	H
													H
													H
		5887.31	46.58	-41.62	88.2	42.39	34.42	6.95	37.18	175	99	P	V
		5888.86	37.09	-31.11	68.2	32.89	34.43	6.95	37.18	175	99	A	V
	*	6125	106.37	-	-	102.15	34.25	7.2	37.23	175	99	P	V
	*	6125	98.13	-	-	93.91	34.25	7.2	37.23	175	99	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 39 6145MHz		5887.8	48.02	-40.18	88.2	43.82	34.43	6.95	37.18	218	350	P	H
		5884.8	37.33	-30.87	68.2	33.15	34.41	6.95	37.18	218	350	A	H
	*	6145	100.14	-	-	95.83	34.29	7.24	37.22	218	350	P	H
	*	6145	90.28	-	-	85.97	34.29	7.24	37.22	218	350	A	H
													H
													H
		5908.5	47.12	-41.08	88.2	42.86	34.5	6.96	37.2	200	162	P	V
		5886	37.43	-30.77	68.2	33.24	34.42	6.95	37.18	200	162	A	V
	*	6145	105.44	-	-	101.13	34.29	7.24	37.22	200	162	P	V
	*	6145	95.95	-	-	91.64	34.29	7.24	37.22	200	162	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 OFDMA RU52*16 CH 39 6145MHz		5899.2	45.86	-42.34	88.2	41.6	34.5	6.95	37.19	163	11	P	H
		5922.9	37.62	-30.58	68.2	33.37	34.5	6.96	37.21	163	11	A	H
	*	6145	99.88	-	-	95.57	34.29	7.24	37.22	163	11	P	H
	*	6145	92.97	-	-	88.66	34.29	7.24	37.22	163	11	A	H
													H
													H
		5888.4	45.9	-42.3	88.2	41.7	34.43	6.95	37.18	228	185	P	V
		5885.7	37.44	-30.76	68.2	33.26	34.41	6.95	37.18	228	185	A	V
	*	6145	106.03	-	-	101.72	34.29	7.24	37.22	228	185	P	V
	*	6145	99.05	-	-	94.74	34.29	7.24	37.22	228	185	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Test 80MHz Channel Puncture Location 4 CH 39 6145MHz		5895.9	45.85	-42.35	88.2	41.61	34.48	6.95	37.19	143	67	P	H
		5877.3	35.82	-32.38	68.2	31.68	34.36	6.95	37.17	143	67	A	H
	*	6145	100.41	-	-	96.1	34.29	7.24	37.22	143	67	P	H
	*	6145	91.76	-	-	87.45	34.29	7.24	37.22	143	67	A	H
													H
													H
		5873.1	46.4	-41.8	88.2	42.28	34.34	6.95	37.17	203	187	P	V
		5885.1	35.84	-32.36	68.2	31.66	34.41	6.95	37.18	203	187	A	V
	*	6145	106.13	-	-	101.82	34.29	7.24	37.22	203	187	P	V
	*	6145	96.94	-	-	92.63	34.29	7.24	37.22	203	187	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		5882.02	47.6	-40.6	88.2	43.44	34.39	6.95	37.18	230	352	P	H
		5884.54	37.43	-30.77	68.2	33.25	34.41	6.95	37.18	230	352	A	H
	*	6185	100.14	-	-	95.75	34.3	7.3	37.21	230	352	P	H
	*	6185	90.98	-	-	86.59	34.3	7.3	37.21	230	352	A	H
													H
													H
		5802.64	48.1	-40.1	88.2	44.28	34.01	6.92	37.11	210	181	P	V
		5880.34	37.46	-30.74	68.2	33.3	34.38	6.95	37.17	210	181	A	V
	*	6185	107.56	-	-	103.17	34.3	7.3	37.21	210	181	P	V
	*	6185	96.29	-	-	91.9	34.3	7.3	37.21	210	181	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		12370	53.67	-20.33	74	59.55	39.04	11.22	56.14	357	166	P	H
		12370	49.8	-4.2	54	55.68	39.04	11.22	56.14	357	166	A	H
		18555	36.29	-37.71	74	57.36	38.11	-3.51	55.67	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12370	53.27	-20.73	74	59.15	39.04	11.22	56.14	393	87	P	V
		12370	49.48	-4.52	54	55.36	39.04	11.22	56.14	393	87	A	V
		18555	35.31	-38.69	74	56.38	38.11	-3.51	55.67	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 79 6345MHz		12690	51.44	-22.56	74	56.79	39.58	11.52	56.45	207	145	P	H
		12690	46.32	-7.68	54	51.67	39.58	11.52	56.45	207	145	A	H
		19035	37.05	-36.95	74	57.63	38.24	-3.43	55.39	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12690	46.78	-27.22	74	52.13	39.58	11.52	56.45	-	-	P	V
		19035	37.19	-36.81	74	57.77	38.24	-3.43	55.39	-	-	A	V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 OFDMA RU106*16 CH 47 6185MHz		5839.18	47.13	-41.07	88.2	43.18	34.16	6.93	37.14	185	83	P	H
		5889.16	35.87	-32.33	68.2	31.67	34.43	6.95	37.18	185	83	A	H
	*	6185	103.45	-	-	99.06	34.3	7.3	37.21	185	83	P	H
	*	6185	95.28	-	-	90.89	34.3	7.3	37.21	185	83	A	H
													H
													H
		5886.64	46.78	-41.42	88.2	42.59	34.42	6.95	37.18	230	101	P	V
		5922.76	35.94	-32.26	68.2	31.69	34.5	6.96	37.21	230	101	A	V
	*	6185	109.73	-	-	105.34	34.3	7.3	37.21	230	101	P	V
	*	6185	101.05	-	-	96.66	34.3	7.3	37.21	230	101	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 20MHz Channel Puncture Location 8 CH 47 6185MHz		5839.6	46.22	-41.98	88.2	42.27	34.16	6.93	37.14	162	66	P	H
		5876.14	35.94	-32.26	68.2	31.8	34.36	6.95	37.17	162	66	A	H
	*	6185	99.39	-	-	95	34.3	7.3	37.21	162	66	P	H
	*	6185	90.52	-	-	86.13	34.3	7.3	37.21	162	66	A	H
													H
													H
		5916.04	46.57	-41.63	88.2	42.31	34.5	6.96	37.2	207	183	P	V
		5880.34	36.18	-32.02	68.2	32.02	34.38	6.95	37.17	207	183	A	V
	*	6185	105.95	-	-	101.56	34.3	7.3	37.21	207	183	P	V
	*	6185	97.29	-	-	92.9	34.3	7.3	37.21	207	183	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 40MHz Channel Puncture Location 4 CH 47 6185MHz		5884.12	46.78	-41.42	88.2	42.61	34.4	6.95	37.18	149	66	P	H
		5884.12	36	-32.2	68.2	31.83	34.4	6.95	37.18	149	66	A	H
	*	6185	101	-	-	96.61	34.3	7.3	37.21	149	66	P	H
	*	6185	91.49	-	-	87.1	34.3	7.3	37.21	149	66	A	H
													H
													H
		5878.24	46.64	-41.56	88.2	42.49	34.37	6.95	37.17	205	183	P	V
		5890.42	35.96	-32.24	68.2	31.75	34.44	6.95	37.18	205	183	A	V
	*	6185	107	-	-	102.61	34.3	7.3	37.21	205	183	P	V
	*	6185	97.47	-	-	93.08	34.3	7.3	37.21	205	183	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 63 6265MHz		5898.19	47.61	-40.59	88.2	43.36	34.49	6.95	37.19	208	222	P	H
		5875.65	37.5	-30.7	68.2	33.37	34.35	6.95	37.17	208	222	A	H
	*	6265	101.21	-	-	96.66	34.4	7.34	37.19	208	222	P	H
	*	6265	91.27	-	-	86.72	34.4	7.34	37.19	208	222	A	H
													H
													H
		5892.31	49.59	-38.61	88.2	45.37	34.45	6.95	37.18	193	162	P	V
		5888.88	39.02	-29.18	68.2	34.82	34.43	6.95	37.18	193	162	A	V
	*	6265	104.73	-	-	100.18	34.4	7.34	37.19	193	162	P	V
	*	6265	95.36	-	-	90.81	34.4	7.34	37.19	193	162	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 40MHz Channel Puncture Location 8 CH 63 6265MHz		5787.45	46.74	-41.46	88.2	42.98	33.95	6.91	37.1	187	349	P	H
		5880.06	36.18	-32.02	68.2	32.02	34.38	6.95	37.17	187	349	A	H
	*	6265	98.79	-	-	94.24	34.4	7.34	37.19	187	349	P	H
	*	6265	90.86	-	-	86.31	34.4	7.34	37.19	187	349	A	H
													H
													H
		5871.24	47.19	-41.01	88.2	43.09	34.33	6.94	37.17	206	184	P	V
		5924.65	37.26	-30.94	68.2	33.01	34.5	6.96	37.21	206	184	A	V
	*	6265	103.89	-	-	99.34	34.4	7.34	37.19	206	184	P	V
	*	6265	95.2	-	-	90.65	34.4	7.34	37.19	206	184	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 80MHz Channel Puncture Location 4 CH 63 6265MHz		5892.31	47.4	-40.8	88.2	43.18	34.45	6.95	37.18	187	348	P	H
		5888.39	36.15	-32.05	68.2	31.95	34.43	6.95	37.18	187	348	A	H
	*	6265	100.9	-	-	96.35	34.4	7.34	37.19	187	348	P	H
	*	6265	90.73	-	-	86.18	34.4	7.34	37.19	187	348	A	H
													H
													H
		5893.78	46.56	-41.64	88.2	42.34	34.46	6.95	37.19	212	183	P	V
		5923.18	36.58	-31.62	68.2	32.33	34.5	6.96	37.21	212	183	A	V
	*	6265	105.9	-	-	101.35	34.4	7.34	37.19	212	183	P	V
	*	6265	96.24	-	-	91.69	34.4	7.34	37.19	212	183	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 CH 63 6265MHz		5895.74	46.31	-41.89	88.2	42.08	34.47	6.95	37.19	179	348	P	H
		5877.12	36.12	-32.08	68.2	31.98	34.36	6.95	37.17	179	348	A	H
	*	6265	100.51	-	-	95.96	34.4	7.34	37.19	179	348	P	H
	*	6265	91.41	-	-	86.86	34.4	7.34	37.19	179	348	A	H
													H
													H
		5845.27	46.44	-41.76	88.2	42.47	34.18	6.94	37.15	206	182	P	V
		5843.31	36.15	-32.05	68.2	32.18	34.17	6.94	37.14	206	182	A	V
	*	6265	106.76	-	-	102.21	34.4	7.34	37.19	206	182	P	V
	*	6265	96.89	-	-	92.34	34.4	7.34	37.19	206	182	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 6 - 6425~6525MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 111 6505MHz		13010	54.19	-34.01	88.2	59.25	39.96	11.81	56.83	100	184	P	H
		13010	49.55	-18.65	68.2	54.61	39.96	11.81	56.83	100	184	A	H
		19515	36.33	-37.67	74	56.78	37.98	-3.24	55.19	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13010	52.37	-35.83	88.2	57.43	39.96	11.81	56.83	210	88	P	V
		13010	48.67	-19.53	68.2	53.73	39.96	11.81	56.83	210	88	A	V
		19515	36.07	-37.93	74	56.52	37.98	-3.24	55.19	-	-	P	V
													V
													V
													V
													V
													V
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	

Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

[illegible]

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 175 6825MHz		13650	56.55	-31.65	88.2	60.87	40.6	12.21	57.13	206	229	P	H
		13650	52.86	-15.34	68.2	57.18	40.6	12.21	57.13	206	229	A	H
		20475	37.58	-36.42	74	57.96	37.9	-3.28	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 229 7095MHz	*	7095	100.68	-	-	94	36.38	7.59	37.29	196	16	P	H
	*	7095	91.12	-	-	84.44	36.38	7.59	37.29	196	16	A	H
		7161.48	51.04	-37.16	88.2	43.95	36.75	7.63	37.29	196	16	P	H
		7242.6	40.62	-27.58	68.2	33.23	36.99	7.69	37.29	196	16	A	H
													H
													H
	*	7095	106.24	-	-	99.56	36.38	7.59	37.29	162	314	P	V
	*	7095	97.02	-	-	90.34	36.38	7.59	37.29	162	314	A	V
		7135.88	56.95	-31.25	88.2	50	36.62	7.62	37.29	162	314	P	V
		7240.36	41.44	-26.76	68.2	34.07	36.98	7.68	37.29	162	314	A	V
													V
													V
802.11be EHT20 Full CH 233 7115MHz	*	7115	97.67	-	-	90.87	36.49	7.6	37.29	203	37	P	H
	*	7115	88.91	-	-	82.11	36.49	7.6	37.29	203	37	A	H
		7125.02	71.5	-16.7	88.2	64.63	36.55	7.61	37.29	203	37	P	H
		7125.02	61.2	-7	68.2	54.33	36.55	7.61	37.29	203	37	A	H
													H
													H
	*	7115	105.2	-	-	98.4	36.49	7.6	37.29	216	324	P	V
	*	7115	95.72	-	-	88.92	36.49	7.6	37.29	216	324	A	V
		7125.02	78.73	-9.47	88.2	71.86	36.55	7.61	37.29	216	324	P	V
		7125.02	67.58	-0.62	68.2	60.71	36.55	7.61	37.29	216	324	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 OFDMA RU52*4 CH 229 7095MHz	*	7095	104.13	-	-	97.45	36.38	7.59	37.29	338	148	P	H
	*	7095	95.75	-	-	89.07	36.38	7.59	37.29	338	148	A	H
		7224.52	50.06	-38.14	88.2	42.73	36.95	7.67	37.29	338	148	P	H
		7241.32	40.37	-27.83	68.2	33	36.98	7.68	37.29	338	148	A	H
													H
													H
	*	7095	108.95	-	-	102.27	36.38	7.59	37.29	156	50	P	V
	*	7095	102.06	-	-	95.38	36.38	7.59	37.29	156	50	A	V
		7226.12	51.09	-37.11	88.2	43.75	36.95	7.68	37.29	156	50	P	V
		7142.76	40.86	-27.34	68.2	33.87	36.66	7.62	37.29	156	50	A	V
													V
													V
802.11be EHT20 OFDMA RU52*4 CH 233 7115MHz	*	7115	99.88	-	-	93.08	36.49	7.6	37.29	343	150	P	H
	*	7115	92.15	-	-	85.35	36.49	7.6	37.29	343	150	A	H
		7125	70.06	-18.14	88.2	63.19	36.55	7.61	37.29	343	150	P	H
		7125	59.38	-8.82	68.2	52.51	36.55	7.61	37.29	343	150	A	H
													H
													H
	*	7115	107.41	-	-	100.61	36.49	7.6	37.29	156	48	P	V
	*	7115	97.94	-	-	91.14	36.49	7.6	37.29	156	48	A	V
		7125	78.33	-9.87	88.2	71.46	36.55	7.61	37.29	156	48	P	V
		7125	66.6	-1.6	68.2	59.73	36.55	7.61	37.29	156	48	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 227 7085MHz	*	7085	99.04	-	-	92.4	36.34	7.59	37.29	199	15	P	H
	*	7085	90.33	-	-	83.69	36.34	7.59	37.29	199	15	A	H
		7134.48	52.25	-35.95	88.2	45.31	36.61	7.62	37.29	199	15	P	H
		7126.56	41.28	-26.92	68.2	34.4	36.56	7.61	37.29	199	15	A	H
													H
													H
	*	7085	105.2	-	-	98.56	36.34	7.59	37.29	180	318	P	V
	*	7085	96.78	-	-	90.14	36.34	7.59	37.29	180	318	A	V
		7126.56	60.4	-27.8	88.2	53.52	36.56	7.61	37.29	180	318	P	V
		7125.48	42.61	-25.59	68.2	35.74	36.55	7.61	37.29	180	318	A	V
Remark													V
													V

1. No other spurious found.
2. All results are PASS against Peak and Average limit line.



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 OFDMA RU52*16 CH 227 7085MHz	*	7085	100.43	-	-	93.79	36.34	7.59	37.29	203	22	P	H
	*	7085	88.93	-	-	82.29	36.34	7.59	37.29	203	22	A	H
		7126.56	59.68	-28.52	88.2	52.8	36.56	7.61	37.29	203	22	P	H
		7125.66	43.45	-24.75	68.2	36.58	36.55	7.61	37.29	203	22	A	H
													H
													H
	*	7085	104.11	-	-	97.47	36.34	7.59	37.29	187	317	P	V
	*	7085	94.9	-	-	88.26	36.34	7.59	37.29	187	317	A	V
		7125	64.56	-23.64	88.2	57.69	36.55	7.61	37.29	187	317	P	V
		7126.2	46.74	-21.46	68.2	39.86	36.56	7.61	37.29	187	317	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 215 7025MHz	*	7025	102.16	-	-	95.85	36.05	7.55	37.29	301	315	P	H
	*	7025	90.98	-	-	84.67	36.05	7.55	37.29	301	315	A	H
		7139.08	50.49	-37.71	88.2	43.53	36.63	7.62	37.29	301	315	P	H
		7143.88	41.01	-27.19	68.2	34.02	36.66	7.62	37.29	301	315	A	H
													H
													H
	*	7025	106.48	-	-	100.17	36.05	7.55	37.29	186	316	P	V
	*	7025	97.37	-	-	91.06	36.05	7.55	37.29	186	316	A	V
		7125.96	51.6	-36.6	88.2	44.72	36.56	7.61	37.29	186	316	P	V
		7142.44	42.82	-25.38	68.2	35.84	36.65	7.62	37.29	186	316	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 OFDMA RU52*16 CH 215 7025MHz	*	7025	100.01	-	-	93.7	36.05	7.55	37.29	300	316	P	H
	*	7025	93.26	-	-	86.95	36.05	7.55	37.29	300	316	A	H
		7129.48	55.5	-32.7	88.2	48.6	36.58	7.61	37.29	300	316	P	H
		7130.92	43.75	-24.45	68.2	36.83	36.59	7.62	37.29	300	316	A	H
													H
													H
	*	7025	105.92	-	-	99.61	36.05	7.55	37.29	216	271	P	V
	*	7025	99.27	-	-	92.96	36.05	7.55	37.29	216	271	A	V
		7126.76	68.23	-19.97	88.2	61.35	36.56	7.61	37.29	216	271	P	V
		7127.08	55.17	-13.03	68.2	48.29	36.56	7.61	37.29	216	271	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Test 20MHz Channel Puncture Location 1 CH 215 7025MHz	*	7025	101.94	-	-	95.63	36.05	7.55	37.29	197	14	P	H
	*	7025	91.81	-	-	85.5	36.05	7.55	37.29	197	14	A	H
		7132.36	55	-33.2	88.2	48.08	36.59	7.62	37.29	197	14	P	H
		7125	40.02	-28.18	68.2	33.15	36.55	7.61	37.29	197	14	A	H
													H
													H
	*	7025	106.76	-	-	100.45	36.05	7.55	37.29	160	231	P	V
	*	7025	97.76	-	-	91.45	36.05	7.55	37.29	160	231	A	V
		7127.24	59.07	-29.13	88.2	52.19	36.56	7.61	37.29	160	231	P	V
		7127.4	42.41	-25.79	68.2	35.53	36.56	7.61	37.29	160	231	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 207 6985MHz	*	6985	99.78	-	-	93.67	35.87	7.52	37.28	196	37	P	H
	*	6985	90.07	-	-	83.96	35.87	7.52	37.28	196	37	A	H
		7134.44	63.31	-24.89	88.2	56.37	36.61	7.62	37.29	196	37	P	H
		7133.16	46.04	-22.16	68.2	39.11	36.6	7.62	37.29	196	37	A	H
													H
													H
	*	6985	106.86	-	-	100.75	35.87	7.52	37.28	193	315	P	V
	*	6985	97.47	-	-	91.36	35.87	7.52	37.28	193	315	A	V
		7144.68	71.46	-16.74	88.2	64.46	36.67	7.62	37.29	193	315	P	V
		7145.64	52.03	-16.17	68.2	45.03	36.67	7.62	37.29	193	315	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 207 6985MHz		9314	56.63	-17.37	74	63.94	38.23	11.06	56.6	293	130	P	H	
		9314	53.26	-0.74	54	60.57	38.23	11.06	56.6	293	130	A	H	
		13970	58.54	-29.66	88.2	62.79	40.74	12.41	57.4	198	110	P	H	
		13970	56.27	-11.93	68.2	60.52	40.74	12.41	57.4	198	110	A	H	
		20955	36.89	-37.11	74	57.52	37.44	-3.16	54.91	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
														H
		9314	53.86	-20.14	74	61.17	38.23	11.06	56.6	56.6	400	271	P	V
		9314	48.32	-5.68	54	55.63	38.23	11.06	56.6	56.6	400	271	A	V
		13970	58.64	-29.56	88.2	62.89	40.74	12.41	57.4	57.4	393	97	P	V
		13970	56.31	-11.89	68.2	60.56	40.74	12.41	57.4	57.4	393	97	A	V
		20955	36.42	-37.58	74	57.05	37.44	-3.16	54.91	54.91	-	-	P	V
														V
														V
														V
														V
														V
														V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.													



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 OFDMA RU106*16 CH 207 6985MHz	*	6985	101.49	-	-	95.38	35.87	7.52	37.28	201	13	P	H
	*	6985	93.2	-	-	87.09	35.87	7.52	37.28	201	13	A	H
		7125.8	67.49	-20.71	88.2	60.62	36.55	7.61	37.29	201	13	P	H
		7125.16	45.76	-22.44	68.2	38.89	36.55	7.61	37.29	201	13	A	H
													H
													H
	*	6985	108.96	-	-	102.85	35.87	7.52	37.28	211	359	P	V
	*	6985	99.12	-	-	93.01	35.87	7.52	37.28	211	359	A	V
		7143.08	70.45	-17.75	88.2	63.46	36.66	7.62	37.29	211	359	P	V
		7143.4	52.18	-16.02	68.2	45.19	36.66	7.62	37.29	211	359	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 20MHz Channel Puncture Location 1 CH 207 6985MHz	*	6985	100.14	-	-	94.03	35.87	7.52	37.28	205	14	P	H
	*	6985	90.1	-	-	83.99	35.87	7.52	37.28	205	14	A	H
		7144.68	61.65	-26.55	88.2	54.65	36.67	7.62	37.29	205	14	P	H
		7125.16	45.12	-23.08	68.2	38.25	36.55	7.61	37.29	205	14	A	H
													H
													H
	*	6985	105.09	-	-	98.98	35.87	7.52	37.28	152	231	P	V
	*	6985	96.68	-	-	90.57	35.87	7.52	37.28	152	231	A	V
		7126.76	69.88	-18.32	88.2	63	36.56	7.61	37.29	152	231	P	V
		7126.12	50.25	-17.95	68.2	43.37	36.56	7.61	37.29	152	231	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Test 40MHz Channel Puncture Location 1 CH 207 6985MHz	*	6985	100.16	-	-	94.05	35.87	7.52	37.28	194	34	P	H
	*	6985	90.49	-	-	84.38	35.87	7.52	37.28	194	34	A	H
		7135.72	58.58	-29.62	88.2	51.64	36.61	7.62	37.29	194	34	P	H
		7125.8	42.3	-25.9	68.2	35.43	36.55	7.61	37.29	194	34	A	H
													H
													H
	*	6985	105.77	-	-	99.66	35.87	7.52	37.28	164	231	P	V
	*	6985	97.01	-	-	90.9	35.87	7.52	37.28	164	231	A	V
		7127.72	64.45	-23.75	88.2	57.56	36.57	7.61	37.29	164	231	P	V
		7126.12	47.62	-20.58	68.2	40.74	36.56	7.61	37.29	164	231	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 6-8 - Straddle Channel

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT320 Full CH 191 6905MHz	*	6905	99.45	-	-	93.35	35.89	7.47	37.26	306	313	P	H
	*	6905	90.07	-	-	83.97	35.89	7.47	37.26	306	313	A	H
		7209.925	71.59	-16.61	88.2	64.29	36.92	7.67	37.29	306	313	P	H
		7291.695	61.53	-12.47	74	54.09	37	7.72	37.28	306	313	P	H
		7190.035	52.18	-16.02	68.2	44.96	36.86	7.65	37.29	306	313	A	H
		7290.59	45.41	-8.59	54	37.98	37	7.71	37.28	306	313	A	H
	*	6905	105.24	-	-	99.14	35.89	7.47	37.26	201	322	P	V
	*	6905	96.24	-	-	90.14	35.89	7.47	37.26	201	322	A	V
		7202.19	78.93	-9.27	88.2	71.66	36.9	7.66	37.29	201	322	P	V
		7292.8	70.05	-3.95	74	62.61	37	7.72	37.28	201	322	P	V
		7206.61	57.52	-10.68	68.2	50.24	36.91	7.66	37.29	201	322	A	V
		7292.8	51.13	-2.87	54	43.69	37	7.72	37.28	201	322	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Straddle Channel****WIFI 802.11be EHT320 Full (Harmonic @ 3m)**

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 95 6425MHz		12850	53.56	-34.64	88.2	58.64	39.9	11.67	56.65	101	182	P	H
		12850	49.11	-19.09	68.2	54.19	39.9	11.67	56.65	101	182	A	H
		19275	35.69	-38.31	74	56.36	37.95	-3.33	55.29	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12850	53.18	-35.02	88.2	58.26	39.9	11.67	56.65	246	96	P	V
		12850	49.83	-18.37	68.2	54.91	39.9	11.67	56.65	246	96	A	V
		19275	36.97	-37.03	74	57.64	37.95	-3.33	55.29	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 159 6745MHz		13490	53.97	-34.23	88.2	58.36	40.5	12.11	57	298	129	P	H
		13490	50.92	-17.28	68.2	55.31	40.5	12.11	57	298	129	A	H
		20235	37.52	-36.48	74	57.88	37.96	-3.32	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13490	57.37	-30.83	88.2	61.76	40.5	12.11	57	192	96	P	V
		13490	55.09	-13.11	68.2	59.48	40.5	12.11	57	192	96	A	V
		20235	36.23	-37.77	74	56.59	37.96	-3.32	55	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 127 6585MHz		13170	55.61	-32.59	88.2	60.56	40.02	11.92	56.89	100	188	P	H
		13170	52.11	-16.09	68.2	57.06	40.02	11.92	56.89	100	188	A	H
		19755	36.63	-37.37	74	56.96	38.07	-3.3	55.1	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		13170	53.53	-34.67	88.2	58.48	40.02	11.92	56.89	210	236	P	V
		13170	49.88	-18.32	68.2	54.83	40.02	11.92	56.89	210	236	A	V
		19755	36.66	-37.34	74	56.99	38.07	-3.3	55.1	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 191 6905MHz		13810	55.56	-32.64	88.2	60.13	40.4	12.3	57.27	201	161	P	H
		13810	53.2	-15	68.2	57.77	40.4	12.3	57.27	201	161	A	H
		20715	36.28	-37.72	74	56.39	38.07	-3.22	54.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13810	59.15	-29.05	88.2	63.72	40.4	12.3	57.27	195	85	P	V
		13810	57.38	-10.82	68.2	61.95	40.4	12.3	57.27	195	85	A	V
		20715	36.58	-37.42	74	56.69	38.07	-3.22	54.96	-	-	P	V
													V
													V
													V
													V
													V
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	



Straddle Channel

WIFI 802.11be EHT320 OFDMA RU242*16 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 OFDMA RU242*16 CH 95 6425MHz		5787.4	46.25	-41.95	88.2	42.49	33.95	6.91	37.1	160	119	P	H
		5920.2	36.47	-31.73	68.2	32.22	34.5	6.96	37.21	160	119	A	H
	*	6425	105.28	-	-	100.11	34.95	7.35	37.13	160	119	P	H
	*	6425	95.87	-	-	90.7	34.95	7.35	37.13	160	119	A	H
													H
													H
		5921.8	46.08	-42.12	88.2	41.83	34.5	6.96	37.21	150	319	P	V
		5923.4	36.29	-31.91	68.2	32.04	34.5	6.96	37.21	150	319	A	V
	*	6425	109.12	-	-	103.95	34.95	7.35	37.13	150	319	P	V
	*	6425	100.22	-	-	95.05	34.95	7.35	37.13	150	319	A	V
													V
													V
802.11be EHT320 OFDMA RU242*16 CH 191 6905MHz	*	6905	102.15	-	-	96.05	35.89	7.47	37.26	200	360	P	H
	*	6905	94.81	-	-	88.71	35.89	7.47	37.26	200	360	A	H
		7180.78	63.8	-24.4	88.2	56.62	36.82	7.65	37.29	200	360	P	H
		7200.25	49.61	-18.59	68.2	42.34	36.9	7.66	37.29	200	360	A	H
													H
													H
	*	6905	110.03	-	-	103.93	35.89	7.47	37.26	212	318	P	V
	*	6905	101.16	-	-	95.06	35.89	7.47	37.26	212	318	A	V
		7185.4	77.68	-10.52	88.2	70.48	36.84	7.65	37.29	212	318	P	V
		7186.72	60.28	-7.92	68.2	53.07	36.85	7.65	37.29	212	318	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Straddle Channel

WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 40MHz Channel Puncture Location 1 CH 191 6905MHz	*	6905	99.75	-	-	93.65	35.89	7.47	37.26	293	318	P	H
	*	6905	89.96	-	-	83.86	35.89	7.47	37.26	293	318	A	H
		7189.69	67.91	-20.29	88.2	60.69	36.86	7.65	37.29	293	318	P	H
		7188.7	52.49	-15.71	68.2	45.28	36.85	7.65	37.29	293	318	A	H
													H
													H
	*	6905	107.53	-	-	101.43	35.89	7.47	37.26	205	316	P	V
	*	6905	97.71	-	-	91.61	35.89	7.47	37.26	205	316	A	V
		7186.72	74.35	-13.85	88.2	67.14	36.85	7.65	37.29	205	316	P	V
		7187.05	58.49	-9.71	68.2	51.28	36.85	7.65	37.29	205	316	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Straddle Channel

WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 1 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 80MHz Channel Puncture Location 1 CH 191 6905MHz	*	6905	100.69	-	-	94.59	35.89	7.47	37.26	300	317	P	H
	*	6905	91.32	-	-	85.22	35.89	7.47	37.26	300	317	A	H
		7130.62	60.61	-27.59	88.2	53.71	36.58	7.61	37.29	300	317	P	H
		7128.64	48.34	-19.86	68.2	41.45	36.57	7.61	37.29	300	317	A	H
													H
													H
	*	6905	107	-	-	100.9	35.89	7.47	37.26	180	314	P	V
	*	6905	97.41	-	-	91.31	35.89	7.47	37.26	180	314	A	V
		7126.99	68.21	-19.99	88.2	61.33	36.56	7.61	37.29	180	314	P	V
		7126.33	54.01	-14.19	68.2	47.13	36.56	7.61	37.29	180	314	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Straddle Channel

WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 7 (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Test 80+40MHz Channel Puncture Location 7 CH 191 6905MHz	*	6905	101.8	-	-	95.7	35.89	7.47	37.26	302	316	P	H
	*	6905	92.7	-	-	86.6	35.89	7.47	37.26	302	316	A	H
		7190.68	63.68	-24.52	88.2	56.46	36.86	7.65	37.29	302	316	P	H
		7189.03	48.37	-19.83	68.2	41.15	36.86	7.65	37.29	302	316	A	H
													H
													H
	*	6905	107.44	-	-	101.34	35.89	7.47	37.26	187	321	P	V
	*	6905	98.42	-	-	92.32	35.89	7.47	37.26	187	321	A	V
		7184.08	69.66	-18.54	88.2	62.46	36.84	7.65	37.29	187	321	P	V
		7125.01	54.4	-13.8	68.2	47.53	36.55	7.61	37.29	187	321	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Emission below 1GHz

WIFI 802.11be EHT20 (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT20 LF		30.81	22.65	-17.35	40	29.45	24.69	0.83	32.32	-	-	P	H
		129.09	20.79	-22.71	43.5	34.06	17.67	1.31	32.25	-	-	P	H
		247.89	19.85	-26.15	46	32.03	18.26	1.7	32.14	-	-	P	H
		633.2	27.28	-18.72	46	30.63	26.51	2.36	32.22	-	-	P	H
		704.6	38.09	-7.91	46	40.94	26.63	2.65	32.13	-	-	P	H
		968.5	33.35	-20.65	54	29.96	31.11	3.11	30.83	-	-	P	H
													H
													H
													H
													H
													H
													H
		30.27	23.52	-16.48	40	30.16	24.85	0.82	32.31	-	-	P	V
		128.82	18	-25.5	43.5	31.26	17.68	1.31	32.25	-	-	P	V
		296.76	20.01	-25.99	46	30.94	19.31	1.84	32.08	-	-	P	V
		619.2	26.69	-19.31	46	30.71	25.98	2.22	32.22	-	-	P	V
		710.2	36.67	-9.33	46	39.4	26.73	2.66	32.12	-	-	P	V
		965	33.98	-20.02	54	30.61	31.12	3.11	30.86	-	-	P	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against limit line.												
	3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



<TXBF Mode>

Band 5 - 5925~6425MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preampl Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT20 Full CH 33 6115MHz		5879.9	46.21	-41.99	88.2	42.05	34.38	6.95	37.17	400	154	P	H
		5922.5	36.39	-31.81	68.2	32.14	34.5	6.96	37.21	400	154	A	H
	*	6115	96.17	-	-	91.98	34.23	7.19	37.23	400	154	P	H
	*	6115	85.16	-	-	80.97	34.23	7.19	37.23	400	154	A	H
													H
													H
		5888	45.89	-42.31	88.2	41.69	34.43	6.95	37.18	212	166	P	V
		5924.6	36.42	-31.78	68.2	32.17	34.5	6.96	37.21	212	166	A	V
	*	6115	99.27	-	-	95.08	34.23	7.19	37.23	212	166	P	V
	*	6115	91.32	-	-	87.13	34.23	7.19	37.23	212	166	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 35 6125MHz		5887.62	45.64	-42.56	88.2	41.44	34.43	6.95	37.18	400	156	P	H
		5886.07	35.6	-32.6	68.2	31.41	34.42	6.95	37.18	400	156	A	H
	*	6125	93.49	-	-	89.27	34.25	7.2	37.23	400	156	P	H
	*	6125	84.05	-	-	79.83	34.25	7.2	37.23	400	156	A	H
													H
													H
		5867.47	46.86	-41.34	88.2	42.78	34.3	6.94	37.16	194	162	P	V
		5838.64	35.81	-32.39	68.2	31.87	34.15	6.93	37.14	194	162	A	V
	*	6125	101.51	-	-	97.29	34.25	7.2	37.23	194	162	P	V
	*	6125	91.66	-	-	87.44	34.25	7.2	37.23	194	162	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 39 6145MHz		5871.9	45.82	-42.38	88.2	41.71	34.33	6.95	37.17	100	156	P	H
		5889.9	35.48	-32.72	68.2	31.27	34.44	6.95	37.18	100	156	A	H
	*	6145	95.49	-	-	91.18	34.29	7.24	37.22	100	156	P	H
	*	6145	86.83	-	-	82.52	34.29	7.24	37.22	100	156	A	H
													H
													H
		5876.1	46.48	-41.72	88.2	42.34	34.36	6.95	37.17	172	165	P	V
		5886	35.5	-32.7	68.2	31.31	34.42	6.95	37.18	172	165	A	V
	*	6145	98.7	-	-	94.39	34.29	7.24	37.22	172	165	P	V
	*	6145	91.35	-	-	87.04	34.29	7.24	37.22	172	165	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		5843.8	47.33	-40.87	88.2	43.36	34.18	6.94	37.15	220	266	P	H
		5842.12	35.73	-32.47	68.2	31.77	34.17	6.93	37.14	220	266	A	H
	*	6185	97.18	-	-	92.79	34.3	7.3	37.21	220	266	P	H
	*	6185	87.36	-	-	82.97	34.3	7.3	37.21	220	266	A	H
													H
													H
		5886.22	46.11	-42.09	88.2	41.92	34.42	6.95	37.18	196	162	P	V
		5844.22	35.75	-32.45	68.2	31.78	34.18	6.94	37.15	196	162	A	V
	*	6185	100.9	-	-	96.51	34.3	7.3	37.21	196	162	P	V
	*	6185	91.8	-	-	87.41	34.3	7.3	37.21	196	162	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

[illegible]

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 63 6265MHz		5821.26	46.17	-42.03	88.2	42.28	34.09	6.93	37.13	249	265	P	H
		5896.23	36.08	-32.12	68.2	31.84	34.48	6.95	37.19	249	265	A	H
	*	6265	99.52	11.32	-	-	34.4	7.34	37.19	249	265	P	H
	*	6265	90.46	22.26	-	-	34.4	7.34	37.19	249	265	A	H
													H
													H
		5904.07	46.14	-42.06	88.2	41.87	34.5	6.96	37.19	305	193	P	V
		5924.65	35.76	-32.44	68.2	31.51	34.5	6.96	37.21	305	193	A	V
	*	6265	101.41	13.21	-	-	34.4	7.34	37.19	305	193	P	V
	*	6265	93.04	24.84	-	-	34.4	7.34	37.19	305	193	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

[illegible]

Band 6 - 6425~6525MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 111 6505MHz		13010	54.89	-33.31	88.2	59.95	39.96	11.81	56.83	100	183	P	H
		13010	50.12	-18.08	68.2	55.18	39.96	11.81	56.83	100	183	A	H
		19515	34.68	-39.32	74	55.13	37.98	-3.24	55.19	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13010	54.69	-33.51	88.2	59.75	39.96	11.81	56.83	100	272	P	V
		13010	49.65	-18.55	68.2	54.71	39.96	11.81	56.83	100	272	A	V
		19515	34.84	-39.16	74	55.29	37.98	-3.24	55.19	-	-	P	V
													V
													V
													V
													V
													V
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
					</								

**Band 7 - 6525~6875MHz****WIFI 802.11be EHT160 Full (Harmonic @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT160 Full CH 143 6665MHz		13330	54.26	-19.74	74	59.03	40.16	12.01	56.94	154	202	P	H
		13330	50.49	-3.51	54	55.26	40.16	12.01	56.94	154	202	A	H
		19995	35.09	-38.91	74	55.83	37.62	-3.36	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13330	53.29	-20.71	74	58.06	40.16	12.01	56.94	152	78	P	V
		13330	50.08	-3.92	54	54.85	40.16	12.01	56.94	152	78	A	V
		19995	34.25	-39.75	74	54.99	37.62	-3.36	55	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 229 7095MHz	*	7095	92.36	-	-	85.68	36.38	7.59	37.29	400	129	P	H
	*	7095	85.25	-	-	78.57	36.38	7.59	37.29	400	129	A	H
		7148.2	49.27	-38.93	88.2	42.24	36.69	7.63	37.29	400	129	P	H
		7223.24	39.96	-28.24	68.2	32.63	36.95	7.67	37.29	400	129	A	H
													H
													H
	*	7095	110.54	-	-	103.86	36.38	7.59	37.29	218	321	P	V
	*	7095	95.41	-	-	88.73	36.38	7.59	37.29	218	321	A	V
		7125	52.69	-35.51	88.2	45.82	36.55	7.61	37.29	218	321	P	V
		7125	43.22	-24.98	68.2	36.35	36.55	7.61	37.29	218	321	A	V
													V
													V
802.11be EHT20 Full CH 233 7115MHz	*	7115	103.07	-	-	96.27	36.49	7.6	37.29	224	27	P	H
	*	7115	87.74	-	-	80.94	36.49	7.6	37.29	224	27	A	H
		7125	71.65	-16.55	88.2	64.78	36.55	7.61	37.29	224	27	P	H
		7125	59.68	-8.52	68.2	52.81	36.55	7.61	37.29	224	27	A	H
													H
													H
	*	7115	98.26	-	-	91.46	36.49	7.6	37.29	100	1	P	V
	*	7115	89.8	-	-	83	36.49	7.6	37.29	100	1	A	V
		7125	72.32	-15.88	88.2	65.45	36.55	7.61	37.29	100	1	P	V
		7125	61.9	-6.3	68.2	55.03	36.55	7.61	37.29	100	1	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 227 7085MHz	*	7085	93.87	-	-	87.23	36.34	7.59	37.29	252	303	P	H
	*	7085	86.07	-	-	79.43	36.34	7.59	37.29	252	303	A	H
		7179.66	49.62	-38.58	88.2	42.44	36.82	7.65	37.29	252	303	P	H
		7194.06	38.97	-29.23	68.2	31.72	36.88	7.66	37.29	252	303	A	H
													H
													H
	*	7085	102.96	-	-	96.32	36.34	7.59	37.29	200	321	P	V
	*	7085	92.23	-	-	85.59	36.34	7.59	37.29	200	321	A	V
		7191.36	50.45	-37.75	88.2	43.22	36.87	7.65	37.29	200	321	P	V
		7144.02	39.46	-28.74	68.2	32.47	36.66	7.62	37.29	200	321	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 215 7025MHz	*	7025	98.44	-	-	92.13	36.05	7.55	37.29	311	313	P	H
	*	7025	89.05	-	-	82.74	36.05	7.55	37.29	311	313	A	H
		7130.44	53.62	-34.58	88.2	46.72	36.58	7.61	37.29	311	313	P	H
		7144.36	39.18	-29.02	68.2	32.18	36.67	7.62	37.29	311	313	A	H
													H
													H
	*	7025	105.04	-	-	98.73	36.05	7.55	37.29	201	94	P	V
	*	7025	95.13	-	-	88.82	36.05	7.55	37.29	201	94	A	V
		7140.52	50.62	-37.58	88.2	43.65	36.64	7.62	37.29	201	94	P	V
		7141.48	40.23	-27.97	68.2	33.25	36.65	7.62	37.29	201	94	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Band 8 - 6875~7125MHz****WIFI 802.11be EHT160 Full (Band Edge @ 3m)**

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 207 6985MHz	*	6985	96.11	-	-	90	35.87	7.52	37.28	252	199	P	H
	*	6985	85.14	-	-	79.03	35.87	7.52	37.28	252	199	A	H
		7192.68	49.83	-38.37	88.2	42.59	36.87	7.66	37.29	252	199	P	H
		7198.76	39.38	-28.82	68.2	32.11	36.9	7.66	37.29	252	199	A	H
													H
													H
	*	6985	103.7	-	-	97.59	35.87	7.52	37.28	197	96	P	V
	*	6985	93.68	-	-	87.57	35.87	7.52	37.28	197	96	A	V
		7169.96	52.06	-36.14	88.2	44.93	36.78	7.64	37.29	197	96	P	V
		7142.12	40.85	-27.35	68.2	33.87	36.65	7.62	37.29	197	96	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11be EHT160 Full CH 207 6985MHz		9314	56.7	-17.3	74	64.01	38.23	11.06	56.6	296	127	P	H	
		9314	53.21	-0.79	54	60.52	38.23	11.06	56.6	296	127	A	H	
		13970	56.47	-31.73	88.2	60.72	40.74	12.41	57.4	179	222	P	H	
		13970	52.88	-15.32	68.2	57.13	40.74	12.41	57.4	179	222	A	H	
		20955	35.89	-38.11	74	56.52	37.44	-3.16	54.91	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
														H
		9314	53.77	-20.23	74	61.08	38.23	11.06	56.6	56.6	400	262	P	V
		9314	47.91	-6.09	54	55.22	38.23	11.06	56.6	56.6	400	262	A	V
		13970	58.64	-29.56	88.2	62.89	40.74	12.41	57.4	57.4	193	86	P	V
		13970	55.75	-12.45	68.2	60	40.74	12.41	57.4	57.4	193	86	A	V
		20955	35.2	-38.8	74	55.83	37.44	-3.16	54.91	54.91	-	-	P	V
														V
														V
														V
														V
														V
														V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.													



Band 6-8 - Straddle Channel

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT320 Full CH 191 6905MHz	*	6905	96.99	-	-	90.89	35.89	7.47	37.26	305	315	P	H
	*	6905	87.06	-	-	80.96	35.89	7.47	37.26	305	315	A	H
		7198.6	60.64	-27.56	88.2	53.38	36.89	7.66	37.29	305	315	P	H
		7196.29	49.36	-18.84	68.2	42.1	36.89	7.66	37.29	305	315	A	H
													H
													H
	*	6905	105.75	-	-	99.65	35.89	7.47	37.26	195	324	P	V
	*	6905	99.33	-	-	93.23	35.89	7.47	37.26	195	324	A	V
		7178.47	67.17	-21.03	88.2	60	36.81	7.65	37.29	195	324	P	V
		7187.71	54.11	-14.09	68.2	46.9	36.85	7.65	37.29	195	324	A	V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												



Straddle Channel

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 95 6425MHz		12850	54.91	-33.29	88.2	59.99	39.9	11.67	56.65	395	138	P	H
		12850	50.81	-17.39	68.2	55.89	39.9	11.67	56.65	395	138	A	H
		19275	36.06	-37.94	74	56.73	37.95	-3.33	55.29	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12850	53.66	-34.54	88.2	58.74	39.9	11.67	56.65	199	252	P	V
		12850	48.98	-19.22	68.2	54.06	39.9	11.67	56.65	199	252	A	V
		19275	36.19	-37.81	74	56.86	37.95	-3.33	55.29	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 159 6745MHz		13490	52.69	-35.51	88.2	57.08	40.5	12.11	57	399	164	P	H
		13490	49.28	-18.92	68.2	53.67	40.5	12.11	57	399	164	A	H
		20235	38.24	-35.76	74	58.6	37.96	-3.32	55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13490	56.56	-31.64	88.2	60.95	40.5	12.11	57	198	96	P	V
		13490	54.23	-13.97	68.2	58.62	40.5	12.11	57	198	96	A	V
		20235	36.35	-37.65	74	56.71	37.96	-3.32	55	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 127 6585MHz		13170	55.78	-32.42	88.2	60.73	40.02	11.92	56.89	102	210	P	H
		13170	51.78	-16.42	68.2	56.73	40.02	11.92	56.89	102	210	A	H
		19755	36.3	-37.7	74	56.63	38.07	-3.3	55.1	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		13170	54.13	-34.07	88.2	59.08	40.02	11.92	56.89	393	71	P	V
		13170	49.25	-18.95	68.2	54.2	40.02	11.92	56.89	393	71	A	V
		19755	37.47	-36.53	74	57.8	38.07	-3.3	55.1	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 5+6+7+8	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 191 6905MHz		9206	53.18	-35.02	88.2	60.6	38.2	11.09	56.71	299	127	P	H
		9206	48.27	-19.93	68.2	55.69	38.2	11.09	56.71	299	127	A	H
		13810	54.55	-33.65	88.2	59.12	40.4	12.3	57.27	400	157	P	H
		13810	50.85	-17.35	68.2	55.42	40.4	12.3	57.27	400	157	A	H
		20715	37.92	-36.08	74	58.03	38.07	-3.22	54.96	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
		9206	51.19	-37.01	88.2	58.61	38.2	11.09	56.71	110	210	P	V
		9206	45.76	-22.44	68.2	53.18	38.2	11.09	56.71	110	210	A	V
		13810	58.63	-29.57	88.2	63.2	40.4	12.3	57.27	196	83	P	V
		13810	57.02	-11.18	68.2	61.59	40.4	12.3	57.27	196	83	A	V
		20715	37.13	-36.87	74	57.24	38.07	-3.22	54.96	-	-	P	V
													V
													V
												V	
												V	
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												

Emission below 1GHz

WIFI 802.11be EHT320 Full (LF @ 3m)

[illegible]



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6+7+8		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be		5879.9	46.21	-41.99	88.2	42.05	34.38	6.95	37.17	400	154	P	H
EHT20 Full													
CH 33		5922.5	36.39	-31.81	68.2	32.14	34.5	6.96	37.21	400	154	A	H
6115MHz													

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5879.9MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 34.38 (dB/m) + 6.95 (dB) + 42.05 (dBμV) – 37.17 (dB)
 = 46.21 (dBμV/m)
2. Margin (dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 46.21 (dBμV/m) – 88.2(dBμV/m)
 = -41.99 (dB)

For Average Limit @ 5922.5MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 34.5 (dB/m) + 6.96 (dB) + 32.14 (dBμV) – 37.21 (dB)
 = 36.39 (dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 36.39 (dBμV/m) – 68.2(dBμV/m)
 = -31.81 (dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Jacky Hung , Mancy Chou, Michael Liu and Rain Lee	Temperature :	20~26°C
		Relative Humidity :	40~65%







<CDD Mode>





 $N_{SS}=1$

Band 5 5925~6425MHz





WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH33 6115MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH33 6115MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto

**Band 5 5925~6425MHz****WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)**





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH33 6115MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH33 6115MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH35 6125MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH35 6125MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11be EHT40 OFDMA RU52*8 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 OFDMA RU52*8 CH35 6125MHz	
5+6+7+8	Horizontal	Fundamental
Peak	Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 OFDMA RU52*8 CH35 6125MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH39 6145MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH39 6145MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 OFDMA RU52*16 CH39 6145MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 OFDMA RU52*16 CH39 6145MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



WIFI 802.11be EHT80 Test 20MHz Channel Puncture Location 4 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Test 20MHz Channel Puncture Location 4 CH39 6145MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Test 20MHz Channel Puncture Location 4 CH39 6145MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto







Band 5 5925~6425MHz

WIFI 802.11be EHT160 OFDMA RU106*16 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 OFDMA RU106*16 CH47 6185MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.360KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.360KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 OFDMA RU106*16 CH47 6185MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.360KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.360KHz SWT:Auto



WIFI 802.11be EHT160 Test 20MHz Channel Puncture Location 8 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Test 20MHz Channel Puncture Location 8 CH47 6185MHz	
5+6+7+8	Horizontal	Fundamental
Peak	Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Date: 2023-12-21	Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Date: 2023-12-21
Avg.	Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto Date: 2023-12-21	Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto Date: 2023-12-21



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Test 20MHz Channel Puncture Location 8 CH47 6185MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto



WIFI 802.11be EHT160 Test 40MHz Channel Puncture Location 4 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Test 40MHz Channel Puncture Location 4 CH47 6185MHz	
5+6+7+8	Horizontal	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.240KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Test 40MHz Channel Puncture Location 4 CH47 6185MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.470KHz SWT:Auto



WIFI 802.11be EHT320 Test 40MHz Channel Puncture Location 8 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 40MHz Channel Puncture Location 8 CH63 6265MHz	
5+6+7+8	Horizontal	Fundamental
Peak	Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.220KHz SWT:Auto	Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.220KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 40MHz Channel Puncture Location 8 CH63 6265MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.220KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.220KHz SWT:Auto



WIFI 802.11be EHT320 Test 80MHz Channel Puncture Location 4 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 80MHz Channel Puncture Location 4 CH63 6265MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 80MHz Channel Puncture Location 4 CH63 6265MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI 802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 CH63 6265MHz	
5+6+7+8	Horizontal	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Test 80+40MHz Channel Puncture Location 6 CH63 6265MHz	
5+6+7+8	Vertical	Fundamental
Peak	Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



Band 5 - 5925~6425MHz



WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 HORIZONTAL :	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
5+6+7+8	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBV/m) vs Frequency (MHz) for 14.47G. The plot shows a flat line at approximately 40 dBV/m across the frequency range 14470 to 14500 MHz. The title is 'Date: 2023-12-23'. The site is '03CH13-HY' and the condition is 'AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL'.	Level (dBV/m) vs Frequency (MHz) for 14.47G. The plot shows a flat line at approximately 40 dBV/m across the frequency range 14470 to 14500 MHz. The title is 'Date: 2023-12-23'. The site is '03CH13-HY' and the condition is 'AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL'.
	Level (dBV/m) vs Frequency (MHz) for 17.7G. The plot shows a flat line at approximately 40 dBV/m across the frequency range 17700 to 18000 MHz. The title is 'Date: 2023-12-23'. The site is '03CH13-HY' and the condition is 'AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL'.	Level (dBV/m) vs Frequency (MHz) for 17.7G. The plot shows a flat line at approximately 40 dBV/m across the frequency range 17700 to 18000 MHz. The title is 'Date: 2023-12-23'. The site is '03CH13-HY' and the condition is 'AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL'.
17.7G ~18G Avg		





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 HORIZONTAL :-	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 VERTICAL :-



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
5+6+7+8	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for 14.47G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 14.47G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) for 17.7G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 17.7G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :



Band 5 5925~6425MHz
WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 HORIZONTAL : .	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 VERTICAL : .





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
5+6+7+8	Horizontal	Vertical
14.47G ~14.5G Avg.	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :
	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :



Band 6 - 6425~6525MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH111 6505MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	 Site : 03CH13-HY Condition : PEAK[UNIT]_6E 1m SHF ANT_9170_1225 HORIZONTAL :	 Site : 03CH13-HY Condition : PEAK[UNIT]_6E 1m SHF ANT_9170_1225 VERTICAL :





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH111 6505MHz	
5+6+7+8	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for 14.47G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 14.47G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) for 17.7G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 17.7G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :



Band 7 - 6525~6875MHz



WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 HORIZONTAL :	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 1m SHF ANT_9170_1225 VERTICAL :







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
5+6+7+8	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) for 14.47G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 14.47G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 14470 to 14500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) for 17.7G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 17.7G. The plot shows a blue line representing the signal level, which is relatively flat around 40 dBuV/m. A red line indicates the average level (AVG(UNIT)_6E) at approximately 55 dBuV/m. The x-axis ranges from 17700 to 18000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH175 6825MHz	
5+6+7+8	Horizontal	Vertical
Peak Avg.	 Site : 03CH13-HY Condition : PEAK[UNIT]_6E 1m SHF ANT_9170_1225 HORIZONTAL :-	 Site : 03CH13-HY Condition : PEAK[UNIT]_6E 1m SHF ANT_9170_1225 VERTICAL :-











WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH175 6825MHz	
5+6+7+8	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :
	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL :	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL :



Band 8 - 6875~7125MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH229 7095MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH229 7095MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto
Avg.		



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH233 7115MHz	
5+6+7+8	Horizontal	Fundamental
Peak	Horizontal Peak Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 7105 to 7245 MHz. The plot shows a sharp peak at 7115 MHz. The red line indicates the peak level at approximately 130 dBm/100kHz. The blue line shows the noise floor at approximately 40 dBm/100kHz. Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Fundamental Peak Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 1000 to 7200 MHz. The plot shows a sharp peak at 7115 MHz. The red line indicates the peak level at approximately 130 dBm/100kHz. The blue line shows the noise floor at approximately 40 dBm/100kHz. Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Horizontal Average Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 7105 to 7245 MHz. The plot shows a sharp peak at 7115 MHz. The red line indicates the average level at approximately 130 dBm/100kHz. The blue line shows the noise floor at approximately 40 dBm/100kHz. Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	Fundamental Average Spectrum Plot showing Level (dBm/100kHz) vs Frequency (MHz) from 1000 to 7200 MHz. The plot shows a sharp peak at 7115 MHz. The red line indicates the average level at approximately 130 dBm/100kHz. The blue line shows the noise floor at approximately 40 dBm/100kHz. Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH233 7115MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto







Band 8 - 6875~7125MHz





WIFI 802.11be EHT20 OFDMA RU52*4 (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH229 7095MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH229 7095MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH233 7115MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto
Avg.		







WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 OFDMA RU52*4 CH233 7115MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto







Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto











WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto
Avg.		



Band 8 - 6875~7125MHz

WIFI 802.11be EHT40 OFDMA RU52*8 (Band Edge @ 3m)





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 OFDMA RU52*8 CH227 7085MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 OFDMA RU52*8 CH227 7085MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto
Avg.		



Band 8 - 6875~7125MHz





WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH215 7025MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto





WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH215 7025MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HY Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HY Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH13-HY Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HY Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto
Avg.		



Band 8 - 6875~7125MHz
WIFI 802.11be EHT80 OFDMA RU52*16 (Band Edge @ 3m)

WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 OFDMA RU52*16 CH215 7025MHz	
5+6+7+8	Horizontal	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 HORIZONTAL : RBW:1000.000KHz VBW:0.200KHz SWT:Auto



WIFI	Band 8 6875~7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 OFDMA RU52*16 CH215 7025MHz	
5+6+7+8	Vertical	Fundamental
Peak	 Site : 03CH13-HV Condition : PEAK_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH13-HV Condition : PEAK(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH13-HV Condition : AVG_BE(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:2000KHz SWT:Auto	 Site : 03CH13-HV Condition : AVG(UNIT)_6E 3m HORN_9120D_1326 VERTICAL : RBW:1000.000KHz VBW:2000KHz SWT:Auto
Avg.		