





Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8480.000000	49.65	---	74.00	24.35	500.0	200.0	V	253.0	-1.9
8480.000000	---	45.33	54.00	8.67	500.0	100.0	V	220.0	-1.9
9353.750000	---	32.74	54.00	21.26	500.0	100.0	H	133.0	-1.1
9525.000000	44.24	---	68.20	23.96	500.0	200.0	H	268.0	-0.1
10600.000000	64.24	---	68.20	3.96	500.0	200.0	V	239.0	-0.8
10603.750000	---	53.77	54.00	0.23	500.0	200.0	V	228.0	-0.8
13326.250000	---	33.50	54.00	20.50	500.0	100.0	H	123.0	2.3
13537.500000	45.00	---	68.20	23.20	500.0	100.0	V	230.0	2.8
15210.000000	47.55	---	68.20	20.65	500.0	100.0	V	138.0	5.4
15575.000000	---	36.74	54.00	17.26	500.0	200.0	H	336.0	6.4
15897.500000	---	41.02	54.00	12.98	500.0	100.0	H	333.0	6.6
15902.500000	52.78	---	74.00	21.22	500.0	100.0	V	215.0	6.6

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH64




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	42.36	---	68.20	25.84	500.0	100.0	H	195.0	-8.2
1406.875000	---	31.82	54.00	22.18	500.0	200.0	V	122.0	-7.5
1721.000000	---	33.37	54.00	20.63	500.0	200.0	V	43.0	-5.9
1980.875000	46.18	---	68.20	22.02	500.0	100.0	H	0.0	-4.7
2671.250000	47.20	---	68.20	21.00	500.0	200.0	H	166.0	-1.8
2814.750000	---	36.50	54.00	17.50	500.0	200.0	H	140.0	-1.2
3487.625000	50.47	---	68.20	17.73	500.0	100.0	V	0.0	1.7
3994.250000	---	40.49	54.00	13.51	500.0	200.0	H	166.0	3.2
4465.000000	51.53	---	68.20	16.67	500.0	200.0	H	354.0	3.6
4846.500000	---	40.45	54.00	13.55	500.0	200.0	H	158.0	4.0
7004.250000	55.28	---	68.20	12.92	500.0	200.0	H	104.0	7.0
7286.000000	---	43.37	54.00	10.63	500.0	200.0	H	262.0	7.0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8511.250000	48.06	---	68.20	20.14	500.0	100.0	V	267.0	-1.8
9140.000000	---	31.67	54.00	22.33	500.0	200.0	H	261.0	-1.1
9470.000000	---	32.61	54.00	21.39	500.0	200.0	V	136.0	-0.1
9797.500000	44.86	---	68.20	23.34	500.0	200.0	V	22.0	-0.5
10638.750000	62.32	---	74.00	11.68	500.0	200.0	V	234.0	-0.8
10640.000000	---	51.53	54.00	2.47	500.0	200.0	V	239.0	-0.8
13358.750000	---	33.81	54.00	20.19	500.0	100.0	V	301.0	2.4
13725.000000	44.91	---	68.20	23.29	500.0	100.0	H	9.0	3.3
15266.250000	48.13	---	68.20	20.07	500.0	200.0	H	237.0	5.6
15583.750000	---	36.70	54.00	17.30	500.0	200.0	V	329.0	6.5
15960.000000	---	39.64	54.00	14.36	500.0	200.0	V	229.0	6.8
15962.500000	50.68	---	74.00	23.32	500.0	200.0	V	218.0	6.8

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH100




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1285.250000	42.23	---	68.20	25.97	500.0	100.0	H	66.0	-8.3
1370.125000	---	31.93	54.00	22.07	500.0	200.0	H	191.0	-7.7
1618.625000	---	33.13	54.00	20.87	500.0	200.0	H	340.0	-6.3
1938.000000	46.32	---	68.20	21.88	500.0	100.0	H	192.0	-4.8
2658.125000	47.32	---	68.20	20.88	500.0	100.0	H	246.0	-1.9
2804.250000	---	36.68	54.00	17.32	500.0	100.0	V	249.0	-1.2
3563.750000	51.00	---	68.20	17.20	500.0	200.0	H	218.0	1.7
3968.000000	---	40.15	54.00	13.85	500.0	200.0	H	164.0	3.0
5425.750000	---	45.35	54.00	8.65	500.0	200.0	H	46.0	5.1
5465.125000	61.63	---	68.20	6.57	500.0	200.0	H	59.0	5.4
6618.375000	55.03	---	68.20	13.17	500.0	100.0	H	175.0	6.6
7288.625000	---	43.03	54.00	10.97	500.0	200.0	H	137.0	7.0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8800.000000	---	44.34	54.00	9.66	500.0	200.0	V	252.0	-1.5
8800.000000	48.34	---	68.20	19.86	500.0	200.0	V	252.0	-1.5
9466.250000	---	32.70	54.00	21.30	500.0	200.0	V	83.0	-0.1
9647.500000	44.19	---	68.20	24.01	500.0	200.0	V	270.0	-0.5
11003.750000	---	42.26	54.00	11.74	500.0	200.0	H	277.0	-0.8
11003.750000	51.19	---	74.00	22.81	500.0	200.0	H	277.0	-0.8
13325.000000	---	33.65	54.00	20.35	500.0	100.0	H	239.0	2.3
13721.250000	44.67	---	68.20	23.53	500.0	200.0	V	315.0	3.3
15240.000000	47.06	---	68.20	21.14	500.0	100.0	V	284.0	5.5
15580.000000	---	36.76	54.00	17.24	500.0	200.0	H	8.0	6.4
17671.250000	---	38.48	54.00	15.52	500.0	200.0	H	0.0	10.3
17752.500000	49.13	---	74.00	24.87	500.0	200.0	H	0.0	10.3

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH116




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1258.125000	42.65	---	68.20	25.55	500.0	100.0	V	79.0	-8.6
1394.625000	---	31.91	54.00	22.09	500.0	200.0	V	270.0	-7.6
1698.250000	---	33.19	54.00	20.81	500.0	200.0	V	61.0	-6.0
1929.250000	45.70	---	68.20	22.50	500.0	100.0	V	47.0	-4.8
2617.000000	47.71	---	68.20	20.49	500.0	200.0	H	320.0	-2.0
2787.625000	---	36.57	54.00	17.43	500.0	100.0	H	6.0	-1.3
3461.375000	50.34	---	68.20	17.86	500.0	100.0	H	67.0	1.6
3995.125000	---	40.41	54.00	13.59	500.0	100.0	H	75.0	3.2
5333.875000	56.24	---	68.20	11.96	500.0	200.0	H	56.0	5.3
5353.125000	---	45.72	54.00	8.28	500.0	200.0	H	70.0	5.2
6056.625000	55.52	---	68.20	12.68	500.0	200.0	H	251.0	5.9
7305.250000	---	43.48	54.00	10.52	500.0	100.0	H	112.0	7.0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8450.000000	---	31.21	54.00	22.79	500.0	100.0	V	101.0	-2.0
8927.500000	49.07	---	68.20	19.13	500.0	200.0	V	250.0	-1.3
9322.500000	---	32.79	54.00	21.21	500.0	200.0	V	343.0	-1.0
9793.750000	43.97	---	68.20	24.23	500.0	200.0	V	101.0	-0.5
11152.500000	54.12	---	74.00	19.88	500.0	200.0	H	275.0	-0.5
11157.500000	---	41.18	54.00	12.82	500.0	200.0	H	268.0	-0.5
13326.250000	---	33.56	54.00	20.44	500.0	100.0	H	300.0	2.3
13702.500000	45.03	---	68.20	23.17	500.0	200.0	V	278.0	3.2
15202.500000	47.57	---	68.20	20.63	500.0	200.0	H	39.0	5.4
15560.000000	---	36.65	54.00	17.35	500.0	100.0	H	219.0	6.3
17640.000000	50.06	---	68.20	18.14	500.0	100.0	H	70.0	10.2
17710.000000	---	38.03	54.00	15.97	500.0	200.0	V	118.0	10.3

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH140




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.125000	42.62	---	68.20	25.58	500.0	100.0	H	44.0	-8.2
1407.750000	---	31.91	54.00	22.09	500.0	100.0	V	321.0	-7.5
1721.000000	---	33.46	54.00	20.54	500.0	100.0	V	232.0	-5.9
1817.250000	45.65	---	68.20	22.55	500.0	200.0	V	7.0	-5.4
2457.750000	47.58	---	68.20	20.62	500.0	200.0	V	352.0	-2.3
2790.250000	---	36.61	54.00	17.39	500.0	100.0	H	17.0	-1.3
3430.750000	50.46	---	68.20	17.74	500.0	100.0	H	79.0	1.5
3966.250000	---	40.30	54.00	13.70	500.0	100.0	H	8.0	3.0
5368.875000	---	43.58	54.00	10.42	500.0	200.0	H	92.0	5.1
5465.125000	53.95	---	68.20	14.25	500.0	100.0	H	79.0	5.4
6004.125000	56.15	---	68.20	12.05	500.0	200.0	H	255.0	5.5
7733.125000	---	43.26	54.00	10.74	500.0	200.0	H	291.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8962.500000	43.09	---	68.20	25.11	500.0	100.0	H	51.0	-1.3
9120.000000	---	44.34	54.00	9.66	500.0	200.0	V	250.0	-1.2
9468.750000	---	32.84	54.00	21.16	500.0	200.0	H	242.0	-0.1
9792.500000	44.53	---	68.20	23.67	500.0	200.0	H	62.0	-0.5
10543.750000	43.03	---	68.20	25.17	500.0	200.0	V	149.0	-0.9
11401.250000	---	37.95	54.00	16.05	500.0	200.0	H	274.0	-0.5
13335.000000	---	33.50	54.00	20.50	500.0	100.0	V	0.0	2.3
13571.250000	44.80	---	68.20	23.40	500.0	100.0	V	210.0	2.9
15295.000000	47.21	---	68.20	20.99	500.0	100.0	H	251.0	5.6
15572.500000	---	36.61	54.00	17.39	500.0	100.0	H	331.0	6.4
17662.500000	49.78	---	68.20	18.42	500.0	200.0	V	332.0	10.2
17718.750000	---	37.38	54.00	16.62	500.0	200.0	H	44.0	10.3

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH144




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	43.24	---	68.20	24.96	500.0	100.0	V	221.0	-8.2
1393.750000	---	31.84	54.00	22.16	500.0	200.0	H	290.0	-7.6
1686.000000	---	33.22	54.00	20.78	500.0	100.0	V	153.0	-6.0
1975.625000	45.71	---	68.20	22.49	500.0	100.0	V	110.0	-4.7
2675.625000	47.32	---	68.20	20.88	500.0	100.0	H	57.0	-1.8
2820.875000	---	36.56	54.00	17.44	500.0	200.0	H	353.0	-1.2
3562.875000	50.48	---	68.20	17.72	500.0	100.0	H	200.0	1.7
3997.750000	---	40.45	54.00	13.55	500.0	100.0	H	156.0	3.2
5369.750000	---	43.89	54.00	10.11	500.0	200.0	H	70.0	5.1
5465.125000	53.96	---	68.20	14.24	500.0	200.0	H	51.0	5.4
6085.500000	55.46	---	68.20	12.74	500.0	100.0	H	66.0	5.6
7692.000000	---	43.03	54.00	10.97	500.0	200.0	H	326.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8545.000000	42.93	---	68.20	25.27	500.0	100.0	H	355.0	-1.8
9151.250000	---	43.37	54.00	10.63	500.0	200.0	V	251.0	-1.1
9468.750000	---	33.01	54.00	20.99	500.0	100.0	H	217.0	-0.1
9795.000000	43.89	---	68.20	24.31	500.0	200.0	V	0.0	-0.5
11436.250000	53.54	---	74.00	20.46	500.0	200.0	V	269.0	-0.6
11440.000000	---	42.88	54.00	11.12	500.0	200.0	V	269.0	-0.6
13345.000000	---	33.48	54.00	20.53	500.0	100.0	V	239.0	2.3
13558.750000	45.31	---	68.20	22.89	500.0	200.0	H	318.0	2.9
15185.000000	47.48	---	68.20	20.72	500.0	200.0	V	333.0	5.3
15595.000000	---	36.75	54.00	17.25	500.0	100.0	H	245.0	6.5
17670.000000	51.37	---	68.20	16.83	500.0	200.0	V	17.0	10.2
17717.500000	---	37.90	54.00	16.10	500.0	100.0	V	27.0	10.3

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH149




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.500000	42.35	---	68.20	25.85	500.0	100.0	H	0.0	-8.3
1380.625000	---	32.03	54.00	21.97	500.0	100.0	H	191.0	-7.7
1693.875000	---	33.19	54.00	20.81	500.0	100.0	H	191.0	-6.0
1808.500000	45.49	---	68.20	22.71	500.0	100.0	H	237.0	-5.4
2500.625000	48.52	---	68.20	19.68	500.0	100.0	H	0.0	-2.1
2791.125000	---	36.48	54.00	17.52	500.0	200.0	H	155.0	-1.3
3443.000000	51.30	---	68.20	16.90	500.0	100.0	H	128.0	1.5
3999.500000	---	40.23	54.00	13.77	500.0	200.0	H	6.0	3.2
5356.625000	---	43.56	54.00	10.44	500.0	200.0	H	41.0	5.2
5579.750000	54.92	---	68.20	13.28	500.0	200.0	H	59.0	5.6
5989.250000	56.82	---	68.20	11.38	500.0	200.0	H	94.0	5.4
7306.125000	---	43.01	54.00	10.99	500.0	100.0	H	219.0	7.0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8782.500000	42.71	---	68.20	25.49	500.0	200.0	V	50.0	-1.6
9148.750000	---	31.69	54.00	22.31	500.0	100.0	V	271.0	-1.1
9191.250000	---	44.12	54.00	9.88	500.0	200.0	V	253.0	-1.0
9822.500000	43.95	---	68.20	24.25	500.0	200.0	H	215.0	-0.4
11486.250000	54.78	---	74.00	19.22	500.0	200.0	V	261.0	-0.5
11490.000000	---	43.59	54.00	10.41	500.0	200.0	V	270.0	-0.5
13336.250000	---	33.49	54.00	20.51	500.0	200.0	V	41.0	2.3
13561.250000	44.62	---	68.20	23.58	500.0	200.0	V	15.0	2.9
15293.750000	47.87	---	68.20	20.33	500.0	200.0	H	0.0	5.6
15566.250000	---	36.88	54.00	17.12	500.0	100.0	H	183.0	6.4
17645.000000	49.81	---	68.20	18.39	500.0	100.0	V	59.0	10.2
17711.250000	---	38.17	54.00	15.83	500.0	200.0	H	106.0	10.3

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH157




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1262.500000	42.46	---	68.20	25.74	500.0	100.0	H	173.0	-8.5
1407.750000	---	31.86	54.00	22.14	500.0	200.0	H	0.0	-7.5
1721.875000	---	33.16	54.00	20.84	500.0	100.0	H	0.0	-5.9
1952.000000	45.36	---	68.20	22.84	500.0	200.0	H	17.0	-4.7
2669.500000	48.14	---	68.20	20.06	500.0	100.0	H	325.0	-1.9
2820.000000	---	36.33	54.00	17.67	500.0	200.0	H	8.0	-1.2
3436.000000	50.33	---	68.20	17.87	500.0	100.0	H	190.0	1.5
3973.250000	---	40.22	54.00	13.78	500.0	200.0	H	204.0	3.1
5418.750000	---	42.83	54.00	11.17	500.0	200.0	H	55.0	5.1
5610.375000	54.36	---	68.20	13.84	500.0	100.0	H	72.0	5.6
6071.500000	55.91	---	68.20	12.29	500.0	200.0	H	91.0	5.7
7610.625000	---	43.18	54.00	10.82	500.0	200.0	H	179.0	7.1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8967.500000	42.96	---	68.20	25.24	500.0	100.0	H	44.0	-1.3
9146.250000	---	31.72	54.00	22.28	500.0	100.0	H	0.0	-1.1
9256.250000	48.75	---	68.20	19.45	500.0	200.0	V	249.0	-0.9
9465.000000	---	32.75	54.00	21.25	500.0	200.0	V	223.0	-0.1
11568.750000	---	45.48	54.00	8.52	500.0	200.0	V	266.0	-0.5
11570.000000	56.37	---	74.00	17.64	500.0	200.0	V	257.0	-0.5
13311.250000	---	33.56	54.00	20.44	500.0	100.0	V	0.0	2.3
13735.000000	44.61	---	68.20	23.59	500.0	100.0	V	0.0	3.4
15325.000000	47.17	---	68.20	21.03	500.0	200.0	V	30.0	5.7
15566.250000	---	36.77	54.00	17.23	500.0	100.0	H	108.0	6.4
16897.500000	49.54	---	68.20	18.66	500.0	100.0	V	24.0	8.8
17820.000000	---	37.85	54.00	16.15	500.0	200.0	H	116.0	10.2

Radiates Emission from 8GHz to 18GHz

802.11ax (HE20) CH165




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1289.625000	42.50	---	68.20	25.70	500.0	200.0	V	0.0	-8.3
1371.875000	---	31.93	54.00	22.07	500.0	200.0	H	35.0	-7.7
1708.750000	---	33.16	54.00	20.84	500.0	100.0	H	28.0	-5.9
1949.375000	46.48	---	68.20	21.72	500.0	100.0	V	88.0	-4.7
2673.000000	48.10	---	68.20	20.10	500.0	100.0	V	149.0	-1.8
2729.000000	---	36.40	54.00	17.60	500.0	100.0	H	174.0	-1.5
3311.750000	50.20	---	68.20	18.00	500.0	100.0	H	145.0	0.9
3970.625000	---	40.46	54.00	13.54	500.0	100.0	H	217.0	3.0
5379.375000	---	42.93	54.00	11.07	500.0	200.0	H	44.0	5.1
5530.750000	54.28	---	68.20	13.92	500.0	200.0	H	62.0	5.4
6052.250000	56.12	---	68.20	12.08	500.0	200.0	H	114.0	5.9
7363.875000	---	43.17	54.00	10.83	500.0	100.0	H	278.0	7.1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8901.250000	43.17	---	68.20	25.03	500.0	200.0	V	49.0	-1.4
9145.000000	---	31.90	54.00	22.10	500.0	200.0	H	194.0	-1.1
9320.000000	---	46.41	54.00	7.59	500.0	200.0	H	237.0	-1.0
9320.000000	50.45	---	74.00	23.55	500.0	200.0	H	237.0	-1.0
11647.500000	55.36	---	74.00	18.64	500.0	200.0	V	228.0	-0.3
11651.250000	---	44.51	54.00	9.49	500.0	200.0	V	271.0	-0.3
12886.250000	44.80	---	68.20	23.40	500.0	100.0	H	341.0	0.9
13350.000000	---	33.53	54.00	20.47	500.0	200.0	H	294.0	2.4
15148.750000	47.65	---	68.20	20.55	500.0	200.0	V	312.0	5.2
15565.000000	---	36.63	54.00	17.37	500.0	100.0	H	22.0	6.4
17670.000000	50.40	---	68.20	17.80	500.0	200.0	V	255.0	10.2
17825.000000	---	38.15	54.00	15.85	500.0	200.0	V	140.0	10.2

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH38




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.125000	43.04	---	68.20	25.16	500.0	200.0	V	133.0	-8.4
1411.250000	---	31.92	54.00	22.08	500.0	200.0	V	324.0	-7.5
1699.125000	---	33.03	54.00	20.97	500.0	200.0	V	359.0	-6.0
1984.375000	45.33	---	68.20	22.87	500.0	100.0	H	244.0	-4.6
2583.750000	47.77	---	68.20	20.43	500.0	100.0	V	192.0	-2.0
2821.750000	---	36.45	54.00	17.55	500.0	100.0	H	333.0	-1.2
3452.625000	50.20	---	68.20	18.00	500.0	100.0	H	217.0	1.6
3997.750000	---	40.15	54.00	13.85	500.0	200.0	H	239.0	3.2
5122.125000	---	49.18	54.00	4.82	500.0	100.0	H	279.0	5.1
5137.875000	72.48	---	74.00	1.52	500.0	200.0	H	71.0	5.0
6046.125000	55.14	---	68.20	13.06	500.0	200.0	H	116.0	5.9
7675.375000	---	43.25	54.00	10.75	500.0	100.0	H	226.0	7.4

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8303.750000	---	45.51	54.00	8.49	500.0	100.0	V	262.0	-2.4
8790.000000	42.82	---	68.20	25.38	500.0	100.0	H	45.0	-1.6
9470.000000	---	32.63	54.00	21.37	500.0	200.0	V	44.0	-0.1
10377.500000	62.59	---	68.20	5.61	500.0	200.0	H	304.0	-1.0
10541.250000	43.78	---	68.20	24.42	500.0	100.0	V	189.0	-0.9
10723.750000	---	32.36	54.00	21.64	500.0	100.0	H	197.0	-0.8
13361.250000	---	33.34	54.00	20.66	500.0	200.0	V	1.0	2.4
13537.500000	44.83	---	68.20	23.37	500.0	100.0	H	161.0	2.8
15267.500000	47.72	---	68.20	20.48	500.0	100.0	H	152.0	5.6
15581.250000	---	36.73	54.00	17.27	500.0	100.0	H	1.0	6.4
17662.500000	49.60	---	68.20	18.60	500.0	200.0	H	322.0	10.2
17742.500000	---	37.91	54.00	16.09	500.0	200.0	V	0.0	10.3

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH46




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1277.375000	42.87	---	68.20	25.33	500.0	200.0	H	101.0	-8.4
1410.375000	---	31.84	54.00	22.16	500.0	100.0	H	0.0	-7.5
1686.875000	---	33.09	54.00	20.91	500.0	100.0	H	203.0	-6.0
1776.125000	45.06	---	68.20	23.14	500.0	200.0	H	128.0	-5.6
2627.500000	47.36	---	68.20	20.84	500.0	100.0	V	159.0	-2.0
2726.375000	---	36.55	54.00	17.45	500.0	100.0	H	345.0	-1.5
3457.875000	50.13	---	68.20	18.07	500.0	200.0	H	119.0	1.6
3999.500000	---	40.13	54.00	13.87	500.0	100.0	H	328.0	3.2
5368.875000	---	45.01	54.00	8.99	500.0	200.0	H	48.0	5.1
5593.750000	53.99	---	68.20	14.21	500.0	100.0	H	194.0	5.7
6674.375000	55.85	---	68.20	12.35	500.0	200.0	H	146.0	6.6
7706.875000	---	43.29	54.00	10.71	500.0	200.0	H	13.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8367.500000	---	46.96	54.00	7.04	500.0	100.0	V	221.0	-2.3
8367.500000	49.55	---	74.00	24.45	500.0	100.0	V	221.0	-2.3
9457.500000	---	32.71	54.00	21.29	500.0	200.0	V	320.0	-0.2
10457.500000	62.23	---	68.20	5.97	500.0	200.0	H	299.0	-1.0
10487.500000	54.88	---	68.20	13.32	500.0	200.0	H	308.0	-1.0
11620.000000	---	32.69	54.00	21.31	500.0	200.0	V	0.0	-0.4
13348.750000	---	33.60	54.00	20.40	500.0	100.0	V	285.0	2.4
13551.250000	44.71	---	68.20	23.49	500.0	100.0	V	357.0	2.9
15248.750000	47.82	---	68.20	20.38	500.0	100.0	H	184.0	5.5
15568.750000	---	36.70	54.00	17.30	500.0	100.0	H	0.0	6.4
17676.250000	49.61	---	68.20	18.59	500.0	200.0	H	84.0	10.3
17742.500000	---	37.76	54.00	16.24	500.0	200.0	V	150.0	10.3

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH54




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	42.80	---	68.20	25.40	500.0	100.0	H	272.0	-8.2
1405.125000	---	32.11	54.00	21.89	500.0	100.0	H	325.0	-7.6
1665.875000	---	33.13	54.00	20.87	500.0	100.0	V	0.0	-6.1
1837.375000	45.83	---	68.20	22.37	500.0	100.0	H	54.0	-5.2
2616.125000	48.05	---	68.20	20.15	500.0	100.0	H	351.0	-2.0
2799.000000	---	36.47	54.00	17.53	500.0	100.0	H	316.0	-1.3
3477.125000	50.44	---	68.20	17.76	500.0	100.0	H	33.0	1.7
3996.875000	---	40.20	54.00	13.80	500.0	100.0	H	33.0	3.2
5356.625000	---	46.81	54.00	7.19	500.0	200.0	H	44.0	5.2
5469.500000	54.25	---	68.20	13.95	500.0	200.0	H	61.0	5.4
6988.500000	55.23	---	68.20	12.97	500.0	200.0	H	143.0	7.1
7287.750000	---	43.25	54.00	10.75	500.0	100.0	H	131.0	7.0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8431.250000	---	47.46	54.00	6.54	500.0	100.0	V	256.0	-2.1
8431.250000	50.96	---	74.00	23.04	500.0	100.0	V	256.0	-2.1
9470.000000	---	32.69	54.00	21.31	500.0	100.0	V	37.0	-0.1
9647.500000	44.02	---	68.20	24.18	500.0	100.0	H	0.0	-0.5
10536.250000	61.22	---	68.20	6.98	500.0	200.0	H	301.0	-1.0
10676.250000	---	32.63	54.00	21.37	500.0	200.0	V	224.0	-0.8
13336.250000	---	33.45	54.00	20.55	500.0	100.0	V	292.0	2.3
13442.500000	45.18	---	68.20	23.02	500.0	100.0	V	256.0	2.5
15307.500000	47.86	---	68.20	20.34	500.0	200.0	V	102.0	5.6
15572.500000	---	36.64	54.00	17.36	500.0	200.0	H	338.0	6.4
17621.250000	49.37	---	68.20	18.83	500.0	100.0	V	347.0	10.2
17750.000000	---	37.62	54.00	16.38	500.0	100.0	V	0.0	10.3

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH62




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1288.750000	42.56	---	68.20	25.64	500.0	100.0	H	261.0	-8.3
1398.125000	---	32.11	54.00	21.89	500.0	200.0	V	124.0	-7.6
1695.625000	---	33.25	54.00	20.75	500.0	100.0	H	147.0	-6.0
1982.625000	45.69	---	68.20	22.51	500.0	100.0	H	165.0	-4.6
2681.750000	48.07	---	68.20	20.13	500.0	100.0	H	288.0	-1.8
2803.375000	---	36.46	54.00	17.54	500.0	100.0	H	217.0	-1.2
3446.500000	50.26	---	68.20	17.94	500.0	100.0	H	87.0	1.5
3997.750000	---	40.75	54.00	13.25	500.0	100.0	H	261.0	3.2
4450.125000	51.41	---	68.20	16.79	500.0	100.0	H	183.0	3.5
4934.875000	---	41.89	54.00	12.11	500.0	200.0	H	307.0	4.6
6707.625000	54.95	---	68.20	13.25	500.0	200.0	H	59.0	6.5
7676.250000	---	43.12	54.00	10.88	500.0	100.0	H	156.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8495.000000	---	43.89	54.00	10.11	500.0	100.0	V	254.0	-1.8
8495.000000	49.75	---	74.00	24.25	500.0	100.0	V	254.0	-1.8
9322.500000	---	32.63	54.00	21.37	500.0	100.0	H	229.0	-1.0
9787.500000	44.22	---	68.20	23.98	500.0	100.0	H	0.0	-0.5
10616.250000	57.62	---	74.00	16.38	500.0	200.0	V	240.0	-0.8
10618.750000	---	44.03	54.00	9.97	500.0	200.0	V	240.0	-0.8
13333.750000	---	33.64	54.00	20.36	500.0	100.0	H	147.0	2.3
13556.250000	45.69	---	68.20	22.51	500.0	200.0	V	265.0	2.9
15147.500000	48.81	---	68.20	19.39	500.0	100.0	H	280.0	5.2
15580.000000	---	36.54	54.00	17.46	500.0	100.0	H	307.0	6.4
17656.250000	49.63	---	68.20	18.57	500.0	200.0	V	345.0	10.2
17985.000000	---	38.90	54.00	15.10	500.0	100.0	H	0.0	11.0

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH102




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1056.000000	---	29.21	54.00	24.79	500.0	200.0	V	194.0	-10.4
1290.500000	42.80	---	68.20	25.40	500.0	200.0	V	271.0	-8.3
1409.500000	---	31.76	54.00	22.24	500.0	200.0	V	0.0	-7.5
1688.625000	---	33.25	54.00	20.75	500.0	100.0	H	0.0	-6.0
1946.750000	45.18	---	68.20	23.02	500.0	200.0	V	159.0	-4.7
2600.375000	47.85	---	68.20	20.35	500.0	200.0	H	1.0	-2.0
2712.375000	---	36.13	54.00	17.87	500.0	200.0	V	271.0	-1.5
3439.500000	50.37	---	68.20	17.83	500.0	200.0	V	176.0	1.5
3975.875000	---	39.62	54.00	14.38	500.0	200.0	V	271.0	3.1
4455.375000	51.45	---	68.20	16.75	500.0	100.0	V	87.0	3.6
5875.500000	53.09	---	68.20	15.11	500.0	200.0	H	262.0	5.2
7557.250000	---	40.74	54.00	13.26	500.0	100.0	V	163.0	7.1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8816.250000	47.72	---	68.20	20.48	500.0	200.0	V	253.0	-1.5
9146.250000	---	31.90	54.00	22.10	500.0	100.0	H	0.0	-1.1
9460.000000	---	32.72	54.00	21.28	500.0	200.0	V	216.0	-0.2
9655.000000	44.10	---	68.20	24.10	500.0	100.0	V	98.0	-0.5
10533.750000	43.05	---	68.20	25.15	500.0	200.0	H	157.0	-1.0
11011.250000	---	34.15	54.00	19.85	500.0	100.0	V	242.0	-0.8
13346.250000	---	33.66	54.00	20.34	500.0	100.0	V	0.0	2.4
13496.250000	45.63	---	68.20	22.57	500.0	100.0	V	225.0	2.7
15280.000000	47.23	---	68.20	20.97	500.0	100.0	V	98.0	5.6
15592.500000	---	36.84	54.00	17.16	500.0	200.0	V	0.0	6.5
17673.750000	50.08	---	68.20	18.12	500.0	200.0	V	317.0	10.3
17817.500000	---	37.51	54.00	16.49	500.0	200.0	V	0.0	10.2

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH118




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1250.250000	43.15	---	68.20	25.05	500.0	200.0	H	185.0	-8.6
1406.875000	---	31.97	54.00	22.03	500.0	200.0	V	128.0	-7.5
1589.750000	---	32.99	54.00	21.01	500.0	100.0	V	203.0	-6.4
1820.750000	45.27	---	68.20	22.93	500.0	100.0	H	182.0	-5.3
2638.000000	47.57	---	68.20	20.63	500.0	100.0	H	75.0	-2.0
2791.125000	---	36.12	54.00	17.88	500.0	200.0	V	311.0	-1.3
3388.750000	49.90	---	68.20	18.30	500.0	200.0	H	141.0	1.2
3975.000000	---	39.51	54.00	14.49	500.0	100.0	V	337.0	3.1
5332.125000	55.71	---	68.20	12.49	500.0	200.0	H	67.0	5.3
5365.375000	---	45.10	54.00	8.90	500.0	200.0	H	38.0	5.1
5892.125000	54.62	---	68.20	13.58	500.0	200.0	H	269.0	5.1
7534.500000	---	40.54	54.00	13.46	500.0	200.0	V	189.0	7.1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8943.750000	48.00	---	68.20	20.20	500.0	100.0	V	87.0	-1.3
9147.500000	---	32.07	54.00	21.93	500.0	100.0	H	258.0	-1.1
9323.750000	---	33.10	54.00	20.90	500.0	200.0	H	79.0	-1.0
9527.500000	44.38	---	68.20	23.82	500.0	100.0	V	308.0	-0.2
10500.000000	42.32	---	68.20	25.88	500.0	100.0	V	59.0	-1.0
11176.250000	---	38.92	54.00	15.08	500.0	100.0	V	106.0	-0.6
13341.250000	---	33.77	54.00	20.23	500.0	100.0	V	278.0	2.3
13560.000000	45.06	---	68.20	23.14	500.0	200.0	H	93.0	2.9
15162.500000	48.24	---	68.20	19.96	500.0	100.0	V	0.0	5.3
15583.750000	---	37.51	54.00	16.49	500.0	100.0	V	356.0	6.5
16917.500000	50.77	---	68.20	17.43	500.0	200.0	H	248.0	8.8
17977.500000	---	39.29	54.00	14.71	500.0	100.0	H	18.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH134




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.000000	43.23	---	68.20	24.97	500.0	200.0	H	203.0	-8.3
1397.250000	---	31.80	54.00	22.20	500.0	100.0	H	193.0	-7.6
1683.375000	---	33.07	54.00	20.93	500.0	100.0	V	58.0	-6.0
1874.125000	45.11	---	68.20	23.09	500.0	200.0	V	77.0	-5.1
2505.000000	47.51	---	68.20	20.69	500.0	100.0	H	327.0	-2.1
2826.125000	---	36.39	54.00	17.61	500.0	100.0	V	170.0	-1.2
3460.500000	49.60	---	68.20	18.60	500.0	100.0	H	9.0	1.6
3998.625000	---	39.39	54.00	14.61	500.0	200.0	V	112.0	3.2
5349.625000	53.82	---	68.20	14.38	500.0	200.0	H	44.0	5.2
5423.125000	---	43.32	54.00	10.68	500.0	200.0	H	44.0	5.1
5953.375000	54.41	---	68.20	13.79	500.0	200.0	H	257.0	5.2
7627.250000	---	40.57	54.00	13.43	500.0	100.0	H	335.0	7.1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8958.750000	43.01	---	68.20	25.19	500.0	100.0	V	103.0	-1.3
9071.250000	---	41.63	54.00	12.37	500.0	200.0	H	13.0	-1.2
9472.500000	---	32.97	54.00	21.03	500.0	200.0	H	279.0	-0.1
9622.500000	44.72	---	68.20	23.48	500.0	100.0	V	153.0	-0.6
10453.750000	42.87	---	68.20	25.33	500.0	100.0	V	229.0	-1.0
11346.250000	---	38.18	54.00	15.82	500.0	100.0	V	70.0	-0.5
13333.750000	---	33.78	54.00	20.22	500.0	100.0	H	340.0	2.3
13638.750000	45.19	---	68.20	23.01	500.0	200.0	H	32.0	3.0
15092.500000	47.45	---	68.20	20.75	500.0	200.0	H	96.0	5.1
15583.750000	---	37.33	54.00	16.67	500.0	100.0	V	301.0	6.5
17670.000000	50.75	---	68.20	17.45	500.0	200.0	V	140.0	10.2
17978.750000	---	39.04	54.00	14.96	500.0	200.0	V	54.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH142




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	42.85	---	68.20	25.35	500.0	100.0	V	243.0	-8.2
1409.500000	---	31.80	54.00	22.20	500.0	100.0	V	269.0	-7.5
1578.375000	---	32.93	54.00	21.07	500.0	100.0	V	321.0	-6.6
1789.250000	45.51	---	68.20	22.69	500.0	100.0	V	216.0	-5.5
2609.125000	47.51	---	68.20	20.69	500.0	100.0	H	56.0	-2.0
2743.000000	---	36.07	54.00	17.93	500.0	200.0	H	149.0	-1.5
3421.125000	50.08	---	68.20	18.12	500.0	200.0	H	237.0	1.4
3999.500000	---	39.48	54.00	14.52	500.0	100.0	V	180.0	3.2
5257.750000	53.20	---	68.20	15.00	500.0	200.0	H	50.0	5.3
5356.625000	---	43.66	54.00	10.34	500.0	200.0	H	68.0	5.2
6059.250000	54.71	---	68.20	13.49	500.0	200.0	H	264.0	5.9
7496.000000	---	40.53	54.00	13.47	500.0	100.0	H	334.0	6.9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8925.000000	43.12	---	68.20	25.08	500.0	100.0	H	343.0	-1.3
9136.250000	---	41.17	54.00	12.83	500.0	200.0	H	19.0	-1.2
9471.250000	---	33.05	54.00	20.95	500.0	100.0	H	209.0	-0.1
9652.500000	44.69	---	68.20	23.51	500.0	100.0	V	60.0	-0.5
10430.000000	42.88	---	68.20	25.32	500.0	100.0	H	352.0	-1.0
11417.500000	---	44.65	54.00	9.35	500.0	100.0	V	78.0	-0.6
13340.000000	---	33.80	54.00	20.20	500.0	100.0	V	180.0	2.3
13532.500000	45.02	---	68.20	23.18	500.0	100.0	V	113.0	2.8
14951.250000	47.48	---	68.20	20.72	500.0	200.0	V	191.0	5.1
15570.000000	---	37.19	54.00	16.81	500.0	200.0	H	262.0	6.4
16871.250000	50.19	---	68.20	18.01	500.0	100.0	V	0.0	8.9
17981.250000	---	39.02	54.00	14.98	500.0	200.0	V	262.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH151




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	42.38	---	68.20	25.82	500.0	100.0	H	156.0	-8.2
1367.500000	---	31.81	54.00	22.19	500.0	200.0	V	98.0	-7.7
1681.625000	---	32.94	54.00	21.06	500.0	200.0	V	225.0	-6.0
1908.250000	45.68	---	68.20	22.52	500.0	200.0	H	83.0	-5.0
2405.250000	47.46	---	68.20	20.74	500.0	100.0	H	197.0	-2.5
2727.250000	---	36.29	54.00	17.71	500.0	100.0	V	137.0	-1.5
3566.375000	50.21	---	68.20	17.99	500.0	200.0	V	311.0	1.7
3971.500000	---	39.35	54.00	14.65	500.0	100.0	V	30.0	3.0
5369.750000	---	42.74	54.00	11.26	500.0	200.0	H	46.0	5.1
5571.875000	53.44	---	68.20	14.76	500.0	200.0	H	60.0	5.5
6050.500000	56.44	---	68.20	11.76	500.0	200.0	H	264.0	5.9
7474.125000	---	40.40	54.00	13.60	500.0	100.0	V	196.0	6.9

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8710.000000	43.30	---	68.20	24.90	500.0	100.0	H	172.0	-1.6
9097.500000	---	32.09	54.00	21.91	500.0	100.0	V	112.0	-1.2
9207.500000	48.87	---	68.20	19.33	500.0	200.0	H	15.0	-1.0
9470.000000	---	32.95	54.00	21.05	500.0	100.0	H	65.0	-0.1
10368.750000	42.86	---	68.20	25.34	500.0	200.0	V	10.0	-1.0
11517.500000	---	47.84	54.00	6.16	500.0	100.0	V	74.0	-0.5
13311.250000	---	33.77	54.00	20.23	500.0	100.0	V	243.0	2.3
13542.500000	46.53	---	68.20	21.67	500.0	100.0	H	0.0	2.9
15266.250000	47.43	---	68.20	20.77	500.0	200.0	H	315.0	5.6
15578.750000	---	37.02	54.00	16.98	500.0	100.0	H	8.0	6.4
17641.250000	50.00	---	68.20	18.20	500.0	100.0	V	353.0	10.2
17978.750000	---	39.14	54.00	14.86	500.0	100.0	V	243.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE40) CH159




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.250000	43.20	---	68.20	25.00	500.0	200.0	H	4.0	-8.2
1400.750000	---	32.04	54.00	21.96	500.0	200.0	H	206.0	-7.6
1697.375000	---	33.26	54.00	20.74	500.0	100.0	V	76.0	-6.0
1769.125000	45.50	---	68.20	22.70	500.0	200.0	H	23.0	-5.6
2503.250000	47.67	---	68.20	20.53	500.0	200.0	V	335.0	-2.1
2708.000000	---	36.47	54.00	17.53	500.0	200.0	H	23.0	-1.6
3480.625000	50.90	---	68.20	17.30	500.0	100.0	V	67.0	1.7
3998.625000	---	40.10	54.00	13.90	500.0	200.0	H	42.0	3.2
5344.375000	54.72	---	68.20	13.48	500.0	200.0	H	51.0	5.2
5350.500000	---	43.69	54.00	10.31	500.0	200.0	H	13.0	5.2
6056.625000	55.77	---	68.20	12.43	500.0	200.0	H	99.0	5.9
7610.625000	---	43.02	54.00	10.98	500.0	200.0	H	23.0	7.1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8902.500000	42.99	---	68.20	25.21	500.0	100.0	V	245.0	-1.3
9146.250000	---	32.24	54.00	21.76	500.0	200.0	H	268.0	-1.1
9272.500000	49.72	---	68.20	18.48	500.0	100.0	V	93.0	-0.9
9473.750000	---	32.90	54.00	21.10	500.0	100.0	V	217.0	0.0
10428.750000	42.35	---	68.20	25.85	500.0	200.0	V	234.0	-1.0
11588.750000	---	49.32	54.00	4.68	500.0	100.0	V	79.0	-0.5
13340.000000	---	33.90	54.00	20.10	500.0	100.0	V	298.0	2.3
13708.750000	45.46	---	68.20	22.74	500.0	100.0	V	222.0	3.2
14887.500000	47.36	---	68.20	20.84	500.0	100.0	H	239.0	5.0
15561.250000	---	36.96	54.00	17.04	500.0	100.0	H	163.0	6.3
17666.250000	50.54	---	68.20	17.66	500.0	200.0	V	162.0	10.2
17976.250000	---	39.02	54.00	14.98	500.0	200.0	V	345.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH42




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1070.000000	---	29.33	54.00	24.67	500.0	200.0	V	222.0	-10.3
1283.500000	42.83	---	68.20	25.37	500.0	200.0	V	255.0	-8.3
1308.875000	---	31.87	54.00	22.13	500.0	100.0	V	226.0	-8.1
1720.125000	---	33.37	54.00	20.63	500.0	100.0	V	198.0	-5.9
1937.125000	45.40	---	68.20	22.80	500.0	200.0	V	97.0	-4.8
2671.250000	47.23	---	68.20	20.97	500.0	200.0	H	303.0	-1.8
2700.125000	---	36.19	54.00	17.81	500.0	100.0	V	341.0	-1.6
3575.125000	50.06	---	68.20	18.14	500.0	100.0	V	318.0	1.7
3975.875000	---	39.34	54.00	14.66	500.0	200.0	V	143.0	3.1
4425.625000	51.52	---	68.20	16.68	500.0	200.0	V	162.0	3.5
6657.750000	52.72	---	68.20	15.48	500.0	100.0	H	13.0	6.6
7523.125000	---	40.50	54.00	13.50	500.0	200.0	H	338.0	7.0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8335.000000	---	43.68	54.00	10.32	500.0	100.0	V	222.0	-2.4
8708.750000	42.72	---	68.20	25.48	500.0	100.0	V	41.0	-1.6
9473.750000	---	32.83	54.00	21.17	500.0	200.0	V	65.0	0.0
9706.250000	43.34	---	68.20	24.86	500.0	200.0	H	145.0	-0.7
10441.250000	59.95	---	68.20	8.25	500.0	200.0	H	309.0	-1.0
10680.000000	---	32.47	54.00	21.53	500.0	200.0	H	88.0	-0.8
13343.750000	---	33.59	54.00	20.41	500.0	200.0	V	339.0	2.3
13531.250000	45.58	---	68.20	22.62	500.0	200.0	V	320.0	2.8
15285.000000	47.74	---	68.20	20.46	500.0	100.0	H	130.0	5.6
15587.500000	---	36.89	54.00	17.11	500.0	100.0	H	106.0	6.5
17665.000000	50.48	---	68.20	17.72	500.0	200.0	V	310.0	10.2
17975.000000	---	38.94	54.00	15.06	500.0	200.0	V	262.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH58




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1093.625000	---	29.72	54.00	24.28	500.0	100.0	V	212.0	-10.1
1290.500000	42.49	---	68.20	25.71	500.0	100.0	V	208.0	-8.3
1411.250000	---	31.84	54.00	22.16	500.0	200.0	V	23.0	-7.5
1601.125000	---	33.03	54.00	20.97	500.0	100.0	H	76.0	-6.3
1983.500000	45.27	---	68.20	22.93	500.0	200.0	V	54.0	-4.6
2676.500000	48.72	---	68.20	19.48	500.0	100.0	H	89.0	-1.8
2709.750000	---	36.18	54.00	17.82	500.0	100.0	V	249.0	-1.6
3562.875000	49.90	---	68.20	18.30	500.0	200.0	H	0.0	1.7
3999.500000	---	39.67	54.00	14.33	500.0	200.0	H	170.0	3.2
4463.250000	50.78	---	68.20	17.42	500.0	100.0	V	249.0	3.6
6607.000000	53.37	---	68.20	14.83	500.0	100.0	H	20.0	6.7
7645.625000	---	40.69	54.00	13.31	500.0	100.0	V	50.0	7.2

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8463.750000	---	46.33	54.00	7.67	500.0	100.0	V	261.0	-1.9
8895.000000	42.27	---	68.20	25.93	500.0	100.0	V	110.0	-1.4
9472.500000	---	33.11	54.00	20.89	500.0	200.0	H	291.0	-0.1
9781.250000	44.02	---	68.20	24.18	500.0	100.0	H	259.0	-0.5
10581.250000	55.16	---	68.20	13.04	500.0	200.0	V	232.0	-0.9
10601.250000	---	44.69	54.00	9.31	500.0	200.0	V	232.0	-0.8
13341.250000	---	33.90	54.00	20.10	500.0	100.0	V	13.0	2.3
13546.250000	44.91	---	68.20	23.29	500.0	200.0	V	237.0	2.9
15305.000000	47.76	---	68.20	20.44	500.0	200.0	H	219.0	5.6
15595.000000	---	36.90	54.00	17.10	500.0	200.0	V	133.0	6.5
16503.750000	49.92	---	68.20	18.28	500.0	100.0	V	180.0	8.1
17978.750000	---	39.05	54.00	14.95	500.0	200.0	V	171.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH106




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1089.250000	---	29.97	54.00	24.03	500.0	100.0	V	27.0	-10.2
1290.500000	42.61	---	68.20	25.59	500.0	100.0	V	231.0	-8.3
1368.375000	---	31.72	54.00	22.28	500.0	200.0	V	358.0	-7.7
1663.250000	---	33.23	54.00	20.77	500.0	100.0	H	222.0	-6.1
1934.500000	45.57	---	68.20	22.63	500.0	100.0	H	235.0	-4.8
2598.625000	47.49	---	68.20	20.71	500.0	100.0	H	33.0	-2.0
2802.500000	---	36.21	54.00	17.79	500.0	100.0	H	312.0	-1.2
3506.875000	50.64	---	68.20	17.56	500.0	100.0	V	0.0	1.8
3999.500000	---	39.42	54.00	14.58	500.0	100.0	H	203.0	3.2
4479.875000	51.24	---	68.20	16.96	500.0	200.0	H	60.0	3.8
6050.500000	53.05	---	68.20	15.15	500.0	100.0	H	110.0	5.9
7647.375000	---	40.89	54.00	13.11	500.0	200.0	H	51.0	7.3

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8847.500000	49.22	---	68.20	18.98	500.0	200.0	V	256.0	-1.4
9145.000000	---	31.68	54.00	22.32	500.0	100.0	H	158.0	-1.1
9470.000000	---	32.97	54.00	21.03	500.0	100.0	V	126.0	-0.1
9665.000000	44.10	---	68.20	24.10	500.0	100.0	V	0.0	-0.6
10566.250000	43.43	---	68.20	24.77	500.0	100.0	V	164.0	-0.9
11061.250000	---	33.13	54.00	20.87	500.0	200.0	H	273.0	-0.6
13316.250000	---	33.83	54.00	20.17	500.0	100.0	V	8.0	2.3
13408.750000	45.06	---	68.20	23.14	500.0	200.0	V	332.0	2.4
15171.250000	48.21	---	68.20	19.99	500.0	100.0	H	140.0	5.3
15571.250000	---	36.79	54.00	17.21	500.0	100.0	V	89.0	6.4
16915.000000	50.48	---	68.20	17.72	500.0	200.0	H	263.0	8.8
17980.000000	---	38.76	54.00	15.24	500.0	200.0	H	165.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH122




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1276.500000	42.86	---	68.20	25.34	500.0	100.0	V	162.0	-8.4
1371.875000	---	31.89	54.00	22.11	500.0	100.0	H	192.0	-7.7
1721.875000	---	33.02	54.00	20.98	500.0	200.0	V	349.0	-5.9
1992.250000	45.63	---	68.20	22.57	500.0	100.0	V	125.0	-4.6
2607.375000	47.56	---	68.20	20.64	500.0	100.0	H	8.0	-2.0
2743.000000	---	36.15	54.00	17.85	500.0	100.0	H	178.0	-1.5
3425.500000	50.27	---	68.20	17.93	500.0	100.0	H	309.0	1.5
3999.500000	---	39.43	54.00	14.57	500.0	200.0	H	59.0	3.2
5335.625000	54.79	---	68.20	13.41	500.0	200.0	H	40.0	5.3
5350.500000	---	44.03	54.00	9.97	500.0	200.0	H	35.0	5.2
6006.750000	53.63	---	68.20	14.57	500.0	200.0	H	264.0	5.6
7449.625000	---	40.62	54.00	13.38	500.0	100.0	H	323.0	7.1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8976.250000	48.25	---	68.20	19.95	500.0	200.0	V	258.0	-1.3
9118.750000	---	31.82	54.00	22.18	500.0	100.0	V	24.0	-1.2
9471.250000	---	32.67	54.00	21.33	500.0	100.0	V	15.0	-0.1
9810.000000	44.39	---	68.20	23.81	500.0	200.0	H	172.0	-0.4
10506.250000	42.86	---	68.20	25.34	500.0	100.0	H	163.0	-1.0
11233.750000	---	39.67	54.00	14.33	500.0	200.0	V	268.0	-0.6
13341.250000	---	33.73	54.00	20.27	500.0	100.0	V	0.0	2.3
13532.500000	45.30	---	68.20	22.90	500.0	100.0	V	15.0	2.8
15301.250000	48.23	---	68.20	19.97	500.0	200.0	V	210.0	5.6
15581.250000	---	36.72	54.00	17.28	500.0	100.0	V	259.0	6.4
17673.750000	49.73	---	68.20	18.47	500.0	200.0	V	358.0	10.3
17976.250000	---	39.09	54.00	14.91	500.0	100.0	H	206.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH138




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1274.750000	42.64	---	68.20	25.56	500.0	200.0	V	185.0	-8.4
1404.250000	---	32.03	54.00	21.97	500.0	100.0	H	30.0	-7.6
1665.875000	---	33.36	54.00	20.64	500.0	100.0	V	212.0	-6.1
1951.125000	46.06	---	68.20	22.14	500.0	100.0	H	313.0	-4.7
2624.875000	47.97	---	68.20	20.23	500.0	100.0	H	219.0	-2.0
2787.625000	---	36.48	54.00	17.52	500.0	200.0	H	128.0	-1.3
3415.000000	50.06	---	68.20	18.14	500.0	100.0	V	91.0	1.4
3974.125000	---	39.43	54.00	14.57	500.0	100.0	V	230.0	3.1
5361.875000	---	42.42	54.00	11.58	500.0	200.0	H	73.0	5.1
5466.000000	52.57	---	68.20	15.63	500.0	200.0	H	50.0	5.4
6061.000000	54.98	---	68.20	13.22	500.0	200.0	H	110.0	5.8
7625.500000	---	40.56	54.00	13.44	500.0	200.0	V	13.0	7.1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8738.750000	42.12	---	68.20	26.08	500.0	200.0	H	116.0	-1.7
9103.750000	---	45.11	54.00	8.89	500.0	200.0	V	252.0	-1.2
9471.250000	---	32.78	54.00	21.22	500.0	200.0	H	196.0	-0.1
9788.750000	44.19	---	68.20	24.01	500.0	100.0	H	303.0	-0.5
10455.000000	42.96	---	68.20	25.24	500.0	200.0	V	0.0	-1.0
11406.250000	---	41.64	54.00	12.36	500.0	200.0	V	266.0	-0.5
13352.500000	---	33.91	54.00	20.09	500.0	100.0	V	68.0	2.4
13511.250000	45.44	---	68.20	22.76	500.0	100.0	H	68.0	2.8
15337.500000	47.94	---	68.20	20.26	500.0	100.0	V	143.0	5.7
15571.250000	---	36.76	54.00	17.24	500.0	100.0	H	182.0	6.4
17670.000000	49.75	---	68.20	18.45	500.0	200.0	V	257.0	10.2
17976.250000	---	38.91	54.00	15.09	500.0	100.0	H	139.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH155




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	42.92	---	68.20	25.28	500.0	200.0	V	295.0	-8.2
1371.875000	---	31.79	54.00	22.21	500.0	200.0	H	222.0	-7.7
1566.125000	---	33.14	54.00	20.86	500.0	200.0	V	247.0	-6.6
1955.500000	45.55	---	68.20	22.65	500.0	100.0	V	141.0	-4.7
2632.750000	47.40	---	68.20	20.80	500.0	100.0	H	198.0	-2.0
2814.750000	---	36.22	54.00	17.78	500.0	200.0	V	138.0	-1.2
3530.500000	49.91	---	68.20	18.29	500.0	200.0	H	358.0	1.7
3940.875000	---	39.36	54.00	14.64	500.0	100.0	V	132.0	2.7
5329.500000	53.02	---	68.20	15.18	500.0	100.0	H	111.0	5.3
5374.125000	---	41.98	54.00	12.02	500.0	200.0	H	75.0	5.1
6051.375000	54.55	---	68.20	13.65	500.0	200.0	H	263.0	5.9
7525.750000	---	40.84	54.00	13.16	500.0	100.0	V	314.0	7.0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8907.500000	42.66	---	68.20	25.54	500.0	100.0	V	337.0	-1.3
9146.250000	---	31.73	54.00	22.27	500.0	200.0	H	130.0	-1.1
9240.000000	48.63	---	68.20	19.57	500.0	200.0	V	250.0	-0.9
9476.250000	---	33.06	54.00	20.94	500.0	200.0	H	112.0	0.0
10531.250000	43.19	---	68.20	25.01	500.0	100.0	V	163.0	-1.0
11572.500000	---	44.93	54.00	9.07	500.0	200.0	V	254.0	-0.5
13352.500000	---	33.65	54.00	20.35	500.0	200.0	V	245.0	2.4
13636.250000	45.14	---	68.20	23.06	500.0	200.0	V	325.0	3.0
15171.250000	48.20	---	68.20	20.00	500.0	200.0	V	0.0	5.3
15582.500000	---	36.93	54.00	17.07	500.0	200.0	V	101.0	6.4
17675.000000	49.63	---	68.20	18.57	500.0	200.0	V	0.0	10.3
17976.250000	---	39.02	54.00	14.98	500.0	100.0	V	5.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE160) CH50




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1051.625000	---	27.29	54.00	26.71	500.0	100.0	V	342.0	-10.5
1274.750000	40.96	---	68.20	27.24	500.0	100.0	H	342.0	-8.4
1397.250000	---	29.95	54.00	24.05	500.0	200.0	H	169.0	-7.6
1669.375000	---	31.16	54.00	22.84	500.0	100.0	H	141.0	-6.1
1990.500000	43.41	---	68.20	24.79	500.0	100.0	H	141.0	-4.6
2534.750000	47.12	---	68.20	21.08	500.0	200.0	H	295.0	-2.2
2733.375000	---	35.26	54.00	18.74	500.0	200.0	H	286.0	-1.5
3541.000000	49.93	---	68.20	18.27	500.0	200.0	V	236.0	1.7
3998.625000	---	39.17	54.00	14.83	500.0	100.0	H	207.0	3.2
4430.000000	50.28	---	68.20	17.92	500.0	100.0	V	259.0	3.5
5693.500000	53.27	---	68.20	14.93	500.0	200.0	H	43.0	5.6
7363.875000	---	40.51	54.00	13.49	500.0	100.0	H	44.0	7.1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8400.000000	---	45.65	54.00	8.35	500.0	100.0	V	117.0	-2.2
8831.250000	42.32	---	68.20	25.88	500.0	200.0	V	22.0	-1.4
9467.500000	---	33.12	54.00	20.88	500.0	100.0	H	166.0	-0.1
10432.500000	53.93	---	68.20	14.27	500.0	100.0	H	71.0	-1.0
10526.250000	56.08	---	68.20	12.12	500.0	200.0	H	22.0	-1.0
10608.750000	---	37.61	54.00	16.39	500.0	200.0	H	18.0	-0.8
13307.500000	---	33.60	54.00	20.40	500.0	100.0	V	165.0	2.3
13701.250000	45.47	---	68.20	22.73	500.0	200.0	V	195.0	3.2
15270.000000	48.01	---	68.20	20.19	500.0	200.0	V	219.0	5.6
15571.250000	---	36.97	54.00	17.03	500.0	100.0	H	319.0	6.4
16936.250000	49.49	---	68.20	18.71	500.0	100.0	V	354.0	8.8
17980.000000	---	38.94	54.00	15.06	500.0	100.0	V	268.0	10.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE160) CH114




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1062.125000	---	33.66	54.00	20.34	500.0	200.0	V	313.0	-4.4
1249.375000	46.31	---	68.20	21.89	500.0	100.0	H	342.0	-2.6
1401.625000	---	35.86	54.00	18.14	500.0	100.0	H	328.0	-1.6
1697.375000	---	37.22	54.00	16.78	500.0	100.0	V	135.0	0.0
1941.500000	49.52	---	68.20	18.68	500.0	100.0	V	39.0	1.3
2683.500000	52.50	---	68.20	15.70	500.0	100.0	V	89.0	4.2
2704.500000	---	41.22	54.00	12.78	500.0	200.0	V	353.0	4.4
3492.875000	55.74	---	68.20	12.46	500.0	200.0	V	207.0	7.8
3963.625000	---	45.04	54.00	8.96	500.0	100.0	H	277.0	9.0
4484.250000	56.26	---	68.20	11.94	500.0	200.0	H	354.0	9.8
7062.000000	59.87	---	68.20	8.33	500.0	100.0	V	325.0	12.9
7407.625000	---	46.57	54.00	7.43	500.0	100.0	H	28.0	13.2

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Final_Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8911.250000	48.87	---	68.20	19.33	500.0	200.0	H	21.0	-1.3
9145.000000	---	31.96	54.00	22.04	500.0	100.0	H	15.0	-1.1
9470.000000	---	32.79	54.00	21.21	500.0	100.0	H	356.0	-0.1
9907.500000	45.18	---	68.20	23.02	500.0	100.0	V	353.0	-0.8
10568.750000	43.20	---	68.20	25.00	500.0	100.0	H	134.0	-0.9
11158.750000	---	33.82	54.00	20.18	500.0	100.0	V	91.0	-0.5
13337.500000	---	33.70	54.00	20.30	500.0	200.0	H	170.0	2.3
13712.500000	44.89	---	68.20	23.31	500.0	100.0	V	256.0	3.2
15196.250000	47.63	---	68.20	20.57	500.0	200.0	V	19.0	5.4
15581.250000	---	36.89	54.00	17.11	500.0	100.0	V	140.0	6.4
17641.250000	49.90	---	68.20	18.30	500.0	100.0	V	202.0	10.2
17980.000000	---	38.77	54.00	15.23	500.0	100.0	H	58.0	10.9

Radiates Emission from 8GHz to 18GHz

2. Conducted Emission

2.1. Wi-Fi 5GHz


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition (802.11a CH52) was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.182	35.19	64.42	29.23	19.92	54.42	34.50	21.03	L1	9.000	1.000
0.461	35.73	56.68	20.95	25.97	46.68	20.71	20.82	L1	9.000	1.000
0.845	30.04	56.00	25.96	18.83	46.00	27.17	20.29	L1	9.000	1.000
3.068	23.40	56.00	32.60	14.41	46.00	31.59	19.48	L1	9.000	1.000
6.693	20.31	60.00	39.69	13.61	50.00	36.39	19.41	L1	9.000	1.000
18.265	21.90	60.00	38.10	15.92	50.00	34.08	19.60	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.188	32.71	64.11	31.40	18.01	54.11	36.10	21.03	N	9.000	1.000
0.461	35.99	56.68	20.69	25.98	46.68	20.70	20.83	N	9.000	1.000
2.119	25.26	56.00	30.74	15.74	46.00	30.26	19.63	N	9.000	1.000
4.664	20.76	56.00	35.24	13.70	46.00	32.30	19.42	N	9.000	1.000
10.106	18.41	60.00	41.59	12.19	50.00	37.81	19.44	N	9.000	1.000
23.136	24.38	60.00	35.62	16.10	50.00	33.90	19.79	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz