













Mode	27																																																																																
	Harmonic																																																																																
	2400-2483.5_802.11BE EHT20_CH10_2457MHz																																																																																
ANT	TXBF 1S2T																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>40.02</td><td>74.00</td><td>-33.98</td><td>60.17</td><td>33.90</td><td>11.53</td><td>65.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>43.17</td><td>74.00</td><td>-30.83</td><td>59.31</td><td>35.00</td><td>14.18</td><td>66.12</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9820.00</td><td>48.04</td><td>94.52</td><td>-46.48</td><td>61.62</td><td>36.90</td><td>16.39</td><td>66.87</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	40.02	74.00	-33.98	60.17	33.90	11.53	65.58	0.00	---	PEAK	2	7371.00	43.17	74.00	-30.83	59.31	35.00	14.18	66.12	0.00	---	PEAK	3	9820.00	48.04	94.52	-46.48	61.62	36.90	16.39	66.87	0.00	---	Peak	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	4914.00	40.02	74.00	-33.98	60.17	33.90	11.53	65.58	0.00	---	PEAK																																																																						
2	7371.00	43.17	74.00	-30.83	59.31	35.00	14.18	66.12	0.00	---	PEAK																																																																						
3	9820.00	48.04	94.52	-46.48	61.62	36.90	16.39	66.87	0.00	---	Peak																																																																						
Vertical																																																																																	
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>40.35</td><td>74.00</td><td>-33.65</td><td>60.50</td><td>33.90</td><td>11.53</td><td>65.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>60.22</td><td>35.00</td><td>14.18</td><td>66.12</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9817.00</td><td>51.04</td><td>90.64</td><td>-39.60</td><td>64.62</td><td>36.90</td><td>16.39</td><td>66.87</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	40.35	74.00	-33.65	60.50	33.90	11.53	65.58	0.00	---	PEAK	2	7371.00	44.08	74.00	-29.92	60.22	35.00	14.18	66.12	0.00	---	PEAK	3	9817.00	51.04	90.64	-39.60	64.62	36.90	16.39	66.87	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4914.00	40.35	74.00	-33.65	60.50	33.90	11.53	65.58	0.00	---	PEAK																																																																						
2	7371.00	44.08	74.00	-29.92	60.22	35.00	14.18	66.12	0.00	---	PEAK																																																																						
3	9817.00	51.04	90.64	-39.60	64.62	36.90	16.39	66.87	0.00	---	Peak																																																																						



Mode	28																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11BE EHT20_CH9_2452MHz																																																																																																
ANT	TXBF 1S2T																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.06</td><td>72.71</td><td>74.00</td><td>-1.29</td><td>59.11</td><td>32.55</td><td>8.10</td><td>37.05</td><td>10.00</td><td>277 198 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.06	72.71	74.00	-1.29	59.11	32.55	8.10	37.05	10.00	277 198 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>121.49</td><td>-----</td><td>-----</td><td>107.57</td><td>32.90</td><td>8.05</td><td>37.03</td><td>10.00</td><td>277 198 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	121.49	-----	-----	107.57	32.90	8.05	37.03	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2485.06	72.71	74.00	-1.29	59.11	32.55	8.10	37.05	10.00	277 198 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2452.00	121.49	-----	-----	107.57	32.90	8.05	37.03	10.00	277 198 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>50.24</td><td>54.00</td><td>-3.76</td><td>36.63</td><td>32.56</td><td>8.10</td><td>37.05</td><td>10.00</td><td>277 198 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	50.24	54.00	-3.76	36.63	32.56	8.10	37.05	10.00	277 198 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>110.61</td><td>-----</td><td>-----</td><td>96.76</td><td>32.83</td><td>8.04</td><td>37.02</td><td>10.00</td><td>277 198 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	110.61	-----	-----	96.76	32.83	8.04	37.02	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.62	50.24	54.00	-3.76	36.63	32.56	8.10	37.05	10.00	277 198 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2452.00	110.61	-----	-----	96.76	32.83	8.04	37.02	10.00	277 198 AVERAGE																																																																																							







		28																																																																																																									
Mode	Band Edge																																																																																																										
	2400-2483.5_802.11BE EHT20_CH9_2452MHz																																																																																																										
ANT	TXBF 1S2T																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2483.50</td><td>64.62</td><td>74.00</td><td>-9.38</td><td>51.01</td><td>32.56</td><td>8.10</td><td>37.05</td><td>10.00</td><td>273</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.50	64.62	74.00	-9.38	51.01	32.56	8.10	37.05	10.00	273	116	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2452.00</td><td>120.01</td><td>-----</td><td>-----</td><td>106.14</td><td>32.84</td><td>8.06</td><td>37.03</td><td>10.00</td><td>273</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2452.00	120.01	-----	-----	106.14	32.84	8.06	37.03	10.00	273	116
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2483.50	64.62	74.00	-9.38	51.01	32.56	8.10	37.05	10.00	273	116	PEAK																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2452.00	120.01	-----	-----	106.14	32.84	8.06	37.03	10.00	273	116	PEAK																																																																																																
Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2483.50</td><td>47.42</td><td>54.00</td><td>-6.58</td><td>33.81</td><td>32.56</td><td>8.10</td><td>37.05</td><td>10.00</td><td>273</td><td>116</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.50	47.42	54.00	-6.58	33.81	32.56	8.10	37.05	10.00	273	116	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2452.00</td><td>108.68</td><td>-----</td><td>-----</td><td>94.79</td><td>32.86</td><td>8.06</td><td>37.03</td><td>10.00</td><td>273</td><td>116</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2452.00	108.68	-----	-----	94.79	32.86	8.06	37.03	10.00	273	116
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2483.50	47.42	54.00	-6.58	33.81	32.56	8.10	37.05	10.00	273	116	AVERAGE																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1 2452.00	108.68	-----	-----	94.79	32.86	8.06	37.03	10.00	273	116	AVERAGE																																																																																																



Mode	28																																																																																																																																																				
	Harmonic																																																																																																																																																				
	2400-2483.5_802.11BE EHT20_CH9_2452MHz																																																																																																																																																				
ANT	TXBF 1S2T																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>39.97</td><td>74.00</td><td>-34.03</td><td>60.17</td><td>33.90</td><td>11.52</td><td>65.62</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.32</td><td>74.00</td><td>-30.68</td><td>59.44</td><td>35.00</td><td>14.16</td><td>66.08</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>3</td><td>9802.00</td><td>51.07</td><td>94.43</td><td>-43.36</td><td>64.65</td><td>36.90</td><td>16.38</td><td>66.86</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	39.97	74.00	-34.03	60.17	33.90	11.52	65.62	0.00	---	--- PEAK	2	7356.00	43.32	74.00	-30.68	59.44	35.00	14.16	66.08	0.00	---	--- PEAK	3	9802.00	51.07	94.43	-43.36	64.65	36.90	16.38	66.86	0.00	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>60.16</td><td>33.90</td><td>11.52</td><td>65.62</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>59.13</td><td>35.00</td><td>14.16</td><td>66.08</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>3</td><td>9810.00</td><td>52.85</td><td>90.74</td><td>-37.89</td><td>66.42</td><td>36.90</td><td>16.39</td><td>66.86</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	39.96	74.00	-34.04	60.16	33.90	11.52	65.62	0.00	---	--- PEAK	2	7356.00	43.01	74.00	-30.99	59.13	35.00	14.16	66.08	0.00	---	--- PEAK	3	9810.00	52.85	90.74	-37.89	66.42	36.90	16.39	66.86	0.00	---	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	4904.00	39.97	74.00	-34.03	60.17	33.90	11.52	65.62	0.00	---	--- PEAK																																																																																																																																										
2	7356.00	43.32	74.00	-30.68	59.44	35.00	14.16	66.08	0.00	---	--- PEAK																																																																																																																																										
3	9802.00	51.07	94.43	-43.36	64.65	36.90	16.38	66.86	0.00	---	--- Peak																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	4904.00	39.96	74.00	-34.04	60.16	33.90	11.52	65.62	0.00	---	--- PEAK																																																																																																																																										
2	7356.00	43.01	74.00	-30.99	59.13	35.00	14.16	66.08	0.00	---	--- PEAK																																																																																																																																										
3	9810.00	52.85	90.74	-37.89	66.42	36.90	16.39	66.86	0.00	---	--- Peak																																																																																																																																										







	29																																																																																																		
Mode	Band Edge - L																																																																																																		
	2400-2483.5_802.11BE EHT20_CH8_2447MHz																																																																																																		
ANT	TXBF 1S2T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>63.36</td><td>74.00</td><td>-10.64</td><td>50.15</td><td>32.24</td><td>7.96</td><td>36.99</td><td>10.00</td><td>257 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	63.36	74.00	-10.64	50.15	32.24	7.96	36.99	10.00	257 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>123.02</td><td>-----</td><td>-----</td><td>109.11</td><td>32.88</td><td>8.06</td><td>37.03</td><td>10.00</td><td>257 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	123.02	-----	-----	109.11	32.88	8.06	37.03	10.00	257 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	63.36	74.00	-10.64	50.15	32.24	7.96	36.99	10.00	257 360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2447.00	123.02	-----	-----	109.11	32.88	8.06	37.03	10.00	257 360 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>31.04</td><td>32.24</td><td>7.96</td><td>36.99</td><td>10.00</td><td>257 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.25	54.00	-9.75	31.04	32.24	7.96	36.99	10.00	257 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>112.12</td><td>-----</td><td>-----</td><td>98.20</td><td>32.90</td><td>8.05</td><td>37.03</td><td>10.00</td><td>257 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	112.12	-----	-----	98.20	32.90	8.05	37.03	10.00	257 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	44.25	54.00	-9.75	31.04	32.24	7.96	36.99	10.00	257 360 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2447.00	112.12	-----	-----	98.20	32.90	8.05	37.03	10.00	257 360 AVERAGE																																																																																									





Mode	29																																													
	Band Edge - R																																													
	2400-2483.5_802.11BE EHT20_CH8_2447MHz																																													
ANT	TXBF 1S2T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>69.32</td><td>74.00</td><td>-4.68</td><td>55.71</td><td>32.56</td><td>8.10</td><td>37.05</td><td>10.00</td><td>257 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	69.32	74.00	-4.68	55.71	32.56	8.10	37.05	10.00	257 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.86	69.32	74.00	-4.68	55.71	32.56	8.10	37.05	10.00	257 360 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>52.81</td><td>54.00</td><td>-1.19</td><td>39.20</td><td>32.56</td><td>8.10</td><td>37.05</td><td>10.00</td><td>257 360 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	52.81	54.00	-1.19	39.20	32.56	8.10	37.05	10.00	257 360 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.50	52.81	54.00	-1.19	39.20	32.56	8.10	37.05	10.00	257 360 AVERAGE																																				





Mode	29																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11BE EHT20_CH8_2447MHz																																																																																																			
ANT	TXBF 1S2T																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>58.06</td><td>74.00</td><td>-15.94</td><td>44.85</td><td>32.24</td><td>7.96</td><td>36.99</td><td>10.00</td><td>304</td><td>219 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	58.06	74.00	-15.94	44.85	32.24	7.96	36.99	10.00	304	219 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>118.21</td><td>-----</td><td>-----</td><td>104.41</td><td>32.78</td><td>8.04</td><td>37.02</td><td>10.00</td><td>304</td><td>219 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	118.21	-----	-----	104.41	32.78	8.04	37.02	10.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.30	58.06	74.00	-15.94	44.85	32.24	7.96	36.99	10.00	304	219 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2447.00	118.21	-----	-----	104.41	32.78	8.04	37.02	10.00	304	219 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>29.77</td><td>32.24</td><td>7.96</td><td>36.99</td><td>10.00</td><td>304</td><td>219 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	42.98	54.00	-11.02	29.77	32.24	7.96	36.99	10.00	304	219 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>106.98</td><td>-----</td><td>-----</td><td>93.18</td><td>32.78</td><td>8.04</td><td>37.02</td><td>10.00</td><td>304</td><td>219 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	106.98	-----	-----	93.18	32.78	8.04	37.02	10.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	42.98	54.00	-11.02	29.77	32.24	7.96	36.99	10.00	304	219 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2447.00	106.98	-----	-----	93.18	32.78	8.04	37.02	10.00	304	219 AVERAGE																																																																																									



Mode	29																																																	
	Band Edge - R																																																	
	2400-2483.5_802.11BE EHT20_CH8_2447MHz																																																	
ANT	TXBF 1S2T																																																	
Pol.	Vertical						Fundamental																																											
Peak							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.18</td><td>65.73</td><td>74.00</td><td>-8.27</td><td>52.13</td><td>32.55</td><td>8.10</td><td>37.05</td><td>10.00</td><td>304</td><td>219 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.18	65.73	74.00	-8.27	52.13
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	2483.18	65.73	74.00	-8.27	52.13	32.55	8.10	37.05	10.00	304	219 PEAK																																							
Avg							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.96</td><td>54.00</td><td>-5.04</td><td>35.35</td><td>32.56</td><td>8.10</td><td>37.05</td><td>10.00</td><td>304</td><td>219 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.96	54.00	-5.04	35.35
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	2483.50	48.96	54.00	-5.04	35.35	32.56	8.10	37.05	10.00	304	219 AVERAGE																																							



Mode	29																																																																																																																																																					
	Harmonic																																																																																																																																																					
	2400-2483.5_802.11BE EHT20_CH8_2447MHz																																																																																																																																																					
ANT	TXBF 1S2T																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4894.00</td><td>40.20</td><td>74.00</td><td>-33.80</td><td>60.41</td><td>33.90</td><td>11.50</td><td>65.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7341.00</td><td>42.59</td><td>74.00</td><td>-31.41</td><td>58.69</td><td>35.00</td><td>14.15</td><td>66.05</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9771.00</td><td>52.21</td><td>96.38</td><td>-44.17</td><td>65.86</td><td>36.84</td><td>16.37</td><td>66.86</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4894.00	40.20	74.00	-33.80	60.41	33.90	11.50	65.61	0.00	---	PEAK	2	7341.00	42.59	74.00	-31.41	58.69	35.00	14.15	66.05	0.00	---	PEAK	3	9771.00	52.21	96.38	-44.17	65.86	36.84	16.37	66.86	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4894.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>60.60</td><td>33.90</td><td>11.50</td><td>65.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7341.00</td><td>44.62</td><td>74.00</td><td>-29.38</td><td>60.72</td><td>35.00</td><td>14.15</td><td>66.05</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9778.00</td><td>57.31</td><td>92.55</td><td>-35.24</td><td>70.93</td><td>36.86</td><td>16.38</td><td>66.86</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4894.00	40.39	74.00	-33.61	60.60	33.90	11.50	65.61	0.00	---	PEAK	2	7341.00	44.62	74.00	-29.38	60.72	35.00	14.15	66.05	0.00	---	PEAK	3	9778.00	57.31	92.55	-35.24	70.93	36.86	16.38	66.86	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	4894.00	40.20	74.00	-33.80	60.41	33.90	11.50	65.61	0.00	---	PEAK																																																																																																																																											
2	7341.00	42.59	74.00	-31.41	58.69	35.00	14.15	66.05	0.00	---	PEAK																																																																																																																																											
3	9771.00	52.21	96.38	-44.17	65.86	36.84	16.37	66.86	0.00	---	Peak																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	4894.00	40.39	74.00	-33.61	60.60	33.90	11.50	65.61	0.00	---	PEAK																																																																																																																																											
2	7341.00	44.62	74.00	-29.38	60.72	35.00	14.15	66.05	0.00	---	PEAK																																																																																																																																											
3	9778.00	57.31	92.55	-35.24	70.93	36.86	16.38	66.86	0.00	---	Peak																																																																																																																																											