

TEST RESULTS DATA Average Output Power															
FCC U-NII-1															
Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{rx}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
11a	CDD	2	36	5180	6Mbps	-	21.50	23.94	25.07	27.55	30.00	2.79	30.34	-	Pass
11a	CDD	2	44	5220	6Mbps	-	21.50	23.90	24.80	27.38	30.00	2.79	30.17	-	Pass
11a	CDD	2	48	5240	6Mbps	-	21.00	23.90	24.81	27.39	30.00	2.79	30.18	-	Pass
HT20	CDD	2	36	5180	MCS0	-	22.00	23.77	24.82	27.34	30.00	2.79	30.13	-	Pass
HT20	CDD	2	44	5220	MCS0	-	22.00	23.70	24.72	27.25	30.00	2.79	30.04	-	Pass
HT20	CDD	2	48	5240	MCS0	-	21.50	23.81	24.69	27.28	30.00	2.79	30.07	-	Pass
HT40	CDD	2	38	5190	MCS0	-	18.50	19.93	20.86	23.43	30.00	2.79	26.22	-	Pass
HT40	CDD	2	46	5230	MCS0	-	23.50	25.68	26.53	29.14	30.00	2.79	31.93	-	Pass
VHT20	CDD	2	36	5180	MCS0	-	22.00	23.81	24.90	27.40	30.00	2.79	30.19	-	Pass
VHT20	CDD	2	44	5220	MCS0	-	22.00	23.76	24.75	27.29	30.00	2.79	30.08	-	Pass
VHT20	CDD	2	48	5240	MCS0	-	21.50	23.87	24.75	27.34	30.00	2.79	30.13	-	Pass
VHT40	CDD	2	38	5190	MCS0	-	18.50	19.97	20.94	23.49	30.00	2.79	26.28	-	Pass
VHT40	CDD	2	46	5230	MCS0	-	23.50	25.71	26.58	29.18	30.00	2.79	31.97	-	Pass
VHT80	CDD	2	42	5210	MCS0	-	19.00	19.47	20.42	22.98	30.00	2.79	25.77	-	Pass
VHT160	SISO	1	50	5250	MCS0	-	18.00	17.93	18.76	21.38	30.00	2.79	24.17	-	Pass
HE20	CDD	2	36	5180	MCS0	Full	22.00	23.88	24.94	27.45	30.00	2.79	30.24	-	Pass
HE20	CDD	2	36	5180	MCS0	52*4	23.00	23.34	24.08	26.74	30.00	2.79	29.53	-	Pass
HE20	CDD	2	44	5220	MCS0	Full	22.00	23.88	24.75	27.35	30.00	2.79	30.14	-	Pass
HE20	CDD	2	44	5220	MCS0	52*4	23.00	23.29	23.05	26.18	30.00	2.79	28.97	-	Pass
HE20	CDD	2	48	5240	MCS0	Full	21.50	23.90	24.94	27.46	30.00	2.79	30.25	-	Pass
HE20	CDD	2	48	5240	MCS0	52*4	22.50	23.42	24.30	26.89	30.00	2.79	29.68	-	Pass
HE40	CDD	2	38	5190	MCS0	Full	19.00	20.54	21.34	23.97	30.00	2.79	26.76	-	Pass
HE40	CDD	2	38	5190	MCS0	52*8	20.00	20.32	21.32	23.86	30.00	2.79	26.65	-	Pass
HE40	CDD	2	46	5230	MCS0	Full	24.00	26.01	26.75	29.41	30.00	2.79	32.20	-	Pass
HE40	CDD	2	46	5230	MCS0	52*8	25.00	26.00	26.72	29.39	30.00	2.79	32.18	-	Pass
HE80	CDD	2	42	5210	MCS0	Full	19.50	19.71	20.71	23.25	30.00	2.79	26.04	-	Pass
HE80	CDD	2	42	5210	MCS0	RU242x2+106x4+26x2	20.00	19.66	20.48	23.10	30.00	2.79	25.89	-	Pass
HE160	CDD	2	50	5250	MCS0	Full	18.50	18.26	19.07	21.69	30.00	2.79	24.48	-	Pass
HE160	CDD	2	50	5250	MCS0	242*8	18.50	17.71	18.49	21.13	30.00	2.79	23.92	-	Pass
EHT20	CDD	2	36	5180	MCS0	Full	22.00	23.91	25.02	27.51	30.00	2.79	30.30	-	Pass
EHT20	CDD	2	36	5180	MCS0	52*4	23.00	23.38	24.12	26.78	30.00	2.79	29.57	-	Pass
EHT20	CDD	2	44	5220	MCS0	Full	22.00	23.91	24.83	27.40	30.00	2.79	30.19	-	Pass
EHT20	CDD	2	44	5220	MCS0	52*4	23.00	23.32	23.12	26.23	30.00	2.79	29.02	-	Pass
EHT20	CDD	2	48	5240	MCS0	Full	21.50	23.98	24.98	27.52	30.00	2.79	30.31	-	Pass
EHT20	CDD	2	48	5240	MCS0	52*4	22.50	23.50	24.34	26.95	30.00	2.79	29.74	-	Pass
EHT40	CDD	2	38	5190	MCS0	Full	19.00	20.59	21.42	24.04	30.00	2.79	26.83	-	Pass
EHT40	CDD	2	38	5190	MCS0	52*8	20.00	20.39	21.37	23.92	30.00	2.79	26.71	-	Pass
EHT40	CDD	2	46	5230	MCS0	Full	24.00	26.07	26.82	29.47	30.00	2.79	32.26	-	Pass
EHT40	CDD	2	46	5230	MCS0	52*8	25.00	26.05	26.78	29.44	30.00	2.79	32.23	-	Pass
EHT80	CDD	2	42	5210	MCS0	Full	19.50	19.77	20.79	23.32	30.00	2.79	26.11	-	Pass
EHT80	CDD	2	42	5210	MCS0	RU242x2+106x4+26x2	20.00	19.73	20.52	23.15	30.00	2.79	25.94	-	Pass
EHT80	CDD	2	42	5210	MCS0	PC 20,Loc:4	18.50	18.43	19.14	21.81	30.00	2.79	24.60	-	Pass
EHT160	CDD	2	50	5250	MCS0	Full	18.50	18.31	19.10	21.73	30.00	2.79	24.52	-	Pass
EHT160	CDD	2	50	5250	MCS0	242*8	18.50	17.76	18.53	21.17	30.00	2.79	23.96	-	Pass
EHT160	CDD	2	50	5250	MCS0	PC 20,Loc:1	15.50	16.18	16.84	19.53	30.00	2.79	22.32	-	Pass
EHT160	CDD	2	36	5180	MCS0	PC 20,Loc:8	15.50	16.00	16.58	19.31	30.00	2.79	22.10	-	Pass
EHT160	CDD	2	36	5180	MCS0	PC 40,Loc:1	16.00	15.98	16.48	19.25	30.00	2.79	22.04	-	Pass
EHT160	CDD	2	36	5180	MCS0	PC 40,Loc:4	17.00	17.08	17.81	20.47	30.00	2.79	23.26	-	Pass

TEST RESULTS DATA Average Output Power															
FCC U-NII-2A															
Mode							Power Setting	Average Conducted Power with duty factor(dBm)			FCC Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
11a	CDD	2	52	5260	6Mbps	-	16.00	17.80	18.23	21.03	23.67	2.79	23.82	30.00	Pass
11a	CDD	2	60	5300	6Mbps	-	18.00	17.78	18.08	20.94	24.00	2.79	23.73	30.00	Pass
11a	CDD	2	64	5320	6Mbps	-	18.00	17.96	18.29	21.14	24.00	2.79	23.93	30.00	Pass
HT20	CDD	2	52	5260	MCS0	-	16.50	17.76	18.11	20.95	24.00	2.79	23.74	30.00	Pass
HT20	CDD	2	60	5300	MCS0	-	17.00	18.22	18.57	21.41	24.00	2.79	24.20	30.00	Pass
HT20	CDD	2	64	5320	MCS0	-	17.00	17.85	18.17	21.02	24.00	2.79	23.81	30.00	Pass
HT40	CDD	2	54	5270	MCS0	-	18.50	19.86	20.18	23.03	24.00	2.79	25.82	30.00	Pass
HT40	CDD	2	62	5310	MCS0	-	17.50	18.66	18.93	21.81	24.00	2.79	24.60	30.00	Pass
VHT20	CDD	2	52	5260	MCS0	-	16.50	17.78	18.16	20.98	24.00	2.79	23.77	30.00	Pass
VHT20	CDD	2	60	5300	MCS0	-	17.00	18.26	18.60	21.44	24.00	2.79	24.23	30.00	Pass
VHT20	CDD	2	64	5320	MCS0	-	17.00	17.89	18.25	21.08	24.00	2.79	23.87	30.00	Pass
VHT40	CDD	2	54	5270	MCS0	-	18.50	19.88	20.24	23.07	24.00	2.79	25.86	30.00	Pass
VHT40	CDD	2	62	5310	MCS0	-	17.50	18.68	18.98	21.84	24.00	2.79	24.63	30.00	Pass
VHT80	CDD	2	58	5290	MCS0	-	16.00	16.53	16.78	19.67	24.00	2.79	22.46	30.00	Pass
VHT160	CDD	2	50	5250	MCS0	-	18.00	17.93	18.76	21.38	24.00	2.79	24.17	30.00	Pass
HE20	CDD	2	52	5260	MCS0	Full	16.50	17.97	18.37	21.18	24.00	2.79	23.97	30.00	Pass
HE20	CDD	2	52	5260	MCS0	52*4	17.50	17.66	17.92	20.80	24.00	2.79	23.59	30.00	Pass
HE20	CDD	2	60	5300	MCS0	Full	17.00	18.43	18.70	21.58	24.00	2.79	24.37	30.00	Pass
HE20	CDD	2	60	5300	MCS0	52*4	18.00	18.02	18.22	21.13	24.00	2.79	23.92	30.00	Pass
HE20	CDD	2	64	5320	MCS0	Full	17.00	18.08	18.33	21.22	24.00	2.79	24.01	30.00	Pass
HE20	CDD	2	64	5320	MCS0	52*4	18.00	17.71	17.85	20.79	24.00	2.79	23.58	30.00	Pass
HE40	CDD	2	54	5270	MCS0	Full	19.00	20.37	20.66	23.53	24.00	2.79	26.32	30.00	Pass
HE40	CDD	2	54	5270	MCS0	52*8	20.00	20.24	20.62	23.44	24.00	2.79	26.23	30.00	Pass
HE40	CDD	2	62	5310	MCS0	Full	18.00	19.05	19.26	22.17	24.00	2.79	24.96	30.00	Pass
HE40	CDD	2	62	5310	MCS0	52*8	19.00	18.97	19.21	22.10	24.00	2.79	24.89	30.00	Pass
HE80	CDD	2	58	5290	MCS0	Full	16.50	16.70	17.07	19.90	24.00	2.79	22.69	30.00	Pass
HE80	CDD	2	58	5290	MCS0	RU242x2+106x4+26x2	17.00	16.61	16.81	19.72	24.00	2.79	22.51	30.00	Pass
HE160	CDD	2	50	5250	MCS0	Full	18.50	18.26	19.04	21.68	24.00	2.79	24.47	30.00	Pass
HE160	CDD	2	50	5250	MCS0	242*8	18.50	17.72	18.48	21.13	24.00	2.79	23.92	30.00	Pass
EHT20	CDD	2	52	5260	MCS0	Full	16.50	18.02	18.40	21.22	24.00	2.79	24.01	30.00	Pass
EHT20	CDD	2	52	5260	MCS0	52*4	17.50	17.70	17.98	20.85	24.00	2.79	23.64	30.00	Pass
EHT20	CDD	2	60	5300	MCS0	Full	17.00	18.48	18.77	21.64	24.00	2.79	24.43	30.00	Pass
EHT20	CDD	2	60	5300	MCS0	52*4	18.00	18.09	18.28	21.20	24.00	2.79	23.99	30.00	Pass
EHT20	CDD	2	64	5320	MCS0	Full	17.00	18.14	18.36	21.26	24.00	2.79	24.05	30.00	Pass
EHT20	CDD	2	64	5320	MCS0	52*4	18.00	17.76	17.90	20.84	24.00	2.79	23.63	30.00	Pass
EHT40	CDD	2	54	5270	MCS0	Full	19.00	20.43	20.69	23.57	24.00	2.79	26.36	30.00	Pass
EHT40	CDD	2	54	5270	MCS0	52*8	20.00	20.30	20.65	23.49	24.00	2.79	26.28	30.00	Pass
EHT40	CDD	2	62	5310	MCS0	Full	18.00	19.09	19.30	22.21	24.00	2.79	25.00	30.00	Pass
EHT40	CDD	2	62	5310	MCS0	52*8	19.00	19.00	19.25	22.14	24.00	2.79	24.93	30.00	Pass
EHT80	CDD	2	58	5290	MCS0	Full	16.50	16.75	17.13	19.95	24.00	2.79	22.74	30.00	Pass
EHT80	CDD	2	58	5290	MCS0	RU242x2+106x4+26x2	17.00	16.65	16.88	19.78	24.00	2.79	22.57	30.00	Pass
EHT80	CDD	2	58	5290	MCS0	PC 20,Loc:1	13.50	15.70	15.98	18.85	24.00	2.79	21.64	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	Full	18.50	18.31	19.10	21.73	24.00	2.79	24.52	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	242*8	18.50	17.76	18.53	21.17	24.00	2.79	23.96	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	PC 20,Loc:1	15.50	16.18	16.84	19.53	24.00	2.79	22.32	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	PC 20,Loc:8	15.50	16.00	16.58	19.31	24.00	2.79	22.10	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	PC 40,Loc:1	16.00	15.98	16.48	19.25	24.00	2.79	22.04	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	PC 40,Loc:4	17.00	17.08	17.81	20.47	24.00	2.79	23.26	30.00	Pass

TEST RESULTS DATA																
Average Output Power																
FCC U-NII-2C																
Mode							Power Setting	Average Conducted Power with duty factor(dBm)			FCC Conducted Power Limit (dBm)	Gain(dBi)	ERP Power (dBm)	FCC ERP Power Limit (dBm)	Pass/Fail	
Band	MIMO	N _{rx}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2		
11a	CDD	2	100	5500	6Mbps	-	16.00	17.84	18.84	21.38	23.98	2.87	24.25	30.00	Pass	
11a	CDD	2	116	5580	6Mbps	-	16.50	17.76	18.66	21.24	23.67	2.87	24.11	30.00	Pass	
11a	CDD	2	140	5700	6Mbps	-	16.50	17.85	18.61	21.26	23.98	2.87	24.13	30.00	Pass	
11a	CDD	2	144	5720	6Mbps	-	16.50	18.19	19.02	21.64	23.68	2.87	24.51	30.00	Pass	
HT20	CDD	2	100	5500	MCSO	-	16.50	17.88	18.73	21.34	23.98	2.87	24.21	30.00	Pass	
HT20	CDD	2	116	5580	MCSO	-	17.00	17.77	18.58	21.20	23.81	2.87	24.07	30.00	Pass	
HT20	CDD	2	140	5700	MCSO	-	17.00	17.80	18.56	21.21	23.98	2.87	24.08	30.00	Pass	
HT20	CDD	2	144	5720	MCSO	-	17.00	18.18	19.09	21.67	23.83	2.87	24.54	30.00	Pass	
HT40	CDD	2	102	5510	MCSO	-	18.50	19.65	20.67	23.20	23.98	2.87	26.07	30.00	Pass	
HT40	CDD	2	110	5550	MCSO	-	18.00	19.45	20.77	23.17	23.98	2.87	26.04	30.00	Pass	
HT40	CDD	2	134	5670	MCSO	-	18.50	19.57	20.52	23.08	23.98	2.87	25.95	30.00	Pass	
HT40	CDD	2	142	5710	MCSO	-	18.50	19.79	20.55	23.20	23.98	2.87	26.07	30.00	Pass	
VHT20	CDD	2	100	5500	MCSO	-	18.50	17.92	18.81	21.40	23.98	2.87	24.27	30.00	Pass	
VHT20	CDD	2	118	5580	MCSO	-	17.00	17.82	18.64	21.26	23.81	2.87	24.13	30.00	Pass	
VHT20	CDD	2	140	5700	MCSO	-	17.00	17.87	18.63	21.26	23.98	2.87	24.15	30.00	Pass	
VHT20	CDD	2	144	5720	MCSO	-	17.00	18.26	19.12	21.72	23.83	2.87	24.59	30.00	Pass	
VHT40	CDD	2	102	5510	MCSO	-	18.50	19.73	20.75	23.26	23.98	2.87	26.15	30.00	Pass	
VHT40	CDD	2	110	5550	MCSO	-	18.00	19.47	20.79	23.19	23.98	2.87	26.06	30.00	Pass	
VHT40	CDD	2	134	5670	MCSO	-	18.50	19.61	20.56	23.12	23.98	2.87	25.99	30.00	Pass	
VHT40	CDD	2	142	5710	MCSO	-	18.50	19.81	20.59	23.23	23.98	2.87	26.10	30.00	Pass	
VHT80	CDD	2	106	5530	MCSO	-	19.50	19.73	20.68	23.24	23.98	2.87	26.11	30.00	Pass	
VHT80	CDD	2	122	5610	MCSO	-	20.00	20.07	20.91	23.52	23.98	2.87	26.39	30.00	Pass	
VHT80	CDD	2	138	5690	MCSO	-	19.50	19.94	20.76	23.38	23.98	2.87	26.25	30.00	Pass	
VHT160	CDD	2	114	5570	MCSO	-	20.00	19.65	20.81	23.28	23.98	2.87	26.15	30.00	Pass	
HE20	CDD	2	100	5500	MCSO	Full	16.50	17.95	18.87	21.44	23.98	2.87	24.31	30.00	Pass	
HE20	CDD	2	100	5500	MCSO	52*4	17.00	17.25	18.00	20.05	23.98	2.87	23.52	30.00	Pass	
HE20	CDD	2	116	5580	MCSO	Full	17.00	17.93	18.77	21.38	23.98	2.87	24.25	30.00	Pass	
HE20	CDD	2	116	5580	MCSO	52*4	17.50	17.16	17.85	20.53	23.98	2.87	23.40	30.00	Pass	
HE20	CDD	2	140	5700	MCSO	Full	17.00	17.94	18.66	21.33	23.98	2.87	24.20	30.00	Pass	
HE20	CDD	2	140	5700	MCSO	52*4	17.50	17.11	17.83	20.50	23.98	2.87	23.37	30.00	Pass	
HE20	CDD	2	144	5720	MCSO	Full	17.00	18.35	19.05	21.72	23.98	2.87	24.59	30.00	Pass	
HE20	CDD	2	144	5720	MCSO	52*4	17.50	17.54	18.13	20.86	23.98	2.87	23.73	30.00	Pass	
HE40	CDD	2	102	5510	MCSO	Full	19.00	20.17	20.89	23.56	23.98	2.87	26.43	30.00	Pass	
HE40	CDD	2	102	5510	MCSO	52*8	19.50	19.56	20.34	22.98	23.98	2.87	25.85	30.00	Pass	
HE40	CDD	2	110	5550	MCSO	Full	18.50	19.91	21.00	23.50	23.98	2.87	26.37	30.00	Pass	
HE40	CDD	2	110	5550	MCSO	52*8	19.00	19.27	20.42	22.89	23.98	2.87	25.76	30.00	Pass	
HE40	CDD	2	134	5670	MCSO	Full	19.00	20.07	20.86	23.49	23.98	2.87	26.36	30.00	Pass	
HE40	CDD	2	134	5670	MCSO	52*8	19.50	19.42	20.22	22.85	23.98	2.87	25.72	30.00	Pass	
HE40	CDD	2	142	5710	MCSO	Full	19.00	20.27	20.89	23.60	23.98	2.87	26.47	30.00	Pass	
HE40	CDD	2	142	5710	MCSO	52*8	19.50	19.72	20.30	22.03	23.98	2.87	25.90	30.00	Pass	
HE80	CDD	2	106	5530	MCSO	Full	20.00	19.90	20.99	23.49	23.98	2.87	26.36	30.00	Pass	
HE80	CDD	2	106	5530	MCSO	RU242x2+106x4+26x2	20.50	19.86	20.83	23.38	23.98	2.87	26.25	30.00	Pass	
HE80	CDD	2	122	5610	MCSO	Full	20.50	20.32	21.30	23.85	23.98	2.87	26.72	30.00	Pass	
HE80	CDD	2	122	5610	MCSO	RU242x2+106x4+26x2	21.00	20.19	21.04	23.65	23.98	2.87	26.52	30.00	Pass	
HE80	CDD	2	138	5690	MCSO	Full	20.00	20.23	21.13	23.71	23.98	2.87	26.58	30.00	Pass	
HE80	CDD	2	138	5690	MCSO	RU242x2+106x4+26x2	20.50	20.04	20.84	21.47	23.98	2.87	26.34	30.00	Pass	
HE160	CDD	2	114	5570	MCSO	Full	20.50	19.96	21.12	23.59	23.98	2.87	26.46	30.00	Pass	
HE160	CDD	2	114	5570	MCSO	242*8	20.50	19.44	20.49	23.01	23.98	2.87	25.88	30.00	Pass	
EHT20	CDD	2	100	5500	MCSO	Full	16.50	17.99	18.90	21.48	23.98	2.87	24.35	30.00	Pass	
EHT20	CDD	2	100	5500	MCSO	52*4	17.00	17.32	18.06	20.72	23.98	2.87	23.59	30.00	Pass	
EHT20	CDD	2	116	5580	MCSO	Full	17.00	17.96	18.80	21.41	23.98	2.87	24.28	30.00	Pass	
EHT20	CDD	2	116	5580	MCSO	52*4	17.50	17.21	17.90	20.58	23.98	2.87	23.45	30.00	Pass	
EHT20	CDD	2	140	5700	MCSO	Full	17.00	17.97	18.73	21.38	23.98	2.87	24.25	30.00	Pass	
EHT20	CDD	2	140	5700	MCSO	52*4	17.50	17.15	17.89	20.53	23.98	2.87	23.42	30.00	Pass	
EHT20	CDD	2	144	5720	MCSO	Full	17.00	18.38	19.12	21.78	23.98	2.87	24.65	30.00	Pass	
EHT20	CDD	2	144	5720	MCSO	52*4	17.50	17.59	18.20	20.92	23.98	2.87	23.79	30.00	Pass	
EHT40	CDD	2	102	5510	MCSO	Full	19.00	20.22	20.95	23.61	23.98	2.87	26.48	30.00	Pass	
EHT40	CDD	2	102	5510	MCSO	52*8	19.50	19.59	20.41	23.03	23.98	2.87	25.90	30.00	Pass	
EHT40	CDD	2	110	5550	MCSO	Full	18.50	19.94	21.04	23.54	23.98	2.87	26.41	30.00	Pass	
EHT40	CDD	2	110	5550	MCSO	52*8	19.00	19.30	20.47	22.93	23.98	2.87	25.80	30.00	Pass	
EHT40	CDD	2	134	5670	MCSO	Full	19.00	20.12	20.89	23.53	23.98	2.87	26.40	30.00	Pass	
EHT40	CDD	2	134	5670	MCSO	52*8	19.50	19.47	20.26	22.89	23.98	2.87	25.76	30.00	Pass	
EHT40	CDD	2	142	5710	MCSO	Full	19.00	20.30	20.94	23.64	23.98	2.87	26.51	30.00	Pass	
EHT40	CDD	2	142	5710	MCSO	52*8	19.50	19.78	20.36	21.99	23.98	2.87	25.96	30.00	Pass	
EHT80	CDD	2	106	5530	MCSO	Full	20.00	19.97	21.03	23.54	23.98	2.87	26.41	30.00	Pass	
EHT80	CDD	2	106	5530	MCSO	RU242x2+106x4+26x2	20.50	19.91	20.86	23.42	23.98	2.87	26.29	30.00	Pass	
EHT80	CDD	2	106	5530	MCSO	PC 20,Loc-4	19.00	18.65	19.59	22.16	23.98	2.87	25.03	30.00	Pass	
EHT80	CDD	2	122	5610	MCSO	Full	20.50	20.36	21.36	23.90	23.98	2.87	26.77	30.00	Pass	
EHT80	CDD	2	122	5610	MCSO	RU242x2+106x4+26x2	21.00	20.26	21.07	23.69	23.98	2.87	26.56	30.00	Pass	
EHT80	CDD	2	122	5610	MCSO	PC 20,Loc-1	17.50	19.00	20.01	22.54	23.98	2.87	23.41	30.00	Pass	
EHT80	CDD	2	138	5690	MCSO	Full	20.00	20.27	21.20	23.77	23.98	2.87	26.64	30.00	Pass	
EHT80	CDD	2	138	5690	MCSO	RU242x2+106x4+26x2	20.50	20.11	20.91	23.54	23.98	2.87	26.41	30.00	Pass	
EHT80	CDD	2	138	5690	MCSO	PC 20,Loc-4	19.00	18.67	19.52	22.13	23.98	2.87	25.00	30.00	Pass	
EHT160	CDD	2	114	5570	MCSO	Full	20.50	19.99	21.18	23.64	23.98	2.87	26.51	30.00	Pass	
EHT160	CDD	2	114	5570	MCSO	242*8	20.50	19.49	20.55	23.06	23.98	2.87	25.93	30.00	Pass	
EHT160	CDD	2	114	5570	MCSO	PC 20,Loc-1	17.00	18.28	18.79	20.78	23.98	2.87	23.65	30.00	Pass	
EHT160	CDD	2	114	5570	MCSO	PC 20,Loc-8	15.00	15.25	15.99	19.65	23.98	2.87	21.52	30.00	Pass	
EHT160	CDD	2	114	5570	MCSO	PC 40,Loc-1	17.00	16.50	17.33	19.95	23.98	2.87	22.82	30.00	Pass	
EHT160	CDD	2	114	5570	MCSO	PC 40,Loc-4	14.00	9.81	10.47	13.16	23.98	2.87	16.03	30.00	Pass	

TEST RESULTS DATA Average Output Power															
FCC-U-NII-3															
Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
11a	CDD	2	149	5745	6Mbps	-	25	26.73	26.89	29.82	30.00	2.86	32.68	36.00	Pass
11a	CDD	2	157	5785	6Mbps	-	24.5	26.92	26.98	29.96	30.00	2.86	32.82	36.00	Pass
11a	CDD	2	165	5825	6Mbps	-	24.5	26.66	26.78	29.73	30.00	2.86	32.59	36.00	Pass
HT20	CDD	2	149	5745	MCS0	-	24.5	26.13	26.37	29.26	30.00	2.86	32.12	36.00	Pass
HT20	CDD	2	157	5785	MCS0	-	24	26.21	26.34	29.29	30.00	2.86	32.15	36.00	Pass
HT20	CDD	2	165	5825	MCS0	-	24	26.47	26.52	29.51	30.00	2.86	32.37	36.00	Pass
HT40	CDD	2	151	5755	MCS0	-	24.5	26.24	26.45	29.36	30.00	2.86	32.22	36.00	Pass
HT40	CDD	2	159	5795	MCS0	-	24.5	26.67	26.73	29.71	30.00	2.86	32.57	36.00	Pass
VHT20	CDD	2	149	5745	MCS0	-	24.5	26.17	26.40	29.30	30.00	2.86	32.16	36.00	Pass
VHT20	CDD	2	157	5785	MCS0	-	24	26.24	26.40	29.33	30.00	2.86	32.19	36.00	Pass
VHT20	CDD	2	159	5795	MCS0	-	24	26.49	26.59	29.55	30.00	2.86	32.41	36.00	Pass
VHT40	CDD	2	151	5755	MCS0	-	24.5	26.30	26.48	29.40	30.00	2.86	32.26	36.00	Pass
VHT40	CDD	2	159	5795	MCS0	-	24.5	26.71	26.78	29.76	30.00	2.86	32.62	36.00	Pass
VHT80	CDD	2	155	5775	MCS0	-	22.5	23.33	23.49	26.42	30.00	2.86	29.28	36.00	Pass
HE20	CDD	2	149	5745	MCS0	Full	23	26.46	26.50	29.49	30.00	2.86	32.35	36.00	Pass
HE20	CDD	2	149	5745	MCS0	52*4	25	25.53	25.65	28.60	30.00	2.86	31.46	36.00	Pass
HE20	CDD	2	157	5785	MCS0	Full	25	26.56	26.68	29.63	30.00	2.86	32.49	36.00	Pass
HE20	CDD	2	157	5785	MCS0	52*4	24.5	25.58	25.55	28.58	30.00	2.86	31.44	36.00	Pass
HE20	CDD	2	165	5825	MCS0	Full	24.5	26.77	26.84	29.82	30.00	2.86	32.68	36.00	Pass
HE20	CDD	2	165	5825	MCS0	52*4	24.5	25.79	25.92	28.87	30.00	2.86	31.73	36.00	Pass
HE40	CDD	2	151	5755	MCS0	Full	24.5	26.36	26.41	29.40	30.00	2.86	32.26	36.00	Pass
HE40	CDD	2	151	5755	MCS0	52*8	25	25.58	25.73	28.67	30.00	2.86	31.53	36.00	Pass
HE40	CDD	2	159	5795	MCS0	Full	25	26.86	26.79	29.84	30.00	2.86	32.70	36.00	Pass
HE40	CDD	2	159	5795	MCS0	52*8	25	25.98	26.08	29.04	30.00	2.86	31.90	36.00	Pass
HE80	CDD	2	155	5775	MCS0	Full	25	23.48	23.75	26.63	30.00	2.86	29.49	36.00	Pass
HE80	CDD	2	155	5775	MCS0	RU242x2+106x4+26x2	23	23.43	23.57	26.51	30.00	2.86	29.37	36.00	Pass
EHT20	CDD	2	149	5745	MCS0	Full	25	26.53	26.56	29.56	30.00	2.86	32.42	36.00	Pass
EHT20	CDD	2	149	5745	MCS0	52*4	25	25.59	25.70	28.66	30.00	2.86	31.52	36.00	Pass
EHT20	CDD	2	157	5785	MCS0	Full	24.5	26.61	26.75	29.69	30.00	2.86	32.55	36.00	Pass
EHT20	CDD	2	157	5785	MCS0	52*4	24.5	25.61	25.61	28.62	30.00	2.86	31.48	36.00	Pass
EHT20	CDD	2	165	5825	MCS0	Full	24.5	26.83	26.87	29.86	30.00	2.86	32.72	36.00	Pass
EHT20	CDD	2	165	5825	MCS0	52*4	24.5	25.84	25.95	28.91	30.00	2.86	31.77	36.00	Pass
EHT40	CDD	2	151	5755	MCS0	Full	25	26.41	26.46	29.45	30.00	2.86	32.31	36.00	Pass
EHT40	CDD	2	151	5755	MCS0	52*8	25	25.61	25.77	28.70	30.00	2.86	31.56	36.00	Pass
EHT40	CDD	2	159	5795	MCS0	Full	25	26.89	26.84	29.88	30.00	2.86	32.74	36.00	Pass
EHT40	CDD	2	159	5795	MCS0	52*8	25	26.05	26.12	29.10	30.00	2.86	31.96	36.00	Pass
EHT80	CDD	2	155	5775	MCS0	Full	23	23.55	23.8	26.69	30.00	2.86	29.55	36.00	Pass
EHT80	CDD	2	155	5775	MCS0	RU242x2+106x4+26x2	23.5	23.5	23.61	26.57	30.00	2.86	29.43	36.00	Pass
EHT80	CDD	2	155	5775	MCS0	PC 20,Loc:1	20	22.63	22.75	25.70	30.00	2.86	28.56	36.00	Pass
EHT80	CDD	2	155	5775	MCS0	PC 20,Loc:4	22	22.19	22.27	25.24	30.00	2.86	28.10	36.00	Pass

TEST RESULTS DATA
Average Output Power

FCC U-NII-1

Mode						Power Setting	Average Conducted Power with duty factor(dBm)			Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
HT20	TXBF	2	36	5180	MCS0	43.00	23.21	24.57	26.95	30.00	5.77	32.72	-	Pass
HT20	TXBF	2	44	5220	MCS0	43.00	23.26	24.27	26.80	30.00	5.77	32.57	-	Pass
HT20	TXBF	2	48	5240	MCS0	42.00	23.16	24.09	26.66	30.00	5.77	32.43	-	Pass
HT40	TXBF	2	38	5190	MCS0	37.00	19.73	20.94	23.39	30.00	5.77	29.16	-	Pass
HT40	TXBF	2	46	5230	MCS0	47.00	25.48	26.65	29.11	30.00	5.77	34.88	-	Pass
VHT20	TXBF	2	36	5180	MCS0	43.00	23.27	24.63	27.01	30.00	5.77	32.78	-	Pass
VHT20	TXBF	2	44	5220	MCS0	43.00	23.36	24.43	26.94	30.00	5.77	32.71	-	Pass
VHT20	TXBF	2	48	5240	MCS0	42.00	23.24	24.15	26.73	30.00	5.77	32.50	-	Pass
VHT40	TXBF	2	38	5190	MCS0	37.00	19.85	21.00	23.47	30.00	5.77	29.24	-	Pass
VHT40	TXBF	2	46	5230	MCS0	47.00	25.58	26.71	29.19	30.00	5.77	34.96	-	Pass
VHT80	TXBF	2	42	5210	MCS0	38.00	19.11	20.27	22.74	30.00	5.77	28.51	-	Pass
VHT160	TXBF	2	50	5250	MCS0	37.00	18.10	18.83	21.49	30.00	5.77	27.26	-	Pass
HE20	TXBF	2	36	5180	MCS0	44.00	24.34	25.26	27.83	30.00	5.77	33.60	-	Pass
HE20	TXBF	2	44	5220	MCS0	44.00	24.42	25.11	27.79	30.00	5.77	33.56	-	Pass
HE20	TXBF	2	48	5240	MCS0	43.00	24.16	24.97	27.59	30.00	5.77	33.36	-	Pass
HE40	TXBF	2	38	5190	MCS0	38.00	20.70	21.76	24.27	30.00	5.77	30.04	-	Pass
HE40	TXBF	2	46	5230	MCS0	48.00	26.24	27.24	29.78	30.00	5.77	35.55	-	Pass
HE80	TXBF	2	42	5210	MCS0	39.00	19.73	20.40	23.09	30.00	5.77	28.86	-	Pass
HE160	TXBF	2	50	5250	MCS0	38.00	19.03	19.78	22.43	30.00	5.77	28.20	-	Pass
EHT20	TXBF	2	36	5180	MCS0	44.00	24.41	25.33	27.90	30.00	5.77	33.67	-	Pass
EHT20	TXBF	2	44	5220	MCS0	44.00	24.45	25.15	27.82	30.00	5.77	33.59	-	Pass
EHT20	TXBF	2	48	5240	MCS0	43.00	24.19	25.02	27.64	30.00	5.77	33.41	-	Pass
EHT40	TXBF	2	38	5190	MCS0	38.00	20.73	21.81	24.31	30.00	5.77	30.08	-	Pass
EHT40	TXBF	2	46	5230	MCS0	48.00	26.29	27.31	29.84	30.00	5.77	35.61	-	Pass
EHT80	TXBF	2	42	5210	MCS0	39.00	19.79	20.46	23.15	30.00	5.77	28.92	-	Pass
EHT160	TXBF	2	50	5250	MCS0	38.00	19.06	19.85	22.48	30.00	5.77	28.25	-	Pass

TEST RESULTS DATA
Average Output Power

FCC U-NII-2A

Mode							Power Setting	Average Conducted Power with duty factor(dBm)			FCC Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
HT20	TXBF	2	52	5260	MCS0	-	32.00	17.31	17.58	20.46	24.00	5.77	26.23	30.00	Pass
HT20	TXBF	2	60	5300	MCS0	-	33.00	17.85	17.98	20.93	24.00	5.77	26.70	30.00	Pass
HT20	TXBF	2	64	5320	MCS0	-	33.00	17.74	17.81	20.79	24.00	5.77	26.56	30.00	Pass
HT40	TXBF	2	54	5270	MCS0	-	37.00	19.84	20.23	23.05	24.00	5.77	28.82	30.00	Pass
HT40	TXBF	2	62	5310	MCS0	-	34.00	18.02	18.35	21.20	24.00	5.77	26.97	30.00	Pass
VHT20	TXBF	2	52	5260	MCS0	-	32.00	17.34	17.66	20.51	24.00	5.77	26.28	30.00	Pass
VHT20	TXBF	2	60	5300	MCS0	-	33.00	17.89	18.06	20.99	24.00	5.77	26.76	30.00	Pass
VHT20	TXBF	2	64	5320	MCS0	-	33.00	17.80	17.89	20.86	24.00	5.77	26.63	30.00	Pass
VHT40	TXBF	2	54	5270	MCS0	-	37.00	19.87	20.26	23.08	24.00	5.77	28.85	30.00	Pass
VHT40	TXBF	2	62	5310	MCS0	-	34.00	18.06	18.42	21.25	24.00	5.77	27.02	30.00	Pass
VHT80	TXBF	2	58	5290	MCS0	-	33.00	16.87	17.00	19.95	24.00	5.77	25.72	30.00	Pass
VHT160	TXBF	2	50	5250	MCS0	-	37.00	18.10	18.83	21.49	24.00	5.77	27.26	30.00	Pass
HE20	TXBF	2	52	5260	MCS0	Full	33.00	18.21	18.65	21.45	24.00	5.77	27.22	30.00	Pass
HE20	TXBF	2	60	5300	MCS0	Full	34.00	18.63	18.92	21.79	24.00	5.77	27.56	30.00	Pass
HE20	TXBF	2	64	5320	MCS0	Full	34.00	18.40	18.60	21.51	24.00	5.77	27.28	30.00	Pass
HE40	TXBF	2	54	5270	MCS0	Full	38.00	20.59	21.10	23.86	24.00	5.77	29.63	30.00	Pass
HE40	TXBF	2	62	5310	MCS0	Full	35.00	18.79	19.04	21.93	24.00	5.77	27.70	30.00	Pass
HE80	TXBF	2	58	5290	MCS0	Full	34.00	17.37	17.42	20.41	24.00	5.77	26.18	30.00	Pass
HE160	TXBF	2	50	5250	MCS0	Full	38.00	18.99	19.82	22.44	24.00	5.77	28.21	30.00	Pass
EHT20	TXBF	2	52	5260	MCS0	Full	33.00	18.27	18.70	21.50	24.00	5.77	27.27	30.00	Pass
EHT20	TXBF	2	60	5300	MCS0	Full	34.00	18.67	18.99	21.84	24.00	5.77	27.61	30.00	Pass
EHT20	TXBF	2	64	5320	MCS0	Full	34.00	18.46	18.64	21.56	24.00	5.77	27.33	30.00	Pass
EHT40	TXBF	2	54	5270	MCS0	Full	38.00	20.66	21.15	23.92	24.00	5.77	29.69	30.00	Pass
EHT40	TXBF	2	62	5310	MCS0	Full	35.00	18.82	19.08	21.96	24.00	5.77	27.73	30.00	Pass
EHT80	TXBF	2	58	5290	MCS0	Full	34.00	17.43	17.49	20.47	24.00	5.77	26.24	30.00	Pass
EHT160	TXBF	2	50	5250	MCS0	Full	38.00	19.06	19.85	22.48	24.00	5.77	28.25	30.00	Pass

TEST RESULTS DATA Average Output Power														
FCC U-NII-2C														
Mode						Power Setting	Average Conducted Power with duty factor(dBm)			FCC Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
HT20	TXBF	2	100	5500	MCS0	32.00	17.33	18.18	20.79	23.98	5.88	26.67	30.00	Pass
HT20	TXBF	2	116	5580	MCS0	33.00	17.44	18.25	20.87	23.82	5.88	26.75	30.00	Pass
HT20	TXBF	2	140	5700	MCS0	33.00	17.56	18.10	20.85	23.98	5.88	26.73	30.00	Pass
HT20	TXBF	2	144	5720	MCS0	32.00	17.47	18.06	20.79	23.86	5.88	26.67	30.00	Pass
HT40	TXBF	2	102	5510	MCS0	36.00	18.86	20.12	22.55	23.98	5.88	28.43	30.00	Pass
HT40	TXBF	2	110	5550	MCS0	36.00	19.21	20.22	22.75	23.98	5.88	28.63	30.00	Pass
HT40	TXBF	2	134	5670	MCS0	37.00	19.52	20.23	22.90	23.98	5.88	28.78	30.00	Pass
HT40	TXBF	2	142	5710	MCS0	36.00	19.24	19.81	22.54	23.98	5.88	28.42	30.00	Pass
VHT20	TXBF	2	100	5500	MCS0	32.00	17.39	18.24	20.85	23.98	5.88	26.73	30.00	Pass
VHT20	TXBF	2	118	5580	MCS0	33.00	17.49	18.33	20.94	23.82	5.88	26.82	30.00	Pass
VHT20	TXBF	2	140	5700	MCS0	33.00	17.62	18.17	20.91	23.98	5.88	26.79	30.00	Pass
VHT20	TXBF	2	144	5720	MCS0	32.00	17.49	18.09	20.81	23.86	5.88	26.69	30.00	Pass
VHT40	TXBF	2	102	5510	MCS0	36.00	18.89	20.16	22.58	23.98	5.88	28.46	30.00	Pass
VHT40	TXBF	2	110	5550	MCS0	36.00	19.28	20.30	22.83	23.98	5.88	28.71	30.00	Pass
VHT40	TXBF	2	134	5670	MCS0	37.00	19.59	20.26	22.95	23.98	5.88	28.83	30.00	Pass
VHT40	TXBF	2	142	5710	MCS0	36.00	19.31	19.85	22.60	23.98	5.88	28.48	30.00	Pass
VHT80	TXBF	2	106	5530	MCS0	39.00	19.54	20.38	22.99	23.98	5.88	28.87	30.00	Pass
VHT80	TXBF	2	122	5610	MCS0	39.00	19.62	20.01	22.83	23.98	5.88	28.71	30.00	Pass
VHT80	TXBF	2	138	5690	MCS0	39.00	19.90	20.57	23.26	23.98	5.88	29.14	30.00	Pass
VHT160	TXBF	2	114	5570	MCS0	39.00	19.26	20.09	22.71	23.98	5.88	28.59	30.00	Pass
HE20	TXBF	2	100	5500	MCS0	33.00	18.31	19.12	21.74	23.98	5.88	27.62	30.00	Pass
HE20	TXBF	2	116	5580	MCS0	34.00	18.45	19.12	21.81	23.98	5.88	27.69	30.00	Pass
HE20	TXBF	2	140	5700	MCS0	34.00	18.14	18.98	21.59	23.98	5.88	27.47	30.00	Pass
HE20	TXBF	2	144	5720	MCS0	33.00	18.07	18.83	21.48	23.98	5.88	27.36	30.00	Pass
HE40	TXBF	2	102	5510	MCS0	37.00	20.03	20.93	23.51	23.98	5.88	29.39	30.00	Pass
HE40	TXBF	2	110	5550	MCS0	37.00	20.34	21.32	23.87	23.98	5.88	29.75	30.00	Pass
HE40	TXBF	2	134	5670	MCS0	38.00	20.23	21.52	23.93	23.98	5.88	29.81	30.00	Pass
HE40	TXBF	2	142	5710	MCS0	37.00	20.02	20.97	23.53	23.98	5.88	29.41	30.00	Pass
HE80	TXBF	2	106	5530	MCS0	40.00	20.44	21.28	23.89	23.98	5.88	29.77	30.00	Pass
HE80	TXBF	2	122	5610	MCS0	40.00	20.01	21.35	23.74	23.98	5.88	29.62	30.00	Pass
HE80	TXBF	2	138	5690	MCS0	40.00	20.31	21.44	23.92	23.98	5.88	29.80	30.00	Pass
HE160	TXBF	2	114	5570	MCS0	40.00	20.00	20.90	23.48	23.98	5.88	29.36	30.00	Pass
EHT20	TXBF	2	100	5500	MCS0	33.00	18.34	19.18	21.79	23.98	5.88	27.67	30.00	Pass
EHT20	TXBF	2	116	5580	MCS0	34.00	18.48	19.16	21.84	23.98	5.88	27.72	30.00	Pass
EHT20	TXBF	2	140	5700	MCS0	34.00	18.21	19.05	21.66	23.98	5.88	27.54	30.00	Pass
EHT20	TXBF	2	144	5720	MCS0	33.00	18.12	18.87	21.52	23.98	5.88	27.40	30.00	Pass
EHT40	TXBF	2	102	5510	MCS0	37.00	20.09	20.96	23.56	23.98	5.88	29.44	30.00	Pass
EHT40	TXBF	2	110	5550	MCS0	37.00	20.38	21.37	23.91	23.98	5.88	29.79	30.00	Pass
EHT40	TXBF	2	134	5670	MCS0	38.00	20.28	21.55	23.97	23.98	5.88	29.85	30.00	Pass
EHT40	TXBF	2	142	5710	MCS0	37.00	20.05	21.01	23.57	23.98	5.88	29.45	30.00	Pass
EHT80	TXBF	2	106	5530	MCS0	40.00	20.51	21.35	23.96	23.98	5.88	29.84	30.00	Pass
EHT80	TXBF	2	122	5610	MCS0	40.00	20.07	21.42	23.81	23.98	5.88	29.69	30.00	Pass
EHT80	TXBF	2	138	5690	MCS0	40.00	20.38	21.47	23.97	23.98	5.88	29.85	30.00	Pass
EHT160	TXBF	2	114	5570	MCS0	40.00	20.06	20.96	23.54	23.98	5.88	29.42	30.00	Pass

TEST RESULTS DATA
Average Output Power

FCC-U-NII-3

Mode						Power Setting	Average Conducted Power with duty factor(dBm)			Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
HT20	TXBF	2	149	5745	MCS0	49	26.19	26.34	29.28	30.00	5.87	35.15	36.00	Pass
HT20	TXBF	2	157	5785	MCS0	48	26.00	26.08	29.05	30.00	5.87	34.92	36.00	Pass
HT20	TXBF	2	165	5825	MCS0	48	26.33	26.48	29.42	30.00	5.87	35.29	36.00	Pass
HT40	TXBF	2	151	5755	MCS0	48	25.60	25.70	28.66	30.00	5.87	34.53	36.00	Pass
HT40	TXBF	2	159	5795	MCS0	48	25.77	25.95	28.87	30.00	5.87	34.74	36.00	Pass
VHT20	TXBF	2	149	5745	MCS0	49	26.23	26.4	29.33	30.00	5.87	35.20	36.00	Pass
VHT20	TXBF	2	157	5785	MCS0	48	26.07	26.15	29.12	30.00	5.87	34.99	36.00	Pass
VHT20	TXBF	2	159	5795	MCS0	48	26.37	26.5	29.45	30.00	5.87	35.32	36.00	Pass
VHT40	TXBF	2	151	5755	MCS0	48	25.65	25.74	28.71	30.00	5.87	34.58	36.00	Pass
VHT40	TXBF	2	159	5795	MCS0	48	25.84	25.97	28.92	30.00	5.87	34.79	36.00	Pass
VHT80	TXBF	2	155	5775	MCS0	47	24.06	24.16	27.12	30.00	5.87	32.99	36.00	Pass
HE20	TXBF	2	149	5745	MCS0	50	26.68	26.98	29.84	30.00	5.87	35.71	36.00	Pass
HE20	TXBF	2	157	5785	MCS0	49	26.67	26.75	29.72	30.00	5.87	35.59	36.00	Pass
HE20	TXBF	2	165	5825	MCS0	49	26.89	26.92	29.92	30.00	5.87	35.79	36.00	Pass
HE40	TXBF	2	151	5755	MCS0	49	26.33	26.57	29.46	30.00	5.87	35.33	36.00	Pass
HE40	TXBF	2	159	5795	MCS0	49	26.64	26.84	29.75	30.00	5.87	35.62	36.00	Pass
HE80	TXBF	2	155	5775	MCS0	48	24.78	24.73	27.77	30.00	5.87	33.64	36.00	Pass
EHT20	TXBF	2	149	5745	MCS0	50	26.73	27.03	29.89	30.00	5.87	35.76	36.00	Pass
EHT20	TXBF	2	157	5785	MCS0	49	26.73	26.81	29.78	30.00	5.87	35.65	36.00	Pass
EHT20	TXBF	2	165	5825	MCS0	49	26.95	26.97	29.97	30.00	5.87	35.84	36.00	Pass
EHT40	TXBF	2	151	5755	MCS0	49	26.38	26.64	29.52	30.00	5.87	35.39	36.00	Pass
EHT40	TXBF	2	159	5795	MCS0	49	26.68	26.91	29.81	30.00	5.87	35.68	36.00	Pass
EHT80	TXBF	2	155	5775	MCS0	48	24.82	24.79	27.82	30.00	5.87	33.69	36.00	Pass