













		24																																																																																																										
Mode		Band Edge - L																																																																																																										
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 20MHz,Loc 1_5250MHz																																																																																																										
ANT		CDD 1S2T																																																																																																										
Pol.		Vertical					Fundamental																																																																																																					
Peak																																																																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.50</td><td>58.76</td><td>74.00</td><td>-15.24</td><td>39.89</td><td>34.06</td><td>11.78</td><td>36.97</td><td>10.00</td><td>334 148 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.50	58.76	74.00	-15.24	39.89	34.06	11.78	36.97	10.00	334 148 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>101.40</td><td>-----</td><td>-----</td><td>81.79</td><td>34.53</td><td>11.90</td><td>36.82</td><td>10.00</td><td>334 148 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	101.40	-----	-----	81.79	34.53	11.90	36.82	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5127.50	58.76	74.00	-15.24	39.89	34.06	11.78	36.97	10.00	334 148 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5250.00	101.40	-----	-----	81.79	34.53	11.90	36.82	10.00	334 148 PEAK																																																																																																		
Avg																																																																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.00</td><td>46.93</td><td>54.00</td><td>-7.07</td><td>28.08</td><td>34.04</td><td>11.77</td><td>36.96</td><td>10.00</td><td>334 148 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.00	46.93	54.00	-7.07	28.08	34.04	11.77	36.96	10.00	334 148 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>91.15</td><td>-----</td><td>-----</td><td>71.63</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>334 148 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.15	-----	-----	71.63	34.51	11.89	36.88	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5122.00	46.93	54.00	-7.07	28.08	34.04	11.77	36.96	10.00	334 148 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5250.00	91.15	-----	-----	71.63	34.51	11.89	36.88	10.00	334 148 AVERAGE																																																																																																		





Mode	24																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 20MHz,Loc 1_5250MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.11</td><td>61.75</td><td>74.00</td><td>-12.25</td><td>41.55</td><td>34.60</td><td>12.01</td><td>36.41</td><td>10.00</td><td>334 148 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.11	61.75	74.00	-12.25	41.55	34.60	12.01	36.41	10.00	334 148 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5395.11	61.75	74.00	-12.25	41.55	34.60	12.01	36.41	10.00	334 148 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.38</td><td>50.44</td><td>54.00</td><td>-3.56</td><td>30.39</td><td>34.60</td><td>11.97</td><td>36.52</td><td>10.00</td><td>334 148 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.38	50.44	54.00	-3.56	30.39	34.60	11.97	36.52	10.00	334 148 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.38	50.44	54.00	-3.56	30.39	34.60	11.97	36.52	10.00	334 148 AVERAGE																																													







Mode	25																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 40MHz,Loc 4_5250MHz																																																																																																
ANT	CDD 1S2T																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.50</td><td>69.03</td><td>74.00</td><td>-4.97</td><td>50.16</td><td>34.09</td><td>11.80</td><td>37.02</td><td>10.00</td><td>87 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.50	69.03	74.00	-4.97	50.16	34.09	11.80	37.02	10.00	87 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>110.06</td><td>-----</td><td>-----</td><td>90.49</td><td>34.52</td><td>11.90</td><td>36.85</td><td>10.00</td><td>87 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	110.06	-----	-----	90.49	34.52	11.90	36.85	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5146.50	69.03	74.00	-4.97	50.16	34.09	11.80	37.02	10.00	87 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5250.00	110.06	-----	-----	90.49	34.52	11.90	36.85	10.00	87 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.50</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>29.27</td><td>34.00</td><td>11.79</td><td>37.00</td><td>10.00</td><td>87 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.50	48.14	54.00	-5.86	29.27	34.00	11.79	37.00	10.00	87 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>97.29</td><td>-----</td><td>-----</td><td>77.72</td><td>34.52</td><td>11.90</td><td>36.85</td><td>10.00</td><td>87 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	97.29	-----	-----	77.72	34.52	11.90	36.85	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5137.50	48.14	54.00	-5.86	29.27	34.00	11.79	37.00	10.00	87 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5250.00	97.29	-----	-----	77.72	34.52	11.90	36.85	10.00	87 AVERAGE																																																																																							





Mode	25																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 40MHz,Loc 4_5250MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal							Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.02</td><td>65.00</td><td>74.00</td><td>-9.00</td><td>44.90</td><td>34.60</td><td>11.98</td><td>36.48</td><td>10.00</td><td>87 PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.02	65.00	74.00	-9.00	44.90	34.60	11.98	36.48	10.00	87 PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5368.02	65.00	74.00	-9.00	44.90	34.60	11.98	36.48	10.00	87 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.78</td><td>51.69</td><td>54.00</td><td>-2.31</td><td>31.61</td><td>34.60</td><td>11.98</td><td>36.50</td><td>10.00</td><td>87 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.78	51.69	54.00	-2.31	31.61	34.60	11.98	36.50	10.00	87 AVERAGE	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5358.78	51.69	54.00	-2.31	31.61	34.60	11.98	36.50	10.00	87 AVERAGE																																													







Mode	25																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 40MHz,Loc 4_5250MHz																																																																																																						
ANT	CDD 1S2T																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.50</td><td>60.36</td><td>74.00</td><td>-13.64</td><td>41.49</td><td>34.10</td><td>11.80</td><td>37.03</td><td>10.00</td><td>300</td><td>146</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	60.36	74.00	-13.64	41.49	34.10	11.80	37.03	10.00	300	146	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>101.39</td><td>-----</td><td>-----</td><td>81.87</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>300</td><td>146</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	101.39	-----	-----	81.87	34.51	11.89	36.88	10.00	300	146
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5149.50	60.36	74.00	-13.64	41.49	34.10	11.80	37.03	10.00	300	146	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5250.00	101.39	-----	-----	81.87	34.51	11.89	36.88	10.00	300	146	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.25</td><td>46.72</td><td>54.00</td><td>-7.28</td><td>27.85</td><td>34.10</td><td>11.80</td><td>37.03</td><td>10.00</td><td>300</td><td>146</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.25	46.72	54.00	-7.28	27.85	34.10	11.80	37.03	10.00	300	146	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>91.46</td><td>-----</td><td>-----</td><td>71.99</td><td>34.49</td><td>11.89</td><td>36.91</td><td>10.00</td><td>300</td><td>146</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.46	-----	-----	71.99	34.49	11.89	36.91	10.00	300	146
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5148.25	46.72	54.00	-7.28	27.85	34.10	11.80	37.03	10.00	300	146	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5250.00	91.46	-----	-----	71.99	34.49	11.89	36.91	10.00	300	146	AVERAGE																																																																																											







Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 40MHz,Loc 4_5250MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.48</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>40.19</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>300</td><td>146 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.48	60.25	74.00	-13.75	40.19	34.60	11.97	36.51	10.00	300	146 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.48	60.25	74.00	-13.75	40.19	34.60	11.97	36.51	10.00	300	146 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.79</td><td>48.79</td><td>54.00</td><td>-5.21</td><td>28.73</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>300</td><td>146 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.79	48.79	54.00	-5.21	28.73	34.60	11.97	36.51	10.00	300	146 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.79	48.79	54.00	-5.21	28.73	34.60	11.97	36.51	10.00	300	146 AVERAGE																																													





		26																																																																		
Mode	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																			
ANT	CDD 1S2T																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>61.38</td><td>74.00</td><td>-12.62</td><td>41.05</td><td>34.67</td><td>12.10</td><td>36.44</td><td>10.00</td><td>110</td><td>269 PEAK</td></tr><tr><td>2</td><td>5463.76</td><td>62.10</td><td>68.20</td><td>-6.10</td><td>41.79</td><td>34.64</td><td>12.11</td><td>36.44</td><td>10.00</td><td>110</td><td>269 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.64	61.38	74.00	-12.62	41.05	34.67	12.10	36.44	10.00	110	269 PEAK	2	5463.76	62.10	68.20	-6.10	41.79	34.64	12.11	36.44	10.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5458.64	61.38	74.00	-12.62	41.05	34.67	12.10	36.44	10.00	110	269 PEAK																																																									
2	5463.76	62.10	68.20	-6.10	41.79	34.64	12.11	36.44	10.00	110	269 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>118.77</td><td>-----</td><td>-----</td><td>98.58</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>110</td><td>269 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	118.77	-----	-----	98.58	34.50	12.16	36.47	10.00	110	269 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5500.00	118.77	-----	-----	98.58	34.50	12.16	36.47	10.00	110	269 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.48</td><td>48.17</td><td>54.00</td><td>-5.83</td><td>27.91</td><td>34.64</td><td>12.04</td><td>36.42</td><td>10.00</td><td>110</td><td>269 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5422.48	48.17	54.00	-5.83	27.91	34.64	12.04	36.42	10.00	110	269 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5422.48	48.17	54.00	-5.83	27.91	34.64	12.04	36.42	10.00	110	269 AVERAGE																																																									
AVERAGE																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.94</td><td>-----</td><td>-----</td><td>89.75</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>110</td><td>269 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	109.94	-----	-----	89.75	34.50	12.16	36.47	10.00	110	269 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5500.00	109.94	-----	-----	89.75	34.50	12.16	36.47	10.00	110	269 AVERAGE																																																									







Mode	26																																																																																																													
	Band Edge																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																													
ANT	CDD 1S2T																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5419.60</td><td>60.09</td><td>74.00</td><td>-13.91</td><td>39.82</td><td>34.64</td><td>12.04</td><td>36.41</td><td>10.00</td><td>374 155 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>60.21</td><td>68.20</td><td>-7.99</td><td>39.91</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>374 155 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5419.60	60.09	74.00	-13.91	39.82	34.64	12.04	36.41	10.00	374 155 PEAK	2	5466.00	60.21	68.20	-7.99	39.91	34.64	12.11	36.45	10.00	374 155 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>114.39</td><td>-----</td><td>-----</td><td>94.19</td><td>34.49</td><td>12.17</td><td>36.46</td><td>10.00</td><td>374 155 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	114.39	-----	-----	94.19	34.49	12.17	36.46	10.00	374 155 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5419.60	60.09	74.00	-13.91	39.82	34.64	12.04	36.41	10.00	374 155 PEAK																																																																																																				
2	5466.00	60.21	68.20	-7.99	39.91	34.64	12.11	36.45	10.00	374 155 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	114.39	-----	-----	94.19	34.49	12.17	36.46	10.00	374 155 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5396.88</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>26.99</td><td>34.60</td><td>12.01</td><td>36.41</td><td>10.00</td><td>374 155 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.88	47.19	54.00	-6.81	26.99	34.60	12.01	36.41	10.00	374 155 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.45</td><td>-----</td><td>-----</td><td>85.26</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>374 155 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.45	-----	-----	85.26	34.50	12.16	36.47	10.00	374 155 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5396.88	47.19	54.00	-6.81	26.99	34.60	12.01	36.41	10.00	374 155 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	105.45	-----	-----	85.26	34.50	12.16	36.47	10.00	374 155 AVERAGE																																																																																																				




Mode	26																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																							
ANT	CDD 1S2T																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>60.10</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>38.30</td><td>54.00</td><td>-15.70</td><td>49.51</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	48.89	74.00	-25.11	60.10	37.90	17.52	66.63	0.00	100	360	PEAK	2	11000.00	38.30	54.00	-15.70	49.51	37.90	17.52	66.63	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11000.00	48.89	74.00	-25.11	60.10	37.90	17.52	66.63	0.00	100	360	PEAK																																																												
2	11000.00	38.30	54.00	-15.70	49.51	37.90	17.52	66.63	0.00	100	360	AVERAGE																																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>44.60</td><td>74.00</td><td>-29.40</td><td>55.81</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	44.60	74.00	-29.40	55.81	37.90	17.52	66.63	0.00	---	---	PEAK														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11000.00	44.60	74.00	-29.40	55.81	37.90	17.52	66.63	0.00	---	---	PEAK																																																												







Mode	27																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																													
ANT	CDD 1S2T																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.68</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>41.08</td><td>34.60</td><td>12.00</td><td>36.42</td><td>10.00</td><td>276 PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>60.34</td><td>68.20</td><td>-7.86</td><td>40.05</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>276 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.68	61.26	74.00	-12.74	41.08	34.60	12.00	36.42	10.00	276 PEAK	2	5466.64	60.34	68.20	-7.86	40.05	34.63	12.11	36.45	10.00	276 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>120.99</td><td>-----</td><td>-----</td><td>100.56</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>276 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	120.99	-----	-----	100.56	34.46	12.28	36.31	10.00	276 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5393.68	61.26	74.00	-12.74	41.08	34.60	12.00	36.42	10.00	276 PEAK																																																																																																				
2	5466.64	60.34	68.20	-7.86	40.05	34.63	12.11	36.45	10.00	276 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5580.00	120.99	-----	-----	100.56	34.46	12.28	36.31	10.00	276 PEAK																																																																																																				
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5418.32</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>28.55</td><td>34.64</td><td>12.04</td><td>36.41</td><td>10.00</td><td>276 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5418.32	48.82	54.00	-5.18	28.55	34.64	12.04	36.41	10.00	276 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>110.47</td><td>-----</td><td>-----</td><td>90.04</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>276 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	110.47	-----	-----	90.04	34.46	12.28	36.31	10.00	276 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5418.32	48.82	54.00	-5.18	28.55	34.64	12.04	36.41	10.00	276 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5580.00	110.47	-----	-----	90.04	34.46	12.28	36.31	10.00	276 AVERAGE																																																																																																				




Mode	27																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																										
ANT	CDD 1S2T																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.36</td><td>60.56</td><td>68.20</td><td>-7.64</td><td>39.87</td><td>34.68</td><td>12.44</td><td>36.43</td><td>10.00</td><td>100</td><td>276</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5742.36	60.56	68.20	-7.64	39.87	34.68	12.44	36.43	10.00	100	276	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5742.36	60.56	68.20	-7.64	39.87	34.68	12.44	36.43	10.00	100	276	PEAK																																															





		27																																																																																																																								
Mode		Band Edge - L																																																																																																																								
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																								
ANT		CDD 1S2T																																																																																																																								
Pol.		Vertical					Fundamental																																																																																																																			
Peak																																																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5423.44</td><td>60.68</td><td>74.00</td><td>-13.32</td><td>40.40</td><td>34.65</td><td>12.05</td><td>36.42</td><td>10.00</td><td>386</td><td>8 PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>59.92</td><td>68.20</td><td>-8.28</td><td>39.64</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>386</td><td>8 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.44	60.68	74.00	-13.32	40.40	34.65	12.05	36.42	10.00	386	8 PEAK	2	5468.88	59.92	68.20	-8.28	39.64	34.62	12.11	36.45	10.00	386	8 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>115.57</td><td>-----</td><td>-----</td><td>95.14</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>386</td><td>8 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	115.57	-----	-----	95.14	34.46	12.28	36.31	10.00	386
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5423.44	60.68	74.00	-13.32	40.40	34.65	12.05	36.42	10.00	386	8 PEAK																																																																																																															
2	5468.88	59.92	68.20	-8.28	39.64	34.62	12.11	36.45	10.00	386	8 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5580.00	115.57	-----	-----	95.14	34.46	12.28	36.31	10.00	386	8 PEAK																																																																																																															
Avg																																																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5423.44</td><td>47.57</td><td>54.00</td><td>-6.43</td><td>27.29</td><td>34.65</td><td>12.05</td><td>36.42</td><td>10.00</td><td>386</td><td>8 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.44	47.57	54.00	-6.43	27.29	34.65	12.05	36.42	10.00	386	8 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>105.63</td><td>-----</td><td>-----</td><td>85.20</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>386</td><td>8 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	105.63	-----	-----	85.20	34.46	12.28	36.31	10.00	386	8 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5423.44	47.57	54.00	-6.43	27.29	34.65	12.05	36.42	10.00	386	8 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5580.00	105.63	-----	-----	85.20	34.46	12.28	36.31	10.00	386	8 AVERAGE																																																																																																															






Mode	27																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																	
ANT	CDD 1S2T																																																																	
Pol.	Vertical						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.56</td><td>60.33</td><td>68.20</td><td>-7.87</td><td>39.63</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>386</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>8 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.56	60.33	68.20	-7.87	39.63	34.68	12.44	36.42	10.00	386											8 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5739.56	60.33	68.20	-7.87	39.63	34.68	12.44	36.42	10.00	386																																																								
										8 PEAK																																																								






Mode	27																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																												
ANT	CDD 1S2T																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>61.73</td><td>74.00</td><td>-12.27</td><td>74.29</td><td>37.90</td><td>16.15</td><td>66.61</td><td>0.00</td><td>182</td><td>36 PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>51.11</td><td>54.00</td><td>-2.89</td><td>63.67</td><td>37.90</td><td>16.15</td><td>66.61</td><td>0.00</td><td>182</td><td>36 AVERAGE</td></tr></table> <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>63.09</td><td>74.00</td><td>-10.91</td><td>75.65</td><td>37.90</td><td>16.15</td><td>66.61</td><td>0.00</td><td>272</td><td>193 PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>52.72</td><td>54.00</td><td>-1.28</td><td>65.28</td><td>37.90</td><td>16.15</td><td>66.61</td><td>0.00</td><td>272</td><td>193 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	61.73	74.00	-12.27	74.29	37.90	16.15	66.61	0.00	182	36 PEAK	2	11160.00	51.11	54.00	-2.89	63.67	37.90	16.15	66.61	0.00	182	36 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	63.09	74.00	-10.91	75.65	37.90	16.15	66.61	0.00	272	193 PEAK	2	11160.00	52.72	54.00	-1.28	65.28	37.90	16.15	66.61	0.00	272
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11160.00	61.73	74.00	-12.27	74.29	37.90	16.15	66.61	0.00	182	36 PEAK																																																																																																																		
2	11160.00	51.11	54.00	-2.89	63.67	37.90	16.15	66.61	0.00	182	36 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11160.00	63.09	74.00	-10.91	75.65	37.90	16.15	66.61	0.00	272	193 PEAK																																																																																																																		
2	11160.00	52.72	54.00	-1.28	65.28	37.90	16.15	66.61	0.00	272	193 AVERAGE																																																																																																																		





Mode	28																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																						
ANT	CDD 1S2T																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.16</td><td>66.96</td><td>68.20</td><td>-1.24</td><td>46.29</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>108</td><td>271</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.16	66.96	68.20	-1.24	46.29	34.65	12.42	36.40	10.00	108	271	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>118.44</td><td>-----</td><td>-----</td><td>97.79</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>108</td><td>271</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	118.44	-----	-----	97.79	34.61	12.40	36.36	10.00	108	271
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5725.16	66.96	68.20	-1.24	46.29	34.65	12.42	36.40	10.00	108	271	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	118.44	-----	-----	97.79	34.61	12.40	36.36	10.00	108	271	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.84</td><td>-----</td><td>-----</td><td>89.19</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>108</td><td>271</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	109.84	-----	-----	89.19	34.61	12.40	36.36	10.00	108	271	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	109.84	-----	-----	89.19	34.61	12.40	36.36	10.00	108	271	AVERAGE																																																																																											







Mode	28																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																				
ANT	CDD 1S2T																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.60</td><td>63.00</td><td>68.20</td><td>-5.20</td><td>42.33</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>394</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.60	63.00	68.20	-5.20	42.33	34.65	12.42	36.40	10.00	394	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>114.52</td><td>-----</td><td>-----</td><td>93.87</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>394</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	114.52	-----	-----	93.87	34.61	12.40	36.36	10.00	394
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5726.60	63.00	68.20	-5.20	42.33	34.65	12.42	36.40	10.00	394	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	114.52	-----	-----	93.87	34.61	12.40	36.36	10.00	394	0 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.83</td><td>-----</td><td>-----</td><td>85.18</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>394</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	105.83	-----	-----	85.18	34.61	12.40	36.36	10.00	394	0 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	105.83	-----	-----	85.18	34.61	12.40	36.36	10.00	394	0 AVERAGE																																																																																										







Mode	28																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>55.75</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	44.96	74.00	-29.04	55.75	38.00	17.80	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>55.92</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	45.13	74.00	-28.87	55.92	38.00	17.80	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11400.00	44.96	74.00	-29.04	55.75	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11400.00	45.13	74.00	-28.87	55.92	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																														





Mode	29																																																																																																													
	Band Edge																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																																													
ANT	CDD 1S2T																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>61.47</td><td>74.00</td><td>-12.53</td><td>41.15</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>276 PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>65.48</td><td>68.20</td><td>-2.72</td><td>45.19</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>276 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	61.47	74.00	-12.53	41.15	34.66	12.10	36.44	10.00	276 PEAK	2	5467.76	65.48	68.20	-2.72	45.19	34.63	12.11	36.45	10.00	276 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>121.55</td><td>-----</td><td>-----</td><td>101.36</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>276 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	121.55	-----	-----	101.36	34.50	12.16	36.47	10.00	276 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.92	61.47	74.00	-12.53	41.15	34.66	12.10	36.44	10.00	276 PEAK																																																																																																				
2	5467.76	65.48	68.20	-2.72	45.19	34.63	12.11	36.45	10.00	276 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	121.55	-----	-----	101.36	34.50	12.16	36.47	10.00	276 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>50.57</td><td>54.00</td><td>-3.43</td><td>30.25</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>276 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	50.57	54.00	-3.43	30.25	34.66	12.10	36.44	10.00	276 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.02</td><td>-----</td><td>-----</td><td>90.83</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>276 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.02	-----	-----	90.83	34.50	12.16	36.47	10.00	276 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.92	50.57	54.00	-3.43	30.25	34.66	12.10	36.44	10.00	276 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	111.02	-----	-----	90.83	34.50	12.16	36.47	10.00	276 AVERAGE																																																																																																				







		29																																																																		
Mode	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																			
ANT	CDD 1S2T																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5427.76</td><td>59.87</td><td>74.00</td><td>-14.13</td><td>39.58</td><td>34.66</td><td>12.05</td><td>36.42</td><td>10.00</td><td>384</td><td>0 PEAK</td></tr><tr><td>2</td><td>5465.68</td><td>60.21</td><td>68.20</td><td>-7.99</td><td>39.91</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>384</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.76	59.87	74.00	-14.13	39.58	34.66	12.05	36.42	10.00	384	0 PEAK	2	5465.68	60.21	68.20	-7.99	39.91	34.64	12.11	36.45	10.00	384	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5427.76	59.87	74.00	-14.13	39.58	34.66	12.05	36.42	10.00	384	0 PEAK																																																									
2	5465.68	60.21	68.20	-7.99	39.91	34.64	12.11	36.45	10.00	384	0 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>118.67</td><td>-----</td><td>-----</td><td>98.47</td><td>34.49</td><td>12.17</td><td>36.46</td><td>10.00</td><td>384</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	118.67	-----	-----	98.47	34.49	12.17	36.46	10.00	384	0 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	118.67	-----	-----	98.47	34.49	12.17	36.46	10.00	384	0 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.96</td><td>48.23</td><td>54.00</td><td>-5.77</td><td>27.88</td><td>34.70</td><td>12.09</td><td>36.44</td><td>10.00</td><td>384</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.96	48.23	54.00	-5.77	27.88	34.70	12.09	36.44	10.00	384	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5450.96	48.23	54.00	-5.77	27.88	34.70	12.09	36.44	10.00	384	0 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.61</td><td>-----</td><td>-----</td><td>87.42</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>384</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.61	-----	-----	87.42	34.50	12.16	36.47	10.00	384	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	107.61	-----	-----	87.42	34.50	12.16	36.47	10.00	384	0 AVERAGE																																																									




		29																																																								
Mode		Harmonic																																																								
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																								
ANT		CDD 1S2T																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11000.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>56.16</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11000.00	44.95	74.00	-29.05	56.16	37.90	17.52	66.63	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11000.00	44.95	74.00	-29.05	56.16	37.90	17.52	66.63	0.00	---	---	PEAK																																															
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11000.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>56.10</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11000.00	44.89	74.00	-29.11	56.10	37.90	17.52	66.63	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11000.00	44.89	74.00	-29.11	56.10	37.90	17.52	66.63	0.00	---	---	PEAK																																															







Mode	30																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.04</td><td>60.54</td><td>74.00</td><td>-13.46</td><td>40.20</td><td>34.69</td><td>12.09</td><td>36.44</td><td>10.00</td><td>101</td><td>276 PEAK</td></tr><tr><td>2</td><td>5467.44</td><td>60.69</td><td>68.20</td><td>-7.51</td><td>40.40</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>101</td><td>276 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.04	60.54	74.00	-13.46	40.20	34.69	12.09	36.44	10.00	101	276 PEAK	2	5467.44	60.69	68.20	-7.51	40.40	34.63	12.11	36.45	10.00	101	276 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>120.17</td><td>-----</td><td>-----</td><td>99.74</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>101</td><td>276 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	120.17	-----	-----	99.74	34.46	12.28	36.31	10.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5453.04	60.54	74.00	-13.46	40.20	34.69	12.09	36.44	10.00	101	276 PEAK																																																																																																						
2	5467.44	60.69	68.20	-7.51	40.40	34.63	12.11	36.45	10.00	101	276 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5580.00	120.17	-----	-----	99.74	34.46	12.28	36.31	10.00	101	276 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5411.44</td><td>49.36</td><td>54.00</td><td>-4.64</td><td>29.12</td><td>34.62</td><td>12.03</td><td>36.41</td><td>10.00</td><td>101</td><td>276 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5411.44	49.36	54.00	-4.64	29.12	34.62	12.03	36.41	10.00	101	276 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>110.24</td><td>-----</td><td>-----</td><td>89.77</td><td>34.47</td><td>12.29</td><td>36.29</td><td>10.00</td><td>101</td><td>276 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	110.24	-----	-----	89.77	34.47	12.29	36.29	10.00	101	276 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5411.44	49.36	54.00	-4.64	29.12	34.62	12.03	36.41	10.00	101	276 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5580.00	110.24	-----	-----	89.77	34.47	12.29	36.29	10.00	101	276 AVERAGE																																																																																																						




Mode	30																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																													
ANT	CDD 1S2T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.80</td><td>61.29</td><td>68.20</td><td>-6.91</td><td>40.62</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>101 276 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.80	61.29	68.20	-6.91	40.62	34.65	12.42	36.40	10.00	101 276 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5725.80	61.29	68.20	-6.91	40.62	34.65	12.42	36.40	10.00	101 276 PEAK																																				





Mode	30																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																													
ANT	CDD 1S2T																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.32</td><td>60.03</td><td>74.00</td><td>-13.97</td><td>39.68</td><td>34.70</td><td>12.09</td><td>36.44</td><td>10.00</td><td>271 296 PEAK</td></tr><tr><td>2</td><td>5465.52</td><td>60.01</td><td>68.20</td><td>-8.19</td><td>39.71</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>271 296 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.32	60.03	74.00	-13.97	39.68	34.70	12.09	36.44	10.00	271 296 PEAK	2	5465.52	60.01	68.20	-8.19	39.71	34.64	12.11	36.45	10.00	271 296 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>111.91</td><td>-----</td><td>-----</td><td>91.48</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>271 296 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	111.91	-----	-----	91.48	34.46	12.28	36.31	10.00	271 296 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5450.32	60.03	74.00	-13.97	39.68	34.70	12.09	36.44	10.00	271 296 PEAK																																																																																																				
2	5465.52	60.01	68.20	-8.19	39.71	34.64	12.11	36.45	10.00	271 296 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5580.00	111.91	-----	-----	91.48	34.46	12.28	36.31	10.00	271 296 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.00</td><td>48.16</td><td>54.00</td><td>-5.84</td><td>27.81</td><td>34.70</td><td>12.09</td><td>36.44</td><td>10.00</td><td>271 296 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	48.16	54.00	-5.84	27.81	34.70	12.09	36.44	10.00	271 296 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>102.92</td><td>-----</td><td>-----</td><td>82.49</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>271 296 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	102.92	-----	-----	82.49	34.46	12.28	36.31	10.00	271 296 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5450.00	48.16	54.00	-5.84	27.81	34.70	12.09	36.44	10.00	271 296 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5580.00	102.92	-----	-----	82.49	34.46	12.28	36.31	10.00	271 296 AVERAGE																																																																																																				






Mode	30																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																													
ANT	CDD 1S2T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.60</td><td>59.73</td><td>68.20</td><td>-8.47</td><td>39.03</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>271 296 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.60	59.73	68.20	-8.47	39.03	34.69	12.44	36.43	10.00	271 296 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5742.60	59.73	68.20	-8.47	39.03	34.69	12.44	36.43	10.00	271 296 PEAK																																				






Mode	30																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																	
ANT	CDD 1S2T																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>56.35</td><td>37.90</td><td>17.63</td><td>66.61</td><td>0.00</td><td>---</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	11160.00	45.27	74.00	-28.73	56.35	37.90	17.63	66.61	0.00	---	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>56.25</td><td>37.90</td><td>17.63</td><td>66.61</td><td>0.00</td><td>---</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	11160.00	45.17	74.00	-28.83	56.25	37.90	17.63	66.61	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	11160.00	45.27	74.00	-28.73	56.35	37.90	17.63	66.61	0.00	---																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	11160.00	45.17	74.00	-28.83	56.25	37.90	17.63	66.61	0.00	---																																																																																								





Mode	31																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.64</td><td>65.96</td><td>68.20</td><td>-2.24</td><td>45.29</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>110</td><td>270 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.64	65.96	68.20	-2.24	45.29	34.65	12.42	36.40	10.00	110	270 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>117.72</td><td>-----</td><td>-----</td><td>97.07</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>110</td><td>270 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	117.72	-----	-----	97.07	34.61	12.40	36.36	10.00	110	270 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5725.64	65.96	68.20	-2.24	45.29	34.65	12.42	36.40	10.00	110	270 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	117.72	-----	-----	97.07	34.61	12.40	36.36	10.00	110	270 PEAK																																																																																									
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.63</td><td>-----</td><td>-----</td><td>85.98</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>110</td><td>270 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	106.63	-----	-----	85.98	34.61	12.40	36.36	10.00	110	270 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	106.63	-----	-----	85.98	34.61	12.40	36.36	10.00	110	270 AVERAGE																																																																																									







Mode	31																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																				
ANT	CDD 1S2T																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.56</td><td>61.06</td><td>68.20</td><td>-7.14</td><td>40.39</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>395</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.56	61.06	68.20	-7.14	40.39	34.65	12.42	36.40	10.00	395	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.39</td><td>-----</td><td>-----</td><td>90.74</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>395</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	111.39	-----	-----	90.74	34.60	12.40	36.35	10.00	395
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5725.56	61.06	68.20	-7.14	40.39	34.65	12.42	36.40	10.00	395	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	111.39	-----	-----	90.74	34.60	12.40	36.35	10.00	395	0 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.53</td><td>-----</td><td>-----</td><td>82.88</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>395</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.53	-----	-----	82.88	34.61	12.40	36.36	10.00	395	0 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	103.53	-----	-----	82.88	34.61	12.40	36.36	10.00	395	0 AVERAGE																																																																																										




Mode	31																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																								
ANT	CDD 1S2T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>55.44</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	44.65	74.00	-29.35	55.44	38.00	17.80	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>55.61</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	44.82	74.00	-29.18	55.61	38.00	17.80	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11400.00	44.65	74.00	-29.35	55.44	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11400.00	44.82	74.00	-29.18	55.61	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																													







		32																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																	
ANT		CDD 1S2T																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.64	61.85	74.00	-12.15	41.52	34.68	12.09	36.44	10.00	78 PEAK	2	5468.56	67.07	68.20	-1.13	46.78	34.63	12.11	36.45	10.00	78 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>117.41</td><td>-----</td><td>-----</td><td>97.19</td><td>34.48</td><td>12.18</td><td>36.44</td><td>10.00</td><td>78 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	117.41	-----	-----	97.19	34.48	12.18	36.44	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5454.64	61.85	74.00	-12.15	41.52	34.68	12.09	36.44	10.00	78 PEAK																																																																																									
2	5468.56	67.07	68.20	-1.13	46.78	34.63	12.11	36.45	10.00	78 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5510.00	117.41	-----	-----	97.19	34.48	12.18	36.44	10.00	78 PEAK																																																																																									
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	50.11	54.00	-3.89	29.78	34.67	12.10	36.44	10.00	78 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>107.02</td><td>-----</td><td>-----</td><td>86.00</td><td>34.48</td><td>12.18</td><td>36.44</td><td>10.00</td><td>78 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.02	-----	-----	86.00	34.48	12.18	36.44	10.00	78 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5458.64	50.11	54.00	-3.89	29.78	34.67	12.10	36.44	10.00	78 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5510.00	107.02	-----	-----	86.00	34.48	12.18	36.44	10.00	78 AVERAGE																																																																																									




Mode	32																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.36</td><td>60.19</td><td>68.20</td><td>-8.01</td><td>39.51</td><td>34.67</td><td>12.43</td><td>36.42</td><td>10.00</td><td>78 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.36	60.19	68.20	-8.01	39.51	34.67	12.43	36.42	10.00	78 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5736.36	60.19	68.20	-8.01	39.51	34.67	12.43	36.42	10.00	78 PEAK																																													





Mode	32																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5405.36</td><td>61.11</td><td>74.00</td><td>-12.89</td><td>40.88</td><td>34.61</td><td>12.02</td><td>36.40</td><td>10.00</td><td>386</td><td>1 PEAK</td></tr><tr><td>2</td><td>5478.00</td><td>63.94</td><td>68.20</td><td>-4.26</td><td>43.66</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>386</td><td>1 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.36	61.11	74.00	-12.89	40.88	34.61	12.02	36.40	10.00	386	1 PEAK	2	5478.00	63.94	68.20	-4.26	43.66	34.62	12.11	36.45	10.00	386	1 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>111.76</td><td>-----</td><td>-----</td><td>91.54</td><td>34.48</td><td>12.18</td><td>36.44</td><td>10.00</td><td>386</td><td>1 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	111.76	-----	-----	91.54	34.48	12.18	36.44	10.00	386	1 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5405.36	61.11	74.00	-12.89	40.88	34.61	12.02	36.40	10.00	386	1 PEAK																																																																																																						
2	5478.00	63.94	68.20	-4.26	43.66	34.62	12.11	36.45	10.00	386	1 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	111.76	-----	-----	91.54	34.48	12.18	36.44	10.00	386	1 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.56</td><td>48.19</td><td>54.00</td><td>-5.81</td><td>28.10</td><td>34.60</td><td>11.98</td><td>36.49</td><td>10.00</td><td>386</td><td>1 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.56	48.19	54.00	-5.81	28.10	34.60	11.98	36.49	10.00	386	1 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>103.19</td><td>-----</td><td>-----</td><td>82.97</td><td>34.48</td><td>12.18</td><td>36.44</td><td>10.00</td><td>386</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.19	-----	-----	82.97	34.48	12.18	36.44	10.00	386	1 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5360.56	48.19	54.00	-5.81	28.10	34.60	11.98	36.49	10.00	386	1 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	103.19	-----	-----	82.97	34.48	12.18	36.44	10.00	386	1 AVERAGE																																																																																																						







Mode	32																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																	
ANT	CDD 1S2T																																																																	
Pol.	Vertical						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.72</td><td>60.32</td><td>68.20</td><td>-7.88</td><td>39.60</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>386</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.72	60.32	68.20	-7.88	39.60	34.71	12.45	36.44	10.00	386											1 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5751.72	60.32	68.20	-7.88	39.60	34.71	12.45	36.44	10.00	386																																																								
										1 PEAK																																																								




Mode	32																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																								
ANT	CDD 1S2T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>56.67</td><td>37.90</td><td>17.53</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.47	74.00	-28.53	56.67	37.90	17.53	66.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>56.82</td><td>37.90</td><td>17.53</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.62	74.00	-28.38	56.82	37.90	17.53	66.63	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11020.00	45.47	74.00	-28.53	56.67	37.90	17.53	66.63	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11020.00	45.62	74.00	-28.38	56.82	37.90	17.53	66.63	0.00	---	---	PEAK																																																																																													







		33																																																																																																																																									
Mode			Band Edge - L																																																																																																																																								
			U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																																																								
ANT			CDD 1S2T																																																																																																																																								
Pol.	Horizontal										Fundamental																																																																																																																																
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5391.00</td><td>60.87</td><td>74.00</td><td>-13.13</td><td>40.69</td><td>34.60</td><td>12.00</td><td>36.42</td><td>10.00</td><td>110</td><td>272 PEAK</td></tr><tr><td>2 5469.40</td><td>59.91</td><td>68.20</td><td>-8.29</td><td>39.63</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>110</td><td>272 PEAK</td></tr></tbody></table>																					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5391.00	60.87	74.00	-13.13	40.69	34.60	12.00	36.42	10.00	110	272 PEAK	2 5469.40	59.91	68.20	-8.29	39.63	34.62	12.11	36.45	10.00	110	272 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5550.00</td><td>118.73</td><td>-----</td><td>-----</td><td>98.47</td><td>34.40</td><td>12.23</td><td>36.37</td><td>10.00</td><td>110</td><td>272 PEAK</td></tr></tbody></table>																					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5550.00	118.73	-----	-----	98.47	34.40	12.23	36.37	10.00	110	272 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1 5391.00	60.87	74.00	-13.13	40.69	34.60	12.00	36.42	10.00	110	272 PEAK																																																																																																																																	
2 5469.40	59.91	68.20	-8.29	39.63	34.62	12.11	36.45	10.00	110	272 PEAK																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1 5550.00	118.73	-----	-----	98.47	34.40	12.23	36.37	10.00	110	272 PEAK																																																																																																																																	
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5436.20</td><td>49.12</td><td>54.00</td><td>-4.88</td><td>28.82</td><td>34.67</td><td>12.06</td><td>36.43</td><td>10.00</td><td>110</td><td>272 AVERAGE</td></tr></tbody></table>																					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5436.20	49.12	54.00	-4.88	28.82	34.67	12.06	36.43	10.00	110	272 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5550.00</td><td>107.79</td><td>-----</td><td>-----</td><td>87.50</td><td>34.41</td><td>12.24</td><td>36.36</td><td>10.00</td><td>110</td><td>272 AVERAGE</td></tr></tbody></table>																					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5550.00	107.79	-----	-----	87.50	34.41	12.24	36.36	10.00	110	272 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1 5436.20	49.12	54.00	-4.88	28.82	34.67	12.06	36.43	10.00	110	272 AVERAGE																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1 5550.00	107.79	-----	-----	87.50	34.41	12.24	36.36	10.00	110	272 AVERAGE																																																																																																																																	




Mode	33																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																														
ANT	CDD 1S2T																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.09</td><td>60.05</td><td>68.20</td><td>-8.15</td><td>39.38</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>110</td><td>272 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.09	60.05	68.20	-8.15	39.38	34.65	12.42	36.40	10.00	110	272 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5726.09	60.05	68.20	-8.15	39.38	34.65	12.42	36.40	10.00	110	272 PEAK																																				





Mode	33																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5415.60</td><td>60.39</td><td>74.00</td><td>-13.61</td><td>40.14</td><td>34.63</td><td>12.03</td><td>36.41</td><td>10.00</td><td>245</td><td>292 PEAK</td></tr><tr><td>2</td><td>5461.20</td><td>59.12</td><td>68.20</td><td>-9.08</td><td>38.80</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>245</td><td>292 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5415.60	60.39	74.00	-13.61	40.14	34.63	12.03	36.41	10.00	245	292 PEAK	2	5461.20	59.12	68.20	-9.08	38.80	34.66	12.10	36.44	10.00	245	292 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>111.67</td><td>-----</td><td>-----</td><td>91.41</td><td>34.40</td><td>12.23</td><td>36.37</td><td>10.00</td><td>245</td><td>292 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	111.67	-----	-----	91.41	34.40	12.23	36.37	10.00	245
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5415.60	60.39	74.00	-13.61	40.14	34.63	12.03	36.41	10.00	245	292 PEAK																																																																																																					
2	5461.20	59.12	68.20	-9.08	38.80	34.66	12.10	36.44	10.00	245	292 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	111.67	-----	-----	91.41	34.40	12.23	36.37	10.00	245	292 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5430.00</td><td>48.00</td><td>-5.92</td><td>27.78</td><td>34.66</td><td>12.06</td><td>36.42</td><td>10.00</td><td>245</td><td>292 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.00	48.00	-5.92	27.78	34.66	12.06	36.42	10.00	245	292 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>101.34</td><td>-----</td><td>-----</td><td>81.00</td><td>34.40</td><td>12.23</td><td>36.37</td><td>10.00</td><td>245</td><td>292 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	101.34	-----	-----	81.00	34.40	12.23	36.37	10.00	245	292 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5430.00	48.00	-5.92	27.78	34.66	12.06	36.42	10.00	245	292 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	101.34	-----	-----	81.00	34.40	12.23	36.37	10.00	245	292 AVERAGE																																																																																																					







Mode	33																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																													
ANT	CDD 1S2T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.42</td><td>60.96</td><td>68.20</td><td>-7.24</td><td>40.19</td><td>34.77</td><td>12.46</td><td>36.46</td><td>10.00</td><td>245 292 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.42	60.96	68.20	-7.24	40.19	34.77	12.46	36.46	10.00	245 292 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5762.42	60.96	68.20	-7.24	40.19	34.77	12.46	36.46	10.00	245 292 PEAK																																				




		33																																																																																																																							
Mode		Harmonic																																																																																																																							
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																																							
ANT		CDD 1S2T																																																																																																																							
Pol.		Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>55.49</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	44.36	74.00	-29.64	55.49	37.90	17.59	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.18</td><td>74.00</td><td>-29.82</td><td>55.31</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	44.18	74.00	-29.82	55.31	37.90	17.59	66.62	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	11100.00	44.36	74.00	-29.64	55.49	37.90	17.59	66.62	0.00	---	---	PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	11100.00	44.18	74.00	-29.82	55.31	37.90	17.59	66.62	0.00	---	---	PEAK																																																																																																													







Mode	34																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																											
ANT	CDD 1S2T																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																						
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.72</td><td>61.57</td><td>74.00</td><td>-12.43</td><td>41.22</td><td>34.70</td><td>12.00</td><td>36.43</td><td>10.00</td><td>268 PEAK</td></tr><tr><td>2</td><td>5465.52</td><td>59.65</td><td>68.20</td><td>-8.55</td><td>39.35</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>268 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.72	61.57	74.00	-12.43	41.22	34.70	12.00	36.43	10.00	268 PEAK	2	5465.52	59.65	68.20	-8.55	39.35	34.64	12.11	36.45	10.00	268 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>117.82</td><td>-----</td><td>-----</td><td>97.23</td><td>34.54</td><td>12.37</td><td>36.32</td><td>10.00</td><td>268 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	117.82	-----	-----	97.23	34.54	12.37	36.32	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5448.72	61.57	74.00	-12.43	41.22	34.70	12.00	36.43	10.00	268 PEAK																																																																																																		
2	5465.52	59.65	68.20	-8.55	39.35	34.64	12.11	36.45	10.00	268 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5670.00	117.82	-----	-----	97.23	34.54	12.37	36.32	10.00	268 PEAK																																																																																																		
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.28</td><td>48.89</td><td>54.00</td><td>-5.11</td><td>28.58</td><td>34.67</td><td>12.06</td><td>36.42</td><td>10.00</td><td>268 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.28	48.89	54.00	-5.11	28.58	34.67	12.06	36.42	10.00	268 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>107.13</td><td>-----</td><td>-----</td><td>86.53</td><td>34.55</td><td>12.38</td><td>36.33</td><td>10.00</td><td>268 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.13	-----	-----	86.53	34.55	12.38	36.33	10.00	268 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5435.28	48.89	54.00	-5.11	28.58	34.67	12.06	36.42	10.00	268 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5670.00	107.13	-----	-----	86.53	34.55	12.38	36.33	10.00	268 AVERAGE																																																																																																		




Mode	34																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.08</td><td>67.25</td><td>68.20</td><td>-0.95</td><td>46.58</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>268 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.08	67.25	68.20	-0.95	46.58	34.65	12.42	36.40	10.00	268 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.08	67.25	68.20	-0.95	46.58	34.65	12.42	36.40	10.00	268 PEAK																																													





Mode	34																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5398.96</td><td>60.55</td><td>74.00</td><td>-13.45</td><td>40.34</td><td>34.60</td><td>12.01</td><td>36.40</td><td>10.00</td><td>398</td><td>0 PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>59.23</td><td>68.20</td><td>-8.97</td><td>38.94</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>398</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.96	60.55	74.00	-13.45	40.34	34.60	12.01	36.40	10.00	398	0 PEAK	2	5466.48	59.23	68.20	-8.97	38.94	34.63	12.11	36.45	10.00	398	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>113.38</td><td>-----</td><td>-----</td><td>92.79</td><td>34.54</td><td>12.37</td><td>36.32</td><td>10.00</td><td>398</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	113.38	-----	-----	92.79	34.54	12.37	36.32	10.00	398	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5398.96	60.55	74.00	-13.45	40.34	34.60	12.01	36.40	10.00	398	0 PEAK																																																																																																						
2	5466.48	59.23	68.20	-8.97	38.94	34.63	12.11	36.45	10.00	398	0 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	113.38	-----	-----	92.79	34.54	12.37	36.32	10.00	398	0 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5423.92</td><td>48.37</td><td>54.00</td><td>-5.63</td><td>28.09</td><td>34.65</td><td>12.05</td><td>36.42</td><td>10.00</td><td>398</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.92	48.37	54.00	-5.63	28.09	34.65	12.05	36.42	10.00	398	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>104.28</td><td>-----</td><td>-----</td><td>83.68</td><td>34.55</td><td>12.38</td><td>36.33</td><td>10.00</td><td>398</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.28	-----	-----	83.68	34.55	12.38	36.33	10.00	398	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5423.92	48.37	54.00	-5.63	28.09	34.65	12.05	36.42	10.00	398	0 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	104.28	-----	-----	83.68	34.55	12.38	36.33	10.00	398	0 AVERAGE																																																																																																						







Mode	34																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																													
ANT	CDD 1S2T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.52</td><td>61.37</td><td>68.20</td><td>-6.83</td><td>40.70</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>398</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.52	61.37	68.20	-6.83	40.70	34.65	12.42	36.40	10.00	398	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5726.52	61.37	68.20	-6.83	40.70	34.65	12.42	36.40	10.00	398																																				




		34																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																										
ANT		CDD 1S2T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>54.96</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	44.06	74.00	-29.94	54.96	37.94	17.76	66.60	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11340.00	44.06	74.00	-29.94	54.96	37.94	17.76	66.60	0.00	---	---	PEAK																																																
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>55.90</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	45.00	74.00	-29.00	55.90	37.94	17.76	66.60	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11340.00	45.00	74.00	-29.00	55.90	37.94	17.76	66.60	0.00	---	---	PEAK																																																







Mode	35																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>64.26</td><td>74.00</td><td>-9.74</td><td>43.94</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>66.74</td><td>68.20</td><td>-1.46</td><td>46.46</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>100</td><td>266</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	64.26	74.00	-9.74	43.94	34.66	12.10	36.44	10.00	266	PEAK	2	5469.84	66.74	68.20	-1.46	46.46	34.62	12.11	36.45	10.00	100	266	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>112.60</td><td>-----</td><td>-----</td><td>92.37</td><td>34.44</td><td>12.20</td><td>36.41</td><td>10.00</td><td>100</td><td>266</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	112.60	-----	-----	92.37	34.44	12.20	36.41	10.00	100	266
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.76	64.26	74.00	-9.74	43.94	34.66	12.10	36.44	10.00	266	PEAK																																																																																																					
2	5469.84	66.74	68.20	-1.46	46.46	34.62	12.11	36.45	10.00	100	266	PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5530.00	112.60	-----	-----	92.37	34.44	12.20	36.41	10.00	100	266	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>53.32</td><td>54.00</td><td>-0.68</td><td>33.00</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>100</td><td>266</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	53.32	54.00	-0.68	33.00	34.66	12.10	36.44	10.00	100	266	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>103.17</td><td>-----</td><td>-----</td><td>82.94</td><td>34.44</td><td>12.20</td><td>36.41</td><td>10.00</td><td>100</td><td>266</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	103.17	-----	-----	82.94	34.44	12.20	36.41	10.00	100	266	AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5459.92	53.32	54.00	-0.68	33.00	34.66	12.10	36.44	10.00	100	266	AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5530.00	103.17	-----	-----	82.94	34.44	12.20	36.41	10.00	100	266	AVERAGE																																																																																																				




Mode	35																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.64</td><td>60.13</td><td>68.20</td><td>-8.07</td><td>39.44</td><td>34.67</td><td>12.43</td><td>36.41</td><td>10.00</td><td>266 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.64	60.13	68.20	-8.07	39.44	34.67	12.43	36.41	10.00	266 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5735.64	60.13	68.20	-8.07	39.44	34.67	12.43	36.41	10.00	266 PEAK																																													





Mode	35																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.20</td><td>60.88</td><td>74.00</td><td>-13.12</td><td>40.54</td><td>34.69</td><td>12.08</td><td>36.43</td><td>10.00</td><td>400</td><td>6 PEAK</td></tr><tr><td>2</td><td>5463.60</td><td>60.36</td><td>68.20</td><td>-7.84</td><td>40.04</td><td>34.65</td><td>12.11</td><td>36.44</td><td>10.00</td><td>400</td><td>6 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.20	60.88	74.00	-13.12	40.54	34.69	12.08	36.43	10.00	400	6 PEAK	2	5463.60	60.36	68.20	-7.84	40.04	34.65	12.11	36.44	10.00	400	6 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>109.89</td><td>-----</td><td>-----</td><td>89.66</td><td>34.44</td><td>12.20</td><td>36.41</td><td>10.00</td><td>400</td><td>6 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	109.89	-----	-----	89.66	34.44	12.20	36.41	10.00	400	6 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5445.20	60.88	74.00	-13.12	40.54	34.69	12.08	36.43	10.00	400	6 PEAK																																																																																																						
2	5463.60	60.36	68.20	-7.84	40.04	34.65	12.11	36.44	10.00	400	6 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	109.89	-----	-----	89.66	34.44	12.20	36.41	10.00	400	6 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5395.12</td><td>48.49</td><td>54.00</td><td>-5.51</td><td>28.29</td><td>34.60</td><td>12.01</td><td>36.41</td><td>10.00</td><td>400</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.12	48.49	54.00	-5.51	28.29	34.60	12.01	36.41	10.00	400	6 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>99.43</td><td>-----</td><td>-----</td><td>79.20</td><td>34.44</td><td>12.20</td><td>36.41</td><td>10.00</td><td>400</td><td>6 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.43	-----	-----	79.20	34.44	12.20	36.41	10.00	400	6 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5395.12	48.49	54.00	-5.51	28.29	34.60	12.01	36.41	10.00	400	6 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	99.43	-----	-----	79.20	34.44	12.20	36.41	10.00	400	6 AVERAGE																																																																																																						







Mode	35																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.36</td><td>68.13</td><td>68.20</td><td>-8.07</td><td>39.42</td><td>34.70</td><td>12.45</td><td>36.44</td><td>10.00</td><td>400</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.36	68.13	68.20	-8.07	39.42	34.70	12.45	36.44	10.00	400	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5750.36	68.13	68.20	-8.07	39.42	34.70	12.45	36.44	10.00	400																																													




Mode	35																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																								
ANT	CDD 1S2T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>42.86</td><td>74.00</td><td>-31.14</td><td>54.82</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	42.86	74.00	-31.14	54.82	37.90	17.56	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>55.05</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	43.89	74.00	-30.11	55.05	37.90	17.56	66.62	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11060.00	42.86	74.00	-31.14	54.82	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11060.00	43.89	74.00	-30.11	55.05	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																													







		36																																																																																																																								
Mode		Band Edge - L																																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																																																																								
ANT		CDD 1S2T																																																																																																																								
Pol.	Horizontal										Fundamental																																																																																																															
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.24</td><td>62.62</td><td>74.00</td><td>-11.38</td><td>42.29</td><td>34.68</td><td>12.09</td><td>36.44</td><td>10.00</td><td>113</td><td>264 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>63.16</td><td>68.20</td><td>-5.04</td><td>42.88</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>113</td><td>264 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	62.62	74.00	-11.38	42.29	34.68	12.09	36.44	10.00	113	264 PEAK	2	5469.68	63.16	68.20	-5.04	42.88	34.62	12.11	36.45	10.00	113	264 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>111.94</td><td>-----</td><td>-----</td><td>91.69</td><td>34.43</td><td>12.21</td><td>36.39</td><td>10.00</td><td>113</td><td>264 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	111.94	-----	-----	91.69	34.43	12.21	36.39	10.00	113	264 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5456.24	62.62	74.00	-11.38	42.29	34.68	12.09	36.44	10.00	113	264 PEAK																																																																																																															
2	5469.68	63.16	68.20	-5.04	42.88	34.62	12.11	36.45	10.00	113	264 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5530.00	111.94	-----	-----	91.69	34.43	12.21	36.39	10.00	113	264 PEAK																																																																																																															
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>50.02</td><td>54.00</td><td>-3.98</td><td>29.70</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>113</td><td>264 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	50.02	54.00	-3.98	29.70	34.66	12.10	36.44	10.00	113	264 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.31</td><td>-----</td><td>-----</td><td>82.00</td><td>34.44</td><td>12.20</td><td>36.41</td><td>10.00</td><td>113</td><td>264 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.31	-----	-----	82.00	34.44	12.20	36.41	10.00	113	264 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5459.92	50.02	54.00	-3.98	29.70	34.66	12.10	36.44	10.00	113	264 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5530.00	102.31	-----	-----	82.00	34.44	12.20	36.41	10.00	113	264 AVERAGE																																																																																																															




Mode	36																																																																																			
	Band Edge - R																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																																			
ANT	CDD 1S2T																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5762.20</td><td>59.47</td><td>68.20</td><td>-8.73</td><td>38.70</td><td>34.77</td><td>12.46</td><td>36.46</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>10.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>264</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5762.20	59.47	68.20	-8.73	38.70	34.77	12.46	36.46								10.00										113									264									PEAK	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																												
1	5762.20	59.47	68.20	-8.73	38.70	34.77	12.46	36.46																																																																												
							10.00																																																																													
								113																																																																												
								264																																																																												
								PEAK																																																																												







Mode	36																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5418.16</td><td>60.05</td><td>74.00</td><td>-13.95</td><td>39.78</td><td>34.64</td><td>12.04</td><td>36.41</td><td>10.00</td><td>371</td><td>152</td><td>PEAK</td></tr><tr><td>2</td><td>5468.24</td><td>60.54</td><td>68.20</td><td>-7.66</td><td>40.25</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>371</td><td>152</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5418.16	60.05	74.00	-13.95	39.78	34.64	12.04	36.41	10.00	371	152	PEAK	2	5468.24	60.54	68.20	-7.66	40.25	34.63	12.11	36.45	10.00	371	152	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>107.94</td><td>-----</td><td>-----</td><td>87.71</td><td>34.44</td><td>12.20</td><td>36.41</td><td>10.00</td><td>371</td><td>152</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	107.94	-----	-----	87.71	34.44	12.20	36.41	10.00	371	152
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5418.16	60.05	74.00	-13.95	39.78	34.64	12.04	36.41	10.00	371	152	PEAK																																																																																																					
2	5468.24	60.54	68.20	-7.66	40.25	34.63	12.11	36.45	10.00	371	152	PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5530.00	107.94	-----	-----	87.71	34.44	12.20	36.41	10.00	371	152	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.48</td><td>48.27</td><td>54.00</td><td>-5.73</td><td>27.94</td><td>34.67</td><td>12.10</td><td>36.44</td><td>10.00</td><td>371</td><td>152</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.48	48.27	54.00	-5.73	27.94	34.67	12.10	36.44	10.00	371	152	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.76</td><td>-----</td><td>-----</td><td>77.51</td><td>34.43</td><td>12.21</td><td>36.39</td><td>10.00</td><td>371</td><td>152</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	97.76	-----	-----	77.51	34.43	12.21	36.39	10.00	371	152	AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5458.48	48.27	54.00	-5.73	27.94	34.67	12.10	36.44	10.00	371	152	AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5530.00	97.76	-----	-----	77.51	34.43	12.21	36.39	10.00	371	152	AVERAGE																																																																																																					




Mode	36																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																													
ANT	CDD 1S2T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.04</td><td>59.74</td><td>68.20</td><td>-8.46</td><td>39.04</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>371 152 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.04	59.74	68.20	-8.46	39.04	34.69	12.44	36.43	10.00	371 152 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5746.04	59.74	68.20	-8.46	39.04	34.69	12.44	36.43	10.00	371 152 PEAK																																				







Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.80</td><td>61.96</td><td>74.00</td><td>-12.04</td><td>41.64</td><td>34.68</td><td>12.07</td><td>36.43</td><td>10.00</td><td>101</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>5468.40</td><td>60.98</td><td>68.20</td><td>-7.22</td><td>40.69</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>101</td><td>273</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.80	61.96	74.00	-12.04	41.64	34.68	12.07	36.43	10.00	101	273	PEAK	2	5468.40	60.98	68.20	-7.22	40.69	34.63	12.11	36.45	10.00	101	273	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>114.17</td><td>-----</td><td>-----</td><td>93.62</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>101</td><td>273</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	114.17	-----	-----	93.62	34.50	12.33	36.28	10.00	101	273
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5438.80	61.96	74.00	-12.04	41.64	34.68	12.07	36.43	10.00	101	273	PEAK																																																																																																				
2	5468.40	60.98	68.20	-7.22	40.69	34.63	12.11	36.45	10.00	101	273	PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	114.17	-----	-----	93.62	34.50	12.33	36.28	10.00	101	273	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.68</td><td>49.22</td><td>54.00</td><td>-4.78</td><td>28.89</td><td>34.67</td><td>12.10</td><td>36.44</td><td>10.00</td><td>101</td><td>273</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	49.22	54.00	-4.78	28.89	34.67	12.10	36.44	10.00	101	273	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>104.17</td><td>-----</td><td>-----</td><td>83.62</td><td>34.50</td><td>12.32</td><td>36.27</td><td>10.00</td><td>101</td><td>273</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.17	-----	-----	83.62	34.50	12.32	36.27	10.00	101	273	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.68	49.22	54.00	-4.78	28.89	34.67	12.10	36.44	10.00	101	273	AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	104.17	-----	-----	83.62	34.50	12.32	36.27	10.00	101	273	AVERAGE																																																																																																				




Mode	37																																																																																			
	Band Edge - R																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																			
ANT	CDD 1S2T																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.28</td><td>60.76</td><td>68.20</td><td>-7.44</td><td>40.09</td><td>34.65</td><td>12.42</td><td>36.40</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>10.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>101</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>273</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5726.28	60.76	68.20	-7.44	40.09	34.65	12.42	36.40								10.00										101									273									PEAK	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																												
1	5726.28	60.76	68.20	-7.44	40.09	34.65	12.42	36.40																																																																												
							10.00																																																																													
								101																																																																												
								273																																																																												
								PEAK																																																																												





Mode	37																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5379.92</td><td>60.09</td><td>74.00</td><td>-13.91</td><td>39.95</td><td>34.60</td><td>11.99</td><td>36.45</td><td>10.00</td><td>388</td><td>0 PEAK</td></tr><tr><td>2</td><td>5462.80</td><td>59.91</td><td>68.20</td><td>-8.29</td><td>39.60</td><td>34.65</td><td>12.10</td><td>36.44</td><td>10.00</td><td>388</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.92	60.09	74.00	-13.91	39.95	34.60	11.99	36.45	10.00	388	0 PEAK	2	5462.80	59.91	68.20	-8.29	39.60	34.65	12.10	36.44	10.00	388	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>110.26</td><td>-----</td><td>-----</td><td>89.71</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>388</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	110.26	-----	-----	89.71	34.50	12.33	36.28	10.00	388	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5379.92	60.09	74.00	-13.91	39.95	34.60	11.99	36.45	10.00	388	0 PEAK																																																																																																						
2	5462.80	59.91	68.20	-8.29	39.60	34.65	12.10	36.44	10.00	388	0 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	110.26	-----	-----	89.71	34.50	12.33	36.28	10.00	388	0 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.52</td><td>48.50</td><td>54.00</td><td>-5.50</td><td>28.16</td><td>34.69</td><td>12.09</td><td>36.44</td><td>10.00</td><td>388</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.52	48.50	54.00	-5.50	28.16	34.69	12.09	36.44	10.00	388	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>100.44</td><td>-----</td><td>-----</td><td>79.09</td><td>34.50</td><td>12.32</td><td>36.27</td><td>10.00</td><td>388</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.44	-----	-----	79.09	34.50	12.32	36.27	10.00	388	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5453.52	48.50	54.00	-5.50	28.16	34.69	12.09	36.44	10.00	388	0 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	100.44	-----	-----	79.09	34.50	12.32	36.27	10.00	388	0 AVERAGE																																																																																																						







Mode	37																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																	
ANT	CDD 1S2T																																																																	
Pol.	Vertical						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.36</td><td>59.86</td><td>68.20</td><td>-8.34</td><td>39.18</td><td>34.67</td><td>12.43</td><td>36.42</td><td>10.00</td><td>388</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.36	59.86	68.20	-8.34	39.18	34.67	12.43	36.42	10.00	388											0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5736.36	59.86	68.20	-8.34	39.18	34.67	12.43	36.42	10.00	388																																																								
										0 PEAK																																																								




		37																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																										
ANT		CDD 1S2T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>42.52</td><td>74.00</td><td>-31.48</td><td>53.56</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	42.52	74.00	-31.48	53.56	37.90	17.67	66.61	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11220.00	42.52	74.00	-31.48	53.56	37.90	17.67	66.61	0.00	---	---	PEAK																																																
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>43.02</td><td>74.00</td><td>-30.98</td><td>54.06</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	43.02	74.00	-30.98	54.06	37.90	17.67	66.61	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11220.00	43.02	74.00	-30.98	54.06	37.90	17.67	66.61	0.00	---	---	PEAK																																																







		38																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																																																																					
ANT		CDD 1S2T																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																
Peak																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.24	60.32	74.00	-13.68	40.00	34.68	12.07	36.43	10.00	265 PEAK	2	5460.56	60.48	68.20	-7.72	40.16	34.66	12.10	36.44	10.00	265 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	112.78	-----	-----	92.23	34.50	12.31	36.26	10.00	265 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5440.24	60.32	74.00	-13.68	40.00	34.68	12.07	36.43	10.00	265 PEAK																																																																																													
2	5460.56	60.48	68.20	-7.72	40.16	34.66	12.10	36.44	10.00	265 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	112.78	-----	-----	92.23	34.50	12.31	36.26	10.00	265 PEAK																																																																																													
Avg																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.48	48.71	54.00	-5.29	28.39	34.68	12.07	36.43	10.00	265 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.46	-----	-----	81.91	34.50	12.32	36.27	10.00	265 AVERAGE															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5442.48	48.71	54.00	-5.29	28.39	34.68	12.07	36.43	10.00	265 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	102.46	-----	-----	81.91	34.50	12.32	36.27	10.00	265 AVERAGE																																																																																													




Mode	38																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																																
ANT	CDD 1S2T																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5763.00</td><td>60.29</td><td>68.20</td><td>-7.91</td><td>39.51</td><td>34.78</td><td>12.46</td><td>36.46</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>10.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>265</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5763.00	60.29	68.20	-7.91	39.51	34.78	12.46	36.46								10.00									100	265									PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																									
1	5763.00	60.29	68.20	-7.91	39.51	34.78	12.46	36.46																																																									
							10.00																																																										
							100	265																																																									
								PEAK																																																									







Mode	38																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																																																																											
ANT	CDD 1S2T																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5356.08	60.31	74.00	-13.69	40.25	34.60	11.97	36.51	10.00	265	294 PEAK	2	5463.92	59.06	68.20	-9.14	38.75	34.64	12.11	36.44	10.00	265	294 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>106.97</td><td>-----</td><td>-----</td><td>86.42</td><td>34.50</td><td>12.32</td><td>36.27</td><td>10.00</td><td>265</td><td>294 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	106.97	-----	-----	86.42	34.50	12.32	36.27	10.00	265
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5356.08	60.31	74.00	-13.69	40.25	34.60	11.97	36.51	10.00	265	294 PEAK																																																																																																	
2	5463.92	59.06	68.20	-9.14	38.75	34.64	12.11	36.44	10.00	265	294 PEAK																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5610.00	106.97	-----	-----	86.42	34.50	12.32	36.27	10.00	265	294 PEAK																																																																																																	
Avg																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.36	48.04	54.00	-5.96	27.71	34.67	12.10	36.44	10.00	265	294 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>95.96</td><td>-----</td><td>-----</td><td>75.41</td><td>34.50</td><td>12.32</td><td>36.27</td><td>10.00</td><td>265</td><td>294 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	95.96	-----	-----	75.41	34.50	12.32	36.27	10.00	265	294 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5457.36	48.04	54.00	-5.96	27.71	34.67	12.10	36.44	10.00	265	294 AVERAGE																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5610.00	95.96	-----	-----	75.41	34.50	12.32	36.27	10.00	265	294 AVERAGE																																																																																																	




Mode	38																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																										
ANT	CDD 1S2T																																																										
Pol.	Vertical						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.20</td><td>59.58</td><td>68.20</td><td>-8.62</td><td>38.87</td><td>34.70</td><td>12.45</td><td>36.44</td><td>10.00</td><td>265</td><td>294</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5750.20	59.58	68.20	-8.62	38.87	34.70	12.45	36.44	10.00	265	294	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5750.20	59.58	68.20	-8.62	38.87	34.70	12.45	36.44	10.00	265	294	PEAK																																															







Mode	39																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																													
ANT	CDD 1S2T																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.70</td><td>61.77</td><td>74.00</td><td>-12.23</td><td>42.71</td><td>34.67</td><td>10.81</td><td>36.42</td><td>10.00</td><td>269 PEAK</td></tr><tr><td>2</td><td>5469.46</td><td>63.02</td><td>68.20</td><td>-5.18</td><td>44.00</td><td>34.62</td><td>10.85</td><td>36.45</td><td>10.00</td><td>269 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.70	61.77	74.00	-12.23	42.71	34.67	10.81	36.42	10.00	269 PEAK	2	5469.46	63.02	68.20	-5.18	44.00	34.62	10.85	36.45	10.00	269 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>109.07</td><td>-----</td><td>-----</td><td>89.98</td><td>34.44</td><td>10.97</td><td>36.32</td><td>10.00</td><td>269 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	109.07	-----	-----	89.98	34.44	10.97	36.32	10.00	269 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5434.70	61.77	74.00	-12.23	42.71	34.67	10.81	36.42	10.00	269 PEAK																																																																																																				
2	5469.46	63.02	68.20	-5.18	44.00	34.62	10.85	36.45	10.00	269 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	109.07	-----	-----	89.98	34.44	10.97	36.32	10.00	269 PEAK																																																																																																				
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.78</td><td>49.86</td><td>54.00</td><td>-4.14</td><td>30.80</td><td>34.66</td><td>10.84</td><td>36.44</td><td>10.00</td><td>269 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.78	49.86	54.00	-4.14	30.80	34.66	10.84	36.44	10.00	269 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>98.77</td><td>-----</td><td>-----</td><td>79.71</td><td>34.43</td><td>10.96</td><td>36.33</td><td>10.00</td><td>269 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.77	-----	-----	79.71	34.43	10.96	36.33	10.00	269 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.78	49.86	54.00	-4.14	30.80	34.66	10.84	36.44	10.00	269 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	98.77	-----	-----	79.71	34.43	10.96	36.33	10.00	269 AVERAGE																																																																																																				




Mode	39																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																	
ANT	CDD 1S2T																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.81</td><td>67.03</td><td>68.20</td><td>-1.17</td><td>47.60</td><td>34.65</td><td>11.18</td><td>36.40</td><td>10.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>269 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.81	67.03	68.20	-1.17	47.60	34.65	11.18	36.40	10.00	100											269 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5725.81	67.03	68.20	-1.17	47.60	34.65	11.18	36.40	10.00	100																																																								
										269 PEAK																																																								





Mode	39																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5436.46</td><td>59.15</td><td>74.00</td><td>-14.85</td><td>40.10</td><td>34.67</td><td>10.81</td><td>36.43</td><td>10.00</td><td>284</td><td>287 PEAK</td></tr><tr><td>2</td><td>5465.06</td><td>58.27</td><td>68.20</td><td>-9.93</td><td>39.23</td><td>34.64</td><td>10.85</td><td>36.45</td><td>10.00</td><td>284</td><td>287 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.46	59.15	74.00	-14.85	40.10	34.67	10.81	36.43	10.00	284	287 PEAK	2	5465.06	58.27	68.20	-9.93	39.23	34.64	10.85	36.45	10.00	284	287 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>102.53</td><td>-----</td><td>-----</td><td>83.40</td><td>34.46</td><td>10.98</td><td>36.31</td><td>10.00</td><td>284</td><td>287 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.53	-----	-----	83.40	34.46	10.98	36.31	10.00	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5436.46	59.15	74.00	-14.85	40.10	34.67	10.81	36.43	10.00	284	287 PEAK																																																																																																					
2	5465.06	58.27	68.20	-9.93	39.23	34.64	10.85	36.45	10.00	284	287 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	102.53	-----	-----	83.40	34.46	10.98	36.31	10.00	284	287 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5432.28</td><td>46.93</td><td>54.00</td><td>-7.07</td><td>27.88</td><td>34.66</td><td>10.81</td><td>36.42</td><td>10.00</td><td>284</td><td>287 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.28	46.93	54.00	-7.07	27.88	34.66	10.81	36.42	10.00	284	287 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>92.22</td><td>-----</td><td>-----</td><td>73.13</td><td>34.44</td><td>10.97</td><td>36.32</td><td>10.00</td><td>284</td><td>287 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	92.22	-----	-----	73.13	34.44	10.97	36.32	10.00	284	287 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5432.28	46.93	54.00	-7.07	27.88	34.66	10.81	36.42	10.00	284	287 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	92.22	-----	-----	73.13	34.44	10.97	36.32	10.00	284	287 AVERAGE																																																																																																					







Mode	39																																															
	Band Edge - R																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																															
ANT	CDD 1S2T																																															
Pol.	Vertical	Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.61</td><td>59.86</td><td>68.20</td><td>-8.34</td><td>40.43</td><td>34.65</td><td>11.18</td><td>36.40</td><td>10.00</td><td>284</td><td>287</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.61	59.86	68.20	-8.34	40.43	34.65	11.18	36.40	10.00	284	287	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	5725.61	59.86	68.20	-8.34	40.43	34.65	11.18	36.40	10.00	284	287																																					




Mode	39																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																					
ANT	CDD 1S2T																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11140.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>55.02</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11140.00	43.92	74.00	-30.08	55.02	37.90	17.62	66.62	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11140.00</td><td>42.69</td><td>74.00</td><td>-31.31</td><td>53.79</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11140.00	42.69	74.00	-31.31	53.79	37.90	17.62	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11140.00	43.92	74.00	-30.08	55.02	37.90	17.62	66.62	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11140.00	42.69	74.00	-31.31	53.79	37.90	17.62	66.62	0.00	---	---	PEAK																																																																																											







		40																																																																																																										
Mode		Band Edge - L																																																																																																										
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																																																										
ANT		CDD 1S2T																																																																																																										
Pol.	Horizontal										Fundamental																																																																																																	
Peak																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.72	65.83	74.00	-8.17	45.50	34.68	12.09	36.44	10.00	271 PEAK	2	5463.52	66.80	68.20	-1.40	46.48	34.65	12.11	36.44	10.00	271 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	108.28	-----	-----	87.89	34.44	12.27	36.32	10.00	271 PEAK									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5454.72	65.83	74.00	-8.17	45.50	34.68	12.09	36.44	10.00	271 PEAK																																																																																																		
2	5463.52	66.80	68.20	-1.40	46.48	34.65	12.11	36.44	10.00	271 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	108.28	-----	-----	87.89	34.44	12.27	36.32	10.00	271 PEAK																																																																																																		
Avg																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.30	49.34	54.00	-4.66	29.02	34.68	12.07	36.43	10.00	271 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.19	-----	-----	77.80	34.44	12.27	36.32	10.00	271 AVERAGE																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5441.30	49.34	54.00	-4.66	29.02	34.68	12.07	36.43	10.00	271 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	98.19	-----	-----	77.80	34.44	12.27	36.32	10.00	271 AVERAGE																																																																																																		




Mode	40																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																								
ANT	CDD 1S2T																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.22</td><td>64.61</td><td>68.20</td><td>-3.59</td><td>43.94</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>100</td><td>271</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.22	64.61	68.20	-3.59	43.94	34.65	12.42	36.40	10.00	100	271	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5725.22	64.61	68.20	-3.59	43.94	34.65	12.42	36.40	10.00	100	271																																														







		40																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																																																				
ANT		CDD 1S2T																																																																																																				
Pol.	Vertical										Fundamental																																																																																											
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.24	61.46	74.00	-12.54	41.13	34.67	12.10	36.44	10.00	388	0 PEAK	2	5462.86	60.07	68.20	-8.13	39.76	34.65	12.10	36.44	10.00	388	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>103.84</td><td>-----</td><td>-----</td><td>83.51</td><td>34.42</td><td>12.25</td><td>36.34</td><td>10.00</td><td>388</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	103.84	-----	-----	83.51	34.42	12.25	36.34	10.00	388
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5458.24	61.46	74.00	-12.54	41.13	34.67	12.10	36.44	10.00	388	0 PEAK																																																																																											
2	5462.86	60.07	68.20	-8.13	39.76	34.65	12.10	36.44	10.00	388	0 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5570.00	103.84	-----	-----	83.51	34.42	12.25	36.34	10.00	388	0 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.00	48.24	54.00	-5.76	27.94	34.67	12.06	36.43	10.00	388	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>93.26</td><td>-----</td><td>-----</td><td>72.90</td><td>34.43</td><td>12.26</td><td>36.33</td><td>10.00</td><td>388</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.26	-----	-----	72.90	34.43	12.26	36.33	10.00	388	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5435.00	48.24	54.00	-5.76	27.94	34.67	12.06	36.43	10.00	388	0 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5570.00	93.26	-----	-----	72.90	34.43	12.26	36.33	10.00	388	0 AVERAGE																																																																																											




Mode	40																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																									
ANT	CDD 1S2T																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.64</td><td>61.03</td><td>68.20</td><td>-7.17</td><td>40.25</td><td>34.78</td><td>12.46</td><td>36.46</td><td>10.00</td><td>388</td><td>0</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5763.64	61.03	68.20	-7.17	40.25	34.78	12.46	36.46	10.00	388	0	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5763.64	61.03	68.20	-7.17	40.25	34.78	12.46	36.46	10.00	388	0																																															







		41																																																																																																																					
Mode		Band Edge - L																																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																																																																					
ANT		CDD 1S2T																																																																																																																					
Pol.	Horizontal										Fundamental																																																																																																												
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>67.32</td><td>74.00</td><td>-6.68</td><td>47.00</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>269 PEAK</td></tr><tr><td>2</td><td>5469.90</td><td>67.50</td><td>68.20</td><td>-0.70</td><td>47.22</td><td>34.62</td><td>12.11</td><td>36.45</td><td>10.00</td><td>269 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	67.32	74.00	-6.68	47.00	34.66	12.10	36.44	10.00	269 PEAK	2	5469.90	67.50	68.20	-0.70	47.22	34.62	12.11	36.45	10.00	269 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>107.71</td><td>-----</td><td>-----</td><td>87.32</td><td>34.44</td><td>12.27</td><td>36.32</td><td>10.00</td><td>269 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	107.71	-----	-----	87.32	34.44	12.27	36.32	10.00	269 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5459.12	67.32	74.00	-6.68	47.00	34.66	12.10	36.44	10.00	269 PEAK																																																																																																													
2	5469.90	67.50	68.20	-0.70	47.22	34.62	12.11	36.45	10.00	269 PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5570.00	107.71	-----	-----	87.32	34.44	12.27	36.32	10.00	269 PEAK																																																																																																													
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.42</td><td>49.22</td><td>54.00</td><td>-4.78</td><td>28.88</td><td>34.69</td><td>12.09</td><td>36.44</td><td>10.00</td><td>269 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.42	49.22	54.00	-4.78	28.88	34.69	12.09	36.44	10.00	269 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.98</td><td>-----</td><td>-----</td><td>76.62</td><td>34.43</td><td>12.26</td><td>36.33</td><td>10.00</td><td>269 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.98	-----	-----	76.62	34.43	12.26	36.33	10.00	269 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5451.42	49.22	54.00	-4.78	28.88	34.69	12.09	36.44	10.00	269 AVERAGE																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5570.00	96.98	-----	-----	76.62	34.43	12.26	36.33	10.00	269 AVERAGE																																																																																																													




Mode	41																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																													
ANT	CDD 1S2T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.73</td><td>60.75</td><td>68.20</td><td>-7.45</td><td>40.07</td><td>34.67</td><td>12.43</td><td>36.42</td><td>10.00</td><td>269 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.73	60.75	68.20	-7.45	40.07	34.67	12.43	36.42	10.00	269 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5736.73	60.75	68.20	-7.45	40.07	34.67	12.43	36.42	10.00	269 PEAK																																				







		41																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																																																				
ANT		CDD 1S2T																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.02	60.86	74.00	-13.14	40.53	34.67	12.10	36.44	10.00	388	0 PEAK	2	5468.58	62.26	68.20	-5.94	41.97	34.63	12.11	36.45	10.00	388	0 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	103.54	-----	-----	83.18	34.43	12.26	36.33	10.00	388
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5458.02	60.86	74.00	-13.14	40.53	34.67	12.10	36.44	10.00	388	0 PEAK																																																																																											
2	5468.58	62.26	68.20	-5.94	41.97	34.63	12.11	36.45	10.00	388	0 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5570.00	103.54	-----	-----	83.18	34.43	12.26	36.33	10.00	388	0 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.26	48.16	54.00	-5.84	27.82	34.69	12.00	36.43	10.00	388	0 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	91.90	-----	-----	71.54	34.43	12.26	36.33	10.00	388	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5445.26	48.16	54.00	-5.84	27.82	34.69	12.00	36.43	10.00	388	0 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5570.00	91.90	-----	-----	71.54	34.43	12.26	36.33	10.00	388	0 AVERAGE																																																																																											







Mode	41																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																					
ANT	CDD 1S2T																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5734.39</td><td>60.69</td><td>68.20</td><td>-7.51</td><td>40.00</td><td>34.67</td><td>12.43</td><td>36.41</td><td>10.00</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5734.39	60.69	68.20	-7.51	40.00	34.67	12.43	36.41	10.00	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5734.39	60.69	68.20	-7.51	40.00	34.67	12.43	36.41	10.00																														






Mode	42																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_RU52*4_5500MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>60.77</td><td>74.00</td><td>-13.23</td><td>40.44</td><td>34.67</td><td>12.10</td><td>36.44</td><td>10.00</td><td>101</td><td>270 PEAK</td></tr><tr><td>2</td><td>5462.48</td><td>60.64</td><td>68.20</td><td>-7.56</td><td>40.33</td><td>34.65</td><td>12.10</td><td>36.44</td><td>10.00</td><td>101</td><td>270 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	60.77	74.00	-13.23	40.44	34.67	12.10	36.44	10.00	101	270 PEAK	2	5462.48	60.64	68.20	-7.56	40.33	34.65	12.10	36.44	10.00	101	270 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>114.30</td><td>-----</td><td>-----</td><td>94.11</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>101</td><td>270 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	114.30	-----	-----	94.11	34.50	12.16	36.47	10.00	101	270 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.32	60.77	74.00	-13.23	40.44	34.67	12.10	36.44	10.00	101	270 PEAK																																																																																																						
2	5462.48	60.64	68.20	-7.56	40.33	34.65	12.10	36.44	10.00	101	270 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	114.30	-----	-----	94.11	34.50	12.16	36.47	10.00	101	270 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.12</td><td>48.10</td><td>54.00</td><td>-5.90</td><td>27.75</td><td>34.70</td><td>12.09</td><td>36.44</td><td>10.00</td><td>101</td><td>270 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.12	48.10	54.00	-5.90	27.75	34.70	12.09	36.44	10.00	101	270 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.76</td><td>-----</td><td>-----</td><td>84.57</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>101</td><td>270 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.76	-----	-----	84.57	34.50	12.16	36.47	10.00	101	270 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5451.12	48.10	54.00	-5.90	27.75	34.70	12.09	36.44	10.00	101	270 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	104.76	-----	-----	84.57	34.50	12.16	36.47	10.00	101	270 AVERAGE																																																																																																						



		42																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_RU52*4_5500MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Vertical					Fundamental																																																																																																										
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.04</td><td>60.17</td><td>74.00</td><td>-13.83</td><td>39.92</td><td>34.63</td><td>12.03</td><td>36.41</td><td>10.00</td><td>378</td><td>0 PEAK</td></tr><tr><td>2</td><td>5462.64</td><td>59.82</td><td>68.20</td><td>-8.38</td><td>39.51</td><td>34.65</td><td>12.10</td><td>36.44</td><td>10.00</td><td>378</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.04	60.17	74.00	-13.83	39.92	34.63	12.03	36.41	10.00	378	0 PEAK	2	5462.64	59.82	68.20	-8.38	39.51	34.65	12.10	36.44	10.00	378	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.13</td><td>-----</td><td>-----</td><td>88.94</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>378</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.13	-----	-----	88.94	34.50	12.16	36.47	10.00	378
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5413.04	60.17	74.00	-13.83	39.92	34.63	12.03	36.41	10.00	378	0 PEAK																																																																																																					
2	5462.64	59.82	68.20	-8.38	39.51	34.65	12.10	36.44	10.00	378	0 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	109.13	-----	-----	88.94	34.50	12.16	36.47	10.00	378	0 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5411.92</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>27.00</td><td>34.62</td><td>12.03</td><td>36.41</td><td>10.00</td><td>378</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.92	47.24	54.00	-6.76	27.00	34.62	12.03	36.41	10.00	378	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.76</td><td>-----</td><td>-----</td><td>78.57</td><td>34.50</td><td>12.16</td><td>36.47</td><td>10.00</td><td>378</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.76	-----	-----	78.57	34.50	12.16	36.47	10.00	378	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5411.92	47.24	54.00	-6.76	27.00	34.62	12.03	36.41	10.00	378	0 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	98.76	-----	-----	78.57	34.50	12.16	36.47	10.00	378	0 AVERAGE																																																																																																					







Mode	43																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_RU52*4_5700MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.24</td><td>61.86</td><td>68.20</td><td>-6.34</td><td>41.19</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>110</td><td>270 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.24	61.86	68.20	-6.34	41.19	34.65	12.42	36.40	10.00	110	270 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>115.41</td><td>-----</td><td>-----</td><td>94.76</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>110</td><td>270 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	115.41	-----	-----	94.76	34.60	12.40	36.35	10.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5725.24	61.86	68.20	-6.34	41.19	34.65	12.42	36.40	10.00	110	270 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	115.41	-----	-----	94.76	34.60	12.40	36.35	10.00	110	270 PEAK																																																																																									
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>105.03</td><td>-----</td><td>-----</td><td>84.38</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>110</td><td>270 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	105.03	-----	-----	84.38	34.60	12.40	36.35	10.00	110	270 AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5700.00	105.03	-----	-----	84.38	34.60	12.40	36.35	10.00	110	270 AVERAGE																																																																																									





Mode	43																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_RU52*4_5700MHz																																																																																																							
ANT	CDD 1S2T																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.32</td><td>59.87</td><td>68.20</td><td>-8.33</td><td>39.20</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>387</td><td>3 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.32	59.87	68.20	-8.33	39.20	34.65	12.42	36.40	10.00	387	3 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.27</td><td>-----</td><td>-----</td><td>90.62</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>387</td><td>3 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	111.27	-----	-----	90.62	34.61	12.40	36.36	10.00	387	3 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5725.32	59.87	68.20	-8.33	39.20	34.65	12.42	36.40	10.00	387	3 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	111.27	-----	-----	90.62	34.61	12.40	36.36	10.00	387	3 PEAK																																																																																													
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>100.77</td><td>-----</td><td>-----</td><td>80.12</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>387</td><td>3 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	100.77	-----	-----	80.12	34.60	12.40	36.35	10.00	387	3 AVERAGE																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	100.77	-----	-----	80.12	34.60	12.40	36.35	10.00	387	3 AVERAGE																																																																																													







Mode	61																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 20MHz,Loc 8_5250MHz																																																																																																
ANT	CDD 1S2T																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.00</td><td>66.49</td><td>74.00</td><td>-7.51</td><td>47.61</td><td>34.10</td><td>11.80</td><td>37.02</td><td>10.00</td><td>87 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	66.49	74.00	-7.51	47.61	34.10	11.80	37.02	10.00	87 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>106.22</td><td>-----</td><td>-----</td><td>86.87</td><td>34.44</td><td>11.88</td><td>36.97</td><td>10.00</td><td>87 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	106.22	-----	-----	86.87	34.44	11.88	36.97	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5148.00	66.49	74.00	-7.51	47.61	34.10	11.80	37.02	10.00	87 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5250.00	106.22	-----	-----	86.87	34.44	11.88	36.97	10.00	87 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.50</td><td>50.44</td><td>54.00</td><td>-3.56</td><td>31.57</td><td>34.10</td><td>11.80</td><td>37.03</td><td>10.00</td><td>87 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	50.44	54.00	-3.56	31.57	34.10	11.80	37.03	10.00	87 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>96.68</td><td>-----</td><td>-----</td><td>77.16</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>87 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	96.68	-----	-----	77.16	34.51	11.89	36.88	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5149.50	50.44	54.00	-3.56	31.57	34.10	11.80	37.03	10.00	87 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5250.00	96.68	-----	-----	77.16	34.51	11.89	36.88	10.00	87 AVERAGE																																																																																							





Mode	61																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 20MHz,Loc 8_5250MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Horizontal					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5387.55</td><td>68.58</td><td>74.00</td><td>-5.42</td><td>48.41</td><td>34.60</td><td>12.00</td><td>36.43</td><td>10.00</td><td>87 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5387.55	68.58	74.00	-5.42	48.41	34.60	12.00	36.43	10.00	87 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5387.55	68.58	74.00	-5.42	48.41	34.60	12.00	36.43	10.00	87 PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.95</td><td>52.75</td><td>54.00</td><td>-1.25</td><td>32.69</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>87 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.95	52.75	54.00	-1.25	32.69	34.60	11.97	36.51	10.00	87 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5353.95	52.75	54.00	-1.25	32.69	34.60	11.97	36.51	10.00	87 AVERAGE																																												






		61																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 20MHz,Loc 8_5250MHz																																																																																																						
ANT	CDD 1S2T																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5062.75</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>40.62</td><td>33.93</td><td>11.71</td><td>36.92</td><td>10.00</td><td>333</td><td>149</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5062.75	59.34	74.00	-14.66	40.62	33.93	11.71	36.92	10.00	333	149	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>102.09</td><td>-----</td><td>-----</td><td>82.57</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>333</td><td>149</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	102.09	-----	-----	82.57	34.51	11.89	36.88	10.00	333	149
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5062.75	59.34	74.00	-14.66	40.62	33.93	11.71	36.92	10.00	333	149	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5250.00	102.09	-----	-----	82.57	34.51	11.89	36.88	10.00	333	149	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.00</td><td>46.94</td><td>54.00</td><td>-7.06</td><td>28.07</td><td>34.07</td><td>11.79</td><td>36.99</td><td>10.00</td><td>333</td><td>149</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.00	46.94	54.00	-7.06	28.07	34.07	11.79	36.99	10.00	333	149	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>91.15</td><td>-----</td><td>-----</td><td>71.63</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>333</td><td>149</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.15	-----	-----	71.63	34.51	11.89	36.88	10.00	333	149
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5136.00	46.94	54.00	-7.06	28.07	34.07	11.79	36.99	10.00	333	149	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5250.00	91.15	-----	-----	71.63	34.51	11.89	36.88	10.00	333	149	AVERAGE																																																																																											





Mode	61																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 20MHz,Loc 8_5250MHz																																													
ANT	CDD 1S2T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.24</td><td>64.06</td><td>74.00</td><td>-9.94</td><td>43.90</td><td>34.60</td><td>12.00</td><td>36.44</td><td>10.00</td><td>333 149 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.24	64.06	74.00	-9.94	43.90	34.60	12.00	36.44	10.00	333 149 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5385.24	64.06	74.00	-9.94	43.90	34.60	12.00	36.44	10.00	333 149 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.58</td><td>49.21</td><td>54.00</td><td>-4.79</td><td>29.08</td><td>34.60</td><td>11.99</td><td>36.46</td><td>10.00</td><td>333 149 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.58	49.21	54.00	-4.79	29.08	34.60	11.99	36.46	10.00	333 149 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5375.58	49.21	54.00	-4.79	29.08	34.60	11.99	36.46	10.00	333 149 AVERAGE																																				







Mode	62																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 40MHz,Loc 1_5250MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Horizontal																																																					
Peak	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.75</td><td>66.08</td><td>74.00</td><td>-7.92</td><td>47.21</td><td>34.09</td><td>11.80</td><td>37.02</td><td>10.00</td><td>102 86 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.75	66.08	74.00	-7.92	47.21	34.09	11.80	37.02	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5146.75	66.08	74.00	-7.92	47.21	34.09	11.80	37.02	10.00	102 86 PEAK																																												
Avg																																																						
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>107.78</td><td>-----</td><td>-----</td><td>88.37</td><td>34.47</td><td>11.88</td><td>36.94</td><td>10.00</td><td>102 86 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	107.78	-----	-----	88.37	34.47	11.88	36.94	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5250.00	107.78	-----	-----	88.37	34.47	11.88	36.94	10.00	102 86 PEAK																																												





Mode	62																																																									
	Band Edge - R																																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 40MHz,Loc 1_5250MHz																																																									
ANT	CDD 1S2T																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.17</td><td>69.92</td><td>74.00</td><td>-4.08</td><td>49.87</td><td>34.60</td><td>11.97</td><td>36.52</td><td>10.00</td><td>102</td><td>86</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.17	69.92	74.00	-4.08	49.87	34.60	11.97	36.52	10.00	102	86	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5350.17	69.92	74.00	-4.08	49.87	34.60	11.97	36.52	10.00	102	86	PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.01</td><td>53.12</td><td>54.00</td><td>-0.88</td><td>33.07</td><td>34.60</td><td>11.97</td><td>36.52</td><td>10.00</td><td>102</td><td>86</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.01	53.12	54.00	-0.88	33.07	34.60	11.97	36.52	10.00	102	86	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5351.01	53.12	54.00	-0.88	33.07	34.60	11.97	36.52	10.00	102	86	AVERAGE																																														







Mode	62																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 40MHz,Loc 1_5250MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.75</td><td>59.80</td><td>74.00</td><td>-14.20</td><td>40.93</td><td>34.10</td><td>11.80</td><td>37.03</td><td>10.00</td><td>332 150 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.75	59.80	74.00	-14.20	40.93	34.10	11.80	37.03	10.00	332 150 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.75	59.80	74.00	-14.20	40.93	34.10	11.80	37.03	10.00	332 150 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5017.00</td><td>46.97</td><td>54.00</td><td>-7.03</td><td>28.28</td><td>33.97</td><td>11.67</td><td>36.95</td><td>10.00</td><td>332 150 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5017.00	46.97	54.00	-7.03	28.28	33.97	11.67	36.95	10.00	332 150 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5017.00	46.97	54.00	-7.03	28.28	33.97	11.67	36.95	10.00	332 150 AVERAGE																																													
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>101.29</td><td>-----</td><td>-----</td><td>81.68</td><td>34.53</td><td>11.90</td><td>36.82</td><td>10.00</td><td>332 150 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	101.29	-----	-----	81.68	34.53	11.90	36.82	10.00	332 150 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5250.00	101.29	-----	-----	81.68	34.53	11.90	36.82	10.00	332 150 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>91.70</td><td>-----</td><td>-----</td><td>72.18</td><td>34.51</td><td>11.89</td><td>36.88</td><td>10.00</td><td>332 150 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	91.70	-----	-----	72.18	34.51	11.89	36.88	10.00	332 150 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5250.00	91.70	-----	-----	72.18	34.51	11.89	36.88	10.00	332 150 AVERAGE																																													




Mode	62																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_PC 40MHz,Loc 1_5250MHz																																																		
ANT	CDD 1S2T																																																		
Pol.	Vertical						Fundamental																																												
Peak							Blank																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.11</td><td>62.39</td><td>74.00</td><td>-11.61</td><td>42.33</td><td>34.60</td><td>11.97</td><td>36.51</td><td>10.00</td><td>332</td><td>150 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.11	62.39	74.00	-11.61	42.33
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	5353.11	62.39	74.00	-11.61	42.33	34.60	11.97	36.51	10.00	332	150 PEAK																																								
Avg							Blank																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5385.45</td><td>49.43</td><td>54.00</td><td>-4.57</td><td>29.26</td><td>34.60</td><td>12.00</td><td>36.43</td><td>10.00</td><td>332</td><td>150 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5385.45	49.43	54.00	-4.57	29.26
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	5385.45	49.43	54.00	-4.57	29.26	34.60	12.00	36.43	10.00	332	150 AVERAGE																																								





		63																																																																																																																										
Mode		Band Edge - L																																																																																																																										
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																																																																																																										
ANT		CDD 1S2T																																																																																																																										
Pol.	Horizontal											Fundamental																																																																																																																
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.38</td><td>67.39</td><td>74.00</td><td>-6.61</td><td>47.06</td><td>34.68</td><td>12.09</td><td>36.44</td><td>10.00</td><td>101</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>5466.38</td><td>67.47</td><td>68.20</td><td>-0.73</td><td>47.18</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>101</td><td>272</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.38	67.39	74.00	-6.61	47.06	34.68	12.09	36.44	10.00	101	272	PEAK	2	5466.38	67.47	68.20	-0.73	47.18	34.63	12.11	36.45	10.00	101	272	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>108.40</td><td>-----</td><td>-----</td><td>87.93</td><td>34.47</td><td>12.29</td><td>36.29</td><td>10.00</td><td>101</td><td>272</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	108.40	-----	-----	87.93	34.47	12.29	36.29	10.00	101	272	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5455.38	67.39	74.00	-6.61	47.06	34.68	12.09	36.44	10.00	101	272	PEAK																																																																																																																
2	5466.38	67.47	68.20	-0.73	47.18	34.63	12.11	36.45	10.00	101	272	PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5570.00	108.40	-----	-----	87.93	34.47	12.29	36.29	10.00	101	272	PEAK																																																																																																																
Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.26</td><td>48.95</td><td>54.00</td><td>-5.05</td><td>28.63</td><td>34.67</td><td>12.09</td><td>36.44</td><td>10.00</td><td>101</td><td>272</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.26	48.95	54.00	-5.05	28.63	34.67	12.09	36.44	10.00	101	272	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>98.18</td><td>-----</td><td>-----</td><td>77.75</td><td>34.46</td><td>12.28</td><td>36.31</td><td>10.00</td><td>101</td><td>272</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	98.18	-----	-----	77.75	34.46	12.28	36.31	10.00	101	272	AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5456.26	48.95	54.00	-5.05	28.63	34.67	12.09	36.44	10.00	101	272	AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5570.00	98.18	-----	-----	77.75	34.46	12.28	36.31	10.00	101	272	AVERAGE																																																																																																																




Mode	63																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																													
ANT	CDD 1S2T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.87</td><td>61.28</td><td>68.20</td><td>-6.92</td><td>40.59</td><td>34.68</td><td>12.43</td><td>36.42</td><td>10.00</td><td>101 272 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.87	61.28	68.20	-6.92	40.59	34.68	12.43	36.42	10.00	101 272 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5738.87	61.28	68.20	-6.92	40.59	34.68	12.43	36.42	10.00	101 272 PEAK																																				







	63																																																																			
Mode	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																																																			
ANT	CDD 1S2T																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.28</td><td>60.95</td><td>74.00</td><td>-13.05</td><td>40.62</td><td>34.69</td><td>12.07</td><td>36.43</td><td>10.00</td><td>385</td><td>3 PEAK</td></tr><tr><td>2</td><td>5461.98</td><td>59.38</td><td>68.20</td><td>-8.82</td><td>39.07</td><td>34.65</td><td>12.10</td><td>36.44</td><td>10.00</td><td>385</td><td>3 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.28	60.95	74.00	-13.05	40.62	34.69	12.07	36.43	10.00	385	3 PEAK	2	5461.98	59.38	68.20	-8.82	39.07	34.65	12.10	36.44	10.00	385	3 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5443.28	60.95	74.00	-13.05	40.62	34.69	12.07	36.43	10.00	385	3 PEAK																																																									
2	5461.98	59.38	68.20	-8.82	39.07	34.65	12.10	36.44	10.00	385	3 PEAK																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>102.38</td><td>-----</td><td>-----</td><td>82.09</td><td>34.41</td><td>12.24</td><td>36.36</td><td>10.00</td><td>385</td><td>3 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.38	-----	-----	82.09	34.41	12.24	36.36	10.00	385	3 PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	102.38	-----	-----	82.09	34.41	12.24	36.36	10.00	385	3 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.82</td><td>48.11</td><td>54.00</td><td>-5.89</td><td>27.78</td><td>34.68</td><td>12.09</td><td>36.44</td><td>10.00</td><td>385</td><td>3 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.82	48.11	54.00	-5.89	27.78	34.68	12.09	36.44	10.00	385	3 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5455.82	48.11	54.00	-5.89	27.78	34.68	12.09	36.44	10.00	385	3 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>92.60</td><td>-----</td><td>-----</td><td>72.21</td><td>34.44</td><td>12.27</td><td>36.32</td><td>10.00</td><td>385</td><td>3 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	92.60	-----	-----	72.21	34.44	12.27	36.32	10.00	385	3 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	92.60	-----	-----	72.21	34.44	12.27	36.32	10.00	385	3 AVERAGE																																																									




Mode	63																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																																								
ANT	CDD 1S2T																																																								
Pol.	Vertical	Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.97</td><td>60.27</td><td>68.20</td><td>-7.93</td><td>39.58</td><td>34.67</td><td>12.43</td><td>36.41</td><td>10.00</td><td>385</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>3 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.97	60.27	68.20	-7.93	39.58	34.67	12.43	36.41	10.00	385											3 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5734.97	60.27	68.20	-7.93	39.58	34.67	12.43	36.41	10.00	385																																															
										3 PEAK																																															



Mode	64																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 4_5570MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.78</td><td>60.24</td><td>74.00</td><td>-13.76</td><td>39.92</td><td>34.68</td><td>12.07</td><td>36.43</td><td>10.00</td><td>273 PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>61.83</td><td>68.20</td><td>-6.37</td><td>41.53</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>273 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.78	60.24	74.00	-13.76	39.92	34.68	12.07	36.43	10.00	273 PEAK	2	5466.16	61.83	68.20	-6.37	41.53	34.64	12.11	36.45	10.00	273 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>98.62</td><td>-----</td><td>-----</td><td>78.12</td><td>34.48</td><td>12.30</td><td>36.28</td><td>10.00</td><td>273 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.62	-----	-----	78.12	34.48	12.30	36.28	10.00	273 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5437.78	60.24	74.00	-13.76	39.92	34.68	12.07	36.43	10.00	273 PEAK																																																																																																					
2	5466.16	61.83	68.20	-6.37	41.53	34.64	12.11	36.45	10.00	273 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5570.00	98.62	-----	-----	78.12	34.48	12.30	36.28	10.00	273 PEAK																																																																																																					
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5407.42</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>27.83</td><td>34.61</td><td>12.02</td><td>36.41</td><td>10.00</td><td>273 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5407.42	48.05	54.00	-5.95	27.83	34.61	12.02	36.41	10.00	273 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>88.79</td><td>-----</td><td>-----</td><td>68.40</td><td>34.44</td><td>12.27</td><td>36.32</td><td>10.00</td><td>273 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.79	-----	-----	68.40	34.44	12.27	36.32	10.00	273 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5407.42	48.05	54.00	-5.95	27.83	34.61	12.02	36.41	10.00	273 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5570.00	88.79	-----	-----	68.40	34.44	12.27	36.32	10.00	273 AVERAGE																																																																																																					




Mode	64																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 4_5570MHz																																																								
ANT	CDD 1S2T																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5758.76</td><td>60.54</td><td>68.20</td><td>-7.66</td><td>39.80</td><td>34.75</td><td>12.45</td><td>36.46</td><td>10.00</td><td>100</td><td>273</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5758.76	60.54	68.20	-7.66	39.80	34.75	12.45	36.46	10.00	100	273	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5758.76	60.54	68.20	-7.66	39.80	34.75	12.45	36.46	10.00	100	273																																														





Mode	64																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 4_5570MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.42</td><td>60.07</td><td>74.00</td><td>-13.93</td><td>39.73</td><td>34.69</td><td>12.09</td><td>36.44</td><td>10.00</td><td>385</td><td>4 PEAK</td></tr><tr><td>2</td><td>5465.50</td><td>60.05</td><td>68.20</td><td>-8.15</td><td>39.75</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>385</td><td>4 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.42	60.07	74.00	-13.93	39.73	34.69	12.09	36.44	10.00	385	4 PEAK	2	5465.50	60.05	68.20	-8.15	39.75	34.64	12.11	36.45	10.00	385	4 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>93.82</td><td>-----</td><td>-----</td><td>73.46</td><td>34.43</td><td>12.26</td><td>36.33</td><td>10.00</td><td>385</td><td>4 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.82	-----	-----	73.46	34.43	12.26	36.33	10.00	385	4 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5451.42	60.07	74.00	-13.93	39.73	34.69	12.09	36.44	10.00	385	4 PEAK																																																																																																						
2	5465.50	60.05	68.20	-8.15	39.75	34.64	12.11	36.45	10.00	385	4 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	93.82	-----	-----	73.46	34.43	12.26	36.33	10.00	385	4 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5399.28</td><td>48.06</td><td>54.00</td><td>-5.94</td><td>27.85</td><td>34.60</td><td>12.01</td><td>36.40</td><td>10.00</td><td>385</td><td>4 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.28	48.06	54.00	-5.94	27.85	34.60	12.01	36.40	10.00	385	4 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>83.50</td><td>-----</td><td>-----</td><td>63.11</td><td>34.44</td><td>12.27</td><td>36.32</td><td>10.00</td><td>385</td><td>4 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	83.50	-----	-----	63.11	34.44	12.27	36.32	10.00	385	4 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5399.28	48.06	54.00	-5.94	27.85	34.60	12.01	36.40	10.00	385	4 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	83.50	-----	-----	63.11	34.44	12.27	36.32	10.00	385	4 AVERAGE																																																																																																						





Mode	64																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 4_5570MHz																																																								
ANT	CDD 1S2T																																																								
Pol.	Vertical	Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.03</td><td>60.40</td><td>68.20</td><td>-7.80</td><td>39.73</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>385</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>4 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.03	60.40	68.20	-7.80	39.73	34.65	12.42	36.40	10.00	385											4 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5725.03	60.40	68.20	-7.80	39.73	34.65	12.42	36.40	10.00	385																																															
										4 PEAK																																															






Mode	7	
	18G-40G	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz	
ANT	CDD 1S2T	
Pol.	Horizontal	Vertical
Peak		
Avg		






Mode	7																																																																																																																																																																																	
	30-1G																																																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																																																																																																	
ANT	CDD 1S2T																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																
Peak																																																																																																																																																																																		
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>128.94</td><td>21.78</td><td>43.50</td><td>-21.72</td><td>34.57</td><td>17.55</td><td>1.72</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>512.33</td><td>25.75</td><td>46.00</td><td>-20.25</td><td>30.71</td><td>23.77</td><td>3.45</td><td>32.18</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>743.19</td><td>33.60</td><td>46.00</td><td>-12.40</td><td>33.21</td><td>28.08</td><td>4.15</td><td>31.84</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>863.96</td><td>33.18</td><td>46.00</td><td>-12.82</td><td>30.64</td><td>29.55</td><td>4.46</td><td>31.47</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>923.86</td><td>34.00</td><td>46.00</td><td>-12.00</td><td>31.17</td><td>29.31</td><td>4.62</td><td>31.10</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>980.84</td><td>37.06</td><td>54.00</td><td>-16.94</td><td>31.83</td><td>30.79</td><td>4.76</td><td>30.32</td><td>0.00</td><td>--- Peak</td></tr></table>	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	128.94	21.78	43.50	-21.72	34.57	17.55	1.72	32.06	0.00	--- Peak	2	512.33	25.75	46.00	-20.25	30.71	23.77	3.45	32.18	0.00	--- Peak	3	743.19	33.60	46.00	-12.40	33.21	28.08	4.15	31.84	0.00	--- Peak	4	863.96	33.18	46.00	-12.82	30.64	29.55	4.46	31.47	0.00	--- Peak	5	923.86	34.00	46.00	-12.00	31.17	29.31	4.62	31.10	0.00	--- Peak	6	980.84	37.06	54.00	-16.94	31.83	30.79	4.76	30.32	0.00	--- Peak	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>57.16</td><td>30.83</td><td>40.00</td><td>-9.17</td><td>49.70</td><td>12.05</td><td>1.15</td><td>32.07</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>184.11</td><td>21.73</td><td>43.50</td><td>-21.77</td><td>36.98</td><td>14.77</td><td>2.06</td><td>32.08</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>269.47</td><td>18.44</td><td>46.00</td><td>-27.56</td><td>29.03</td><td>18.90</td><td>2.52</td><td>32.01</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>680.14</td><td>31.89</td><td>46.00</td><td>-14.11</td><td>34.00</td><td>26.25</td><td>3.98</td><td>32.34</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>746.10</td><td>36.63</td><td>46.00</td><td>-9.37</td><td>36.17</td><td>28.09</td><td>4.16</td><td>31.79</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>923.49</td><td>32.27</td><td>46.00</td><td>-13.73</td><td>29.45</td><td>29.30</td><td>4.62</td><td>31.10</td><td>0.00</td><td>--- Peak</td></tr></table>	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	57.16	30.83	40.00	-9.17	49.70	12.05	1.15	32.07	0.00	--- Peak	2	184.11	21.73	43.50	-21.77	36.98	14.77	2.06	32.08	0.00	--- Peak	3	269.47	18.44	46.00	-27.56	29.03	18.90	2.52	32.01	0.00	--- Peak	4	680.14	31.89	46.00	-14.11	34.00	26.25	3.98	32.34	0.00	--- Peak	5	746.10	36.63	46.00	-9.37	36.17	28.09	4.16	31.79	0.00	--- Peak	6	923.49	32.27	46.00	-13.73	29.45	29.30	4.62	31.10	0.00	--- Peak
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																							
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	128.94	21.78	43.50	-21.72	34.57	17.55	1.72	32.06	0.00	--- Peak																																																																																																																																																																								
2	512.33	25.75	46.00	-20.25	30.71	23.77	3.45	32.18	0.00	--- Peak																																																																																																																																																																								
3	743.19	33.60	46.00	-12.40	33.21	28.08	4.15	31.84	0.00	--- Peak																																																																																																																																																																								
4	863.96	33.18	46.00	-12.82	30.64	29.55	4.46	31.47	0.00	--- Peak																																																																																																																																																																								
5	923.86	34.00	46.00	-12.00	31.17	29.31	4.62	31.10	0.00	--- Peak																																																																																																																																																																								
6	980.84	37.06	54.00	-16.94	31.83	30.79	4.76	30.32	0.00	--- Peak																																																																																																																																																																								
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	57.16	30.83	40.00	-9.17	49.70	12.05	1.15	32.07	0.00	--- Peak																																																																																																																																																																								
2	184.11	21.73	43.50	-21.77	36.98	14.77	2.06	32.08	0.00	--- Peak																																																																																																																																																																								
3	269.47	18.44	46.00	-27.56	29.03	18.90	2.52	32.01	0.00	--- Peak																																																																																																																																																																								
4	680.14	31.89	46.00	-14.11	34.00	26.25	3.98	32.34	0.00	--- Peak																																																																																																																																																																								
5	746.10	36.63	46.00	-9.37	36.17	28.09	4.16	31.79	0.00	--- Peak																																																																																																																																																																								
6	923.49	32.27	46.00	-13.73	29.45	29.30	4.62	31.10	0.00	--- Peak																																																																																																																																																																								





	48																																																																																																												
Mode	Band Edge																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																												
ANT	CDD 1S2T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5603.60</td><td>60.91</td><td>68.20</td><td>-7.29</td><td>40.36</td><td>34.50</td><td>12.31</td><td>36.26</td><td>10.00</td><td>272 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.46</td><td>68.20</td><td>-9.74</td><td>37.92</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>272 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>90.12</td><td>110.90</td><td>-20.78</td><td>69.45</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>272 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>90.12</td><td>110.90</td><td>-20.78</td><td>69.45</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>272 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5603.60	60.91	68.20	-7.29	40.36	34.50	12.31	36.26	10.00	272 PEAK	2	5650.00	58.46	68.20	-9.74	37.92	34.50	12.35	36.31	10.00	272 PEAK	3	5720.00	90.12	110.90	-20.78	69.45	34.64	12.42	36.39	10.00	272 PEAK	4	5720.00	90.12	110.90	-20.78	69.45	34.64	12.42	36.39	10.00	272 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>124.01</td><td>-----</td><td>-----</td><td>103.31</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>272 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	124.01	-----	-----	103.31	34.69	12.44	36.43	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
1	5603.60	60.91	68.20	-7.29	40.36	34.50	12.31	36.26	10.00	272 PEAK																																																																																																			
2	5650.00	58.46	68.20	-9.74	37.92	34.50	12.35	36.31	10.00	272 PEAK																																																																																																			
3	5720.00	90.12	110.90	-20.78	69.45	34.64	12.42	36.39	10.00	272 PEAK																																																																																																			
4	5720.00	90.12	110.90	-20.78	69.45	34.64	12.42	36.39	10.00	272 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
1	5745.00	124.01	-----	-----	103.31	34.69	12.44	36.43	10.00	272 PEAK																																																																																																			
Avg	Blank																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.54</td><td>-----</td><td>-----</td><td>93.84</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>272 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	114.54	-----	-----	93.84	34.69	12.44	36.43	10.00	272 AVERAGE																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
1	5745.00	114.54	-----	-----	93.84	34.69	12.44	36.43	10.00	272 AVERAGE																																																																																																			






	48																																																																																																						
Mode	Band Edge																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																						
ANT	CDD 1S2T																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 5647.20	60.65	68.20	-7.55	40.10	34.50	12.35	36.30	10.00	322	0 PEAK	2 5650.00	58.29	68.20	-9.91	37.75	34.50	12.35	36.31	10.00	322	0 PEAK	3 5720.00	82.74	110.90	-28.16	62.07	34.64	12.42	36.39	10.00	322	0 PEAK	4 5720.80	86.48	112.72	-26.24	65.81	34.64	12.42	36.39	10.00	322	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1 5745.00</td><td>119.82</td><td>-----</td><td>-----</td><td>99.12</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>322</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 5745.00	119.82	-----	-----	99.12	34.69	12.44	36.43	10.00	322
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
1 5647.20	60.65	68.20	-7.55	40.10	34.50	12.35	36.30	10.00	322	0 PEAK																																																																																													
2 5650.00	58.29	68.20	-9.91	37.75	34.50	12.35	36.31	10.00	322	0 PEAK																																																																																													
3 5720.00	82.74	110.90	-28.16	62.07	34.64	12.42	36.39	10.00	322	0 PEAK																																																																																													
4 5720.80	86.48	112.72	-26.24	65.81	34.64	12.42	36.39	10.00	322	0 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
1 5745.00	119.82	-----	-----	99.12	34.69	12.44	36.43	10.00	322	0 PEAK																																																																																													
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1 5745.00</td><td>110.99</td><td>-----</td><td>-----</td><td>90.29</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>322</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 5745.00	110.99	-----	-----	90.29	34.69	12.44	36.43	10.00	322	0 AVERAGE																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
1 5745.00	110.99	-----	-----	90.29	34.69	12.44	36.43	10.00	322	0 AVERAGE																																																																																													




Mode	48																																																																							
	Harmonic																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																							
ANT	CDD 1S2T																																																																							
Pol.	Horizontal											Vertical																																																												
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>67.15</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>281</td><td>47</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>57.66</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>281</td><td>47</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	56.52	74.00	-17.48	67.15	38.09	17.86	66.58	0.00	281	47	PEAK	2	11490.00	47.03	54.00	-6.97	57.66	38.09	17.86	66.58	0.00	281	47	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11490.00	56.52	74.00	-17.48	67.15	38.09	17.86	66.58	0.00	281	47	PEAK																																																												
2	11490.00	47.03	54.00	-6.97	57.66	38.09	17.86	66.58	0.00	281	47	AVERAGE																																																												
																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>66.58</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>100</td><td>134</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>57.40</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>100</td><td>134</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	55.95	74.00	-18.05	66.58	38.09	17.86	66.58	0.00	100	134	PEAK	2	11490.00	46.77	54.00	-7.23	57.40	38.09	17.86	66.58	0.00	100	134	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11490.00	55.95	74.00	-18.05	66.58	38.09	17.86	66.58	0.00	100	134	PEAK																																																												
2	11490.00	46.77	54.00	-7.23	57.40	38.09	17.86	66.58	0.00	100	134	AVERAGE																																																												






Mode	49																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																													
ANT	CDD 1S2T																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5631.20</td><td>62.04</td><td>68.20</td><td>-6.16</td><td>41.49</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>276 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>59.65</td><td>69.09</td><td>-9.44</td><td>39.10</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>276 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>60.96</td><td>105.30</td><td>-44.34</td><td>40.31</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>276 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>62.42</td><td>111.81</td><td>-49.39</td><td>41.75</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>276 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5631.20	62.04	68.20	-6.16	41.49	34.50	12.34	36.29	10.00	276 PEAK	2	5651.20	59.65	69.09	-9.44	39.10	34.50	12.36	36.31	10.00	276 PEAK	3	5700.00	60.96	105.30	-44.34	40.31	34.60	12.40	36.35	10.00	276 PEAK	4	5720.40	62.42	111.81	-49.39	41.75	34.64	12.42	36.39	10.00	276 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5785.00</td><td>122.84</td><td>-----</td><td>-----</td><td>101.98</td><td>34.89</td><td>12.47</td><td>36.50</td><td>10.00</td><td>276 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	122.84	-----	-----	101.98	34.89	12.47	36.50	10.00	276 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5631.20	62.04	68.20	-6.16	41.49	34.50	12.34	36.29	10.00	276 PEAK																																																																																																				
2	5651.20	59.65	69.09	-9.44	39.10	34.50	12.36	36.31	10.00	276 PEAK																																																																																																				
3	5700.00	60.96	105.30	-44.34	40.31	34.60	12.40	36.35	10.00	276 PEAK																																																																																																				
4	5720.40	62.42	111.81	-49.39	41.75	34.64	12.42	36.39	10.00	276 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5785.00	122.84	-----	-----	101.98	34.89	12.47	36.50	10.00	276 PEAK																																																																																																				
Avg	Blank																																																																																																													
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5785.00</td><td>113.87</td><td>-----</td><td>-----</td><td>92.97</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>276 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	113.87	-----	-----	92.97	34.93	12.48	36.51	10.00	276 AVERAGE																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5785.00	113.87	-----	-----	92.97	34.93	12.48	36.51	10.00	276 AVERAGE																																																																																																				




Mode	49																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																											
ANT	CDD 1S2T																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>60.42</td><td>111.36</td><td>-50.94</td><td>39.37</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>60.69</td><td>106.03</td><td>-45.34</td><td>39.57</td><td>35.19</td><td>12.59</td><td>36.66</td><td>10.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>60.37</td><td>68.35</td><td>-7.98</td><td>39.23</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>4</td><td>5958.80</td><td>62.88</td><td>68.20</td><td>-5.32</td><td>41.83</td><td>35.30</td><td>12.69</td><td>36.94</td><td>10.00</td><td>100</td><td>276 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	60.42	111.36	-50.94	39.37	35.12	12.56	36.63	10.00	100	276 PEAK	2	5872.40	60.69	106.03	-45.34	39.57	35.19	12.59	36.66	10.00	100	276 PEAK	3	5924.80	60.37	68.35	-7.98	39.23	35.30	12.66	36.82	10.00	100	276 PEAK	4	5958.80	62.88	68.20	-5.32	41.83	35.30	12.69	36.94	10.00	100	276 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	60.42	111.36	-50.94	39.37	35.12	12.56	36.63	10.00	100	276 PEAK																																																																																	
2	5872.40	60.69	106.03	-45.34	39.57	35.19	12.59	36.66	10.00	100	276 PEAK																																																																																	
3	5924.80	60.37	68.35	-7.98	39.23	35.30	12.66	36.82	10.00	100	276 PEAK																																																																																	
4	5958.80	62.88	68.20	-5.32	41.83	35.30	12.69	36.94	10.00	100	276 PEAK																																																																																	





Mode	49																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																		
ANT	CDD 1S2T																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5629.60</td><td>60.77</td><td>68.20</td><td>-7.43</td><td>40.22</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>383</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.60</td><td>68.20</td><td>-9.60</td><td>38.06</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>383</td><td>0 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>58.06</td><td>105.52</td><td>-46.66</td><td>38.21</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>383</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.32</td><td>110.90</td><td>-52.58</td><td>37.65</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>383</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5629.60	60.77	68.20	-7.43	40.22	34.50	12.34	36.29	10.00	383	0 PEAK	2	5650.00	58.60	68.20	-9.60	38.06	34.50	12.35	36.31	10.00	383	0 PEAK	3	5700.00	58.06	105.52	-46.66	38.21	34.60	12.40	36.35	10.00	383	0 PEAK	4	5720.00	58.32	110.90	-52.58	37.65	34.64	12.42	36.39	10.00	383	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5785.00</td><td>121.11</td><td>-----</td><td>-----</td><td>100.21</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>383</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5785.00	121.11	-----	-----	100.21	34.93	12.48	36.51	10.00	383	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5629.60	60.77	68.20	-7.43	40.22	34.50	12.34	36.29	10.00	383	0 PEAK																																																																																																								
2	5650.00	58.60	68.20	-9.60	38.06	34.50	12.35	36.31	10.00	383	0 PEAK																																																																																																								
3	5700.00	58.06	105.52	-46.66	38.21	34.60	12.40	36.35	10.00	383	0 PEAK																																																																																																								
4	5720.00	58.32	110.90	-52.58	37.65	34.64	12.42	36.39	10.00	383	0 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5785.00	121.11	-----	-----	100.21	34.93	12.48	36.51	10.00	383	0 PEAK																																																																																																								
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5785.00</td><td>111.04</td><td>-----</td><td>-----</td><td>90.14</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>383</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5785.00	111.04	-----	-----	90.14	34.93	12.48	36.51	10.00	383	0 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5785.00	111.04	-----	-----	90.14	34.93	12.48	36.51	10.00	383	0 AVERAGE																																																																																																								






Mode	49																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																		
ANT	CDD 1S2T																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.80</td><td>59.84</td><td>111.36</td><td>-51.52</td><td>38.79</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>383</td><td>0 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>60.36</td><td>105.47</td><td>-45.11</td><td>39.23</td><td>35.20</td><td>12.59</td><td>36.66</td><td>10.00</td><td>383</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>60.22</td><td>68.64</td><td>-8.42</td><td>39.08</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>383</td><td>0 PEAK</td></tr><tr><td>4</td><td>5942.40</td><td>61.48</td><td>68.20</td><td>-6.72</td><td>40.40</td><td>35.30</td><td>12.68</td><td>36.90</td><td>10.00</td><td>383</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.80	59.84	111.36	-51.52	38.79	35.12	12.56	36.63	10.00	383	0 PEAK	2	5874.40	60.36	105.47	-45.11	39.23	35.20	12.59	36.66	10.00	383	0 PEAK	3	5924.40	60.22	68.64	-8.42	39.08	35.30	12.66	36.82	10.00	383	0 PEAK	4	5942.40	61.48	68.20	-6.72	40.40	35.30	12.68	36.90	10.00	383	0 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5854.80	59.84	111.36	-51.52	38.79	35.12	12.56	36.63	10.00	383	0 PEAK																																																																								
2	5874.40	60.36	105.47	-45.11	39.23	35.20	12.59	36.66	10.00	383	0 PEAK																																																																								
3	5924.40	60.22	68.64	-8.42	39.08	35.30	12.66	36.82	10.00	383	0 PEAK																																																																								
4	5942.40	61.48	68.20	-6.72	40.40	35.30	12.68	36.90	10.00	383	0 PEAK																																																																								





Mode	49																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																						
ANT	CDD 1S2T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>54.53</td><td>74.00</td><td>-19.47</td><td>64.97</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>309</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>53.90</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>309</td><td>43</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>56.56</td><td>68.20</td><td>-11.64</td><td>58.05</td><td>41.00</td><td>22.14</td><td>64.63</td><td>0.00</td><td>234</td><td>334</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	54.53	74.00	-19.47	64.97	38.17	17.92	66.53	0.00	309	43	PEAK	2	11570.00	43.46	54.00	-10.54	53.90	38.17	17.92	66.53	0.00	309	43	AVERAGE	3	17355.00	56.56	68.20	-11.64	58.05	41.00	22.14	64.63	0.00	234	334	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>65.35</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>114</td><td>132</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>53.81</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>114</td><td>132</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>48.95</td><td>68.20</td><td>-19.25</td><td>50.44</td><td>41.00</td><td>22.14</td><td>64.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	54.91	74.00	-19.09	65.35	38.17	17.92	66.53	0.00	114	132	PEAK	2	11570.00	43.37	54.00	-10.63	53.81	38.17	17.92	66.53	0.00	114	132	AVERAGE	3	17355.00	48.95	68.20	-19.25	50.44	41.00	22.14	64.63	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11570.00	54.53	74.00	-19.47	64.97	38.17	17.92	66.53	0.00	309	43	PEAK																																																																																																																																											
2	11570.00	43.46	54.00	-10.54	53.90	38.17	17.92	66.53	0.00	309	43	AVERAGE																																																																																																																																											
3	17355.00	56.56	68.20	-11.64	58.05	41.00	22.14	64.63	0.00	234	334	PEAK																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11570.00	54.91	74.00	-19.09	65.35	38.17	17.92	66.53	0.00	114	132	PEAK																																																																																																																																											
2	11570.00	43.37	54.00	-10.63	53.81	38.17	17.92	66.53	0.00	114	132	AVERAGE																																																																																																																																											
3	17355.00	48.95	68.20	-19.25	50.44	41.00	22.14	64.63	0.00	---	---	PEAK																																																																																																																																											





Mode	50																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	CDD 1S2T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>85.97</td><td>113.18</td><td>-27.21</td><td>64.92</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>83.54</td><td>110.06</td><td>-26.52</td><td>62.47</td><td>35.13</td><td>12.57</td><td>36.63</td><td>10.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.83</td><td>68.35</td><td>-8.52</td><td>38.69</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>4</td><td>5983.60</td><td>63.20</td><td>68.20</td><td>-5.00</td><td>42.25</td><td>35.30</td><td>12.74</td><td>37.09</td><td>10.00</td><td>100</td><td>276 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	85.97	113.18	-27.21	64.92	35.12	12.56	36.63	10.00	100	276 PEAK	2	5858.00	83.54	110.06	-26.52	62.47	35.13	12.57	36.63	10.00	100	276 PEAK	3	5924.00	59.83	68.35	-8.52	38.69	35.30	12.66	36.82	10.00	100	276 PEAK	4	5983.60	63.20	68.20	-5.00	42.25	35.30	12.74	37.09	10.00	100	276 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>124.31</td><td>-----</td><td>-----</td><td>103.31</td><td>35.05</td><td>12.52</td><td>36.57</td><td>10.00</td><td>100</td><td>276 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	124.31	-----	-----	103.31	35.05	12.52	36.57	10.00	100	276 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	85.97	113.18	-27.21	64.92	35.12	12.56	36.63	10.00	100	276 PEAK																																																																																																																															
2	5858.00	83.54	110.06	-26.52	62.47	35.13	12.57	36.63	10.00	100	276 PEAK																																																																																																																															
3	5924.00	59.83	68.35	-8.52	38.69	35.30	12.66	36.82	10.00	100	276 PEAK																																																																																																																															
4	5983.60	63.20	68.20	-5.00	42.25	35.30	12.74	37.09	10.00	100	276 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	124.31	-----	-----	103.31	35.05	12.52	36.57	10.00	100	276 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>115.00</td><td>-----</td><td>-----</td><td>94.00</td><td>35.05</td><td>12.52</td><td>36.57</td><td>10.00</td><td>100</td><td>276 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	115.00	-----	-----	94.00	35.05	12.52	36.57	10.00	100	276 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	115.00	-----	-----	94.00	35.05	12.52	36.57	10.00	100	276 AVERAGE																																																																																																																															






Mode	50																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																							
ANT	CDD 1S2T																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>82.77</td><td>112.27</td><td>-29.50</td><td>61.72</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>314</td><td>0 PEAK</td></tr><tr><td>2 5855.20</td><td>77.60</td><td>110.84</td><td>-33.24</td><td>56.55</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>314</td><td>0 PEAK</td></tr><tr><td>3 5924.80</td><td>59.70</td><td>68.35</td><td>-8.65</td><td>38.56</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>314</td><td>0 PEAK</td></tr><tr><td>4 5983.20</td><td>61.87</td><td>68.20</td><td>-6.33</td><td>40.91</td><td>35.30</td><td>12.74</td><td>37.08</td><td>10.00</td><td>314</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	82.77	112.27	-29.50	61.72	35.12	12.56	36.63	10.00	314	0 PEAK	2 5855.20	77.60	110.84	-33.24	56.55	35.12	12.56	36.63	10.00	314	0 PEAK	3 5924.80	59.70	68.35	-8.65	38.56	35.30	12.66	36.82	10.00	314	0 PEAK	4 5983.20	61.87	68.20	-6.33	40.91	35.30	12.74	37.08	10.00	314	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	82.77	112.27	-29.50	61.72	35.12	12.56	36.63	10.00	314	0 PEAK																																																																														
2 5855.20	77.60	110.84	-33.24	56.55	35.12	12.56	36.63	10.00	314	0 PEAK																																																																														
3 5924.80	59.70	68.35	-8.65	38.56	35.30	12.66	36.82	10.00	314	0 PEAK																																																																														
4 5983.20	61.87	68.20	-6.33	40.91	35.30	12.74	37.08	10.00	314	0 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>120.73</td><td>-----</td><td>-----</td><td>99.73</td><td>35.05</td><td>12.52</td><td>36.57</td><td>10.00</td><td>314</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	120.73	-----	-----	99.73	35.05	12.52	36.57	10.00	314	0 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	120.73	-----	-----	99.73	35.05	12.52	36.57	10.00	314	0 PEAK																																																																														






Mode	50																																																																																		
	Harmonic																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																		
ANT	CDD 1S2T																																																																																		
Pol.	Horizontal																																																																																		
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>57.07</td><td>74.00</td><td>-16.93</td><td>67.26</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>100</td><td>2</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.46</td><td>54.00</td><td>-7.54</td><td>56.64</td><td>38.31</td><td>17.98</td><td>66.47</td><td>0.00</td><td>100</td><td>2</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>56.05</td><td>68.20</td><td>-12.15</td><td>57.33</td><td>41.08</td><td>22.24</td><td>64.60</td><td>0.00</td><td>237</td><td>210</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	57.07	74.00	-16.93	67.26	38.30	17.98	66.47	0.00	100	2	PEAK	2	11650.00	46.46	54.00	-7.54	56.64	38.31	17.98	66.47	0.00	100	2	AVERAGE	3	17475.00	56.05	68.20	-12.15	57.33	41.08	22.24	64.60	0.00	237	210	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11650.00	57.07	74.00	-16.93	67.26	38.30	17.98	66.47	0.00	100	2	PEAK																																																																							
2	11650.00	46.46	54.00	-7.54	56.64	38.31	17.98	66.47	0.00	100	2	AVERAGE																																																																							
3	17475.00	56.05	68.20	-12.15	57.33	41.08	22.24	64.60	0.00	237	210	PEAK																																																																							
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>57.07</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>37.22</td><td>54.00</td><td>-16.78</td><td>47.43</td><td>38.29</td><td>17.97</td><td>66.47</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>46.37</td><td>68.20</td><td>-21.83</td><td>47.65</td><td>41.08</td><td>22.24</td><td>64.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.88	74.00	-27.12	57.07	38.30	17.98	66.47	0.00	100	360	PEAK	2	11650.00	37.22	54.00	-16.78	47.43	38.29	17.97	66.47	0.00	100	360	AVERAGE	3	17475.00	46.37	68.20	-21.83	47.65	41.08	22.24	64.60	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11650.00	46.88	74.00	-27.12	57.07	38.30	17.98	66.47	0.00	100	360	PEAK																																																																							
2	11650.00	37.22	54.00	-16.78	47.43	38.29	17.97	66.47	0.00	100	360	AVERAGE																																																																							
3	17475.00	46.37	68.20	-21.83	47.65	41.08	22.24	64.60	0.00	---	---	PEAK																																																																							




	51																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																													
ANT	CDD 1S2T																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5607.20</td><td>60.60</td><td>68.20</td><td>-7.60</td><td>40.05</td><td>34.50</td><td>12.32</td><td>36.27</td><td>10.00</td><td>271 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>60.03</td><td>68.20</td><td>-8.17</td><td>39.49</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>271 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>92.83</td><td>110.79</td><td>-17.96</td><td>72.16</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>271 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>97.52</td><td>115.46</td><td>-17.94</td><td>76.85</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>271 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5607.20	60.60	68.20	-7.60	40.05	34.50	12.32	36.27	10.00	271 PEAK	2	5650.00	60.03	68.20	-8.17	39.49	34.50	12.35	36.31	10.00	271 PEAK	3	5719.60	92.83	110.79	-17.96	72.16	34.64	12.42	36.39	10.00	271 PEAK	4	5722.00	97.52	115.46	-17.94	76.85	34.64	12.42	36.39	10.00	271 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>123.57</td><td>-----</td><td>-----</td><td>102.87</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>271 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	123.57	-----	-----	102.87	34.69	12.44	36.43	10.00	271 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
1	5607.20	60.60	68.20	-7.60	40.05	34.50	12.32	36.27	10.00	271 PEAK																																																																																																				
2	5650.00	60.03	68.20	-8.17	39.49	34.50	12.35	36.31	10.00	271 PEAK																																																																																																				
3	5719.60	92.83	110.79	-17.96	72.16	34.64	12.42	36.39	10.00	271 PEAK																																																																																																				
4	5722.00	97.52	115.46	-17.94	76.85	34.64	12.42	36.39	10.00	271 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5745.00	123.57	-----	-----	102.87	34.69	12.44	36.43	10.00	271 PEAK																																																																																																				
Avg	Blank																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.24</td><td>-----</td><td>-----</td><td>90.54</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>271 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	111.24	-----	-----	90.54	34.69	12.44	36.43	10.00	271 AVERAGE																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
1	5745.00	111.24	-----	-----	90.54	34.69	12.44	36.43	10.00	271 AVERAGE																																																																																																				






	51																																																																																																																																										
Mode	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																										
ANT	CDD 1S2T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.00</td><td>60.12</td><td>68.20</td><td>-8.08</td><td>39.57</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>321</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>59.37</td><td>68.80</td><td>-9.43</td><td>38.82</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>321</td><td>0 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>84.84</td><td>110.79</td><td>-25.95</td><td>64.17</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>321</td><td>0 PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>88.66</td><td>114.55</td><td>-25.89</td><td>67.99</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>321</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.00	60.12	68.20	-8.08	39.57	34.50	12.35	36.30	10.00	321	0 PEAK	2	5650.00	59.37	68.80	-9.43	38.82	34.50	12.36	36.31	10.00	321	0 PEAK	3	5719.60	84.84	110.79	-25.95	64.17	34.64	12.42	36.39	10.00	321	0 PEAK	4	5721.60	88.66	114.55	-25.89	67.99	34.64	12.42	36.39	10.00	321	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>119.96</td><td>-----</td><td>-----</td><td>99.26</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>321</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	119.96	-----	-----	99.26	34.69	12.44	36.43	10.00	321
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5642.00	60.12	68.20	-8.08	39.57	34.50	12.35	36.30	10.00	321	0 PEAK																																																																																																																																
2	5650.00	59.37	68.80	-9.43	38.82	34.50	12.36	36.31	10.00	321	0 PEAK																																																																																																																																
3	5719.60	84.84	110.79	-25.95	64.17	34.64	12.42	36.39	10.00	321	0 PEAK																																																																																																																																
4	5721.60	88.66	114.55	-25.89	67.99	34.64	12.42	36.39	10.00	321	0 PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	119.96	-----	-----	99.26	34.69	12.44	36.43	10.00	321	0 PEAK																																																																																																																																
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.96</td><td>-----</td><td>-----</td><td>87.26</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>321</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.96	-----	-----	87.26	34.69	12.44	36.43	10.00	321	0 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	107.96	-----	-----	87.26	34.69	12.44	36.43	10.00	321	0 AVERAGE																																																																																																																																




Mode	51																																																																												
	Harmonic																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																												
ANT	CDD 1S2T																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>56.84</td><td>74.00</td><td>-17.16</td><td>67.47</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>115</td><td>36 PEAK</td></tr><tr><td>2 11490.00</td><td>47.20</td><td>54.00</td><td>-6.80</td><td>57.83</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>115</td><td>36 AVERAGE</td></tr><tr><td>3 17235.00</td><td>48.02</td><td>68.20</td><td>-20.18</td><td>49.63</td><td>41.00</td><td>22.05</td><td>64.66</td><td>0.00</td><td>---</td><td>---</td> PEAK</tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	56.84	74.00	-17.16	67.47	38.09	17.86	66.58	0.00	115	36 PEAK	2 11490.00	47.20	54.00	-6.80	57.83	38.09	17.86	66.58	0.00	115	36 AVERAGE	3 17235.00	48.02	68.20	-20.18	49.63	41.00	22.05	64.66	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11490.00	56.84	74.00	-17.16	67.47	38.09	17.86	66.58	0.00	115	36 PEAK																																																																			
2 11490.00	47.20	54.00	-6.80	57.83	38.09	17.86	66.58	0.00	115	36 AVERAGE																																																																			
3 17235.00	48.02	68.20	-20.18	49.63	41.00	22.05	64.66	0.00	---	---																																																																			

Vertical																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			------------	--------	--------	--------	-------	--------	--------	--------	--------	------	-------------		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	55.18	74.00	-18.82	65.81	38.09	17.86	66.58	0.00	361	131 PEAK		2 11490.00	46.28	54.00	-7.72	56.91	38.09	17.86	66.58	0.00	361	131 AVERAGE		3 17235.00	51.70	68.20	-16.50	53.31	41.00	22.05	64.66	0.00	---	---											





Mode	52																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																	
ANT	CDD 1S2T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5624.00</td><td>62.91</td><td>68.20</td><td>-5.29</td><td>42.36</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.98</td><td>68.20</td><td>-10.22</td><td>37.44</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>61.04</td><td>105.52</td><td>-44.48</td><td>40.39</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>63.02</td><td>112.72</td><td>-49.70</td><td>42.35</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>100</td><td>274 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5624.00	62.91	68.20	-5.29	42.36	34.50	12.33	36.28	10.00	100	274 PEAK	2	5650.00	57.98	68.20	-10.22	37.44	34.50	12.35	36.31	10.00	100	274 PEAK	3	5700.00	61.04	105.52	-44.48	40.39	34.60	12.40	36.35	10.00	100	274 PEAK	4	5720.00	63.02	112.72	-49.70	42.35	34.64	12.42	36.39	10.00	100	274 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>123.05</td><td>-----</td><td>-----</td><td>102.15</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>100</td><td>274 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	123.05	-----	-----	102.15	34.93	12.48	36.51	10.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5624.00	62.91	68.20	-5.29	42.36	34.50	12.33	36.28	10.00	100	274 PEAK																																																																																																							
2	5650.00	57.98	68.20	-10.22	37.44	34.50	12.35	36.31	10.00	100	274 PEAK																																																																																																							
3	5700.00	61.04	105.52	-44.48	40.39	34.60	12.40	36.35	10.00	100	274 PEAK																																																																																																							
4	5720.00	63.02	112.72	-49.70	42.35	34.64	12.42	36.39	10.00	100	274 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5785.00	123.05	-----	-----	102.15	34.93	12.48	36.51	10.00	100	274 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>111.55</td><td>-----</td><td>-----</td><td>90.65</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>100</td><td>274 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	111.55	-----	-----	90.65	34.93	12.48	36.51	10.00	100	274 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5785.00	111.55	-----	-----	90.65	34.93	12.48	36.51	10.00	100	274 AVERAGE																																																																																																							




Mode	52																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																											
ANT	CDD 1S2T																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>63.56</td><td>112.27</td><td>-48.71</td><td>42.51</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>61.47</td><td>105.47</td><td>-44.00</td><td>40.34</td><td>35.20</td><td>12.59</td><td>36.66</td><td>10.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>61.18</td><td>68.35</td><td>-7.17</td><td>40.04</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>4</td><td>5940.00</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>40.75</td><td>35.30</td><td>12.68</td><td>36.89</td><td>10.00</td><td>100</td><td>274 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	63.56	112.27	-48.71	42.51	35.12	12.56	36.63	10.00	100	274 PEAK	2	5874.40	61.47	105.47	-44.00	40.34	35.20	12.59	36.66	10.00	100	274 PEAK	3	5924.00	61.18	68.35	-7.17	40.04	35.30	12.66	36.82	10.00	100	274 PEAK	4	5940.00	61.84	68.20	-6.36	40.75	35.30	12.68	36.89	10.00	100	274 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.40	63.56	112.27	-48.71	42.51	35.12	12.56	36.63	10.00	100	274 PEAK																																																																																	
2	5874.40	61.47	105.47	-44.00	40.34	35.20	12.59	36.66	10.00	100	274 PEAK																																																																																	
3	5924.00	61.18	68.35	-7.17	40.04	35.30	12.66	36.82	10.00	100	274 PEAK																																																																																	
4	5940.00	61.84	68.20	-6.36	40.75	35.30	12.68	36.89	10.00	100	274 PEAK																																																																																	



		52																																																																														
Mode		Band Edge - L																																																																														
		U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																														
ANT		CDD 1S2T																																																																														
Pol.		Fundamental																																																																														
Peak	Vertical																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5621.60</td><td>60.79</td><td>68.20</td><td>-7.41</td><td>40.24</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>384</td><td>1 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.54</td><td>68.20</td><td>-9.66</td><td>38.00</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>384</td><td>1 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>59.63</td><td>106.09</td><td>-46.46</td><td>38.98</td><td>34.61</td><td>12.40</td><td>36.36</td><td>10.00</td><td>384</td><td>1 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>60.04</td><td>111.81</td><td>-51.77</td><td>39.37</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>384</td><td>1 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5621.60	60.79	68.20	-7.41	40.24	34.50	12.33	36.28	10.00	384	1 PEAK	2	5650.00	58.54	68.20	-9.66	38.00	34.50	12.35	36.31	10.00	384	1 PEAK	3	5702.00	59.63	106.09	-46.46	38.98	34.61	12.40	36.36	10.00	384	1 PEAK	4	5720.40	60.04	111.81	-51.77	39.37	34.64	12.42	36.39	10.00	384
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
1	5621.60	60.79	68.20	-7.41	40.24	34.50	12.33	36.28	10.00	384	1 PEAK																																																																					
2	5650.00	58.54	68.20	-9.66	38.00	34.50	12.35	36.31	10.00	384	1 PEAK																																																																					
3	5702.00	59.63	106.09	-46.46	38.98	34.61	12.40	36.36	10.00	384	1 PEAK																																																																					
4	5720.40	60.04	111.81	-51.77	39.37	34.64	12.42	36.39	10.00	384	1 PEAK																																																																					
Avg	Blank																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>120.45</td><td>-----</td><td>-----</td><td>99.55</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>384</td><td>1 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5785.00	120.45	-----	-----	99.55	34.93	12.48	36.51	10.00	384	1 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
1	5785.00	120.45	-----	-----	99.55	34.93	12.48	36.51	10.00	384	1 PEAK																																																																					



Mode	52																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																											
ANT	CDD 1S2T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.80</td><td>59.28</td><td>111.36</td><td>-52.08</td><td>38.23</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>384</td><td>1 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>59.46</td><td>105.80</td><td>-46.34</td><td>38.34</td><td>35.19</td><td>12.59</td><td>36.66</td><td>10.00</td><td>384</td><td>1 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>60.92</td><td>68.64</td><td>-7.72</td><td>39.78</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>384</td><td>1 PEAK</td></tr><tr><td>4</td><td>5949.60</td><td>61.91</td><td>68.20</td><td>-6.29</td><td>40.85</td><td>35.30</td><td>12.69</td><td>36.93</td><td>10.00</td><td>384</td><td>1 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.80	59.28	111.36	-52.08	38.23	35.12	12.56	36.63	10.00	384	1 PEAK	2	5873.20	59.46	105.80	-46.34	38.34	35.19	12.59	36.66	10.00	384	1 PEAK	3	5924.40	60.92	68.64	-7.72	39.78	35.30	12.66	36.82	10.00	384	1 PEAK	4	5949.60	61.91	68.20	-6.29	40.85	35.30	12.69	36.93	10.00	384	1 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.80	59.28	111.36	-52.08	38.23	35.12	12.56	36.63	10.00	384	1 PEAK																																																																																	
2	5873.20	59.46	105.80	-46.34	38.34	35.19	12.59	36.66	10.00	384	1 PEAK																																																																																	
3	5924.40	60.92	68.64	-7.72	39.78	35.30	12.66	36.82	10.00	384	1 PEAK																																																																																	
4	5949.60	61.91	68.20	-6.29	40.85	35.30	12.69	36.93	10.00	384	1 PEAK																																																																																	