









Mode	80																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																									
ANT	TXBF 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>55.49</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	44.70	74.00	-29.30	55.49	38.00	17.80	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>55.23</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	44.44	74.00	-29.56	55.23	38.00	17.80	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11400.00	44.70	74.00	-29.30	55.49	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11400.00	44.44	74.00	-29.56	55.23	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																														







		81																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																				
ANT		TXBF 1S2T																																																																																																				
Pol.	Horizontal										Fundamental																																																																																											
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	64.16	74.00	-9.84	43.84	34.66	12.10	36.44	10.00	236	0 PEAK	2	5469.52	67.69	68.20	-0.51	47.41	34.62	12.11	36.45	10.00	236	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>117.11</td><td>-----</td><td>-----</td><td>96.88</td><td>34.45</td><td>12.20</td><td>36.42</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	117.11	-----	-----	96.88	34.45	12.20	36.42	10.00	236
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.60	64.16	74.00	-9.84	43.84	34.66	12.10	36.44	10.00	236	0 PEAK																																																																																											
2	5469.52	67.69	68.20	-0.51	47.41	34.62	12.11	36.45	10.00	236	0 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	117.11	-----	-----	96.88	34.45	12.20	36.42	10.00	236	0 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	49.57	54.00	-4.43	29.25	34.66	12.10	36.44	10.00	236	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>105.68</td><td>-----</td><td>-----</td><td>85.46</td><td>34.48</td><td>12.18</td><td>36.44</td><td>10.00</td><td>236</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.68	-----	-----	85.46	34.48	12.18	36.44	10.00	236	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.92	49.57	54.00	-4.43	29.25	34.66	12.10	36.44	10.00	236	0 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	105.68	-----	-----	85.46	34.48	12.18	36.44	10.00	236	0 AVERAGE																																																																																											




Mode	81																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																	
ANT	TXBF 1S2T																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.28</td><td>60.43</td><td>68.20</td><td>-7.77</td><td>39.70</td><td>34.73</td><td>12.45</td><td>36.45</td><td>10.00</td><td>236</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.28	60.43	68.20	-7.77	39.70	34.73	12.45	36.45	10.00	236											0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5754.28	60.43	68.20	-7.77	39.70	34.73	12.45	36.45	10.00	236																																																								
										0 PEAK																																																								





Mode	81																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																																						
ANT	TXBF 1S2T																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5433.20</td><td>60.63</td><td>74.00</td><td>-13.37</td><td>40.32</td><td>34.67</td><td>12.06</td><td>36.42</td><td>10.00</td><td>318</td><td>225 PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>60.54</td><td>68.20</td><td>-7.66</td><td>40.24</td><td>34.64</td><td>12.11</td><td>36.45</td><td>10.00</td><td>318</td><td>225 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5433.20	60.63	74.00	-13.37	40.32	34.67	12.06	36.42	10.00	318	225 PEAK	2	5466.16	60.54	68.20	-7.66	40.24	34.64	12.11	36.45	10.00	318	225 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5510.00</td><td>106.38</td><td>-----</td><td>-----</td><td>86.16</td><td>34.46</td><td>12.19</td><td>36.43</td><td>10.00</td><td>318</td><td>225 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5510.00	106.38	-----	-----	86.16	34.46	12.19	36.43	10.00	318
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5433.20	60.63	74.00	-13.37	40.32	34.67	12.06	36.42	10.00	318	225 PEAK																																																																																																												
2	5466.16	60.54	68.20	-7.66	40.24	34.64	12.11	36.45	10.00	318	225 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5510.00	106.38	-----	-----	86.16	34.46	12.19	36.43	10.00	318	225 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5455.12</td><td>47.37</td><td>54.00</td><td>-6.63</td><td>27.04</td><td>34.68</td><td>12.09</td><td>36.44</td><td>10.00</td><td>318</td><td>225 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5455.12	47.37	54.00	-6.63	27.04	34.68	12.09	36.44	10.00	318	225 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5510.00</td><td>96.15</td><td>-----</td><td>-----</td><td>75.93</td><td>34.46</td><td>12.19</td><td>36.43</td><td>10.00</td><td>318</td><td>225 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5510.00	96.15	-----	-----	75.93	34.46	12.19	36.43	10.00	318	225 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5455.12	47.37	54.00	-6.63	27.04	34.68	12.09	36.44	10.00	318	225 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5510.00	96.15	-----	-----	75.93	34.46	12.19	36.43	10.00	318	225 AVERAGE																																																																																																												







Mode	81																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																						
ANT	TXBF 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.92</td><td>59.69</td><td>68.20</td><td>-8.51</td><td>38.93</td><td>34.77</td><td>12.45</td><td>36.46</td><td>10.00</td><td>318 225 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.92	59.69	68.20	-8.51	38.93	34.77	12.45	36.46	10.00	318 225 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5760.92	59.69	68.20	-8.51	38.93	34.77	12.45	36.46	10.00	318 225 PEAK																																													




		81																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																										
ANT		TXBF 1S2T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>55.46</td><td>37.90</td><td>17.53</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg	1	11020.00	44.26	74.00	-29.74	55.46	37.90	17.53	66.63	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg																																																	
1	11020.00	44.26	74.00	-29.74	55.46	37.90	17.53	66.63	0.00	---	---	PEAK																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>55.72</td><td>37.90</td><td>17.53</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg	1	11020.00	44.52	74.00	-29.48	55.72	37.90	17.53	66.63	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg																																																	
1	11020.00	44.52	74.00	-29.48	55.72	37.90	17.53	66.63	0.00	---	---	PEAK																																																







		82																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																					
ANT		TXBF 1S2T																																																																																																					
Pol.	Horizontal										Fundamental																																																																																												
Peak																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.40	63.50	74.00	-10.50	43.16	34.69	12.09	36.44	10.00	245	0 PEAK	2	5466.40	65.90	68.20	-2.30	45.61	34.63	12.11	36.45	10.00	245	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>122.80</td><td>-----</td><td>-----</td><td>102.51</td><td>34.41</td><td>12.24</td><td>36.36</td><td>10.00</td><td>245</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	122.80	-----	-----	102.51	34.41	12.24	36.36	10.00	245
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5451.40	63.50	74.00	-10.50	43.16	34.69	12.09	36.44	10.00	245	0 PEAK																																																																																												
2	5466.40	65.90	68.20	-2.30	45.61	34.63	12.11	36.45	10.00	245	0 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5550.00	122.80	-----	-----	102.51	34.41	12.24	36.36	10.00	245	0 PEAK																																																																																												
Avg																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5387.60	49.25	54.00	-4.75	29.08	34.60	12.00	36.43	10.00	245	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>111.52</td><td>-----</td><td>-----</td><td>91.23</td><td>34.41</td><td>12.24</td><td>36.36</td><td>10.00</td><td>245</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	111.52	-----	-----	91.23	34.41	12.24	36.36	10.00	245	0 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5387.60	49.25	54.00	-4.75	29.08	34.60	12.00	36.43	10.00	245	0 AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5550.00	111.52	-----	-----	91.23	34.41	12.24	36.36	10.00	245	0 AVERAGE																																																																																												




Mode	82																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																							
ANT	TXBF 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.67</td><td>60.20</td><td>68.20</td><td>-8.00</td><td>39.51</td><td>34.66</td><td>12.43</td><td>36.40</td><td>10.00</td><td>245</td><td>0</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.67	60.20	68.20	-8.00	39.51	34.66	12.43	36.40	10.00	245	0	PEAK	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5728.67	60.20	68.20	-8.00	39.51	34.66	12.43	36.40	10.00	245	0	PEAK																																												




Mode	82																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																									
ANT	TXBF 1S2T																																																																																																									
Pol.	Vertical						Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	61.77	74.00	-12.23	41.45	34.67	12.09	36.44	10.00	315	254 PEAK	2	5469.20	62.31	68.20	-5.89	42.03	34.62	12.11	36.45	10.00	315	254 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>114.50</td><td>-----</td><td>-----</td><td>94.21</td><td>34.41</td><td>12.24</td><td>36.36</td><td>10.00</td><td>315</td><td>254 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	114.50	-----	-----	94.21	34.41	12.24	36.36	10.00	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5456.40	61.77	74.00	-12.23	41.45	34.67	12.09	36.44	10.00	315	254 PEAK																																																																																															
2	5469.20	62.31	68.20	-5.89	42.03	34.62	12.11	36.45	10.00	315	254 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5550.00	114.50	-----	-----	94.21	34.41	12.24	36.36	10.00	315	254 PEAK																																																																																															
Avg																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.00	47.85	54.00	-6.15	27.52	34.68	12.09	36.44	10.00	315	254 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>102.97</td><td>-----</td><td>-----</td><td>82.71</td><td>34.40</td><td>12.23</td><td>36.37</td><td>10.00</td><td>315</td><td>254 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.97	-----	-----	82.71	34.40	12.23	36.37	10.00	315	254 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5453.00	47.85	54.00	-6.15	27.52	34.68	12.09	36.44	10.00	315	254 AVERAGE																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5550.00	102.97	-----	-----	82.71	34.40	12.23	36.37	10.00	315	254 AVERAGE																																																																																															







Mode	82																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																													
ANT	TXBF 1S2T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.89</td><td>60.58</td><td>68.20</td><td>-7.62</td><td>39.86</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>315 254 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.89	60.58	68.20	-7.62	39.86	34.71	12.45	36.44	10.00	315 254 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5751.89	60.58	68.20	-7.62	39.86	34.71	12.45	36.44	10.00	315 254 PEAK																																				




Mode	82																																																										
	Harmonic																																																										
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																										
ANT	TXBF 1S2T																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>55.09</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	43.96	74.00	-30.04	55.09	37.90	17.59	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11100.00	43.96	74.00	-30.04	55.09	37.90	17.59	66.62	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>55.90</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	44.77	74.00	-29.23	55.90	37.90	17.59	66.62	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11100.00	44.77	74.00	-29.23	55.90	37.90	17.59	66.62	0.00	---	---	PEAK																																															



Mode	83																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																	
ANT	TXBF 1S2T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5389.04</td><td>61.28</td><td>74.00</td><td>-12.72</td><td>41.11</td><td>34.60</td><td>12.00</td><td>36.43</td><td>10.00</td><td>220</td><td>0 PEAK</td></tr><tr><td>2</td><td>5464.24</td><td>61.68</td><td>68.20</td><td>-6.52</td><td>41.37</td><td>34.64</td><td>12.11</td><td>36.44</td><td>10.00</td><td>220</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5389.04	61.28	74.00	-12.72	41.11	34.60	12.00	36.43	10.00	220	0 PEAK	2	5464.24	61.68	68.20	-6.52	41.37	34.64	12.11	36.44	10.00	220	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>115.62</td><td>-----</td><td>-----</td><td>94.99</td><td>34.58</td><td>12.39</td><td>36.34</td><td>10.00</td><td>220</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	115.62	-----	-----	94.99	34.58	12.39	36.34	10.00	220	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5389.04	61.28	74.00	-12.72	41.11	34.60	12.00	36.43	10.00	220	0 PEAK																																																																																																							
2	5464.24	61.68	68.20	-6.52	41.37	34.64	12.11	36.44	10.00	220	0 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5670.00	115.62	-----	-----	94.99	34.58	12.39	36.34	10.00	220	0 PEAK																																																																																																							
Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.72</td><td>48.13</td><td>54.00</td><td>-5.87</td><td>27.79</td><td>34.69</td><td>12.00</td><td>36.43</td><td>10.00</td><td>220</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5444.72	48.13	54.00	-5.87	27.79	34.69	12.00	36.43	10.00	220	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.52</td><td>-----</td><td>-----</td><td>82.09</td><td>34.58</td><td>12.39</td><td>36.34</td><td>10.00</td><td>220</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	103.52	-----	-----	82.09	34.58	12.39	36.34	10.00	220	0 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5444.72	48.13	54.00	-5.87	27.79	34.69	12.00	36.43	10.00	220	0 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5670.00	103.52	-----	-----	82.09	34.58	12.39	36.34	10.00	220	0 AVERAGE																																																																																																							




Mode	83																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																									
ANT	TXBF 1S2T																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.24</td><td>62.51</td><td>68.20</td><td>-5.69</td><td>41.84</td><td>34.65</td><td>12.42</td><td>36.40</td><td>10.00</td><td>220</td><td>0</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.24	62.51	68.20	-5.69	41.84	34.65	12.42	36.40	10.00	220	0	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5725.24	62.51	68.20	-5.69	41.84	34.65	12.42	36.40	10.00	220	0																																															





Mode	83																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																				
ANT	TXBF 1S2T																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.84	60.40	74.00	-13.60	40.05	34.70	12.00	36.43	10.00	349	253 PEAK	2	5468.88	59.05	68.20	-9.15	38.73	34.66	12.10	36.44	10.00	349	253 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	111.81	-----	-----	91.22	34.54	12.37	36.32	10.00	349
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5449.84	60.40	74.00	-13.60	40.05	34.70	12.00	36.43	10.00	349	253 PEAK																																																																																										
2	5468.88	59.05	68.20	-9.15	38.73	34.66	12.10	36.44	10.00	349	253 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	111.81	-----	-----	91.22	34.54	12.37	36.32	10.00	349	253 PEAK																																																																																										
Avg																																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.96	47.48	54.00	-6.52	27.14	34.69	12.00	36.43	10.00	349	253 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.79	-----	-----	80.20	34.54	12.37	36.32	10.00	349	253 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5446.96	47.48	54.00	-6.52	27.14	34.69	12.00	36.43	10.00	349	253 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	100.79	-----	-----	80.20	34.54	12.37	36.32	10.00	349	253 AVERAGE																																																																																										




Mode	83																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																						
ANT	TXBF 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.56</td><td>59.95</td><td>68.20</td><td>-8.25</td><td>39.26</td><td>34.66</td><td>12.43</td><td>36.40</td><td>10.00</td><td>349 253 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.56	59.95	68.20	-8.25	39.26	34.66	12.43	36.40	10.00	349 253 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5729.56	59.95	68.20	-8.25	39.26	34.66	12.43	36.40	10.00	349 253 PEAK																																													





		83																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																										
ANT		TXBF 1S2T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>54.81</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	43.91	74.00	-30.09	54.81	37.94	17.76	66.60	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11340.00	43.91	74.00	-30.09	54.81	37.94	17.76	66.60	0.00	---	---	PEAK																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>43.91</td><td>74.00</td><td>-30.09</td><td>54.81</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	43.91	74.00	-30.09	54.81	37.94	17.76	66.60	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11340.00	43.91	74.00	-30.09	54.81	37.94	17.76	66.60	0.00	---	---	PEAK																																																




		84									
Mode	Band Edge - L										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz										
ANT	TXBF 1S2T										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										


Peak	Horizontal											
												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark
1	5458.64	64.17	74.00	-9.83	43.84	34.67	12.10	36.44	10.00	245	360	PEAK
2	5465.20	66.10	68.20	-2.10	45.80	34.64	12.11	36.45	10.00	245	360	PEAK

Peak	Fundamental											
												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark
1	5530.00	114.50	-----	-----	94.24	34.40	12.23	36.37	10.00	245	360	PEAK

Avg	Horizontal											
												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark
1	5459.44	52.21	54.00	-1.79	31.89	34.66	12.10	36.44	10.00	245	360	AVERAGE

Avg	Fundamental											
												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark
1	5530.00	103.09	-----	-----	82.83	34.40	12.23	36.37	10.00	245	360	AVERAGE




Mode	84																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																						
ANT	TXBF 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.52</td><td>61.42</td><td>68.20</td><td>-6.78</td><td>40.73</td><td>34.66</td><td>12.43</td><td>36.40</td><td>10.00</td><td>245 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.52	61.42	68.20	-6.78	40.73	34.66	12.43	36.40	10.00	245 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5730.52	61.42	68.20	-6.78	40.73	34.66	12.43	36.40	10.00	245 360 PEAK																																													





Mode	84																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																													
ANT	TXBF 1S2T																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5390.96	60.21	74.00	-13.79	40.03	34.60	12.00	36.42	10.00	367	249	PEAK	2	5468.56	60.52	68.20	-7.68	40.23	34.63	12.11	36.45	10.00	367	249	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>100.34</td><td>-----</td><td>-----</td><td>88.12</td><td>34.46</td><td>12.19</td><td>36.43</td><td>10.00</td><td>367</td><td>249</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.34	-----	-----	88.12	34.46	12.19	36.43	10.00	367	249
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5390.96	60.21	74.00	-13.79	40.03	34.60	12.00	36.42	10.00	367	249	PEAK																																																																																																		
2	5468.56	60.52	68.20	-7.68	40.23	34.63	12.11	36.45	10.00	367	249	PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	100.34	-----	-----	88.12	34.46	12.19	36.43	10.00	367	249	PEAK																																																																																																		
Avg																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.08	48.23	54.00	-5.77	27.89	34.69	12.09	36.44	10.00	367	249	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.08</td><td>-----</td><td>-----</td><td>76.86</td><td>34.46</td><td>12.19</td><td>36.43</td><td>10.00</td><td>367</td><td>249</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.08	-----	-----	76.86	34.46	12.19	36.43	10.00	367	249	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5452.08	48.23	54.00	-5.77	27.89	34.69	12.09	36.44	10.00	367	249	AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	97.08	-----	-----	76.86	34.46	12.19	36.43	10.00	367	249	AVERAGE																																																																																																		







Mode	84																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																						
ANT	TXBF 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.28</td><td>60.40</td><td>68.20</td><td>-7.80</td><td>39.67</td><td>34.73</td><td>12.45</td><td>36.45</td><td>10.00</td><td>367 249 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.28	60.40	68.20	-7.80	39.67	34.73	12.45	36.45	10.00	367 249 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5754.28	60.40	68.20	-7.80	39.67	34.73	12.45	36.45	10.00	367 249 PEAK																																													




Mode	84																																																										
	Harmonic																																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																										
ANT	TXBF 1S2T																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>56.52</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	45.36	74.00	-28.64	56.52	37.90	17.56	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11060.00	45.36	74.00	-28.64	56.52	37.90	17.56	66.62	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>56.50</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	45.34	74.00	-28.66	56.50	37.90	17.56	66.62	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11060.00	45.34	74.00	-28.66	56.50	37.90	17.56	66.62	0.00	---	---	PEAK																																															







		85																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																															
ANT	TXBF 1S2T																																																																																																															
Pol.	Horizontal					Fundamental																																																																																																										
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.28</td><td>62.99</td><td>74.00</td><td>-11.01</td><td>42.67</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>210</td><td>0 PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>65.83</td><td>68.20</td><td>-2.37</td><td>45.54</td><td>34.63</td><td>12.11</td><td>36.45</td><td>10.00</td><td>210</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	62.99	74.00	-11.01	42.67	34.66	12.10	36.44	10.00	210	0 PEAK	2	5467.12	65.83	68.20	-2.37	45.54	34.63	12.11	36.45	10.00	210	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>116.68</td><td>-----</td><td>-----</td><td>96.13</td><td>34.50</td><td>12.31</td><td>36.26</td><td>10.00</td><td>210</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	116.68	-----	-----	96.13	34.50	12.31	36.26	10.00	210
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.28	62.99	74.00	-11.01	42.67	34.66	12.10	36.44	10.00	210	0 PEAK																																																																																																					
2	5467.12	65.83	68.20	-2.37	45.54	34.63	12.11	36.45	10.00	210	0 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	116.68	-----	-----	96.13	34.50	12.31	36.26	10.00	210	0 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.52</td><td>49.64</td><td>54.00</td><td>-4.36</td><td>29.30</td><td>34.69</td><td>12.00</td><td>36.43</td><td>10.00</td><td>210</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.52	49.64	54.00	-4.36	29.30	34.69	12.00	36.43	10.00	210	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>105.14</td><td>-----</td><td>-----</td><td>84.59</td><td>34.50</td><td>12.32</td><td>36.27</td><td>10.00</td><td>210</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.14	-----	-----	84.59	34.50	12.32	36.27	10.00	210	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5445.52	49.64	54.00	-4.36	29.30	34.69	12.00	36.43	10.00	210	0 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	105.14	-----	-----	84.59	34.50	12.32	36.27	10.00	210	0 AVERAGE																																																																																																					




Mode	85																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																						
ANT	TXBF 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.52</td><td>66.84</td><td>68.20</td><td>-1.36</td><td>46.15</td><td>34.66</td><td>12.43</td><td>36.40</td><td>10.00</td><td>210</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.52	66.84	68.20	-1.36	46.15	34.66	12.43	36.40	10.00	210	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5728.52	66.84	68.20	-1.36	46.15	34.66	12.43	36.40	10.00	210																																													



		85																																																																																																										
Mode		Band Edge - L																																																																																																										
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																										
ANT		TXBF 1S2T																																																																																																										
Pol.	Vertical										Fundamental																																																																																																	
Peak																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.44	60.43	74.00	-13.57	40.23	34.60	12.01	36.41	10.00	312 311 PEAK	2	5469.68	60.09	68.20	-8.11	39.81	34.62	12.11	36.45	10.00	312 311 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	107.83	-----	-----	87.28	34.50	12.32	36.27	10.00	312 311 PEAK									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5395.44	60.43	74.00	-13.57	40.23	34.60	12.01	36.41	10.00	312 311 PEAK																																																																																																		
2	5469.68	60.09	68.20	-8.11	39.81	34.62	12.11	36.45	10.00	312 311 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5610.00	107.83	-----	-----	87.28	34.50	12.32	36.27	10.00	312 311 PEAK																																																																																																		
Avg																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.56	48.04	54.00	-5.96	27.69	34.70	12.00	36.43	10.00	312 311 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.79	-----	-----	76.24	34.50	12.32	36.27	10.00	312 311 AVERAGE																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5448.56	48.04	54.00	-5.96	27.69	34.70	12.00	36.43	10.00	312 311 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5610.00	96.79	-----	-----	76.24	34.50	12.32	36.27	10.00	312 311 AVERAGE																																																																																																		







Mode	85																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																						
ANT	TXBF 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.52</td><td>60.87</td><td>68.20</td><td>-7.33</td><td>40.17</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>312 311 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.52	60.87	68.20	-7.33	40.17	34.69	12.44	36.43	10.00	312 311 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5742.52	60.87	68.20	-7.33	40.17	34.69	12.44	36.43	10.00	312 311 PEAK																																													




Mode	85																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																					
ANT	TXBF 1S2T																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 7000 9200 11400 13600 15800 18000 Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11228.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>56.05</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> Level (dBuV/m) 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 7000 9200 11400 13600 15800 18000 Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11228.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>55.96</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11228.00	45.01	74.00	-28.99	56.05	37.90	17.67	66.61	0.00	---	---	PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11228.00	44.92	74.00	-29.08	55.96	37.90	17.67	66.61	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11228.00	45.01	74.00	-28.99	56.05	37.90	17.67	66.61	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11228.00	44.92	74.00	-29.08	55.96	37.90	17.67	66.61	0.00	---	---	PEAK																																																																																											







		86																																																																																																	
Mode			Band Edge - L																																																																																																
			U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																
ANT			TXBF 1S2T																																																																																																
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5441.08</td><td>63.05</td><td>74.00</td><td>-10.95</td><td>42.73</td><td>34.68</td><td>12.07</td><td>36.43</td><td>164 360 PEAK</td></tr><tr><td>2</td><td>5464.18</td><td>62.74</td><td>68.20</td><td>-5.46</td><td>42.43</td><td>34.64</td><td>12.11</td><td>36.44</td><td>164 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5441.08	63.05	74.00	-10.95	42.73	34.68	12.07	36.43	164 360 PEAK	2	5464.18	62.74	68.20	-5.46	42.43	34.64	12.11	36.44	164 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5570.00</td><td>113.20</td><td>-----</td><td>-----</td><td>92.87</td><td>34.42</td><td>12.25</td><td>36.34</td><td>10.00 164 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5570.00	113.20	-----	-----	92.87	34.42	12.25	36.34
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1	5441.08	63.05	74.00	-10.95	42.73	34.68	12.07	36.43	164 360 PEAK																																																																																										
2	5464.18	62.74	68.20	-5.46	42.43	34.64	12.11	36.44	164 360 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1	5570.00	113.20	-----	-----	92.87	34.42	12.25	36.34	10.00 164 360 PEAK																																																																																										
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5442.18</td><td>51.27</td><td>54.00</td><td>-2.73</td><td>30.95</td><td>34.68</td><td>12.07</td><td>36.43</td><td>164 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5442.18	51.27	54.00	-2.73	30.95	34.68	12.07	36.43	164 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5570.00</td><td>100.75</td><td>-----</td><td>-----</td><td>80.39</td><td>34.43</td><td>12.26</td><td>36.33</td><td>10.00 164 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5570.00	100.75	-----	-----	80.39	34.43	12.26	36.33	10.00 164 360 AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1	5442.18	51.27	54.00	-2.73	30.95	34.68	12.07	36.43	164 360 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1	5570.00	100.75	-----	-----	80.39	34.43	12.26	36.33	10.00 164 360 AVERAGE																																																																																										




Mode	86																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																								
ANT	TXBF 1S2T																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.56</td><td>64.31</td><td>68.20</td><td>-3.89</td><td>43.63</td><td>34.66</td><td>12.42</td><td>36.40</td><td>10.00</td><td>164</td><td>360</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.56	64.31	68.20	-3.89	43.63	34.66	12.42	36.40	10.00	164	360	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5727.56	64.31	68.20	-3.89	43.63	34.66	12.42	36.40	10.00	164	360																																														





		86																																																																																																																		
Mode	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																																			
ANT	TXBF 1S2T																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5414.68</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>41.01</td><td>34.63</td><td>12.03</td><td>36.41</td><td>10.00</td><td>382</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>5468.66</td><td>60.80</td><td>68.20</td><td>-7.40</td><td>40.48</td><td>34.66</td><td>12.10</td><td>36.44</td><td>10.00</td><td>382</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.68	61.26	74.00	-12.74	41.01	34.63	12.03	36.41	10.00	382	280	PEAK	2	5468.66	60.80	68.20	-7.40	40.48	34.66	12.10	36.44	10.00	382	280	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>108.33</td><td>-----</td><td>-----</td><td>87.97</td><td>34.43</td><td>12.26</td><td>36.33</td><td>10.00</td><td>382</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	108.33	-----	-----	87.97	34.43	12.26	36.33	10.00	382	280
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5414.68	61.26	74.00	-12.74	41.01	34.63	12.03	36.41	10.00	382	280	PEAK																																																																																																								
2	5468.66	60.80	68.20	-7.40	40.48	34.66	12.10	36.44	10.00	382	280	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	108.33	-----	-----	87.97	34.43	12.26	36.33	10.00	382	280	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.66</td><td>50.00</td><td>54.00</td><td>-3.92</td><td>29.76</td><td>34.68</td><td>12.07</td><td>36.43</td><td>10.00</td><td>382</td><td>280</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.66	50.00	54.00	-3.92	29.76	34.68	12.07	36.43	10.00	382	280	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.23</td><td>-----</td><td>-----</td><td>75.84</td><td>34.44</td><td>12.27</td><td>36.32</td><td>10.00</td><td>382</td><td>280</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.23	-----	-----	75.84	34.44	12.27	36.32	10.00	382	280	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5438.66	50.00	54.00	-3.92	29.76	34.68	12.07	36.43	10.00	382	280	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	96.23	-----	-----	75.84	34.44	12.27	36.32	10.00	382	280	AVERAGE																																																																																																								






Mode	86																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																								
ANT	TXBF 1S2T																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.60</td><td>60.37</td><td>68.20</td><td>-7.83</td><td>39.67</td><td>34.68</td><td>12.44</td><td>36.42</td><td>10.00</td><td>382</td><td>280</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5741.60	60.37	68.20	-7.83	39.67	34.68	12.44	36.42	10.00	382	280	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5741.60	60.37	68.20	-7.83	39.67	34.68	12.44	36.42	10.00	382	280																																														



Mode	86																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																									
ANT	TXBF 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>56.06</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	44.96	74.00	-29.04	56.06	37.90	17.62	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>56.18</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	45.08	74.00	-28.92	56.18	37.90	17.62	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11140.00	44.96	74.00	-29.04	56.06	37.90	17.62	66.62	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11140.00	45.08	74.00	-28.92	56.18	37.90	17.62	66.62	0.00	---	---	PEAK																																																																																														





		90																																																																																										
Mode		Band Edge																																																																																										
		U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																										
ANT		TXBF 1S2T																																																																																										
Pol.		Horizontal																																																																																										
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.20</td><td>62.92</td><td>68.20</td><td>-5.28</td><td>42.37</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>227</td><td>360 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>62.30</td><td>68.50</td><td>-6.20</td><td>41.75</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>227</td><td>360 PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>94.43</td><td>110.34</td><td>-15.91</td><td>73.75</td><td>34.64</td><td>12.42</td><td>36.38</td><td>10.00</td><td>227</td><td>360 PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>97.32</td><td>114.55</td><td>-17.23</td><td>76.65</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>227</td><td>360 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.20	62.92	68.20	-5.28	42.37	34.50	12.35	36.30	10.00	227	360 PEAK	2	5650.40	62.30	68.50	-6.20	41.75	34.50	12.36	36.31	10.00	227	360 PEAK	3	5718.00	94.43	110.34	-15.91	73.75	34.64	12.42	36.38	10.00	227	360 PEAK	4	5721.60	97.32	114.55	-17.23	76.65	34.64	12.42	36.39	10.00	227
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5645.20	62.92	68.20	-5.28	42.37	34.50	12.35	36.30	10.00	227	360 PEAK																																																																																	
2	5650.40	62.30	68.50	-6.20	41.75	34.50	12.36	36.31	10.00	227	360 PEAK																																																																																	
3	5718.00	94.43	110.34	-15.91	73.75	34.64	12.42	36.38	10.00	227	360 PEAK																																																																																	
4	5721.60	97.32	114.55	-17.23	76.65	34.64	12.42	36.39	10.00	227	360 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>128.10</td><td>-----</td><td>-----</td><td>107.35</td><td>34.75</td><td>12.45</td><td>36.45</td><td>10.00</td><td>227</td><td>360 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	128.10	-----	-----	107.35	34.75	12.45	36.45	10.00	227	360 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	128.10	-----	-----	107.35	34.75	12.45	36.45	10.00	227	360 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>117.04</td><td>-----</td><td>-----</td><td>96.32</td><td>34.71</td><td>12.45</td><td>36.44</td><td>10.00</td><td>227</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	117.04	-----	-----	96.32	34.71	12.45	36.44	10.00	227	360 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	117.04	-----	-----	96.32	34.71	12.45	36.44	10.00	227	360 AVERAGE																																																																																	






Mode	90																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																	
ANT	TXBF 1S2T																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5632.00</td><td>59.48</td><td>68.20</td><td>-8.72</td><td>38.93</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>300</td><td>321 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.37</td><td>68.80</td><td>-10.43</td><td>37.82</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>300</td><td>321 PEAK</td></tr><tr><td>3</td><td>5710.00</td><td>85.10</td><td>108.33</td><td>-23.23</td><td>64.44</td><td>34.62</td><td>12.41</td><td>36.37</td><td>10.00</td><td>300</td><td>321 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>87.03</td><td>111.81</td><td>-24.78</td><td>66.36</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>300</td><td>321 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5632.00	59.48	68.20	-8.72	38.93	34.50	12.34	36.29	10.00	300	321 PEAK	2	5650.00	58.37	68.80	-10.43	37.82	34.50	12.36	36.31	10.00	300	321 PEAK	3	5710.00	85.10	108.33	-23.23	64.44	34.62	12.41	36.37	10.00	300	321 PEAK	4	5720.40	87.03	111.81	-24.78	66.36	34.64	12.42	36.39	10.00	300	321 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>118.61</td><td>-----</td><td>-----</td><td>97.91</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>300</td><td>321 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	118.61	-----	-----	97.91	34.69	12.44	36.43	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5632.00	59.48	68.20	-8.72	38.93	34.50	12.34	36.29	10.00	300	321 PEAK																																																																																																							
2	5650.00	58.37	68.80	-10.43	37.82	34.50	12.36	36.31	10.00	300	321 PEAK																																																																																																							
3	5710.00	85.10	108.33	-23.23	64.44	34.62	12.41	36.37	10.00	300	321 PEAK																																																																																																							
4	5720.40	87.03	111.81	-24.78	66.36	34.64	12.42	36.39	10.00	300	321 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	118.61	-----	-----	97.91	34.69	12.44	36.43	10.00	300	321 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.72</td><td>-----</td><td>-----</td><td>87.02</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>300</td><td>321 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	107.72	-----	-----	87.02	34.69	12.44	36.43	10.00	300	321 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	107.72	-----	-----	87.02	34.69	12.44	36.43	10.00	300	321 AVERAGE																																																																																																							




Mode	90																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																																			
ANT	TXBF 1S2T																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																													
Peak Avg																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>61.05</td><td>74.00</td><td>-12.95</td><td>71.68</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.28</td><td>54.00</td><td>-4.72</td><td>59.91</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>100</td><td>36 AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>51.49</td><td>68.20</td><td>-16.71</td><td>53.10</td><td>41.00</td><td>22.05</td><td>64.66</td><td>0.00</td><td>300</td><td>309 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	61.05	74.00	-12.95	71.68	38.09	17.86	66.58	0.00	100	36 PEAK	2	11490.00	49.28	54.00	-4.72	59.91	38.09	17.86	66.58	0.00	100	36 AVERAGE	3	17235.00	51.49	68.20	-16.71	53.10	41.00	22.05	64.66	0.00	300	309 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>59.25</td><td>74.00</td><td>-14.75</td><td>69.88</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>300</td><td>231 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.16</td><td>54.00</td><td>-4.84</td><td>59.79</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>300</td><td>231 AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>51.87</td><td>68.20</td><td>-16.33</td><td>53.48</td><td>41.00</td><td>22.05</td><td>64.66</td><td>0.00</td><td>260</td><td>223 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	59.25	74.00	-14.75	69.88	38.09	17.86	66.58	0.00	300	231 PEAK	2	11490.00	49.16	54.00	-4.84	59.79	38.09	17.86	66.58	0.00	300	231 AVERAGE	3	17235.00	51.87	68.20	-16.33	53.48	41.00	22.05	64.66	0.00	260	223 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	11490.00	61.05	74.00	-12.95	71.68	38.09	17.86	66.58	0.00	100	36 PEAK																																																																																																																																									
2	11490.00	49.28	54.00	-4.72	59.91	38.09	17.86	66.58	0.00	100	36 AVERAGE																																																																																																																																									
3	17235.00	51.49	68.20	-16.71	53.10	41.00	22.05	64.66	0.00	300	309 PEAK																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	11490.00	59.25	74.00	-14.75	69.88	38.09	17.86	66.58	0.00	300	231 PEAK																																																																																																																																									
2	11490.00	49.16	54.00	-4.84	59.79	38.09	17.86	66.58	0.00	300	231 AVERAGE																																																																																																																																									
3	17235.00	51.87	68.20	-16.33	53.48	41.00	22.05	64.66	0.00	260	223 PEAK																																																																																																																																									





Mode	91																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																	
ANT	TXBF 1S2T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5626.00</td><td>62.37</td><td>68.20</td><td>-5.83</td><td>41.82</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>59.19</td><td>68.20</td><td>-9.01</td><td>38.65</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>72.15</td><td>110.56</td><td>-38.41</td><td>51.47</td><td>34.64</td><td>12.42</td><td>36.38</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>71.07</td><td>111.81</td><td>-40.74</td><td>50.40</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5626.00	62.37	68.20	-5.83	41.82	34.50	12.33	36.28	10.00	236	0 PEAK	2	5650.00	59.19	68.20	-9.01	38.65	34.50	12.35	36.31	10.00	236	0 PEAK	3	5718.00	72.15	110.56	-38.41	51.47	34.64	12.42	36.38	10.00	236	0 PEAK	4	5720.40	71.07	111.81	-40.74	50.40	34.64	12.42	36.39	10.00	236	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>123.00</td><td>-----</td><td>-----</td><td>102.18</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	123.00	-----	-----	102.18	34.93	12.48	36.51	10.00	236
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5626.00	62.37	68.20	-5.83	41.82	34.50	12.33	36.28	10.00	236	0 PEAK																																																																																																							
2	5650.00	59.19	68.20	-9.01	38.65	34.50	12.35	36.31	10.00	236	0 PEAK																																																																																																							
3	5718.00	72.15	110.56	-38.41	51.47	34.64	12.42	36.38	10.00	236	0 PEAK																																																																																																							
4	5720.40	71.07	111.81	-40.74	50.40	34.64	12.42	36.39	10.00	236	0 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5785.00	123.00	-----	-----	102.18	34.93	12.48	36.51	10.00	236	0 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>112.43</td><td>-----</td><td>-----</td><td>91.53</td><td>34.93</td><td>12.48</td><td>36.51</td><td>10.00</td><td>236</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	112.43	-----	-----	91.53	34.93	12.48	36.51	10.00	236	0 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5785.00	112.43	-----	-----	91.53	34.93	12.48	36.51	10.00	236	0 AVERAGE																																																																																																							




Mode	91																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																		
ANT	TXBF 1S2T																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>70.39</td><td>111.36</td><td>-40.97</td><td>49.34</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>2</td><td>5867.60</td><td>70.44</td><td>107.37</td><td>-36.93</td><td>49.34</td><td>35.17</td><td>12.58</td><td>36.65</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>61.32</td><td>70.71</td><td>-9.39</td><td>40.18</td><td>35.30</td><td>12.65</td><td>36.81</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>4</td><td>5990.00</td><td>61.19</td><td>68.20</td><td>-7.01</td><td>40.26</td><td>35.30</td><td>12.75</td><td>37.12</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	70.39	111.36	-40.97	49.34	35.12	12.56	36.63	10.00	236	0 PEAK	2	5867.60	70.44	107.37	-36.93	49.34	35.17	12.58	36.65	10.00	236	0 PEAK	3	5921.60	61.32	70.71	-9.39	40.18	35.30	12.65	36.81	10.00	236	0 PEAK	4	5990.00	61.19	68.20	-7.01	40.26	35.30	12.75	37.12	10.00	236	0 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.80	70.39	111.36	-40.97	49.34	35.12	12.56	36.63	10.00	236	0 PEAK																																																																								
2	5867.60	70.44	107.37	-36.93	49.34	35.17	12.58	36.65	10.00	236	0 PEAK																																																																								
3	5921.60	61.32	70.71	-9.39	40.18	35.30	12.65	36.81	10.00	236	0 PEAK																																																																								
4	5990.00	61.19	68.20	-7.01	40.26	35.30	12.75	37.12	10.00	236	0 PEAK																																																																								





		91																																																																														
Mode		Band Edge - L																																																																														
		U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																														
ANT		TXBF 1S2T																																																																														
Pol.		Vertical					Fundamental																																																																									
Peak																																																																																
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5626.80</td><td>60.37</td><td>68.20</td><td>-7.83</td><td>39.82</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>2</td><td>5696.40</td><td>65.96</td><td>102.64</td><td>-36.68</td><td>45.32</td><td>34.59</td><td>12.40</td><td>36.35</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>3</td><td>5716.40</td><td>69.04</td><td>109.89</td><td>-40.85</td><td>48.38</td><td>34.63</td><td>12.41</td><td>36.38</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>71.92</td><td>115.46</td><td>-43.54</td><td>51.25</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5626.80	60.37	68.20	-7.83	39.82	34.50	12.33	36.28	10.00	236	0 PEAK	2	5696.40	65.96	102.64	-36.68	45.32	34.59	12.40	36.35	10.00	236	0 PEAK	3	5716.40	69.04	109.89	-40.85	48.38	34.63	12.41	36.38	10.00	236	0 PEAK	4	5722.00	71.92	115.46	-43.54	51.25	34.64	12.42	36.39	10.00	236
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
1	5626.80	60.37	68.20	-7.83	39.82	34.50	12.33	36.28	10.00	236	0 PEAK																																																																					
2	5696.40	65.96	102.64	-36.68	45.32	34.59	12.40	36.35	10.00	236	0 PEAK																																																																					
3	5716.40	69.04	109.89	-40.85	48.38	34.63	12.41	36.38	10.00	236	0 PEAK																																																																					
4	5722.00	71.92	115.46	-43.54	51.25	34.64	12.42	36.39	10.00	236	0 PEAK																																																																					
Avg																																																																																
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>106.22</td><td>-----</td><td>-----</td><td>85.33</td><td>34.91</td><td>12.48</td><td>36.50</td><td>10.00</td><td>236</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5785.00	106.22	-----	-----	85.33	34.91	12.48	36.50	10.00	236	0 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
1	5785.00	106.22	-----	-----	85.33	34.91	12.48	36.50	10.00	236	0 AVERAGE																																																																					






Mode	91																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																											
ANT	TXBF 1S2T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.80</td><td>73.99</td><td>115.91</td><td>-41.92</td><td>52.95</td><td>35.11</td><td>12.56</td><td>36.63</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>72.89</td><td>110.73</td><td>-37.84</td><td>51.83</td><td>35.12</td><td>12.57</td><td>36.63</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr><tr><td>3</td><td>5883.60</td><td>66.40</td><td>98.90</td><td>-32.50</td><td>45.25</td><td>35.23</td><td>12.60</td><td>36.68</td><td>10.00</td><td>236</td><td>0 Peak</td></tr><tr><td>4</td><td>5998.00</td><td>62.19</td><td>68.20</td><td>-6.01</td><td>41.25</td><td>35.30</td><td>12.75</td><td>37.11</td><td>10.00</td><td>236</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.80	73.99	115.91	-41.92	52.95	35.11	12.56	36.63	10.00	236	0 PEAK	2	5855.60	72.89	110.73	-37.84	51.83	35.12	12.57	36.63	10.00	236	0 PEAK	3	5883.60	66.40	98.90	-32.50	45.25	35.23	12.60	36.68	10.00	236	0 Peak	4	5998.00	62.19	68.20	-6.01	41.25	35.30	12.75	37.11	10.00	236	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5852.80	73.99	115.91	-41.92	52.95	35.11	12.56	36.63	10.00	236	0 PEAK																																																																																	
2	5855.60	72.89	110.73	-37.84	51.83	35.12	12.57	36.63	10.00	236	0 PEAK																																																																																	
3	5883.60	66.40	98.90	-32.50	45.25	35.23	12.60	36.68	10.00	236	0 Peak																																																																																	
4	5998.00	62.19	68.20	-6.01	41.25	35.30	12.75	37.11	10.00	236	0 PEAK																																																																																	






Mode	91																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																																																				
ANT	TXBF 1S2T																																																																																																																																																																				
Pol.	Horizontal											Vertical																																																																																																																																																									
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>59.13</td><td>74.00</td><td>-14.87</td><td>69.57</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>111</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>55.60</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>111</td><td>36</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>54.89</td><td>68.20</td><td>-13.31</td><td>56.37</td><td>41.00</td><td>22.15</td><td>64.63</td><td>0.00</td><td>203</td><td>236</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11570.00	59.13	74.00	-14.87	69.57	38.17	17.92	66.53	0.00	111	36	PEAK	2	11570.00	45.16	54.00	-8.84	55.60	38.17	17.92	66.53	0.00	111	36	AVERAGE	3	17355.00	54.89	68.20	-13.31	56.37	41.00	22.15	64.63	0.00	203	236	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>56.56</td><td>74.00</td><td>-17.44</td><td>67.00</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>263</td><td>226</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>53.45</td><td>38.16</td><td>17.91</td><td>66.54</td><td>0.00</td><td>263</td><td>226</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>54.34</td><td>68.20</td><td>-13.86</td><td>55.82</td><td>41.00</td><td>22.15</td><td>64.63</td><td>0.00</td><td>357</td><td>129</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11570.00	56.56	74.00	-17.44	67.00	38.17	17.92	66.53	0.00	263	226	PEAK	2	11570.00	42.98	54.00	-11.02	53.45	38.16	17.91	66.54	0.00	263	226	AVERAGE	3	17355.00	54.34	68.20	-13.86	55.82	41.00	22.15	64.63	0.00	357	129	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	11570.00	59.13	74.00	-14.87	69.57	38.17	17.92	66.53	0.00	111	36	PEAK																																																																																																																																																									
2	11570.00	45.16	54.00	-8.84	55.60	38.17	17.92	66.53	0.00	111	36	AVERAGE																																																																																																																																																									
3	17355.00	54.89	68.20	-13.31	56.37	41.00	22.15	64.63	0.00	203	236	PEAK																																																																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	11570.00	56.56	74.00	-17.44	67.00	38.17	17.92	66.53	0.00	263	226	PEAK																																																																																																																																																									
2	11570.00	42.98	54.00	-11.02	53.45	38.16	17.91	66.54	0.00	263	226	AVERAGE																																																																																																																																																									
3	17355.00	54.34	68.20	-13.86	55.82	41.00	22.15	64.63	0.00	357	129	PEAK																																																																																																																																																									





	92																																																																																							
Mode	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																							
ANT	TXBF 1S2T																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>93.90</td><td>111.36</td><td>-17.46</td><td>72.85</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>170</td><td>0 PEAK</td></tr><tr><td>2 5855.20</td><td>94.34</td><td>110.84</td><td>-16.50</td><td>73.29</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>170</td><td>0 PEAK</td></tr><tr><td>3 5924.00</td><td>65.13</td><td>68.94</td><td>-3.81</td><td>43.99</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>170</td><td>0 PEAK</td></tr><tr><td>4 5927.60</td><td>65.70</td><td>68.20</td><td>-2.50</td><td>44.57</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>170</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	93.90	111.36	-17.46	72.85	35.12	12.56	36.63	10.00	170	0 PEAK	2 5855.20	94.34	110.84	-16.50	73.29	35.12	12.56	36.63	10.00	170	0 PEAK	3 5924.00	65.13	68.94	-3.81	43.99	35.30	12.66	36.82	10.00	170	0 PEAK	4 5927.60	65.70	68.20	-2.50	44.57	35.30	12.66	36.83	10.00	170	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	93.90	111.36	-17.46	72.85	35.12	12.56	36.63	10.00	170	0 PEAK																																																																														
2 5855.20	94.34	110.84	-16.50	73.29	35.12	12.56	36.63	10.00	170	0 PEAK																																																																														
3 5924.00	65.13	68.94	-3.81	43.99	35.30	12.66	36.82	10.00	170	0 PEAK																																																																														
4 5927.60	65.70	68.20	-2.50	44.57	35.30	12.66	36.83	10.00	170	0 PEAK																																																																														
Fundamental																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>125.74</td><td>-----</td><td>-----</td><td>104.73</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>170</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	125.74	-----	-----	104.73	35.06	12.53	36.58	10.00	170	0 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	125.74	-----	-----	104.73	35.06	12.53	36.58	10.00	170	0 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>116.48</td><td>-----</td><td>-----</td><td>95.47</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>170</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	116.48	-----	-----	95.47	35.06	12.53	36.58	10.00	170	0 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	116.48	-----	-----	95.47	35.06	12.53	36.58	10.00	170	0 AVERAGE																																																																														






Mode	92																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																	
ANT	TXBF 1S2T																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.80</td><td>82.95</td><td>111.36</td><td>-28.41</td><td>61.90</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>119</td><td>327 PEAK</td></tr><tr><td>2 5855.20</td><td>81.88</td><td>110.84</td><td>-28.96</td><td>60.83</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>119</td><td>327 PEAK</td></tr><tr><td>3 5924.40</td><td>59.70</td><td>68.64</td><td>-8.94</td><td>38.56</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>119</td><td>327 PEAK</td></tr><tr><td>4 5926.80</td><td>60.62</td><td>68.20</td><td>-7.58</td><td>39.49</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>119</td><td>327 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	82.95	111.36	-28.41	61.90	35.12	12.56	36.63	10.00	119	327 PEAK	2 5855.20	81.88	110.84	-28.96	60.83	35.12	12.56	36.63	10.00	119	327 PEAK	3 5924.40	59.70	68.64	-8.94	38.56	35.30	12.66	36.82	10.00	119	327 PEAK	4 5926.80	60.62	68.20	-7.58	39.49	35.30	12.66	36.83	10.00	119	327 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>117.13</td><td>-----</td><td>-----</td><td>96.12</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>119</td><td>327 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	117.13	-----	-----	96.12	35.06	12.53	36.58	10.00	119
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.80	82.95	111.36	-28.41	61.90	35.12	12.56	36.63	10.00	119	327 PEAK																																																																																																																								
2 5855.20	81.88	110.84	-28.96	60.83	35.12	12.56	36.63	10.00	119	327 PEAK																																																																																																																								
3 5924.40	59.70	68.64	-8.94	38.56	35.30	12.66	36.82	10.00	119	327 PEAK																																																																																																																								
4 5926.80	60.62	68.20	-7.58	39.49	35.30	12.66	36.83	10.00	119	327 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	117.13	-----	-----	96.12	35.06	12.53	36.58	10.00	119	327 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.85</td><td>-----</td><td>-----</td><td>86.84</td><td>35.06</td><td>12.53</td><td>36.58</td><td>10.00</td><td>119</td><td>327 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.85	-----	-----	86.84	35.06	12.53	36.58	10.00	119	327 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	107.85	-----	-----	86.84	35.06	12.53	36.58	10.00	119	327 AVERAGE																																																																																																																								




Mode	92																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																																						
ANT	TXBF 1S2T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>58.79</td><td>74.00</td><td>-15.21</td><td>68.98</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>234</td><td>11</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>41.48</td><td>54.00</td><td>-12.52</td><td>51.67</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>234</td><td>11</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>57.05</td><td>68.20</td><td>-11.15</td><td>58.34</td><td>41.07</td><td>22.24</td><td>64.60</td><td>0.00</td><td>327</td><td>257</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	58.79	74.00	-15.21	68.98	38.30	17.98	66.47	0.00	234	11	PEAK	2	11650.00	41.48	54.00	-12.52	51.67	38.30	17.98	66.47	0.00	234	11	AVERAGE	3	17475.00	57.05	68.20	-11.15	58.34	41.07	22.24	64.60	0.00	327	257	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>57.84</td><td>74.00</td><td>-16.16</td><td>68.03</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>347</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>47.86</td><td>54.00</td><td>-6.14</td><td>58.04</td><td>38.31</td><td>17.98</td><td>66.47</td><td>0.00</td><td>347</td><td>171</td><td>AVERAGE</td></tr><tr><td>3</td><td>17472.73</td><td>59.27</td><td>68.20</td><td>-8.93</td><td>60.56</td><td>41.07</td><td>22.24</td><td>64.60</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	57.84	74.00	-16.16	68.03	38.30	17.98	66.47	0.00	347	171	PEAK	2	11650.00	47.86	54.00	-6.14	58.04	38.31	17.98	66.47	0.00	347	171	AVERAGE	3	17472.73	59.27	68.20	-8.93	60.56	41.07	22.24	64.60	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11650.00	58.79	74.00	-15.21	68.98	38.30	17.98	66.47	0.00	234	11	PEAK																																																																																																																																											
2	11650.00	41.48	54.00	-12.52	51.67	38.30	17.98	66.47	0.00	234	11	AVERAGE																																																																																																																																											
3	17475.00	57.05	68.20	-11.15	58.34	41.07	22.24	64.60	0.00	327	257	PEAK																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11650.00	57.84	74.00	-16.16	68.03	38.30	17.98	66.47	0.00	347	171	PEAK																																																																																																																																											
2	11650.00	47.86	54.00	-6.14	58.04	38.31	17.98	66.47	0.00	347	171	AVERAGE																																																																																																																																											
3	17472.73	59.27	68.20	-8.93	60.56	41.07	22.24	64.60	0.00	---	---	Peak																																																																																																																																											






Mode	93																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																											
ANT	TXBF 1S2T																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.76</td><td>65.99</td><td>68.20</td><td>-2.21</td><td>45.44</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>277</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>67.62</td><td>68.71</td><td>-1.09</td><td>47.07</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>277</td><td>0 PEAK</td></tr><tr><td>3</td><td>5719.97</td><td>98.39</td><td>110.89</td><td>-12.50</td><td>77.72</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>277</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>98.71</td><td>111.19</td><td>-12.48</td><td>78.04</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>277</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.76	65.99	68.20	-2.21	45.44	34.50	12.35	36.30	10.00	277	0 PEAK	2	5650.69	67.62	68.71	-1.09	47.07	34.50	12.36	36.31	10.00	277	0 PEAK	3	5719.97	98.39	110.89	-12.50	77.72	34.64	12.42	36.39	10.00	277	0 PEAK	4	5720.13	98.71	111.19	-12.48	78.04	34.64	12.42	36.39	10.00	277	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5649.76	65.99	68.20	-2.21	45.44	34.50	12.35	36.30	10.00	277	0 PEAK																																																																																	
2	5650.69	67.62	68.71	-1.09	47.07	34.50	12.36	36.31	10.00	277	0 PEAK																																																																																	
3	5719.97	98.39	110.89	-12.50	77.72	34.64	12.42	36.39	10.00	277	0 PEAK																																																																																	
4	5720.13	98.71	111.19	-12.48	78.04	34.64	12.42	36.39	10.00	277	0 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>123.82</td><td>-----</td><td>-----</td><td>103.07</td><td>34.75</td><td>12.45</td><td>36.45</td><td>10.00</td><td>277</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	123.82	-----	-----	103.07	34.75	12.45	36.45	10.00	277	0 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	123.82	-----	-----	103.07	34.75	12.45	36.45	10.00	277	0 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>113.13</td><td>-----</td><td>-----</td><td>92.38</td><td>34.75</td><td>12.45</td><td>36.45</td><td>10.00</td><td>277</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	113.13	-----	-----	92.38	34.75	12.45	36.45	10.00	277	0 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	113.13	-----	-----	92.38	34.75	12.45	36.45	10.00	277	0 AVERAGE																																																																																	




Mode	93																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																		
ANT	TXBF 1S2T																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>67.20</td><td>112.60</td><td>-45.40</td><td>46.15</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>277</td><td>0 PEAK</td></tr><tr><td>2</td><td>5860.50</td><td>72.30</td><td>109.36</td><td>-37.06</td><td>51.23</td><td>35.14</td><td>12.57</td><td>36.64</td><td>10.00</td><td>277</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>61.34</td><td>68.75</td><td>-7.41</td><td>40.20</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>277</td><td>0 PEAK</td></tr><tr><td>4</td><td>5931.09</td><td>61.38</td><td>68.20</td><td>-6.82</td><td>40.26</td><td>35.30</td><td>12.67</td><td>36.85</td><td>10.00</td><td>277</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	67.20	112.60	-45.40	46.15	35.12	12.56	36.63	10.00	277	0 PEAK	2	5860.50	72.30	109.36	-37.06	51.23	35.14	12.57	36.64	10.00	277	0 PEAK	3	5924.26	61.34	68.75	-7.41	40.20	35.30	12.66	36.82	10.00	277	0 PEAK	4	5931.09	61.38	68.20	-6.82	40.26	35.30	12.67	36.85	10.00	277	0 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.26	67.20	112.60	-45.40	46.15	35.12	12.56	36.63	10.00	277	0 PEAK																																																																								
2	5860.50	72.30	109.36	-37.06	51.23	35.14	12.57	36.64	10.00	277	0 PEAK																																																																								
3	5924.26	61.34	68.75	-7.41	40.20	35.30	12.66	36.82	10.00	277	0 PEAK																																																																								
4	5931.09	61.38	68.20	-6.82	40.26	35.30	12.67	36.85	10.00	277	0 PEAK																																																																								





Mode	93																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																		
ANT	TXBF 1S2T																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5625.11</td><td>59.00</td><td>68.20</td><td>-8.40</td><td>39.25</td><td>34.50</td><td>12.33</td><td>36.28</td><td>10.00</td><td>185</td><td>360 PEAK</td></tr><tr><td>2 5652.70</td><td>60.07</td><td>70.21</td><td>-10.14</td><td>39.51</td><td>34.51</td><td>12.36</td><td>36.31</td><td>10.00</td><td>185</td><td>360 PEAK</td></tr><tr><td>3 5707.57</td><td>84.30</td><td>107.42</td><td>-23.12</td><td>63.63</td><td>34.62</td><td>12.41</td><td>36.36</td><td>10.00</td><td>185</td><td>360 PEAK</td></tr><tr><td>4 5720.13</td><td>85.29</td><td>111.19</td><td>-25.90</td><td>64.62</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>185</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5625.11	59.00	68.20	-8.40	39.25	34.50	12.33	36.28	10.00	185	360 PEAK	2 5652.70	60.07	70.21	-10.14	39.51	34.51	12.36	36.31	10.00	185	360 PEAK	3 5707.57	84.30	107.42	-23.12	63.63	34.62	12.41	36.36	10.00	185	360 PEAK	4 5720.13	85.29	111.19	-25.90	64.62	34.64	12.42	36.39	10.00	185	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>109.68</td><td>-----</td><td>-----</td><td>88.98</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>185</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	109.68	-----	-----	88.98	34.69	12.44	36.43	10.00	185
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5625.11	59.00	68.20	-8.40	39.25	34.50	12.33	36.28	10.00	185	360 PEAK																																																																																																																									
2 5652.70	60.07	70.21	-10.14	39.51	34.51	12.36	36.31	10.00	185	360 PEAK																																																																																																																									
3 5707.57	84.30	107.42	-23.12	63.63	34.62	12.41	36.36	10.00	185	360 PEAK																																																																																																																									
4 5720.13	85.29	111.19	-25.90	64.62	34.64	12.42	36.39	10.00	185	360 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5755.00	109.68	-----	-----	88.98	34.69	12.44	36.43	10.00	185	360 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>99.20</td><td>-----</td><td>-----</td><td>78.50</td><td>34.69</td><td>12.44</td><td>36.43</td><td>10.00</td><td>185</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	99.20	-----	-----	78.50	34.69	12.44	36.43	10.00	185	360 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5755.00	99.20	-----	-----	78.50	34.69	12.44	36.43	10.00	185	360 AVERAGE																																																																																																																									






Mode	93																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																
ANT	TXBF 1S2T																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>58.18</td><td>111.26</td><td>-53.08</td><td>37.13</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>185</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5873.17</td><td>60.06</td><td>105.81</td><td>-45.75</td><td>38.94</td><td>35.19</td><td>12.59</td><td>36.66</td><td>10.00</td><td>185</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>59.67</td><td>69.18</td><td>-9.51</td><td>38.53</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>185</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5936.16</td><td>60.55</td><td>68.20</td><td>-7.65</td><td>39.45</td><td>35.30</td><td>12.67</td><td>36.87</td><td>10.00</td><td>185</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	58.18	111.26	-53.08	37.13	35.12	12.56	36.63	10.00	185	360	PEAK	2	5873.17	60.06	105.81	-45.75	38.94	35.19	12.59	36.66	10.00	185	360	PEAK	3	5923.68	59.67	69.18	-9.51	38.53	35.30	12.66	36.82	10.00	185	360	PEAK	4	5936.16	60.55	68.20	-7.65	39.45	35.30	12.67	36.87	10.00	185	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5854.84	58.18	111.26	-53.08	37.13	35.12	12.56	36.63	10.00	185	360	PEAK																																																																																					
2	5873.17	60.06	105.81	-45.75	38.94	35.19	12.59	36.66	10.00	185	360	PEAK																																																																																					
3	5923.68	59.67	69.18	-9.51	38.53	35.30	12.66	36.82	10.00	185	360	PEAK																																																																																					
4	5936.16	60.55	68.20	-7.65	39.45	35.30	12.67	36.87	10.00	185	360	PEAK																																																																																					




Mode	93																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																	
ANT	TXBF 1S2T																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>64.13</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>100</td><td>37</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>43.76</td><td>54.00</td><td>-10.24</td><td>54.34</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>100</td><td>37</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	53.55	74.00	-20.45	64.13	38.11	17.88	66.57	0.00	100	37	PEAK	2	11510.00	43.76	54.00	-10.24	54.34	38.11	17.88	66.57	0.00	100	37	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>64.05</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>300</td><td>227</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>53.82</td><td>38.11</td><td>17.87</td><td>66.58</td><td>0.00</td><td>300</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	53.47	74.00	-20.53	64.05	38.11	17.88	66.57	0.00	300	227	PEAK	2	11510.00	43.22	54.00	-10.78	53.82	38.11	17.87	66.58	0.00	300	227	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11510.00	53.55	74.00	-20.45	64.13	38.11	17.88	66.57	0.00	100	37	PEAK																																																																																																																						
2	11510.00	43.76	54.00	-10.24	54.34	38.11	17.88	66.57	0.00	100	37	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11510.00	53.47	74.00	-20.53	64.05	38.11	17.88	66.57	0.00	300	227	PEAK																																																																																																																						
2	11510.00	43.22	54.00	-10.78	53.82	38.11	17.87	66.58	0.00	300	227	AVERAGE																																																																																																																						






Mode	94																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																	
ANT	TXBF 1S2T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5638.00</td><td>62.50</td><td>68.20</td><td>-5.70</td><td>41.95</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>274</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>64.81</td><td>68.80</td><td>-3.99</td><td>44.26</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>274</td><td>0 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>77.65</td><td>110.90</td><td>-33.25</td><td>56.98</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>274</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>77.65</td><td>110.90</td><td>-33.25</td><td>56.98</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>274</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5638.00	62.50	68.20	-5.70	41.95	34.50	12.34	36.29	10.00	274	0 PEAK	2	5650.00	64.81	68.80	-3.99	44.26	34.50	12.36	36.31	10.00	274	0 PEAK	3	5720.00	77.65	110.90	-33.25	56.98	34.64	12.42	36.39	10.00	274	0 PEAK	4	5720.00	77.65	110.90	-33.25	56.98	34.64	12.42	36.39	10.00	274	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>124.52</td><td>-----</td><td>-----</td><td>103.55</td><td>35.01</td><td>12.50</td><td>36.54</td><td>10.00</td><td>274</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	124.52	-----	-----	103.55	35.01	12.50	36.54	10.00	274
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5638.00	62.50	68.20	-5.70	41.95	34.50	12.34	36.29	10.00	274	0 PEAK																																																																																																							
2	5650.00	64.81	68.80	-3.99	44.26	34.50	12.36	36.31	10.00	274	0 PEAK																																																																																																							
3	5720.00	77.65	110.90	-33.25	56.98	34.64	12.42	36.39	10.00	274	0 PEAK																																																																																																							
4	5720.00	77.65	110.90	-33.25	56.98	34.64	12.42	36.39	10.00	274	0 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5795.00	124.52	-----	-----	103.55	35.01	12.50	36.54	10.00	274	0 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>113.41</td><td>-----</td><td>-----</td><td>92.45</td><td>35.00</td><td>12.49</td><td>36.53</td><td>10.00</td><td>274</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	113.41	-----	-----	92.45	35.00	12.49	36.53	10.00	274	0 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5795.00	113.41	-----	-----	92.45	35.00	12.49	36.53	10.00	274	0 AVERAGE																																																																																																							




Mode	94																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																											
ANT	TXBF 1S2T																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>82.67</td><td>111.36</td><td>-28.69</td><td>61.62</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>274</td><td>0 PEAK</td></tr><tr><td>2</td><td>5860.40</td><td>84.74</td><td>109.39</td><td>-24.65</td><td>63.67</td><td>35.14</td><td>12.57</td><td>36.64</td><td>10.00</td><td>274</td><td>0 PEAK</td></tr><tr><td>3</td><td>5920.00</td><td>68.39</td><td>71.30</td><td>-2.91</td><td>47.24</td><td>35.30</td><td>12.65</td><td>36.00</td><td>10.00</td><td>274</td><td>0 PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>65.08</td><td>68.20</td><td>-3.12</td><td>43.96</td><td>35.30</td><td>12.66</td><td>36.84</td><td>10.00</td><td>274</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	82.67	111.36	-28.69	61.62	35.12	12.56	36.63	10.00	274	0 PEAK	2	5860.40	84.74	109.39	-24.65	63.67	35.14	12.57	36.64	10.00	274	0 PEAK	3	5920.00	68.39	71.30	-2.91	47.24	35.30	12.65	36.00	10.00	274	0 PEAK	4	5929.60	65.08	68.20	-3.12	43.96	35.30	12.66	36.84	10.00	274	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.00	82.67	111.36	-28.69	61.62	35.12	12.56	36.63	10.00	274	0 PEAK																																																																																	
2	5860.40	84.74	109.39	-24.65	63.67	35.14	12.57	36.64	10.00	274	0 PEAK																																																																																	
3	5920.00	68.39	71.30	-2.91	47.24	35.30	12.65	36.00	10.00	274	0 PEAK																																																																																	
4	5929.60	65.08	68.20	-3.12	43.96	35.30	12.66	36.84	10.00	274	0 PEAK																																																																																	





	94																																																																																																																	
Mode	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																	
ANT	TXBF 1S2T																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5631.60</td><td>59.80</td><td>68.20</td><td>-8.40</td><td>39.25</td><td>34.50</td><td>12.34</td><td>36.29</td><td>10.00</td><td>300</td><td>257 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>58.88</td><td>68.50</td><td>-9.62</td><td>38.33</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>300</td><td>257 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>66.63</td><td>110.79</td><td>-44.16</td><td>45.96</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>300</td><td>257 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>65.16</td><td>110.90</td><td>-45.74</td><td>44.49</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>300</td><td>257 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5631.60	59.80	68.20	-8.40	39.25	34.50	12.34	36.29	10.00	300	257 PEAK	2	5650.40	58.88	68.50	-9.62	38.33	34.50	12.36	36.31	10.00	300	257 PEAK	3	5719.60	66.63	110.79	-44.16	45.96	34.64	12.42	36.39	10.00	300	257 PEAK	4	5720.00	65.16	110.90	-45.74	44.49	34.64	12.42	36.39	10.00	300	257 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>114.32</td><td>-----</td><td>-----</td><td>93.36</td><td>35.00</td><td>12.49</td><td>36.53</td><td>10.00</td><td>300</td><td>257 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	114.32	-----	-----	93.36	35.00	12.49	36.53	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5631.60	59.80	68.20	-8.40	39.25	34.50	12.34	36.29	10.00	300	257 PEAK																																																																																																							
2	5650.40	58.88	68.50	-9.62	38.33	34.50	12.36	36.31	10.00	300	257 PEAK																																																																																																							
3	5719.60	66.63	110.79	-44.16	45.96	34.64	12.42	36.39	10.00	300	257 PEAK																																																																																																							
4	5720.00	65.16	110.90	-45.74	44.49	34.64	12.42	36.39	10.00	300	257 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5795.00	114.32	-----	-----	93.36	35.00	12.49	36.53	10.00	300	257 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>102.91</td><td>-----</td><td>-----</td><td>81.95</td><td>35.00</td><td>12.49</td><td>36.53</td><td>10.00</td><td>300</td><td>257 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	102.91	-----	-----	81.95	35.00	12.49	36.53	10.00	300	257 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5795.00	102.91	-----	-----	81.95	35.00	12.49	36.53	10.00	300	257 AVERAGE																																																																																																							






Mode	94																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																		
ANT	TXBF 1S2T																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>77.97</td><td>114.09</td><td>-36.12</td><td>56.93</td><td>35.11</td><td>12.56</td><td>36.63</td><td>10.00</td><td>300</td><td>257 PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>72.85</td><td>107.71</td><td>-34.86</td><td>51.75</td><td>35.17</td><td>12.58</td><td>36.65</td><td>10.00</td><td>300</td><td>257 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>61.48</td><td>68.35</td><td>-6.87</td><td>40.34</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>300</td><td>257 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>62.20</td><td>68.20</td><td>-6.00</td><td>41.07</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>300</td><td>257 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	77.97	114.09	-36.12	56.93	35.11	12.56	36.63	10.00	300	257 PEAK	2	5866.40	72.85	107.71	-34.86	51.75	35.17	12.58	36.65	10.00	300	257 PEAK	3	5924.80	61.48	68.35	-6.87	40.34	35.30	12.66	36.82	10.00	300	257 PEAK	4	5926.40	62.20	68.20	-6.00	41.07	35.30	12.66	36.83	10.00	300	257 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5853.60	77.97	114.09	-36.12	56.93	35.11	12.56	36.63	10.00	300	257 PEAK																																																																								
2	5866.40	72.85	107.71	-34.86	51.75	35.17	12.58	36.65	10.00	300	257 PEAK																																																																								
3	5924.80	61.48	68.35	-6.87	40.34	35.30	12.66	36.82	10.00	300	257 PEAK																																																																								
4	5926.40	62.20	68.20	-6.00	41.07	35.30	12.66	36.83	10.00	300	257 PEAK																																																																								




Mode	94																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																																								
ANT	TXBF 1S2T																																																																																																																																																								
Pol.	Horizontal							Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11583.33</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>60.88</td><td>38.18</td><td>17.93</td><td>66.52</td><td>0.00</td><td>100</td><td>31 Peak</td></tr><tr><td>2</td><td>11590.00</td><td>39.39</td><td>54.00</td><td>-14.61</td><td>49.78</td><td>38.19</td><td>17.93</td><td>66.51</td><td>0.00</td><td>100</td><td>39 AVERAGE</td></tr><tr><td>3</td><td>17359.80</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>54.88</td><td>41.00</td><td>22.15</td><td>64.63</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11583.33	50.47	74.00	-23.53	60.88	38.18	17.93	66.52	0.00	100	31 Peak	2	11590.00	39.39	54.00	-14.61	49.78	38.19	17.93	66.51	0.00	100	39 AVERAGE	3	17359.80	53.40	68.20	-14.80	54.88	41.00	22.15	64.63	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11590.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>61.00</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>221</td><td>230 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>41.74</td><td>54.00</td><td>-12.26</td><td>52.11</td><td>38.20</td><td>17.94</td><td>66.51</td><td>0.00</td><td>221</td><td>230 AVERAGE</td></tr><tr><td>3</td><td>17413.33</td><td>54.21</td><td>68.20</td><td>-13.99</td><td>55.62</td><td>41.01</td><td>22.19</td><td>64.61</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11590.00	50.60	74.00	-23.40	61.00	38.19	17.93	66.52	0.00	221	230 PEAK	2	11590.00	41.74	54.00	-12.26	52.11	38.20	17.94	66.51	0.00	221	230 AVERAGE	3	17413.33	54.21	68.20	-13.99	55.62	41.01	22.19	64.61	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	11583.33	50.47	74.00	-23.53	60.88	38.18	17.93	66.52	0.00	100	31 Peak																																																																																																																																														
2	11590.00	39.39	54.00	-14.61	49.78	38.19	17.93	66.51	0.00	100	39 AVERAGE																																																																																																																																														
3	17359.80	53.40	68.20	-14.80	54.88	41.00	22.15	64.63	0.00	---	---	Peak																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	11590.00	50.60	74.00	-23.40	61.00	38.19	17.93	66.52	0.00	221	230 PEAK																																																																																																																																														
2	11590.00	41.74	54.00	-12.26	52.11	38.20	17.94	66.51	0.00	221	230 AVERAGE																																																																																																																																														
3	17413.33	54.21	68.20	-13.99	55.62	41.01	22.19	64.61	0.00	---	---	Peak																																																																																																																																													






Mode	95																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																								
ANT	TXBF 1S2T																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.60</td><td>64.65</td><td>68.20</td><td>-3.55</td><td>44.10</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>66.05</td><td>69.09</td><td>-3.04</td><td>45.50</td><td>34.50</td><td>12.36</td><td>36.31</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr><tr><td>3</td><td>5710.40</td><td>87.88</td><td>108.21</td><td>-20.33</td><td>67.22</td><td>34.62</td><td>12.41</td><td>36.37</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>88.56</td><td>110.90</td><td>-22.34</td><td>67.89</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.60	64.65	68.20	-3.55	44.10	34.50	12.35	36.30	10.00	276	0 PEAK	2	5651.20	66.05	69.09	-3.04	45.50	34.50	12.36	36.31	10.00	276	0 PEAK	3	5710.40	87.88	108.21	-20.33	67.22	34.62	12.41	36.37	10.00	276	0 PEAK	4	5720.00	88.56	110.90	-22.34	67.89	34.64	12.42	36.39	10.00	276	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>118.57</td><td>-----</td><td>-----</td><td>97.77</td><td>34.82</td><td>12.46</td><td>36.48</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	118.57	-----	-----	97.77	34.82	12.46	36.48	10.00	276	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5647.60	64.65	68.20	-3.55	44.10	34.50	12.35	36.30	10.00	276	0 PEAK																																																																																																																														
2	5651.20	66.05	69.09	-3.04	45.50	34.50	12.36	36.31	10.00	276	0 PEAK																																																																																																																														
3	5710.40	87.88	108.21	-20.33	67.22	34.62	12.41	36.37	10.00	276	0 PEAK																																																																																																																														
4	5720.00	88.56	110.90	-22.34	67.89	34.64	12.42	36.39	10.00	276	0 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	118.57	-----	-----	97.77	34.82	12.46	36.48	10.00	276	0 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>107.31</td><td>-----</td><td>-----</td><td>86.54</td><td>34.78</td><td>12.46</td><td>36.47</td><td>10.00</td><td>276</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	107.31	-----	-----	86.54	34.78	12.46	36.47	10.00	276	0 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	107.31	-----	-----	86.54	34.78	12.46	36.47	10.00	276	0 AVERAGE																																																																																																																														




Mode	95																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																											
ANT	TXBF 1S2T																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>87.26</td><td>111.36</td><td>-24.10</td><td>66.21</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>82.06</td><td>106.70</td><td>-23.84</td><td>61.76</td><td>35.18</td><td>12.58</td><td>36.66</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr><tr><td>3</td><td>5919.00</td><td>66.39</td><td>72.19</td><td>-5.80</td><td>45.24</td><td>35.30</td><td>12.65</td><td>36.80</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>63.79</td><td>68.20</td><td>-4.41</td><td>42.66</td><td>35.30</td><td>12.66</td><td>36.83</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	87.26	111.36	-24.10	66.21	35.12	12.56	36.63	10.00	276	0 PEAK	2	5870.00	82.06	106.70	-23.84	61.76	35.18	12.58	36.66	10.00	276	0 PEAK	3	5919.00	66.39	72.19	-5.80	45.24	35.30	12.65	36.80	10.00	276	0 PEAK	4	5926.00	63.79	68.20	-4.41	42.66	35.30	12.66	36.83	10.00	276	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.00	87.26	111.36	-24.10	66.21	35.12	12.56	36.63	10.00	276	0 PEAK																																																																																	
2	5870.00	82.06	106.70	-23.84	61.76	35.18	12.58	36.66	10.00	276	0 PEAK																																																																																	
3	5919.00	66.39	72.19	-5.80	45.24	35.30	12.65	36.80	10.00	276	0 PEAK																																																																																	
4	5926.00	63.79	68.20	-4.41	42.66	35.30	12.66	36.83	10.00	276	0 PEAK																																																																																	





Mode	95																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																														
ANT	TXBF 1S2T																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.40</td><td>60.46</td><td>68.20</td><td>-7.74</td><td>39.91</td><td>34.50</td><td>12.35</td><td>36.30</td><td>10.00</td><td>373</td><td>256</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>59.85</td><td>68.20</td><td>-8.35</td><td>39.31</td><td>34.50</td><td>12.35</td><td>36.31</td><td>10.00</td><td>373</td><td>256</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>75.46</td><td>105.97</td><td>-30.51</td><td>54.81</td><td>34.60</td><td>12.40</td><td>36.35</td><td>10.00</td><td>373</td><td>256</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>75.89</td><td>111.81</td><td>-35.92</td><td>55.22</td><td>34.64</td><td>12.42</td><td>36.39</td><td>10.00</td><td>373</td><td>256</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.40	60.46	68.20	-7.74	39.91	34.50	12.35	36.30	10.00	373	256	PEAK	2	5650.00	59.85	68.20	-8.35	39.31	34.50	12.35	36.31	10.00	373	256	PEAK	3	5702.40	75.46	105.97	-30.51	54.81	34.60	12.40	36.35	10.00	373	256	PEAK	4	5720.40	75.89	111.81	-35.92	55.22	34.64	12.42	36.39	10.00	373	256	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>109.91</td><td>-----</td><td>-----</td><td>89.11</td><td>34.82</td><td>12.46</td><td>36.48</td><td>10.00</td><td>373</td><td>256</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	109.91	-----	-----	89.11	34.82	12.46	36.48	10.00	373	256
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5646.40	60.46	68.20	-7.74	39.91	34.50	12.35	36.30	10.00	373	256	PEAK																																																																																																																																			
2	5650.00	59.85	68.20	-8.35	39.31	34.50	12.35	36.31	10.00	373	256	PEAK																																																																																																																																			
3	5702.40	75.46	105.97	-30.51	54.81	34.60	12.40	36.35	10.00	373	256	PEAK																																																																																																																																			
4	5720.40	75.89	111.81	-35.92	55.22	34.64	12.42	36.39	10.00	373	256	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5775.00	109.91	-----	-----	89.11	34.82	12.46	36.48	10.00	373	256	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>98.28</td><td>-----</td><td>-----</td><td>77.44</td><td>34.86</td><td>12.47</td><td>36.49</td><td>10.00</td><td>373</td><td>256</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	98.28	-----	-----	77.44	34.86	12.47	36.49	10.00	373	256	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5775.00	98.28	-----	-----	77.44	34.86	12.47	36.49	10.00	373	256	AVERAGE																																																																																																																																			





Mode	95																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																							
ANT	TXBF 1S2T																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>74.08</td><td>113.18</td><td>-39.10</td><td>53.03</td><td>35.12</td><td>12.56</td><td>36.63</td><td>10.00</td><td>373</td><td>256 PEAK</td></tr><tr><td>2 5874.00</td><td>70.83</td><td>105.58</td><td>-34.75</td><td>49.70</td><td>35.20</td><td>12.59</td><td>36.66</td><td>10.00</td><td>373</td><td>256 PEAK</td></tr><tr><td>3 5924.00</td><td>58.89</td><td>68.35</td><td>-9.46</td><td>37.75</td><td>35.30</td><td>12.66</td><td>36.82</td><td>10.00</td><td>373</td><td>256 PEAK</td></tr><tr><td>4 5933.60</td><td>61.13</td><td>68.20</td><td>-7.07</td><td>40.02</td><td>35.30</td><td>12.67</td><td>36.86</td><td>10.00</td><td>373</td><td>256 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	74.08	113.18	-39.10	53.03	35.12	12.56	36.63	10.00	373	256 PEAK	2 5874.00	70.83	105.58	-34.75	49.70	35.20	12.59	36.66	10.00	373	256 PEAK	3 5924.00	58.89	68.35	-9.46	37.75	35.30	12.66	36.82	10.00	373	256 PEAK	4 5933.60	61.13	68.20	-7.07	40.02	35.30	12.67	36.86	10.00	373	256 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	74.08	113.18	-39.10	53.03	35.12	12.56	36.63	10.00	373	256 PEAK																																																																														
2 5874.00	70.83	105.58	-34.75	49.70	35.20	12.59	36.66	10.00	373	256 PEAK																																																																														
3 5924.00	58.89	68.35	-9.46	37.75	35.30	12.66	36.82	10.00	373	256 PEAK																																																																														
4 5933.60	61.13	68.20	-7.07	40.02	35.30	12.67	36.86	10.00	373	256 PEAK																																																																														





Mode	95																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																								
ANT	TXBF 1S2T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>55.83</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.35	74.00	-28.65	55.83	38.15	17.91	66.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>55.60</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.12	74.00	-28.88	55.60	38.15	17.91	66.54	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	45.35	74.00	-28.65	55.83	38.15	17.91	66.54	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	45.12	74.00	-28.88	55.60	38.15	17.91	66.54	0.00	---	---	PEAK																																																																																													





Mode	87																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.725-5.85_802.11be EHT20_CH144_Full_5720MHz																																																																																																									
ANT	TXBF 1S2T																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>55.28</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	44.56	74.00	-29.44	55.28	38.04	17.83	66.59	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>55.37</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	44.65	74.00	-29.35	55.37	38.04	17.83	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	44.56	74.00	-29.44	55.28	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	44.65	74.00	-29.35	55.37	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																														



Mode	88																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.725-5.85_802.11be EHT40_CH142_Full_5710MHz																																																																																																								
ANT	TXBF 1S2T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>54.91</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	44.15	74.00	-29.85	54.91	38.02	17.81	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>55.16</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	44.40	74.00	-29.60	55.16	38.02	17.81	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11420.00	44.15	74.00	-29.85	54.91	38.02	17.81	66.59	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11420.00	44.40	74.00	-29.60	55.16	38.02	17.81	66.59	0.00	---	---	PEAK																																																																																													



		89																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.725-5.85_802.11be EHT80_CH138_Full_5690MHz																																																										
ANT		TXBF 1S2T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>55.71</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	44.89	74.00	-29.11	55.71	37.98	17.79	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11380.00	44.89	74.00	-29.11	55.71	37.98	17.79	66.59	0.00	---	---	PEAK																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>55.85</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.03	74.00	-28.97	55.85	37.98	17.79	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11380.00	45.03	74.00	-28.97	55.85	37.98	17.79	66.59	0.00	---	---	PEAK																																																