


Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	96.21	1.395	0.717	0.75kHz
1+2	802.11be EHT20	85.58	0.368	2.717	3kHz
1+2	802.11be EHT40	87.02	0.362	2.762	3kHz
1+2	802.11be EHT80	84.88	0.348	2.874	3kHz
1+2	802.11be EHT160	87.13	0.352	2.841	3kHz
1+2	802.11be EHT20 RU 52	96.67	1.740	0.575	1KHz
1+2	802.11be EHT80 Puncturing 20M, Loc 4	89.68	0.452	2.212	3kHz
1+2	802.11be EHT160 Puncturing 20M, Loc 1	86.46	0.396	2.525	3kHz
1+2	802.11be EHT160 Puncturing 40M, Loc 8	87.84	0.448	2.232	3kHz
1+2	802.11be EHT20_TXBF	98.79	-	-	10Hz
1+2	802.11be EHT40_TXBF	94.53	1.900	0.526	1kHz
1+2	802.11be EHT80_TXBF	96.72	0.972	1.029	2kHz
1+2	802.11be EHT160_TXBF	90.85	0.516	1.938	2kHz

Note: Loc: Puncture Location.


802.11a



802.11be EHT20




802.11be EHT40






802.11be EHT80




802.11be EHT160






802.11be EHT20 RU 52




802.11be EHT80 Puncturing 20M, Loc 4






802.11be EHT160 Puncturing 20M, Loc 1




802.11be EHT160 Puncturing 40M, Loc 8






802.11be EHT20_TXBF




802.11be EHT40_TXBF





802.11be EHT80_TXBF



802.11be EHT160_TXBF

