

TEST RESULTS DATA
Average Output Power

Band V

Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
EHT20	CDD	2	33	6115	MCS0	Full	7.5	8.31	8.25	11.29	2.30	13.59	30.00	Pass
EHT20	CDD	2	33	6115	MCS0	52*4	6	7.37	7.3	10.35	2.30	12.65	30.00	Pass
EHT20	CDD	2	65	6275	MCS0	Full	8.5	8.35	8.5	11.44	2.30	13.74	30.00	Pass
EHT20	CDD	2	93	6415	MCS0	Full	7.5	8.51	8.42	11.48	2.30	13.78	30.00	Pass
EHT40	CDD	2	35	6125	MCS0	Full	10.5	11.36	11.39	14.39	2.30	16.69	30.00	Pass
EHT40	CDD	2	35	6125	MCS0	52*8	9	10.26	10.22	13.25	2.30	15.55	30.00	Pass
EHT40	CDD	2	67	6285	MCS0	Full	11	11.38	11.22	14.31	2.30	16.61	30.00	Pass
EHT40	CDD	2	91	6405	MCS0	Full	9.5	11.21	11.06	14.15	2.30	16.45	30.00	Pass
EHT80	CDD	2	39	6145	MCS0	Full	14	14.75	14.85	17.81	2.30	20.11	30.00	Pass
EHT80	CDD	2	39	6145	MCS0	106*8	12.5	13.68	13.89	16.80	2.30	19.10	30.00	Pass
EHT80	CDD	2	39	6145	MCS0	PC 20,Loc 4	12	13.37	13.43	16.41	2.30	18.71	30.00	Pass
EHT80	CDD	2	55	6225	MCS0	Full	14	14.49	14.9	17.71	2.30	20.01	30.00	Pass
EHT80	CDD	2	87	6385	MCS0	Full	12.5	13.93	13.88	16.92	2.30	19.22	30.00	Pass
EHT160	CDD	2	47	6185	MCS0	Full	16.5	17.56	17.77	20.68	2.30	22.98	30.00	Pass
EHT160	CDD	2	47	6185	MCS0	242*8	16	17.23	17.48	20.37	2.30	22.67	30.00	Pass
EHT160	CDD	2	47	6185	MCS0	PC 20,Loc 8	15	16.62	16.68	19.66	2.30	21.96	30.00	Pass
EHT160	CDD	2	47	6185	MCS0	PC 40,Loc 4	14.5	15.93	16.38	19.17	2.30	21.47	30.00	Pass
EHT160	CDD	2	79	6345	MCS0	Full	15.5	16.59	17.72	20.20	2.30	22.50	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	Full	18.5	19.33	19.78	22.57	2.30	24.87	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	484*8	14	15.54	16.03	18.80	2.30	21.10	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	PC 40,Loc 8	17	18.21	18.55	21.39	2.30	23.69	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	PC 80,Loc 4	16.5	17.33	17.72	20.54	2.30	22.84	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	PC 80+40,Loc 6	16.5	17.16	17.51	20.35	2.30	22.65	30.00	Pass

TEST RESULTS DATA
Average Output Power

Band VI

Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
EHT20	CDD	2	97	6435	MCS0	Full	7	8.23	8.41	11.33	2.64	13.97	30.00	Pass
EHT20	CDD	2	97	6435	MCS0	52*4	5.5	7.3	7.56	10.44	2.64	13.08	30.00	Pass
EHT20	CDD	2	105	6475	MCS0	Full	7	7.82	8.58	11.23	2.64	13.87	30.00	Pass
EHT20	CDD	2	113	6515	MCS0	Full	7	7.85	8.04	10.96	2.64	13.60	30.00	Pass
EHT40	CDD	2	99	6445	MCS0	Full	9.5	10.89	10.74	13.83	2.64	16.47	30.00	Pass
EHT40	CDD	2	99	6445	MCS0	52*8	8.5	9.99	10.17	13.09	2.64	15.73	30.00	Pass
EHT40	CDD	2	107	6485	MCS0	Full	10	11.19	10.89	14.05	2.64	16.69	30.00	Pass
EHT40	CDD	2	115	6525	MCS0	Full	9.5	10.76	11.69	14.26	2.64	16.90	30.00	Pass
EHT80	CDD	2	103	6465	MCS0	Full	13	14.04	14.61	17.34	2.64	19.98	30.00	Pass
EHT80	CDD	2	103	6465	MCS0	106*8	11.5	13.03	13.78	16.43	2.64	19.07	30.00	Pass
EHT80	CDD	2	103	6465	MCS0	PC 20,Loc 4	10.5	12.23	13.09	15.69	2.64	18.33	30.00	Pass
EHT80	CDD	2	119	6545	MCS0	Full	13.5	14.53	14.17	17.36	2.64	20.00	30.00	Pass
EHT160	CDD	2	111	6505	MCS0	Full	15.5	16.59	17.72	20.20	2.64	22.84	30.00	Pass
EHT160	CDD	2	111	6505	MCS0	242*8	14.5	16.1	17.19	19.69	2.64	22.33	30.00	Pass
EHT160	CDD	2	111	6505	MCS0	PC 40,Loc 8	14	15.8	16.91	19.40	2.64	22.04	30.00	Pass
EHT160	CDD	2	111	6505	MCS0	PC 40,Loc 4	13.5	15.27	16.34	18.85	2.64	21.49	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	Full	19.5	20.11	20.1	23.12	2.64	25.76	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	484*8	14	15.16	14.06	17.66	2.64	20.30	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	PC 40,Loc 8	18	18.77	18.95	21.87	2.64	24.51	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	PC 80,Loc 4	17.5	18.33	18.44	21.40	2.64	24.04	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	PC 80+40,Loc 6	16.5	17.56	17.73	20.66	2.64	23.30	30.00	Pass

TEST RESULTS DATA
Average Output Power

Band VII

Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
EHT20	CDD	2	117	6535	MCS0	Full	7.5	8.3	8.14	11.23	2.64	13.87	30.00	Pass
EHT20	CDD	2	117	6535	MCS0	52*4	6	7.27	7.08	10.19	2.64	12.83	30.00	Pass
EHT20	CDD	2	149	6695	MCS0	Full	8.5	8.15	8.38	11.28	2.64	13.92	30.00	Pass
EHT20	CDD	2	181	6855	MCS0	Full	8	8.16	8.2	11.19	2.64	13.83	30.00	Pass
EHT20	CDD	2	185	6875	MCS0	Full	8.5	8.26	8.45	11.37	2.64	14.01	30.00	Pass
EHT40	CDD	2	123	6565	MCS0	Full	11	11.64	10.72	14.21	2.64	16.85	30.00	Pass
EHT40	CDD	2	123	6565	MCS0	52*8	9.5	10.56	9.57	13.10	2.64	15.74	30.00	Pass
EHT40	CDD	2	147	6685	MCS0	Full	11	10.8	11.12	13.97	2.64	16.61	30.00	Pass
EHT40	CDD	2	179	6845	MCS0	Full	10.5	11.02	11.17	14.11	2.64	16.75	30.00	Pass
EHT40	CDD	2	187	6885	MCS0	Full	11	10.93	11.26	14.11	2.64	16.75	30.00	Pass
EHT80	CDD	2	135	6625	MCS0	Full	14	14.25	14.19	17.23	2.64	19.87	30.00	Pass
EHT80	CDD	2	135	6625	MCS0	106*8	12.5	13.23	13.01	16.13	2.64	18.77	30.00	Pass
EHT80	CDD	2	135	6625	MCS0	PC 20,Loc 4	11.5	12.56	12.42	15.50	2.64	18.14	30.00	Pass
EHT80	CDD	2	151	6705	MCS0	Full	14	13.99	14.4	17.21	2.64	19.85	30.00	Pass
EHT80	CDD	2	167	6785	MCS0	Full	13.5	14.26	14.41	17.35	2.64	19.99	30.00	Pass
EHT80	CDD	2	183	6865	MCS0	Full	14	14.23	14.27	17.26	2.64	19.90	30.00	Pass
EHT160	CDD	2	143	6665	MCS0	Full	16.5	16.7	17.01	19.87	2.64	22.51	30.00	Pass
EHT160	CDD	2	175	6825	MCS0	Full	16.5	17.19	17.41	20.31	2.64	22.95	30.00	Pass
EHT320	CDD	2	159	6745	MCS0	Full	19	19.96	20.06	23.02	2.64	25.66	30.00	Pass

TEST RESULTS DATA
Average Output Power

Band VIII

Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
EHT20	CDD	2	189	6895	MCS0	Full	8.5	8.18	8.37	11.29	2.67	13.96	30.00	Pass
EHT20	CDD	2	209	6995	MCS0	Full	7	7.41	7.58	10.51	2.67	13.18	30.00	Pass
EHT20	CDD	2	229	7095	MCS0	Full	7.5	8.32	8.07	11.21	2.67	13.88	30.00	Pass
EHT20	CDD	2	229	7095	MCS0	52*4	6	7.35	7.11	10.24	2.67	12.91	30.00	Pass
EHT20	CDD	2	233	7115	MCS0	Full	5	6.21	5.73	8.99	2.67	11.66	30.00	Pass
EHT20	CDD	2	233	7115	MCS0	52*4	3.5	4.67	5.06	7.88	2.67	10.55	30.00	Pass
EHT40	CDD	2	195	6925	MCS0	Full	11	10.93	11.26	14.11	2.67	16.78	30.00	Pass
EHT40	CDD	2	211	7005	MCS0	Full	11.5	11.06	11.31	14.20	2.67	16.87	30.00	Pass
EHT40	CDD	2	227	7085	MCS0	Full	9.5	10.67	10.41	13.55	2.67	16.22	30.00	Pass
EHT40	CDD	2	227	7085	MCS0	Full	10.5	11.64	11.27	14.47	2.67	17.14	30.00	Pass
EHT80	CDD	2	199	6945	MCS0	Full	14.5	14.22	14.32	17.28	2.67	19.95	30.00	Pass
EHT80	CDD	2	215	7025	MCS0	Full	13	14.02	14.06	17.05	2.67	19.72	30.00	Pass
EHT80	CDD	2	215	7025	MCS0	106*8	11.5	12.74	12.81	15.79	2.67	18.46	30.00	Pass
EHT80	CDD	2	215	7025	MCS0	PC 20,Loc 1	11	12.76	12.79	15.79	2.67	18.46	30.00	Pass
EHT160	CDD	2	207	6985	MCS0	Full	16	16.75	16.75	19.76	2.67	22.43	30.00	Pass
EHT160	CDD	2	207	6985	MCS0	242*8	15	16.09	16.15	19.13	2.67	21.80	30.00	Pass
EHT160	CDD	2	207	6985	MCS0	PC 20,Loc 1	14.5	15.75	15.98	18.88	2.67	21.55	30.00	Pass
EHT160	CDD	2	207	6985	MCS0	PC 40,Loc 1	14	15.3	15.4	18.36	2.67	21.03	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	Full	19.5	19.81	19.93	22.88	2.67	25.55	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	484*8	15	16.23	16.07	19.16	2.67	21.83	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	PC 40,Loc 1	18.5	18.98	18.45	21.73	2.67	24.40	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	PC 80,Loc 1	18	19.11	18.51	21.83	2.67	24.50	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	PC 80+40,Loc 7	17	18.43	17.35	20.93	2.67	23.60	30.00	Pass

TEST RESULTS DATA
Average Output Power

Band V-2S2T

Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
EHT20	CDD	2	33	6115	MCS0	Full	10	11.2	11.16	14.19	2.30	16.49	30.00	Pass
EHT20	CDD	2	33	6115	MCS0	52*4	8.5	9.79	9.65	12.73	2.30	15.03	30.00	Pass
EHT20	CDD	2	65	6275	MCS0	Full	11	11.27	11.23	14.26	2.30	16.56	30.00	Pass
EHT20	CDD	2	93	6415	MCS0	Full	10	11.16	10.93	14.06	2.30	16.36	30.00	Pass
EHT40	CDD	2	35	6125	MCS0	Full	13.5	14.22	14.24	17.24	2.30	19.54	30.00	Pass
EHT40	CDD	2	35	6125	MCS0	52*8	11.5	12.84	12.86	15.86	2.30	18.16	30.00	Pass
EHT40	CDD	2	67	6285	MCS0	Full	14	14.2	14.2	17.21	2.30	19.51	30.00	Pass
EHT40	CDD	2	91	6405	MCS0	Full	12.5	13.9	13.93	16.93	2.30	19.23	30.00	Pass
EHT80	CDD	2	39	6145	MCS0	Full	17	17.48	17.67	20.59	2.30	22.89	30.00	Pass
EHT80	CDD	2	39	6145	MCS0	106*8	15	16.49	16.65	19.58	2.30	21.88	30.00	Pass
EHT80	CDD	2	39	6145	MCS0	PC 20,Loc 4	15	16.03	16.19	19.12	2.30	21.42	30.00	Pass
EHT80	CDD	2	55	6225	MCS0	Full	17	17.3	17.59	20.46	2.30	22.76	30.00	Pass
EHT80	CDD	2	87	6385	MCS0	Full	15.5	16.65	16.67	19.67	2.30	21.97	30.00	Pass
EHT160	CDD	2	47	6185	MCS0	Full	19.5	20.42	21.03	23.75	2.30	26.05	30.00	Pass
EHT160	CDD	2	47	6185	MCS0	242*8	18.5	19.55	20.17	22.88	2.30	25.18	30.00	Pass
EHT160	CDD	2	47	6185	MCS0	PC 20,Loc 8	18.5	19.4	20.06	22.75	2.30	25.05	30.00	Pass
EHT160	CDD	2	47	6185	MCS0	PC 40,Loc 4	17.5	18.42	18.86	21.66	2.30	23.96	30.00	Pass
EHT160	CDD	2	79	6345	MCS0	Full	18.5	19.59	20.54	23.10	2.30	25.40	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	Full	21.5	22.59	22.93	25.77	2.30	28.07	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	484*8	14	15.45	16.04	18.77	2.30	21.07	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	PC 40,Loc 8	20.5	21.32	21.55	24.45	2.30	26.75	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	PC 80,Loc 4	20	20.41	20.78	23.61	2.30	25.91	30.00	Pass
EHT320	CDD	2	63	6265	MCS0	PC 80+40,Loc 6	19.5	19.77	20.09	22.94	2.30	25.24	30.00	Pass

TEST RESULTS DATA
Average Output Power

Band VI-2S2T

Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
EHT20	CDD	2	97	6435	MCS0	Full	9.5	11.06	10.82	13.95	2.64	16.59	30.00	Pass
EHT20	CDD	2	97	6435	MCS0	52*4	8	9.63	9.76	12.71	2.64	15.35	30.00	Pass
EHT20	CDD	2	105	6475	MCS0	Full	9.5	10.74	11.68	14.25	2.64	16.89	30.00	Pass
EHT20	CDD	2	113	6515	MCS0	Full	9.5	10.67	10.6	13.65	2.64	16.29	30.00	Pass
EHT40	CDD	2	99	6445	MCS0	Full	12	13.37	13.73	16.56	2.64	19.20	30.00	Pass
EHT40	CDD	2	99	6445	MCS0	52*8	10.5	12.56	12.62	15.60	2.64	18.24	30.00	Pass
EHT40	CDD	2	107	6485	MCS0	Full	12.5	13.65	14.38	17.04	2.64	19.68	30.00	Pass
EHT40	CDD	2	115	6525	MCS0	Full	13	13.58	13.59	16.60	2.64	19.24	30.00	Pass
EHT80	CDD	2	103	6465	MCS0	Full	16	16.96	17.5	20.25	2.64	22.89	30.00	Pass
EHT80	CDD	2	103	6465	MCS0	106*8	14	15.77	16.32	19.06	2.64	21.70	30.00	Pass
EHT80	CDD	2	103	6465	MCS0	PC 20,Loc 4	14	15.36	15.84	18.62	2.64	21.26	30.00	Pass
EHT80	CDD	2	119	6545	MCS0	Full	16.5	17.44	17.17	20.32	2.64	22.96	30.00	Pass
EHT160	CDD	2	111	6505	MCS0	Full	18.5	19.59	20.54	23.10	2.64	25.74	30.00	Pass
EHT160	CDD	2	111	6505	MCS0	242*8	17.5	18.91	19.81	22.39	2.64	25.03	30.00	Pass
EHT160	CDD	2	111	6505	MCS0	PC 40,Loc 8	17.5	18.73	19.78	22.30	2.64	24.94	30.00	Pass
EHT160	CDD	2	111	6505	MCS0	PC 40,Loc 4	17	18.27	19.3	21.83	2.64	24.47	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	Full	21.5	22.46	21.4	24.97	2.64	27.61	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	484*8	14	15.21	14.03	17.67	2.64	20.31	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	PC 40,Loc 8	20.5	21.43	21.13	24.29	2.64	26.93	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	PC 80,Loc 4	20	20.97	19.68	23.38	2.64	26.02	30.00	Pass
EHT320	CDD	2	127	6585	MCS0	PC 80+40,Loc 6	19	20.23	19.4	22.85	2.64	25.49	30.00	Pass

TEST RESULTS DATA
Average Output Power

Band VII-2S2T

Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
EHT20	CDD	2	117	6535	MCS0	Full	10	11.2	10.7	13.97	2.64	16.61	30.00	Pass
EHT20	CDD	2	117	6535	MCS0	52*4	8.5	9.81	9.58	12.71	2.64	15.35	30.00	Pass
EHT20	CDD	2	149	6695	MCS0	Full	11	10.91	11.1	14.02	2.64	16.66	30.00	Pass
EHT20	CDD	2	181	6855	MCS0	Full	10.5	10.97	11.23	14.11	2.64	16.75	30.00	Pass
EHT20	CDD	2	185	6875	MCS0	Full	11	10.96	11.27	14.13	2.64	16.77	30.00	Pass
EHT40	CDD	2	123	6565	MCS0	Full	14	14.78	13.93	17.39	2.64	20.03	30.00	Pass
EHT40	CDD	2	123	6565	MCS0	52*8	12	13.25	12.33	15.82	2.64	18.46	30.00	Pass
EHT40	CDD	2	147	6685	MCS0	Full	14	13.98	14.22	17.11	2.64	19.75	30.00	Pass
EHT40	CDD	2	179	6845	MCS0	Full	13.5	13.99	14.11	17.06	2.64	19.70	30.00	Pass
EHT40	CDD	2	187	6885	MCS0	Full	14	13.9	14.13	17.03	2.64	19.67	30.00	Pass
EHT80	CDD	2	135	6625	MCS0	Full	17	16.89	17.06	19.99	2.64	22.63	30.00	Pass
EHT80	CDD	2	135	6625	MCS0	106*8	15	15.77	18.83	20.57	2.64	23.21	30.00	Pass
EHT80	CDD	2	135	6625	MCS0	PC 20,Loc 4	15	15.54	15.64	18.60	2.64	21.24	30.00	Pass
EHT80	CDD	2	151	6705	MCS0	Full	17	16.68	17.25	19.98	2.64	22.62	30.00	Pass
EHT80	CDD	2	167	6785	MCS0	Full	16.5	17.13	17.45	20.30	2.64	22.94	30.00	Pass
EHT80	CDD	2	183	6865	MCS0	Full	17	16.97	17.23	20.11	2.64	22.75	30.00	Pass
EHT160	CDD	2	143	6665	MCS0	Full	19.5	19.48	19.73	22.62	2.64	25.26	30.00	Pass
EHT160	CDD	2	175	6825	MCS0	Full	19.5	20.1	20.15	23.14	2.64	25.78	30.00	Pass
EHT320	CDD	2	159	6745	MCS0	Full	20.5	21.64	21.43	24.55	2.64	27.19	30.00	Pass

TEST RESULTS DATA
Average Output Power

Band VIII-2S2T

Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
EHT20	CDD	2	189	6895	MCS0	Full	11	11.03	11.37	14.21	2.67	16.88	30.00	Pass
EHT20	CDD	2	209	6995	MCS0	Full	9.5	10.28	10.14	13.22	2.67	15.89	30.00	Pass
EHT20	CDD	2	229	7095	MCS0	Full	10	11.12	10.78	13.96	2.67	16.63	30.00	Pass
EHT20	CDD	2	229	7095	MCS0	52*4	8.5	9.81	9.55	12.69	2.67	15.36	30.00	Pass
EHT20	CDD	2	233	7115	MCS0	Full	8	9.06	9	12.04	2.67	14.71	30.00	Pass
EHT20	CDD	2	233	7115	MCS0	52*4	6.5	7.82	7.54	10.69	2.67	13.36	30.00	Pass
EHT40	CDD	2	195	6925	MCS0	Full	14	13.9	14.13	17.03	2.67	19.70	30.00	Pass
EHT40	CDD	2	211	7005	MCS0	Full	14.5	14.1	14.28	17.20	2.67	19.87	30.00	Pass
EHT40	CDD	2	227	7085	MCS0	Full	12.5	13.53	13.66	16.61	2.67	19.28	30.00	Pass
EHT40	CDD	2	227	7085	MCS0	Full	13	14.2	13.96	17.09	2.67	19.76	30.00	Pass
EHT80	CDD	2	199	6945	MCS0	Full	17.5	17.16	17.2	20.19	2.67	22.86	30.00	Pass
EHT80	CDD	2	215	7025	MCS0	Full	16	16.97	17.05	20.02	2.67	22.69	30.00	Pass
EHT80	CDD	2	215	7025	MCS0	106*8	14	15.63	15.59	18.62	2.67	21.29	30.00	Pass
EHT80	CDD	2	215	7025	MCS0	PC 20,Loc 1	14	15.63	15.59	18.62	2.67	21.29	30.00	Pass
EHT160	CDD	2	207	6985	MCS0	Full	19	19.54	19.89	22.73	2.67	25.40	30.00	Pass
EHT160	CDD	2	207	6985	MCS0	242*8	18	18.74	19.05	21.91	2.67	24.58	30.00	Pass
EHT160	CDD	2	207	6985	MCS0	PC 20,Loc 1	18	18.77	19.04	21.92	2.67	24.59	30.00	Pass
EHT160	CDD	2	207	6985	MCS0	PC 40,Loc 1	17	18.06	18.21	21.15	2.67	23.82	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	Full	21.5	21.95	21.81	24.89	2.67	27.56	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	484*8	15	16.02	16.12	19.08	2.67	21.75	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	PC 40,Loc 1	20.5	20.96	21.1	24.04	2.67	26.71	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	PC 80,Loc 1	20	20.47	20.53	23.51	2.67	26.18	30.00	Pass
EHT320	CDD	2	191	6905	MCS0	PC 80+40,Loc 7	18.5	19.38	19.64	22.52	2.67	25.19	30.00	Pass