

Appendix D. Duty Cycle Plots


CDD & TXBF mode

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11be EHT20	98.11	-	-	10Hz
1+2	802.11be EHT40	98.18	-	-	10Hz
1+2	802.11be EHT80	98.55	-	-	10Hz
1+2	802.11be EHT160	98.54	-	-	10Hz
1+2	802.11be EHT320	98.19	-	-	10Hz
1+2	802.11be EHT20 RU 52	89.57	4.980	0.201	0.22Hz
1+2	802.11be EHT160 RU 242	74.66	1.768	0.566	0.62Hz
1+2	802.11be EHT80 Puncturing 20M	98.19	-	-	10Hz
1+2	802.11be EHT160 Puncturing 40	98.53	-	-	10Hz
1+2	802.11be EHT320 Puncturing 80+40M	98.55	-	-	10Hz
1+2	802.11be EHT320 Puncturing 80M	98.19	-	-	10Hz


Note: Loc: Puncture Location.



802.11be EHT20




802.11be EHT40








802.11be EHT320




802.11be EHT20 RU 52






802.11be EHT20 RU 242



802.11be EHT80 Puncturing 20M





802.11be EHT320 Puncturing 80M

