

TEST RESULTS DATA Average Output Power															
FCC U-NII-1															
Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{rx}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
11a	CDD	2	36	5180	6Mbps	-	22.00	21.51	21.54	24.54	30.00	1.12	25.66	-	Pass
11a	CDD	2	44	5220	6Mbps	-	23.50	22.71	22.76	25.75	30.00	1.12	26.87	-	Pass
11a	CDD	2	48	5240	6Mbps	-	25.50	25.33	25.21	28.28	30.00	1.12	29.40	-	Pass
HT20	CDD	2	36	5180	MCS0	-	21.50	21.02	21.23	24.14	30.00	1.12	25.26	-	Pass
HT20	CDD	2	44	5220	MCS0	-	22.50	21.94	21.94	24.95	30.00	1.12	26.07	-	Pass
HT20	CDD	2	48	5240	MCS0	-	24.50	24.47	24.56	27.53	30.00	1.12	28.65	-	Pass
HT40	CDD	2	38	5190	MCS0	-	20.50	20.53	20.80	23.68	30.00	1.12	24.80	-	Pass
HT40	CDD	2	46	5230	MCS0	-	21.50	21.46	21.58	24.53	30.00	1.12	25.65	-	Pass
VHT20	CDD	2	36	5180	MCS0	-	21.50	21.08	21.31	24.21	30.00	1.12	25.33	-	Pass
VHT20	CDD	2	44	5220	MCS0	-	22.50	21.99	22.02	25.02	30.00	1.12	26.14	-	Pass
VHT20	CDD	2	48	5240	MCS0	-	24.50	24.52	24.61	27.58	30.00	1.12	28.70	-	Pass
VHT40	CDD	2	38	5190	MCS0	-	20.50	20.59	20.84	23.73	30.00	1.12	24.85	-	Pass
VHT40	CDD	2	46	5230	MCS0	-	21.50	21.49	21.65	24.58	30.00	1.12	25.70	-	Pass
VHT80	CDD	2	42	5210	MCS0	-	20.50	20.25	20.57	23.42	30.00	1.12	24.54	-	Pass
VHT160	SISO	2	50	5250	MCS0	-	18.50	18.75	18.81	21.79	30.00	1.12	22.91	-	Pass
HE20	CDD	2	36	5180	MCS0	Full	22.00	21.63	21.74	24.70	30.00	1.12	25.82	-	Pass
HE20	CDD	2	36	5180	MCS0	52*4	20.00	20.01	20.17	23.10	30.00	1.12	24.22	-	Pass
HE20	CDD	2	44	5220	MCS0	Full	23.00	22.41	22.43	25.43	30.00	1.12	26.55	-	Pass
HE20	CDD	2	44	5220	MCS0	52*4	21.50	21.23	21.34	24.30	30.00	1.12	25.42	-	Pass
HE20	CDD	2	48	5240	MCS0	Full	25.00	24.84	24.88	27.87	30.00	1.12	28.99	-	Pass
HE20	CDD	2	48	5240	MCS0	52*4	23.50	23.70	23.52	26.62	30.00	1.12	27.74	-	Pass
HE40	CDD	2	38	5190	MCS0	Full	21.50	21.19	21.24	24.23	30.00	1.12	25.35	-	Pass
HE40	CDD	2	38	5190	MCS0	52*8	20.00	20.17	20.41	23.30	30.00	1.12	24.42	-	Pass
HE40	CDD	2	46	5230	MCS0	Full	22.50	22.20	22.36	25.29	30.00	1.12	26.41	-	Pass
HE40	CDD	2	46	5230	MCS0	52*8	21.00	20.91	21.22	24.08	30.00	1.12	25.20	-	Pass
HE80	CDD	2	42	5210	MCS0	Full	21.00	20.52	20.67	23.61	30.00	1.12	24.73	-	Pass
HE80	CDD	2	42	5210	MCS0	106*8	19.00	19.43	19.54	22.50	30.00	1.12	23.62	-	Pass
HE160	CDD	2	50	5250	MCS0	Full	19.00	19.05	19.13	22.10	30.00	1.12	23.22	-	Pass
HE160	CDD	2	50	5250	MCS0	242*8	18.50	18.86	18.93	21.91	30.00	1.12	23.03	-	Pass
EHT20	CDD	2	36	5180	MCS0	Full	22.00	21.66	21.79	24.74	30.00	1.12	25.86	-	Pass
EHT20	CDD	2	36	5180	MCS0	52*4	20.00	20.05	20.20	23.14	30.00	1.12	24.26	-	Pass
EHT20	CDD	2	44	5220	MCS0	Full	23.00	22.47	22.50	25.50	30.00	1.12	26.62	-	Pass
EHT20	CDD	2	44	5220	MCS0	52*4	21.50	21.28	21.42	24.36	30.00	1.12	25.48	-	Pass
EHT20	CDD	2	48	5240	MCS0	Full	25.00	24.88	24.94	27.92	30.00	1.12	29.04	-	Pass
EHT20	CDD	2	48	5240	MCS0	52*4	23.50	23.74	23.57	26.67	30.00	1.12	27.79	-	Pass
EHT40	CDD	2	38	5190	MCS0	Full	21.50	21.26	21.27	24.28	30.00	1.12	25.40	-	Pass
EHT40	CDD	2	38	5190	MCS0	52*8	20.00	20.21	20.47	23.35	30.00	1.12	24.47	-	Pass
EHT40	CDD	2	46	5230	MCS0	Full	22.50	22.27	22.41	25.35	30.00	1.12	26.47	-	Pass
EHT40	CDD	2	46	5230	MCS0	52*8	21.00	20.99	21.28	24.15	30.00	1.12	25.27	-	Pass
EHT80	CDD	2	42	5210	MCS0	Full	21.00	20.58	20.71	23.66	30.00	1.12	24.78	-	Pass
EHT80	CDD	2	42	5210	MCS0	106*8	19.00	19.49	19.60	22.56	30.00	1.12	23.68	-	Pass
EHT80	CDD	2	42	5210	MCS0	PC 20,Loc:4	17.50	17.67	17.71	20.70	30.00	1.12	21.82	-	Pass
EHT160	CDD	2	50	5250	MCS0	Full	19.00	19.13	19.19	22.17	30.00	1.12	23.29	-	Pass
EHT160	CDD	2	50	5250	MCS0	242*8	18.50	18.94	19.01	21.99	30.00	1.12	23.11	-	Pass
EHT160	CDD	2	50	5250	MCS0	PC 20,Loc:1	16.00	16.30	16.28	19.30	30.00	1.12	20.42	-	Pass
EHT160	CDD	2	36	5180	MCS0	PC 20,Loc:8	16.50	16.79	16.87	19.84	30.00	1.12	20.96	-	Pass
EHT160	CDD	2	36	5180	MCS0	PC 40,Loc:1	17.00	17.57	17.47	20.53	30.00	1.12	21.65	-	Pass
EHT160	CDD	2	36	5180	MCS0	PC 40,Loc:4	16.00	16.27	16.40	19.35	30.00	1.12	20.47	-	Pass

TEST RESULTS DATA Average Output Power															
FCC U-NII-2A															
Mode							Power Setting	Average Conducted Power with duty factor(dBm)			FCC Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2		
11a	CDD	2	52	5260	6Mbps	-	19.50	18.95	18.91	21.94	23.98	1.12	23.06	30.00	Pass
11a	CDD	2	60	5300	6Mbps	-	18.00	19.27	19.03	22.16	23.98	1.12	23.28	30.00	Pass
11a	CDD	2	64	5320	6Mbps	-	18.00	19.07	19.33	22.21	23.98	1.12	23.33	30.00	Pass
HT20	CDD	2	52	5260	MCS0	-	19.50	19.13	19.08	22.12	23.98	1.12	23.24	30.00	Pass
HT20	CDD	2	60	5300	MCS0	-	19.00	19.03	18.91	21.98	23.98	1.12	23.10	30.00	Pass
HT20	CDD	2	64	5320	MCS0	-	20.00	19.46	19.67	22.58	23.98	1.12	23.70	30.00	Pass
HT40	CDD	2	54	5270	MCS0	-	20.50	20.18	20.39	23.30	23.98	1.12	24.42	30.00	Pass
HT40	CDD	2	62	5310	MCS0	-	20.00	19.85	19.84	22.86	23.98	1.12	23.98	30.00	Pass
VHT20	CDD	2	52	5260	MCS0	-	19.50	19.17	19.19	22.19	23.98	1.12	23.31	30.00	Pass
VHT20	CDD	2	60	5300	MCS0	-	19.00	19.05	18.98	22.03	23.98	1.12	23.15	30.00	Pass
VHT20	CDD	2	64	5320	MCS0	-	20.00	19.51	19.75	22.64	23.98	1.12	23.76	30.00	Pass
VHT40	CDD	2	54	5270	MCS0	-	20.50	20.24	20.41	23.34	23.98	1.12	24.46	30.00	Pass
VHT40	CDD	2	62	5310	MCS0	-	20.00	19.89	19.92	22.92	23.98	1.12	24.04	30.00	Pass
VHT80	CDD	2	58	5290	MCS0	-	20.50	20.31	20.32	23.33	23.98	1.12	24.45	30.00	Pass
VHT160	CDD	2	50	5250	MCS0	-	18.50	18.75	18.81	21.79	23.98	1.12	22.91	30.00	Pass
HE20	CDD	2	52	5260	MCS0	Full	20.00	19.33	19.51	22.43	23.98	1.12	23.55	30.00	Pass
HE20	CDD	2	52	5260	MCS0	52*4	18.50	18.61	18.60	21.62	23.98	1.12	22.74	30.00	Pass
HE20	CDD	2	60	5300	MCS0	Full	20.00	19.67	19.70	22.70	23.98	1.12	23.82	30.00	Pass
HE20	CDD	2	60	5300	MCS0	52*4	18.50	18.95	18.82	21.90	23.98	1.12	23.02	30.00	Pass
HE20	CDD	2	64	5320	MCS0	Full	20.50	19.77	20.05	22.92	23.98	1.12	24.04	30.00	Pass
HE20	CDD	2	64	5320	MCS0	52*4	19.00	19.04	19.02	22.04	23.98	1.12	23.16	30.00	Pass
HE40	CDD	2	54	5270	MCS0	Full	21.50	20.88	20.71	23.81	23.98	1.12	24.93	30.00	Pass
HE40	CDD	2	54	5270	MCS0	52*8	20.00	19.91	19.93	22.93	23.98	1.12	24.05	30.00	Pass
HE40	CDD	2	62	5310	MCS0	Full	21.00	20.48	20.29	23.40	23.98	1.12	24.52	30.00	Pass
HE40	CDD	2	62	5310	MCS0	52*8	19.50	19.71	19.43	22.58	23.98	1.12	23.70	30.00	Pass
HE80	CDD	2	58	5290	MCS0	Full	21.00	20.51	20.53	23.53	23.98	1.12	24.65	30.00	Pass
HE80	CDD	2	58	5290	MCS0	106*8	19.00	19.41	19.28	22.36	23.98	1.12	23.48	30.00	Pass
HE160	CDD	2	50	5250	MCS0	Full	19.00	19.10	19.10	22.11	23.98	1.12	23.23	30.00	Pass
HE160	CDD	2	50	5250	MCS0	242*8	18.50	18.90	18.95	21.94	23.98	1.12	23.06	30.00	Pass
EHT20	CDD	2	52	5260	MCS0	Full	20.00	19.41	19.59	22.51	23.98	1.12	23.63	30.00	Pass
EHT20	CDD	2	52	5260	MCS0	52*4	18.50	18.65	18.64	21.66	23.98	1.12	22.78	30.00	Pass
EHT20	CDD	2	60	5300	MCS0	Full	20.00	19.71	19.77	22.75	23.98	1.12	23.87	30.00	Pass
EHT20	CDD	2	60	5300	MCS0	52*4	18.50	19.02	18.90	21.97	23.98	1.12	23.09	30.00	Pass
EHT20	CDD	2	64	5320	MCS0	Full	20.50	19.83	20.08	22.97	23.98	1.12	24.09	30.00	Pass
EHT20	CDD	2	64	5320	MCS0	52*4	19.00	19.07	19.05	22.07	23.98	1.12	23.19	30.00	Pass
EHT40	CDD	2	54	5270	MCS0	Full	21.50	20.91	20.79	23.86	23.98	1.12	24.98	30.00	Pass
EHT40	CDD	2	54	5270	MCS0	52*8	20.00	19.93	20.02	22.99	23.98	1.12	24.11	30.00	Pass
EHT40	CDD	2	62	5310	MCS0	Full	21.00	20.55	20.35	23.46	23.98	1.12	24.58	30.00	Pass
EHT40	CDD	2	62	5310	MCS0	52*8	19.50	19.75	19.47	22.62	23.98	1.12	23.74	30.00	Pass
EHT80	CDD	2	58	5290	MCS0	Full	21.00	20.54	20.57	23.57	23.98	1.12	24.69	30.00	Pass
EHT80	CDD	2	58	5290	MCS0	106*8	19.00	19.50	19.30	22.41	23.98	1.12	23.53	30.00	Pass
EHT80	CDD	2	58	5290	MCS0	PC 20,Loc:1	18.00	18.34	18.09	21.23	23.98	1.12	22.35	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	Full	19.00	19.13	19.19	22.17	23.98	1.12	23.29	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	242*8	18.50	18.94	19.01	21.99	23.98	1.12	23.11	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	PC 20,Loc:1	16.00	16.30	16.28	19.30	23.98	1.12	20.42	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	PC 20,Loc:8	16.50	16.79	16.87	19.84	23.98	1.12	20.96	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	PC 40,Loc:1	17.00	17.57	17.47	20.53	23.98	1.12	21.65	30.00	Pass
EHT160	CDD	2	50	5250	MCS0	PC 40,Loc:4	16.00	16.27	16.40	19.35	23.98	1.12	20.47	30.00	Pass

TEST RESULTS DATA																
Average Output Power																
FCC U-NII-2C																
Mode							Power Setting	Average Conducted Power with duty factor(dBm)			FCC Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	
Band	MIMO	N _{rx}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2			
11a	CDD	2	100	5500	6Mbps	-	19.50	19.31	19.62	22.48	23.98	1.93	24.41	30.00	Pass	
11a	CDD	2	116	5580	6Mbps	-	19.50	19.36	19.48	22.43	23.98	1.93	24.36	30.00	Pass	
11a	CDD	2	140	5700	6Mbps	-	19.50	19.31	19.31	22.32	23.98	1.93	24.25	30.00	Pass	
11a	CDD	2	144	5720	6Mbps	-	19.50	19.51	19.38	22.46	23.98	1.93	24.39	30.00	Pass	
HT20	CDD	2	100	5500	MCSS0	-	19.00	19.09	19.46	22.29	23.98	1.93	24.22	30.00	Pass	
HT20	CDD	2	116	5580	MCSS0	-	19.00	19.01	19.26	22.15	23.98	1.93	24.08	30.00	Pass	
HT20	CDD	2	140	5700	MCSS0	-	19.00	19.16	19.19	22.19	23.98	1.93	24.12	30.00	Pass	
HT20	CDD	2	144	5720	MCSS0	-	19.00	19.33	19.25	22.30	23.98	1.93	24.23	30.00	Pass	
HT40	CDD	2	102	5510	MCSS0	-	20.00	19.93	19.97	22.96	23.98	1.93	24.89	30.00	Pass	
HT40	CDD	2	110	5550	MCSS0	-	20.00	20.26	20.51	23.40	23.98	1.93	25.33	30.00	Pass	
HT40	CDD	2	134	5670	MCSS0	-	20.00	20.22	20.40	23.32	23.98	1.93	25.25	30.00	Pass	
HT40	CDD	2	142	5710	MCSS0	-	20.00	20.25	20.22	23.25	23.98	1.93	25.18	30.00	Pass	
VHT20	CDD	2	100	5500	MCSS0	-	19.00	19.14	19.48	22.32	23.98	1.93	24.25	30.00	Pass	
VHT20	CDD	2	116	5580	MCSS0	-	19.00	19.04	19.32	22.19	23.98	1.93	24.12	30.00	Pass	
VHT20	CDD	2	140	5700	MCSS0	-	19.00	19.20	19.20	22.21	23.98	1.93	24.14	30.00	Pass	
VHT20	CDD	2	144	5720	MCSS0	-	19.00	19.38	19.34	22.37	23.98	1.93	24.30	30.00	Pass	
VHT40	CDD	2	102	5510	MCSS0	-	20.00	19.98	20.06	23.03	23.98	1.93	24.96	30.00	Pass	
VHT40	CDD	2	110	5550	MCSS0	-	20.00	20.27	20.61	23.45	23.98	1.93	25.38	30.00	Pass	
VHT40	CDD	2	134	5670	MCSS0	-	20.00	20.23	20.48	23.37	23.98	1.93	25.30	30.00	Pass	
VHT40	CDD	2	142	5710	MCSS0	-	20.00	20.27	20.31	23.30	23.98	1.93	25.23	30.00	Pass	
VHT80	CDD	2	106	5530	MCSS0	-	20.50	20.33	20.59	23.47	23.98	1.93	25.40	30.00	Pass	
VHT80	CDD	2	122	5610	MCSS0	-	20.50	20.85	20.61	23.74	23.98	1.93	25.67	30.00	Pass	
VHT80	CDD	2	138	5600	MCSS0	-	20.50	20.66	20.84	23.76	23.98	1.93	25.69	30.00	Pass	
VHT160	CDD	2	114	5570	MCSS0	-	20.50	20.59	20.68	23.65	23.98	1.93	25.58	30.00	Pass	
HE20	CDD	2	100	5500	MCSS0	Full	20.00	19.81	20.16	23.00	23.98	1.93	24.93	30.00	Pass	
HE20	CDD	2	100	5500	MCSS0	52°4	18.50	18.96	19.45	22.22	23.98	1.93	24.15	30.00	Pass	
HE20	CDD	2	116	5580	MCSS0	Full	20.00	19.68	19.97	22.84	23.98	1.93	24.77	30.00	Pass	
HE20	CDD	2	116	5580	MCSS0	52°4	18.50	18.96	19.20	22.09	23.98	1.93	24.02	30.00	Pass	
HE20	CDD	2	140	5700	MCSS0	Full	20.00	19.80	20.08	22.95	23.98	1.93	24.88	30.00	Pass	
HE20	CDD	2	140	5700	MCSS0	52°4	18.50	19.03	19.16	22.11	23.98	1.93	24.04	30.00	Pass	
HE20	CDD	2	144	5720	MCSS0	Full	20.00	20.07	20.06	23.08	23.98	1.93	25.01	30.00	Pass	
HE20	CDD	2	144	5720	MCSS0	52°4	18.00	18.69	18.93	21.82	23.98	1.93	23.75	30.00	Pass	
HE40	CDD	2	102	5510	MCSS0	Full	21.00	20.36	20.64	23.51	23.98	1.93	25.44	30.00	Pass	
HE40	CDD	2	102	5510	MCSS0	52°8	19.50	19.58	19.86	22.73	23.98	1.93	24.66	30.00	Pass	
HE40	CDD	2	110	5550	MCSS0	Full	21.00	20.71	21.02	23.88	23.98	1.93	25.81	30.00	Pass	
HE40	CDD	2	110	5550	MCSS0	52°8	19.50	19.80	20.09	22.96	23.98	1.93	24.89	30.00	Pass	
HE40	CDD	2	134	5670	MCSS0	Full	21.00	20.65	21.08	23.88	23.98	1.93	25.81	30.00	Pass	
HE40	CDD	2	134	5670	MCSS0	52°8	19.50	20.04	20.07	23.07	23.98	1.93	25.00	30.00	Pass	
HE40	CDD	2	142	5710	MCSS0	Full	21.00	20.77	20.94	23.87	23.98	1.93	25.80	30.00	Pass	
HE40	CDD	2	142	5710	MCSS0	52°8	19.50	20.02	19.86	22.95	23.98	1.93	24.88	30.00	Pass	
HE80	CDD	2	106	5530	MCSS0	Full	21.00	20.52	20.88	23.71	23.98	1.93	25.64	30.00	Pass	
HE80	CDD	2	106	5530	MCSS0	106°8	19.00	19.54	19.50	22.53	23.98	1.93	24.46	30.00	Pass	
HE80	CDD	2	122	5610	MCSS0	Full	21.00	20.89	20.85	23.88	23.98	1.93	25.81	30.00	Pass	
HE80	CDD	2	122	5610	MCSS0	106°8	19.00	19.76	19.55	22.67	23.98	1.93	24.60	30.00	Pass	
HE80	CDD	2	138	5600	MCSS0	Full	21.00	20.65	21.07	23.88	23.98	1.93	25.81	30.00	Pass	
HE80	CDD	2	138	5600	MCSS0	106°8	19.00	19.70	19.90	22.81	23.98	1.93	24.74	30.00	Pass	
HE160	CDD	2	114	5570	MCSS0	Full	21.00	20.85	20.94	23.91	23.98	1.93	25.84	30.00	Pass	
HE160	CDD	2	114	5570	MCSS0	242°8	20.50	20.66	20.69	23.69	23.98	1.93	25.62	30.00	Pass	
EHT20	CDD	2	100	5500	MCSS0	Full	20.00	19.87	20.19	23.04	23.98	1.93	24.97	30.00	Pass	
EHT20	CDD	2	100	5500	MCSS0	52°4	18.50	19.00	19.46	22.25	23.98	1.93	24.18	30.00	Pass	
EHT20	CDD	2	116	5580	MCSS0	Full	20.00	19.74	20.00	22.88	23.98	1.93	24.81	30.00	Pass	
EHT20	CDD	2	116	5580	MCSS0	52°4	18.50	18.98	19.27	22.14	23.98	1.93	24.07	30.00	Pass	
EHT20	CDD	2	140	5700	MCSS0	Full	20.00	19.87	20.09	22.99	23.98	1.93	24.92	30.00	Pass	
EHT20	CDD	2	140	5700	MCSS0	52°4	18.50	19.05	19.21	22.14	23.98	1.93	24.07	30.00	Pass	
EHT20	CDD	2	144	5720	MCSS0	Full	20.00	20.13	20.16	23.16	23.98	1.93	25.09	30.00	Pass	
EHT20	CDD	2	144	5720	MCSS0	52°4	18.00	18.79	18.97	21.89	23.98	1.93	23.82	30.00	Pass	
EHT40	CDD	2	102	5510	MCSS0	Full	21.00	20.40	20.68	23.55	23.98	1.93	25.48	30.00	Pass	
EHT40	CDD	2	102	5510	MCSS0	52°8	19.50	19.61	19.90	22.77	23.98	1.93	24.70	30.00	Pass	
EHT40	CDD	2	110	5550	MCSS0	Full	21.00	20.75	21.12	23.95	23.98	1.93	25.88	30.00	Pass	
EHT40	CDD	2	110	5550	MCSS0	52°8	19.50	19.87	20.17	23.03	23.98	1.93	24.96	30.00	Pass	
EHT40	CDD	2	134	5670	MCSS0	Full	21.00	20.73	21.09	23.82	23.98	1.93	25.85	30.00	Pass	
EHT40	CDD	2	134	5670	MCSS0	52°8	19.50	20.05	20.15	23.11	23.98	1.93	25.04	30.00	Pass	
EHT40	CDD	2	142	5710	MCSS0	Full	21.00	20.87	20.96	23.93	23.98	1.93	25.86	30.00	Pass	
EHT40	CDD	2	142	5710	MCSS0	52°8	19.50	20.05	19.92	23.00	23.98	1.93	24.93	30.00	Pass	
EHT80	CDD	2	106	5530	MCSS0	Full	21.00	20.60	20.94	23.78	23.98	1.93	25.71	30.00	Pass	
EHT80	CDD	2	106	5530	MCSS0	106°8	19.00	19.60	19.60	22.61	23.98	1.93	24.54	30.00	Pass	
EHT80	CDD	2	106	5530	MCSS0	PC 20Loc-4	18.00	18.30	18.54	21.43	23.98	1.93	23.36	30.00	Pass	
EHT80	CDD	2	122	5610	MCSS0	Full	21.00	20.96	20.87	23.93	23.98	1.93	25.86	30.00	Pass	
EHT80	CDD	2	122	5610	MCSS0	106°8	19.00	19.82	19.63	23.74	23.98	1.93	24.67	30.00	Pass	
EHT80	CDD	2	122	5610	MCSS0	PC 20Loc-1	18.50	19.20	19.17	22.20	23.98	1.93	24.13	30.00	Pass	
EHT80	CDD	2	138	5600	MCSS0	Full	21.00	20.74	21.08	23.92	23.98	1.93	25.85	30.00	Pass	
EHT80	CDD	2	138	5600	MCSS0	106°8	19.00	19.78	19.97	22.89	23.98	1.93	24.82	30.00	Pass	
EHT80	CDD	2	138	5600	MCSS0	PC 20Loc-4	18.50	19.27	19.64	22.57	23.98	1.93	24.40	30.00	Pass	
EHT160	CDD	2	114	5570	MCSS0	Full	21.00	20.91	20.99	23.96	23.98	1.93	25.89	30.00	Pass	
EHT160	CDD	2	114	5570	MCSS0	242°8	20.50	20.73	20.76	23.76	23.98	1.93	25.69	30.00	Pass	
EHT160	CDD	2	114	5570	MCSS0	PC 20Loc-1	16.00	16.37	16.47	19.43	23.98	1.93	21.36	30.00	Pass	
EHT160	CDD	2	114	5570	MCSS0	PC 20Loc-8	16.50	16.86	17.07	19.98	23.98	1.93	21.91	30.00	Pass	
EHT160	CDD	2	114	5570	MCSS0	PC 40Loc-1	16.50	16.99	17.15	20.08	23.98	1.93	22.01	30.00	Pass	
EHT160	CDD	2	114	5570	MCSS0	PC 40Loc-4	16.00	16.45	16.76	19.62	23.98	1.93	21.55	30.00	Pass	
EHT240	CDD	2	122	5610	MCSS0	Full	17.50	17.94	18.06	21.01	23.98	1.93	22.94	30.00	Pass	

TEST RESULTS DATA Average Output Power															
FCC-U-NII-3															
Mode							Power Setting	Average Conducted Power with duty factor(dBm)			Conducted Power Limit (dBm)	Gain(dBi)	EIRP Power (dBm)	EIRP Power Limit (dBm)	Pass/Fail
Band	MIMO	N _{TX}	Channel	Freq (MHz)	Data Rate	RU Config		Ant 1	Ant 2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	Ant 1+2	
11a	CDD	2	149	5745	6Mbps	-	24	23.34	23.68	26.52	30.00	1.48	28.00	36.00	Pass
11a	CDD	2	157	5785	6Mbps	-	27	25.85	26.10	28.99	30.00	1.48	30.47	36.00	Pass
11a	CDD	2	165	5825	6Mbps	-	26	24.54	24.53	27.55	30.00	1.48	29.03	36.00	Pass
HT20	CDD	2	149	5745	MCS0	-	24.5	24.39	24.53	27.47	30.00	1.48	28.95	36.00	Pass
HT20	CDD	2	157	5785	MCS0	-	25	24.58	24.69	27.65	30.00	1.48	29.13	36.00	Pass
HT20	CDD	2	165	5825	MCS0	-	23.5	22.58	22.71	25.66	30.00	1.48	27.14	36.00	Pass
HT40	CDD	2	151	5755	MCS0	-	23	22.81	23.22	26.03	30.00	1.48	27.51	36.00	Pass
HT40	CDD	2	159	5795	MCS0	-	23	22.52	22.81	25.68	30.00	1.48	27.16	36.00	Pass
VHT20	CDD	2	149	5745	MCS0	-	24.5	24.42	24.61	27.53	30.00	1.48	29.01	36.00	Pass
VHT20	CDD	2	157	5785	MCS0	-	25	24.63	24.76	27.71	30.00	1.48	29.19	36.00	Pass
VHT20	CDD	2	159	5795	MCS0	-	23.5	22.61	22.76	25.70	30.00	1.48	27.18	36.00	Pass
VHT40	CDD	2	151	5755	MCS0	-	23	22.85	23.29	26.09	30.00	1.48	27.57	36.00	Pass
VHT40	CDD	2	159	5795	MCS0	-	23	22.59	22.86	25.74	30.00	1.48	27.22	36.00	Pass
VHT80	CDD	2	155	5775	MCS0	-	22.5	22.03	22.29	25.17	30.00	1.48	26.65	36.00	Pass
HE20	CDD	2	149	5745	MCS0	Full	25.5	23.87	24.07	26.98	30.00	1.48	28.46	36.00	Pass
HE20	CDD	2	149	5745	MCS0	52*4	24	25.18	25.41	28.31	30.00	1.48	29.79	36.00	Pass
HE20	CDD	2	157	5785	MCS0	Full	26	24.06	24.15	27.12	30.00	1.48	28.60	36.00	Pass
HE20	CDD	2	157	5785	MCS0	52*4	24.5	23.24	23.50	26.38	30.00	1.48	27.86	36.00	Pass
HE20	CDD	2	165	5825	MCS0	Full	24.5	22.30	22.32	25.32	30.00	1.48	26.80	36.00	Pass
HE20	CDD	2	165	5825	MCS0	52*4	23	21.24	21.22	24.24	30.00	1.48	25.72	36.00	Pass
HE40	CDD	2	151	5755	MCS0	Full	21.5	23.38	23.85	26.63	30.00	1.48	28.11	36.00	Pass
HE40	CDD	2	151	5755	MCS0	52*8	24	22.23	22.68	25.47	30.00	1.48	26.95	36.00	Pass
HE40	CDD	2	159	5795	MCS0	Full	22.5	23.15	23.45	26.31	30.00	1.48	27.79	36.00	Pass
HE40	CDD	2	159	5795	MCS0	52*8	24	21.95	22.34	25.16	30.00	1.48	26.64	36.00	Pass
HE80	CDD	2	155	5775	MCS0	Full	22.5	22.33	22.68	25.52	30.00	1.48	27.00	36.00	Pass
HE80	CDD	2	155	5775	MCS0	106*8	25.5	21.32	21.70	24.52	30.00	1.48	26.00	36.00	Pass
EHT20	CDD	2	149	5745	MCS0	Full	24	23.90	24.12	27.02	30.00	1.48	28.50	36.00	Pass
EHT20	CDD	2	149	5745	MCS0	52*4	26	25.21	25.44	28.34	30.00	1.48	29.82	36.00	Pass
EHT20	CDD	2	157	5785	MCS0	Full	24.5	24.12	24.20	27.17	30.00	1.48	28.65	36.00	Pass
EHT20	CDD	2	157	5785	MCS0	52*4	24.5	23.32	23.53	26.44	30.00	1.48	27.92	36.00	Pass
EHT20	CDD	2	165	5825	MCS0	Full	23	22.33	22.36	25.36	30.00	1.48	26.84	36.00	Pass
EHT20	CDD	2	165	5825	MCS0	52*4	21.5	21.26	21.27	24.28	30.00	1.48	25.76	36.00	Pass
EHT40	CDD	2	151	5755	MCS0	Full	24	23.41	23.92	26.68	30.00	1.48	28.16	36.00	Pass
EHT40	CDD	2	151	5755	MCS0	52*8	22.5	22.31	22.76	25.55	30.00	1.48	27.03	36.00	Pass
EHT40	CDD	2	159	5795	MCS0	Full	24	23.19	23.5	26.36	30.00	1.48	27.84	36.00	Pass
EHT40	CDD	2	159	5795	MCS0	52*8	22.5	21.98	22.38	25.19	30.00	1.48	26.67	36.00	Pass
EHT80	CDD	2	155	5775	MCS0	Full	23	22.36	22.71	25.55	30.00	1.48	27.03	36.00	Pass
EHT80	CDD	2	155	5775	MCS0	106*8	21.5	21.39	21.78	24.60	30.00	1.48	26.08	36.00	Pass
EHT80	CDD	2	155	5775	MCS0	PC 20,Loc:1	21	20.92	21.04	23.99	30.00	1.48	25.47	36.00	Pass
EHT80	CDD	2	155	5775	MCS0	PC 20,Loc:4	20.5	20.74	20.87	23.82	30.00	1.48	25.30	36.00	Pass