









Mode	51																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																								
ANT	CDD 1S2T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>57.58</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.60	74.00	-28.40	57.58	38.24	16.36	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>56.33</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.35	74.00	-29.65	56.33	38.24	16.36	66.58	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11490.00	45.60	74.00	-28.40	57.58	38.24	16.36	66.58	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11490.00	44.35	74.00	-29.65	56.33	38.24	16.36	66.58	0.00	---	---	PEAK																																																																																													






	52																																																																																																																						
Mode	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																						
ANT	CDD 1S2T																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5607.60</td><td>62.58</td><td>68.20</td><td>-5.62</td><td>43.36</td><td>34.48</td><td>11.01</td><td>36.27</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>60.95</td><td>68.20</td><td>-7.25</td><td>41.79</td><td>34.40</td><td>11.07</td><td>36.31</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>63.41</td><td>106.31</td><td>-42.90</td><td>44.30</td><td>34.32</td><td>11.15</td><td>36.36</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>64.53</td><td>111.81</td><td>-47.28</td><td>45.35</td><td>34.40</td><td>11.17</td><td>36.39</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5607.60	62.58	68.20	-5.62	43.36	34.48	11.01	36.27	10.00	255	360 PEAK	2	5650.00	60.95	68.20	-7.25	41.79	34.40	11.07	36.31	10.00	255	360 PEAK	3	5703.60	63.41	106.31	-42.90	44.30	34.32	11.15	36.36	10.00	255	360 PEAK	4	5720.40	64.53	111.81	-47.28	45.35	34.40	11.17	36.39	10.00	255	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>115.57</td><td>-----</td><td>-----</td><td>96.05</td><td>34.77</td><td>11.27</td><td>36.52</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5785.00	115.57	-----	-----	96.05	34.77	11.27	36.52	10.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5607.60	62.58	68.20	-5.62	43.36	34.48	11.01	36.27	10.00	255	360 PEAK																																																																																																												
2	5650.00	60.95	68.20	-7.25	41.79	34.40	11.07	36.31	10.00	255	360 PEAK																																																																																																												
3	5703.60	63.41	106.31	-42.90	44.30	34.32	11.15	36.36	10.00	255	360 PEAK																																																																																																												
4	5720.40	64.53	111.81	-47.28	45.35	34.40	11.17	36.39	10.00	255	360 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5785.00	115.57	-----	-----	96.05	34.77	11.27	36.52	10.00	255	360 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>105.66</td><td>-----</td><td>-----</td><td>86.14</td><td>34.77</td><td>11.27</td><td>36.52</td><td>10.00</td><td>255</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5785.00	105.66	-----	-----	86.14	34.77	11.27	36.52	10.00	255	360 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5785.00	105.66	-----	-----	86.14	34.77	11.27	36.52	10.00	255	360 AVERAGE																																																																																																												




Mode	52																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																						
ANT	CDD 1S2T																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>69.60</td><td>111.36</td><td>-41.76</td><td>50.04</td><td>34.85</td><td>11.34</td><td>36.63</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>66.58</td><td>106.25</td><td>-39.67</td><td>47.02</td><td>34.87</td><td>11.35</td><td>36.66</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>63.50</td><td>69.23</td><td>-5.73</td><td>43.95</td><td>34.97</td><td>11.40</td><td>36.82</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5926.80</td><td>64.81</td><td>68.20</td><td>-3.39</td><td>45.26</td><td>34.98</td><td>11.40</td><td>36.83</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	69.60	111.36	-41.76	50.04	34.85	11.34	36.63	10.00	255	360	PEAK	2	5871.60	66.58	106.25	-39.67	47.02	34.87	11.35	36.66	10.00	255	360	PEAK	3	5923.60	63.50	69.23	-5.73	43.95	34.97	11.40	36.82	10.00	255	360	PEAK	4	5926.80	64.81	68.20	-3.39	45.26	34.98	11.40	36.83	10.00	255	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.80	69.60	111.36	-41.76	50.04	34.85	11.34	36.63	10.00	255	360	PEAK																																																																											
2	5871.60	66.58	106.25	-39.67	47.02	34.87	11.35	36.66	10.00	255	360	PEAK																																																																											
3	5923.60	63.50	69.23	-5.73	43.95	34.97	11.40	36.82	10.00	255	360	PEAK																																																																											
4	5926.80	64.81	68.20	-3.39	45.26	34.98	11.40	36.83	10.00	255	360	PEAK																																																																											





Mode	52																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																	
ANT	CDD 1S2T																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5636.40</td><td>63.82</td><td>68.20</td><td>-4.38</td><td>44.63</td><td>34.43</td><td>11.05</td><td>36.29</td><td>10.00</td><td>104</td><td>86 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>62.14</td><td>68.20</td><td>-6.06</td><td>42.90</td><td>34.40</td><td>11.07</td><td>36.31</td><td>10.00</td><td>104</td><td>86 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>75.78</td><td>110.79</td><td>-35.01</td><td>56.60</td><td>34.40</td><td>11.17</td><td>36.39</td><td>10.00</td><td>104</td><td>86 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>75.57</td><td>110.90</td><td>-35.33</td><td>56.39</td><td>34.40</td><td>11.17</td><td>36.39</td><td>10.00</td><td>104</td><td>86 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5636.40	63.82	68.20	-4.38	44.63	34.43	11.05	36.29	10.00	104	86 PEAK	2	5650.00	62.14	68.20	-6.06	42.90	34.40	11.07	36.31	10.00	104	86 PEAK	3	5719.60	75.78	110.79	-35.01	56.60	34.40	11.17	36.39	10.00	104	86 PEAK	4	5720.00	75.57	110.90	-35.33	56.39	34.40	11.17	36.39	10.00	104	86 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>123.74</td><td>-----</td><td>-----</td><td>104.22</td><td>34.77</td><td>11.27</td><td>36.52</td><td>10.00</td><td>104</td><td>86 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5785.00	123.74	-----	-----	104.22	34.77	11.27	36.52	10.00	104
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5636.40	63.82	68.20	-4.38	44.63	34.43	11.05	36.29	10.00	104	86 PEAK																																																																																																							
2	5650.00	62.14	68.20	-6.06	42.90	34.40	11.07	36.31	10.00	104	86 PEAK																																																																																																							
3	5719.60	75.78	110.79	-35.01	56.60	34.40	11.17	36.39	10.00	104	86 PEAK																																																																																																							
4	5720.00	75.57	110.90	-35.33	56.39	34.40	11.17	36.39	10.00	104	86 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5785.00	123.74	-----	-----	104.22	34.77	11.27	36.52	10.00	104	86 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>113.85</td><td>-----</td><td>-----</td><td>94.33</td><td>34.77</td><td>11.27</td><td>36.52</td><td>10.00</td><td>104</td><td>86 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5785.00	113.85	-----	-----	94.33	34.77	11.27	36.52	10.00	104	86 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5785.00	113.85	-----	-----	94.33	34.77	11.27	36.52	10.00	104	86 AVERAGE																																																																																																							






Mode	52																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																														
ANT	CDD 1S2T																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5853.20</td><td>78.49</td><td>115.00</td><td>-36.51</td><td>58.94</td><td>34.85</td><td>11.33</td><td>36.63</td><td>10.00</td><td>104</td><td>86 PEAK</td></tr><tr><td>2 5870.40</td><td>74.16</td><td>106.59</td><td>-32.43</td><td>54.60</td><td>34.87</td><td>11.35</td><td>36.66</td><td>10.00</td><td>104</td><td>86 PEAK</td></tr><tr><td>3 5924.80</td><td>63.77</td><td>68.35</td><td>-4.58</td><td>44.22</td><td>34.97</td><td>11.40</td><td>36.82</td><td>10.00</td><td>104</td><td>86 PEAK</td></tr><tr><td>4 5947.60</td><td>65.84</td><td>68.20</td><td>-2.36</td><td>46.30</td><td>35.04</td><td>11.42</td><td>36.92</td><td>10.00</td><td>104</td><td>86 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5853.20	78.49	115.00	-36.51	58.94	34.85	11.33	36.63	10.00	104	86 PEAK	2 5870.40	74.16	106.59	-32.43	54.60	34.87	11.35	36.66	10.00	104	86 PEAK	3 5924.80	63.77	68.35	-4.58	44.22	34.97	11.40	36.82	10.00	104	86 PEAK	4 5947.60	65.84	68.20	-2.36	46.30	35.04	11.42	36.92	10.00	104	86 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5853.20	78.49	115.00	-36.51	58.94	34.85	11.33	36.63	10.00	104	86 PEAK																																																																					
2 5870.40	74.16	106.59	-32.43	54.60	34.87	11.35	36.66	10.00	104	86 PEAK																																																																					
3 5924.80	63.77	68.35	-4.58	44.22	34.97	11.40	36.82	10.00	104	86 PEAK																																																																					
4 5947.60	65.84	68.20	-2.36	46.30	35.04	11.42	36.92	10.00	104	86 PEAK																																																																					






Mode	52																																																																																																										
	Harmonic																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																										
ANT	CDD 1S2T																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>57.35</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.54	74.00	-28.46	57.35	38.31	16.41	66.53	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>57.44</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.63	74.00	-28.37	57.44	38.31	16.41	66.53	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	11570.00	45.54	74.00	-28.46	57.35	38.31	16.41	66.53	0.00	---	---	PEAK																																																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	11570.00	45.63	74.00	-28.37	57.44	38.31	16.41	66.53	0.00	---	---	PEAK																																																																																															





Mode	53																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																		
ANT	CDD 1S2T																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>69.47</td><td>111.36</td><td>-41.89</td><td>49.91</td><td>34.85</td><td>11.34</td><td>36.63</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>70.75</td><td>106.70</td><td>-35.95</td><td>51.19</td><td>34.87</td><td>11.35</td><td>36.66</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>62.55</td><td>68.35</td><td>-5.80</td><td>43.00</td><td>34.97</td><td>11.40</td><td>36.82</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>63.89</td><td>68.20</td><td>-4.31</td><td>44.34</td><td>34.98</td><td>11.40</td><td>36.83</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5854.00	69.47	111.36	-41.89	49.91	34.85	11.34	36.63	10.00	276	0 PEAK	2	5870.00	70.75	106.70	-35.95	51.19	34.87	11.35	36.66	10.00	276	0 PEAK	3	5924.00	62.55	68.35	-5.80	43.00	34.97	11.40	36.82	10.00	276	0 PEAK	4	5926.00	63.89	68.20	-4.31	44.34	34.98	11.40	36.83	10.00	276	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>115.57</td><td>-----</td><td>-----</td><td>96.01</td><td>34.83</td><td>11.31</td><td>36.58</td><td>10.00</td><td>276</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	115.57	-----	-----	96.01	34.83	11.31	36.58	10.00	276
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5854.00	69.47	111.36	-41.89	49.91	34.85	11.34	36.63	10.00	276	0 PEAK																																																																																																								
2	5870.00	70.75	106.70	-35.95	51.19	34.87	11.35	36.66	10.00	276	0 PEAK																																																																																																								
3	5924.00	62.55	68.35	-5.80	43.00	34.97	11.40	36.82	10.00	276	0 PEAK																																																																																																								
4	5926.00	63.89	68.20	-4.31	44.34	34.98	11.40	36.83	10.00	276	0 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5825.00	115.57	-----	-----	96.01	34.83	11.31	36.58	10.00	276	0 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.61</td><td>-----</td><td>-----</td><td>85.05</td><td>34.83</td><td>11.31</td><td>36.58</td><td>10.00</td><td>276</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	104.61	-----	-----	85.05	34.83	11.31	36.58	10.00	276	0 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5825.00	104.61	-----	-----	85.05	34.83	11.31	36.58	10.00	276	0 AVERAGE																																																																																																								






Mode	53																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																																								
ANT	CDD 1S2T																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>80.20</td><td>111.36</td><td>-31.16</td><td>60.64</td><td>34.85</td><td>11.34</td><td>36.63</td><td>10.00</td><td>167</td><td>264 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>78.20</td><td>105.80</td><td>-27.60</td><td>58.64</td><td>34.87</td><td>11.35</td><td>36.66</td><td>10.00</td><td>167</td><td>264 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>64.52</td><td>68.94</td><td>-4.42</td><td>44.97</td><td>34.97</td><td>11.40</td><td>36.82</td><td>10.00</td><td>167</td><td>264 PEAK</td></tr><tr><td>4</td><td>5930.00</td><td>65.76</td><td>68.20</td><td>-2.44</td><td>46.21</td><td>34.99</td><td>11.41</td><td>36.85</td><td>10.00</td><td>167</td><td>264 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	80.20	111.36	-31.16	60.64	34.85	11.34	36.63	10.00	167	264 PEAK	2	5873.20	78.20	105.80	-27.60	58.64	34.87	11.35	36.66	10.00	167	264 PEAK	3	5924.00	64.52	68.94	-4.42	44.97	34.97	11.40	36.82	10.00	167	264 PEAK	4	5930.00	65.76	68.20	-2.44	46.21	34.99	11.41	36.85	10.00	167	264 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>123.02</td><td>-----</td><td>-----</td><td>103.46</td><td>34.83</td><td>11.31</td><td>36.58</td><td>10.00</td><td>167</td><td>264 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	123.02	-----	-----	103.46	34.83	11.31	36.58	10.00	167	264 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.00	80.20	111.36	-31.16	60.64	34.85	11.34	36.63	10.00	167	264 PEAK																																																																																																																														
2	5873.20	78.20	105.80	-27.60	58.64	34.87	11.35	36.66	10.00	167	264 PEAK																																																																																																																														
3	5924.00	64.52	68.94	-4.42	44.97	34.97	11.40	36.82	10.00	167	264 PEAK																																																																																																																														
4	5930.00	65.76	68.20	-2.44	46.21	34.99	11.41	36.85	10.00	167	264 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	123.02	-----	-----	103.46	34.83	11.31	36.58	10.00	167	264 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.92</td><td>-----</td><td>-----</td><td>94.35</td><td>34.84</td><td>11.32</td><td>36.59</td><td>10.00</td><td>167</td><td>264 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.92	-----	-----	94.35	34.84	11.32	36.59	10.00	167	264 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	113.92	-----	-----	94.35	34.84	11.32	36.59	10.00	167	264 AVERAGE																																																																																																																														




Mode	53																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																	
ANT	CDD 1S2T																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>57.14</td><td>74.00</td><td>-16.86</td><td>68.76</td><td>38.39</td><td>16.46</td><td>66.47</td><td>0.00</td><td>267</td><td>324 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.52</td><td>54.00</td><td>-8.48</td><td>57.14</td><td>38.39</td><td>16.46</td><td>66.47</td><td>0.00</td><td>267</td><td>324 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	57.14	74.00	-16.86	68.76	38.39	16.46	66.47	0.00	267	324 PEAK	2	11650.00	45.52	54.00	-8.48	57.14	38.39	16.46	66.47	0.00	267	324 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>58.37</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.74	74.00	-27.26	58.37	38.38	16.46	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11650.00	57.14	74.00	-16.86	68.76	38.39	16.46	66.47	0.00	267	324 PEAK																																																																																																							
2	11650.00	45.52	54.00	-8.48	57.14	38.39	16.46	66.47	0.00	267	324 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11650.00	46.74	74.00	-27.26	58.37	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																																						






Mode	54																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																							
ANT	CDD 1S2T																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5629.76</td><td>63.53</td><td>68.20</td><td>-4.67</td><td>44.34</td><td>34.44</td><td>11.04</td><td>36.29</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr><tr><td>2</td><td>5651.31</td><td>63.10</td><td>69.17</td><td>-6.07</td><td>43.94</td><td>34.40</td><td>11.07</td><td>36.31</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr><tr><td>3</td><td>5708.66</td><td>69.53</td><td>107.73</td><td>-38.20</td><td>50.41</td><td>34.34</td><td>11.15</td><td>36.37</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr><tr><td>4</td><td>5728.75</td><td>68.18</td><td>112.60</td><td>-44.42</td><td>49.00</td><td>34.40</td><td>11.17</td><td>36.39</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.76	63.53	68.20	-4.67	44.34	34.44	11.04	36.29	10.00	255	360 PEAK	2	5651.31	63.10	69.17	-6.07	43.94	34.40	11.07	36.31	10.00	255	360 PEAK	3	5708.66	69.53	107.73	-38.20	50.41	34.34	11.15	36.37	10.00	255	360 PEAK	4	5728.75	68.18	112.60	-44.42	49.00	34.40	11.17	36.39	10.00	255	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>112.59</td><td>-----</td><td>-----</td><td>93.23</td><td>34.59</td><td>11.22</td><td>36.45</td><td>10.00</td><td>255</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	112.59	-----	-----	93.23	34.59	11.22	36.45	10.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5629.76	63.53	68.20	-4.67	44.34	34.44	11.04	36.29	10.00	255	360 PEAK																																																																																																																													
2	5651.31	63.10	69.17	-6.07	43.94	34.40	11.07	36.31	10.00	255	360 PEAK																																																																																																																													
3	5708.66	69.53	107.73	-38.20	50.41	34.34	11.15	36.37	10.00	255	360 PEAK																																																																																																																													
4	5728.75	68.18	112.60	-44.42	49.00	34.40	11.17	36.39	10.00	255	360 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	112.59	-----	-----	93.23	34.59	11.22	36.45	10.00	255	360 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.58</td><td>-----</td><td>-----</td><td>82.20</td><td>34.62</td><td>11.23</td><td>36.47</td><td>10.00</td><td>255</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.58	-----	-----	82.20	34.62	11.23	36.47	10.00	255	360 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	101.58	-----	-----	82.20	34.62	11.23	36.47	10.00	255	360 AVERAGE																																																																																																																													




Mode	54																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																														
ANT	CDD 1S2T																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>63.60</td><td>111.71</td><td>-48.11</td><td>44.04</td><td>34.85</td><td>11.34</td><td>36.63</td><td>10.00</td><td>255 360 PEAK</td></tr><tr><td>2</td><td>5873.56</td><td>64.38</td><td>105.70</td><td>-41.32</td><td>44.82</td><td>34.87</td><td>11.35</td><td>36.66</td><td>10.00</td><td>255 360 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>63.71</td><td>68.31</td><td>-4.60</td><td>44.16</td><td>34.97</td><td>11.40</td><td>36.82</td><td>10.00</td><td>255 360 PEAK</td></tr><tr><td>4</td><td>5938.89</td><td>63.78</td><td>68.20</td><td>-4.42</td><td>44.23</td><td>34.99</td><td>11.41</td><td>36.85</td><td>10.00</td><td>255 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	63.60	111.71	-48.11	44.04	34.85	11.34	36.63	10.00	255 360 PEAK	2	5873.56	64.38	105.70	-41.32	44.82	34.87	11.35	36.66	10.00	255 360 PEAK	3	5924.85	63.71	68.31	-4.60	44.16	34.97	11.40	36.82	10.00	255 360 PEAK	4	5938.89	63.78	68.20	-4.42	44.23	34.99	11.41	36.85	10.00	255 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.65	63.60	111.71	-48.11	44.04	34.85	11.34	36.63	10.00	255 360 PEAK																																																																					
2	5873.56	64.38	105.70	-41.32	44.82	34.87	11.35	36.66	10.00	255 360 PEAK																																																																					
3	5924.85	63.71	68.31	-4.60	44.16	34.97	11.40	36.82	10.00	255 360 PEAK																																																																					
4	5938.89	63.78	68.20	-4.42	44.23	34.99	11.41	36.85	10.00	255 360 PEAK																																																																					





	54																																																																																																																																				
Mode	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																				
ANT	CDD 1S2T																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.66</td><td>66.56</td><td>68.20</td><td>-1.64</td><td>47.38</td><td>34.41</td><td>11.07</td><td>36.30</td><td>10.00</td><td>82 PEAK</td></tr><tr><td>2</td><td>5650.84</td><td>66.74</td><td>68.83</td><td>-2.09</td><td>47.58</td><td>34.40</td><td>11.07</td><td>36.31</td><td>10.00</td><td>82 PEAK</td></tr><tr><td>3</td><td>5703.85</td><td>73.65</td><td>106.38</td><td>-32.73</td><td>54.54</td><td>34.32</td><td>11.15</td><td>36.36</td><td>10.00</td><td>82 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>74.43</td><td>111.19</td><td>-36.76</td><td>55.25</td><td>34.40</td><td>11.17</td><td>36.39</td><td>10.00</td><td>82 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.66	66.56	68.20	-1.64	47.38	34.41	11.07	36.30	10.00	82 PEAK	2	5650.84	66.74	68.83	-2.09	47.58	34.40	11.07	36.31	10.00	82 PEAK	3	5703.85	73.65	106.38	-32.73	54.54	34.32	11.15	36.36	10.00	82 PEAK	4	5720.13	74.43	111.19	-36.76	55.25	34.40	11.17	36.39	10.00	82 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>120.24</td><td>-----</td><td>-----</td><td>100.96</td><td>34.50</td><td>11.20</td><td>36.42</td><td>10.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	120.24	-----	-----	100.96	34.50	11.20	36.42	10.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5646.66	66.56	68.20	-1.64	47.38	34.41	11.07	36.30	10.00	82 PEAK																																																																																																																											
2	5650.84	66.74	68.83	-2.09	47.58	34.40	11.07	36.31	10.00	82 PEAK																																																																																																																											
3	5703.85	73.65	106.38	-32.73	54.54	34.32	11.15	36.36	10.00	82 PEAK																																																																																																																											
4	5720.13	74.43	111.19	-36.76	55.25	34.40	11.17	36.39	10.00	82 PEAK																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5755.00	120.24	-----	-----	100.96	34.50	11.20	36.42	10.00	100	82 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.08</td><td>-----</td><td>-----</td><td>89.80</td><td>34.50</td><td>11.20</td><td>36.42</td><td>10.00</td><td>100</td><td>82 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	109.08	-----	-----	89.80	34.50	11.20	36.42	10.00	100	82 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5755.00	109.08	-----	-----	89.80	34.50	11.20	36.42	10.00	100	82 AVERAGE																																																																																																																										






Mode	54																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																											
ANT	CDD 1S2T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>64.08</td><td>111.71</td><td>-47.63</td><td>44.52</td><td>34.85</td><td>11.34</td><td>36.63</td><td>10.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5862.06</td><td>68.71</td><td>108.92</td><td>-40.21</td><td>49.15</td><td>34.86</td><td>11.34</td><td>36.64</td><td>10.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>63.12</td><td>68.31</td><td>-5.19</td><td>43.57</td><td>34.97</td><td>11.40</td><td>36.82</td><td>10.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4</td><td>5939.08</td><td>64.75</td><td>68.20</td><td>-3.45</td><td>45.20</td><td>35.02</td><td>11.42</td><td>36.89</td><td>10.00</td><td>100</td><td>82 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	64.08	111.71	-47.63	44.52	34.85	11.34	36.63	10.00	100	82 PEAK	2	5862.06	68.71	108.92	-40.21	49.15	34.86	11.34	36.64	10.00	100	82 PEAK	3	5924.85	63.12	68.31	-5.19	43.57	34.97	11.40	36.82	10.00	100	82 PEAK	4	5939.08	64.75	68.20	-3.45	45.20	35.02	11.42	36.89	10.00	100	82 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.65	64.08	111.71	-47.63	44.52	34.85	11.34	36.63	10.00	100	82 PEAK																																																																																	
2	5862.06	68.71	108.92	-40.21	49.15	34.86	11.34	36.64	10.00	100	82 PEAK																																																																																	
3	5924.85	63.12	68.31	-5.19	43.57	34.97	11.40	36.82	10.00	100	82 PEAK																																																																																	
4	5939.08	64.75	68.20	-3.45	45.20	35.02	11.42	36.89	10.00	100	82 PEAK																																																																																	






		54																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																										
ANT		CDD 1S2T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>57.89</td><td>38.26</td><td>16.37</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.95	74.00	-28.05	57.89	38.26	16.37	66.57	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11510.00	45.95	74.00	-28.05	57.89	38.26	16.37	66.57	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>56.91</td><td>38.26</td><td>16.37</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.97	74.00	-29.03	56.91	38.26	16.37	66.57	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11510.00	44.97	74.00	-29.03	56.91	38.26	16.37	66.57	0.00	---	---	PEAK																																																






	55																																																																																																																	
Mode	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_RU52*4_5745MHz																																																																																																																	
ANT	CDD 1S2T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>58.43</td><td>68.20</td><td>-9.77</td><td>39.17</td><td>34.50</td><td>11.05</td><td>36.29</td><td>10.00</td><td>391</td><td>61 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.61</td><td>68.80</td><td>-11.19</td><td>38.35</td><td>34.50</td><td>11.07</td><td>36.31</td><td>10.00</td><td>391</td><td>61 PEAK</td></tr><tr><td>3</td><td>5708.40</td><td>75.59</td><td>107.65</td><td>-32.06</td><td>56.19</td><td>34.62</td><td>11.15</td><td>36.37</td><td>10.00</td><td>391</td><td>61 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>82.76</td><td>115.46</td><td>-32.70</td><td>63.34</td><td>34.64</td><td>11.17</td><td>36.39</td><td>10.00</td><td>391</td><td>61 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5631.20	58.43	68.20	-9.77	39.17	34.50	11.05	36.29	10.00	391	61 PEAK	2	5650.00	57.61	68.80	-11.19	38.35	34.50	11.07	36.31	10.00	391	61 PEAK	3	5708.40	75.59	107.65	-32.06	56.19	34.62	11.15	36.37	10.00	391	61 PEAK	4	5722.00	82.76	115.46	-32.70	63.34	34.64	11.17	36.39	10.00	391	61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.83</td><td>-----</td><td>-----</td><td>95.35</td><td>34.71</td><td>11.21</td><td>36.44</td><td>10.00</td><td>391</td><td>61 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	114.83	-----	-----	95.35	34.71	11.21	36.44	10.00	391
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5631.20	58.43	68.20	-9.77	39.17	34.50	11.05	36.29	10.00	391	61 PEAK																																																																																																							
2	5650.00	57.61	68.80	-11.19	38.35	34.50	11.07	36.31	10.00	391	61 PEAK																																																																																																							
3	5708.40	75.59	107.65	-32.06	56.19	34.62	11.15	36.37	10.00	391	61 PEAK																																																																																																							
4	5722.00	82.76	115.46	-32.70	63.34	34.64	11.17	36.39	10.00	391	61 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	114.83	-----	-----	95.35	34.71	11.21	36.44	10.00	391	61 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.57</td><td>-----</td><td>-----</td><td>84.10</td><td>34.69</td><td>11.21</td><td>36.43</td><td>10.00</td><td>391</td><td>61 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	103.57	-----	-----	84.10	34.69	11.21	36.43	10.00	391	61 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	103.57	-----	-----	84.10	34.69	11.21	36.43	10.00	391	61 AVERAGE																																																																																																							




Mode	55																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_RU52*4_5745MHz																																																																																																																		
ANT	CDD 1S2T																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5646.40</td><td>61.02</td><td>68.20</td><td>-7.18</td><td>41.75</td><td>34.50</td><td>11.07</td><td>36.30</td><td>10.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.17</td><td>68.20</td><td>-10.03</td><td>38.91</td><td>34.50</td><td>11.07</td><td>36.31</td><td>10.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>88.48</td><td>110.90</td><td>-22.42</td><td>69.06</td><td>34.64</td><td>11.17</td><td>36.39</td><td>10.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>89.71</td><td>111.81</td><td>-22.10</td><td>70.29</td><td>34.64</td><td>11.17</td><td>36.39</td><td>10.00</td><td>100</td><td>289 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5646.40	61.02	68.20	-7.18	41.75	34.50	11.07	36.30	10.00	100	289 PEAK	2	5650.00	58.17	68.20	-10.03	38.91	34.50	11.07	36.31	10.00	100	289 PEAK	3	5720.00	88.48	110.90	-22.42	69.06	34.64	11.17	36.39	10.00	100	289 PEAK	4	5720.40	89.71	111.81	-22.10	70.29	34.64	11.17	36.39	10.00	100	289 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>120.19</td><td>-----</td><td>-----</td><td>100.72</td><td>34.69</td><td>11.21</td><td>36.43</td><td>10.00</td><td>100</td><td>289 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	120.19	-----	-----	100.72	34.69	11.21	36.43	10.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5646.40	61.02	68.20	-7.18	41.75	34.50	11.07	36.30	10.00	100	289 PEAK																																																																																																								
2	5650.00	58.17	68.20	-10.03	38.91	34.50	11.07	36.31	10.00	100	289 PEAK																																																																																																								
3	5720.00	88.48	110.90	-22.42	69.06	34.64	11.17	36.39	10.00	100	289 PEAK																																																																																																								
4	5720.40	89.71	111.81	-22.10	70.29	34.64	11.17	36.39	10.00	100	289 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	120.19	-----	-----	100.72	34.69	11.21	36.43	10.00	100	289 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>110.57</td><td>-----</td><td>-----</td><td>91.10</td><td>34.69</td><td>11.21</td><td>36.43</td><td>10.00</td><td>100</td><td>289 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	110.57	-----	-----	91.10	34.69	11.21	36.43	10.00	100	289 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	110.57	-----	-----	91.10	34.69	11.21	36.43	10.00	100	289 AVERAGE																																																																																																								






	56																																																																																																																																														
Mode	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																																														
ANT	CDD 1S2T																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>62.99</td><td>68.20</td><td>-5.21</td><td>43.80</td><td>34.43</td><td>11.05</td><td>36.29</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5654.00</td><td>63.02</td><td>71.78</td><td>-8.76</td><td>43.86</td><td>34.39</td><td>11.08</td><td>36.31</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>63.49</td><td>106.87</td><td>-43.38</td><td>44.37</td><td>34.33</td><td>11.15</td><td>36.36</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>61.02</td><td>110.90</td><td>-49.88</td><td>41.84</td><td>34.40</td><td>11.17</td><td>36.39</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.00	62.99	68.20	-5.21	43.80	34.43	11.05	36.29	10.00	255	360	PEAK	2	5654.00	63.02	71.78	-8.76	43.86	34.39	11.08	36.31	10.00	255	360	PEAK	3	5705.60	63.49	106.87	-43.38	44.37	34.33	11.15	36.36	10.00	255	360	PEAK	4	5720.00	61.02	110.90	-49.88	41.84	34.40	11.17	36.39	10.00	255	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>112.98</td><td>-----</td><td>-----</td><td>93.42</td><td>34.81</td><td>11.29</td><td>36.54</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	112.98	-----	-----	93.42	34.81	11.29	36.54	10.00	255	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5634.00	62.99	68.20	-5.21	43.80	34.43	11.05	36.29	10.00	255	360	PEAK																																																																																																																																			
2	5654.00	63.02	71.78	-8.76	43.86	34.39	11.08	36.31	10.00	255	360	PEAK																																																																																																																																			
3	5705.60	63.49	106.87	-43.38	44.37	34.33	11.15	36.36	10.00	255	360	PEAK																																																																																																																																			
4	5720.00	61.02	110.90	-49.88	41.84	34.40	11.17	36.39	10.00	255	360	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5795.00	112.98	-----	-----	93.42	34.81	11.29	36.54	10.00	255	360	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.99</td><td>-----</td><td>-----</td><td>81.44</td><td>34.80</td><td>11.28</td><td>36.53</td><td>10.00</td><td>255</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	100.99	-----	-----	81.44	34.80	11.28	36.53	10.00	255	360	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5795.00	100.99	-----	-----	81.44	34.80	11.28	36.53	10.00	255	360	AVERAGE																																																																																																																																			




Mode	56																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																														
ANT	CDD 1S2T																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>65.93</td><td>112.27</td><td>-46.34</td><td>46.38</td><td>34.85</td><td>11.33</td><td>36.63</td><td>10.00</td><td>255 360 PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>66.74</td><td>106.47</td><td>-39.73</td><td>47.18</td><td>34.87</td><td>11.35</td><td>36.66</td><td>10.00</td><td>255 360 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>62.57</td><td>68.35</td><td>-5.78</td><td>43.02</td><td>34.97</td><td>11.40</td><td>36.82</td><td>10.00</td><td>255 360 PEAK</td></tr><tr><td>4</td><td>5934.80</td><td>64.24</td><td>68.20</td><td>-3.96</td><td>44.70</td><td>35.00</td><td>11.41</td><td>36.87</td><td>10.00</td><td>255 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	65.93	112.27	-46.34	46.38	34.85	11.33	36.63	10.00	255 360 PEAK	2	5870.80	66.74	106.47	-39.73	47.18	34.87	11.35	36.66	10.00	255 360 PEAK	3	5924.80	62.57	68.35	-5.78	43.02	34.97	11.40	36.82	10.00	255 360 PEAK	4	5934.80	64.24	68.20	-3.96	44.70	35.00	11.41	36.87	10.00	255 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.40	65.93	112.27	-46.34	46.38	34.85	11.33	36.63	10.00	255 360 PEAK																																																																					
2	5870.80	66.74	106.47	-39.73	47.18	34.87	11.35	36.66	10.00	255 360 PEAK																																																																					
3	5924.80	62.57	68.35	-5.78	43.02	34.97	11.40	36.82	10.00	255 360 PEAK																																																																					
4	5934.80	64.24	68.20	-3.96	44.70	35.00	11.41	36.87	10.00	255 360 PEAK																																																																					





Mode	56																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.60</td><td>64.42</td><td>68.20</td><td>-3.78</td><td>45.25</td><td>34.40</td><td>11.07</td><td>36.30</td><td>10.00</td><td>115 85 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>63.91</td><td>68.20</td><td>-4.29</td><td>44.75</td><td>34.40</td><td>11.07</td><td>36.31</td><td>10.00</td><td>115 85 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>66.70</td><td>105.30</td><td>-38.60</td><td>47.61</td><td>34.30</td><td>11.14</td><td>36.35</td><td>10.00</td><td>115 85 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>67.26</td><td>111.81</td><td>-44.55</td><td>48.08</td><td>34.40</td><td>11.17</td><td>36.39</td><td>10.00</td><td>115 85 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.60	64.42	68.20	-3.78	45.25	34.40	11.07	36.30	10.00	115 85 PEAK	2	5650.00	63.91	68.20	-4.29	44.75	34.40	11.07	36.31	10.00	115 85 PEAK	3	5700.00	66.70	105.30	-38.60	47.61	34.30	11.14	36.35	10.00	115 85 PEAK	4	5720.40	67.26	111.81	-44.55	48.08	34.40	11.17	36.39	10.00	115 85 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>119.40</td><td>-----</td><td>-----</td><td>99.85</td><td>34.80</td><td>11.28</td><td>36.53</td><td>10.00</td><td>115 85 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	119.40	-----	-----	99.85	34.80	11.28	36.53	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5647.60	64.42	68.20	-3.78	45.25	34.40	11.07	36.30	10.00	115 85 PEAK																																																																																																																										
2	5650.00	63.91	68.20	-4.29	44.75	34.40	11.07	36.31	10.00	115 85 PEAK																																																																																																																										
3	5700.00	66.70	105.30	-38.60	47.61	34.30	11.14	36.35	10.00	115 85 PEAK																																																																																																																										
4	5720.40	67.26	111.81	-44.55	48.08	34.40	11.17	36.39	10.00	115 85 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5795.00	119.40	-----	-----	99.85	34.80	11.28	36.53	10.00	115 85 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>108.73</td><td>-----</td><td>-----</td><td>89.18</td><td>34.80</td><td>11.28</td><td>36.53</td><td>10.00</td><td>115 85 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	108.73	-----	-----	89.18	34.80	11.28	36.53	10.00	115 85 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5795.00	108.73	-----	-----	89.18	34.80	11.28	36.53	10.00	115 85 AVERAGE																																																																																																																										






Mode	56																																																																																												
	Band Edge - R																																																																																												
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																												
ANT	CDD 1S2T																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>68.82</td><td>111.36</td><td>-42.54</td><td>49.26</td><td>34.85</td><td>11.34</td><td>36.63</td><td>10.00</td><td>115</td><td>85 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>75.29</td><td>106.14</td><td>-30.85</td><td>55.73</td><td>34.87</td><td>11.35</td><td>36.66</td><td>10.00</td><td>115</td><td>85 PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>64.43</td><td>70.71</td><td>-6.28</td><td>44.88</td><td>34.96</td><td>11.40</td><td>36.81</td><td>10.00</td><td>115</td><td>85 PEAK</td></tr><tr><td>4</td><td>5928.80</td><td>64.81</td><td>68.20</td><td>-3.39</td><td>45.25</td><td>34.99</td><td>11.41</td><td>36.84</td><td>10.00</td><td>115</td><td>85 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	68.82	111.36	-42.54	49.26	34.85	11.34	36.63	10.00	115	85 PEAK	2	5872.00	75.29	106.14	-30.85	55.73	34.87	11.35	36.66	10.00	115	85 PEAK	3	5921.60	64.43	70.71	-6.28	44.88	34.96	11.40	36.81	10.00	115	85 PEAK	4	5928.80	64.81	68.20	-3.39	45.25	34.99	11.41	36.84	10.00	115	85 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.80	68.82	111.36	-42.54	49.26	34.85	11.34	36.63	10.00	115	85 PEAK																																																																																		
2	5872.00	75.29	106.14	-30.85	55.73	34.87	11.35	36.66	10.00	115	85 PEAK																																																																																		
3	5921.60	64.43	70.71	-6.28	44.88	34.96	11.40	36.81	10.00	115	85 PEAK																																																																																		
4	5928.80	64.81	68.20	-3.39	45.25	34.99	11.41	36.84	10.00	115	85 PEAK																																																																																		




Mode	56																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																								
ANT	CDD 1S2T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>58.42</td><td>38.33</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	46.65	74.00	-27.35	58.42	38.33	16.42	66.52	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>57.16</td><td>38.33</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.39	74.00	-28.61	57.16	38.33	16.42	66.52	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11590.00	46.65	74.00	-27.35	58.42	38.33	16.42	66.52	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11590.00	45.39	74.00	-28.61	57.16	38.33	16.42	66.52	0.00	---	---	PEAK																																																																																													





Mode	57																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																							
ANT	CDD 1S2T																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>63.28</td><td>68.20</td><td>-4.92</td><td>44.09</td><td>34.44</td><td>11.04</td><td>36.29</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.59</td><td>68.20</td><td>-6.61</td><td>42.43</td><td>34.40</td><td>11.07</td><td>36.31</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>66.17</td><td>106.87</td><td>-40.70</td><td>47.05</td><td>34.33</td><td>11.15</td><td>36.36</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>67.05</td><td>113.64</td><td>-46.59</td><td>47.86</td><td>34.41</td><td>11.17</td><td>36.39</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5630.00	63.28	68.20	-4.92	44.09	34.44	11.04	36.29	10.00	255	360	PEAK	2	5650.00	61.59	68.20	-6.61	42.43	34.40	11.07	36.31	10.00	255	360	PEAK	3	5705.60	66.17	106.87	-40.70	47.05	34.33	11.15	36.36	10.00	255	360	PEAK	4	5721.20	67.05	113.64	-46.59	47.86	34.41	11.17	36.39	10.00	255	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>107.96</td><td>-----</td><td>-----</td><td>88.68</td><td>34.50</td><td>11.20</td><td>36.42</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	107.96	-----	-----	88.68	34.50	11.20	36.42	10.00	255	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5630.00	63.28	68.20	-4.92	44.09	34.44	11.04	36.29	10.00	255	360	PEAK																																																																																																												
2	5650.00	61.59	68.20	-6.61	42.43	34.40	11.07	36.31	10.00	255	360	PEAK																																																																																																												
3	5705.60	66.17	106.87	-40.70	47.05	34.33	11.15	36.36	10.00	255	360	PEAK																																																																																																												
4	5721.20	67.05	113.64	-46.59	47.86	34.41	11.17	36.39	10.00	255	360	PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5775.00	107.96	-----	-----	88.68	34.50	11.20	36.42	10.00	255	360	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.15</td><td>-----</td><td>-----</td><td>77.77</td><td>34.62</td><td>11.23</td><td>36.47</td><td>10.00</td><td>255</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	97.15	-----	-----	77.77	34.62	11.23	36.47	10.00	255	360	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5775.00	97.15	-----	-----	77.77	34.62	11.23	36.47	10.00	255	360	AVERAGE																																																																																																												




Mode	57																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																															
ANT	CDD 1S2T																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>64.61</td><td>113.18</td><td>-48.57</td><td>45.06</td><td>34.85</td><td>11.33</td><td>36.63</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5865.60</td><td>60.41</td><td>107.93</td><td>-39.52</td><td>48.84</td><td>34.87</td><td>11.35</td><td>36.65</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>60.84</td><td>68.35</td><td>-7.51</td><td>41.29</td><td>34.97</td><td>11.40</td><td>36.82</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>63.02</td><td>68.20</td><td>-5.18</td><td>43.49</td><td>35.04</td><td>11.42</td><td>36.93</td><td>10.00</td><td>255</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	64.61	113.18	-48.57	45.06	34.85	11.33	36.63	10.00	255	360	PEAK	2	5865.60	60.41	107.93	-39.52	48.84	34.87	11.35	36.65	10.00	255	360	PEAK	3	5924.00	60.84	68.35	-7.51	41.29	34.97	11.40	36.82	10.00	255	360	PEAK	4	5948.00	63.02	68.20	-5.18	43.49	35.04	11.42	36.93	10.00	255	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.00	64.61	113.18	-48.57	45.06	34.85	11.33	36.63	10.00	255	360	PEAK																																																																																				
2	5865.60	60.41	107.93	-39.52	48.84	34.87	11.35	36.65	10.00	255	360	PEAK																																																																																				
3	5924.00	60.84	68.35	-7.51	41.29	34.97	11.40	36.82	10.00	255	360	PEAK																																																																																				
4	5948.00	63.02	68.20	-5.18	43.49	35.04	11.42	36.93	10.00	255	360	PEAK																																																																																				





		57																																																																																					
Mode		Band Edge - L																																																																																					
		U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																					
ANT		CDD 1S2T																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.40</td><td>65.59</td><td>68.20</td><td>-2.61</td><td>46.41</td><td>34.42</td><td>11.06</td><td>36.30</td><td>10.00</td><td>126 86 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.42</td><td>68.20</td><td>-6.78</td><td>42.26</td><td>34.40</td><td>11.07</td><td>36.31</td><td>10.00</td><td>126 86 PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>71.44</td><td>106.31</td><td>-34.87</td><td>52.33</td><td>34.32</td><td>11.15</td><td>36.36</td><td>10.00</td><td>126 86 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.95</td><td>110.90</td><td>-37.95</td><td>53.77</td><td>34.40</td><td>11.17</td><td>36.39</td><td>10.00</td><td>126 86 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.40	65.59	68.20	-2.61	46.41	34.42	11.06	36.30	10.00	126 86 PEAK	2	5650.00	61.42	68.20	-6.78	42.26	34.40	11.07	36.31	10.00	126 86 PEAK	3	5703.60	71.44	106.31	-34.87	52.33	34.32	11.15	36.36	10.00	126 86 PEAK	4	5720.00	72.95	110.90	-37.95	53.77	34.40	11.17	36.39	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5640.40	65.59	68.20	-2.61	46.41	34.42	11.06	36.30	10.00	126 86 PEAK																																																																													
2	5650.00	61.42	68.20	-6.78	42.26	34.40	11.07	36.31	10.00	126 86 PEAK																																																																													
3	5703.60	71.44	106.31	-34.87	52.33	34.32	11.15	36.36	10.00	126 86 PEAK																																																																													
4	5720.00	72.95	110.90	-37.95	53.77	34.40	11.17	36.39	10.00	126 86 PEAK																																																																													
Avg		Blank																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.12</td><td>-----</td><td>-----</td><td>85.74</td><td>34.62</td><td>11.23</td><td>36.47</td><td>10.00</td><td>126 86 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	105.12	-----	-----	85.74	34.62	11.23	36.47	10.00	126 86 AVERAGE																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5775.00	105.12	-----	-----	85.74	34.62	11.23	36.47	10.00	126 86 AVERAGE																																																																													






Mode	57																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																											
ANT	CDD 1S2T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>64.76</td><td>113.18</td><td>-48.42</td><td>45.21</td><td>34.85</td><td>11.33</td><td>36.63</td><td>10.00</td><td>126</td><td>86 PEAK</td></tr><tr><td>2</td><td>5864.40</td><td>72.75</td><td>108.27</td><td>-35.52</td><td>53.20</td><td>34.86</td><td>11.34</td><td>36.65</td><td>10.00</td><td>126</td><td>86 PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>66.08</td><td>70.12</td><td>-4.04</td><td>46.52</td><td>34.97</td><td>11.40</td><td>36.81</td><td>10.00</td><td>126</td><td>86 PEAK</td></tr><tr><td>4</td><td>5942.80</td><td>65.19</td><td>68.20</td><td>-3.01</td><td>45.64</td><td>35.03</td><td>11.42</td><td>36.90</td><td>10.00</td><td>126</td><td>86 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	64.76	113.18	-48.42	45.21	34.85	11.33	36.63	10.00	126	86 PEAK	2	5864.40	72.75	108.27	-35.52	53.20	34.86	11.34	36.65	10.00	126	86 PEAK	3	5922.40	66.08	70.12	-4.04	46.52	34.97	11.40	36.81	10.00	126	86 PEAK	4	5942.80	65.19	68.20	-3.01	45.64	35.03	11.42	36.90	10.00	126	86 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	64.76	113.18	-48.42	45.21	34.85	11.33	36.63	10.00	126	86 PEAK																																																																																	
2	5864.40	72.75	108.27	-35.52	53.20	34.86	11.34	36.65	10.00	126	86 PEAK																																																																																	
3	5922.40	66.08	70.12	-4.04	46.52	34.97	11.40	36.81	10.00	126	86 PEAK																																																																																	
4	5942.80	65.19	68.20	-3.01	45.64	35.03	11.42	36.90	10.00	126	86 PEAK																																																																																	






Mode	57																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																								
ANT	CDD 1S2T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>57.07</td><td>38.29</td><td>16.39</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.21	74.00	-28.79	57.07	38.29	16.39	66.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>56.21</td><td>38.29</td><td>16.39</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	44.35	74.00	-29.65	56.21	38.29	16.39	66.54	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	45.21	74.00	-28.79	57.07	38.29	16.39	66.54	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	44.35	74.00	-29.65	56.21	38.29	16.39	66.54	0.00	---	---	PEAK																																																																																													






Mode	58																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_RU52*4_5825MHz																																																																																																																				
ANT	CDD 1S2T																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>76.99</td><td>111.36</td><td>-34.37</td><td>57.16</td><td>35.12</td><td>11.34</td><td>36.63</td><td>10.00</td><td>249</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>73.61</td><td>105.92</td><td>-32.31</td><td>53.73</td><td>35.19</td><td>11.35</td><td>36.66</td><td>10.00</td><td>249</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>58.10</td><td>68.35</td><td>-10.25</td><td>38.22</td><td>35.30</td><td>11.40</td><td>36.82</td><td>10.00</td><td>249</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5980.40</td><td>59.14</td><td>68.20</td><td>-9.06</td><td>39.46</td><td>35.30</td><td>11.45</td><td>37.07</td><td>10.00</td><td>249</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		1	5854.00	76.99	111.36	-34.37	57.16	35.12	11.34	36.63	10.00	249	0	PEAK	2	5872.00	73.61	105.92	-32.31	53.73	35.19	11.35	36.66	10.00	249	0	PEAK	3	5924.00	58.10	68.35	-10.25	38.22	35.30	11.40	36.82	10.00	249	0	PEAK	4	5980.40	59.14	68.20	-9.06	39.46	35.30	11.45	37.07	10.00	249	0	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.22</td><td>-----</td><td>-----</td><td>91.42</td><td>35.07</td><td>11.32</td><td>36.59</td><td>10.00</td><td>249</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		1	5825.00	111.22	-----	-----	91.42	35.07	11.32	36.59	10.00	249	0	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
1	5854.00	76.99	111.36	-34.37	57.16	35.12	11.34	36.63	10.00	249	0	PEAK																																																																																																									
2	5872.00	73.61	105.92	-32.31	53.73	35.19	11.35	36.66	10.00	249	0	PEAK																																																																																																									
3	5924.00	58.10	68.35	-10.25	38.22	35.30	11.40	36.82	10.00	249	0	PEAK																																																																																																									
4	5980.40	59.14	68.20	-9.06	39.46	35.30	11.45	37.07	10.00	249	0	PEAK																																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
1	5825.00	111.22	-----	-----	91.42	35.07	11.32	36.59	10.00	249	0	PEAK																																																																																																									
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.00</td><td>-----</td><td>-----</td><td>81.21</td><td>35.06</td><td>11.31</td><td>36.58</td><td>10.00</td><td>249</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		1	5825.00	101.00	-----	-----	81.21	35.06	11.31	36.58	10.00	249	0	AVERAGE																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																													
1	5825.00	101.00	-----	-----	81.21	35.06	11.31	36.58	10.00	249	0	AVERAGE																																																																																																									



	58																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_RU52*4_5825MHz																																																																																																																																		
ANT	CDD 1S2T																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>86.56</td><td>111.36</td><td>-24.80</td><td>66.73</td><td>35.12</td><td>11.34</td><td>36.63</td><td>10.00</td><td>118</td><td>81 PEAK</td></tr><tr><td>2 5870.00</td><td>81.63</td><td>106.70</td><td>-25.07</td><td>61.76</td><td>35.18</td><td>11.35</td><td>36.66</td><td>10.00</td><td>118</td><td>81 PEAK</td></tr><tr><td>3 5924.00</td><td>57.92</td><td>68.35</td><td>-10.43</td><td>38.04</td><td>35.30</td><td>11.40</td><td>36.82</td><td>10.00</td><td>118</td><td>81 PEAK</td></tr><tr><td>4 5956.00</td><td>60.33</td><td>68.20</td><td>-7.87</td><td>40.57</td><td>35.30</td><td>11.43</td><td>36.97</td><td>10.00</td><td>118</td><td>81 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	86.56	111.36	-24.80	66.73	35.12	11.34	36.63	10.00	118	81 PEAK	2 5870.00	81.63	106.70	-25.07	61.76	35.18	11.35	36.66	10.00	118	81 PEAK	3 5924.00	57.92	68.35	-10.43	38.04	35.30	11.40	36.82	10.00	118	81 PEAK	4 5956.00	60.33	68.20	-7.87	40.57	35.30	11.43	36.97	10.00	118	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>121.65</td><td>-----</td><td>-----</td><td>101.85</td><td>35.07</td><td>11.32</td><td>36.59</td><td>10.00</td><td>118</td><td>81 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	121.65	-----	-----	101.85	35.07	11.32	36.59	10.00	118
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.00	86.56	111.36	-24.80	66.73	35.12	11.34	36.63	10.00	118	81 PEAK																																																																																																																									
2 5870.00	81.63	106.70	-25.07	61.76	35.18	11.35	36.66	10.00	118	81 PEAK																																																																																																																									
3 5924.00	57.92	68.35	-10.43	38.04	35.30	11.40	36.82	10.00	118	81 PEAK																																																																																																																									
4 5956.00	60.33	68.20	-7.87	40.57	35.30	11.43	36.97	10.00	118	81 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	121.65	-----	-----	101.85	35.07	11.32	36.59	10.00	118	81 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.73</td><td>-----</td><td>-----</td><td>89.93</td><td>35.07</td><td>11.32</td><td>36.59</td><td>10.00</td><td>118</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.73	-----	-----	89.93	35.07	11.32	36.59	10.00	118	81 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	109.73	-----	-----	89.93	35.07	11.32	36.59	10.00	118	81 AVERAGE																																																																																																																									






Mode	59																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																		
ANT	CDD 1S2T																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5628.00</td><td>58.44</td><td>68.20</td><td>-9.76</td><td>39.19</td><td>34.50</td><td>11.04</td><td>36.29</td><td>10.00</td><td>296</td><td>58 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>58.16</td><td>69.69</td><td>-11.53</td><td>38.90</td><td>34.50</td><td>11.07</td><td>36.31</td><td>10.00</td><td>296</td><td>58 PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>69.37</td><td>110.12</td><td>-40.75</td><td>49.95</td><td>34.63</td><td>11.17</td><td>36.38</td><td>10.00</td><td>296</td><td>58 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>69.13</td><td>111.81</td><td>-42.68</td><td>49.71</td><td>34.64</td><td>11.17</td><td>36.39</td><td>10.00</td><td>296</td><td>58 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5628.00	58.44	68.20	-9.76	39.19	34.50	11.04	36.29	10.00	296	58 PEAK	2	5652.00	58.16	69.69	-11.53	38.90	34.50	11.07	36.31	10.00	296	58 PEAK	3	5717.20	69.37	110.12	-40.75	49.95	34.63	11.17	36.38	10.00	296	58 PEAK	4	5720.40	69.13	111.81	-42.68	49.71	34.64	11.17	36.39	10.00	296	58 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.03</td><td>-----</td><td>-----</td><td>85.38</td><td>34.89</td><td>11.26</td><td>36.50</td><td>10.00</td><td>296</td><td>58 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5775.00	105.03	-----	-----	85.38	34.89	11.26	36.50	10.00	296	58 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5628.00	58.44	68.20	-9.76	39.19	34.50	11.04	36.29	10.00	296	58 PEAK																																																																																																								
2	5652.00	58.16	69.69	-11.53	38.90	34.50	11.07	36.31	10.00	296	58 PEAK																																																																																																								
3	5717.20	69.37	110.12	-40.75	49.95	34.63	11.17	36.38	10.00	296	58 PEAK																																																																																																								
4	5720.40	69.13	111.81	-42.68	49.71	34.64	11.17	36.39	10.00	296	58 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5775.00	105.03	-----	-----	85.38	34.89	11.26	36.50	10.00	296	58 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.63</td><td>-----</td><td>-----</td><td>75.17</td><td>34.68</td><td>11.20</td><td>36.42</td><td>10.00</td><td>296</td><td>58 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5775.00	94.63	-----	-----	75.17	34.68	11.20	36.42	10.00	296	58 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5775.00	94.63	-----	-----	75.17	34.68	11.20	36.42	10.00	296	58 AVERAGE																																																																																																								




Mode	59																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																											
ANT	CDD 1S2T																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>61.21</td><td>111.36</td><td>-50.15</td><td>41.38</td><td>35.12</td><td>11.34</td><td>36.63</td><td>10.00</td><td>296</td><td>58 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>61.88</td><td>105.80</td><td>-43.92</td><td>42.00</td><td>35.19</td><td>11.35</td><td>36.66</td><td>10.00</td><td>296</td><td>58 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>57.65</td><td>68.35</td><td>-10.70</td><td>37.77</td><td>35.30</td><td>11.40</td><td>36.82</td><td>10.00</td><td>296</td><td>58 PEAK</td></tr><tr><td>4</td><td>5943.60</td><td>59.07</td><td>68.20</td><td>-9.13</td><td>39.26</td><td>35.30</td><td>11.42</td><td>36.91</td><td>10.00</td><td>296</td><td>58 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	61.21	111.36	-50.15	41.38	35.12	11.34	36.63	10.00	296	58 PEAK	2	5873.20	61.88	105.80	-43.92	42.00	35.19	11.35	36.66	10.00	296	58 PEAK	3	5924.80	57.65	68.35	-10.70	37.77	35.30	11.40	36.82	10.00	296	58 PEAK	4	5943.60	59.07	68.20	-9.13	39.26	35.30	11.42	36.91	10.00	296	58 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	61.21	111.36	-50.15	41.38	35.12	11.34	36.63	10.00	296	58 PEAK																																																																																	
2	5873.20	61.88	105.80	-43.92	42.00	35.19	11.35	36.66	10.00	296	58 PEAK																																																																																	
3	5924.80	57.65	68.35	-10.70	37.77	35.30	11.40	36.82	10.00	296	58 PEAK																																																																																	
4	5943.60	59.07	68.20	-9.13	39.26	35.30	11.42	36.91	10.00	296	58 PEAK																																																																																	






Mode	59																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																	
ANT	CDD 1S2T																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5642.00</td><td>62.55</td><td>68.20</td><td>-5.65</td><td>43.29</td><td>34.50</td><td>11.06</td><td>36.30</td><td>10.00</td><td>149</td><td>81 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>61.89</td><td>69.09</td><td>-7.20</td><td>42.63</td><td>34.50</td><td>11.07</td><td>36.31</td><td>10.00</td><td>149</td><td>81 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>76.82</td><td>105.86</td><td>-29.04</td><td>57.43</td><td>34.60</td><td>11.14</td><td>36.35</td><td>10.00</td><td>149</td><td>81 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>80.34</td><td>112.72</td><td>-32.38</td><td>60.92</td><td>34.64</td><td>11.17</td><td>36.39</td><td>10.00</td><td>149</td><td>81 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5642.00	62.55	68.20	-5.65	43.29	34.50	11.06	36.30	10.00	149	81 PEAK	2	5651.20	61.89	69.09	-7.20	42.63	34.50	11.07	36.31	10.00	149	81 PEAK	3	5702.00	76.82	105.86	-29.04	57.43	34.60	11.14	36.35	10.00	149	81 PEAK	4	5720.80	80.34	112.72	-32.38	60.92	34.64	11.17	36.39	10.00	149	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>114.03</td><td>-----</td><td>-----</td><td>94.56</td><td>34.69</td><td>11.21</td><td>36.43</td><td>10.00</td><td>149</td><td>81 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5775.00	114.03	-----	-----	94.56	34.69	11.21	36.43	10.00	149
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5642.00	62.55	68.20	-5.65	43.29	34.50	11.06	36.30	10.00	149	81 PEAK																																																																																																							
2	5651.20	61.89	69.09	-7.20	42.63	34.50	11.07	36.31	10.00	149	81 PEAK																																																																																																							
3	5702.00	76.82	105.86	-29.04	57.43	34.60	11.14	36.35	10.00	149	81 PEAK																																																																																																							
4	5720.80	80.34	112.72	-32.38	60.92	34.64	11.17	36.39	10.00	149	81 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5775.00	114.03	-----	-----	94.56	34.69	11.21	36.43	10.00	149	81 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.06</td><td>-----</td><td>-----</td><td>83.59</td><td>34.69</td><td>11.21</td><td>36.43</td><td>10.00</td><td>149</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5775.00	103.06	-----	-----	83.59	34.69	11.21	36.43	10.00	149	81 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5775.00	103.06	-----	-----	83.59	34.69	11.21	36.43	10.00	149	81 AVERAGE																																																																																																							




Mode	59																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																											
ANT	CDD 1S2T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.23</td><td>111.36</td><td>-44.13</td><td>47.40</td><td>35.12</td><td>11.34</td><td>36.63</td><td>10.00</td><td>149</td><td>81 PEAK</td></tr><tr><td>2</td><td>5862.00</td><td>72.69</td><td>108.94</td><td>-36.25</td><td>52.84</td><td>35.15</td><td>11.34</td><td>36.64</td><td>10.00</td><td>149</td><td>81 PEAK</td></tr><tr><td>3</td><td>5919.60</td><td>67.04</td><td>72.19</td><td>-5.15</td><td>47.14</td><td>35.30</td><td>11.40</td><td>36.80</td><td>10.00</td><td>149</td><td>81 PEAK</td></tr><tr><td>4</td><td>5936.80</td><td>60.67</td><td>68.20</td><td>-7.53</td><td>40.84</td><td>35.30</td><td>11.41</td><td>36.88</td><td>10.00</td><td>149</td><td>81 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	67.23	111.36	-44.13	47.40	35.12	11.34	36.63	10.00	149	81 PEAK	2	5862.00	72.69	108.94	-36.25	52.84	35.15	11.34	36.64	10.00	149	81 PEAK	3	5919.60	67.04	72.19	-5.15	47.14	35.30	11.40	36.80	10.00	149	81 PEAK	4	5936.80	60.67	68.20	-7.53	40.84	35.30	11.41	36.88	10.00	149	81 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.00	67.23	111.36	-44.13	47.40	35.12	11.34	36.63	10.00	149	81 PEAK																																																																																	
2	5862.00	72.69	108.94	-36.25	52.84	35.15	11.34	36.64	10.00	149	81 PEAK																																																																																	
3	5919.60	67.04	72.19	-5.15	47.14	35.30	11.40	36.80	10.00	149	81 PEAK																																																																																	
4	5936.80	60.67	68.20	-7.53	40.84	35.30	11.41	36.88	10.00	149	81 PEAK																																																																																	






Mode	60																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																							
ANT	CDD 1S2T																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.00</td><td>58.39</td><td>68.20</td><td>-9.81</td><td>39.14</td><td>34.50</td><td>11.01</td><td>36.26</td><td>10.00</td><td>246</td><td>210 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>37.86</td><td>34.50</td><td>11.07</td><td>36.31</td><td>10.00</td><td>246</td><td>210 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>70.32</td><td>110.90</td><td>-40.58</td><td>50.90</td><td>34.64</td><td>11.17</td><td>36.39</td><td>10.00</td><td>246</td><td>210 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.32</td><td>110.90</td><td>-40.58</td><td>50.90</td><td>34.64</td><td>11.17</td><td>36.39</td><td>10.00</td><td>246</td><td>210 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5604.00	58.39	68.20	-9.81	39.14	34.50	11.01	36.26	10.00	246	210 PEAK	2	5650.00	57.12	68.20	-11.08	37.86	34.50	11.07	36.31	10.00	246	210 PEAK	3	5720.00	70.32	110.90	-40.58	50.90	34.64	11.17	36.39	10.00	246	210 PEAK	4	5720.00	70.32	110.90	-40.58	50.90	34.64	11.17	36.39	10.00	246	210 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>106.65</td><td>-----</td><td>-----</td><td>86.89</td><td>35.01</td><td>11.29</td><td>36.54</td><td>10.00</td><td>246</td><td>210 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	106.65	-----	-----	86.89	35.01	11.29	36.54	10.00	246	210 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5604.00	58.39	68.20	-9.81	39.14	34.50	11.01	36.26	10.00	246	210 PEAK																																																																																																													
2	5650.00	57.12	68.20	-11.08	37.86	34.50	11.07	36.31	10.00	246	210 PEAK																																																																																																													
3	5720.00	70.32	110.90	-40.58	50.90	34.64	11.17	36.39	10.00	246	210 PEAK																																																																																																													
4	5720.00	70.32	110.90	-40.58	50.90	34.64	11.17	36.39	10.00	246	210 PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5775.00	106.65	-----	-----	86.89	35.01	11.29	36.54	10.00	246	210 PEAK																																																																																																													
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.68</td><td>-----</td><td>-----</td><td>75.92</td><td>35.01</td><td>11.29</td><td>36.54</td><td>10.00</td><td>246</td><td>210 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	95.68	-----	-----	75.92	35.01	11.29	36.54	10.00	246	210 AVERAGE																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5775.00	95.68	-----	-----	75.92	35.01	11.29	36.54	10.00	246	210 AVERAGE																																																																																																													




Mode	60																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																											
ANT	CDD 1S2T																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>66.97</td><td>111.36</td><td>-44.39</td><td>47.14</td><td>35.12</td><td>11.34</td><td>36.63</td><td>10.00</td><td>246</td><td>210 PEAK</td></tr><tr><td>2</td><td>5859.20</td><td>70.37</td><td>109.72</td><td>-39.35</td><td>50.53</td><td>35.14</td><td>11.34</td><td>36.64</td><td>10.00</td><td>246</td><td>210 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>58.25</td><td>68.64</td><td>-10.39</td><td>38.37</td><td>35.30</td><td>11.40</td><td>36.82</td><td>10.00</td><td>246</td><td>210 PEAK</td></tr><tr><td>4</td><td>5958.00</td><td>59.39</td><td>68.20</td><td>-8.81</td><td>39.60</td><td>35.30</td><td>11.43</td><td>36.94</td><td>10.00</td><td>246</td><td>210 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	66.97	111.36	-44.39	47.14	35.12	11.34	36.63	10.00	246	210 PEAK	2	5859.20	70.37	109.72	-39.35	50.53	35.14	11.34	36.64	10.00	246	210 PEAK	3	5924.40	58.25	68.64	-10.39	38.37	35.30	11.40	36.82	10.00	246	210 PEAK	4	5958.00	59.39	68.20	-8.81	39.60	35.30	11.43	36.94	10.00	246	210 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	66.97	111.36	-44.39	47.14	35.12	11.34	36.63	10.00	246	210 PEAK																																																																																	
2	5859.20	70.37	109.72	-39.35	50.53	35.14	11.34	36.64	10.00	246	210 PEAK																																																																																	
3	5924.40	58.25	68.64	-10.39	38.37	35.30	11.40	36.82	10.00	246	210 PEAK																																																																																	
4	5958.00	59.39	68.20	-8.81	39.60	35.30	11.43	36.94	10.00	246	210 PEAK																																																																																	



Mode	60																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																		
ANT	CDD 1S2T																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5635.60</td><td>60.16</td><td>68.20</td><td>-8.04</td><td>40.90</td><td>34.50</td><td>11.05</td><td>36.29</td><td>10.00</td><td>143</td><td>85 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>59.15</td><td>68.20</td><td>-9.05</td><td>39.89</td><td>34.50</td><td>11.07</td><td>36.31</td><td>10.00</td><td>143</td><td>85 PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>69.48</td><td>106.31</td><td>-36.83</td><td>50.08</td><td>34.61</td><td>11.15</td><td>36.36</td><td>10.00</td><td>143</td><td>85 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.94</td><td>110.90</td><td>-38.96</td><td>52.52</td><td>34.64</td><td>11.17</td><td>36.39</td><td>10.00</td><td>143</td><td>85 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5635.60	60.16	68.20	-8.04	40.90	34.50	11.05	36.29	10.00	143	85 PEAK	2	5650.00	59.15	68.20	-9.05	39.89	34.50	11.07	36.31	10.00	143	85 PEAK	3	5703.60	69.48	106.31	-36.83	50.08	34.61	11.15	36.36	10.00	143	85 PEAK	4	5720.00	71.94	110.90	-38.96	52.52	34.64	11.17	36.39	10.00	143	85 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>113.40</td><td>-----</td><td>-----</td><td>93.64</td><td>35.02</td><td>11.29</td><td>36.55</td><td>10.00</td><td>143</td><td>85 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	113.40	-----	-----	93.64	35.02	11.29	36.55	10.00	143	85 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	1	5635.60	60.16	68.20	-8.04	40.90	34.50	11.05	36.29	10.00	143	85 PEAK																																																																																																							
2	5650.00	59.15	68.20	-9.05	39.89	34.50	11.07	36.31	10.00	143	85 PEAK																																																																																																								
3	5703.60	69.48	106.31	-36.83	50.08	34.61	11.15	36.36	10.00	143	85 PEAK																																																																																																								
4	5720.00	71.94	110.90	-38.96	52.52	34.64	11.17	36.39	10.00	143	85 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5775.00	113.40	-----	-----	93.64	35.02	11.29	36.55	10.00	143	85 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.73</td><td>-----</td><td>-----</td><td>82.97</td><td>35.01</td><td>11.29</td><td>36.54</td><td>10.00</td><td>143</td><td>85 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	102.73	-----	-----	82.97	35.01	11.29	36.54	10.00	143	85 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5775.00	102.73	-----	-----	82.97	35.01	11.29	36.54	10.00	143	85 AVERAGE																																																																																																								





Mode	60																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																											
ANT	CDD 1S2T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>70.45</td><td>111.36</td><td>-40.91</td><td>50.62</td><td>35.12</td><td>11.34</td><td>36.63</td><td>10.00</td><td>143</td><td>85 PEAK</td></tr><tr><td>2</td><td>5858.80</td><td>77.45</td><td>109.83</td><td>-32.38</td><td>57.61</td><td>35.14</td><td>11.34</td><td>36.64</td><td>10.00</td><td>143</td><td>85 PEAK</td></tr><tr><td>3</td><td>5920.40</td><td>67.28</td><td>71.60</td><td>-4.32</td><td>47.38</td><td>35.30</td><td>11.40</td><td>36.80</td><td>10.00</td><td>143</td><td>85 PEAK</td></tr><tr><td>4</td><td>5938.40</td><td>62.54</td><td>68.20</td><td>-5.66</td><td>42.71</td><td>35.30</td><td>11.41</td><td>36.88</td><td>10.00</td><td>143</td><td>85 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	70.45	111.36	-40.91	50.62	35.12	11.34	36.63	10.00	143	85 PEAK	2	5858.80	77.45	109.83	-32.38	57.61	35.14	11.34	36.64	10.00	143	85 PEAK	3	5920.40	67.28	71.60	-4.32	47.38	35.30	11.40	36.80	10.00	143	85 PEAK	4	5938.40	62.54	68.20	-5.66	42.71	35.30	11.41	36.88	10.00	143	85 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.80	70.45	111.36	-40.91	50.62	35.12	11.34	36.63	10.00	143	85 PEAK																																																																																	
2	5858.80	77.45	109.83	-32.38	57.61	35.14	11.34	36.64	10.00	143	85 PEAK																																																																																	
3	5920.40	67.28	71.60	-4.32	47.38	35.30	11.40	36.80	10.00	143	85 PEAK																																																																																	
4	5938.40	62.54	68.20	-5.66	42.71	35.30	11.41	36.88	10.00	143	85 PEAK																																																																																	



Mode	51	
	18G-40G	
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz	
ANT	CDD 1S2T	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	51																																																																																																												
	30-1G																																																																																																												
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																												
ANT	CDD 1S2T																																																																																																												
Pol.	Horizontal																																																																																																												
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.24</td><td>21.24</td><td>40.00</td><td>-18.76</td><td>28.71</td><td>24.98</td><td>0.36</td><td>32.81</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>123.12</td><td>16.31</td><td>43.50</td><td>-27.19</td><td>30.29</td><td>17.62</td><td>1.08</td><td>32.68</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>351.31</td><td>20.93</td><td>46.00</td><td>-25.07</td><td>31.37</td><td>20.45</td><td>1.97</td><td>32.86</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>554.04</td><td>24.93</td><td>46.00</td><td>-21.07</td><td>29.85</td><td>25.86</td><td>2.45</td><td>33.23</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>728.89</td><td>27.25</td><td>46.00</td><td>-18.75</td><td>29.89</td><td>27.77</td><td>2.81</td><td>33.22</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>959.99</td><td>33.68</td><td>46.00</td><td>-12.32</td><td>31.37</td><td>30.61</td><td>3.26</td><td>31.56</td><td>0.00</td><td>--- Peak</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.24	21.24	40.00	-18.76	28.71	24.98	0.36	32.81	0.00	--- Peak	2	123.12	16.31	43.50	-27.19	30.29	17.62	1.08	32.68	0.00	--- Peak	3	351.31	20.93	46.00	-25.07	31.37	20.45	1.97	32.86	0.00	--- Peak	4	554.04	24.93	46.00	-21.07	29.85	25.86	2.45	33.23	0.00	--- Peak	5	728.89	27.25	46.00	-18.75	29.89	27.77	2.81	33.22	0.00	--- Peak	6	959.99	33.68	46.00	-12.32	31.37	30.61	3.26	31.56	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	30.24	21.24	40.00	-18.76	28.71	24.98	0.36	32.81	0.00	--- Peak																																																																																																			
2	123.12	16.31	43.50	-27.19	30.29	17.62	1.08	32.68	0.00	--- Peak																																																																																																			
3	351.31	20.93	46.00	-25.07	31.37	20.45	1.97	32.86	0.00	--- Peak																																																																																																			
4	554.04	24.93	46.00	-21.07	29.85	25.86	2.45	33.23	0.00	--- Peak																																																																																																			
5	728.89	27.25	46.00	-18.75	29.89	27.77	2.81	33.22	0.00	--- Peak																																																																																																			
6	959.99	33.68	46.00	-12.32	31.37	30.61	3.26	31.56	0.00	--- Peak																																																																																																			
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>45.52</td><td>32.95</td><td>40.00</td><td>-7.05</td><td>48.34</td><td>16.78</td><td>0.60</td><td>32.77</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>111.48</td><td>23.45</td><td>43.50</td><td>-20.05</td><td>38.05</td><td>17.01</td><td>1.05</td><td>32.66</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>171.38</td><td>25.86</td><td>43.50</td><td>-17.64</td><td>41.55</td><td>15.66</td><td>1.38</td><td>32.73</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>573.69</td><td>27.13</td><td>46.00</td><td>-18.87</td><td>31.63</td><td>26.25</td><td>2.51</td><td>33.26</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>844.56</td><td>28.79</td><td>46.00</td><td>-17.21</td><td>29.35</td><td>29.04</td><td>3.02</td><td>32.62</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>942.77</td><td>29.72</td><td>46.00</td><td>-16.28</td><td>27.62</td><td>30.65</td><td>3.21</td><td>31.76</td><td>0.00</td><td>--- Peak</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	45.52	32.95	40.00	-7.05	48.34	16.78	0.60	32.77	0.00	--- Peak	2	111.48	23.45	43.50	-20.05	38.05	17.01	1.05	32.66	0.00	--- Peak	3	171.38	25.86	43.50	-17.64	41.55	15.66	1.38	32.73	0.00	--- Peak	4	573.69	27.13	46.00	-18.87	31.63	26.25	2.51	33.26	0.00	--- Peak	5	844.56	28.79	46.00	-17.21	29.35	29.04	3.02	32.62	0.00	--- Peak	6	942.77	29.72	46.00	-16.28	27.62	30.65	3.21	31.76	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	45.52	32.95	40.00	-7.05	48.34	16.78	0.60	32.77	0.00	--- Peak																																																																																																			
2	111.48	23.45	43.50	-20.05	38.05	17.01	1.05	32.66	0.00	--- Peak																																																																																																			
3	171.38	25.86	43.50	-17.64	41.55	15.66	1.38	32.73	0.00	--- Peak																																																																																																			
4	573.69	27.13	46.00	-18.87	31.63	26.25	2.51	33.26	0.00	--- Peak																																																																																																			
5	844.56	28.79	46.00	-17.21	29.35	29.04	3.02	32.62	0.00	--- Peak																																																																																																			
6	942.77	29.72	46.00	-16.28	27.62	30.65	3.21	31.76	0.00	--- Peak																																																																																																			





		44																																																																																			
Mode		Harmonic																																																																																			
		U-NII-2C_5.725-5.85_802.11a_CH144_5720MHz																																																																																			
ANT		CDD 1S2T																																																																																			
Pol.		Horizontal						Vertical																																																																													
Peak Avg																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>58.10</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17160.00</td><td>48.69</td><td>68.20</td><td>-19.51</td><td>52.14</td><td>41.13</td><td>20.10</td><td>64.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11440.00	46.03	74.00	-27.97	58.10	38.20	16.32	66.59	0.00	---	---	PEAK	2	17160.00	48.69	68.20	-19.51	52.14	41.13	20.10	64.68	0.00	---	---	PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	11440.00	46.03	74.00	-27.97	58.10	38.20	16.32	66.59	0.00	---	---	PEAK																																																																									
2	17160.00	48.69	68.20	-19.51	52.14	41.13	20.10	64.68	0.00	---	---	PEAK																																																																									
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>54.54</td><td>74.00</td><td>-19.46</td><td>66.61</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>265</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>42.96</td><td>54.00</td><td>-11.04</td><td>55.03</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>265</td><td>333</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>48.21</td><td>68.20</td><td>-19.99</td><td>51.66</td><td>41.13</td><td>20.10</td><td>64.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11440.00	54.54	74.00	-19.46	66.61	38.20	16.32	66.59	0.00	265	333	PEAK	2	11440.00	42.96	54.00	-11.04	55.03	38.20	16.32	66.59	0.00	265	333	AVERAGE	3	17160.00	48.21	68.20	-19.99	51.66	41.13	20.10	64.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	11440.00	54.54	74.00	-19.46	66.61	38.20	16.32	66.59	0.00	265	333	PEAK																																																																									
2	11440.00	42.96	54.00	-11.04	55.03	38.20	16.32	66.59	0.00	265	333	AVERAGE																																																																									
3	17160.00	48.21	68.20	-19.99	51.66	41.13	20.10	64.68	0.00	---	---	PEAK																																																																									





Mode	45																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2C_5.725-5.85_802.11BE EHT20_CH144_Full_5720MHz																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>57.46</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17160.00</td><td>47.95</td><td>68.20</td><td>-20.25</td><td>51.39</td><td>41.13</td><td>20.11</td><td>64.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.39	74.00	-28.61	57.46	38.20	16.32	66.59	0.00	---	---	PEAK	2	17160.00	47.95	68.20	-20.25	51.39	41.13	20.11	64.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>57.40</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17160.00</td><td>47.86</td><td>68.20</td><td>-20.34</td><td>51.30</td><td>41.13</td><td>20.11</td><td>64.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.33	74.00	-28.67	57.40	38.20	16.32	66.59	0.00	---	---	PEAK	2	17160.00	47.86	68.20	-20.34	51.30	41.13	20.11	64.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11440.00	45.39	74.00	-28.61	57.46	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																																																								
2	17160.00	47.95	68.20	-20.25	51.39	41.13	20.11	64.68	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11440.00	45.33	74.00	-28.67	57.40	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																																																								
2	17160.00	47.86	68.20	-20.34	51.30	41.13	20.11	64.68	0.00	---	---	PEAK																																																																																																																								







Mode	46																																																																					
	Harmonic																																																																					
	U-NII-2C_5.725-5.85_802.11BE EHT40_CH142_Full_5710MHz																																																																					
ANT	CDD 1S2T																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>57.24</td><td>38.18</td><td>16.31</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17130.00</td><td>48.17</td><td>68.20</td><td>-20.03</td><td>51.63</td><td>41.13</td><td>20.09</td><td>64.68</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.14	74.00	-28.86	57.24	38.18	16.31	66.59	0.00	---	PEAK	2	17130.00	48.17	68.20	-20.03	51.63	41.13	20.09	64.68	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	11420.00	45.14	74.00	-28.86	57.24	38.18	16.31	66.59	0.00	---	PEAK																																																											
2	17130.00	48.17	68.20	-20.03	51.63	41.13	20.09	64.68	0.00	---	PEAK																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>57.61</td><td>38.18</td><td>16.31</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17130.00</td><td>48.20</td><td>68.20</td><td>-20.00</td><td>51.66</td><td>41.13</td><td>20.09</td><td>64.68</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.51	74.00	-28.49	57.61	38.18	16.31	66.59	0.00	---	PEAK	2	17130.00	48.20	68.20	-20.00	51.66	41.13	20.09	64.68	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	11420.00	45.51	74.00	-28.49	57.61	38.18	16.31	66.59	0.00	---	PEAK																																																											
2	17130.00	48.20	68.20	-20.00	51.66	41.13	20.09	64.68	0.00	---	PEAK																																																											







Mode	47																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.725-5.85_802.11BE EHT80_CH138_Full_5690MHz																																																																																																																													
ANT	CDD 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>56.48</td><td>38.14</td><td>16.29</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17070.00</td><td>48.06</td><td>68.20</td><td>-20.14</td><td>51.61</td><td>41.11</td><td>20.04</td><td>64.70</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.32	74.00	-29.68	56.48	38.14	16.29	66.59	0.00	---	PEAK	2	17070.00	48.06	68.20	-20.14	51.61	41.11	20.04	64.70	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>57.10</td><td>38.14</td><td>16.29</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17070.00</td><td>47.21</td><td>68.20</td><td>-20.99</td><td>50.71</td><td>41.12</td><td>20.07</td><td>64.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.94	74.00	-29.06	57.10	38.14	16.29	66.59	0.00	---	PEAK	2	17070.00	47.21	68.20	-20.99	50.71	41.12	20.07	64.69	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11380.00	44.32	74.00	-29.68	56.48	38.14	16.29	66.59	0.00	---	PEAK																																																																																																																			
2	17070.00	48.06	68.20	-20.14	51.61	41.11	20.04	64.70	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11380.00	44.94	74.00	-29.06	57.10	38.14	16.29	66.59	0.00	---	PEAK																																																																																																																			
2	17070.00	47.21	68.20	-20.99	50.71	41.12	20.07	64.69	0.00	---	PEAK																																																																																																																			





Co-location

Mode	66																																																						
	Band Edge																																																						
	2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full RU_2462MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.96</td><td>69.70</td><td>74.00</td><td>-4.30</td><td>56.95</td><td>32.54</td><td>7.26</td><td>37.05</td><td>10.00</td><td>157 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.96	69.70	74.00	-4.30	56.95	32.54	7.26	37.05	10.00	157 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2485.96	69.70	74.00	-4.30	56.95	32.54	7.26	37.05	10.00	157 360 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>119.11</td><td>-----</td><td>-----</td><td>106.16</td><td>32.76</td><td>7.22</td><td>37.03</td><td>10.00</td><td>157 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	119.11	-----	-----	106.16	32.76	7.22	37.03	10.00	157 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2462.00	119.11	-----	-----	106.16	32.76	7.22	37.03	10.00	157 360 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>53.93</td><td>54.00</td><td>-0.07</td><td>41.16</td><td>32.56</td><td>7.26</td><td>37.05</td><td>10.00</td><td>157 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	53.93	54.00	-0.07	41.16	32.56	7.26	37.05	10.00	157 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2483.56	53.93	54.00	-0.07	41.16	32.56	7.26	37.05	10.00	157 360 AVERAGE																																													
Ave																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.57</td><td>-----</td><td>-----</td><td>95.60</td><td>32.78</td><td>7.22</td><td>37.03</td><td>10.00</td><td>157 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	108.57	-----	-----	95.60	32.78	7.22	37.03	10.00	157 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2462.00	108.57	-----	-----	95.60	32.78	7.22	37.03	10.00	157 360 AVERAGE																																													







Mode	66																																																						
	Band Edge																																																						
	2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full RU_2462MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.96</td><td>58.90</td><td>74.00</td><td>-15.10</td><td>46.17</td><td>32.51</td><td>7.27</td><td>37.05</td><td>10.00</td><td>75 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.96	58.90	74.00	-15.10	46.17	32.51	7.27	37.05	10.00	75 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2488.96	58.90	74.00	-15.10	46.17	32.51	7.27	37.05	10.00	75 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>112.55</td><td>-----</td><td>-----</td><td>99.60</td><td>32.76</td><td>7.22</td><td>37.03</td><td>10.00</td><td>75 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.55	-----	-----	99.60	32.76	7.22	37.03	10.00	75 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	112.55	-----	-----	99.60	32.76	7.22	37.03	10.00	75 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>32.18</td><td>32.56</td><td>7.26</td><td>37.05</td><td>10.00</td><td>75 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.95	54.00	-9.05	32.18	32.56	7.26	37.05	10.00	75 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	44.95	54.00	-9.05	32.18	32.56	7.26	37.05	10.00	75 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.67</td><td>-----</td><td>-----</td><td>88.72</td><td>32.76</td><td>7.22</td><td>37.03</td><td>10.00</td><td>75 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.67	-----	-----	88.72	32.76	7.22	37.03	10.00	75 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	101.67	-----	-----	88.72	32.76	7.22	37.03	10.00	75 AVERAGE																																													





Mode	66																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full RU_2462MHz																																																																																																																													
ANT	CDD 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>68.02</td><td>33.90</td><td>10.35</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5260.00</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>72.80</td><td>34.52</td><td>10.70</td><td>65.62</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	46.72	74.00	-27.28	68.02	33.90	10.35	65.55	0.00	---	PEAK	2	5260.00	52.40	74.00	-21.60	72.80	34.52	10.70	65.62	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.10</td><td>74.00</td><td>-32.90</td><td>62.40</td><td>33.90</td><td>10.35</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5260.00</td><td>52.00</td><td>74.00</td><td>-22.00</td><td>72.40</td><td>34.52</td><td>10.70</td><td>65.62</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.10	74.00	-32.90	62.40	33.90	10.35	65.55	0.00	---	PEAK	2	5260.00	52.00	74.00	-22.00	72.40	34.52	10.70	65.62	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	46.72	74.00	-27.28	68.02	33.90	10.35	65.55	0.00	---	PEAK																																																																																																																			
2	5260.00	52.40	74.00	-21.60	72.80	34.52	10.70	65.62	0.00	---	Peak																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	41.10	74.00	-32.90	62.40	33.90	10.35	65.55	0.00	---	PEAK																																																																																																																			
2	5260.00	52.00	74.00	-22.00	72.40	34.52	10.70	65.62	0.00	---	Peak																																																																																																																			







		66																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																	
ANT		CDD 1S2T																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.84	58.79	74.00	-15.21	41.11	34.09	10.60	37.01	10.00	128 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2458.00</td><td>112.73</td><td>-----</td><td>-----</td><td>99.73</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>128 360 Peak</td></tr><tr><td>2</td><td>5260.00</td><td>122.67</td><td>-----</td><td>-----</td><td>104.22</td><td>34.54</td><td>10.70</td><td>36.79</td><td>10.00</td><td>128 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	112.73	-----	-----	99.73	32.82	7.21	37.03	10.00	128 360 Peak	2	5260.00	122.67	-----	-----	104.22	34.54	10.70	36.79	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5143.84	58.79	74.00	-15.21	41.11	34.09	10.60	37.01	10.00	128 360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2458.00	112.73	-----	-----	99.73	32.82	7.21	37.03	10.00	128 360 Peak																																																																																									
2	5260.00	122.67	-----	-----	104.22	34.54	10.70	36.79	10.00	128 360 PEAK																																																																																									
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	44.99	54.00	-9.01	27.31	34.10	10.61	37.03	10.00	128 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2458.00</td><td>102.87</td><td>-----</td><td>-----</td><td>89.87</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>128 360 Average</td></tr><tr><td>2</td><td>5260.00</td><td>110.89</td><td>-----</td><td>-----</td><td>92.48</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>128 360 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	102.87	-----	-----	89.87	32.82	7.21	37.03	10.00	128 360 Average	2	5260.00	110.89	-----	-----	92.48	34.53	10.70	36.82	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.12	44.99	54.00	-9.01	27.31	34.10	10.61	37.03	10.00	128 360 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2458.00	102.87	-----	-----	89.87	32.82	7.21	37.03	10.00	128 360 Average																																																																																									
2	5260.00	110.89	-----	-----	92.48	34.53	10.70	36.82	10.00	128 360 AVERAGE																																																																																									





Mode	66																																																										
	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																										
ANT	CDD 1S2T																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.40</td><td>59.82</td><td>74.00</td><td>-14.18</td><td>40.96</td><td>34.60</td><td>10.75</td><td>36.49</td><td>10.00</td><td>128</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5362.40	59.82	74.00	-14.18	40.96	34.60	10.75	36.49	10.00	128	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5362.40	59.82	74.00	-14.18	40.96	34.60	10.75	36.49	10.00	128	360	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>27.11</td><td>34.60</td><td>10.75</td><td>36.52</td><td>10.00</td><td>128</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	45.94	54.00	-8.06	27.11	34.60	10.75	36.52	10.00	128	360	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.00	45.94	54.00	-8.06	27.11	34.60	10.75	36.52	10.00	128	360	AVERAGE																																															





		66																																																																		
Mode	Band Edge - L																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																			
ANT	CDD 1S2T																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.72</td><td>57.65</td><td>74.00</td><td>-16.35</td><td>39.98</td><td>34.09</td><td>10.60</td><td>37.02</td><td>10.00</td><td>397</td><td>301 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.72	57.65	74.00	-16.35	39.98	34.09	10.60	37.02	10.00	397	301 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5146.72	57.65	74.00	-16.35	39.98	34.09	10.60	37.02	10.00	397	301 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2458.00</td><td>110.75</td><td>-----</td><td>-----</td><td>97.75</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>397</td><td>301 Peak</td></tr><tr><td>2</td><td>5260.00</td><td>112.30</td><td>-----</td><td>-----</td><td>93.98</td><td>34.51</td><td>10.69</td><td>36.88</td><td>10.00</td><td>397</td><td>301 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2458.00	110.75	-----	-----	97.75	32.82	7.21	37.03	10.00	397	301 Peak	2	5260.00	112.30	-----	-----	93.98	34.51	10.69	36.88	10.00	397
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	2458.00	110.75	-----	-----	97.75	32.82	7.21	37.03	10.00	397	301 Peak																																																									
2	5260.00	112.30	-----	-----	93.98	34.51	10.69	36.88	10.00	397	301 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.36</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>26.21</td><td>34.09</td><td>10.61</td><td>37.02</td><td>10.00</td><td>397</td><td>301 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.36	43.89	54.00	-10.11	26.21	34.09	10.61	37.02	10.00	397	301 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5147.36	43.89	54.00	-10.11	26.21	34.09	10.61	37.02	10.00	397	301 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2458.00</td><td>101.72</td><td>-----</td><td>-----</td><td>88.72</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>397</td><td>301 Average</td></tr><tr><td>2</td><td>5260.00</td><td>102.64</td><td>-----</td><td>-----</td><td>84.32</td><td>34.51</td><td>10.69</td><td>36.88</td><td>10.00</td><td>397</td><td>301 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2458.00	101.72	-----	-----	88.72	32.82	7.21	37.03	10.00	397	301 Average	2	5260.00	102.64	-----	-----	84.32	34.51	10.69	36.88	10.00	397
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	2458.00	101.72	-----	-----	88.72	32.82	7.21	37.03	10.00	397	301 Average																																																									
2	5260.00	102.64	-----	-----	84.32	34.51	10.69	36.88	10.00	397	301 AVERAGE																																																									







Mode	66																																																										
	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																										
ANT	CDD 1S2T																																																										
Pol.	Vertical						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.00</td><td>59.88</td><td>74.00</td><td>-14.12</td><td>40.82</td><td>34.67</td><td>10.81</td><td>36.42</td><td>10.00</td><td>397</td><td>301</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5433.00	59.88	74.00	-14.12	40.82	34.67	10.81	36.42	10.00	397	301	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5433.00	59.88	74.00	-14.12	40.82	34.67	10.81	36.42	10.00	397	301	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5407.20</td><td>44.97</td><td>54.00</td><td>-9.03</td><td>25.99</td><td>34.61</td><td>10.78</td><td>36.41</td><td>10.00</td><td>397</td><td>301</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5407.20	44.97	54.00	-9.03	25.99	34.61	10.78	36.41	10.00	397	301	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5407.20	44.97	54.00	-9.03	25.99	34.61	10.78	36.41	10.00	397	301	AVERAGE																																															







		66																																																										
Mode		Harmonic																																																										
		U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																										
ANT		CDD 1S2T																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>42.79</td><td>68.20</td><td>-25.41</td><td>56.66</td><td>37.61</td><td>15.59</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	42.79	68.20	-25.41	56.66	37.61	15.59	67.07	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10520.00	42.79	68.20	-25.41	56.66	37.61	15.59	67.07	0.00	---	---	PEAK																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>42.39</td><td>68.20</td><td>-25.81</td><td>56.23</td><td>37.62</td><td>15.60</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	42.39	68.20	-25.81	56.23	37.62	15.60	67.06	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10520.00	42.39	68.20	-25.81	56.23	37.62	15.60	67.06	0.00	---	---	PEAK																																																





		66																																																																																																																								
Mode		Band Edge																																																																																																																								
		UNII-8_6525-7125_802.11be EHT20_CH233_Full_7115MHz																																																																																																																								
ANT		2																																																																																																																								
Pol.		Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>79.11</td><td>88.20</td><td>-9.09</td><td>57.50</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>165</td><td>193</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	79.11	88.20	-9.09	57.50	35.70	12.62	36.71	10.00	165	193	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>116.56</td><td>-----</td><td>103.56</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>165</td><td>193</td><td>Peak</td></tr><tr><td>2</td><td>5266.00</td><td>117.31</td><td>-----</td><td>98.90</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>165</td><td>193</td><td>Peak</td></tr><tr><td>3</td><td>7111.00</td><td>105.30</td><td>-----</td><td>83.70</td><td>35.70</td><td>12.60</td><td>36.70</td><td>10.00</td><td>165</td><td>193</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2458.00	116.56	-----	103.56	32.82	7.21	37.03	10.00	165	193	Peak	2	5266.00	117.31	-----	98.90	34.53	10.70	36.82	10.00	165	193	Peak	3	7111.00	105.30	-----	83.70	35.70	12.60	36.70	10.00	165	193
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7125.00	79.11	88.20	-9.09	57.50	35.70	12.62	36.71	10.00	165	193	PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2458.00	116.56	-----	103.56	32.82	7.21	37.03	10.00	165	193	Peak																																																																																																															
2	5266.00	117.31	-----	98.90	34.53	10.70	36.82	10.00	165	193	Peak																																																																																																															
3	7111.00	105.30	-----	83.70	35.70	12.60	36.70	10.00	165	193	Peak																																																																																																															
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>66.80</td><td>68.20</td><td>-1.40</td><td>45.19</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>165</td><td>193</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	66.80	68.20	-1.40	45.19	35.70	12.62	36.71	10.00	165	193	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>107.33</td><td>-----</td><td>94.33</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>165</td><td>193</td><td>Average</td></tr><tr><td>2</td><td>5266.00</td><td>106.78</td><td>-----</td><td>88.37</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>165</td><td>193</td><td>Average</td></tr><tr><td>3</td><td>7111.00</td><td>92.87</td><td>-----</td><td>71.27</td><td>35.70</td><td>12.60</td><td>36.70</td><td>10.00</td><td>165</td><td>193</td><td>Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2458.00	107.33	-----	94.33	32.82	7.21	37.03	10.00	165	193	Average	2	5266.00	106.78	-----	88.37	34.53	10.70	36.82	10.00	165	193	Average	3	7111.00	92.87	-----	71.27	35.70	12.60	36.70	10.00	165	193
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7125.00	66.80	68.20	-1.40	45.19	35.70	12.62	36.71	10.00	165	193	AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2458.00	107.33	-----	94.33	32.82	7.21	37.03	10.00	165	193	Average																																																																																																															
2	5266.00	106.78	-----	88.37	34.53	10.70	36.82	10.00	165	193	Average																																																																																																															
3	7111.00	92.87	-----	71.27	35.70	12.60	36.70	10.00	165	193	Average																																																																																																															







Mode	66																																																																																																																										
	Band Edge																																																																																																																										
	UNII-8_6525-7125_802.11be EHT20_CH233_Full_7115MHz																																																																																																																										
ANT	2																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																				
Peak																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>75.97</td><td>88.20</td><td>-12.23</td><td>54.36</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>394</td><td>212</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	75.97	88.20	-12.23	54.36	35.70	12.62	36.71	10.00	394	212	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>109.55</td><td>-----</td><td>96.63</td><td>32.73</td><td>7.23</td><td>37.04</td><td>10.00</td><td>394</td><td>212</td><td>Peak</td></tr><tr><td>2</td><td>5257.00</td><td>114.89</td><td>-----</td><td>96.55</td><td>34.51</td><td>10.69</td><td>36.86</td><td>10.00</td><td>394</td><td>212</td><td>Peak</td></tr><tr><td>3</td><td>7120.00</td><td>99.71</td><td>-----</td><td>78.11</td><td>35.70</td><td>12.61</td><td>36.71</td><td>10.00</td><td>394</td><td>212</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	109.55	-----	96.63	32.73	7.23	37.04	10.00	394	212	Peak	2	5257.00	114.89	-----	96.55	34.51	10.69	36.86	10.00	394	212	Peak	3	7120.00	99.71	-----	78.11	35.70	12.61	36.71	10.00	394	212	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	7125.00	75.97	88.20	-12.23	54.36	35.70	12.62	36.71	10.00	394	212	PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2467.00	109.55	-----	96.63	32.73	7.23	37.04	10.00	394	212	Peak																																																																																																																
2	5257.00	114.89	-----	96.55	34.51	10.69	36.86	10.00	394	212	Peak																																																																																																																
3	7120.00	99.71	-----	78.11	35.70	12.61	36.71	10.00	394	212	Peak																																																																																																																
Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>60.08</td><td>68.20</td><td>-8.12</td><td>38.47</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>394</td><td>212</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	60.08	68.20	-8.12	38.47	35.70	12.62	36.71	10.00	394	212	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2467.00</td><td>99.69</td><td>-----</td><td>86.77</td><td>32.73</td><td>7.23</td><td>37.04</td><td>10.00</td><td>394</td><td>212</td><td>Average</td></tr><tr><td>2</td><td>5266.00</td><td>104.67</td><td>-----</td><td>86.26</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>394</td><td>212</td><td>Average</td></tr><tr><td>3</td><td>7120.00</td><td>88.35</td><td>-----</td><td>66.75</td><td>35.70</td><td>12.61</td><td>36.71</td><td>10.00</td><td>394</td><td>212</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	99.69	-----	86.77	32.73	7.23	37.04	10.00	394	212	Average	2	5266.00	104.67	-----	86.26	34.53	10.70	36.82	10.00	394	212	Average	3	7120.00	88.35	-----	66.75	35.70	12.61	36.71	10.00	394	212	Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	7125.00	60.08	68.20	-8.12	38.47	35.70	12.62	36.71	10.00	394	212	AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2467.00	99.69	-----	86.77	32.73	7.23	37.04	10.00	394	212	Average																																																																																																																
2	5266.00	104.67	-----	86.26	34.53	10.70	36.82	10.00	394	212	Average																																																																																																																
3	7120.00	88.35	-----	66.75	35.70	12.61	36.71	10.00	394	212	Average																																																																																																																







Mode	66																																																																																																																														
	Harmonic																																																																																																																														
	UNII-8_6525-7125_802.11be EHT20_CH233_Full_7115MHz																																																																																																																														
ANT	CDD 1S4T																																																																																																																														
Pol.	Horizontal							Vertical																																																																																																																							
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>46.52</td><td>88.20</td><td>-41.68</td><td>54.28</td><td>38.86</td><td>18.19</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	46.52	88.20	-41.68	54.28	38.86	18.19	64.81	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>45.35</td><td>88.20</td><td>-42.85</td><td>53.11</td><td>38.86</td><td>18.19</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15780.44</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>59.38</td><td>39.90</td><td>19.20</td><td>64.31</td><td>0.00</td><td>300</td><td>290</td><td>Peak</td></tr><tr><td>3</td><td>15780.44</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>48.65</td><td>39.90</td><td>19.20</td><td>64.31</td><td>0.00</td><td>300</td><td>290</td><td>Average</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	45.35	88.20	-42.85	53.11	38.86	18.19	64.81	0.00	---	---	PEAK	2	15780.44	54.17	74.00	-19.83	59.38	39.90	19.20	64.31	0.00	300	290	Peak	3	15780.44	43.44	54.00	-10.56	48.65	39.90	19.20	64.31	0.00	300	290
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	14230.00	46.52	88.20	-41.68	54.28	38.86	18.19	64.81	0.00	---	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	14230.00	45.35	88.20	-42.85	53.11	38.86	18.19	64.81	0.00	---	---	PEAK																																																																																																																			
2	15780.44	54.17	74.00	-19.83	59.38	39.90	19.20	64.31	0.00	300	290	Peak																																																																																																																			
3	15780.44	43.44	54.00	-10.56	48.65	39.90	19.20	64.31	0.00	300	290	Average																																																																																																																			





Mode	67																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full RU_2462MHz																																																																																																			
ANT	CDD 1S2T																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.00</td><td>66.51</td><td>74.00</td><td>-7.49</td><td>53.75</td><td>32.55</td><td>7.26</td><td>37.05</td><td>10.00</td><td>255</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	66.51	74.00	-7.49	53.75	32.55	7.26	37.05	10.00	255	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>122.77</td><td>-----</td><td>-----</td><td>109.80</td><td>32.78</td><td>7.22</td><td>37.03</td><td>10.00</td><td>255</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	122.77	-----	-----	109.80	32.78	7.22	37.03	10.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.00	66.51	74.00	-7.49	53.75	32.55	7.26	37.05	10.00	255	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	122.77	-----	-----	109.80	32.78	7.22	37.03	10.00	255	0 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>51.23</td><td>54.00</td><td>-2.77</td><td>38.46</td><td>32.56</td><td>7.26</td><td>37.05</td><td>10.00</td><td>255</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	51.23	54.00	-2.77	38.46	32.56	7.26	37.05	10.00	255	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>112.70</td><td>-----</td><td>-----</td><td>99.73</td><td>32.78</td><td>7.22</td><td>37.03</td><td>10.00</td><td>255</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.70	-----	-----	99.73	32.78	7.22	37.03	10.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	51.23	54.00	-2.77	38.46	32.56	7.26	37.05	10.00	255	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	112.70	-----	-----	99.73	32.78	7.22	37.03	10.00	255	0 AVERAGE																																																																																									







		67																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full RU_2462MHz																																																																																							
ANT		CDD 1S2T																																																																																							
Pol.	Vertical										Fundamental																																																																														
Peak																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	57.26	74.00	-16.74	44.49	32.56	7.26	37.05	10.00	30 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>114.37</td><td>-----</td><td>-----</td><td>101.38</td><td>32.80</td><td>7.22</td><td>37.03</td><td>10.00</td><td>30 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	114.37	-----	-----	101.38	32.80	7.22	37.03	10.00	30 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2484.04	57.26	74.00	-16.74	44.49	32.56	7.26	37.05	10.00	30 PEAK																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2462.00	114.37	-----	-----	101.38	32.80	7.22	37.03	10.00	30 PEAK																																																																															
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>43.77</td><td>54.00</td><td>-10.23</td><td>31.00</td><td>32.56</td><td>7.26</td><td>37.05</td><td>10.00</td><td>30 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	43.77	54.00	-10.23	31.00	32.56	7.26	37.05	10.00	30 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.26</td><td>-----</td><td>-----</td><td>91.29</td><td>32.78</td><td>7.22</td><td>37.03</td><td>10.00</td><td>30 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.26	-----	-----	91.29	32.78	7.22	37.03	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2483.50	43.77	54.00	-10.23	31.00	32.56	7.26	37.05	10.00	30 AVERAGE																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2462.00	104.26	-----	-----	91.29	32.78	7.22	37.03	10.00	30 AVERAGE																																																																															





Mode	67																																																																	
	Harmonic																																																																	
	2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full RU_2462MHz																																																																	
ANT	CDD 1S2T																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>65.65</td><td>33.90</td><td>10.35</td><td>65.55</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>5260.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>69.66</td><td>34.52</td><td>10.70</td><td>65.62</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.35	74.00	-29.65	65.65	33.90	10.35	65.55	0.00	--- Peak	2	5260.00	49.26	74.00	-24.74	69.66	34.52	10.70	65.62	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4924.00	44.35	74.00	-29.65	65.65	33.90	10.35	65.55	0.00	--- Peak																																																								
2	5260.00	49.26	74.00	-24.74	69.66	34.52	10.70	65.62	0.00	--- Peak																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>61.92</td><td>33.90</td><td>10.35</td><td>65.55</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>5260.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>67.42</td><td>34.52</td><td>10.70</td><td>65.62</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.62	74.00	-33.38	61.92	33.90	10.35	65.55	0.00	--- Peak	2	5260.00	47.02	74.00	-26.98	67.42	34.52	10.70	65.62	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4924.00	40.62	74.00	-33.38	61.92	33.90	10.35	65.55	0.00	--- Peak																																																								
2	5260.00	47.02	74.00	-26.98	67.42	34.52	10.70	65.62	0.00	--- Peak																																																								







		67																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Horizontal					Fundamental																																																																																																										
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.16</td><td>63.55</td><td>74.00</td><td>-10.45</td><td>45.87</td><td>34.10</td><td>10.61</td><td>37.03</td><td>10.00</td><td>146</td><td>352 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.16	63.55	74.00	-10.45	45.87	34.10	10.61	37.03	10.00	146	352 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>117.00</td><td>-----</td><td>-----</td><td>104.02</td><td>32.88</td><td>7.21</td><td>37.03</td><td>10.00</td><td>146</td><td>352 Peak</td></tr><tr><td>2</td><td>5260.00</td><td>122.25</td><td>-----</td><td>-----</td><td>103.84</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>146</td><td>352 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	117.00	-----	-----	104.02	32.88	7.21	37.03	10.00	146	352 Peak	2	5260.00	122.25	-----	-----	103.84	34.53	10.70	36.82	10.00	146
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5148.16	63.55	74.00	-10.45	45.87	34.10	10.61	37.03	10.00	146	352 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2452.00	117.00	-----	-----	104.02	32.88	7.21	37.03	10.00	146	352 Peak																																																																																																					
2	5260.00	122.25	-----	-----	103.84	34.53	10.70	36.82	10.00	146	352 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.12</td><td>47.93</td><td>54.00</td><td>-6.07</td><td>30.25</td><td>34.10</td><td>10.61</td><td>37.03</td><td>10.00</td><td>146</td><td>352 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	47.93	54.00	-6.07	30.25	34.10	10.61	37.03	10.00	146	352 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>105.91</td><td>-----</td><td>-----</td><td>92.85</td><td>32.88</td><td>7.21</td><td>37.03</td><td>10.00</td><td>146</td><td>352 AVERAGE</td></tr><tr><td>2</td><td>5260.00</td><td>111.07</td><td>-----</td><td>-----</td><td>92.66</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>146</td><td>352 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	105.91	-----	-----	92.85	32.88	7.21	37.03	10.00	146	352 AVERAGE	2	5260.00	111.07	-----	-----	92.66	34.53	10.70	36.82	10.00	146
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5149.12	47.93	54.00	-6.07	30.25	34.10	10.61	37.03	10.00	146	352 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2452.00	105.91	-----	-----	92.85	32.88	7.21	37.03	10.00	146	352 AVERAGE																																																																																																					
2	5260.00	111.07	-----	-----	92.66	34.53	10.70	36.82	10.00	146	352 AVERAGE																																																																																																					





Mode	67																																																										
	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																										
ANT	CDD 1S2T																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.80</td><td>66.99</td><td>74.00</td><td>-7.01</td><td>48.16</td><td>34.60</td><td>10.75</td><td>36.52</td><td>10.00</td><td>146</td><td>352</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.80	66.99	74.00	-7.01	48.16	34.60	10.75	36.52	10.00	146	352	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5351.80	66.99	74.00	-7.01	48.16	34.60	10.75	36.52	10.00	146	352	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>51.47</td><td>54.00</td><td>-2.53</td><td>32.64</td><td>34.60</td><td>10.75</td><td>36.52</td><td>10.00</td><td>146</td><td>352</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	51.47	54.00	-2.53	32.64	34.60	10.75	36.52	10.00	146	352	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.00	51.47	54.00	-2.53	32.64	34.60	10.75	36.52	10.00	146	352	AVERAGE																																															





		67																																																																																																																		
Mode	Band Edge - L																																																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																																			
ANT	CDD 1S2T																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.72</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>39.50</td><td>34.06</td><td>10.59</td><td>36.98</td><td>10.00</td><td>366</td><td>232</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.72	57.17	74.00	-16.83	39.50	34.06	10.59	36.98	10.00	366	232	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2450.00</td><td>112.53</td><td>-----</td><td>-----</td><td>99.53</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>366</td><td>232</td><td>Peak</td></tr><tr><td>2</td><td>5260.00</td><td>114.99</td><td>-----</td><td>-----</td><td>96.54</td><td>34.54</td><td>10.70</td><td>36.79</td><td>10.00</td><td>366</td><td>232</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2450.00	112.53	-----	-----	99.53	32.82	7.21	37.03	10.00	366	232	Peak	2	5260.00	114.99	-----	-----	96.54	34.54	10.70	36.79	10.00	366	232
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5130.72	57.17	74.00	-16.83	39.50	34.06	10.59	36.98	10.00	366	232	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2450.00	112.53	-----	-----	99.53	32.82	7.21	37.03	10.00	366	232	Peak																																																																																																								
2	5260.00	114.99	-----	-----	96.54	34.54	10.70	36.79	10.00	366	232	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>25.58</td><td>34.10</td><td>10.61</td><td>37.03</td><td>10.00</td><td>366</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	43.26	54.00	-10.74	25.58	34.10	10.61	37.03	10.00	366	232	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2450.00</td><td>101.63</td><td>-----</td><td>-----</td><td>88.63</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>366</td><td>232</td><td>AVERAGE</td></tr><tr><td>2</td><td>5260.00</td><td>103.84</td><td>-----</td><td>-----</td><td>85.39</td><td>34.54</td><td>10.70</td><td>36.79</td><td>10.00</td><td>366</td><td>232</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2450.00	101.63	-----	-----	88.63	32.82	7.21	37.03	10.00	366	232	AVERAGE	2	5260.00	103.84	-----	-----	85.39	34.54	10.70	36.79	10.00	366	232
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5149.60	43.26	54.00	-10.74	25.58	34.10	10.61	37.03	10.00	366	232	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2450.00	101.63	-----	-----	88.63	32.82	7.21	37.03	10.00	366	232	AVERAGE																																																																																																								
2	5260.00	103.84	-----	-----	85.39	34.54	10.70	36.79	10.00	366	232	AVERAGE																																																																																																								







	67																																																					
Mode	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Vertical					Fundamental																																																
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5391.20</td><td>59.60</td><td>74.00</td><td>-14.40</td><td>40.65</td><td>34.60</td><td>10.77</td><td>36.42</td><td>10.00</td><td>366</td><td>232 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5391.20	59.60	74.00	-14.40	40.65	34.60	10.77	36.42	10.00	366	232 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5391.20	59.60	74.00	-14.40	40.65	34.60	10.77	36.42	10.00	366	232 PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5413.00</td><td>45.05</td><td>54.00</td><td>-8.95</td><td>26.04</td><td>34.63</td><td>10.79</td><td>36.41</td><td>10.00</td><td>366</td><td>232 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5413.00	45.05	54.00	-8.95	26.04	34.63	10.79	36.41	10.00	366	232 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5413.00	45.05	54.00	-8.95	26.04	34.63	10.79	36.41	10.00	366	232 AVERAGE																																												







		67																																																																																																																					
Mode		Harmonic																																																																																																																					
		U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																																					
ANT		CDD 1S2T																																																																																																																					
Pol.		Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																							
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>43.74</td><td>68.20</td><td>-24.46</td><td>57.58</td><td>37.62</td><td>15.60</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	43.74	68.20	-24.46	57.58	37.62	15.60	67.06	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7100.53</td><td>52.15</td><td>68.20</td><td>-16.05</td><td>69.39</td><td>35.70</td><td>12.60</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10520.00</td><td>43.53</td><td>68.20</td><td>-24.67</td><td>57.37</td><td>37.62</td><td>15.60</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7100.53	52.15	68.20	-16.05	69.39	35.70	12.60	65.54	0.00	---	---	Peak	2	10520.00	43.53	68.20	-24.67	57.37	37.62	15.60	67.06	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	10520.00	43.74	68.20	-24.46	57.58	37.62	15.60	67.06	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	7100.53	52.15	68.20	-16.05	69.39	35.70	12.60	65.54	0.00	---	---	Peak																																																																																																											
2	10520.00	43.53	68.20	-24.67	57.37	37.62	15.60	67.06	0.00	---	---	PEAK																																																																																																											





		67																																																																																																																																	
Mode		Band Edge																																																																																																																																	
		UNII-8_6525-7125_802.11be EHT20_CH233_Full_7115MHz																																																																																																																																	
ANT		2																																																																																																																																	
Pol.	Horizontal											Fundamental																																																																																																																							
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.16</td><td>81.71</td><td>88.20</td><td>-6.49</td><td>60.10</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>172 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	81.71	88.20	-6.49	60.10	35.70	12.62	36.71	10.00	172 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2458.00</td><td>116.55</td><td>-----</td><td>103.55</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>100</td><td>172 Peak</td></tr><tr><td>2</td><td>5266.00</td><td>118.45</td><td>-----</td><td>100.04</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>100</td><td>172 Peak</td></tr><tr><td>3</td><td>7120.00</td><td>104.49</td><td>-----</td><td>82.89</td><td>35.70</td><td>12.61</td><td>36.71</td><td>10.00</td><td>100</td><td>172 Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	116.55	-----	103.55	32.82	7.21	37.03	10.00	100	172 Peak	2	5266.00	118.45	-----	100.04	34.53	10.70	36.82	10.00	100	172 Peak	3	7120.00	104.49	-----	82.89	35.70	12.61	36.71	10.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	7125.16	81.71	88.20	-6.49	60.10	35.70	12.62	36.71	10.00	172 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	2458.00	116.55	-----	103.55	32.82	7.21	37.03	10.00	100	172 Peak																																																																																																																									
2	5266.00	118.45	-----	100.04	34.53	10.70	36.82	10.00	100	172 Peak																																																																																																																									
3	7120.00	104.49	-----	82.89	35.70	12.61	36.71	10.00	100	172 Peak																																																																																																																									
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>64.84</td><td>68.20</td><td>-3.36</td><td>43.23</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>172 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	64.84	68.20	-3.36	43.23	35.70	12.62	36.71	10.00	172 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2449.00</td><td>107.38</td><td>-----</td><td>94.31</td><td>32.89</td><td>7.20</td><td>37.02</td><td>10.00</td><td>100</td><td>172 Average</td></tr><tr><td>2</td><td>5266.00</td><td>107.43</td><td>-----</td><td>89.02</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>100</td><td>172 Average</td></tr><tr><td>3</td><td>7120.00</td><td>93.45</td><td>-----</td><td>71.85</td><td>35.70</td><td>12.61</td><td>36.71</td><td>10.00</td><td>100</td><td>172 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2449.00	107.38	-----	94.31	32.89	7.20	37.02	10.00	100	172 Average	2	5266.00	107.43	-----	89.02	34.53	10.70	36.82	10.00	100	172 Average	3	7120.00	93.45	-----	71.85	35.70	12.61	36.71	10.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	7125.00	64.84	68.20	-3.36	43.23	35.70	12.62	36.71	10.00	172 AVERAGE																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	2449.00	107.38	-----	94.31	32.89	7.20	37.02	10.00	100	172 Average																																																																																																																									
2	5266.00	107.43	-----	89.02	34.53	10.70	36.82	10.00	100	172 Average																																																																																																																									
3	7120.00	93.45	-----	71.85	35.70	12.61	36.71	10.00	100	172 Average																																																																																																																									



Mode	67																																																																																																																														
	Band Edge																																																																																																																														
	UNII-8_6525-7125_802.11be EHT20_CH233_Full_7115MHz																																																																																																																														
ANT	2																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>75.71</td><td>88.20</td><td>-12.49</td><td>54.10</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>394</td><td>255</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	75.71	88.20	-12.49	54.10	35.70	12.62	36.71	10.00	394	255	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>112.81</td><td>-----</td><td>99.81</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>394</td><td>255</td><td>Peak</td></tr><tr><td>2</td><td>5257.00</td><td>113.16</td><td>-----</td><td>94.82</td><td>34.51</td><td>10.69</td><td>36.86</td><td>10.00</td><td>394</td><td>255</td><td>Peak</td></tr><tr><td>3</td><td>7111.00</td><td>102.19</td><td>-----</td><td>80.59</td><td>35.70</td><td>12.60</td><td>36.70</td><td>10.00</td><td>394</td><td>255</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	112.81	-----	99.81	32.82	7.21	37.03	10.00	394	255	Peak	2	5257.00	113.16	-----	94.82	34.51	10.69	36.86	10.00	394	255	Peak	3	7111.00	102.19	-----	80.59	35.70	12.60	36.70	10.00	394	255	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	7125.00	75.71	88.20	-12.49	54.10	35.70	12.62	36.71	10.00	394	255	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2458.00	112.81	-----	99.81	32.82	7.21	37.03	10.00	394	255	Peak																																																																																																																				
2	5257.00	113.16	-----	94.82	34.51	10.69	36.86	10.00	394	255	Peak																																																																																																																				
3	7111.00	102.19	-----	80.59	35.70	12.60	36.70	10.00	394	255	Peak																																																																																																																				
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>61.96</td><td>68.20</td><td>-6.24</td><td>40.35</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>394</td><td>255</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	61.96	68.20	-6.24	40.35	35.70	12.62	36.71	10.00	394	255	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>102.93</td><td>-----</td><td>89.93</td><td>32.82</td><td>7.21</td><td>37.03</td><td>10.00</td><td>394</td><td>255</td><td>Average</td></tr><tr><td>2</td><td>5248.00</td><td>103.75</td><td>-----</td><td>85.48</td><td>34.49</td><td>10.69</td><td>36.91</td><td>10.00</td><td>394</td><td>255</td><td>Average</td></tr><tr><td>3</td><td>7111.00</td><td>89.89</td><td>-----</td><td>68.29</td><td>35.70</td><td>12.60</td><td>36.70</td><td>10.00</td><td>394</td><td>255</td><td>Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	102.93	-----	89.93	32.82	7.21	37.03	10.00	394	255	Average	2	5248.00	103.75	-----	85.48	34.49	10.69	36.91	10.00	394	255	Average	3	7111.00	89.89	-----	68.29	35.70	12.60	36.70	10.00	394	255	Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	7125.00	61.96	68.20	-6.24	40.35	35.70	12.62	36.71	10.00	394	255	AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2458.00	102.93	-----	89.93	32.82	7.21	37.03	10.00	394	255	Average																																																																																																																				
2	5248.00	103.75	-----	85.48	34.49	10.69	36.91	10.00	394	255	Average																																																																																																																				
3	7111.00	89.89	-----	68.29	35.70	12.60	36.70	10.00	394	255	Average																																																																																																																				





		67																																																																																																																																												
Mode		Harmonic																																																																																																																																												
		UNII-8_6525-7125_802.11be EHT20_CH233_Full_7115MHz																																																																																																																																												
ANT		CDD 1S4T																																																																																																																																												
Pol.		Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>44.84</td><td>88.20</td><td>-43.36</td><td>52.62</td><td>38.86</td><td>18.19</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	44.84	88.20	-43.36	52.62	38.86	18.19	64.81	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>44.86</td><td>88.20</td><td>-43.34</td><td>52.62</td><td>38.86</td><td>18.19</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15776.00</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>60.55</td><td>39.90</td><td>19.20</td><td>64.32</td><td>0.00</td><td>300</td><td>283</td><td>Peak</td></tr><tr><td>3</td><td>15776.00</td><td>44.52</td><td>54.00</td><td>-9.48</td><td>49.74</td><td>39.90</td><td>19.20</td><td>64.32</td><td>0.00</td><td>300</td><td>283</td><td>Average</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	44.86	88.20	-43.34	52.62	38.86	18.19	64.81	0.00	---	---	PEAK	2	15776.00	55.33	74.00	-18.67	60.55	39.90	19.20	64.32	0.00	300	283	Peak	3	15776.00	44.52	54.00	-9.48	49.74	39.90	19.20	64.32	0.00	300	283
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	14230.00	44.84	88.20	-43.36	52.62	38.86	18.19	64.81	0.00	---	---	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	14230.00	44.86	88.20	-43.34	52.62	38.86	18.19	64.81	0.00	---	---	PEAK																																																																																																																																		
2	15776.00	55.33	74.00	-18.67	60.55	39.90	19.20	64.32	0.00	300	283	Peak																																																																																																																																		
3	15776.00	44.52	54.00	-9.48	49.74	39.90	19.20	64.32	0.00	300	283	Average																																																																																																																																		







		68																																																																																																	
Mode		Band Edge - L																																																																																																	
		2400-2483.5_2400-2483.5_802.11b_CH06_2437MHz																																																																																																	
ANT		CDD 1S2T																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>47.98</td><td>32.24</td><td>7.10</td><td>36.99</td><td>10.00</td><td>295</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	60.33	74.00	-13.67	47.98	32.24	7.10	36.99	10.00	295	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>123.58</td><td>-----</td><td>-----</td><td>110.66</td><td>32.76</td><td>7.18</td><td>37.02</td><td>10.00</td><td>295</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	123.58	-----	-----	110.66	32.76	7.18	37.02	10.00	295
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.17	60.33	74.00	-13.67	47.98	32.24	7.10	36.99	10.00	295	0 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	123.58	-----	-----	110.66	32.76	7.18	37.02	10.00	295	0 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>49.01</td><td>54.00</td><td>-4.99</td><td>36.65</td><td>32.24</td><td>7.11</td><td>36.99</td><td>10.00</td><td>295</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	49.01	54.00	-4.99	36.65	32.24	7.11	36.99	10.00	295	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>121.21</td><td>-----</td><td>-----</td><td>108.29</td><td>32.76</td><td>7.18</td><td>37.02</td><td>10.00</td><td>295</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	121.21	-----	-----	108.29	32.76	7.18	37.02	10.00	295
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.69	49.01	54.00	-4.99	36.65	32.24	7.11	36.99	10.00	295	0 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	121.21	-----	-----	108.29	32.76	7.18	37.02	10.00	295	0 AVERAGE																																																																																								



Mode	68																																																		
	Band Edge - R																																																		
	2400-2483.5_2400-2483.5_802.11b_CH06_2437MHz																																																		
ANT	CDD 1S2T																																																		
Pol.	Horizontal						Fundamental																																												
Peak							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>59.05</td><td>74.00</td><td>-14.95</td><td>46.29</td><td>32.55</td><td>7.26</td><td>37.05</td><td>10.00</td><td>295</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.58	59.05	74.00	-14.95	46.29
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2484.58	59.05	74.00	-14.95	46.29	32.55	7.26	37.05	10.00	295	0 PEAK																																								
Avg							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.22</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>33.16</td><td>32.56</td><td>7.26</td><td>37.05</td><td>10.00</td><td>295</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.22	45.93	54.00	-8.07	33.16
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2484.22	45.93	54.00	-8.07	33.16	32.56	7.26	37.05	10.00	295	0 AVERAGE																																								





		68																																																																																																							
Mode		Band Edge - L																																																																																																							
		2400-2483.5_2400-2483.5_802.11b_CH06_2437MHz																																																																																																							
ANT		CDD 1S2T																																																																																																							
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2319.88</td><td>56.77</td><td>74.00</td><td>-17.23</td><td>45.14</td><td>31.64</td><td>7.00</td><td>37.01</td><td>10.00</td><td>106</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2319.88	56.77	74.00	-17.23	45.14	31.64	7.00	37.01	10.00	106	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>114.37</td><td>-----</td><td>-----</td><td>101.48</td><td>32.73</td><td>7.18</td><td>37.02</td><td>10.00</td><td>106</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	114.37	-----	-----	101.48	32.73	7.18	37.02	10.00	106	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2319.88	56.77	74.00	-17.23	45.14	31.64	7.00	37.01	10.00	106	360	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2437.00	114.37	-----	-----	101.48	32.73	7.18	37.02	10.00	106	360	PEAK																																																																																													
Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>31.07</td><td>32.24</td><td>7.10</td><td>36.99</td><td>10.00</td><td>106</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.43	43.42	54.00	-10.58	31.07	32.24	7.10	36.99	10.00	106	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>111.69</td><td>-----</td><td>-----</td><td>98.00</td><td>32.73</td><td>7.18</td><td>37.02</td><td>10.00</td><td>106</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	111.69	-----	-----	98.00	32.73	7.18	37.02	10.00	106	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2389.43	43.42	54.00	-10.58	31.07	32.24	7.10	36.99	10.00	106	360	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2437.00	111.69	-----	-----	98.00	32.73	7.18	37.02	10.00	106	360	AVERAGE																																																																																													







Mode	68																																																						
	Band Edge - R																																																						
	2400-2483.5_2400-2483.5_802.11b_CH06_2437MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.12</td><td>57.00</td><td>74.00</td><td>-17.00</td><td>44.35</td><td>32.43</td><td>7.28</td><td>37.06</td><td>10.00</td><td>106 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.12	57.00	74.00	-17.00	44.35	32.43	7.28	37.06	10.00	106 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2497.12	57.00	74.00	-17.00	44.35	32.43	7.28	37.06	10.00	106 360 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.22</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>30.65</td><td>32.56</td><td>7.26</td><td>37.05</td><td>10.00</td><td>106 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	43.42	54.00	-10.58	30.65	32.56	7.26	37.05	10.00	106 360 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.22	43.42	54.00	-10.58	30.65	32.56	7.26	37.05	10.00	106 360 AVERAGE																																													





Mode	68																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_2400-2483.5_802.11b_CH06_2437MHz																																																																																																																														
ANT	CDD 1S2T																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.13</td><td>40.92</td><td>74.00</td><td>-33.08</td><td>62.28</td><td>33.90</td><td>10.29</td><td>65.55</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>5260.00</td><td>49.18</td><td>74.00</td><td>-24.82</td><td>69.58</td><td>34.52</td><td>10.70</td><td>65.62</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.13	40.92	74.00	-33.08	62.28	33.90	10.29	65.55	0.00	---	Peak	2	5260.00	49.18	74.00	-24.82	69.58	34.52	10.70	65.62	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.13</td><td>37.22</td><td>74.00</td><td>-36.78</td><td>58.58</td><td>33.90</td><td>10.29</td><td>65.55</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>5260.00</td><td>49.02</td><td>74.00</td><td>-24.98</td><td>69.42</td><td>34.52</td><td>10.70</td><td>65.62</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.13	37.22	74.00	-36.78	58.58	33.90	10.29	65.55	0.00	---	Peak	2	5260.00	49.02	74.00	-24.98	69.42	34.52	10.70	65.62	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4874.13	40.92	74.00	-33.08	62.28	33.90	10.29	65.55	0.00	---	Peak																																																																																																																				
2	5260.00	49.18	74.00	-24.82	69.58	34.52	10.70	65.62	0.00	---	Peak																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4874.13	37.22	74.00	-36.78	58.58	33.90	10.29	65.55	0.00	---	Peak																																																																																																																				
2	5260.00	49.02	74.00	-24.98	69.42	34.52	10.70	65.62	0.00	---	Peak																																																																																																																				







		68																																																																																																										
Mode			Band Edge - L																																																																																																									
			U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																									
ANT			CDD 1S2T																																																																																																									
Pol.	Horizontal					Fundamental																																																																																																						
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5110.08</td><td>58.32</td><td>74.00</td><td>-15.68</td><td>40.66</td><td>34.02</td><td>10.57</td><td>36.93</td><td>10.00</td><td>352 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5110.08	58.32	74.00	-15.68	40.66	34.02	10.57	36.93	10.00	352 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>120.18</td><td>-----</td><td>-----</td><td>107.23</td><td>32.78</td><td>7.19</td><td>37.02</td><td>10.00</td><td>352 Peak</td></tr><tr><td>2</td><td>5260.00</td><td>121.61</td><td>-----</td><td>-----</td><td>103.16</td><td>34.54</td><td>10.70</td><td>36.79</td><td>10.00</td><td>352 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	120.18	-----	-----	107.23	32.78	7.19	37.02	10.00	352 Peak	2	5260.00	121.61	-----	-----	103.16	34.54	10.70	36.79	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5110.08	58.32	74.00	-15.68	40.66	34.02	10.57	36.93	10.00	352 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2440.00	120.18	-----	-----	107.23	32.78	7.19	37.02	10.00	352 Peak																																																																																																		
2	5260.00	121.61	-----	-----	103.16	34.54	10.70	36.79	10.00	352 PEAK																																																																																																		
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.84</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>26.86</td><td>34.10</td><td>10.61</td><td>37.02</td><td>10.00</td><td>352 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.84	44.55	54.00	-9.45	26.86	34.10	10.61	37.02	10.00	352 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>117.52</td><td>-----</td><td>-----</td><td>104.57</td><td>32.78</td><td>7.19</td><td>37.02</td><td>10.00</td><td>352 Average</td></tr><tr><td>2</td><td>5260.00</td><td>111.26</td><td>-----</td><td>-----</td><td>92.85</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>352 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	117.52	-----	-----	104.57	32.78	7.19	37.02	10.00	352 Average	2	5260.00	111.26	-----	-----	92.85	34.53	10.70	36.82	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5147.84	44.55	54.00	-9.45	26.86	34.10	10.61	37.02	10.00	352 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2440.00	117.52	-----	-----	104.57	32.78	7.19	37.02	10.00	352 Average																																																																																																		
2	5260.00	111.26	-----	-----	92.85	34.53	10.70	36.82	10.00	352 Average																																																																																																		





Mode	68																																																										
	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																										
ANT	CDD 1S2T																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.20</td><td>59.83</td><td>74.00</td><td>-14.17</td><td>40.98</td><td>34.60</td><td>10.75</td><td>36.50</td><td>10.00</td><td>100</td><td>352</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5357.20	59.83	74.00	-14.17	40.98	34.60	10.75	36.50	10.00	100	352	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5357.20	59.83	74.00	-14.17	40.98	34.60	10.75	36.50	10.00	100	352	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>46.04</td><td>54.00</td><td>-7.96</td><td>27.21</td><td>34.60</td><td>10.75</td><td>36.52</td><td>10.00</td><td>100</td><td>352</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	46.04	54.00	-7.96	27.21	34.60	10.75	36.52	10.00	100	352	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.00	46.04	54.00	-7.96	27.21	34.60	10.75	36.52	10.00	100	352	AVERAGE																																															



		68																																																																																																												
Mode	Band Edge - L																																																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																													
ANT	CDD 1S2T																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.08</td><td>56.64</td><td>74.00</td><td>-17.36</td><td>38.97</td><td>34.08</td><td>10.60</td><td>37.01</td><td>10.00</td><td>295 268 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.08	56.64	74.00	-17.36	38.97	34.08	10.60	37.01	10.00	295 268 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2434.00</td><td>118.35</td><td>-----</td><td>-----</td><td>105.47</td><td>32.71</td><td>7.18</td><td>37.01</td><td>10.00</td><td>295 268 Peak</td></tr><tr><td>2</td><td>5266.00</td><td>112.56</td><td>-----</td><td>-----</td><td>94.15</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>295 268 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2434.00	118.35	-----	-----	105.47	32.71	7.18	37.01	10.00	295 268 Peak	2	5266.00	112.56	-----	-----	94.15	34.53	10.70	36.82	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5142.08	56.64	74.00	-17.36	38.97	34.08	10.60	37.01	10.00	295 268 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2434.00	118.35	-----	-----	105.47	32.71	7.18	37.01	10.00	295 268 Peak																																																																																																				
2	5266.00	112.56	-----	-----	94.15	34.53	10.70	36.82	10.00	295 268 Peak																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.52</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>25.50</td><td>34.10</td><td>10.61</td><td>37.02</td><td>10.00</td><td>295 268 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.52	43.19	54.00	-10.81	25.50	34.10	10.61	37.02	10.00	295 268 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>115.69</td><td>-----</td><td>-----</td><td>102.74</td><td>32.78</td><td>7.19</td><td>37.02</td><td>10.00</td><td>295 268 Average</td></tr><tr><td>2</td><td>5260.00</td><td>101.96</td><td>-----</td><td>-----</td><td>83.59</td><td>34.52</td><td>10.70</td><td>36.85</td><td>10.00</td><td>295 268 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	115.69	-----	-----	102.74	32.78	7.19	37.02	10.00	295 268 Average	2	5260.00	101.96	-----	-----	83.59	34.52	10.70	36.85	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5147.52	43.19	54.00	-10.81	25.50	34.10	10.61	37.02	10.00	295 268 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2440.00	115.69	-----	-----	102.74	32.78	7.19	37.02	10.00	295 268 Average																																																																																																				
2	5260.00	101.96	-----	-----	83.59	34.52	10.70	36.85	10.00	295 268 Average																																																																																																				







Mode	68																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																													
ANT	CDD 1S2T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5427.60</td><td>59.17</td><td>74.00</td><td>-14.83</td><td>40.13</td><td>34.66</td><td>10.80</td><td>36.42</td><td>10.00</td><td>295 268 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.60	59.17	74.00	-14.83	40.13	34.66	10.80	36.42	10.00	295 268 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5427.60	59.17	74.00	-14.83	40.13	34.66	10.80	36.42	10.00	295 268 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.40</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>25.92</td><td>34.69</td><td>10.83</td><td>36.44</td><td>10.00</td><td>295 268 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.40	45.00	54.00	-9.00	25.92	34.69	10.83	36.44	10.00	295 268 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5451.40	45.00	54.00	-9.00	25.92	34.69	10.83	36.44	10.00	295 268 AVERAGE																																				







Mode	68																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																																																																																				
ANT	CDD 1S2T																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>43.26</td><td>68.20</td><td>-24.94</td><td>57.10</td><td>37.62</td><td>15.60</td><td>67.06</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>52.30</td><td>39.90</td><td>19.20</td><td>64.31</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>36.49</td><td>54.00</td><td>-17.51</td><td>41.70</td><td>39.90</td><td>19.20</td><td>64.31</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10520.00	43.26	68.20	-24.94	57.10	37.62	15.60	67.06	0.00	---	--- PEAK	2	15780.00	47.09	74.00	-26.91	52.30	39.90	19.20	64.31	0.00	300	0 PEAK	3	15780.00	36.49	54.00	-17.51	41.70	39.90	19.20	64.31	0.00	300	0 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7110.00</td><td>48.53</td><td>68.20</td><td>-19.67</td><td>65.77</td><td>35.70</td><td>12.60</td><td>65.54</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>10520.00</td><td>42.40</td><td>68.20</td><td>-25.80</td><td>56.24</td><td>37.62</td><td>15.60</td><td>67.06</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>52.96</td><td>39.90</td><td>19.20</td><td>64.31</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>4</td><td>15780.00</td><td>36.32</td><td>54.00</td><td>-17.68</td><td>41.52</td><td>39.90</td><td>19.21</td><td>64.31</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7110.00	48.53	68.20	-19.67	65.77	35.70	12.60	65.54	0.00	---	--- Peak	2	10520.00	42.40	68.20	-25.80	56.24	37.62	15.60	67.06	0.00	---	--- PEAK	3	15780.00	47.75	74.00	-26.25	52.96	39.90	19.20	64.31	0.00	100	0 PEAK	4	15780.00	36.32	54.00	-17.68	41.52	39.90	19.21	64.31	0.00	100
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	10520.00	43.26	68.20	-24.94	57.10	37.62	15.60	67.06	0.00	---	--- PEAK																																																																																																																																																										
2	15780.00	47.09	74.00	-26.91	52.30	39.90	19.20	64.31	0.00	300	0 PEAK																																																																																																																																																										
3	15780.00	36.49	54.00	-17.51	41.70	39.90	19.20	64.31	0.00	300	0 AVERAGE																																																																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	7110.00	48.53	68.20	-19.67	65.77	35.70	12.60	65.54	0.00	---	--- Peak																																																																																																																																																										
2	10520.00	42.40	68.20	-25.80	56.24	37.62	15.60	67.06	0.00	---	--- PEAK																																																																																																																																																										
3	15780.00	47.75	74.00	-26.25	52.96	39.90	19.20	64.31	0.00	100	0 PEAK																																																																																																																																																										
4	15780.00	36.32	54.00	-17.68	41.52	39.90	19.21	64.31	0.00	100	0 AVERAGE																																																																																																																																																										





Mode	68																																																																																																																																		
	Band Edge																																																																																																																																		
	UNII-8_6525-7125_802.11be EHT20_CH233_Full_7115MHz																																																																																																																																		
ANT	2																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>82.17</td><td>88.20</td><td>-6.03</td><td>60.56</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>100</td><td>184 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	82.17	88.20	-6.03	60.56	35.70	12.62	36.71	10.00	100	184 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>121.82</td><td>-----</td><td>-----</td><td>100.87</td><td>32.78</td><td>7.19</td><td>37.02</td><td>10.00</td><td>100</td><td>184 Peak</td></tr><tr><td>2</td><td>5266.00</td><td>117.99</td><td>-----</td><td>-----</td><td>99.58</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>100</td><td>184 Peak</td></tr><tr><td>3</td><td>7120.00</td><td>105.02</td><td>-----</td><td>-----</td><td>83.42</td><td>35.70</td><td>12.61</td><td>36.71</td><td>10.00</td><td>100</td><td>184 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	121.82	-----	-----	100.87	32.78	7.19	37.02	10.00	100	184 Peak	2	5266.00	117.99	-----	-----	99.58	34.53	10.70	36.82	10.00	100	184 Peak	3	7120.00	105.02	-----	-----	83.42	35.70	12.61	36.71	10.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7125.00	82.17	88.20	-6.03	60.56	35.70	12.62	36.71	10.00	100	184 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	2440.00	121.82	-----	-----	100.87	32.78	7.19	37.02	10.00	100	184 Peak																																																																																																																								
2	5266.00	117.99	-----	-----	99.58	34.53	10.70	36.82	10.00	100	184 Peak																																																																																																																								
3	7120.00	105.02	-----	-----	83.42	35.70	12.61	36.71	10.00	100	184 Peak																																																																																																																								
Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>67.96</td><td>68.20</td><td>-0.24</td><td>46.35</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>100</td><td>184 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	67.96	68.20	-0.24	46.35	35.70	12.62	36.71	10.00	100	184 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>115.72</td><td>-----</td><td>-----</td><td>102.77</td><td>32.78</td><td>7.19</td><td>37.02</td><td>10.00</td><td>100</td><td>184 Average</td></tr><tr><td>2</td><td>5266.00</td><td>104.49</td><td>-----</td><td>-----</td><td>86.08</td><td>34.53</td><td>10.70</td><td>36.82</td><td>10.00</td><td>100</td><td>184 Average</td></tr><tr><td>3</td><td>7120.00</td><td>88.91</td><td>-----</td><td>-----</td><td>67.31</td><td>35.70</td><td>12.61</td><td>36.71</td><td>10.00</td><td>100</td><td>184 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	115.72	-----	-----	102.77	32.78	7.19	37.02	10.00	100	184 Average	2	5266.00	104.49	-----	-----	86.08	34.53	10.70	36.82	10.00	100	184 Average	3	7120.00	88.91	-----	-----	67.31	35.70	12.61	36.71	10.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	7125.00	67.96	68.20	-0.24	46.35	35.70	12.62	36.71	10.00	100	184 AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	2440.00	115.72	-----	-----	102.77	32.78	7.19	37.02	10.00	100	184 Average																																																																																																																								
2	5266.00	104.49	-----	-----	86.08	34.53	10.70	36.82	10.00	100	184 Average																																																																																																																								
3	7120.00	88.91	-----	-----	67.31	35.70	12.61	36.71	10.00	100	184 Average																																																																																																																								



Mode	68																																																																																																																												
	Band Edge																																																																																																																												
	UNII-8_6525-7125_802.11be EHT20_CH233_Full_7115MHz																																																																																																																												
ANT	2																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>74.61</td><td>88.20</td><td>-13.59</td><td>53.00</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>394</td><td>253</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	74.61	88.20	-13.59	53.00	35.70	12.62	36.71	10.00	394	253	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>117.37</td><td>-----</td><td>104.42</td><td>32.78</td><td>7.19</td><td>37.02</td><td>10.00</td><td>394</td><td>253</td><td>Peak</td></tr><tr><td>2</td><td>5248.00</td><td>114.52</td><td>-----</td><td>96.25</td><td>34.49</td><td>10.69</td><td>36.91</td><td>10.00</td><td>394</td><td>253</td><td>Peak</td></tr><tr><td>3</td><td>7115.00</td><td>99.50</td><td>-----</td><td>77.89</td><td>35.70</td><td>12.61</td><td>36.70</td><td>10.00</td><td>394</td><td>253</td><td>Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	117.37	-----	104.42	32.78	7.19	37.02	10.00	394	253	Peak	2	5248.00	114.52	-----	96.25	34.49	10.69	36.91	10.00	394	253	Peak	3	7115.00	99.50	-----	77.89	35.70	12.61	36.70	10.00	394	253
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7125.00	74.61	88.20	-13.59	53.00	35.70	12.62	36.71	10.00	394	253	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	117.37	-----	104.42	32.78	7.19	37.02	10.00	394	253	Peak																																																																																																																		
2	5248.00	114.52	-----	96.25	34.49	10.69	36.91	10.00	394	253	Peak																																																																																																																		
3	7115.00	99.50	-----	77.89	35.70	12.61	36.70	10.00	394	253	Peak																																																																																																																		
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>62.11</td><td>68.20</td><td>-6.09</td><td>40.50</td><td>35.70</td><td>12.62</td><td>36.71</td><td>10.00</td><td>394</td><td>253</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.11	68.20	-6.09	40.50	35.70	12.62	36.71	10.00	394	253	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>113.23</td><td>-----</td><td>100.28</td><td>32.78</td><td>7.19</td><td>37.02</td><td>10.00</td><td>394</td><td>253</td><td>Average</td></tr><tr><td>2</td><td>5257.00</td><td>105.04</td><td>-----</td><td>86.70</td><td>34.51</td><td>10.69</td><td>36.86</td><td>10.00</td><td>394</td><td>253</td><td>Average</td></tr><tr><td>3</td><td>7111.00</td><td>89.67</td><td>-----</td><td>68.07</td><td>35.70</td><td>12.60</td><td>36.70</td><td>10.00</td><td>394</td><td>253</td><td>Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	113.23	-----	100.28	32.78	7.19	37.02	10.00	394	253	Average	2	5257.00	105.04	-----	86.70	34.51	10.69	36.86	10.00	394	253	Average	3	7111.00	89.67	-----	68.07	35.70	12.60	36.70	10.00	394	253
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7125.00	62.11	68.20	-6.09	40.50	35.70	12.62	36.71	10.00	394	253	AVERAGE																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	113.23	-----	100.28	32.78	7.19	37.02	10.00	394	253	Average																																																																																																																		
2	5257.00	105.04	-----	86.70	34.51	10.69	36.86	10.00	394	253	Average																																																																																																																		
3	7111.00	89.67	-----	68.07	35.70	12.60	36.70	10.00	394	253	Average																																																																																																																		



Mode	68																																																																																																																												
	Harmonic																																																																																																																												
	UNII-8_6525-7125_802.11be EHT20_CH233_Full_7115MHz																																																																																																																												
ANT	CDD 1S4T																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>45.63</td><td>88.20</td><td>-42.57</td><td>53.39</td><td>38.86</td><td>18.19</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	45.63	88.20	-42.57	53.39	38.86	18.19	64.81	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>46.33</td><td>88.20</td><td>-41.87</td><td>54.09</td><td>38.86</td><td>18.19</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15776.44</td><td>54.74</td><td>74.00</td><td>-19.26</td><td>59.96</td><td>39.90</td><td>19.20</td><td>64.32</td><td>0.00</td><td>300</td><td>288</td><td>Peak</td></tr><tr><td>3</td><td>15776.44</td><td>42.78</td><td>54.00</td><td>-11.22</td><td>48.00</td><td>39.90</td><td>19.20</td><td>64.32</td><td>0.00</td><td>300</td><td>288</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	46.33	88.20	-41.87	54.09	38.86	18.19	64.81	0.00	---	---	PEAK	2	15776.44	54.74	74.00	-19.26	59.96	39.90	19.20	64.32	0.00	300	288	Peak	3	15776.44	42.78	54.00	-11.22	48.00	39.90	19.20	64.32	0.00	300	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	14230.00	45.63	88.20	-42.57	53.39	38.86	18.19	64.81	0.00	---	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	14230.00	46.33	88.20	-41.87	54.09	38.86	18.19	64.81	0.00	---	---	PEAK																																																																																																																	
2	15776.44	54.74	74.00	-19.26	59.96	39.90	19.20	64.32	0.00	300	288	Peak																																																																																																																	
3	15776.44	42.78	54.00	-11.22	48.00	39.90	19.20	64.32	0.00	300	288	Average																																																																																																																	