

ANNEX A: Test Result

There are more than one Adapter, each one should be applied throughout the compliance test respectively, however, only the worst case (Adapter 1 for Unwanted Emission; Adapter 4 for Conducted Emission) will be recorded in this report.

The radiated emission was measured in the following position: EUT stand-up position (Z axis), lie-down position (X, Y axis). The worst emission was found in lie-down position (Y axis) and the loop antenna is vertical, the others are vertical and horizontal. and the worst case was recorded.

1. Unwanted Emission

1.1. Wi-Fi 2.4GHz


The following graphs display the maximum values of horizontal and vertical by software.

Blue trace uses the peak detection, Green trace uses the average detection.


The modulation and bandwidth are similar for 802.11n mode for 20MHz/40MHz and 802.11ax mode for V20MHz/V40MHz, therefore investigated worst case to representative mode in test report.

A symbol ($\text{dB}\mu\text{V/m}$) in the test plot below means ($\text{dB}\mu\text{V/m}$)


The signal beyond the limit is carrier.




802.11b-Channel 1 Peak+ Average




802.11b-Channel 11 Peak+ Average




802.11g-Channel 1 Peak+ Average





802.11g-Channel 11 Peak+ Average




802.11ax HE20-Channel 1 Peak+ Average




802.11ax HE20-Channel 11 Peak+ Average




802.11ax HE40-Channel 3 Peak+ Average





802.11ax HE40-Channel 9 Peak+ Average





802.11be EHT20-Channel 1 Peak+ Average



802.11be EHT20-Channel 11 Peak+ Average




802.11be EHT40-Channel 3 Peak+ Average




802.11be EHT40-Channel 9 Peak+ Average


RU Mode



802.11be20 242TONE_CH1_2.31-2.43GH




802.11be40 484TONE_CH3_2.31-2.45GHz_PK




802.11be40 484TONE_CH3_2.31-2.45GHz_AV


MRU Mode




802.11beE20 106+26TONE HIGH_CH1_2.31-2.43GHz



802.11beE20 106+26TONE LOW_CH1_2.31-2.43GHz



802.11beE40 106+26TONE HIGH_CH3_2.31-2.45GHz



802.11beE40 106+26TONE LOW_CH3_2.31-2.45GHz

Result of RE

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier. The Radiates Emission from 18GHz to 26.5GHz are more than 20dB below the limit are not reported. The modulation and bandwidth are similar for 802.11n mode for 20MHz/40MHz and 802.11ax mode for V20MHz/V40MHz, therefore investigated worst case to representative mode in test report.

Remark:

1. **Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)**
2. **Margin = Limit – Quasi-Peak/ MAX Peak/ Average**
3. **A symbol ($\mu\text{B V/}$) in the test plot below means (dB $\mu\text{V/m}$)**
4. **The following graphs display the maximum values of horizontal and vertical by software.**
5. **For below 1GHz**

 QP Level @Spectrum Overview H
  QP Level @Spectrum Overview V
  QP Level @Final Results
  QP Limit


For above 1GHz

 PK Level @Spectrum Overview H
  PK Level @Spectrum Overview V
  PK Level @Final Results
  PK Limit


 AVG Level @Spectrum Overview H
  AVG Level @Spectrum Overview V
  AVG Level @Final Results
  AVG Limit

Continuous TX mode:

During the test, the Radiates Emission from 9kHz to 1GHz was performed in all modes with all channels, the test data of the worst-case condition was recorded in this report.




Radiates Emission from 9kHz to 30MHz



Radiates Emission from 30MHz to 1GHz

Frequency (MHz)	Quasi-Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
40.421250	29.18	40.00	10.82	114.0	V	183.0	19.8
46.055000	27.41	40.00	12.59	175.0	V	122.0	21.2
71.667500	21.01	40.00	18.99	121.0	V	103.0	16.1
120.007500	29.09	43.50	14.41	396.0	V	66.0	17.2
132.303750	19.41	43.50	24.09	115.0	V	44.0	15.9
148.553750	21.10	43.50	22.40	107.0	V	195.0	15.6

802.11b CH1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1156.00	42.38	---	74.00	31.62	500.00	100.0	V	130.00	-6
1177.00	---	30.80	54.00	23.20	500.00	200.0	H	121.00	-6
1388.50	43.70	---	74.00	30.30	500.00	200.0	H	96.00	-4
1404.50	---	32.15	54.00	21.85	500.00	100.0	V	21.00	-4
1565.00	44.63	---	74.00	29.37	500.00	100.0	H	338.00	-4
1690.50	---	32.60	54.00	21.40	500.00	100.0	H	359.00	-3
1847.50	45.58	---	74.00	28.42	500.00	100.0	H	188.00	-3
2021.00	---	33.78	54.00	20.22	500.00	100.0	H	291.00	-2
2240.25	45.53	---	74.00	28.47	500.00	200.0	H	78.00	-1
2253.00	---	36.16	54.00	17.84	500.00	100.0	H	76.00	-1
2520.75	48.63	---	74.00	25.37	500.00	100.0	H	67.00	0
2522.50	---	37.61	54.00	16.39	500.00	100.0	H	76.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3161.25	44.78	---	74.00	29.22	500.00	200.0	V	6.00	-9
3172.50	---	28.09	54.00	25.91	500.00	100.0	V	0.00	-9
4822.50	---	37.50	54.00	16.50	500.00	200.0	V	41.00	-4
4822.50	44.60	---	74.00	29.40	500.00	200.0	V	41.00	-4
7235.63	---	41.10	54.00	12.90	500.00	200.0	V	51.00	0
7235.63	48.25	---	74.00	25.75	500.00	200.0	V	51.00	0
9298.13	47.37	---	74.00	26.63	500.00	100.0	V	340.00	5
9646.88	---	36.56	54.00	17.44	500.00	200.0	V	347.00	5
11383.13	47.41	---	74.00	26.59	500.00	200.0	H	309.00	6
13338.75	---	36.77	54.00	17.23	500.00	100.0	V	355.00	7
14401.88	---	38.84	54.00	15.16	500.00	100.0	V	345.00	9
14602.50	49.52	---	74.00	24.48	500.00	100.0	H	3.00	9

Radiates Emission from 3GHz to 18GHz

802.11b CH6




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1173.00	---	30.48	54.00	23.52	500.00	100.0	H	327.00	-6
1197.25	42.03	---	74.00	31.97	500.00	200.0	H	232.00	-6
1345.00	43.44	---	74.00	30.56	500.00	100.0	H	220.00	-5
1363.25	---	31.77	54.00	22.23	500.00	100.0	H	345.00	-5
1532.25	44.09	---	74.00	29.91	500.00	200.0	H	98.00	-4
1709.00	---	32.50	54.00	21.50	500.00	100.0	H	318.00	-3
2008.00	---	33.36	54.00	20.64	500.00	100.0	H	352.00	-2
2077.00	45.00	---	74.00	29.00	500.00	200.0	H	5.00	-2
2499.00	---	37.88	54.00	16.12	500.00	100.0	H	85.00	0
2519.75	48.59	---	74.00	25.41	500.00	100.0	H	275.00	0
2813.00	46.77	---	74.00	27.23	500.00	100.0	H	349.00	0
2817.00	---	35.35	54.00	18.65	500.00	100.0	H	258.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3168.75	---	28.32	54.00	25.68	500.00	100.0	V	353.00	-9
3176.25	45.43	---	74.00	28.57	500.00	100.0	V	357.00	-9
4873.13	---	37.75	54.00	16.25	500.00	200.0	V	43.00	-4
4873.13	43.37	---	74.00	30.63	500.00	200.0	V	43.00	-4
7312.50	---	43.70	54.00	10.30	500.00	200.0	V	54.00	0
7312.50	49.39	---	74.00	24.61	500.00	200.0	V	54.00	0
9275.63	---	35.99	54.00	18.01	500.00	200.0	H	0.00	5
9376.88	47.33	---	74.00	26.67	500.00	100.0	V	334.00	5
13121.25	47.89	---	74.00	26.11	500.00	100.0	H	359.00	7
13338.75	---	36.58	54.00	17.42	500.00	200.0	V	0.00	7
14401.88	---	38.95	54.00	15.05	500.00	100.0	H	10.00	9
14403.75	50.37	---	74.00	23.63	500.00	200.0	H	196.00	9

Radiates Emission from 3GHz to 18GHz

802.11b CH11




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1184.00	42.09	---	74.00	31.91	500.00	100.0	H	333.00	-6
1190.25	---	31.01	54.00	22.99	500.00	200.0	H	18.00	-6
1367.50	---	32.07	54.00	21.93	500.00	200.0	V	256.00	-5
1389.25	43.74	---	74.00	30.26	500.00	200.0	H	2.00	-4
1644.25	44.52	---	74.00	29.48	500.00	200.0	H	81.00	-4
1700.00	---	32.61	54.00	21.39	500.00	100.0	H	358.00	-3
2016.25	45.17	---	74.00	28.83	500.00	200.0	H	1.00	-2
2058.00	---	33.90	54.00	20.10	500.00	100.0	H	349.00	-2
2300.50	48.59	---	74.00	25.41	500.00	100.0	H	93.00	-1
2302.75	---	39.40	54.00	14.60	500.00	100.0	H	76.00	-1
2499.75	---	41.09	54.00	12.91	500.00	100.0	H	275.00	0
2500.00	50.60	---	74.00	23.40	500.00	100.0	H	85.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3163.13	44.13	---	74.00	29.87	500.00	200.0	V	359.00	-9
3165.00	---	27.18	54.00	26.82	500.00	200.0	V	2.00	-9
4923.75	---	38.57	54.00	15.43	500.00	200.0	V	40.00	-4
4923.75	44.82	---	74.00	29.18	500.00	200.0	V	40.00	-4
7282.50	43.50	---	74.00	30.50	500.00	200.0	H	343.00	0
7284.38	---	32.00	54.00	22.00	500.00	200.0	H	311.00	0
7383.75	53.42	---	74.00	20.58	500.00	200.0	V	50.00	0
7383.75	---	47.85	54.00	6.15	500.00	200.0	V	50.00	0
13335.00	48.10	---	74.00	25.90	500.00	100.0	H	1.00	7
13335.00	---	36.71	54.00	17.29	500.00	100.0	V	247.00	7
14401.88	---	39.30	54.00	14.70	500.00	200.0	V	284.00	9
14598.75	50.23	---	74.00	23.77	500.00	100.0	H	178.00	9

Radiates Emission from 3GHz to 18GHz

802.11g CH1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1182.50	---	34.14	54.00	19.86	500.00	100.0	H	358.00	-6
1184.00	45.39	---	74.00	28.61	500.00	100.0	H	259.00	-6
1388.25	---	35.69	54.00	18.31	500.00	100.0	H	344.00	-4
1416.00	47.21	---	74.00	26.79	500.00	100.0	H	0.00	-4
1642.50	48.70	---	74.00	25.30	500.00	100.0	H	318.00	-4
1698.25	---	36.89	54.00	17.11	500.00	100.0	H	301.00	-3
2048.25	49.44	---	74.00	24.56	500.00	100.0	H	309.00	-2
2053.00	---	38.31	54.00	15.69	500.00	100.0	H	267.00	-2
2680.50	---	40.42	54.00	13.58	500.00	100.0	H	209.00	0
2682.25	51.43	---	74.00	22.57	500.00	100.0	H	267.00	0
2981.25	54.14	---	74.00	19.86	500.00	100.0	H	352.00	1
2993.00	---	42.22	54.00	11.78	500.00	100.0	H	357.00	1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3174.38	---	29.08	54.00	24.92	500.00	100.0	V	356.00	-9
3180.00	44.95	---	74.00	29.05	500.00	100.0	V	356.00	-9
4826.25	---	32.35	54.00	21.65	500.00	200.0	V	46.00	-4
4826.25	41.83	---	74.00	32.17	500.00	200.0	V	46.00	-4
7226.25	48.44	---	74.00	25.56	500.00	100.0	V	0.00	0
7235.63	---	37.94	54.00	16.06	500.00	100.0	V	359.00	0
9600.00	47.23	---	74.00	26.77	500.00	200.0	V	56.00	5
9646.88	---	36.86	54.00	17.14	500.00	200.0	V	343.00	5
13106.25	47.58	---	74.00	26.42	500.00	200.0	H	1.00	7
13336.88	---	36.77	54.00	17.23	500.00	200.0	H	87.00	7
14407.50	50.43	---	74.00	23.57	500.00	200.0	H	181.00	9
14602.50	---	39.33	54.00	14.67	500.00	200.0	H	336.00	9

Radiates Emission from 3GHz to 18GHz

802.11g CH6




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1107.50	45.12	---	74.00	28.88	500.00	100.0	H	270.00	-7
1137.00	---	33.72	54.00	20.28	500.00	100.0	H	304.00	-6
1388.25	47.47	---	74.00	26.53	500.00	100.0	H	352.00	-4
1392.75	---	35.45	54.00	18.55	500.00	100.0	H	357.00	-4
1685.75	48.49	---	74.00	25.51	500.00	100.0	H	304.00	-3
1701.25	---	36.65	54.00	17.35	500.00	100.0	H	312.00	-3
2000.25	---	38.27	54.00	15.73	500.00	100.0	H	176.00	-2
2066.25	50.17	---	74.00	23.83	500.00	100.0	H	342.00	-2
2254.00	---	38.80	54.00	15.20	500.00	100.0	H	320.00	-1
2273.50	50.24	---	74.00	23.76	500.00	100.0	H	99.00	-1
2501.50	---	42.17	54.00	11.83	500.00	100.0	H	90.00	0
2989.75	53.31	---	74.00	20.69	500.00	100.0	H	312.00	1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3165.00	45.63	---	74.00	28.37	500.00	100.0	V	35.00	-9
3170.63	---	27.24	54.00	26.76	500.00	100.0	V	35.00	-9
4871.25	---	31.92	54.00	22.08	500.00	200.0	V	44.00	-4
4873.13	41.39	---	74.00	32.61	500.00	200.0	V	44.00	-4
7314.38	---	40.45	54.00	13.55	500.00	100.0	V	0.00	0
7316.25	51.99	---	74.00	22.01	500.00	200.0	V	54.00	0
9253.13	47.54	---	74.00	26.46	500.00	100.0	V	6.00	5
9303.75	---	36.30	54.00	17.70	500.00	100.0	V	296.00	5
11364.38	48.15	---	74.00	25.85	500.00	100.0	H	25.00	6
13338.75	---	36.93	54.00	17.07	500.00	100.0	V	351.00	7
14401.88	---	40.10	54.00	13.90	500.00	100.0	H	34.00	9
14585.63	50.12	---	74.00	23.88	500.00	200.0	H	49.00	9

Radiates Emission from 3GHz to 18GHz

802.11g CH11




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1066.00	44.97	---	74.00	29.03	500.00	100.0	H	203.00	-7
1188.00	---	33.95	54.00	20.05	500.00	100.0	H	341.00	-6
1382.00	---	35.72	54.00	18.28	500.00	100.0	H	296.00	-5
1399.25	46.84	---	74.00	27.16	500.00	100.0	H	270.00	-4
1488.50	47.70	---	74.00	26.30	500.00	100.0	H	336.00	-4
1681.50	---	36.83	54.00	17.17	500.00	100.0	H	321.00	-4
2002.75	49.89	---	74.00	24.11	500.00	100.0	H	350.00	-2
2073.00	---	38.32	54.00	15.68	500.00	100.0	H	219.00	-2
2500.00	58.19	---	74.00	15.81	500.00	100.0	H	76.00	0
2502.00	---	44.08	54.00	9.92	500.00	100.0	H	90.00	0
2803.75	51.69	---	74.00	22.31	500.00	100.0	H	341.00	0
2822.75	---	40.81	54.00	13.19	500.00	100.0	H	330.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3172.50	43.95	---	74.00	30.05	500.00	100.0	V	48.00	-9
3174.38	---	27.85	54.00	26.15	500.00	200.0	V	0.00	-9
4920.00	42.92	---	74.00	31.08	500.00	200.0	H	75.00	-4
4925.63	---	32.55	54.00	21.45	500.00	200.0	H	75.00	-4
7241.25	43.11	---	74.00	30.89	500.00	200.0	V	56.00	0
7282.50	---	32.02	54.00	21.98	500.00	100.0	V	322.00	0
7385.63	---	42.86	54.00	11.14	500.00	200.0	V	44.00	0
7387.50	54.55	---	74.00	19.45	500.00	100.0	V	359.00	0
11270.63	48.05	---	74.00	25.95	500.00	100.0	V	355.00	5
13335.00	---	37.21	54.00	16.79	500.00	200.0	V	69.00	7
14401.88	51.04	---	74.00	22.96	500.00	200.0	H	270.00	9
14403.75	---	39.49	54.00	14.51	500.00	200.0	V	309.00	9

Radiates Emission from 3GHz to 18GHz

802.11ax HE20 CH 1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1184.75	44.91	---	74.00	29.09	500.00	200.0	V	324.00	-6
1196.00	---	34.29	54.00	19.71	500.00	200.0	V	331.00	-6
1336.00	46.95	---	74.00	27.05	500.00	200.0	V	304.00	-5
1402.00	---	35.65	54.00	18.35	500.00	200.0	V	0.00	-4
1542.25	48.22	---	74.00	25.78	500.00	200.0	V	267.00	-4
1703.75	---	36.94	54.00	17.06	500.00	200.0	V	354.00	-3
2043.25	49.56	---	74.00	24.44	500.00	200.0	V	351.00	-2
2045.00	---	38.83	54.00	15.17	500.00	200.0	V	356.00	-2
2244.50	49.80	---	74.00	24.20	500.00	200.0	V	202.00	-1
2256.25	---	39.07	54.00	14.93	500.00	200.0	V	357.00	-1
2986.75	---	42.10	54.00	11.90	500.00	200.0	V	351.00	1
2987.75	53.44	---	74.00	20.56	500.00	200.0	V	202.00	1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3159.38	---	28.28	54.00	25.72	500.00	200.0	V	10.00	-9
3163.13	44.25	---	74.00	29.75	500.00	200.0	V	2.00	-9
4822.50	---	34.77	54.00	19.23	500.00	200.0	V	45.00	-4
4822.50	45.84	---	74.00	28.16	500.00	200.0	V	45.00	-4
7233.75	---	37.54	54.00	16.46	500.00	200.0	V	45.00	0
7239.38	47.84	---	74.00	26.16	500.00	100.0	V	359.00	0
9646.88	48.74	---	74.00	25.26	500.00	200.0	V	347.00	5
9648.75	---	36.47	54.00	17.53	500.00	200.0	V	242.00	5
11343.75	48.47	---	74.00	25.53	500.00	200.0	V	123.00	6
13342.50	---	37.22	54.00	16.78	500.00	100.0	V	339.00	7
13867.50	51.61	---	74.00	22.39	500.00	200.0	H	350.00	8
14606.25	---	39.56	54.00	14.44	500.00	100.0	V	355.00	9

Radiates Emission from 3GHz to 18GHz

802.11ax HE20 CH6




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1057.00	45.41	---	74.00	28.59	500.00	200.0	V	284.00	-7
1184.50	---	34.12	54.00	19.88	500.00	200.0	V	271.00	-6
1370.75	47.55	---	74.00	26.45	500.00	200.0	V	0.00	-5
1437.25	---	35.70	54.00	18.30	500.00	200.0	V	306.00	-5
1677.50	48.15	---	74.00	25.85	500.00	200.0	V	358.00	-4
1681.75	---	36.90	54.00	17.10	500.00	200.0	V	0.00	-4
2056.50	49.43	---	74.00	24.57	500.00	200.0	V	354.00	-2
2059.25	---	38.43	54.00	15.57	500.00	200.0	V	339.00	-2
2247.00	50.42	---	74.00	23.58	500.00	200.0	V	295.00	-1
2274.50	---	38.98	54.00	15.02	500.00	200.0	V	325.00	-1
2977.00	53.11	---	74.00	20.89	500.00	200.0	V	0.00	1
2996.00	---	42.24	54.00	11.76	500.00	200.0	V	358.00	1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3163.13	---	28.35	54.00	25.65	500.00	100.0	V	355.00	-9
3181.88	45.64	---	74.00	28.36	500.00	100.0	V	355.00	-9
4875.00	43.60	---	74.00	30.40	500.00	100.0	H	93.00	-4
4880.63	---	34.61	54.00	19.39	500.00	100.0	H	93.00	-4
7314.38	---	40.42	54.00	13.58	500.00	100.0	V	0.00	0
7316.25	49.74	---	74.00	24.26	500.00	100.0	V	0.00	0
9301.88	47.25	---	74.00	26.75	500.00	100.0	H	35.00	5
9303.75	---	35.95	54.00	18.05	500.00	100.0	V	359.00	5
13338.75	---	37.24	54.00	16.76	500.00	200.0	H	350.00	7
13342.50	48.95	---	74.00	25.05	500.00	100.0	V	13.00	7
14403.75	50.68	---	74.00	23.32	500.00	100.0	V	353.00	9
14604.38	---	39.60	54.00	14.40	500.00	200.0	H	341.00	9

Radiates Emission from 3GHz to 18GHz

802.11ax HE20 CH11




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1086.75	42.60	---	74.00	31.40	500.00	200.0	V	351.00	-7
1199.75	---	31.27	54.00	22.73	500.00	100.0	H	229.00	-6
1389.25	---	32.29	54.00	21.71	500.00	100.0	H	353.00	-4
1414.75	43.60	---	74.00	30.40	500.00	100.0	H	300.00	-4
1623.75	44.82	---	74.00	29.18	500.00	200.0	H	2.00	-4
1699.50	---	32.88	54.00	21.12	500.00	200.0	V	253.00	-3
2046.00	45.46	---	74.00	28.54	500.00	100.0	V	1.00	-2
2067.25	---	33.99	54.00	20.01	500.00	200.0	V	342.00	-2
2500.00	51.37	---	74.00	22.63	500.00	100.0	V	80.00	0
2502.75	---	40.17	54.00	13.83	500.00	100.0	V	221.00	0
2869.50	47.34	---	74.00	26.66	500.00	100.0	V	306.00	1
2889.00	---	36.09	54.00	17.91	500.00	100.0	H	0.00	1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3166.88	45.68	---	74.00	28.32	500.00	100.0	V	359.00	-9
3176.25	---	28.61	54.00	25.39	500.00	100.0	V	0.00	-9
4925.63	---	35.31	54.00	18.69	500.00	100.0	H	88.00	-4
4925.63	45.67	---	74.00	28.33	500.00	200.0	H	303.00	-4
7280.63	---	32.01	54.00	21.99	500.00	200.0	V	29.00	0
7320.00	43.22	---	74.00	30.78	500.00	100.0	V	356.00	0
7381.88	---	43.53	54.00	10.47	500.00	200.0	V	48.00	0
7383.75	53.22	---	74.00	20.78	500.00	200.0	V	48.00	0
10813.13	47.90	---	74.00	26.10	500.00	200.0	V	218.00	5
13336.88	---	37.11	54.00	16.89	500.00	100.0	V	0.00	7
14600.63	---	39.48	54.00	14.52	500.00	200.0	H	276.00	9
14602.50	51.19	---	74.00	22.81	500.00	100.0	V	356.00	9

Radiates Emission from 3GHz to 18GHz

802.11ax HE40 CH3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1110.00	43.06	---	74.00	30.94	500.00	100.0	H	343.00	-7
1174.00	---	31.10	54.00	22.90	500.00	100.0	V	0.00	-6
1384.00	---	32.48	54.00	21.52	500.00	100.0	V	26.00	-4
1436.25	43.98	---	74.00	30.02	500.00	100.0	H	72.00	-5
1509.00	44.48	---	74.00	29.52	500.00	200.0	H	0.00	-4
1686.00	---	32.85	54.00	21.15	500.00	200.0	V	346.00	-3
1975.25	45.46	---	74.00	28.54	500.00	200.0	V	193.00	-2
2034.25	---	33.94	54.00	20.06	500.00	100.0	V	248.00	-2
2502.50	---	40.09	54.00	13.91	500.00	100.0	V	1.00	0
2506.00	51.69	---	74.00	22.31	500.00	200.0	V	217.00	0
2794.50	---	36.26	54.00	17.74	500.00	100.0	H	85.00	0
2802.75	47.41	---	74.00	26.59	500.00	100.0	V	149.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3187.50	---	28.39	54.00	25.61	500.00	100.0	V	357.00	-9
3187.50	46.00	---	74.00	28.00	500.00	100.0	V	357.00	-9
4839.38	43.46	---	74.00	30.54	500.00	200.0	H	91.00	-4
4850.63	---	32.74	54.00	21.26	500.00	100.0	H	80.00	-4
7261.88	---	38.09	54.00	15.91	500.00	200.0	V	47.00	0
7267.50	49.92	---	74.00	24.08	500.00	200.0	V	47.00	0
9285.00	48.37	---	74.00	25.63	500.00	200.0	H	198.00	5
9688.13	---	38.25	54.00	15.75	500.00	200.0	V	347.00	5
11343.75	48.35	---	74.00	25.65	500.00	200.0	V	47.00	6
13338.75	---	37.26	54.00	16.74	500.00	100.0	V	196.00	7
14400.00	---	39.73	54.00	14.27	500.00	100.0	V	333.00	9
14581.88	50.47	---	74.00	23.53	500.00	100.0	V	250.00	9

Radiates Emission from 3GHz to 18GHz

802.11ax HE40 CH6




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1149.50	---	30.86	54.00	23.14	500.00	100.0	V	2.00	-6
1191.50	42.42	---	74.00	31.58	500.00	100.0	V	38.00	-6
1384.00	---	32.20	54.00	21.80	500.00	200.0	H	5.00	-4
1398.25	43.99	---	74.00	30.01	500.00	200.0	H	38.00	-4
1556.50	45.19	---	74.00	28.81	500.00	200.0	H	3.00	-4
1678.50	---	32.99	54.00	21.01	500.00	100.0	V	56.00	-4
1999.00	---	34.00	54.00	20.00	500.00	100.0	H	286.00	-2
2059.25	45.34	---	74.00	28.66	500.00	200.0	H	179.00	-2
2499.75	54.82	---	74.00	19.18	500.00	100.0	V	220.00	0
2500.50	---	40.92	54.00	13.08	500.00	100.0	V	161.00	0
2828.00	---	35.60	54.00	18.40	500.00	200.0	H	0.00	0
2835.50	47.64	---	74.00	26.36	500.00	100.0	V	38.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3172.50	---	29.20	54.00	24.80	500.00	200.0	V	2.00	-9
3172.50	45.04	---	74.00	28.96	500.00	200.0	V	2.00	-9
4875.00	44.51	---	74.00	29.49	500.00	200.0	H	91.00	-4
4878.75	---	33.34	54.00	20.66	500.00	100.0	H	82.00	-4
7310.63	---	39.29	54.00	14.71	500.00	200.0	V	47.00	0
7312.50	50.91	---	74.00	23.09	500.00	100.0	V	358.00	0
9534.38	47.48	---	74.00	26.52	500.00	200.0	V	0.00	5
9748.13	---	36.02	54.00	17.98	500.00	200.0	V	82.00	4
13340.63	---	37.35	54.00	16.65	500.00	100.0	V	161.00	7
13350.00	48.46	---	74.00	25.54	500.00	100.0	H	28.00	7
14398.13	50.78	---	74.00	23.22	500.00	100.0	V	25.00	9
14596.88	---	39.88	54.00	14.12	500.00	200.0	H	0.00	9

Radiates Emission from 3GHz to 18GHz

802.11ax HE40 CH9




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1191.00	42.19	---	74.00	31.81	500.00	200.0	H	274.00	-6
1192.25	---	30.81	54.00	23.19	500.00	100.0	H	252.00	-6
1380.50	---	32.07	54.00	21.93	500.00	200.0	H	100.00	-5
1388.50	43.45	---	74.00	30.55	500.00	200.0	V	350.00	-4
1663.00	44.91	---	74.00	29.09	500.00	100.0	V	0.00	-4
1704.50	---	32.77	54.00	21.23	500.00	200.0	H	2.00	-3
2065.00	45.88	---	74.00	28.12	500.00	200.0	V	358.00	-2
2069.25	---	34.07	54.00	19.93	500.00	200.0	H	5.00	-2
2498.25	55.21	---	74.00	18.79	500.00	200.0	V	205.00	0
2499.75	---	44.54	54.00	9.46	500.00	200.0	V	328.00	0
2791.25	---	36.23	54.00	17.77	500.00	100.0	V	17.00	0
2818.25	47.43	---	74.00	26.57	500.00	200.0	V	328.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3165.00	---	28.26	54.00	25.74	500.00	100.0	V	358.00	-9
3176.25	46.04	---	74.00	27.96	500.00	100.0	V	358.00	-9
4901.25	---	33.57	54.00	20.43	500.00	100.0	H	83.00	-4
4908.75	45.21	---	74.00	28.79	500.00	200.0	H	77.00	-4
7344.38	50.22	---	74.00	23.78	500.00	200.0	V	52.00	0
7346.25	---	39.83	54.00	14.17	500.00	200.0	V	52.00	0
7355.63	---	41.10	54.00	12.90	500.00	200.0	V	52.00	0
7374.38	51.67	---	74.00	22.33	500.00	200.0	V	52.00	0
13335.00	48.99	---	74.00	25.01	500.00	100.0	V	353.00	7
13340.63	---	37.41	54.00	16.59	500.00	200.0	H	0.00	7
14403.75	51.03	---	74.00	22.97	500.00	100.0	V	183.00	9
14600.63	---	39.98	54.00	14.02	500.00	200.0	V	144.00	9

Radiates Emission from 3GHz to 18GHz

802.11be EHT20 CH 1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1155.50	---	30.76	54.00	23.24	500.00	200.0	H	2.00	-6
1181.75	42.57	---	74.00	31.43	500.00	100.0	V	358.00	-6
1264.75	43.74	---	74.00	30.26	500.00	100.0	H	357.00	-5
1406.25	---	32.09	54.00	21.91	500.00	100.0	H	279.00	-4
1522.25	44.42	---	74.00	29.58	500.00	200.0	V	86.00	-4
1697.50	---	32.87	54.00	21.13	500.00	100.0	V	4.00	-3
2018.00	---	33.66	54.00	20.34	500.00	200.0	V	256.00	-2
2067.75	45.74	---	74.00	28.26	500.00	200.0	V	292.00	-2
2519.25	49.79	---	74.00	24.21	500.00	200.0	V	158.00	0
2652.00	---	38.99	54.00	15.01	500.00	200.0	V	0.00	0
2811.25	47.35	---	74.00	26.65	500.00	200.0	V	184.00	0
2860.25	---	35.67	54.00	18.33	500.00	100.0	H	359.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3168.75	---	27.66	54.00	26.34	500.00	200.0	V	347.00	-9
3168.75	45.35	---	74.00	28.65	500.00	200.0	V	347.00	-9
4818.75	45.36	---	74.00	28.64	500.00	100.0	H	81.00	-4
4824.38	---	34.25	54.00	19.75	500.00	200.0	V	45.00	-4
7231.88	48.27	---	74.00	25.73	500.00	100.0	V	359.00	0
7237.50	---	38.03	54.00	15.97	500.00	200.0	V	45.00	0
9551.25	48.10	---	74.00	25.90	500.00	200.0	H	338.00	5
9646.88	---	36.51	54.00	17.49	500.00	200.0	V	324.00	5
13336.88	---	37.58	54.00	16.42	500.00	100.0	V	359.00	7
13342.50	48.70	---	74.00	25.30	500.00	100.0	V	0.00	7
14409.38	---	40.06	54.00	13.94	500.00	100.0	V	352.00	9
14608.13	51.51	---	74.00	22.49	500.00	100.0	V	343.00	9

Radiates Emission from 3GHz to 18GHz

802.11be EHT20 CH6




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1155.25	42.50	---	74.00	31.50	500.00	200.0	V	30.00	-6
1194.50	---	30.94	54.00	23.06	500.00	100.0	V	359.00	-6
1335.25	43.56	---	74.00	30.44	500.00	100.0	V	311.00	-5
1399.00	---	32.19	54.00	21.81	500.00	200.0	V	3.00	-4
1678.25	44.23	---	74.00	29.77	500.00	100.0	H	178.00	-4
1699.50	---	32.57	54.00	21.43	500.00	200.0	V	0.00	-3
2009.00	---	34.02	54.00	19.98	500.00	200.0	V	129.00	-2
2063.00	45.45	---	74.00	28.55	500.00	200.0	H	353.00	-2
2518.25	49.81	---	74.00	24.19	500.00	200.0	V	24.00	0
2518.25	---	39.04	54.00	14.96	500.00	200.0	V	24.00	0
2765.75	47.51	---	74.00	26.49	500.00	100.0	V	359.00	0
2771.50	---	36.29	54.00	17.71	500.00	200.0	V	30.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3165.00	44.26	---	74.00	29.74	500.00	100.0	V	356.00	-9
3180.00	---	27.43	54.00	26.57	500.00	100.0	V	0.00	-9
4869.38	45.41	---	74.00	28.59	500.00	200.0	V	47.00	-4
4871.25	---	34.86	54.00	19.14	500.00	200.0	V	47.00	-4
7308.75	---	40.62	54.00	13.38	500.00	200.0	V	47.00	0
7316.25	52.50	---	74.00	21.50	500.00	100.0	V	0.00	0
9279.38	47.54	---	74.00	26.46	500.00	100.0	H	3.00	5
9748.13	---	37.49	54.00	16.51	500.00	200.0	V	16.00	4
13350.00	---	37.86	54.00	16.14	500.00	100.0	V	254.00	7
13351.88	48.45	---	74.00	25.55	500.00	100.0	H	2.00	7
14604.38	---	40.42	54.00	13.58	500.00	100.0	H	10.00	9
14628.75	51.20	---	74.00	22.80	500.00	100.0	V	24.00	8

Radiates Emission from 3GHz to 18GHz

802.11be EHT20 CH11




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1163.50	---	30.70	54.00	23.30	500.00	100.0	V	151.00	-6
1171.75	42.02	---	74.00	31.98	500.00	200.0	V	30.00	-6
1400.50	43.40	---	74.00	30.60	500.00	100.0	V	188.00	-4
1422.25	---	31.97	54.00	22.03	500.00	200.0	V	0.00	-5
1468.25	44.32	---	74.00	29.68	500.00	100.0	V	175.00	-5
1709.00	---	32.44	54.00	21.56	500.00	100.0	V	114.00	-3
2000.50	---	33.63	54.00	20.37	500.00	100.0	V	0.00	-2
2052.25	45.32	---	74.00	28.68	500.00	200.0	H	222.00	-2
2500.50	50.87	---	74.00	23.13	500.00	200.0	V	38.00	0
2503.00	---	39.91	54.00	14.09	500.00	200.0	V	141.00	0
2702.00	---	38.11	54.00	15.89	500.00	200.0	V	81.00	0
2737.00	46.74	---	74.00	27.26	500.00	200.0	V	58.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3161.25	45.64	---	74.00	28.36	500.00	200.0	V	20.00	-9
3903.75	---	27.27	54.00	26.73	500.00	200.0	V	271.00	-7
4920.00	---	36.20	54.00	17.80	500.00	200.0	V	44.00	-4
4931.25	45.98	---	74.00	28.02	500.00	100.0	H	79.00	-4
7215.00	43.38	---	74.00	30.62	500.00	100.0	V	212.00	0
7338.75	---	32.41	54.00	21.59	500.00	100.0	V	304.00	0
7385.63	---	44.16	54.00	9.84	500.00	200.0	V	55.00	0
7387.50	53.20	---	74.00	20.80	500.00	200.0	V	55.00	0
13340.63	49.30	---	74.00	24.70	500.00	200.0	V	10.00	7
13340.63	---	38.07	54.00	15.93	500.00	100.0	H	104.00	7
14405.63	---	40.66	54.00	13.34	500.00	200.0	V	55.00	9
14619.38	51.76	---	74.00	22.24	500.00	100.0	V	0.00	9

Radiates Emission from 3GHz to 18GHz

802.11be EHT40 CH3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1170.75	45.48	---	74.00	28.52	500.00	200.0	V	41.00	-6
1186.25	---	33.87	54.00	20.13	500.00	200.0	V	32.00	-6
1427.50	---	35.53	54.00	18.47	500.00	200.0	V	3.00	-5
1441.25	47.26	---	74.00	26.74	500.00	200.0	V	2.00	-5
1581.25	48.57	---	74.00	25.43	500.00	200.0	V	10.00	-4
1698.75	---	36.76	54.00	17.24	500.00	200.0	V	10.00	-3
2037.75	49.78	---	74.00	24.22	500.00	200.0	V	98.00	-2
2054.75	---	38.27	54.00	15.73	500.00	200.0	V	10.00	-2
2266.75	49.95	---	74.00	24.05	500.00	200.0	V	0.00	-1
2271.75	---	38.97	54.00	15.03	500.00	200.0	V	3.00	-1
2963.50	54.17	---	74.00	19.83	500.00	200.0	V	3.00	1
2998.00	---	42.39	54.00	11.61	500.00	200.0	V	14.00	1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3166.88	45.24	---	74.00	28.76	500.00	200.0	V	3.00	-9
3174.38	---	28.42	54.00	25.58	500.00	200.0	V	10.00	-9
4839.38	46.67	---	74.00	27.33	500.00	200.0	V	45.00	-4
4843.13	---	34.49	54.00	19.51	500.00	200.0	V	45.00	-4
7256.25	50.06	---	74.00	23.94	500.00	200.0	V	45.00	0
7275.00	---	38.22	54.00	15.78	500.00	100.0	V	1.00	0
9688.13	---	37.75	54.00	16.25	500.00	200.0	V	326.00	5
9886.88	48.20	---	74.00	25.80	500.00	200.0	H	251.00	4
13335.00	49.42	---	74.00	24.58	500.00	200.0	H	325.00	7
13344.38	---	38.39	54.00	15.61	500.00	100.0	V	196.00	7
14583.75	51.78	---	74.00	22.22	500.00	200.0	H	224.00	9
14602.50	---	40.89	54.00	13.11	500.00	200.0	V	162.00	9

Radiates Emission from 3GHz to 18GHz

802.11be EHT40 CH6




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1183.75	---	33.75	54.00	20.25	500.00	200.0	V	50.00	-6
1185.75	44.94	---	74.00	29.06	500.00	200.0	V	0.00	-6
1395.50	46.82	---	74.00	27.18	500.00	200.0	V	0.00	-4
1411.75	---	35.73	54.00	18.27	500.00	200.0	V	7.00	-4
1686.00	48.30	---	74.00	25.70	500.00	200.0	V	1.00	-3
1689.00	---	36.83	54.00	17.17	500.00	200.0	V	19.00	-3
2028.75	49.60	---	74.00	24.40	500.00	200.0	V	0.00	-2
2077.25	---	38.74	54.00	15.26	500.00	200.0	V	2.00	-2
2499.00	54.18	---	74.00	19.82	500.00	200.0	V	61.00	0
2502.75	---	43.51	54.00	10.49	500.00	200.0	V	50.00	0
2854.00	52.24	---	74.00	21.76	500.00	200.0	V	86.00	0
2864.50	---	40.88	54.00	13.12	500.00	200.0	V	40.00	1

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3172.50	---	29.01	54.00	24.99	500.00	200.0	V	3.00	-9
3172.50	44.47	---	74.00	29.53	500.00	200.0	V	3.00	-9
4925.63	47.39	---	74.00	26.61	500.00	100.0	H	87.00	-4
4927.50	---	35.68	54.00	18.32	500.00	100.0	H	87.00	-4
7316.25	---	40.86	54.00	13.14	500.00	200.0	V	47.00	0
7320.00	50.65	---	74.00	23.35	500.00	200.0	V	47.00	0
7380.00	49.27	---	74.00	24.73	500.00	100.0	H	10.00	0
7380.00	---	39.80	54.00	14.20	500.00	100.0	H	10.00	0
13314.38	49.86	---	74.00	24.14	500.00	100.0	V	253.00	7
13348.13	---	38.84	54.00	15.16	500.00	100.0	V	350.00	7
14416.88	52.64	---	74.00	21.36	500.00	100.0	H	7.00	9
14606.25	---	41.05	54.00	12.95	500.00	100.0	H	0.00	9

Radiates Emission from 3GHz to 18GHz

802.11be EHT40 CH9




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1180.25	45.33	---	74.00	28.67	500.00	200.0	V	21.00	-6
1186.25	---	34.17	54.00	19.83	500.00	200.0	V	5.00	-6
1381.00	46.86	---	74.00	27.14	500.00	200.0	V	0.00	-5
1390.75	---	35.93	54.00	18.07	500.00	200.0	V	184.00	-4
1628.00	47.92	---	74.00	26.08	500.00	200.0	V	2.00	-4
1711.50	---	36.95	54.00	17.05	500.00	200.0	V	21.00	-3
2065.75	49.64	---	74.00	24.36	500.00	200.0	V	4.00	-2
2079.75	---	38.55	54.00	15.45	500.00	200.0	V	111.00	-2
2498.75	---	46.58	54.00	7.42	500.00	200.0	V	197.00	0
2499.75	55.78	---	74.00	18.22	500.00	200.0	V	135.00	0
2756.25	51.86	---	74.00	22.15	500.00	200.0	V	28.00	0
2780.00	---	40.87	54.00	13.13	500.00	200.0	V	1.00	0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3163.13	---	28.43	54.00	25.57	500.00	200.0	V	0.00	-9
3189.38	47.07	---	74.00	26.93	500.00	200.0	V	0.00	-9
4906.88	45.21	---	74.00	28.80	500.00	200.0	H	272.00	-4
4910.63	---	35.62	54.00	18.38	500.00	200.0	H	272.00	-4
7348.13	51.38	---	74.00	22.62	500.00	200.0	V	48.00	0
7348.13	---	41.59	54.00	12.41	500.00	200.0	V	48.00	0
7353.75	---	42.55	54.00	11.45	500.00	200.0	V	48.00	0
7363.13	53.61	---	74.00	20.39	500.00	200.0	V	48.00	0
13276.88	50.49	---	74.00	23.51	500.00	100.0	V	196.00	7
13336.88	---	39.32	54.00	14.68	500.00	200.0	V	59.00	7
14598.75	---	41.52	54.00	12.48	500.00	100.0	V	355.00	9
14600.63	53.44	---	74.00	20.56	500.00	200.0	H	299.00	9

Radiates Emission from 3GHz to 18GHz

RU Mode

802.11be20 242TONE_CH1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1104.750000	40.92	---	74.00	33.08	500.0	200.0	V	57.0	-10.0
1195.000000	---	29.73	54.00	24.27	500.0	200.0	V	57.0	-8.9
1324.250000	42.53	---	74.00	31.47	500.0	100.0	V	273.0	-8.0
1413.250000	---	30.79	54.00	23.21	500.0	100.0	V	334.0	-7.5
1631.000000	43.51	---	74.00	30.49	500.0	100.0	V	203.0	-6.2
1657.250000	---	32.05	54.00	21.95	500.0	200.0	V	123.0	-6.1
1815.750000	44.15	---	74.00	29.85	500.0	100.0	V	268.0	-5.4
1858.250000	---	31.93	54.00	22.07	500.0	200.0	H	258.0	-5.2
2023.750000	45.07	---	74.00	28.93	500.0	200.0	V	83.0	-4.4
2077.750000	---	33.58	54.00	20.42	500.0	100.0	V	326.0	-3.9
2957.000000	---	36.88	54.00	17.12	500.0	200.0	V	52.0	-0.8
2957.000000	48.43	---	74.00	25.57	500.0	100.0	V	357.0	-0.8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3172.500000	---	29.95	54.00	24.05	500.0	100.0	V	11.0	-10.1
3174.375000	45.48	---	74.00	28.52	500.0	100.0	V	11.0	-10.1
3778.125000	39.60	---	74.00	34.40	500.0	100.0	H	157.0	-7.8
3862.500000	---	28.30	54.00	25.70	500.0	200.0	H	315.0	-7.4
4818.750000	46.91	---	74.00	27.09	500.0	100.0	H	50.0	-6.1
4824.375000	---	37.10	54.00	16.90	500.0	100.0	H	59.0	-6.1
7237.500000	47.82	---	74.00	26.18	500.0	200.0	V	17.0	-2.9
7237.500000	---	38.17	54.00	15.83	500.0	200.0	V	17.0	-2.9
9144.375000	43.83	---	74.00	30.17	500.0	200.0	H	155.0	-1.1
9646.875000	---	33.51	54.00	20.49	500.0	200.0	V	320.0	-0.5
13310.625000	---	33.38	54.00	20.62	500.0	100.0	H	157.0	2.3
13346.250000	44.36	---	74.00	29.64	500.0	100.0	V	0.0	2.4

Radiates Emission from 3GHz to 18GHz

802.11be40 484TONE_CH3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1034.500000	38.97	---	74.00	35.03	500.0	100.0	V	338.0	-10.5
1048.500000	---	27.85	54.00	26.15	500.0	100.0	H	3.0	-10.5
1197.500000	41.52	---	74.00	32.48	500.0	100.0	V	355.0	-8.9
1199.500000	---	29.67	54.00	24.33	500.0	100.0	V	198.0	-8.8
1436.500000	---	30.70	54.00	23.30	500.0	200.0	V	48.0	-7.3
1441.000000	42.44	---	74.00	31.56	500.0	200.0	V	18.0	-7.3
1713.250000	43.37	---	74.00	30.63	500.0	200.0	V	107.0	-5.9
1723.250000	---	31.89	54.00	22.11	500.0	200.0	V	9.0	-5.9
2026.750000	44.81	---	74.00	29.19	500.0	200.0	V	80.0	-4.4
2073.750000	---	33.18	54.00	20.82	500.0	200.0	V	111.0	-4.0
2786.750000	48.48	---	74.00	25.52	500.0	200.0	V	35.0	-1.3
2968.500000	---	36.73	54.00	17.27	500.0	200.0	V	80.0	-0.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3187.500000	---	30.18	54.00	23.82	500.0	200.0	V	327.0	-10.0
3187.500000	48.05	---	74.00	25.95	500.0	200.0	V	327.0	-10.0
3821.250000	38.91	---	74.00	35.09	500.0	200.0	V	32.0	-7.6
3898.125000	---	28.07	54.00	25.93	500.0	100.0	H	344.0	-7.4
4843.125000	46.75	---	74.00	27.25	500.0	200.0	V	13.0	-6.0
4850.625000	---	34.80	54.00	19.20	500.0	100.0	H	57.0	-6.0
7261.875000	---	37.46	54.00	16.54	500.0	200.0	V	24.0	-2.9
7282.500000	46.58	---	74.00	27.42	500.0	200.0	V	139.0	-2.9
9530.625000	44.14	---	74.00	29.86	500.0	200.0	H	297.0	-0.2
9688.125000	---	34.36	54.00	19.64	500.0	200.0	V	322.0	-0.7
12920.625000	44.26	---	74.00	29.74	500.0	100.0	H	254.0	1.0
13333.125000	---	33.12	54.00	20.88	500.0	100.0	H	39.0	2.3

Radiates Emission from 3GHz to 18GHz

MRU Mode

802.11beE20 106+26TONE HIGH_CH1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1035.750000	---	28.14	54.00	25.87	500.0	200.0	H	320.0	-10.5
1090.000000	41.05	---	74.00	32.95	500.0	100.0	V	347.0	-10.2
1199.500000	---	29.62	54.00	24.38	500.0	100.0	V	331.0	-8.8
1270.000000	40.81	---	74.00	33.19	500.0	200.0	V	81.0	-8.4
1414.000000	---	30.99	54.00	23.01	500.0	100.0	V	0.0	-7.5
1431.750000	42.45	---	74.00	31.55	500.0	200.0	H	251.0	-7.4
1662.500000	43.90	---	74.00	30.10	500.0	200.0	H	347.0	-6.1
1688.500000	---	32.28	54.00	21.72	500.0	100.0	V	0.0	-6.0
2062.000000	---	33.45	54.00	20.55	500.0	200.0	H	342.0	-4.1
2063.250000	45.39	---	74.00	28.61	500.0	200.0	H	172.0	-4.1
2990.500000	---	36.86	54.00	17.14	500.0	100.0	H	43.0	-0.6
2990.750000	48.72	---	74.00	25.28	500.0	200.0	V	45.0	-0.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3161.250000	44.52	---	74.00	29.48	500.0	200.0	V	314.0	-10.2
3191.250000	---	28.65	54.00	25.35	500.0	100.0	V	348.0	-10.0
3999.375000	---	29.82	54.00	24.18	500.0	100.0	V	278.0	-6.8
3999.375000	42.15	---	74.00	31.85	500.0	100.0	H	232.0	-6.8
4833.750000	---	38.71	54.00	15.29	500.0	200.0	H	55.0	-6.0
4833.750000	48.35	---	74.00	25.65	500.0	200.0	H	55.0	-6.0
7248.750000	53.76	---	74.00	20.24	500.0	200.0	V	18.0	-2.9
7254.375000	---	38.58	54.00	15.42	500.0	200.0	V	18.0	-2.9
9646.875000	---	34.67	54.00	19.33	500.0	200.0	V	309.0	-0.5
9795.000000	44.24	---	74.00	29.76	500.0	200.0	V	3.0	-0.5
12892.500000	44.37	---	74.00	29.63	500.0	200.0	H	274.0	0.9
13305.000000	---	32.98	54.00	21.02	500.0	200.0	H	223.0	2.3

Radiates Emission from 3GHz to 18GHz

802.11beE20 106+26TONE LOW_CH1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1044.500000	---	27.52	54.00	26.48	500.0	200.0	H	325.0	-10.5
1051.500000	39.59	---	74.00	34.41	500.0	200.0	V	138.0	-10.5
1166.750000	40.90	---	74.00	33.10	500.0	200.0	V	45.0	-9.5
1199.750000	---	29.45	54.00	24.55	500.0	100.0	V	234.0	-8.8
1389.750000	42.31	---	74.00	31.69	500.0	100.0	V	132.0	-7.6
1405.250000	---	31.03	54.00	22.97	500.0	200.0	V	179.0	-7.6
1724.250000	43.39	---	74.00	30.61	500.0	200.0	V	59.0	-5.9
1729.000000	---	32.31	54.00	21.69	500.0	100.0	V	150.0	-5.8
2065.500000	45.20	---	74.00	28.80	500.0	200.0	H	166.0	-4.1
2074.500000	---	33.51	54.00	20.49	500.0	100.0	V	314.0	-4.0
2954.250000	49.08	---	74.00	24.92	500.0	100.0	V	110.0	-0.8
2966.000000	---	36.66	54.00	17.34	500.0	100.0	V	141.0	-0.8

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3191.250000	---	29.75	54.00	24.25	500.0	200.0	V	311.0	-10.0
3191.250000	48.21	---	74.00	25.79	500.0	200.0	V	311.0	-10.0
3915.000000	---	28.33	54.00	25.67	500.0	100.0	H	54.0	-7.4
3915.000000	40.72	---	74.00	33.28	500.0	200.0	V	179.0	-7.4
4811.250000	---	38.89	54.00	15.11	500.0	200.0	V	13.0	-6.1
4811.250000	49.14	---	74.00	24.86	500.0	200.0	V	13.0	-6.1
7216.875000	---	39.77	54.00	14.23	500.0	200.0	V	18.0	-3.0
7218.750000	54.43	---	74.00	19.57	500.0	100.0	V	332.0	-3.0
9633.750000	44.81	---	74.00	29.19	500.0	200.0	H	333.0	-0.6
9648.750000	---	33.37	54.00	20.63	500.0	200.0	V	317.0	-0.5
13310.625000	---	33.17	54.00	20.83	500.0	100.0	V	276.0	2.3
13312.500000	44.00	---	74.00	30.00	500.0	100.0	H	39.0	2.3

Radiates Emission from 3GHz to 18GHz

802.11beE40 106+26TONE HIGH_CH3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1032.000000	40.39	---	74.00	33.61	500.0	100.0	V	330.0	-10.6
1054.250000	---	28.56	54.00	25.44	500.0	100.0	V	330.0	-10.5
1187.500000	41.27	---	74.00	32.73	500.0	200.0	V	80.0	-9.1
1193.250000	---	29.79	54.00	24.21	500.0	200.0	V	89.0	-8.9
1312.250000	42.21	---	74.00	31.79	500.0	100.0	V	161.0	-8.1
1431.250000	---	30.81	54.00	23.19	500.0	100.0	V	86.0	-7.4
1659.500000	43.67	---	74.00	30.33	500.0	200.0	V	4.0	-6.1
1661.750000	---	32.14	54.00	21.86	500.0	100.0	V	348.0	-6.1
2062.000000	---	33.85	54.00	20.15	500.0	100.0	V	253.0	-4.1
2063.750000	45.37	---	74.00	28.63	500.0	200.0	V	21.0	-4.1
2958.500000	---	37.20	54.00	16.80	500.0	200.0	V	310.0	-0.8
2968.750000	48.82	---	74.00	25.18	500.0	200.0	V	107.0	-0.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3165.000000	---	30.14	54.00	23.86	500.0	200.0	V	322.0	-10.2
3165.000000	47.75	---	74.00	26.25	500.0	200.0	V	322.0	-10.2
3976.875000	---	28.91	54.00	25.10	500.0	200.0	H	339.0	-6.9
3995.625000	40.83	---	74.00	33.17	500.0	100.0	V	121.0	-6.8
4873.125000	51.38	---	74.00	22.62	500.0	200.0	H	253.0	-5.8
4873.125000	---	40.31	54.00	13.69	500.0	200.0	V	12.0	-5.8
7310.625000	---	44.56	54.00	9.44	500.0	200.0	V	22.0	-3.0
7316.250000	57.40	---	74.00	16.60	500.0	200.0	V	22.0	-3.0
9688.125000	---	34.24	54.00	19.76	500.0	200.0	V	316.0	-0.7
9791.250000	44.26	---	74.00	29.74	500.0	100.0	H	326.0	-0.5
12920.625000	44.66	---	74.00	29.34	500.0	100.0	V	0.0	1.0
13340.625000	---	33.35	54.00	20.65	500.0	100.0	V	187.0	2.3

Radiates Emission from 3GHz to 18GHz

802.11beE40 106+26TONE LOW_CH3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1048.250000	39.53	---	74.00	34.47	500.0	200.0	H	318.0	-10.5
1062.500000	---	28.67	54.00	25.33	500.0	100.0	V	202.0	-10.4
1194.250000	42.58	---	74.00	31.42	500.0	100.0	V	179.0	-8.9
1197.750000	---	29.63	54.00	24.37	500.0	100.0	V	348.0	-8.8
1400.000000	43.29	---	74.00	30.71	500.0	200.0	V	80.0	-7.6
1434.500000	---	30.89	54.00	23.11	500.0	200.0	H	225.0	-7.4
1600.250000	43.36	---	74.00	30.64	500.0	200.0	V	285.0	-6.3
1708.750000	---	32.14	54.00	21.86	500.0	200.0	V	177.0	-5.9
1761.750000	44.54	---	74.00	29.46	500.0	100.0	V	282.0	-5.7
2076.500000	---	33.65	54.00	20.35	500.0	100.0	V	325.0	-4.0
2960.500000	48.13	---	74.00	25.87	500.0	200.0	V	226.0	-0.8
2977.750000	---	36.68	54.00	17.32	500.0	200.0	V	40.0	-0.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3181.875000	---	30.32	54.00	23.68	500.0	100.0	V	11.0	-10.1
3198.750000	46.85	---	74.00	27.15	500.0	100.0	V	22.0	-9.9
3920.625000	---	28.66	54.00	25.34	500.0	200.0	H	327.0	-7.4
3922.500000	40.25	---	74.00	33.75	500.0	100.0	H	207.0	-7.3
4813.125000	---	39.98	54.00	14.02	500.0	100.0	H	56.0	-6.1
4813.125000	50.42	---	74.00	23.58	500.0	100.0	H	56.0	-6.1
7222.500000	53.25	---	74.00	20.75	500.0	100.0	V	349.0	-3.0
7222.500000	---	39.85	54.00	14.15	500.0	200.0	V	20.0	-3.0
9652.500000	43.95	---	74.00	30.05	500.0	100.0	V	254.0	-0.5
9688.125000	---	34.97	54.00	19.03	500.0	200.0	V	304.0	-0.7
13312.500000	---	33.11	54.00	20.89	500.0	100.0	V	339.0	2.3
13323.750000	44.68	---	74.00	29.32	500.0	100.0	V	229.0	2.3

Radiates Emission from 3GHz to 18GHz

2. Conducted Emission

2.1. Wi-Fi 2.4GHz


During the test, the Conducted Emission was performed in all modes with all channel. The test data of the worst-case condition was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.161	55.54	65.40	9.86	37.58	55.40	17.82	20.89	L1	9.000	1.000
0.427	42.09	57.32	15.22	32.84	47.32	14.48	20.85	L1	9.000	1.000
0.897	30.65	56.00	25.35	24.42	46.00	21.58	20.24	L1	9.000	1.000
2.155	23.65	56.00	32.35	17.72	46.00	28.28	19.61	L1	9.000	1.000
5.087	21.29	60.00	38.71	15.48	50.00	34.52	19.40	L1	9.000	1.000
24.898	17.56	60.00	42.44	12.34	50.00	37.66	19.80	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.179	51.16	64.52	13.36	36.32	54.52	18.20	21.04	N	9.000	1.000
0.420	44.58	57.45	12.87	37.88	47.45	9.57	20.87	N	9.000	1.000
0.845	35.25	56.00	20.75	27.92	46.00	18.08	20.30	N	9.000	1.000
2.315	27.31	56.00	28.69	19.44	46.00	26.56	19.59	N	9.000	1.000
6.259	22.45	60.00	37.55	15.34	50.00	34.66	19.41	N	9.000	1.000
23.987	17.38	60.00	42.62	12.03	50.00	37.97	19.84	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz