




TX, 802.11a (Ch 60)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 60)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 60)
Band Edge (Average), Vertical



TX, 802.11a (Ch 60)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 60)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	64
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	79.37	18.72	98.09	N/A	N/A	PK
	@	5320	71.45	18.72	90.17	N/A	N/A	AVG
		5421.6	38.98	19.36	58.34	74	-15.66	PK
		5455.5	27.83	19.63	47.46	54	-6.54	AVG
Vertical	@	5320	92.07	18.72	110.79	N/A	N/A	PK
	@	5320	84.11	18.72	102.83	N/A	N/A	AVG
		5410.5	39.67	19.25	58.92	74	-15.08	PK
		5457.6	27.94	19.63	47.57	54	-6.43	AVG



Mode	802.11a	Channel	100
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5454.25	39.92	19.63	59.55	74	-14.45	PK
		5459.85	28.53	19.64	48.17	54	-5.83	AVG
		5469.65	38.84	19.65	58.49	68.2	-9.71	PK
	@	5500	81.76	19.69	101.45	N/A	N/A	PK
	@	5500	75.22	19.69	94.91	N/A	N/A	AVG
	*	11000	30.22	17.88	48.1	74	-25.9	PK
Vertical		5459.5	45.28	19.64	64.92	74	-9.08	PK
		5459.85	33.92	19.64	53.56	54	-0.44	AVG
		5469.3	47.79	19.65	67.44	68.2	-0.76	PK
	@	5500	92.3	19.69	111.99	N/A	N/A	PK
	@	5500	86.28	19.69	105.97	N/A	N/A	AVG
	*	11000	30.23	17.88	48.11	74	-25.89	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5407	39.5	19.23	58.73	74	-15.27	PK
		5458.1	28.37	19.64	48.01	54	-5.99	AVG
		5463	38.96	19.64	58.6	68.2	-9.6	PK
	@	5580	82.04	19.58	101.62	N/A	N/A	PK
	@	5580	71.11	19.58	90.69	N/A	N/A	AVG
		5727.6	40.82	19.85	60.67	68.2	-7.53	PK
	*	11160	30.2	18.05	48.25	74	-25.75	PK
Vertical		5456.7	31.22	19.63	50.85	54	-3.15	AVG
		5458.45	42.14	19.64	61.78	74	-12.22	PK
		5467.9	43.54	19.65	63.19	68.2	-5.01	PK
	@	5580	95.17	19.58	114.75	N/A	N/A	PK
	@	5580	86.69	19.58	106.27	N/A	N/A	AVG
		5729	40.59	19.86	60.45	68.2	-7.75	PK
	*	11160	29.95	18.05	48	74	-26	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 116)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 116)
Band Edge (Average), Vertical



TX, 802.11a (Ch 116)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 116)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5419.95	38.75	19.35	58.1	74	-15.9	PK
		5453.55	27.83	19.63	47.46	54	-6.54	AVG
		5465.8	38.35	19.65	58	68.2	-10.2	PK
	@	5700	75.85	19.6	95.45	N/A	N/A	PK
	@	5700	67.68	19.6	87.28	N/A	N/A	AVG
		5727.95	39.1	19.85	58.95	68.2	-9.25	PK
	*	11400	29.63	18.46	48.09	74	-25.91	PK
Vertical		5427.65	39.15	19.42	58.57	74	-15.43	PK
		5455.3	28.08	19.63	47.71	54	-6.29	AVG
		5461.25	39	19.64	58.64	68.2	-9.56	PK
	@	5700	90.49	19.6	110.09	N/A	N/A	PK
	@	5700	81.22	19.6	100.82	N/A	N/A	AVG
		5727.6	43.82	19.85	63.67	68.2	-4.53	PK
	*	11400	29.13	18.46	47.59	74	-26.41	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 140)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 140)
Band Edge (Average), Vertical



TX, 802.11a (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 140)
Band Edge (Peak), Vertical




Mode	802.11a	Channel	144
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	29.46	18.63	48.09	74	-25.91	PK
Vertical	*	11440	29.51	18.63	48.14	74	-25.86	PK







Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5639	39.68	19.64	59.32	68.2	-8.88	PK
		5695.5	39.35	19.6	58.95	101.88	-42.93	PK
	@	5745	80.02	20.01	100.03	N/A	N/A	PK
	*	11490	29.89	18.86	48.75	74	-25.25	PK
Vertical		5628.5	41.03	19.62	60.65	68.2	-7.55	PK
		5697	49.29	19.6	68.89	102.99	-34.1	PK
	@	5745	93.81	20.01	113.82	N/A	N/A	PK
	*	11490	29.43	18.86	48.29	74	-25.71	PK




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5572.5	41.05	19.57	60.62	68.2	-7.58	PK
		5681.5	42.07	19.62	61.69	91.55	-29.86	PK
		5785	78.65	20.37	99.02	N/A	N/A	PK
		5923	40.26	20.72	60.98	69.67	-8.69	PK
		5995	39.86	20.79	60.65	68.2	-7.55	PK
	*	11570	29.27	18.65	47.92	74	-26.08	PK
Vertical	@	5629	39.81	19.62	59.43	68.2	-8.77	PK
		5695.5	44.76	19.6	64.36	101.88	-37.52	PK
		5785	92.27	20.37	112.64	N/A	N/A	PK
		5877	46.23	20.68	66.91	103.71	-36.8	PK
		5947	40.4	20.75	61.15	68.2	-7.05	PK
	*	11570	28.62	18.65	47.27	74	-26.73	PK

TX, 802.11a (Ch 157)
Radiated Spurious Emission, Horizontal

TX, 802.11a (Ch 157)
Radiated Spurious Emission, Vertical

TX, 802.11a (Ch 157)
Band Edge (Peak), Horizontal

TX, 802.11a (Ch 157)
Band Edge (Peak), Vertical


Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	81.42	20.57	101.99	N/A	N/A	PK
		5879.5	44.41	20.68	65.09	101.86	-36.77	PK
		5971.5	40.14	20.77	60.91	68.2	-7.29	PK
	*	11650	29.72	18.38	48.1	74	-25.9	PK
Vertical	@	5825	92.92	20.57	113.49	N/A	N/A	PK
		5877	54.61	20.68	75.29	103.71	-28.42	PK
		5925.5	43.86	20.73	64.59	68.2	-3.61	PK
	*	11650	29.46	18.38	47.84	74	-26.16	PK



Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5086.45	41.49	19.19	60.68	74	-13.32	PK
		5099.05	29.66	19.25	48.91	54	-5.09	AVG
	@	5180	79.43	19.14	98.57	N/A	N/A	PK
	@	5180	69.77	19.14	88.91	N/A	N/A	AVG
	*	10360	30.91	17.03	47.94	68.2	-20.26	PK
Vertical		5147.7	44.32	19.22	63.54	74	-10.46	PK
		5149.8	32.34	19.22	51.56	54	-2.44	AVG
	@	5180	93.03	19.14	112.17	N/A	N/A	PK
	@	5180	84.13	19.14	103.27	N/A	N/A	AVG
	*	10360	30.91	17.03	47.94	68.2	-20.26	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 36)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 36)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 36)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 36)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 36)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 36)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5047.6	41.61	18.96	60.57	74	-13.43	PK
		5092.75	29.68	19.22	48.9	54	-5.1	AVG
	@	5220	78	19.04	97.04	N/A	N/A	PK
	@	5220	67.91	19.04	86.95	N/A	N/A	AVG
	*	10440	30.08	17.45	47.53	68.2	-20.67	PK
Vertical		5101.85	41.82	19.25	61.07	74	-12.93	PK
		5102.2	29.67	19.25	48.92	54	-5.08	AVG
	@	5220	93.19	19.04	112.23	N/A	N/A	PK
	@	5220	82.89	19.04	101.93	N/A	N/A	AVG
	*	10440	31.56	17.45	49.01	68.2	-19.19	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 44)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 44)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 44)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 44)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 44)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5096.95	29.6	19.23	48.83	54	-5.17	AVG
		5136.85	42.14	19.23	61.37	74	-12.63	PK
	@	5240	77.29	18.99	96.28	N/A	N/A	PK
	@	5240	68.67	18.99	87.66	N/A	N/A	AVG
	*	10480	30.84	17.55	48.39	68.2	-19.81	PK
Vertical		5077.35	41.95	19.13	61.08	74	-12.92	PK
		5087.85	29.83	19.19	49.02	54	-4.98	AVG
	@	5240	90.76	18.99	109.75	N/A	N/A	PK
	@	5240	83.16	18.99	102.15	N/A	N/A	AVG
	*	10480	31.9	17.55	49.45	68.2	-18.75	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 48)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 48)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 48)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 48)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 48)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 48)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	77.91	18.91	96.82	N/A	N/A	PK
	@	5260	69.31	18.91	88.22	N/A	N/A	AVG
		5458.2	39.04	19.64	58.68	74	-15.32	PK
		5458.2	27.86	19.64	47.5	54	-6.5	AVG
	*	10520	30.81	17.63	48.44	68.2	-19.76	PK
Vertical	@	5260	92.89	18.91	111.8	N/A	N/A	PK
	@	5260	84.63	18.91	103.54	N/A	N/A	AVG
		5416.8	39.87	19.31	59.18	74	-14.82	PK
		5459.7	27.84	19.64	47.48	54	-6.52	AVG
	*	10520	30.6	17.63	48.23	68.2	-19.97	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 52)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 52)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	78.11	18.73	96.84	N/A	N/A	PK
	@	5300	70.3	18.73	89.03	N/A	N/A	AVG
		5432.7	39.57	19.47	59.04	74	-14.96	PK
		5456.4	27.84	19.63	47.47	54	-6.53	AVG
	*	10600	32.35	17.71	50.06	74	-23.94	PK
Vertical	@	5300	92.94	18.73	111.67	N/A	N/A	PK
	@	5300	84.26	18.73	102.99	N/A	N/A	AVG
		5447.7	39.51	19.6	59.11	74	-14.89	PK
		5457.6	27.87	19.63	47.5	54	-6.5	AVG
	*	10600	30.38	17.71	48.09	74	-25.91	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 60)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 60)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	78.12	18.72	96.84	N/A	N/A	PK
	@	5320	71.26	18.72	89.98	N/A	N/A	AVG
		5407.5	39.03	19.23	58.26	74	-15.74	PK
		5456.1	27.87	19.63	47.5	54	-6.5	AVG
	*	10640	30.2	17.67	47.87	74	-26.13	PK
Vertical	@	5320	92.8	18.72	111.52	N/A	N/A	PK
	@	5320	83.4	18.72	102.12	N/A	N/A	AVG
		5350.8	29.51	18.71	48.22	54	-5.78	AVG
		5460	39.65	19.64	59.29	68.2	-8.91	PK
	*	10640	30.5	17.67	48.17	74	-25.83	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 64)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5434.65	30.55	19.49	50.04	54	-3.96	AVG
		5450.75	39.02	19.62	58.64	74	-15.36	PK
		5468.6	40.37	19.65	60.02	68.2	-8.18	PK
	@	5500	82.28	19.69	101.97	N/A	N/A	PK
	@	5500	73.79	19.69	93.48	N/A	N/A	AVG
	*	11000	31.63	17.88	49.51	74	-24.49	PK
Vertical		5451.45	43.2	19.62	62.82	74	-11.18	PK
		5459.85	34.07	19.64	53.71	54	-0.29	AVG
		5469.3	46.68	19.65	66.33	68.2	-1.87	PK
	@	5500	94	19.69	113.69	N/A	N/A	PK
	@	5500	85.08	19.69	104.77	N/A	N/A	AVG
	*	11000	31.44	17.88	49.32	74	-24.68	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 100)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 100)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5442.7	39.45	19.55	59	74	-15	PK
		5458.8	28.47	19.64	48.11	54	-5.89	AVG
		5466.5	38.95	19.65	58.6	68.2	-9.6	PK
	@	5580	80.5	19.58	100.08	N/A	N/A	PK
	@	5580	72.79	19.58	92.37	N/A	N/A	AVG
		5729.7	39.83	19.87	59.7	68.2	-8.5	PK
	*	11160	30.98	18.05	49.03	74	-24.97	PK
Vertical		5455.3	44.93	19.63	64.56	74	-9.44	PK
		5456.35	32.32	19.63	51.95	54	-2.05	AVG
		5462.3	45.95	19.64	65.59	68.2	-2.61	PK
	@	5580	95.93	19.58	115.51	N/A	N/A	PK
	@	5580	86.24	19.58	105.82	N/A	N/A	AVG
		5745.1	40.12	20.01	60.13	68.2	-8.07	PK
	*	11160	29.55	18.05	47.6	74	-26.4	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5447.25	39.06	19.6	58.66	74	-15.34	PK
		5458.8	27.95	19.64	47.59	54	-6.41	AVG
		5460.2	38.48	19.64	58.12	68.2	-10.08	PK
	@	5700	77.82	19.6	97.42	N/A	N/A	PK
	@	5700	70.23	19.6	89.83	N/A	N/A	AVG
		5748.6	39.89	20.04	59.93	68.2	-8.27	PK
	*	11400	30.04	18.46	48.5	74	-25.5	PK
Vertical		5447.6	27.96	19.6	47.56	54	-6.44	AVG
		5448.65	38.88	19.61	58.49	74	-15.51	PK
		5463.35	39.34	19.64	58.98	68.2	-9.22	PK
	@	5700	89.81	19.6	109.41	N/A	N/A	PK
	@	5700	80.51	19.6	100.11	N/A	N/A	AVG
		5725.5	48.12	19.83	67.95	68.2	-0.25	PK
	*	11400	29.76	18.46	48.22	74	-25.78	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical






Mode	802.11ax(HE20)	Channel	144
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11450	29.84	18.68	48.52	74	-25.48	PK
Vertical		11450	30.37	18.68	49.05	74	-24.95	PK



Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5611	40.21	19.6	59.81	68.2	-8.39	PK
		5688.5	41.23	19.6	60.83	96.72	-35.89	PK
	@	5745	78.58	20.01	98.59	N/A	N/A	PK
	*	11490	29.36	18.86	48.22	74	-25.78	PK
Vertical		5639.5	40.86	19.64	60.5	68.2	-7.7	PK
		5692.5	51.27	19.61	70.88	99.67	-28.79	PK
	@	5745	93.7	20.01	113.71	N/A	N/A	PK
	*	11490	30.8	18.86	49.66	74	-24.34	PK

TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Vertical
