Lithium-Ion battery 3ICP5/65/88
11.1V 3380mAh / 37.3Wh
VKB 564738 (1S3P)
Assembled in Indonesia
by VARTA Microbattery
SN: 000372
Caution: Do not crush. Do not heat or incinerate.
Do not short-circuit. Do not immerse in any liquid.
To be recycled and disposed of properly








162mm
220mm
38mm
8mm
WLAN Antenna


BAR CODE LABEL
BAR CODE LABEL
94V-0


BAR CODE LABEL
BAR CODE LABEL
94V-0

A01-12


intel
2LI
LH
N232
WP1 NGFF PCIe 4L E8
PB#G98682-002
B01-12


BAR CODE LABEL
BAR CODE LABEL
94V-0


BAR CODE LABEL
BAR CODE LABEL
94V-0


BAR CODE LABEL
BAR CODE LABEL
94V-0


V5R0_G3
ADP_IN_15V
VBATA
V3R3_GPS
V5R0A
4E13
V1R05
V3R3_S5
DDR3_VTT
VCC_CORE
VNN_CORE
V1R0_S5
V1R8_S5
V3R3_V1R8_G3







V1R8
VCC_CORE
VNN_CORE
VCCRTC
V1R0
V1R35_S5
V1R0_S5
V1R35
V3R3_MGS
V3R3_NFC
V3R3_PAS
V5R0_TPB
DD3R_VTT
SOC_USB
UART_EC
JTAG_SOC
UART_D


ADP IN 15V
V3R3 S5
V5R0A
B4F25
B4E14
B4F
B3F39
B3G17
B3F30
B3F16
B3E37
B3E40
B4G55
B4G24
B4G18
B4G35
B4G29
B4F35
B4E34
B3G12
B3G3
B3G1
B3F49
A12
A13
A1
A26
A27
B3E39
B3F


BT Antenna


BT Antenna
ATBTH0-B


to LCD


WLAN Antenna


WLAN Antenna














CON7
CON6
5.8


E2 94V-0
▲ DPEC


















B2D
V1R35
B1C15
D9
B1C18
B1C8
B1C4
B1B24
B1B18
V5R0_TPB
P23
B1B22
B1C
B2B
B1A19
B1A26
B1A32
B2A2
B2A7
B1A48
B1A64
B1B5
B1A43
V3R3_MGS
V3R3_NFC
V3R3_PAS
B1A63
B1B3
P22
SOC_USB
B1A57
B1A46
B1A18
B1A22



GPS Antenna

GPS Antenna

EMPATHY

EMPATHY
SWITCH-MODE
POWER SUPPLY
JET
CUI Japan
入力: AC 100V,50-60Hz,130VA
出力: DC 15V 4.0A
P/N:EA-AAE01
MODEL:ETSA150400U
INPUT: 100-240V~,
50-60Hz,1.5A
OUTPUT: 15V 4.0A
FOR I.T.E USE ONLY
c UL us
LISTED
E210311
Intertek
EFFICIENCY LEVEL V
1438 S
RoHS
MADE IN CHINA