









Mode	11																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_RU 996T*4_6585MHz																																																																																																															
ANT	4+5(STBC)																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-07-30 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91280-02114-250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>48.67</td><td>88.20</td><td>-39.53</td><td>57.55</td><td>39.72</td><td>17.85</td><td>66.85</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19755.00</td><td>38.06</td><td>74.00</td><td>-35.94</td><td>41.91</td><td>38.59</td><td>20.25</td><td>53.15</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	48.67	88.20	-39.53	57.55	39.72	17.85	66.85	0.40	--	Peak	2	19755.00	38.06	74.00	-35.94	41.91	38.59	20.25	53.15	-9.54	--	PEAK	Level (dBuV/m) Date: 2025-07-30 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91280-02114-250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>49.24</td><td>88.20</td><td>-38.96</td><td>58.12</td><td>39.72</td><td>17.85</td><td>66.85</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19755.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>42.41</td><td>38.59</td><td>20.25</td><td>53.15</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	49.24	88.20	-38.96	58.12	39.72	17.85	66.85	0.40	--	Peak	2	19755.00	38.56	74.00	-35.44	42.41	38.59	20.25	53.15	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13170.00	48.67	88.20	-39.53	57.55	39.72	17.85	66.85	0.40	--	Peak																																																																																																					
2	19755.00	38.06	74.00	-35.94	41.91	38.59	20.25	53.15	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13170.00	49.24	88.20	-38.96	58.12	39.72	17.85	66.85	0.40	--	Peak																																																																																																					
2	19755.00	38.56	74.00	-35.44	42.41	38.59	20.25	53.15	-9.54	--	PEAK																																																																																																					







Mode	11	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_RU 996T*4_6585MHz	
ANT	4+5(STBC)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 HORIZONTAL	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 VERTICAL
	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 HORIZONTAL	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 VERTICAL






Mode	12																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_RU 996T*2_6665MHz																																																																																																																																							
ANT	4+5(STBC)																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-07-30  Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>57.61</td><td>40.08</td><td>17.98</td><td>66.96</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13330.00</td><td>38.24</td><td>54.00</td><td>-15.76</td><td>46.74</td><td>40.08</td><td>17.98</td><td>66.96</td><td>0.40</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19995.00</td><td>36.16</td><td>74.00</td><td>-37.84</td><td>39.96</td><td>38.48</td><td>20.36</td><td>53.10</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	49.11	74.00	-24.89	57.61	40.08	17.98	66.96	0.40	--	Peak	2	13330.00	38.24	54.00	-15.76	46.74	40.08	17.98	66.96	0.40	--	Average	3	19995.00	36.16	74.00	-37.84	39.96	38.48	20.36	53.10	-9.54	--	Peak	Level (dBuV/m) Date: 2025-07-30  Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>49.47</td><td>74.00</td><td>-24.53</td><td>57.97</td><td>40.08</td><td>17.98</td><td>66.96</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13330.00</td><td>38.25</td><td>54.00</td><td>-15.75</td><td>46.75</td><td>40.08</td><td>17.98</td><td>66.96</td><td>0.40</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19992.00</td><td>36.45</td><td>74.00</td><td>-37.55</td><td>40.25</td><td>38.48</td><td>20.36</td><td>53.10</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	49.47	74.00	-24.53	57.97	40.08	17.98	66.96	0.40	--	Peak	2	13330.00	38.25	54.00	-15.75	46.75	40.08	17.98	66.96	0.40	--	Average	3	19992.00	36.45	74.00	-37.55	40.25	38.48	20.36	53.10	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13330.00	49.11	74.00	-24.89	57.61	40.08	17.98	66.96	0.40	--	Peak																																																																																																																													
2	13330.00	38.24	54.00	-15.76	46.74	40.08	17.98	66.96	0.40	--	Average																																																																																																																													
3	19995.00	36.16	74.00	-37.84	39.96	38.48	20.36	53.10	-9.54	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13330.00	49.47	74.00	-24.53	57.97	40.08	17.98	66.96	0.40	--	Peak																																																																																																																													
2	13330.00	38.25	54.00	-15.75	46.75	40.08	17.98	66.96	0.40	--	Average																																																																																																																													
3	19992.00	36.45	74.00	-37.55	40.25	38.48	20.36	53.10	-9.54	--	Peak																																																																																																																													



Mode	12	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_RU 996T*2_6665MHz	
ANT	4+5(STBC)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-07-30  Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 HORIZONTAL	Level (dBuV/m) Date: 2025-07-30  Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 VERTICAL
	Level (dBuV/m) Date: 2025-07-30  Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 HORIZONTAL	Level (dBuV/m) Date: 2025-07-30  Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 VERTICAL





Mode	13																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_RU 242T_7115MHz																																																																																															
ANT	4+5(STBC)																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-08-01 711571417167719372197245 Frequency (MHz) Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>85.35</td><td>88.20</td><td>-2.85</td><td>71.84</td><td>36.75</td><td>12.96</td><td>36.20</td><td>0.00</td><td>310</td><td>188 PEAK</td></tr></table>							Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	85.35	88.20	-2.85	71.84	36.75	12.96	36.20	0.00	310	188 PEAK	Level (dBuV/m) Date: 2025-08-01 100024003800520066008000 Frequency (MHz) Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>99.11</td><td>-----</td><td>-----</td><td>85.63</td><td>36.71</td><td>12.96</td><td>36.19</td><td>0.00</td><td>310</td><td>188 PEAK</td></tr></table>							Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	99.11	-----	-----	85.63	36.71	12.96	36.19	0.00	310	188 PEAK												
		Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7125.01	85.35	88.20	-2.85	71.84	36.75	12.96	36.20	0.00	310	188 PEAK																																																																																					
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7115.00	99.11	-----	-----	85.63	36.71	12.96	36.19	0.00	310	188 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-08-01 711571417167719372197245 Frequency (MHz) Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>66.22</td><td>68.20</td><td>-1.98</td><td>52.71</td><td>36.75</td><td>12.96</td><td>36.20</td><td>0.00</td><td>310</td><td>188 AVERAGE</td></tr><tr><td>2</td><td>7126.05</td><td>63.12</td><td>68.20</td><td>-5.08</td><td>49.60</td><td>36.76</td><td>12.96</td><td>36.20</td><td>0.00</td><td>310</td><td>188 AVERAGE</td></tr></table>							Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	66.22	68.20	-1.98	52.71	36.75	12.96	36.20	0.00	310	188 AVERAGE	2	7126.05	63.12	68.20	-5.08	49.60	36.76	12.96	36.20	0.00	310	188 AVERAGE	Level (dBuV/m) Date: 2025-08-01 100024003800520066008000 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>91.01</td><td>-----</td><td>-----</td><td>77.57</td><td>36.67</td><td>12.95</td><td>36.18</td><td>0.00</td><td>310</td><td>188 AVERAGE</td></tr></table>							Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	91.01	-----	-----	77.57	36.67	12.95	36.18	0.00	310	188 AVERAGE
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7125.01	66.22	68.20	-1.98	52.71	36.75	12.96	36.20	0.00	310	188 AVERAGE																																																																																					
2	7126.05	63.12	68.20	-5.08	49.60	36.76	12.96	36.20	0.00	310	188 AVERAGE																																																																																					
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7115.00	91.01	-----	-----	77.57	36.67	12.95	36.18	0.00	310	188 AVERAGE																																																																																					



		13												
Mode		Band Edge												
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_RU 242T_7115MHz												
ANT		4+5(STBC)												
Pol.		Vertical						Fundamental						
Peak														



Mode	14																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_RU 484T_7085MHz																																																																																											
ANT	4+5(STBC)																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-07-30 PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-250702 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7143.88</td><td>53.66</td><td>88.20</td><td>-34.54</td><td>40.02</td><td>36.86</td><td>12.99</td><td>36.21</td><td>0.00</td><td>318</td><td>190</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7143.88	53.66	88.20	-34.54	40.02	36.86	12.99	36.21	0.00	318	190	PEAK	Level (dBuV/m) Date: 2025-07-30 PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-250702 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>106.84</td><td>-----</td><td>-----</td><td>93.59</td><td>36.50</td><td>12.91</td><td>36.16</td><td>0.00</td><td>318</td><td>190</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	106.84	-----	-----	93.59	36.50	12.91	36.16	0.00	318	190	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7143.88	53.66	88.20	-34.54	40.02	36.86	12.99	36.21	0.00	318	190	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	7085.00	106.84	-----	-----	93.59	36.50	12.91	36.16	0.00	318	190	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-07-30 AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-250702 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7166.76</td><td>44.14</td><td>68.20</td><td>-24.06</td><td>30.39</td><td>36.97</td><td>13.01</td><td>36.23</td><td>0.00</td><td>318</td><td>190</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7166.76	44.14	68.20	-24.06	30.39	36.97	13.01	36.23	0.00	318	190	AVERAGE	Level (dBuV/m) Date: 2025-07-30 AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-250702 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>96.84</td><td>-----</td><td>-----</td><td>83.61</td><td>36.48</td><td>12.90</td><td>36.15</td><td>0.00</td><td>318</td><td>190</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	96.84	-----	-----	83.61	36.48	12.90	36.15	0.00	318	190	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	7166.76	44.14	68.20	-24.06	30.39	36.97	13.01	36.23	0.00	318	190	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	7085.00	96.84	-----	-----	83.61	36.48	12.90	36.15	0.00	318	190	AVERAGE																																																																																



Mode	14																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_RU 484T_7085MHz																																																																																																					
ANT	4+5(STBC)																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-07-30 PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7172.84</td><td>55.81</td><td>88.20</td><td>-32.39</td><td>42.03</td><td>36.99</td><td>13.02</td><td>36.23</td><td>0.00</td><td>100</td><td>203</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7172.84	55.81	88.20	-32.39	42.03	36.99	13.02	36.23	0.00	100	203	PEAK	Level (dBuV/m) Date: 2025-07-30 PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>100.29</td><td>-----</td><td>-----</td><td>94.91</td><td>36.62</td><td>12.94</td><td>36.18</td><td>0.00</td><td>100</td><td>203</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	100.29	-----	-----	94.91	36.62	12.94	36.18	0.00	100	203	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7172.84	55.81	88.20	-32.39	42.03	36.99	13.02	36.23	0.00	100	203	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7085.00	100.29	-----	-----	94.91	36.62	12.94	36.18	0.00	100	203	PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-07-30 AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.12</td><td>45.54</td><td>68.20</td><td>-22.66</td><td>32.01</td><td>36.76</td><td>12.97</td><td>36.20</td><td>0.00</td><td>100</td><td>203</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7126.12	45.54	68.20	-22.66	32.01	36.76	12.97	36.20	0.00	100	203	AVERAGE	Level (dBuV/m) Date: 2025-07-30 AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>100.33</td><td>-----</td><td>-----</td><td>87.02</td><td>36.56</td><td>12.92</td><td>36.17</td><td>0.00</td><td>100</td><td>203</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7085.00	100.33	-----	-----	87.02	36.56	12.92	36.17	0.00	100	203	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7126.12	45.54	68.20	-22.66	32.01	36.76	12.97	36.20	0.00	100	203	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	7085.00	100.33	-----	-----	87.02	36.56	12.92	36.17	0.00	100	203	AVERAGE																																																																																										



		15																																																																																	
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_RU 996T_7025MHz																																																																																		
ANT	4+5(STBC)																																																																																		
Pol.	Horizontal						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-07-30 PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-250702 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7180.76</td><td>55.62</td><td>88.20</td><td>-32.58</td><td>41.81</td><td>37.02</td><td>13.03</td><td>36.24</td><td>0.00</td><td>317</td><td>195</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7180.76	55.62	88.20	-32.58	41.81	37.02	13.03	36.24	0.00	317	195	PEAK	Level (dBuV/m) Date: 2025-07-30 PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-250702 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7025.00</td><td>107.03</td><td>-----</td><td>-----</td><td>93.93</td><td>36.36</td><td>12.87</td><td>36.13</td><td>0.00</td><td>317</td><td>195</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7025.00	107.03	-----	-----	93.93	36.36	12.87	36.13	0.00	317	195	PEAK
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7180.76	55.62	88.20	-32.58	41.81	37.02	13.03	36.24	0.00	317	195	PEAK																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7025.00	107.03	-----	-----	93.93	36.36	12.87	36.13	0.00	317	195	PEAK																																																																								
Avg	Level (dBuV/m) Date: 2025-07-30 AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-250702 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7180.12</td><td>46.71</td><td>68.20</td><td>-21.49</td><td>32.85</td><td>37.06</td><td>13.04</td><td>36.24</td><td>0.00</td><td>317</td><td>195</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7180.12	46.71	68.20	-21.49	32.85	37.06	13.04	36.24	0.00	317	195	AVERAGE	Level (dBuV/m) Date: 2025-07-30 AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-250702 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7025.00</td><td>90.49</td><td>-----</td><td>-----</td><td>85.36</td><td>36.39</td><td>12.88</td><td>36.14</td><td>0.00</td><td>317</td><td>195</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7025.00	90.49	-----	-----	85.36	36.39	12.88	36.14	0.00	317	195	AVERAGE
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7180.12	46.71	68.20	-21.49	32.85	37.06	13.04	36.24	0.00	317	195	AVERAGE																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7025.00	90.49	-----	-----	85.36	36.39	12.88	36.14	0.00	317	195	AVERAGE																																																																								




Mode	15																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_RU 996T_7025MHz																																																																																			
ANT	4+5(STBC)																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-07-30 PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7198.36</td><td>57.27</td><td>88.20</td><td>-30.93</td><td>43.38</td><td>37.09</td><td>13.05</td><td>36.25</td><td>0.00</td><td>100</td><td>198</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7198.36	57.27	88.20	-30.93	43.38	37.09	13.05	36.25	0.00	100	198	PEAK	Level (dBuV/m) Date: 2025-07-30 PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7025.00</td><td>108.98</td><td>-----</td><td>-----</td><td>95.85</td><td>36.39</td><td>12.88</td><td>36.14</td><td>0.00</td><td>100</td><td>198</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7025.00	108.98	-----	-----	95.85	36.39	12.88	36.14	0.00	100	198	PEAK
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7198.36	57.27	88.20	-30.93	43.38	37.09	13.05	36.25	0.00	100	198	PEAK																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7025.00	108.98	-----	-----	95.85	36.39	12.88	36.14	0.00	100	198	PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-07-30 AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7100.76</td><td>48.43</td><td>68.20</td><td>-19.77</td><td>34.62</td><td>37.02</td><td>13.03</td><td>36.24</td><td>0.00</td><td>100</td><td>198</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7100.76	48.43	68.20	-19.77	34.62	37.02	13.03	36.24	0.00	100	198	AVERAGE	Level (dBuV/m) Date: 2025-07-30 AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7025.00</td><td>100.26</td><td>-----</td><td>-----</td><td>87.29</td><td>36.25</td><td>12.83</td><td>36.11</td><td>0.00</td><td>100</td><td>198</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7025.00	100.26	-----	-----	87.29	36.25	12.83	36.11	0.00	100	198	AVERAGE
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7100.76	48.43	68.20	-19.77	34.62	37.02	13.03	36.24	0.00	100	198	AVERAGE																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7025.00	100.26	-----	-----	87.29	36.25	12.83	36.11	0.00	100	198	AVERAGE																																																																									



Mode	16																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_RU 996T*2_6825MHz																																																																																																					
ANT	4+5(STBC)																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-07-30 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91280-02114-250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13650.00</td><td>50.52</td><td>88.20</td><td>-37.68</td><td>58.41</td><td>40.50</td><td>18.24</td><td>67.03</td><td>0.40</td><td>-- PEAK</td></tr><tr><td>2 20475.00</td><td>38.38</td><td>74.00</td><td>-35.62</td><td>41.53</td><td>38.60</td><td>20.60</td><td>52.81</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	50.52	88.20	-37.68	58.41	40.50	18.24	67.03	0.40	-- PEAK	2 20475.00	38.38	74.00	-35.62	41.53	38.60	20.60	52.81	-9.54	-- PEAK	Level (dBuV/m) Date: 2025-07-30 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91280-02114-250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13650.00</td><td>50.33</td><td>88.20</td><td>-37.87</td><td>58.22</td><td>40.50</td><td>18.24</td><td>67.03</td><td>0.40</td><td>-- PEAK</td></tr><tr><td>2 20475.00</td><td>37.73</td><td>74.00</td><td>-36.27</td><td>40.88</td><td>38.60</td><td>20.60</td><td>52.81</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	50.33	88.20	-37.87	58.22	40.50	18.24	67.03	0.40	-- PEAK	2 20475.00	37.73	74.00	-36.27	40.88	38.60	20.60	52.81	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13650.00	50.52	88.20	-37.68	58.41	40.50	18.24	67.03	0.40	-- PEAK																																																																																													
2 20475.00	38.38	74.00	-35.62	41.53	38.60	20.60	52.81	-9.54	-- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 13650.00	50.33	88.20	-37.87	58.22	40.50	18.24	67.03	0.40	-- PEAK																																																																																													
2 20475.00	37.73	74.00	-36.27	40.88	38.60	20.60	52.81	-9.54	-- PEAK																																																																																													



Mode	16	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_RU 996T*2_6825MHz	
ANT	4+5(STBC)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 HORIZONTAL	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 VERTICAL
	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 HORIZONTAL	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250782 VERTICAL





		17																																																																																																															
Mode	Band Edge																																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_RU 996T*2_6985MHz																																																																																																																
ANT	4+5(STBC)																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak	Level (dBuV/m) Date: 2025-07-30 PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91280-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7195.11</td><td>59.53</td><td>88.20</td><td>-28.67</td><td>45.66</td><td>37.08</td><td>13.04</td><td>36.25</td><td>0.00</td><td>308</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>7254.99</td><td>57.16</td><td>74.00</td><td>-16.84</td><td>43.25</td><td>37.10</td><td>13.10</td><td>36.29</td><td>0.00</td><td>308</td><td>193</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7195.11	59.53	88.20	-28.67	45.66	37.08	13.04	36.25	0.00	308	193	PEAK	2	7254.99	57.16	74.00	-16.84	43.25	37.10	13.10	36.29	0.00	308	193	PEAK	Level (dBuV/m) Date: 2025-07-30 PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91280-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>107.03</td><td>-----</td><td>-----</td><td>94.32</td><td>36.03</td><td>12.68</td><td>36.00</td><td>0.00</td><td>308</td><td>193</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6985.00	107.03	-----	-----	94.32	36.03	12.68	36.00	0.00	308	193	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	7195.11	59.53	88.20	-28.67	45.66	37.08	13.04	36.25	0.00	308	193	PEAK																																																																																																					
2	7254.99	57.16	74.00	-16.84	43.25	37.10	13.10	36.29	0.00	308	193	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	6985.00	107.03	-----	-----	94.32	36.03	12.68	36.00	0.00	308	193	PEAK																																																																																																					
Avg	Level (dBuV/m) Date: 2025-07-30 AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91280-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7141.31</td><td>49.76</td><td>68.20</td><td>-18.44</td><td>36.14</td><td>36.85</td><td>12.98</td><td>36.21</td><td>0.00</td><td>308</td><td>193</td><td>AVERAGE</td></tr><tr><td>2</td><td>7250.93</td><td>47.82</td><td>54.00</td><td>-6.18</td><td>33.92</td><td>37.10</td><td>13.09</td><td>36.29</td><td>0.00</td><td>308</td><td>193</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7141.31	49.76	68.20	-18.44	36.14	36.85	12.98	36.21	0.00	308	193	AVERAGE	2	7250.93	47.82	54.00	-6.18	33.92	37.10	13.09	36.29	0.00	308	193	AVERAGE	Level (dBuV/m) Date: 2025-07-30 AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>98.15</td><td>-----</td><td>-----</td><td>84.99</td><td>36.42</td><td>12.88</td><td>36.14</td><td>0.00</td><td>308</td><td>193</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6985.00	98.15	-----	-----	84.99	36.42	12.88	36.14	0.00	308	193	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	7141.31	49.76	68.20	-18.44	36.14	36.85	12.98	36.21	0.00	308	193	AVERAGE																																																																																																					
2	7250.93	47.82	54.00	-6.18	33.92	37.10	13.09	36.29	0.00	308	193	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	6985.00	98.15	-----	-----	84.99	36.42	12.88	36.14	0.00	308	193	AVERAGE																																																																																																					



Mode	17																																																																																																																
	Band Edge																																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_RU 996T*2_6985MHz																																																																																																																
ANT	4+5(STBC)																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak	Level (dBuV/m) Date: 2025-07-30 PEAK_BE(UNII)_6E Site : 03CH12-HY Condition: PEAK_BE(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7132.18</td><td>62.53</td><td>88.20</td><td>-25.67</td><td>48.97</td><td>36.79</td><td>12.97</td><td>36.20</td><td>0.00</td><td>107</td><td>203</td><td>PEAK</td></tr><tr><td>2</td><td>7251.95</td><td>59.70</td><td>74.00</td><td>-14.30</td><td>45.00</td><td>37.10</td><td>13.09</td><td>36.29</td><td>0.00</td><td>107</td><td>203</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7132.18	62.53	88.20	-25.67	48.97	36.79	12.97	36.20	0.00	107	203	PEAK	2	7251.95	59.70	74.00	-14.30	45.00	37.10	13.09	36.29	0.00	107	203	PEAK	Level (dBuV/m) Date: 2025-07-30 PEAK(UNII)_6E Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>100.72</td><td>-----</td><td>-----</td><td>95.53</td><td>36.45</td><td>12.89</td><td>36.15</td><td>0.00</td><td>107</td><td>203</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6985.00	100.72	-----	-----	95.53	36.45	12.89	36.15	0.00	107	203	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	7132.18	62.53	88.20	-25.67	48.97	36.79	12.97	36.20	0.00	107	203	PEAK																																																																																																					
2	7251.95	59.70	74.00	-14.30	45.00	37.10	13.09	36.29	0.00	107	203	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	6985.00	100.72	-----	-----	95.53	36.45	12.89	36.15	0.00	107	203	PEAK																																																																																																					
Avg	Level (dBuV/m) Date: 2025-07-30 AVG_BE(UNII)_6E Site : 03CH12-HY Condition: AVG_BE(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.15</td><td>52.55</td><td>68.20</td><td>-15.65</td><td>39.00</td><td>36.78</td><td>12.97</td><td>36.20</td><td>0.00</td><td>107</td><td>203</td><td>AVERAGE</td></tr><tr><td>2</td><td>7253.90</td><td>49.60</td><td>54.00</td><td>-4.40</td><td>35.69</td><td>37.10</td><td>13.10</td><td>36.29</td><td>0.00</td><td>107</td><td>203</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7130.15	52.55	68.20	-15.65	39.00	36.78	12.97	36.20	0.00	107	203	AVERAGE	2	7253.90	49.60	54.00	-4.40	35.69	37.10	13.10	36.29	0.00	107	203	AVERAGE	Level (dBuV/m) Date: 2025-07-30 AVG(UNII)_6E Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>99.68</td><td>-----</td><td>-----</td><td>86.88</td><td>36.10</td><td>12.74</td><td>36.04</td><td>0.00</td><td>107</td><td>203</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6985.00	99.68	-----	-----	86.88	36.10	12.74	36.04	0.00	107	203	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	7130.15	52.55	68.20	-15.65	39.00	36.78	12.97	36.20	0.00	107	203	AVERAGE																																																																																																					
2	7253.90	49.60	54.00	-4.40	35.69	37.10	13.10	36.29	0.00	107	203	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	6985.00	99.68	-----	-----	86.88	36.10	12.74	36.04	0.00	107	203	AVERAGE																																																																																																					



Mode	17																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_RU 996T*2_6985MHz																																																																																																															
ANT	4+5(STBC)																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-07-30 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91280-02114-250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>50.70</td><td>88.20</td><td>-37.50</td><td>58.05</td><td>40.66</td><td>18.51</td><td>66.91</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20955.00</td><td>37.88</td><td>74.00</td><td>-36.12</td><td>40.39</td><td>38.90</td><td>20.84</td><td>52.71</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	50.70	88.20	-37.50	58.05	40.66	18.51	66.91	0.39	--	PEAK	2	20955.00	37.88	74.00	-36.12	40.39	38.90	20.84	52.71	-9.54	--	PEAK	Level (dBuV/m) Date: 2025-07-30 Site : 03CH12-HY Condition: PEAK(UNII)_6E 3m 91280-02114-250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>50.67</td><td>88.20</td><td>-37.53</td><td>58.02</td><td>40.66</td><td>18.51</td><td>66.91</td><td>0.39</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20955.00</td><td>38.20</td><td>74.00</td><td>-35.80</td><td>40.71</td><td>38.90</td><td>20.84</td><td>52.71</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	50.67	88.20	-37.53	58.02	40.66	18.51	66.91	0.39	--	PEAK	2	20955.00	38.20	74.00	-35.80	40.71	38.90	20.84	52.71	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13970.00	50.70	88.20	-37.50	58.05	40.66	18.51	66.91	0.39	--	PEAK																																																																																																					
2	20955.00	37.88	74.00	-36.12	40.39	38.90	20.84	52.71	-9.54	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13970.00	50.67	88.20	-37.53	58.02	40.66	18.51	66.91	0.39	--	PEAK																																																																																																					
2	20955.00	38.20	74.00	-35.80	40.71	38.90	20.84	52.71	-9.54	--	PEAK																																																																																																					



Mode	17	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_RU 996T*2_6985MHz	
ANT	4+5(STBC)	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250702 HORIZONTAL	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250702 VERTICAL
	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250702 HORIZONTAL	Level (dBuV/m) Date: 2025-07-30 Frequency (MHz) Site : 03CH12-HY Condition: AVG(UNII)_6E 3m 91280-02114-250702 VERTICAL

