


Appendix-C Field Strength of Spurious Radiation-NR

For NR:

Project Information			
Mode:	SA	Band:	n2
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.40	117.96	-95.06	22.90	-	-	Horizontal	NA
2	1961.60	47.63	-94.63	-47.00	-	-	Horizontal	NA
3	2977.40	39.42	-90.71	-51.29	-13.00	38.29	Horizontal	PASS
4	8483.50	37.60	-94.13	-56.53	-13.00	43.53	Horizontal	PASS
5	17825.50	38.13	-82.82	-44.69	-13.00	31.69	Horizontal	PASS

Project Information

Mode:	SA	Band:	n2
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.60	115.29	-95.06	20.23	-	-	Vertical	NA
2	2901.20	39.09	-90.51	-51.42	-13.00	38.42	Vertical	PASS
3	8068.50	37.61	-95.17	-57.56	-13.00	44.56	Vertical	PASS
4	17352.50	37.61	-82.50	-44.89	-13.00	31.89	Vertical	PASS

Project Information

Mode:	SA	Band:	n5
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.00	46.75	-114.09	-67.34	-13.00	54.34	Horizontal	PASS
2	3308.40	45.05	-108.21	-63.16	-13.00	50.16	Horizontal	PASS
3	8029.60	38.59	-95.50	-56.91	-13.00	43.91	Horizontal	PASS

Project Information

Mode:	SA	Band:	n5
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.00	45.99	-114.09	-68.10	-13.00	55.10	Vertical	PASS
2	3308.00	47.91	-108.21	-60.30	-13.00	47.30	Vertical	PASS
3	7864.40	38.04	-95.76	-57.72	-13.00	44.72	Vertical	PASS

Project Information

Mode:	SA	Band:	n7
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.50	117.22	-93.36	23.86	-	-	Horizontal	NA
2	2657.60	45.12	-92.40	-47.28	-	-	Horizontal	NA
3	2930.20	36.99	-90.47	-53.48	-25.00	28.48	Horizontal	PASS
4	12627.50	41.92	-90.23	-48.31	-25.00	23.31	Horizontal	PASS
5	17994.50	38.33	-82.50	-44.17	-25.00	19.17	Horizontal	PASS

Project Information

Mode:	SA	Band:	n7
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.60	109.86	-93.36	16.50	-	-	Vertical	NA
2	2941.60	37.49	-90.45	-52.96	-25.00	27.96	Vertical	PASS
3	10102.00	39.59	-92.07	-52.48	-25.00	27.48	Vertical	PASS
4	12628.00	43.29	-90.22	-46.93	-25.00	21.93	Vertical	PASS

Project Information

Mode:	SA	Band:	n12
Bandwidth:	15MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1401.10	46.60	-114.32	-67.72	-13.00	54.72	Horizontal	PASS
2	5097.80	39.81	-101.96	-62.15	-13.00	49.15	Horizontal	PASS
3	7294.75	38.50	-95.99	-57.49	-13.00	44.49	Horizontal	PASS

Project Information

Mode:	SA	Band:	n12
Bandwidth:	15MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1400.75	45.63	-114.31	-68.68	-13.00	55.68	Vertical	PASS
2	4367.70	39.25	-104.30	-65.05	-13.00	52.05	Vertical	PASS
3	7366.15	39.71	-96.69	-56.98	-13.00	43.98	Vertical	PASS

Project Information

Mode:	SA	Band:	n13
Bandwidth:	10MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1554.63	44.46	-114.06	-69.60	-13.00	56.60	Horizontal	PASS
2	5150.30	38.90	-101.92	-63.02	-13.00	50.02	Horizontal	PASS
3	7275.27	38.11	-96.39	-58.28	-13.00	45.28	Horizontal	PASS

Project Information

Mode:	SA	Band:	n13
Bandwidth:	10MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1554.63	46.38	-114.06	-67.68	-13.00	54.68	Vertical	PASS
2	4309.83	38.60	-104.33	-65.73	-13.00	52.73	Vertical	PASS
3	6992.23	38.12	-97.30	-59.18	-13.00	46.18	Vertical	PASS

Project Information

Mode:	SA	Band:	n14
Bandwidth:	10MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.03	46.18	-114.18	-68.00	-40.00	28.00	Horizontal	PASS
2	3153.43	43.68	-108.35	-64.67	-13.00	51.67	Horizontal	PASS
3	6980.33	38.06	-97.47	-59.41	-13.00	46.41	Horizontal	PASS

Project Information

Mode:	SA	Band:	n14
Bandwidth:	10MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1679.47	43.45	-114.16	-70.71	-13.00	57.71	Vertical	PASS
2	3449.07	41.38	-107.43	-66.05	-13.00	53.05	Vertical	PASS
3	6250.47	38.74	-99.37	-60.63	-13.00	47.63	Vertical	PASS

Project Information

Mode:	SA	Band:	n25
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			

Test Standard:

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.00	118.37	-95.05	23.32	-	-	Horizontal	NA
2	1960.00	48.20	-94.61	-46.41	-	-	Horizontal	NA
3	2924.20	44.73	-90.47	-45.74	-13.00	32.74	Horizontal	PASS
4	9522.50	37.96	-92.65	-54.69	-13.00	41.69	Horizontal	PASS
5	17357.00	38.04	-82.67	-44.63	-13.00	31.63	Horizontal	PASS

Project Information

Mode:	SA	Band:	n25
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.00	115.44	-95.05	20.39	-	-	Vertical	NA
2	2895.80	44.96	-90.54	-45.58	-13.00	32.58	Vertical	PASS
3	9532.00	37.54	-92.68	-55.14	-13.00	42.14	Vertical	PASS
4	17853.00	37.82	-82.49	-44.67	-13.00	31.67	Vertical	PASS

Project Information

Mode:	SA	Band:	n26(814-824)
Bandwidth:	10MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1628.80	46.49	-114.17	-67.68	-13.00	54.68	Horizontal	PASS
2	3257.60	45.80	-108.46	-62.66	-13.00	49.66	Horizontal	PASS
3	8330.00	38.22	-94.74	-56.52	-13.00	43.52	Horizontal	PASS

Project Information

Mode:	SA	Band:	n26(814-824)
Bandwidth:	10MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	46.85	-114.17	-67.32	-13.00	54.32	Vertical	PASS
2	3257.60	48.32	-108.46	-60.14	-13.00	47.14	Vertical	PASS
3	7272.40	38.96	-96.45	-57.49	-13.00	44.49	Vertical	PASS

Project Information

Mode:	SA	Band:	n26(824-849)
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			

Test Standard:

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.40	46.41	-114.09	-67.68	-13.00	54.68	Horizontal	PASS
2	3308.40	45.91	-108.21	-62.30	-13.00	49.30	Horizontal	PASS
3	7950.40	39.15	-95.46	-56.31	-13.00	43.31	Horizontal	PASS

Project Information

Mode:	SA	Band:	n26(824-849)
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.00	46.13	-114.09	-67.96	-13.00	54.96	Vertical	PASS
2	3308.00	48.05	-108.21	-60.16	-13.00	47.16	Vertical	PASS
3	7446.40	39.76	-96.97	-57.21	-13.00	44.21	Vertical	PASS

Project Information

Mode:	SA	Band:	n30
Bandwidth:	10MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.40	106.02	-83.72	22.30	-	-	Horizontal	NA
2	2354.30	41.82	-83.69	-41.87	-	-	Horizontal	NA
3	2980.80	30.66	-80.00	-49.34	-40.00	9.34	Horizontal	PASS
4	9150.50	34.80	-92.00	-57.20	-40.00	17.20	Horizontal	PASS
5	15071.50	33.47	-86.30	-52.83	-40.00	12.83	Horizontal	PASS

Project Information

Mode:	SA	Band:	n30
Bandwidth:	10MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.40	98.68	-83.72	14.96	-	-	Vertical	NA
2	2978.50	30.40	-79.96	-49.56	-40.00	9.56	Vertical	PASS
3	8993.50	36.84	-93.32	-56.48	-40.00	16.48	Vertical	PASS
4	15071.00	33.18	-86.30	-53.12	-40.00	13.12	Vertical	PASS

Project Information

Mode:	SA	Band:	n66
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			

Test Standard:

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	120.08	-94.92	25.16	-	-	Horizontal	NA
2	2138.80	47.26	-94.68	-47.42	-	-	Horizontal	NA
3	2892.40	44.86	-90.56	-45.70	-13.00	32.70	Horizontal	PASS
4	13420.00	37.31	-88.23	-50.92	-13.00	37.92	Horizontal	PASS
5	17809.00	38.65	-83.06	-44.41	-13.00	31.41	Horizontal	PASS

Project Information

Mode:	SA	Band:	n66
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.40	115.71	-94.92	20.79	-	-	Vertical	NA
2	2895.40	44.76	-90.54	-45.78	-13.00	32.78	Vertical	PASS
3	7968.00	38.02	-95.34	-57.32	-13.00	44.32	Vertical	PASS
4	17847.50	38.26	-82.49	-44.23	-13.00	31.23	Vertical	PASS

Project Information

Mode:	SA	Band:	n70
Bandwidth:	15MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.40	119.05	-95.21	23.84	-	-	Horizontal	NA
2	1996.80	49.33	-95.00	-45.67	-	-	Horizontal	NA
3	2954.00	44.65	-90.48	-45.83	-13.00	32.83	Horizontal	PASS
4	8065.50	37.65	-95.19	-57.54	-13.00	44.54	Horizontal	PASS
5	17982.00	38.17	-82.67	-44.50	-13.00	31.50	Horizontal	PASS

Project Information

Mode:	SA	Band:	n70
Bandwidth:	15MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.40	114.88	-95.21	19.67	-	-	Vertical	NA
2	2998.60	45.25	-90.93	-45.68	-13.00	32.68	Vertical	PASS
3	12839.00	37.02	-89.37	-52.35	-13.00	39.35	Vertical	PASS
4	17850.50	37.80	-82.47	-44.67	-13.00	31.67	Vertical	PASS

Project Information

Mode:	SA	Band:	n71
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1342.30	44.87	-114.22	-69.35	-13.00	56.35	Horizontal	PASS
2	3468.55	41.23	-107.41	-66.18	-13.00	53.18	Horizontal	PASS
3	7321.70	38.72	-96.27	-57.55	-13.00	44.55	Horizontal	PASS

Project Information

Mode:	SA	Band:	n71
Bandwidth:	20MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1341.95	45.26	-114.22	-68.96	-13.00	55.96	Vertical	PASS
2	3893.80	40.06	-106.12	-66.06	-13.00	53.06	Vertical	PASS
3	7005.65	38.56	-97.23	-58.67	-13.00	45.67	Vertical	PASS

Project Information

Mode:	SA	Band:	n38
Bandwidth:	40MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2576.10	115.26	-93.35	21.91	-	-	Horizontal	NA
2	2935.90	36.36	-90.46	-54.10	-25.00	29.10	Horizontal	PASS
3	9507.00	37.80	-92.61	-54.81	-25.00	29.81	Horizontal	PASS
4	17352.00	37.53	-82.48	-44.95	-25.00	19.95	Horizontal	PASS

Project Information

Mode:	SA	Band:	n38
Bandwidth:	40MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2576.10	110.45	-93.35	17.10	-	-	Vertical	NA
2	2979.20	37.32	-90.73	-53.41	-25.00	28.41	Vertical	PASS
3	10304.00	38.80	-91.45	-52.65	-25.00	27.65	Vertical	PASS
4	17855.00	38.20	-82.52	-44.32	-25.00	19.32	Vertical	PASS

Project Information

Mode:	SA	Band:	n41
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2546.10	114.66	-93.47	21.19	-	-	Horizontal	NA
2	2938.20	36.70	-90.45	-53.75	-25.00	28.75	Horizontal	PASS
3	11443.00	37.78	-90.21	-52.43	-25.00	27.43	Horizontal	PASS
4	17357.50	37.34	-82.69	-45.35	-25.00	20.35	Horizontal	PASS

Project Information

Mode:	SA	Band:	n41
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2546.00	109.53	-93.47	16.06	-	-	Vertical	NA
2	2923.20	36.78	-90.47	-53.69	-25.00	28.69	Vertical	PASS
3	9594.50	37.52	-92.45	-54.93	-25.00	29.93	Vertical	PASS
4	17854.00	37.76	-82.51	-44.75	-25.00	19.75	Vertical	PASS

Project Information

Mode:	SA	Band:	n48
Bandwidth:	40MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3605.90	109.37	-88.67	20.70	-	-	Horizontal	NA
2	6483.50	31.56	-79.89	-48.33	-40.00	8.33	Horizontal	PASS
3	7212.26	39.36	-95.98	-56.62	-40.00	16.62	Horizontal	PASS
4	17359.43	32.59	-83.05	-50.46	-40.00	10.46	Horizontal	PASS

Project Information

Mode:	SA	Band:	n48
Bandwidth:	40MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3605.90	104.77	-88.67	16.10	-	-	Vertical	NA
2	6379.28	31.74	-80.19	-48.45	-40.00	8.45	Vertical	PASS
3	7212.26	41.11	-95.98	-54.87	-40.00	14.87	Vertical	PASS
4	17984.28	31.83	-81.69	-49.86	-40.00	9.86	Vertical	PASS

Project Information

Mode:	SA	Band:	n77(3450-3550)
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	105.74	-88.97	16.77	-	-	Horizontal	NA
2	6428.50	36.88	-80.32	-43.44	-13.00	30.44	Horizontal	PASS
3	6901.73	40.60	-96.97	-56.37	-13.00	43.37	Horizontal	PASS
4	17997.32	32.02	-81.51	-49.49	-13.00	36.49	Horizontal	PASS

Project Information

Mode:	SA	Band:	n77(3450-3550)
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	103.97	-88.97	15.00	-	-	Vertical	NA
2	6326.20	36.60	-80.18	-43.58	-13.00	30.58	Vertical	PASS
3	6902.12	43.36	-96.98	-53.62	-13.00	40.62	Vertical	PASS
4	15081.68	33.11	-86.16	-53.05	-13.00	40.05	Vertical	PASS

Project Information

Mode:	SA	Band:	n77(3700-3980)
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	107.48	-88.23	19.25	-	-	Horizontal	NA
2	6350.95	36.40	-79.88	-43.48	-13.00	30.48	Horizontal	PASS
3	9476.58	36.80	-92.82	-56.02	-13.00	43.02	Horizontal	PASS
4	17378.62	33.05	-83.12	-50.07	-13.00	37.07	Horizontal	PASS

Project Information

Mode:	SA	Band:	n77(3700-3980)
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3790.98	102.62	-88.23	14.39	-	-	Vertical	NA
2	6430.15	36.24	-80.31	-44.07	-13.00	31.07	Vertical	PASS
3	12066.38	34.64	-89.91	-55.27	-13.00	42.27	Vertical	PASS
4	17366.73	32.50	-83.07	-50.57	-13.00	37.57	Vertical	PASS

Project Information

Mode:	SA	Band:	n78(3450-3550)
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	105.77	-88.97	16.80	-	-	Horizontal	NA
2	6336.65	36.70	-80.04	-43.34	-13.00	30.34	Horizontal	PASS
3	6901.73	40.08	-96.97	-56.89	-13.00	43.89	Horizontal	PASS
4	17366.73	32.84	-83.07	-50.23	-13.00	37.23	Horizontal	PASS

Project Information

Mode:	SA	Band:	n78(3450-3550)
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3451.08	103.77	-88.97	14.80	-	-	Vertical	NA
2	6343.25	36.55	-79.96	-43.41	-13.00	30.41	Vertical	PASS
3	6901.73	43.58	-96.97	-53.39	-13.00	40.39	Vertical	PASS
4	15064.82	33.19	-86.09	-52.90	-13.00	39.90	Vertical	PASS

Project Information

Mode:	SA	Band:	n78(3700-3800)
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			

Test Standard:

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3701.05	108.18	-88.74	19.44	-	-	Horizontal	NA
2	6276.43	37.64	-80.74	-43.10	-13.00	30.10	Horizontal	PASS
3	11463.78	35.02	-90.26	-55.24	-13.00	42.24	Horizontal	PASS
4	17343.35	32.74	-83.23	-50.49	-13.00	37.49	Horizontal	PASS

Project Information

Mode:	SA	Band:	n78(3700-3800)
Bandwidth:	100MHz	Channel:	MID
IMEI:	865136060030323	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3701.05	100.99	-88.74	12.25	-	-	Vertical	NA
2	6177.43	37.83	-81.02	-43.19	-13.00	30.19	Vertical	PASS
3	7401.98	38.41	-95.59	-57.18	-13.00	44.18	Vertical	PASS
4	17847.05	31.27	-81.40	-50.13	-13.00	37.13	Vertical	PASS

~The End~