



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B521L

Data :#1


Date: 2016/12/9

Temperature:24 °C

0.0 dBm

Time: 下午 03:37:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.68	peak	23.64	-74.04	-13.00	150	240	-61.04	
	157.0742	-102.04	peak	23.20	-78.84	-13.00	150	100	-65.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B521L

Data : #2


Date: 2016/12/9

Temperature: 24 °C

0.0 dBm

Time: 下午 04:38:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-100.35	peak	24.20	-76.15	-13.00	150	170	-63.15	
	159.1183	-103.36	peak	24.31	-79.05	-13.00	150	240	-66.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B522L

Data : #1


Date: 2016/12/9

Temperature: 24 °C

0.0 dBm

Time: 下午 01:47:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	464.5291	-76.67	peak	-7.21	-83.88	-13.00	150	240	-70.88	
*	682.5652	-77.31	peak	-0.82	-78.13	-13.00	150	100	-65.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B522L

Data : #2


Date: 2016/12/9

Temperature: 24 °C

0.0 dBm

Time: 下午 02:46:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	514.2285	-76.00	peak	-4.50	-80.50	-13.00	150	140	-67.50	
*	730.6614	-69.09	peak	-1.37	-70.46	-13.00	150	240	-57.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B523L

Data : #1


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:10:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-56.32	peak	2.78	-53.54	-13.00	150	240	-40.54	
*	2509.018	-55.33	peak	7.85	-47.48	-13.00	150	100	-34.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B523L

Data : #3


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:41:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2478.958	-61.39	peak	9.61	-51.78	-13.00	150	200	-38.78	
*	2755.511	-61.92	peak	12.08	-49.84	-13.00	150	210	-36.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B523L

Data : #2


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:11:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B523L

Data : #4


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:42:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B523L

Data : #3


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:09:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: Horizontal

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B523L

Data : #8


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:10:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523L

Data :#4


Date: 2017/1/4

Temperature:24 °C

0.0 dBm

Time: 上午 11:09:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523L

Data :#9


Date: 2017/1/4

Temperature:24 °C

0.0 dBm

Time: 上午 11:10:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B523L

Data : #5


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:09:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B523L

Data : #10


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:10:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B531H

Data : #1


Date: 2016/12/9

Temperature: 24 °C

0.0 dBm

Time: 下午 03:40:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.53	peak	23.64	-74.89	-13.00	150	240	-61.89	
	150.6012	-102.68	peak	22.83	-79.85	-13.00	150	150	-66.85	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B531H

Data :#2


Date: 2016/12/9

Temperature:24 °C

0.0 dBm

Time: 下午 04:38:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.3327	-94.86	peak	23.88	-70.98	-13.00	150	170	-57.98	
	132.5451	-104.16	peak	22.57	-81.59	-13.00	150	240	-68.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B532H

Data : #1


Date: 2016/12/9

Temperature: 24 °C

0.0 dBm

Time: 下午 01:50:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	347.4951	-76.35	peak	-7.45	-83.80	-13.00	150	240	-70.80	
*	668.1363	-77.34	peak	-0.85	-78.19	-13.00	150	140	-65.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B532H

Data : #2


Date: 2016/12/9

Temperature: 24 °C

0.0 dBm

Time: 下午 02:48:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	623.2465	-76.01	peak	-3.08	-79.09	-13.00	150	240	-66.09	
*	775.5511	-74.74	peak	-1.39	-76.13	-13.00	150	170	-63.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533H

Data : #1


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:17:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Horizontal

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-52.58	peak	2.79	-49.79	-13.00	150	240	-36.79	
*	2545.090	-53.84	peak	7.77	-46.07	-13.00	150	100	-33.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533H

Data : #3


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:30:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2436.874	-59.42	peak	8.51	-50.91	-13.00	150	240	-37.91	
*	2773.547	-61.05	peak	12.08	-48.97	-13.00	150	100	-35.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533H

Data : #2


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:18:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533H

Data : #4


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:30:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B533H

Data :#3


Date: 2017/1/4

Temperature:24 °C

0.0 dBm

Time: 上午 11:17:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B533H

Data :#8


Date: 2017/1/4

Temperature:24 °C

0.0 dBm

Time: 上午 11:18:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533H

Data : #4


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:17:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533H

Data : #9


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:18:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533H

Data : #5


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:18:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B533H

Data :#10


Date: 2017/1/4

Temperature:24 °C

0.0 dBm

Time: 上午 11:18:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B531L

Data : #1


Date: 2016/12/9

Temperature: 24 °C

0.0 dBm

Time: 下午 03:40:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: **Horizontal**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.9700	-101.14	peak	23.92	-77.22	-13.00	150	280	-64.22	
*	97.7957	-98.13	peak	23.64	-74.49	-13.00	150	150	-61.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B531L

Data : #2


Date: 2016/12/9

Temperature: 24 °C

0.0 dBm

Time: 下午 04:39:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.3327	-94.45	peak	23.88	-70.57	-13.00	150	240	-57.57	
	134.5892	-103.51	peak	22.55	-80.96	-13.00	150	100	-67.96	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B532L

Data :#1


Date: 2016/12/9

Temperature:24 °C

0.0 dBm

Time: 下午 01:52:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	337.8758	-75.66	peak	-7.72	-83.38	-13.00	150	140	-70.38	
*	687.3748	-75.84	peak	-0.81	-76.65	-13.00	150	200	-63.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B532L

Data : #2


Date: 2016/12/9

Temperature: 24 °C

0.0 dBm

Time: 下午 02:51:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	730.6614	-73.06	peak	-1.37	-74.43	-13.00	150	240	-61.43	
*	945.4910	-74.06	peak	-0.30	-74.36	-13.00	150	100	-61.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533L

Data : #1


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:24:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2178.357	-60.28	peak	6.63	-53.65	-13.00	150	240	-40.65	
*	3248.497	-58.42	peak	8.03	-50.39	-13.00	150	200	-37.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533L

Data : #3


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:31:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2503.006	-62.38	peak	10.10	-52.28	-13.00	150	270	-39.28	
*	2731.463	-62.50	peak	12.08	-50.42	-13.00	150	140	-37.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533L

Data : #2


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:27:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533L

Data : #4


Date: 2016/12/7

Temperature: 24 °C

0.0 dBm

Time: 下午 05:32:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533L

Data : #3


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:15:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533L

Data : #8


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:15:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533L

Data : #4


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:15:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B533L

Data :#9


Date: 2017/1/4

Temperature:24 °C

0.0 dBm

Time: 上午 11:15:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B533L

Data :#5


Date: 2017/1/4

Temperature:24 °C

0.0 dBm

Time: 上午 11:15:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File : B533L

Data : #10


Date: 2017/1/4

Temperature: 24 °C

0.0 dBm

Time: 上午 11:16:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :1

Data :#1


Date: 2016/12/27

Temperature: 24 °C

80.0 dBuV/m

Time: 下午 02:21:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band V Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	127.1944	26.83	peak	-6.19	20.64	43.50	100	80	-22.86	
	362.4048	34.03	peak	-4.35	29.68	46.00	100	220	-16.32	
	399.3387	34.09	peak	-3.69	30.40	46.00	100	300	-15.60	
*	931.9638	28.81	peak	4.94	33.75	46.00	100	295	-12.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :1

Data :#2


Date: 2016/12/27

Temperature: 24 °C

80.0 dBuV/m

Time: 下午 02:22:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band V Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	31.9440	31.42	peak	-7.31	24.11	40.00	100	335	-15.89	
	107.7555	29.59	peak	-7.53	22.06	43.50	100	75	-21.44	
*	399.3387	35.94	peak	-3.69	32.25	46.00	100	190	-13.75	
	648.1563	27.71	peak	1.00	28.71	46.00	100	250	-17.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File : 3

Data : #1


Date: 2016/12/27

Temperature: 24 °C

90.0 dBuV/m

Time: 下午 02:28:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band V Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4072.144	44.80	peak	-1.55	43.25	74.00	100	335	-30.75	
*	7004.008	41.19	peak	4.20	45.39	74.00	100	155	-28.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File : 3

Data : #3


Date: 2016/12/27

Temperature: 24 °C

90.0 dBuV/m

Time: 下午 02:30:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band V Idle

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3244.489	46.21	peak	-2.81	43.40	74.00	100	140	-30.60	
*	6498.998	47.14	peak	3.19	50.33	74.00	100	325	-23.67	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File : 3

Data : #2


Date: 2016/12/27

Temperature: 24 °C

90.0 dBuV/m

Time: 下午 02:29:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band V Idle

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File : 3

Data : #4


Date: 2016/12/27

Temperature: 24 °C

90.0 dBuV/m

Time: 下午 02:31:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band V Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin