










Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.795	2403.118	1.323	≥ 0.9248	Pass
NVNT	1-DH5	2440.792	2441.794	1.002	≥ 0.9327	Pass
NVNT	1-DH5	2479.119	2480.115	0.996	≥ 0.9152	Pass
NVNT	2-DH5	2402.08	2402.947	0.867	≥ 0.819	Pass
NVNT	2-DH5	2440.795	2441.824	1.029	≥ 0.841	Pass
NVNT	2-DH5	2478.768	2479.869	1.101	≥ 0.838	Pass
NVNT	3-DH5	2401.762	2402.929	1.167	≥ 0.795	Pass
NVNT	3-DH5	2440.813	2442.103	1.29	≥ 0.834	Pass
NVNT	3-DH5	2479.155	2480.094	0.939	≥ 0.847	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-55	≤ -20	Pass
NVNT	1-DH5	2480	No-Hopping	-55.57	≤ -20	Pass
NVNT	2-DH5	2402	No-Hopping	-54.76	≤ -20	Pass
NVNT	2-DH5	2480	No-Hopping	-56.13	≤ -20	Pass
NVNT	3-DH5	2402	No-Hopping	-55.07	≤ -20	Pass
NVNT	3-DH5	2480	No-Hopping	-56.34	≤ -20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-55.73	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-55.52	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-55.87	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-56.67	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-57.61	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-58.1	<=-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-47.24	<=-20	Pass
NVNT	1-DH5	2441	-46.94	<=-20	Pass
NVNT	1-DH5	2480	-45.82	<=-20	Pass
NVNT	2-DH5	2402	-46.88	<=-20	Pass
NVNT	2-DH5	2441	-46.1	<=-20	Pass
NVNT	2-DH5	2480	-46.23	<=-20	Pass
NVNT	3-DH5	2402	-46.44	<=-20	Pass
NVNT	3-DH5	2441	-46.55	<=-20	Pass
NVNT	3-DH5	2480	-46.8	<=-20	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****