


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band41 full


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-25	Pass	2986
30	1000	0.1	RMS	962.9	-59.13	-25	Pass	9701
1000	2486	1	RMS	2410	-43.35	-25	Pass	1487
2486	2700	1	RMS	2496.165	15.5	60	Pass	401
2700	3000	1	RMS	2769.75	-42.77	-25	Pass	401
3000	12000	1	RMS	12000	-47.89	-25	Pass	9001
12000	27000	1	RMS	25743	-30.46	-25	Pass	15001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.3	-25	Pass	2986
30	1000	0.1	RMS	987.3	-59.02	-25	Pass	9701
1000	2486	1	RMS	2412	-43.36	-25	Pass	1487
2486	2700	1	RMS	2500.445	15.13	60	Pass	401
2700	3000	1	RMS	2769.75	-42.76	-25	Pass	401
3000	12000	1	RMS	11999	-47.85	-25	Pass	9001
12000	27000	1	RMS	25743	-30.45	-25	Pass	15001



1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-25	Pass	2986
30	1000	0.1	RMS	965.2	-59.06	-25	Pass	9701
1000	2486	1	RMS	2407	-43.37	-25	Pass	1487
2486	2700	1	RMS	2496.165	15.42	60	Pass	401
2700	3000	1	RMS	2769.75	-42.75	-25	Pass	401
3000	12000	1	RMS	11999	-47.91	-25	Pass	9001
12000	27000	1	RMS	25739	-30.4	-25	Pass	15001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-25	Pass	2986
30	1000	0.1	RMS	986.5	-59.03	-25	Pass	9701
1000	2486	1	RMS	2411	-43.39	-25	Pass	1487
2486	2700	1	RMS	2500.445	14.9	60	Pass	401
2700	3000	1	RMS	2769.75	-42.78	-25	Pass	401
3000	12000	1	RMS	11998	-47.91	-25	Pass	9001
12000	27000	1	RMS	25740	-30.39	-25	Pass	15001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-25	Pass	2986
30	1000	0.1	RMS	986.1	-59.04	-25	Pass	9701
1000	2486	1	RMS	2414	-43.38	-25	Pass	1487
2486	2700	1	RMS	2590.86	16.22	60	Pass	401
2700	3000	1	RMS	2769.75	-42.79	-25	Pass	401
3000	12000	1	RMS	11998	-47.81	-25	Pass	9001
12000	27000	1	RMS	25741	-30.43	-25	Pass	15001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-25	Pass	2986
30	1000	0.1	RMS	879	-58.69	-25	Pass	9701
1000	2486	1	RMS	2414	-43.39	-25	Pass	1487
2486	2700	1	RMS	2595.14	16.03	60	Pass	401
2700	3000	1	RMS	2769.75	-42.74	-25	Pass	401
3000	12000	1	RMS	12000	-47.89	-25	Pass	9001
12000	27000	1	RMS	25740	-30.41	-25	Pass	15001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-25	Pass	2986
30	1000	0.1	RMS	974.8	-59.08	-25	Pass	9701
1000	2486	1	RMS	2408	-43.35	-25	Pass	1487
2486	2700	1	RMS	2590.86	16.31	60	Pass	401
2700	3000	1	RMS	2769.75	-42.78	-25	Pass	401
3000	12000	1	RMS	11999	-47.86	-25	Pass	9001
12000	27000	1	RMS	25739	-30.37	-25	Pass	15001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	867.5	-58.92	-25	Pass	9701
1000	2486	1	RMS	2410	-43.36	-25	Pass	1487
2486	2700	1	RMS	2595.14	16.17	60	Pass	401
2700	3000	1	RMS	2769.75	-42.75	-25	Pass	401
3000	12000	1	RMS	11999	-47.83	-25	Pass	9001
12000	27000	1	RMS	25733	-30.38	-25	Pass	15001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-25	Pass	2986
30	1000	0.1	RMS	980.1	-59.04	-25	Pass	9701
1000	2486	1	RMS	2415	-43.39	-25	Pass	1487
2486	2700	1	RMS	2685.555	15.31	60	Pass	401
2700	3000	1	RMS	2769.75	-42.77	-25	Pass	401
3000	12000	1	RMS	11997	-47.81	-25	Pass	9001
12000	27000	1	RMS	25743	-30.37	-25	Pass	15001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.89	-25	Pass	2986
30	1000	0.1	RMS	887.4	-59.08	-25	Pass	9701
1000	2486	1	RMS	2403	-43.37	-25	Pass	1487
2486	2700	1	RMS	2689.835	15.77	60	Pass	401
2700	3000	1	RMS	2769.75	-42.79	-25	Pass	401
3000	12000	1	RMS	11999	-47.89	-25	Pass	9001
12000	27000	1	RMS	25744	-30.42	-25	Pass	15001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.76	-25	Pass	2986
30	1000	0.1	RMS	995.3	-59.06	-25	Pass	9701
1000	2486	1	RMS	2408	-43.4	-25	Pass	1487
2486	2700	1	RMS	2685.555	15.56	60	Pass	401
2700	3000	1	RMS	2769.75	-42.79	-25	Pass	401
3000	12000	1	RMS	12000	-47.89	-25	Pass	9001
12000	27000	1	RMS	25745	-30.38	-25	Pass	15001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-25	Pass	2986
30	1000	0.1	RMS	997.6	-59.1	-25	Pass	9701
1000	2486	1	RMS	2416	-43.41	-25	Pass	1487
2486	2700	1	RMS	2689.835	15.77	60	Pass	401
2700	3000	1	RMS	2769.75	-42.76	-25	Pass	401
3000	12000	1	RMS	11998	-47.85	-25	Pass	9001
12000	27000	1	RMS	25744	-30.39	-25	Pass	15001



1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-25	Pass	2986
30	1000	0.1	RMS	967.6	-59.02	-25	Pass	9701
1000	2486	1	RMS	2485	-43.14	-25	Pass	1487
2486	2700	1	RMS	2496.7	15.68	60	Pass	401
2700	3000	1	RMS	2770.5	-42.79	-25	Pass	401
3000	12000	1	RMS	11998	-47.86	-25	Pass	9001
12000	27000	1	RMS	25744	-30.42	-25	Pass	15001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-25	Pass	2986
30	1000	0.1	RMS	974.7	-59.01	-25	Pass	9701
1000	2486	1	RMS	2401	-43.35	-25	Pass	1487
2486	2700	1	RMS	2505.26	14.84	60	Pass	401
2700	3000	1	RMS	2769.75	-42.77	-25	Pass	401
3000	12000	1	RMS	12000	-47.88	-25	Pass	9001
12000	27000	1	RMS	25743	-30.37	-25	Pass	15001



1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-25	Pass	2986
30	1000	0.1	RMS	914.8	-59.1	-25	Pass	9701
1000	2486	1	RMS	2486	-42.79	-25	Pass	1487
2486	2700	1	RMS	2496.7	15.66	60	Pass	401
2700	3000	1	RMS	2769.75	-42.78	-25	Pass	401
3000	12000	1	RMS	12000	-47.84	-25	Pass	9001
12000	27000	1	RMS	25748	-30.42	-25	Pass	15001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-25	Pass	2986
30	1000	0.1	RMS	895.8	-58.91	-25	Pass	9701
1000	2486	1	RMS	2433	-43.03	-25	Pass	1487
2486	2700	1	RMS	2505.26	14.88	60	Pass	401
2700	3000	1	RMS	2769.75	-42.75	-25	Pass	401
3000	12000	1	RMS	11998	-47.79	-25	Pass	9001
12000	27000	1	RMS	25741	-30.39	-25	Pass	15001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-25	Pass	2986
30	1000	0.1	RMS	974.7	-59.08	-25	Pass	9701
1000	2486	1	RMS	2413	-43.39	-25	Pass	1487
2486	2700	1	RMS	2588.72	15.77	60	Pass	401
2700	3000	1	RMS	2769.75	-42.76	-25	Pass	401
3000	12000	1	RMS	12000	-47.89	-25	Pass	9001
12000	27000	1	RMS	25746	-30.4	-25	Pass	15001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2986
30	1000	0.1	RMS	972.6	-59.15	-25	Pass	9701
1000	2486	1	RMS	2417	-43.39	-25	Pass	1487
2486	2700	1	RMS	2597.28	15.71	60	Pass	401
2700	3000	1	RMS	2769.75	-42.78	-25	Pass	401
3000	12000	1	RMS	11999	-47.91	-25	Pass	9001
12000	27000	1	RMS	25744	-30.37	-25	Pass	15001



1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-25	Pass	2986
30	1000	0.1	RMS	976.7	-59.01	-25	Pass	9701
1000	2486	1	RMS	2419	-43.34	-25	Pass	1487
2486	2700	1	RMS	2588.72	15.74	60	Pass	401
2700	3000	1	RMS	2769.75	-42.78	-25	Pass	401
3000	12000	1	RMS	11997	-47.87	-25	Pass	9001
12000	27000	1	RMS	25741	-30.35	-25	Pass	15001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-25	Pass	2986
30	1000	0.1	RMS	981.3	-59.04	-25	Pass	9701
1000	2486	1	RMS	2409	-43.35	-25	Pass	1487
2486	2700	1	RMS	2597.28	15.58	60	Pass	401
2700	3000	1	RMS	2769.75	-42.77	-25	Pass	401
3000	12000	1	RMS	11998	-47.82	-25	Pass	9001
12000	27000	1	RMS	25745	-30.42	-25	Pass	15001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-25	Pass	2986
30	1000	0.1	RMS	985.9	-59.09	-25	Pass	9701
1000	2486	1	RMS	2419	-43.39	-25	Pass	1487
2486	2700	1	RMS	2680.74	15.21	60	Pass	401
2700	3000	1	RMS	2769.75	-42.76	-25	Pass	401
3000	12000	1	RMS	11998	-47.83	-25	Pass	9001
12000	27000	1	RMS	25748	-30.34	-25	Pass	15001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-25	Pass	2986
30	1000	0.1	RMS	980.7	-59.16	-25	Pass	9701
1000	2486	1	RMS	2411	-43.4	-25	Pass	1487
2486	2700	1	RMS	2689.3	15.9	60	Pass	401
2700	3000	1	RMS	2700	-42.72	-25	Pass	401
3000	12000	1	RMS	12000	-47.82	-25	Pass	9001
12000	27000	1	RMS	25740	-30.44	-25	Pass	15001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.76	-25	Pass	2986
30	1000	0.1	RMS	857.4	-59.03	-25	Pass	9701
1000	2486	1	RMS	2413	-43.33	-25	Pass	1487
2486	2700	1	RMS	2680.74	15.51	60	Pass	401
2700	3000	1	RMS	2769	-42.76	-25	Pass	401
3000	12000	1	RMS	12000	-47.82	-25	Pass	9001
12000	27000	1	RMS	25743	-30.4	-25	Pass	15001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-25	Pass	2986
30	1000	0.1	RMS	989.2	-59.15	-25	Pass	9701
1000	2486	1	RMS	2407	-43.37	-25	Pass	1487
2486	2700	1	RMS	2689.3	16.16	60	Pass	401
2700	3000	1	RMS	2700	-42.66	-25	Pass	401
3000	12000	1	RMS	11999	-47.77	-25	Pass	9001
12000	27000	1	RMS	25738	-30.42	-25	Pass	15001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-25	Pass	2986
30	1000	0.1	RMS	884.4	-59.09	-25	Pass	9701
1000	2486	1	RMS	2485	-42.82	-25	Pass	1487
2486	2700	1	RMS	2496.7	15.47	60	Pass	401
2700	3000	1	RMS	2769.75	-42.77	-25	Pass	401
3000	12000	1	RMS	11995	-47.88	-25	Pass	9001
12000	27000	1	RMS	25740	-30.39	-25	Pass	15001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-25	Pass	2986
30	1000	0.1	RMS	962.1	-58.98	-25	Pass	9701
1000	2486	1	RMS	2484	-43.35	-25	Pass	1487
2486	2700	1	RMS	2510.075	15.28	60	Pass	401
2700	3000	1	RMS	2769.75	-42.75	-25	Pass	401
3000	12000	1	RMS	11997	-47.85	-25	Pass	9001
12000	27000	1	RMS	25743	-30.45	-25	Pass	15001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-25	Pass	2986
30	1000	0.1	RMS	894.2	-59.11	-25	Pass	9701
1000	2486	1	RMS	2485	-42.76	-25	Pass	1487
2486	2700	1	RMS	2496.7	15.63	60	Pass	401
2700	3000	1	RMS	2769.75	-42.76	-25	Pass	401
3000	12000	1	RMS	11999	-47.85	-25	Pass	9001
12000	27000	1	RMS	25746	-30.4	-25	Pass	15001



1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-25	Pass	2986
30	1000	0.1	RMS	852.2	-59.02	-25	Pass	9701
1000	2486	1	RMS	2483	-43.06	-25	Pass	1487
2486	2700	1	RMS	2510.075	15.37	60	Pass	401
2700	3000	1	RMS	2769.75	-42.77	-25	Pass	401
3000	12000	1	RMS	11999	-47.89	-25	Pass	9001
12000	27000	1	RMS	25742	-30.44	-25	Pass	15001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-25	Pass	2986
30	1000	0.1	RMS	976.4	-59.11	-25	Pass	9701
1000	2486	1	RMS	2413	-43.34	-25	Pass	1487
2486	2700	1	RMS	2586.58	14.92	60	Pass	401
2700	3000	1	RMS	2769.75	-42.75	-25	Pass	401
3000	12000	1	RMS	11998	-47.86	-25	Pass	9001
12000	27000	1	RMS	25742	-30.41	-25	Pass	15001



1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-25	Pass	2986
30	1000	0.1	RMS	981.8	-59.1	-25	Pass	9701
1000	2486	1	RMS	2463	-43.24	-25	Pass	1487
2486	2700	1	RMS	2599.42	15.19	60	Pass	401
2700	3000	1	RMS	2768.25	-42.78	-25	Pass	401
3000	12000	1	RMS	11999	-47.83	-25	Pass	9001
12000	27000	1	RMS	25744	-30.44	-25	Pass	15001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-25	Pass	2986
30	1000	0.1	RMS	992.3	-58.98	-25	Pass	9701
1000	2486	1	RMS	2406	-43.35	-25	Pass	1487
2486	2700	1	RMS	2586.58	14.77	60	Pass	401
2700	3000	1	RMS	2769.75	-42.78	-25	Pass	401
3000	12000	1	RMS	11992	-47.87	-25	Pass	9001
12000	27000	1	RMS	25746	-30.37	-25	Pass	15001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	891.6	-59.08	-25	Pass	9701
1000	2486	1	RMS	2401	-43.39	-25	Pass	1487
2486	2700	1	RMS	2599.42	15.03	60	Pass	401
2700	3000	1	RMS	2769.75	-42.75	-25	Pass	401
3000	12000	1	RMS	11997	-47.82	-25	Pass	9001
12000	27000	1	RMS	25746	-30.38	-25	Pass	15001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-25	Pass	2986
30	1000	0.1	RMS	873.4	-58.97	-25	Pass	9701
1000	2486	1	RMS	2414	-43.38	-25	Pass	1487
2486	2700	1	RMS	2675.925	15.93	60	Pass	401
2700	3000	1	RMS	2702.25	-42.63	-25	Pass	401
3000	12000	1	RMS	11999	-47.83	-25	Pass	9001
12000	27000	1	RMS	25738	-30.39	-25	Pass	15001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-25	Pass	2986
30	1000	0.1	RMS	862.4	-59.15	-25	Pass	9701
1000	2486	1	RMS	2423	-43.37	-25	Pass	1487
2486	2700	1	RMS	2689.3	15.81	60	Pass	401
2700	3000	1	RMS	2700.75	-42.6	-25	Pass	401
3000	12000	1	RMS	12000	-47.81	-25	Pass	9001
12000	27000	1	RMS	25744	-30.37	-25	Pass	15001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-25	Pass	2986
30	1000	0.1	RMS	910.8	-59.03	-25	Pass	9701
1000	2486	1	RMS	2408	-43.37	-25	Pass	1487
2486	2700	1	RMS	2675.925	16.04	60	Pass	401
2700	3000	1	RMS	2702.25	-42.67	-25	Pass	401
3000	12000	1	RMS	12000	-47.88	-25	Pass	9001
12000	27000	1	RMS	25745	-30.45	-25	Pass	15001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-25	Pass	2986
30	1000	0.1	RMS	913.6	-58.96	-25	Pass	9701
1000	2486	1	RMS	2406	-43.4	-25	Pass	1487
2486	2700	1	RMS	2689.3	16	60	Pass	401
2700	3000	1	RMS	2702.25	-42.13	-25	Pass	401
3000	12000	1	RMS	5180	-46.48	-25	Pass	9001
12000	27000	1	RMS	25749	-30.43	-25	Pass	15001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-25	Pass	2986
30	1000	0.1	RMS	843	-59.13	-25	Pass	9701
1000	2486	1	RMS	2485	-42.9	-25	Pass	1487
2486	2700	1	RMS	2497.235	15.39	60	Pass	401
2700	3000	1	RMS	2769.75	-42.77	-25	Pass	401
3000	12000	1	RMS	11999	-47.83	-25	Pass	9001
12000	27000	1	RMS	25743	-30.44	-25	Pass	15001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-25	Pass	2986
30	1000	0.1	RMS	847.6	-58.92	-25	Pass	9701
1000	2486	1	RMS	2412	-43.36	-25	Pass	1487
2486	2700	1	RMS	2514.89	15.26	60	Pass	401
2700	3000	1	RMS	2769.75	-42.71	-25	Pass	401
3000	12000	1	RMS	11993	-47.92	-25	Pass	9001
12000	27000	1	RMS	25740	-30.43	-25	Pass	15001



1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-25	Pass	2986
30	1000	0.1	RMS	988.2	-59.06	-25	Pass	9701
1000	2486	1	RMS	2486	-42.72	-25	Pass	1487
2486	2700	1	RMS	2497.235	15.59	60	Pass	401
2700	3000	1	RMS	2769.75	-42.74	-25	Pass	401
3000	12000	1	RMS	11997	-47.91	-25	Pass	9001
12000	27000	1	RMS	25743	-30.42	-25	Pass	15001



1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-25	Pass	2986
30	1000	0.1	RMS	990.1	-59.12	-25	Pass	9701
1000	2486	1	RMS	2482	-43.37	-25	Pass	1487
2486	2700	1	RMS	2514.89	15.49	60	Pass	401
2700	3000	1	RMS	2769.75	-42.73	-25	Pass	401
3000	12000	1	RMS	12000	-47.82	-25	Pass	9001
12000	27000	1	RMS	25751	-30.42	-25	Pass	15001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-25	Pass	2986
30	1000	0.1	RMS	987.3	-58.92	-25	Pass	9701
1000	2486	1	RMS	2402	-43.35	-25	Pass	1487
2486	2700	1	RMS	2583.905	14.81	60	Pass	401
2700	3000	1	RMS	2769.75	-42.74	-25	Pass	401
3000	12000	1	RMS	12000	-47.87	-25	Pass	9001
12000	27000	1	RMS	25743	-30.38	-25	Pass	15001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-25	Pass	2986
30	1000	0.1	RMS	968.8	-59.03	-25	Pass	9701
1000	2486	1	RMS	2413	-43.38	-25	Pass	1487
2486	2700	1	RMS	2602.095	15.31	60	Pass	401
2700	3000	1	RMS	2769	-42.77	-25	Pass	401
3000	12000	1	RMS	12000	-47.88	-25	Pass	9001
12000	27000	1	RMS	25751	-30.4	-25	Pass	15001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-25	Pass	2986
30	1000	0.1	RMS	896.5	-58.94	-25	Pass	9701
1000	2486	1	RMS	2401	-43.38	-25	Pass	1487
2486	2700	1	RMS	2583.905	15.02	60	Pass	401
2700	3000	1	RMS	2769.75	-42.77	-25	Pass	401
3000	12000	1	RMS	12000	-47.89	-25	Pass	9001
12000	27000	1	RMS	25740	-30.38	-25	Pass	15001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.83	-25	Pass	2986
30	1000	0.1	RMS	973.5	-59.11	-25	Pass	9701
1000	2486	1	RMS	2410	-43.36	-25	Pass	1487
2486	2700	1	RMS	2602.095	15.35	60	Pass	401
2700	3000	1	RMS	2769.75	-42.75	-25	Pass	401
3000	12000	1	RMS	12000	-47.77	-25	Pass	9001
12000	27000	1	RMS	25741	-30.41	-25	Pass	15001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-25	Pass	2986
30	1000	0.1	RMS	981.5	-59.06	-25	Pass	9701
1000	2486	1	RMS	2410	-43.36	-25	Pass	1487
2486	2700	1	RMS	2671.11	15.76	60	Pass	401
2700	3000	1	RMS	2769.75	-42.79	-25	Pass	401
3000	12000	1	RMS	11999	-47.83	-25	Pass	9001
12000	27000	1	RMS	25747	-30.42	-25	Pass	15001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-25	Pass	2986
30	1000	0.1	RMS	942.3	-59.14	-25	Pass	9701
1000	2486	1	RMS	2413	-43.35	-25	Pass	1487
2486	2700	1	RMS	2688.765	15.83	60	Pass	401
2700	3000	1	RMS	2706.75	-42.69	-25	Pass	401
3000	12000	1	RMS	12000	-47.84	-25	Pass	9001
12000	27000	1	RMS	25738	-30.39	-25	Pass	15001



1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-25	Pass	2986
30	1000	0.1	RMS	971	-58.91	-25	Pass	9701
1000	2486	1	RMS	2414	-43.36	-25	Pass	1487
2486	2700	1	RMS	2671.11	15.89	60	Pass	401
2700	3000	1	RMS	2769.75	-42.74	-25	Pass	401
3000	12000	1	RMS	12000	-47.83	-25	Pass	9001
12000	27000	1	RMS	25746	-30.39	-25	Pass	15001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-25	Pass	2986
30	1000	0.1	RMS	827.5	-58.64	-25	Pass	9701
1000	2486	1	RMS	2414	-43.37	-25	Pass	1487
2486	2700	1	RMS	2688.765	15.91	60	Pass	401
2700	3000	1	RMS	2706.75	-42.15	-25	Pass	401
3000	12000	1	RMS	12000	-47.85	-25	Pass	9001
12000	27000	1	RMS	25739	-30.39	-25	Pass	15001



END