





+M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-0.15-30-
PASS




+M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-30-1000
-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-1000-30
00-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-3000-60
00-PASS



NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-6000-26
000-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-26000-4
0000-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-0.009-
0.15-PASS



NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-0.15-3
0-PASS



NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-30-100
0-PASS









NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-1000-3
000-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-3000-6
000-PASS

NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-6000-2
6000-PASS



SS 	SS 
NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Outer_Full-6000-26000-P ASS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Outer_Full-26000-40000-P PASS
	
NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Edge_1RB_Left-0.009-0. 15-PASS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Edge_1RB_Left-0.15-30- PASS
	
NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M


+H-N/A-N/A-DFT-QPSK-Edge_1RB_Left-30-1000-
PASS




+H-N/A-N/A-DFT-QPSK-Edge_1RB_Left-1000-30
00-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+H-N/A-N/A-DFT-QPSK-Edge_1RB_Left-3000-60
00-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+H-N/A-N/A-DFT-QPSK-Edge_1RB_Left-6000-26
000-PASS





NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+H-N/A-N/A-DFT-QPSK-Edge_1RB_Left-26000-4
0000-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M
+H-N/A-N/A-DFT-QPSK-Edge_1RB_Right-0.009-0
.15-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Edge_1RB_Right-0.15-30 -PASS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Edge_1RB_Right-30-100 0-PASS
---	---





NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Edge_1RB_Right-1000-3 000-PASS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Edge_1RB_Right-3000-6 000-PASS
---	---




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Edge_1RB_Right-6000-2 6000-PASS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+15-M +H-N/A-N/A-DFT-QPSK-Edge_1RB_Right-26000- 40000-PASS
--	---








NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+L-N/A-N/A-DFT-QPSK-Edge_1RB_Right-30-100
0-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+L-N/A-N/A-DFT-QPSK-Edge_1RB_Right-1000-3
000-PASS



NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+L-N/A-N/A-DFT-QPSK-Edge_1RB_Right-3000-6
000-PASS









NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+L-N/A-N/A-DFT-QPSK-Edge_1RB_Right-6000-2
6000-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+L-N/A-N/A-DFT-QPSK-Edge_1RB_Right-26000-
40000-PASS

NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+M-N/A-N/A-DFT-QPSK-Outer_Full-0.009-0.15-PA
SS




ASS	PASS
 KEYSIGHT Spectrum Analyzer 1 Sweep SA Input RF: Input Z: 50.0 Ohms, Attenu: 20 dB, PNO: Fast Gate: Off, Avg Type: Power (RMS), 2 3 4 5 6 R.L.: Aligned DC, Corrections On, Freq Ref: Int (S), F Gain: Low, Sig Track: Off, A www www Center Frequency: 79.500 MHz Span: 141.000000 MHz Sweep Span: Zero Span Full Span Start Freq: 5.000 MHz Stop Freq: 150.000 MHz CF Step: 14.100 MHz Auto Man Freq Offset: 0 Hz X Axis Scale: Log Lin Start 5.00 MHz #Video BW 3.0 MHz* Stop 150.00 MHz #Sweep 1.00 s (1001 pts) Nov 28, 2025 2:46:53 PM	 KEYSIGHT Spectrum Analyzer 1 Sweep SA Input RF: Input Z: 50.0 Ohms, Attenu: 20 dB, PNO: Fast Gate: Off, Avg Type: Power (RMS), 2 3 4 5 6 R.L.: Aligned DC, Corrections On, Freq Ref: Int (S), F Gain: Low, Sig Track: Off, A www www Center Frequency: 15.075000 MHz Span: 28.850000 MHz Sweep Span: Zero Span Full Span Start Freq: 150.000 kHz Stop Freq: 30.000000 MHz CF Step: 2.885000 MHz Auto Man Freq Offset: 0 Hz X Axis Scale: Log Lin Start 150 kHz #Video BW 3.0 MHz* Stop 30.00 MHz #Sweep 1.00 s (1001 pts) Nov 28, 2025 2:47:04 PM
NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-0.009-0. 15-PASS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-0.15-30- PASS
 KEYSIGHT Spectrum Analyzer 1 Sweep SA Input RF: Input Z: 50.0 Ohms, Attenu: 30 dB, PNO: Fast Gate: Off, Avg Type: Power (RMS), 2 3 4 5 6 R.L.: Aligned DC, Corrections On, Freq Ref: Int (S), F Gain: Low, Sig Track: Off, A www www Center Frequency: 515.000000 MHz Span: 970.000000 MHz Sweep Span: Zero Span Full Span Start Freq: 30.000000 MHz Stop Freq: 1.000000000 GHz CF Step: 57.000000 MHz Auto Man Freq Offset: 0 Hz X Axis Scale: Log Lin Start 0.000 GHz #Video BW 300 MHz* Stop 1.000 GHz #Sweep 1.00 s (1001 pts) Nov 28, 2025 2:47:15 PM	 KEYSIGHT Spectrum Analyzer 1 Sweep SA Input RF: Input Z: 50.0 Ohms, Attenu: 30 dB, PNO: Fast Gate: Off, Avg Type: Power (RMS), 2 3 4 5 6 R.L.: Aligned DC, Corrections On, Freq Ref: Int (S), F Gain: Low, Sig Track: Off, A www www Center Frequency: 2.000000000 GHz Span: 2.000000000 GHz Sweep Span: Zero Span Full Span Start Freq: 1.000000000 GHz Stop Freq: 3.000000000 GHz CF Step: 200.000000 MHz Auto Man Freq Offset: 0 Hz X Axis Scale: Log Lin Start 1.000 GHz #Video BW 3.0 MHz* Stop 3.000 GHz #Sweep 1.00 s (1001 pts) Nov 28, 2025 2:47:27 PM
NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-30-1000 -PASS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-1000-30 00-PASS
 KEYSIGHT Spectrum Analyzer 1 Sweep SA Input RF: Input Z: 50.0 Ohms, Attenu: 30 dB, PNO: Fast Gate: Off, Avg Type: Power (RMS), 2 3 4 5 6 R.L.: Aligned DC, Corrections On, Freq Ref: Int (S), F Gain: Low, Sig Track: Off, A www www Center Frequency: 4.500000000 GHz Span: 3.000000000 GHz Sweep Span: Zero Span Full Span Start Freq: 3.000000000 GHz Stop Freq: 6.000000000 GHz CF Step: 300.000000 MHz Auto Man Freq Offset: 0 Hz X Axis Scale: Log Lin Start 3.000 GHz #Video BW 3.0 MHz* Stop 6.000 GHz #Sweep 1.00 s (2001 pts) Nov 28, 2025 2:47:41 PM	 KEYSIGHT Spectrum Analyzer 1 Sweep SA Input RF: Input Z: 50.0 Ohms, Attenu: 10 dB, PNO: Fast Gate: Off, Avg Type: Power (RMS), 2 3 4 5 6 R.L.: Aligned DC, Corrections On, Freq Ref: Int (S), F Gain: Low, Sig Track: Off, A www www Center Frequency: 16.000000000 GHz Span: 20.000000000 GHz Sweep Span: Zero Span Full Span Start Freq: 6.000000000 GHz Stop Freq: 26.000000000 GHz CF Step: 2.000000000 GHz Auto Man Freq Offset: 0 Hz X Axis Scale: Log Lin Start 6.00 GHz #Video BW 3.0 MHz* Stop 26.00 GHz #Sweep 1.00 s (2001 pts) Nov 28, 2025 2:47:54 PM
NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M


+M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-3000-60
00-PASS



+M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-6000-26
000-PASS



NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Left-26000-4
0000-PASS




NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-0.009-
0.15-PASS





NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-0.15-3
0-PASS



NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M
+M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-30-100
0-PASS



NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-1000-3 000-PASS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-3000-6 000-PASS
	
NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-6000-2 6000-PASS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +M-N/A-N/A-DFT-QPSK-Edge_1RB_Right-26000- 40000-PASS
	
NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +H-N/A-N/A-DFT-QPSK-Outer_Full-0.009-0.15-PA SS	NTNV-DC_66A_n78A-3450-3550-PC2-30-5+20-M +H-N/A-N/A-DFT-QPSK-Outer_Full-0.15-30-PASS