


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band4


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2986
30	1000	0.1	RMS	996.2	-58.04	-13	Pass	9701
1000	1700	1	RMS	1600	-47.18	-13	Pass	701
1700	1765	1	RMS	1710.238	21.01	60	Pass	401
1765	3000	1	RMS	2665	-41.63	-13	Pass	1236
3000	12000	1	RMS	11999	-47.61	-13	Pass	9001
12000	18000	1	RMS	15800	-39.28	-13	Pass	6001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	900.4	-58.36	-13	Pass	9701
1000	1700	1	RMS	1604	-47.15	-13	Pass	701
1700	1765	1	RMS	1711.213	21	60	Pass	401
1765	3000	1	RMS	2670	-41.64	-13	Pass	1236
3000	12000	1	RMS	11999	-47.56	-13	Pass	9001
12000	18000	1	RMS	15799	-39.27	-13	Pass	6001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.47	-13	Pass	2986
30	1000	0.1	RMS	826.3	-55.04	-13	Pass	9701
1000	1700	1	RMS	1598	-47.19	-13	Pass	701
1700	1765	1	RMS	1710.238	21.14	60	Pass	401
1765	3000	1	RMS	2661	-41.62	-13	Pass	1236
3000	12000	1	RMS	11998	-47.65	-13	Pass	9001
12000	18000	1	RMS	15797	-39.21	-13	Pass	6001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.62	-13	Pass	2986
30	1000	0.1	RMS	976.6	-58.56	-13	Pass	9701
1000	1700	1	RMS	1611	-47.21	-13	Pass	701
1700	1765	1	RMS	1711.213	21.08	60	Pass	401
1765	3000	1	RMS	2669	-41.64	-13	Pass	1236
3000	12000	1	RMS	11990	-47.55	-13	Pass	9001
12000	18000	1	RMS	15800	-39.32	-13	Pass	6001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2986
30	1000	0.1	RMS	996.8	-58.47	-13	Pass	9701
1000	1700	1	RMS	1599	-47.19	-13	Pass	701
1700	1765	1	RMS	1732.013	21.34	60	Pass	401
1765	3000	1	RMS	2660	-41.61	-13	Pass	1236
3000	12000	1	RMS	11996	-47.58	-13	Pass	9001
12000	18000	1	RMS	15799	-39.27	-13	Pass	6001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	825.3	-58.24	-13	Pass	9701
1000	1700	1	RMS	1602	-47.17	-13	Pass	701
1700	1765	1	RMS	1732.988	21.36	60	Pass	401
1765	3000	1	RMS	2661	-41.64	-13	Pass	1236
3000	12000	1	RMS	11999	-47.57	-13	Pass	9001
12000	18000	1	RMS	15800	-39.27	-13	Pass	6001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2986
30	1000	0.1	RMS	833.1	-53.72	-13	Pass	9701
1000	1700	1	RMS	1597	-47.2	-13	Pass	701
1700	1765	1	RMS	1732.013	21.44	60	Pass	401
1765	3000	1	RMS	2662	-41.65	-13	Pass	1236
3000	12000	1	RMS	11999	-47.46	-13	Pass	9001
12000	18000	1	RMS	15799	-39.29	-13	Pass	6001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.1	-13	Pass	2986
30	1000	0.1	RMS	984.2	-58.67	-13	Pass	9701
1000	1700	1	RMS	1598	-47.13	-13	Pass	701
1700	1765	1	RMS	1732.988	21.38	60	Pass	401
1765	3000	1	RMS	2660	-41.62	-13	Pass	1236
3000	12000	1	RMS	11990	-47.53	-13	Pass	9001
12000	18000	1	RMS	15800	-39.03	-13	Pass	6001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-13	Pass	2986
30	1000	0.1	RMS	981.6	-58.56	-13	Pass	9701
1000	1700	1	RMS	1603	-47.17	-13	Pass	701
1700	1765	1	RMS	1753.788	21.38	60	Pass	401
1765	3000	1	RMS	2667	-41.66	-13	Pass	1236
3000	12000	1	RMS	11999	-47.63	-13	Pass	9001
12000	18000	1	RMS	15799	-39.34	-13	Pass	6001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	833.2	-54.66	-13	Pass	9701
1000	1700	1	RMS	1599	-47.2	-13	Pass	701
1700	1765	1	RMS	1754.763	21.43	60	Pass	401
1765	3000	1	RMS	2669	-41.64	-13	Pass	1236
3000	12000	1	RMS	11995	-47.6	-13	Pass	9001
12000	18000	1	RMS	15796	-39.24	-13	Pass	6001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	969.8	-58.4	-13	Pass	9701
1000	1700	1	RMS	1601	-47.18	-13	Pass	701
1700	1765	1	RMS	1753.788	21.41	60	Pass	401
1765	3000	1	RMS	2668	-41.65	-13	Pass	1236
3000	12000	1	RMS	12000	-47.65	-13	Pass	9001
12000	18000	1	RMS	15797	-39.29	-13	Pass	6001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	833.1	-50.69	-13	Pass	9701
1000	1700	1	RMS	1600	-47.17	-13	Pass	701
1700	1765	1	RMS	1754.763	21.47	60	Pass	401
1765	3000	1	RMS	2665	-41.59	-13	Pass	1236
3000	12000	1	RMS	11999	-47.49	-13	Pass	9001
12000	18000	1	RMS	15800	-39.27	-13	Pass	6001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-13	Pass	2986
30	1000	0.1	RMS	829.7	-54.68	-13	Pass	9701
1000	1700	1	RMS	1600	-47.15	-13	Pass	701
1700	1765	1	RMS	1710.238	21.02	60	Pass	401
1765	3000	1	RMS	2670	-41.63	-13	Pass	1236
3000	12000	1	RMS	11991	-47.66	-13	Pass	9001
12000	18000	1	RMS	15800	-39.21	-13	Pass	6001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	858.5	-58.4	-13	Pass	9701
1000	1700	1	RMS	1601	-47.2	-13	Pass	701
1700	1765	1	RMS	1712.675	20.99	60	Pass	401
1765	3000	1	RMS	2665	-41.64	-13	Pass	1236
3000	12000	1	RMS	11998	-47.61	-13	Pass	9001
12000	18000	1	RMS	15798	-39.34	-13	Pass	6001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	833.1	-55.29	-13	Pass	9701
1000	1700	1	RMS	1600	-47.19	-13	Pass	701
1700	1765	1	RMS	1710.238	21.21	60	Pass	401
1765	3000	1	RMS	2666	-41.66	-13	Pass	1236
3000	12000	1	RMS	12000	-47.65	-13	Pass	9001
12000	18000	1	RMS	15801	-39.35	-13	Pass	6001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	993	-58.57	-13	Pass	9701
1000	1700	1	RMS	1592	-47.18	-13	Pass	701
1700	1765	1	RMS	1712.838	21.19	60	Pass	401
1765	3000	1	RMS	2660	-41.62	-13	Pass	1236
3000	12000	1	RMS	11995	-47.37	-13	Pass	9001
12000	18000	1	RMS	15799	-39.22	-13	Pass	6001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-13	Pass	2986
30	1000	0.1	RMS	871.6	-58.55	-13	Pass	9701
1000	1700	1	RMS	1600	-47.2	-13	Pass	701
1700	1765	1	RMS	1731.2	21.36	60	Pass	401
1765	3000	1	RMS	2666	-41.66	-13	Pass	1236
3000	12000	1	RMS	11998	-47.52	-13	Pass	9001
12000	18000	1	RMS	15794	-39.37	-13	Pass	6001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	1000	0.1	RMS	825.3	-56.39	-13	Pass	9701
1000	1700	1	RMS	1601	-47.18	-13	Pass	701
1700	1765	1	RMS	1733.8	21.34	60	Pass	401
1765	3000	1	RMS	2668	-41.65	-13	Pass	1236
3000	12000	1	RMS	11989	-47.59	-13	Pass	9001
12000	18000	1	RMS	15798	-39.22	-13	Pass	6001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.49	-13	Pass	2986
30	1000	0.1	RMS	874.1	-58.52	-13	Pass	9701
1000	1700	1	RMS	1601	-47.19	-13	Pass	701
1700	1765	1	RMS	1731.2	21.37	60	Pass	401
1765	3000	1	RMS	2665	-41.65	-13	Pass	1236
3000	12000	1	RMS	11999	-47.56	-13	Pass	9001
12000	18000	1	RMS	15801	-39.15	-13	Pass	6001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	1000	0.1	RMS	998.7	-58.47	-13	Pass	9701
1000	1700	1	RMS	1606	-47.2	-13	Pass	701
1700	1765	1	RMS	1733.8	21.36	60	Pass	401
1765	3000	1	RMS	2671	-41.64	-13	Pass	1236
3000	12000	1	RMS	11993	-47.52	-13	Pass	9001
12000	18000	1	RMS	15799	-39.17	-13	Pass	6001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	1000	0.1	RMS	981.4	-58.56	-13	Pass	9701
1000	1700	1	RMS	1601	-47.19	-13	Pass	701
1700	1765	1	RMS	1752.163	21.33	60	Pass	401
1765	3000	1	RMS	2670	-41.63	-13	Pass	1236
3000	12000	1	RMS	11988	-47.57	-13	Pass	9001
12000	18000	1	RMS	15800	-39.27	-13	Pass	6001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	833.1	-56.68	-13	Pass	9701
1000	1700	1	RMS	1603	-47.18	-13	Pass	701
1700	1765	1	RMS	1754.763	21.43	60	Pass	401
1765	3000	1	RMS	2667	-41.6	-13	Pass	1236
3000	12000	1	RMS	12000	-47.52	-13	Pass	9001
12000	18000	1	RMS	15799	-39.22	-13	Pass	6001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2986
30	1000	0.1	RMS	962.1	-58.56	-13	Pass	9701
1000	1700	1	RMS	1600	-47.18	-13	Pass	701
1700	1765	1	RMS	1752.163	21.46	60	Pass	401
1765	3000	1	RMS	2669	-41.64	-13	Pass	1236
3000	12000	1	RMS	12000	-47.4	-13	Pass	9001
12000	18000	1	RMS	15800	-39.15	-13	Pass	6001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	1000	0.1	RMS	945.7	-58.45	-13	Pass	9701
1000	1700	1	RMS	1613	-47.21	-13	Pass	701
1700	1765	1	RMS	1754.763	21.5	60	Pass	401
1765	3000	1	RMS	2666	-41.65	-13	Pass	1236
3000	12000	1	RMS	12000	-47.57	-13	Pass	9001
12000	18000	1	RMS	15799	-39.22	-13	Pass	6001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.91	-13	Pass	2986
30	1000	0.1	RMS	828.7	-55.43	-13	Pass	9701
1000	1700	1	RMS	1602	-47.16	-13	Pass	701
1700	1765	1	RMS	1710.4	21.02	60	Pass	401
1765	3000	1	RMS	2670	-41.64	-13	Pass	1236
3000	12000	1	RMS	12000	-47.53	-13	Pass	9001
12000	18000	1	RMS	15799	-39.22	-13	Pass	6001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.06	-13	Pass	2986
30	1000	0.1	RMS	830.6	-57.31	-13	Pass	9701
1000	1700	1	RMS	1609	-47.17	-13	Pass	701
1700	1765	1	RMS	1714.625	21.12	60	Pass	401
1765	3000	1	RMS	2661	-41.66	-13	Pass	1236
3000	12000	1	RMS	11998	-47.46	-13	Pass	9001
12000	18000	1	RMS	15799	-39.22	-13	Pass	6001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	1000	0.1	RMS	984.9	-58.64	-13	Pass	9701
1000	1700	1	RMS	1595	-47.19	-13	Pass	701
1700	1765	1	RMS	1710.4	21.07	60	Pass	401
1765	3000	1	RMS	2666	-41.64	-13	Pass	1236
3000	12000	1	RMS	11998	-47.52	-13	Pass	9001
12000	18000	1	RMS	15799	-39.2	-13	Pass	6001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-13	Pass	2986
30	1000	0.1	RMS	833.1	-57	-13	Pass	9701
1000	1700	1	RMS	1608	-47.19	-13	Pass	701
1700	1765	1	RMS	1714.625	21.18	60	Pass	401
1765	3000	1	RMS	2666	-41.67	-13	Pass	1236
3000	12000	1	RMS	11988	-47.59	-13	Pass	9001
12000	18000	1	RMS	15801	-39.25	-13	Pass	6001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	1000	0.1	RMS	905.1	-58.41	-13	Pass	9701
1000	1700	1	RMS	1602	-47.18	-13	Pass	701
1700	1765	1	RMS	1730.388	21.29	60	Pass	401
1765	3000	1	RMS	2667	-41.62	-13	Pass	1236
3000	12000	1	RMS	11988	-47.54	-13	Pass	9001
12000	18000	1	RMS	15798	-39.3	-13	Pass	6001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.77	-13	Pass	2986
30	1000	0.1	RMS	832.9	-53.06	-13	Pass	9701
1000	1700	1	RMS	1599	-47.16	-13	Pass	701
1700	1765	1	RMS	1734.613	21.34	60	Pass	401
1765	3000	1	RMS	2661	-41.63	-13	Pass	1236
3000	12000	1	RMS	11997	-47.58	-13	Pass	9001
12000	18000	1	RMS	15802	-39.27	-13	Pass	6001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	1000	0.1	RMS	833	-55.31	-13	Pass	9701
1000	1700	1	RMS	1597	-47.2	-13	Pass	701
1700	1765	1	RMS	1730.388	21.43	60	Pass	401
1765	3000	1	RMS	2669	-41.61	-13	Pass	1236
3000	12000	1	RMS	11999	-47.44	-13	Pass	9001
12000	18000	1	RMS	15799	-39.22	-13	Pass	6001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	1000	0.1	RMS	827.3	-53.37	-13	Pass	9701
1000	1700	1	RMS	1607	-47.18	-13	Pass	701
1700	1765	1	RMS	1734.613	21.5	60	Pass	401
1765	3000	1	RMS	2670	-41.63	-13	Pass	1236
3000	12000	1	RMS	12000	-47.57	-13	Pass	9001
12000	18000	1	RMS	15800	-39.19	-13	Pass	6001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	1000	0.1	RMS	825.3	-56.43	-13	Pass	9701
1000	1700	1	RMS	1601	-47.17	-13	Pass	701
1700	1765	1	RMS	1750.375	21.38	60	Pass	401
1765	3000	1	RMS	2668	-41.64	-13	Pass	1236
3000	12000	1	RMS	11995	-47.62	-13	Pass	9001
12000	18000	1	RMS	15800	-39.19	-13	Pass	6001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	953.3	-58.52	-13	Pass	9701
1000	1700	1	RMS	1603	-47.15	-13	Pass	701
1700	1765	1	RMS	1754.6	21.42	60	Pass	401
1765	3000	1	RMS	2665	-41.65	-13	Pass	1236
3000	12000	1	RMS	11998	-47.5	-13	Pass	9001
12000	18000	1	RMS	15801	-39.23	-13	Pass	6001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	974.2	-58.56	-13	Pass	9701
1000	1700	1	RMS	1598	-47.14	-13	Pass	701
1700	1765	1	RMS	1750.375	21.63	60	Pass	401
1765	3000	1	RMS	2667	-41.59	-13	Pass	1236
3000	12000	1	RMS	12000	-47.63	-13	Pass	9001
12000	18000	1	RMS	15799	-39.19	-13	Pass	6001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	884.8	-58.57	-13	Pass	9701
1000	1700	1	RMS	1609	-47.19	-13	Pass	701
1700	1765	1	RMS	1754.6	21.63	60	Pass	401
1765	3000	1	RMS	2668	-41.62	-13	Pass	1236
3000	12000	1	RMS	11996	-47.51	-13	Pass	9001
12000	18000	1	RMS	15801	-39.26	-13	Pass	6001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	1000	0.1	RMS	947.4	-58.51	-13	Pass	9701
1000	1700	1	RMS	1693	-46.98	-13	Pass	701
1700	1765	1	RMS	1710.563	21.01	60	Pass	401
1765	3000	1	RMS	2666	-41.62	-13	Pass	1236
3000	12000	1	RMS	12000	-47.58	-13	Pass	9001
12000	18000	1	RMS	15800	-39.26	-13	Pass	6001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	1000	0.1	RMS	990.1	-58.53	-13	Pass	9701
1000	1700	1	RMS	1700	-46.16	-13	Pass	701
1700	1765	1	RMS	1719.338	21.08	60	Pass	401
1765	3000	1	RMS	2664	-41.64	-13	Pass	1236
3000	12000	1	RMS	11997	-47.65	-13	Pass	9001
12000	18000	1	RMS	15800	-39.24	-13	Pass	6001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2986
30	1000	0.1	RMS	998.8	-58.48	-13	Pass	9701
1000	1700	1	RMS	1693	-46.75	-13	Pass	701
1700	1765	1	RMS	1710.563	21.19	60	Pass	401
1765	3000	1	RMS	2670	-41.64	-13	Pass	1236
3000	12000	1	RMS	11993	-47.61	-13	Pass	9001
12000	18000	1	RMS	15802	-39.28	-13	Pass	6001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	843.6	-58.42	-13	Pass	9701
1000	1700	1	RMS	1700	-46.52	-13	Pass	701
1700	1765	1	RMS	1719.338	21.3	60	Pass	401
1765	3000	1	RMS	2665	-41.65	-13	Pass	1236
3000	12000	1	RMS	11998	-47.58	-13	Pass	9001
12000	18000	1	RMS	15798	-39.26	-13	Pass	6001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	1000	0.1	RMS	957.3	-58.5	-13	Pass	9701
1000	1700	1	RMS	1600	-47.17	-13	Pass	701
1700	1765	1	RMS	1728.113	21.34	60	Pass	401
1765	3000	1	RMS	2668	-41.6	-13	Pass	1236
3000	12000	1	RMS	11998	-47.57	-13	Pass	9001
12000	18000	1	RMS	15799	-39.26	-13	Pass	6001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-13	Pass	2986
30	1000	0.1	RMS	885.8	-58.71	-13	Pass	9701
1000	1700	1	RMS	1601	-47.18	-13	Pass	701
1700	1765	1	RMS	1736.888	21.38	60	Pass	401
1765	3000	1	RMS	2663	-41.64	-13	Pass	1236
3000	12000	1	RMS	11998	-47.58	-13	Pass	9001
12000	18000	1	RMS	15800	-39.29	-13	Pass	6001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	868.2	-58.59	-13	Pass	9701
1000	1700	1	RMS	1603	-47.18	-13	Pass	701
1700	1765	1	RMS	1728.113	21.36	60	Pass	401
1765	3000	1	RMS	2664	-41.66	-13	Pass	1236
3000	12000	1	RMS	12000	-47.61	-13	Pass	9001
12000	18000	1	RMS	15800	-39.26	-13	Pass	6001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.08	-13	Pass	2986
30	1000	0.1	RMS	832.9	-58.6	-13	Pass	9701
1000	1700	1	RMS	1599	-47.16	-13	Pass	701
1700	1765	1	RMS	1736.888	21.41	60	Pass	401
1765	3000	1	RMS	2669	-41.66	-13	Pass	1236
3000	12000	1	RMS	11994	-47.61	-13	Pass	9001
12000	18000	1	RMS	15799	-39.3	-13	Pass	6001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.72	-13	Pass	2986
30	1000	0.1	RMS	903.6	-58.51	-13	Pass	9701
1000	1700	1	RMS	1600	-47.18	-13	Pass	701
1700	1765	1	RMS	1745.663	21.33	60	Pass	401
1765	3000	1	RMS	2660	-41.64	-13	Pass	1236
3000	12000	1	RMS	11990	-47.6	-13	Pass	9001
12000	18000	1	RMS	15800	-39.23	-13	Pass	6001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	980.9	-58.48	-13	Pass	9701
1000	1700	1	RMS	1615	-47.2	-13	Pass	701
1700	1765	1	RMS	1754.438	21.42	60	Pass	401
1765	3000	1	RMS	2660	-41.66	-13	Pass	1236
3000	12000	1	RMS	11992	-47.57	-13	Pass	9001
12000	18000	1	RMS	15800	-39.27	-13	Pass	6001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-13	Pass	2986
30	1000	0.1	RMS	900.8	-58.5	-13	Pass	9701
1000	1700	1	RMS	1603	-47.15	-13	Pass	701
1700	1765	1	RMS	1745.5	21.44	60	Pass	401
1765	3000	1	RMS	2668	-41.64	-13	Pass	1236
3000	12000	1	RMS	11999	-47.55	-13	Pass	9001
12000	18000	1	RMS	15800	-39.26	-13	Pass	6001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.1	-13	Pass	2986
30	1000	0.1	RMS	885.5	-58.46	-13	Pass	9701
1000	1700	1	RMS	1612	-47.18	-13	Pass	701
1700	1765	1	RMS	1754.438	21.51	60	Pass	401
1765	3000	1	RMS	2668	-41.65	-13	Pass	1236
3000	12000	1	RMS	11994	-47.59	-13	Pass	9001
12000	18000	1	RMS	15798	-39.27	-13	Pass	6001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-13	Pass	2986
30	1000	0.1	RMS	889.5	-58.49	-13	Pass	9701
1000	1700	1	RMS	1700	-46.72	-13	Pass	701
1700	1765	1	RMS	1710.888	20.91	60	Pass	401
1765	3000	1	RMS	2670	-41.63	-13	Pass	1236
3000	12000	1	RMS	11999	-47.45	-13	Pass	9001
12000	18000	1	RMS	15799	-39.28	-13	Pass	6001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-13	Pass	2986
30	1000	0.1	RMS	976.8	-58.6	-13	Pass	9701
1000	1700	1	RMS	1698	-31.2	-13	Pass	701
1700	1765	1	RMS	1724.213	21.07	60	Pass	401
1765	3000	1	RMS	2667	-41.63	-13	Pass	1236
3000	12000	1	RMS	12000	-47.57	-13	Pass	9001
12000	18000	1	RMS	15800	-39.18	-13	Pass	6001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	1000	0.1	RMS	867.1	-58.52	-13	Pass	9701
1000	1700	1	RMS	1700	-46.49	-13	Pass	701
1700	1765	1	RMS	1710.888	21.12	60	Pass	401
1765	3000	1	RMS	2668	-41.64	-13	Pass	1236
3000	12000	1	RMS	12000	-47.61	-13	Pass	9001
12000	18000	1	RMS	15799	-39.13	-13	Pass	6001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	894.1	-58.47	-13	Pass	9701
1000	1700	1	RMS	1697	-33.03	-13	Pass	701
1700	1765	1	RMS	1724.213	21.31	60	Pass	401
1765	3000	1	RMS	2670	-41.65	-13	Pass	1236
3000	12000	1	RMS	12000	-47.49	-13	Pass	9001
12000	18000	1	RMS	15800	-39.27	-13	Pass	6001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.19	-13	Pass	2986
30	1000	0.1	RMS	898.2	-58.38	-13	Pass	9701
1000	1700	1	RMS	1699	-46.98	-13	Pass	701
1700	1765	1	RMS	1725.838	21.18	60	Pass	401
1765	3000	1	RMS	2664	-41.65	-13	Pass	1236
3000	12000	1	RMS	11996	-47.47	-13	Pass	9001
12000	18000	1	RMS	15800	-39.27	-13	Pass	6001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.5	-13	Pass	2986
30	1000	0.1	RMS	961.6	-58.57	-13	Pass	9701
1000	1700	1	RMS	1686	-47.15	-13	Pass	701
1700	1765	1	RMS	1739.163	21.32	60	Pass	401
1765	3000	1	RMS	2668	-41.66	-13	Pass	1236
3000	12000	1	RMS	11992	-47.58	-13	Pass	9001
12000	18000	1	RMS	15802	-39.33	-13	Pass	6001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-13	Pass	2986
30	1000	0.1	RMS	986.2	-58.45	-13	Pass	9701
1000	1700	1	RMS	1699	-46.82	-13	Pass	701
1700	1765	1	RMS	1725.838	21.24	60	Pass	401
1765	3000	1	RMS	2664	-41.66	-13	Pass	1236
3000	12000	1	RMS	11998	-47.53	-13	Pass	9001
12000	18000	1	RMS	15800	-39.27	-13	Pass	6001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	1000	0.1	RMS	966	-58.62	-13	Pass	9701
1000	1700	1	RMS	1595	-47.18	-13	Pass	701
1700	1765	1	RMS	1739.163	21.33	60	Pass	401
1765	3000	1	RMS	2667	-41.62	-13	Pass	1236
3000	12000	1	RMS	12000	-47.66	-13	Pass	9001
12000	18000	1	RMS	15801	-39.16	-13	Pass	6001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.77	-13	Pass	2986
30	1000	0.1	RMS	907.3	-58.41	-13	Pass	9701
1000	1700	1	RMS	1598	-47.21	-13	Pass	701
1700	1765	1	RMS	1740.788	21.28	60	Pass	401
1765	3000	1	RMS	1767	-33.63	-13	Pass	1236
3000	12000	1	RMS	11998	-47.56	-13	Pass	9001
12000	18000	1	RMS	15800	-39.25	-13	Pass	6001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-13	Pass	2986
30	1000	0.1	RMS	891.3	-58.56	-13	Pass	9701
1000	1700	1	RMS	1602	-47.19	-13	Pass	701
1700	1765	1	RMS	1754.113	21.33	60	Pass	401
1765	3000	1	RMS	2665	-41.68	-13	Pass	1236
3000	12000	1	RMS	12000	-47.6	-13	Pass	9001
12000	18000	1	RMS	15801	-39.31	-13	Pass	6001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2986
30	1000	0.1	RMS	996.6	-58.48	-13	Pass	9701
1000	1700	1	RMS	1598	-47.18	-13	Pass	701
1700	1765	1	RMS	1740.788	21.47	60	Pass	401
1765	3000	1	RMS	1767	-36.23	-13	Pass	1236
3000	12000	1	RMS	11989	-47.57	-13	Pass	9001
12000	18000	1	RMS	15799	-39.27	-13	Pass	6001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-13	Pass	2986
30	1000	0.1	RMS	987.6	-58.33	-13	Pass	9701
1000	1700	1	RMS	1700	-47.05	-13	Pass	701
1700	1765	1	RMS	1754.113	21.5	60	Pass	401
1765	3000	1	RMS	2661	-41.66	-13	Pass	1236
3000	12000	1	RMS	11997	-47.63	-13	Pass	9001
12000	18000	1	RMS	15799	-39.29	-13	Pass	6001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-13	Pass	2986
30	1000	0.1	RMS	860.1	-58.59	-13	Pass	9701
1000	1700	1	RMS	1700	-46.82	-13	Pass	701
1700	1765	1	RMS	1711.05	20.87	60	Pass	401
1765	3000	1	RMS	2666	-41.64	-13	Pass	1236
3000	12000	1	RMS	11997	-47.51	-13	Pass	9001
12000	18000	1	RMS	15800	-39.21	-13	Pass	6001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.83	-13	Pass	2986
30	1000	0.1	RMS	876.3	-58.61	-13	Pass	9701
1000	1700	1	RMS	1693	-31.88	-13	Pass	701
1700	1765	1	RMS	1728.925	21.23	60	Pass	401
1765	3000	1	RMS	2661	-41.66	-13	Pass	1236
3000	12000	1	RMS	12000	-47.6	-13	Pass	9001
12000	18000	1	RMS	15800	-39.14	-13	Pass	6001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-13	Pass	2986
30	1000	0.1	RMS	872.3	-58.2	-13	Pass	9701
1000	1700	1	RMS	1700	-46.59	-13	Pass	701
1700	1765	1	RMS	1711.05	21.07	60	Pass	401
1765	3000	1	RMS	2666	-41.67	-13	Pass	1236
3000	12000	1	RMS	11995	-47.59	-13	Pass	9001
12000	18000	1	RMS	15797	-39.21	-13	Pass	6001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.5	-13	Pass	2986
30	1000	0.1	RMS	900.3	-58.59	-13	Pass	9701
1000	1700	1	RMS	1693	-33.17	-13	Pass	701
1700	1765	1	RMS	1728.925	21.4	60	Pass	401
1765	3000	1	RMS	2669	-41.64	-13	Pass	1236
3000	12000	1	RMS	12000	-47.56	-13	Pass	9001
12000	18000	1	RMS	15798	-39.3	-13	Pass	6001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	864.5	-58.58	-13	Pass	9701
1000	1700	1	RMS	1597	-47.15	-13	Pass	701
1700	1765	1	RMS	1723.563	21.08	60	Pass	401
1765	3000	1	RMS	2664	-41.68	-13	Pass	1236
3000	12000	1	RMS	12000	-47.62	-13	Pass	9001
12000	18000	1	RMS	15800	-39.2	-13	Pass	6001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	977.9	-58.51	-13	Pass	9701
1000	1700	1	RMS	1600	-47.19	-13	Pass	701
1700	1765	1	RMS	1741.438	21.23	60	Pass	401
1765	3000	1	RMS	2667	-41.61	-13	Pass	1236
3000	12000	1	RMS	11989	-47.57	-13	Pass	9001
12000	18000	1	RMS	15800	-39.21	-13	Pass	6001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	900.3	-58.45	-13	Pass	9701
1000	1700	1	RMS	1688	-47.1	-13	Pass	701
1700	1765	1	RMS	1723.563	21.07	60	Pass	401
1765	3000	1	RMS	2668	-41.65	-13	Pass	1236
3000	12000	1	RMS	11982	-47.6	-13	Pass	9001
12000	18000	1	RMS	15799	-39.26	-13	Pass	6001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	904.6	-58.59	-13	Pass	9701
1000	1700	1	RMS	1604	-47.15	-13	Pass	701
1700	1765	1	RMS	1741.438	21.3	60	Pass	401
1765	3000	1	RMS	2668	-41.66	-13	Pass	1236
3000	12000	1	RMS	11998	-47.58	-13	Pass	9001
12000	18000	1	RMS	15800	-39.12	-13	Pass	6001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	853.4	-58.63	-13	Pass	9701
1000	1700	1	RMS	1700	-47.11	-13	Pass	701
1700	1765	1	RMS	1736.075	21.26	60	Pass	401
1765	3000	1	RMS	1772	-33.38	-13	Pass	1236
3000	12000	1	RMS	12000	-47.44	-13	Pass	9001
12000	18000	1	RMS	15800	-39.14	-13	Pass	6001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	883.9	-58.64	-13	Pass	9701
1000	1700	1	RMS	1602	-47.16	-13	Pass	701
1700	1765	1	RMS	1753.95	21.24	60	Pass	401
1765	3000	1	RMS	2660	-41.62	-13	Pass	1236
3000	12000	1	RMS	11995	-47.48	-13	Pass	9001
12000	18000	1	RMS	15799	-39.24	-13	Pass	6001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	907.9	-58.58	-13	Pass	9701
1000	1700	1	RMS	1700	-46.96	-13	Pass	701
1700	1765	1	RMS	1736.075	21.31	60	Pass	401
1765	3000	1	RMS	1772	-36.4	-13	Pass	1236
3000	12000	1	RMS	11998	-47.5	-13	Pass	9001
12000	18000	1	RMS	15700	-39.31	-13	Pass	6001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.3	-13	Pass	2986
30	1000	0.1	RMS	894	-58.46	-13	Pass	9701
1000	1700	1	RMS	1611	-47.15	-13	Pass	701
1700	1765	1	RMS	1753.95	21.35	60	Pass	401
1765	3000	1	RMS	2660	-41.68	-13	Pass	1236
3000	12000	1	RMS	11999	-47.55	-13	Pass	9001
12000	18000	1	RMS	15799	-39.22	-13	Pass	6001



END