


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-25	Pass	2986
30	1000	0.1	RMS	972.7	-58.35	-25	Pass	9701
1000	2490	1	RMS	2406	-43.13	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.81	60	Pass	401
2580	3000	1	RMS	2667	-42.22	-25	Pass	421
3000	12000	1	RMS	11995	-47.48	-25	Pass	9001
12000	26000	1	RMS	25746	-29.82	-25	Pass	14001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-25	Pass	2986
30	1000	0.1	RMS	975.6	-58.54	-25	Pass	9701
1000	2490	1	RMS	2407	-43.14	-25	Pass	1491
2490	2580	1	RMS	2504.625	23.84	60	Pass	401
2580	3000	1	RMS	2668	-42.2	-25	Pass	421
3000	12000	1	RMS	12000	-47.42	-25	Pass	9001
12000	26000	1	RMS	25746	-29.7	-25	Pass	14001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-25	Pass	2986
30	1000	0.1	RMS	987.4	-58.53	-25	Pass	9701
1000	2490	1	RMS	2415	-43.12	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.93	60	Pass	401
2580	3000	1	RMS	2670	-42.22	-25	Pass	421
3000	12000	1	RMS	11999	-47.37	-25	Pass	9001
12000	26000	1	RMS	25724	-29.7	-25	Pass	14001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-25	Pass	2986
30	1000	0.1	RMS	863.8	-58.49	-25	Pass	9701
1000	2490	1	RMS	2405	-43.13	-25	Pass	1491
2490	2580	1	RMS	2504.625	22.97	60	Pass	401
2580	3000	1	RMS	2666	-42.21	-25	Pass	421
3000	12000	1	RMS	12000	-47.37	-25	Pass	9001
12000	26000	1	RMS	25736	-29.76	-25	Pass	14001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.73	-25	Pass	2986
30	1000	0.1	RMS	859.7	-58.39	-25	Pass	9701
1000	2490	1	RMS	2407	-43.11	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.66	60	Pass	401
2580	3000	1	RMS	2669	-42.2	-25	Pass	421
3000	12000	1	RMS	11996	-47.38	-25	Pass	9001
12000	26000	1	RMS	25744	-35.97	-25	Pass	14001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-25	Pass	2986
30	1000	0.1	RMS	844.6	-58.3	-25	Pass	9701
1000	2490	1	RMS	2408	-43.09	-25	Pass	1491
2490	2580	1	RMS	2537.25	23.62	60	Pass	401
2580	3000	1	RMS	2665	-42.17	-25	Pass	421
3000	12000	1	RMS	12000	-47.34	-25	Pass	9001
12000	26000	1	RMS	25751	-29.67	-25	Pass	14001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-25	Pass	2986
30	1000	0.1	RMS	865.4	-58.31	-25	Pass	9701
1000	2490	1	RMS	2411	-43.11	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.87	60	Pass	401
2580	3000	1	RMS	2661	-42.18	-25	Pass	421
3000	12000	1	RMS	11999	-47.3	-25	Pass	9001
12000	26000	1	RMS	25731	-29.77	-25	Pass	14001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-25	Pass	2986
30	1000	0.1	RMS	881	-58.39	-25	Pass	9701
1000	2490	1	RMS	2416	-43.11	-25	Pass	1491
2490	2580	1	RMS	2537.25	22.84	60	Pass	401
2580	3000	1	RMS	2668	-42.2	-25	Pass	421
3000	12000	1	RMS	11997	-47.43	-25	Pass	9001
12000	26000	1	RMS	25739	-29.81	-25	Pass	14001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-25	Pass	2986
30	1000	0.1	RMS	876.7	-58.17	-25	Pass	9701
1000	2490	1	RMS	2408	-43.11	-25	Pass	1491
2490	2580	1	RMS	2565.375	24.05	60	Pass	401
2580	3000	1	RMS	2667	-42.19	-25	Pass	421
3000	12000	1	RMS	11998	-47.26	-25	Pass	9001
12000	26000	1	RMS	25729	-29.66	-25	Pass	14001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-25	Pass	2986
30	1000	0.1	RMS	884.6	-58.15	-25	Pass	9701
1000	2490	1	RMS	2413	-43.11	-25	Pass	1491
2490	2580	1	RMS	2569.65	24.13	60	Pass	401
2580	3000	1	RMS	2670	-42.21	-25	Pass	421
3000	12000	1	RMS	11998	-47.25	-25	Pass	9001
12000	26000	1	RMS	25725	-29.86	-25	Pass	14001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-25	Pass	2986
30	1000	0.1	RMS	906.9	-58.35	-25	Pass	9701
1000	2490	1	RMS	2403	-43.08	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.04	60	Pass	401
2580	3000	1	RMS	2666	-42.19	-25	Pass	421
3000	12000	1	RMS	12000	-47.28	-25	Pass	9001
12000	26000	1	RMS	25747	-29.72	-25	Pass	14001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-25	Pass	2986
30	1000	0.1	RMS	931	-58.45	-25	Pass	9701
1000	2490	1	RMS	2418	-43.06	-25	Pass	1491
2490	2580	1	RMS	2569.65	23.15	60	Pass	401
2580	3000	1	RMS	2661	-42.21	-25	Pass	421
3000	12000	1	RMS	11995	-47.35	-25	Pass	9001
12000	26000	1	RMS	25751	-29.77	-25	Pass	14001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-25	Pass	2986
30	1000	0.1	RMS	852.2	-58.32	-25	Pass	9701
1000	2490	1	RMS	2483	-36.99	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.98	60	Pass	401
2580	3000	1	RMS	2670	-42.16	-25	Pass	421
3000	12000	1	RMS	11998	-47.34	-25	Pass	9001
12000	26000	1	RMS	25743	-29.69	-25	Pass	14001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.44	-25	Pass	2986
30	1000	0.1	RMS	977.6	-58.38	-25	Pass	9701
1000	2490	1	RMS	2490	-42.78	-25	Pass	1491
2490	2580	1	RMS	2509.35	24.01	60	Pass	401
2580	3000	1	RMS	2665	-42.18	-25	Pass	421
3000	12000	1	RMS	12000	-47.39	-25	Pass	9001
12000	26000	1	RMS	25739	-29.74	-25	Pass	14001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.22	-25	Pass	2986
30	1000	0.1	RMS	900.1	-58.42	-25	Pass	9701
1000	2490	1	RMS	2483	-38.82	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.03	60	Pass	401
2580	3000	1	RMS	2664	-42.17	-25	Pass	421
3000	12000	1	RMS	11999	-47.32	-25	Pass	9001
12000	26000	1	RMS	25746	-29.71	-25	Pass	14001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-25	Pass	2986
30	1000	0.1	RMS	866.5	-58.34	-25	Pass	9701
1000	2490	1	RMS	2490	-42.85	-25	Pass	1491
2490	2580	1	RMS	2509.35	23.09	60	Pass	401
2580	3000	1	RMS	2669	-42.16	-25	Pass	421
3000	12000	1	RMS	11996	-47.18	-25	Pass	9001
12000	26000	1	RMS	25751	-29.58	-25	Pass	14001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-25	Pass	2986
30	1000	0.1	RMS	972.7	-58.21	-25	Pass	9701
1000	2490	1	RMS	2418	-43.04	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.77	60	Pass	401
2580	3000	1	RMS	2664	-42.2	-25	Pass	421
3000	12000	1	RMS	11998	-47.31	-25	Pass	9001
12000	26000	1	RMS	25737	-29.6	-25	Pass	14001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-25	Pass	2986
30	1000	0.1	RMS	855.7	-58.5	-25	Pass	9701
1000	2490	1	RMS	2409	-43.09	-25	Pass	1491
2490	2580	1	RMS	2539.5	23.74	60	Pass	401
2580	3000	1	RMS	2668	-42.16	-25	Pass	421
3000	12000	1	RMS	12000	-47.3	-25	Pass	9001
12000	26000	1	RMS	25743	-29.69	-25	Pass	14001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-25	Pass	2986
30	1000	0.1	RMS	965.9	-58.22	-25	Pass	9701
1000	2490	1	RMS	2410	-43.05	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.77	60	Pass	401
2580	3000	1	RMS	2663	-42.16	-25	Pass	421
3000	12000	1	RMS	11990	-47.38	-25	Pass	9001
12000	26000	1	RMS	25735	-29.78	-25	Pass	14001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-25	Pass	2986
30	1000	0.1	RMS	993.8	-58.31	-25	Pass	9701
1000	2490	1	RMS	2408	-43.09	-25	Pass	1491
2490	2580	1	RMS	2539.5	22.72	60	Pass	401
2580	3000	1	RMS	2669	-42.19	-25	Pass	421
3000	12000	1	RMS	11998	-47.34	-25	Pass	9001
12000	26000	1	RMS	25738	-29.71	-25	Pass	14001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-25	Pass	2986
30	1000	0.1	RMS	873.6	-58.08	-25	Pass	9701
1000	2490	1	RMS	2414	-43.08	-25	Pass	1491
2490	2580	1	RMS	2560.65	24.08	60	Pass	401
2580	3000	1	RMS	2668	-42.15	-25	Pass	421
3000	12000	1	RMS	11996	-47.38	-25	Pass	9001
12000	26000	1	RMS	25705	-29.67	-25	Pass	14001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-25	Pass	2986
30	1000	0.1	RMS	960.6	-58.3	-25	Pass	9701
1000	2490	1	RMS	2406	-43.09	-25	Pass	1491
2490	2580	1	RMS	2569.425	24.26	60	Pass	401
2580	3000	1	RMS	2587	-36.98	-25	Pass	421
3000	12000	1	RMS	11991	-47.37	-25	Pass	9001
12000	26000	1	RMS	25751	-29.76	-25	Pass	14001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-25	Pass	2986
30	1000	0.1	RMS	855.3	-58.18	-25	Pass	9701
1000	2490	1	RMS	2410	-43.09	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.04	60	Pass	401
2580	3000	1	RMS	2663	-42.18	-25	Pass	421
3000	12000	1	RMS	11998	-47.38	-25	Pass	9001
12000	26000	1	RMS	25718	-29.71	-25	Pass	14001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-25	Pass	2986
30	1000	0.1	RMS	984.4	-58.11	-25	Pass	9701
1000	2490	1	RMS	2410	-43.1	-25	Pass	1491
2490	2580	1	RMS	2569.425	23.27	60	Pass	401
2580	3000	1	RMS	2587	-39.99	-25	Pass	421
3000	12000	1	RMS	12000	-47.39	-25	Pass	9001
12000	26000	1	RMS	25749	-29.66	-25	Pass	14001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-25	Pass	2986
30	1000	0.1	RMS	971	-58.43	-25	Pass	9701
1000	2490	1	RMS	2474	-40.08	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.86	60	Pass	401
2580	3000	1	RMS	2663	-42.19	-25	Pass	421
3000	12000	1	RMS	11991	-47.35	-25	Pass	9001
12000	26000	1	RMS	25744	-29.5	-25	Pass	14001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.34	-25	Pass	2986
30	1000	0.1	RMS	875.4	-58.45	-25	Pass	9701
1000	2490	1	RMS	2488	-28.59	-25	Pass	1491
2490	2580	1	RMS	2514.075	23.8	60	Pass	401
2580	3000	1	RMS	2668	-42.16	-25	Pass	421
3000	12000	1	RMS	11996	-47.33	-25	Pass	9001
12000	26000	1	RMS	25746	-29.76	-25	Pass	14001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.19	-25	Pass	2986
30	1000	0.1	RMS	961.1	-58.42	-25	Pass	9701
1000	2490	1	RMS	2474	-41.31	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.97	60	Pass	401
2580	3000	1	RMS	2670	-42.15	-25	Pass	421
3000	12000	1	RMS	11991	-47.34	-25	Pass	9001
12000	26000	1	RMS	25742	-29.71	-25	Pass	14001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-25	Pass	2986
30	1000	0.1	RMS	936.3	-58.29	-25	Pass	9701
1000	2490	1	RMS	2488	-30.27	-25	Pass	1491
2490	2580	1	RMS	2514.075	22.88	60	Pass	401
2580	3000	1	RMS	2669	-42.2	-25	Pass	421
3000	12000	1	RMS	11998	-47.18	-25	Pass	9001
12000	26000	1	RMS	25746	-29.7	-25	Pass	14001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-25	Pass	2986
30	1000	0.1	RMS	982.7	-58.27	-25	Pass	9701
1000	2490	1	RMS	2411	-43.09	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.66	60	Pass	401
2580	3000	1	RMS	2661	-42.18	-25	Pass	421
3000	12000	1	RMS	11992	-47.32	-25	Pass	9001
12000	26000	1	RMS	25733	-29.79	-25	Pass	14001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-25	Pass	2986
30	1000	0.1	RMS	898.1	-58.36	-25	Pass	9701
1000	2490	1	RMS	2411	-43.1	-25	Pass	1491
2490	2580	1	RMS	2541.75	23.63	60	Pass	401
2580	3000	1	RMS	2667	-42.18	-25	Pass	421
3000	12000	1	RMS	11989	-47.29	-25	Pass	9001
12000	26000	1	RMS	25734	-35.94	-25	Pass	14001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-25	Pass	2986
30	1000	0.1	RMS	863.4	-58.47	-25	Pass	9701
1000	2490	1	RMS	2412	-43.09	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.65	60	Pass	401
2580	3000	1	RMS	2668	-42.2	-25	Pass	421
3000	12000	1	RMS	11999	-47.38	-25	Pass	9001
12000	26000	1	RMS	25741	-29.68	-25	Pass	14001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-25	Pass	2986
30	1000	0.1	RMS	980.3	-58.45	-25	Pass	9701
1000	2490	1	RMS	2419	-43.09	-25	Pass	1491
2490	2580	1	RMS	2541.75	22.62	60	Pass	401
2580	3000	1	RMS	2670	-42.17	-25	Pass	421
3000	12000	1	RMS	12000	-47.4	-25	Pass	9001
12000	26000	1	RMS	25727	-29.63	-25	Pass	14001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-25	Pass	2986
30	1000	0.1	RMS	950.8	-58.4	-25	Pass	9701
1000	2490	1	RMS	2405	-43.04	-25	Pass	1491
2490	2580	1	RMS	2555.925	23.85	60	Pass	401
2580	3000	1	RMS	2582	-28.02	-25	Pass	421
3000	12000	1	RMS	11995	-47.44	-25	Pass	9001
12000	26000	1	RMS	25760	-29.69	-25	Pass	14001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-25	Pass	2986
30	1000	0.1	RMS	910.7	-58.33	-25	Pass	9701
1000	2490	1	RMS	2404	-43.06	-25	Pass	1491
2490	2580	1	RMS	2569.2	24.14	60	Pass	401
2580	3000	1	RMS	2582	-37.87	-25	Pass	421
3000	12000	1	RMS	11998	-47.36	-25	Pass	9001
12000	26000	1	RMS	25740	-29.7	-25	Pass	14001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.96	-25	Pass	2986
30	1000	0.1	RMS	980.2	-58.27	-25	Pass	9701
1000	2490	1	RMS	2404	-43.11	-25	Pass	1491
2490	2580	1	RMS	2555.925	22.93	60	Pass	401
2580	3000	1	RMS	2582	-28.9	-25	Pass	421
3000	12000	1	RMS	11996	-47.34	-25	Pass	9001
12000	26000	1	RMS	25732	-29.56	-25	Pass	14001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-25	Pass	2986
30	1000	0.1	RMS	983.6	-57.99	-25	Pass	9701
1000	2490	1	RMS	2408	-43.08	-25	Pass	1491
2490	2580	1	RMS	2569.2	23.2	60	Pass	401
2580	3000	1	RMS	2582	-38.99	-25	Pass	421
3000	12000	1	RMS	11997	-47.39	-25	Pass	9001
12000	26000	1	RMS	25742	-29.61	-25	Pass	14001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-25	Pass	2986
30	1000	0.1	RMS	841.5	-58.3	-25	Pass	9701
1000	2490	1	RMS	2483	-38.69	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.66	60	Pass	401
2580	3000	1	RMS	2665	-42.17	-25	Pass	421
3000	12000	1	RMS	11997	-47.36	-25	Pass	9001
12000	26000	1	RMS	25739	-29.69	-25	Pass	14001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-25	Pass	2986
30	1000	0.1	RMS	986.3	-58.35	-25	Pass	9701
1000	2490	1	RMS	2483	-30.35	-25	Pass	1491
2490	2580	1	RMS	2518.8	23.58	60	Pass	401
2580	3000	1	RMS	2669	-42.18	-25	Pass	421
3000	12000	1	RMS	12000	-47.23	-25	Pass	9001
12000	26000	1	RMS	25738	-29.67	-25	Pass	14001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.46	-25	Pass	2986
30	1000	0.1	RMS	982.3	-58.33	-25	Pass	9701
1000	2490	1	RMS	2483	-40.61	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.63	60	Pass	401
2580	3000	1	RMS	2670	-42.18	-25	Pass	421
3000	12000	1	RMS	12000	-47.36	-25	Pass	9001
12000	26000	1	RMS	25751	-29.68	-25	Pass	14001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-25	Pass	2986
30	1000	0.1	RMS	953.1	-58.36	-25	Pass	9701
1000	2490	1	RMS	2483	-31.88	-25	Pass	1491
2490	2580	1	RMS	2518.8	22.5	60	Pass	401
2580	3000	1	RMS	2665	-42.18	-25	Pass	421
3000	12000	1	RMS	11997	-47.39	-25	Pass	9001
12000	26000	1	RMS	25725	-29.75	-25	Pass	14001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.02	-25	Pass	2986
30	1000	0.1	RMS	961.4	-58.31	-25	Pass	9701
1000	2490	1	RMS	2490	-38.33	-25	Pass	1491
2490	2580	1	RMS	2526	23.55	60	Pass	401
2580	3000	1	RMS	2667	-42.19	-25	Pass	421
3000	12000	1	RMS	12000	-47.36	-25	Pass	9001
12000	26000	1	RMS	25729	-29.68	-25	Pass	14001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-25	Pass	2986
30	1000	0.1	RMS	972.1	-58.42	-25	Pass	9701
1000	2490	1	RMS	2412	-43.1	-25	Pass	1491
2490	2580	1	RMS	2544	23.46	60	Pass	401
2580	3000	1	RMS	2580	-40.81	-25	Pass	421
3000	12000	1	RMS	11996	-47.39	-25	Pass	9001
12000	26000	1	RMS	25744	-29.6	-25	Pass	14001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.78	-25	Pass	2986
30	1000	0.1	RMS	965.1	-58.42	-25	Pass	9701
1000	2490	1	RMS	2490	-39.77	-25	Pass	1491
2490	2580	1	RMS	2526	22.67	60	Pass	401
2580	3000	1	RMS	2669	-42.15	-25	Pass	421
3000	12000	1	RMS	12000	-47.35	-25	Pass	9001
12000	26000	1	RMS	25726	-29.78	-25	Pass	14001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.39	-25	Pass	2986
30	1000	0.1	RMS	982.9	-58.3	-25	Pass	9701
1000	2490	1	RMS	2407	-43.07	-25	Pass	1491
2490	2580	1	RMS	2544	22.56	60	Pass	401
2580	3000	1	RMS	2671	-42.19	-25	Pass	421
3000	12000	1	RMS	11993	-47.2	-25	Pass	9001
12000	26000	1	RMS	25737	-29.74	-25	Pass	14001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-25	Pass	2986
30	1000	0.1	RMS	864.1	-58.08	-25	Pass	9701
1000	2490	1	RMS	2419	-43.09	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.57	60	Pass	401
2580	3000	1	RMS	2587	-29.06	-25	Pass	421
3000	12000	1	RMS	11996	-47.36	-25	Pass	9001
12000	26000	1	RMS	25745	-29.51	-25	Pass	14001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-25	Pass	2986
30	1000	0.1	RMS	840.7	-58.26	-25	Pass	9701
1000	2490	1	RMS	2412	-43.12	-25	Pass	1491
2490	2580	1	RMS	2568.975	23.94	60	Pass	401
2580	3000	1	RMS	2587	-33.54	-25	Pass	421
3000	12000	1	RMS	11997	-47.35	-25	Pass	9001
12000	26000	1	RMS	25742	-29.74	-25	Pass	14001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-25	Pass	2986
30	1000	0.1	RMS	975.2	-58.44	-25	Pass	9701
1000	2490	1	RMS	2408	-43.1	-25	Pass	1491
2490	2580	1	RMS	2551.2	22.57	60	Pass	401
2580	3000	1	RMS	2587	-29.24	-25	Pass	421
3000	12000	1	RMS	11990	-47.31	-25	Pass	9001
12000	26000	1	RMS	25746	-29.62	-25	Pass	14001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.64	-25	Pass	2986
30	1000	0.1	RMS	859.7	-58.4	-25	Pass	9701
1000	2490	1	RMS	2414	-43.09	-25	Pass	1491
2490	2580	1	RMS	2568.975	22.9	60	Pass	401
2580	3000	1	RMS	2587	-36.48	-25	Pass	421
3000	12000	1	RMS	11997	-47.32	-25	Pass	9001
12000	26000	1	RMS	25750	-29.65	-25	Pass	14001



END