


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	1000	0.1	RMS	902.1	-58.16	-13	Pass	9701
1000	1830	1	RMS	1825	-46.4	-13	Pass	831
1830	1920	1	RMS	1850.25	23.28	60	Pass	401
1920	3000	1	RMS	2671	-41.85	-13	Pass	1081
3000	12000	1	RMS	5551	-41.74	-13	Pass	9001
12000	20000	1	RMS	19709	-37.22	-13	Pass	8001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.56	-13	Pass	2986
30	1000	0.1	RMS	988.8	-58.17	-13	Pass	9701
1000	1830	1	RMS	1828	-46.36	-13	Pass	831
1830	1920	1	RMS	1851.15	23.23	60	Pass	401
1920	3000	1	RMS	2667	-41.81	-13	Pass	1081
3000	12000	1	RMS	3702	-42.28	-13	Pass	9001
12000	20000	1	RMS	19708	-37.12	-13	Pass	8001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	976.9	-58.12	-13	Pass	9701
1000	1830	1	RMS	1830	-46.42	-13	Pass	831
1830	1920	1	RMS	1850.25	22.33	60	Pass	401
1920	3000	1	RMS	2667	-41.87	-13	Pass	1081
3000	12000	1	RMS	5551	-41.93	-13	Pass	9001
12000	20000	1	RMS	19704	-37.17	-13	Pass	8001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	1000	0.1	RMS	949.3	-58.04	-13	Pass	9701
1000	1830	1	RMS	1830	-46.4	-13	Pass	831
1830	1920	1	RMS	1851.15	22.32	60	Pass	401
1920	3000	1	RMS	2668	-41.87	-13	Pass	1081
3000	12000	1	RMS	3702	-42.99	-13	Pass	9001
12000	20000	1	RMS	19716	-37.2	-13	Pass	8001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	876.2	-58.1	-13	Pass	9701
1000	1830	1	RMS	1830	-46.37	-13	Pass	831
1830	1920	1	RMS	1879.5	23.25	60	Pass	401
1920	3000	1	RMS	2666	-41.84	-13	Pass	1081
3000	12000	1	RMS	3759	-41.25	-13	Pass	9001
12000	20000	1	RMS	19731	-37.15	-13	Pass	8001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.68	-13	Pass	2986
30	1000	0.1	RMS	870.7	-57.95	-13	Pass	9701
1000	1830	1	RMS	1829	-46.4	-13	Pass	831
1830	1920	1	RMS	1880.4	23.25	60	Pass	401
1920	3000	1	RMS	2667	-41.79	-13	Pass	1081
3000	12000	1	RMS	3761	-41.17	-13	Pass	9001
12000	20000	1	RMS	19727	-37.13	-13	Pass	8001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	953.9	-58.04	-13	Pass	9701
1000	1830	1	RMS	1830	-46.45	-13	Pass	831
1830	1920	1	RMS	1879.5	22.28	60	Pass	401
1920	3000	1	RMS	2663	-41.82	-13	Pass	1081
3000	12000	1	RMS	3759	-42.25	-13	Pass	9001
12000	20000	1	RMS	19701	-37.14	-13	Pass	8001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.34	-13	Pass	2986
30	1000	0.1	RMS	898.7	-57.68	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1880.4	22.29	60	Pass	401
1920	3000	1	RMS	2668	-41.86	-13	Pass	1081
3000	12000	1	RMS	3761	-42.23	-13	Pass	9001
12000	20000	1	RMS	19698	-37.13	-13	Pass	8001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	973.7	-58.06	-13	Pass	9701
1000	1830	1	RMS	1830	-46.36	-13	Pass	831
1830	1920	1	RMS	1908.75	23.2	60	Pass	401
1920	3000	1	RMS	2661	-41.85	-13	Pass	1081
3000	12000	1	RMS	3818	-37.45	-13	Pass	9001
12000	20000	1	RMS	19708	-37.11	-13	Pass	8001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	845.3	-58.08	-13	Pass	9701
1000	1830	1	RMS	1829	-46.4	-13	Pass	831
1830	1920	1	RMS	1909.65	23.18	60	Pass	401
1920	3000	1	RMS	2663	-41.88	-13	Pass	1081
3000	12000	1	RMS	5729	-35.58	-13	Pass	9001
12000	20000	1	RMS	19724	-37.08	-13	Pass	8001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	972.6	-58.31	-13	Pass	9701
1000	1830	1	RMS	1829	-46.36	-13	Pass	831
1830	1920	1	RMS	1908.75	22.28	60	Pass	401
1920	3000	1	RMS	2663	-41.8	-13	Pass	1081
3000	12000	1	RMS	5727	-38.09	-13	Pass	9001
12000	20000	1	RMS	19728	-37.15	-13	Pass	8001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.37	-13	Pass	2986
30	1000	0.1	RMS	978.6	-58.04	-13	Pass	9701
1000	1830	1	RMS	1824	-46.32	-13	Pass	831
1830	1920	1	RMS	1909.65	22.31	60	Pass	401
1920	3000	1	RMS	2661	-41.78	-13	Pass	1081
3000	12000	1	RMS	5729	-37.33	-13	Pass	9001
12000	20000	1	RMS	19703	-37.04	-13	Pass	8001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.73	-13	Pass	2986
30	1000	0.1	RMS	953.3	-58.05	-13	Pass	9701
1000	1830	1	RMS	1830	-46.35	-13	Pass	831
1830	1920	1	RMS	1850.25	23.29	60	Pass	401
1920	3000	1	RMS	2660	-41.85	-13	Pass	1081
3000	12000	1	RMS	5551	-41.58	-13	Pass	9001
12000	20000	1	RMS	19707	-37.01	-13	Pass	8001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	898.8	-57.84	-13	Pass	9701
1000	1830	1	RMS	1829	-46.32	-13	Pass	831
1830	1920	1	RMS	1852.725	23.2	60	Pass	401
1920	3000	1	RMS	2670	-41.81	-13	Pass	1081
3000	12000	1	RMS	5558	-42.13	-13	Pass	9001
12000	20000	1	RMS	19717	-37.14	-13	Pass	8001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.71	-13	Pass	2986
30	1000	0.1	RMS	990.8	-57.94	-13	Pass	9701
1000	1830	1	RMS	1830	-46.35	-13	Pass	831
1830	1920	1	RMS	1850.25	22.46	60	Pass	401
1920	3000	1	RMS	2670	-41.85	-13	Pass	1081
3000	12000	1	RMS	5551	-43.87	-13	Pass	9001
12000	20000	1	RMS	19717	-36.82	-13	Pass	8001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.86	-13	Pass	2986
30	1000	0.1	RMS	911.3	-58.23	-13	Pass	9701
1000	1830	1	RMS	1830	-46.36	-13	Pass	831
1830	1920	1	RMS	1852.725	22.43	60	Pass	401
1920	3000	1	RMS	2666	-41.83	-13	Pass	1081
3000	12000	1	RMS	5558	-43.95	-13	Pass	9001
12000	20000	1	RMS	19730	-37.15	-13	Pass	8001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.11	-13	Pass	2986
30	1000	0.1	RMS	916.5	-58.18	-13	Pass	9701
1000	1830	1	RMS	1828	-46.31	-13	Pass	831
1830	1920	1	RMS	1878.825	23.22	60	Pass	401
1920	3000	1	RMS	2670	-41.81	-13	Pass	1081
3000	12000	1	RMS	5636	-41.17	-13	Pass	9001
12000	20000	1	RMS	19718	-37.05	-13	Pass	8001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.11	-13	Pass	2986
30	1000	0.1	RMS	889.5	-57.93	-13	Pass	9701
1000	1830	1	RMS	1830	-46.35	-13	Pass	831
1830	1920	1	RMS	1881.3	23.25	60	Pass	401
1920	3000	1	RMS	2666	-41.76	-13	Pass	1081
3000	12000	1	RMS	5644	-42.02	-13	Pass	9001
12000	20000	1	RMS	19708	-37	-13	Pass	8001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.9	-13	Pass	2986
30	1000	0.1	RMS	975.1	-58.12	-13	Pass	9701
1000	1830	1	RMS	1828	-46.39	-13	Pass	831
1830	1920	1	RMS	1878.825	22.26	60	Pass	401
1920	3000	1	RMS	2670	-41.79	-13	Pass	1081
3000	12000	1	RMS	3757	-44.21	-13	Pass	9001
12000	20000	1	RMS	19712	-37.06	-13	Pass	8001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	856.5	-58.09	-13	Pass	9701
1000	1830	1	RMS	1830	-46.35	-13	Pass	831
1830	1920	1	RMS	1881.3	22.3	60	Pass	401
1920	3000	1	RMS	2669	-41.79	-13	Pass	1081
3000	12000	1	RMS	5644	-43.47	-13	Pass	9001
12000	20000	1	RMS	19715	-36.98	-13	Pass	8001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.25	-13	Pass	2986
30	1000	0.1	RMS	989.2	-58.11	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1907.175	23.25	60	Pass	401
1920	3000	1	RMS	2663	-41.77	-13	Pass	1081
3000	12000	1	RMS	5722	-35.89	-13	Pass	9001
12000	20000	1	RMS	19706	-37.05	-13	Pass	8001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	951.2	-58.08	-13	Pass	9701
1000	1830	1	RMS	1829	-46.37	-13	Pass	831
1830	1920	1	RMS	1909.65	23.17	60	Pass	401
1920	3000	1	RMS	2666	-41.82	-13	Pass	1081
3000	12000	1	RMS	5729	-35.66	-13	Pass	9001
12000	20000	1	RMS	19705	-37.11	-13	Pass	8001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	1000	0.1	RMS	960.2	-57.77	-13	Pass	9701
1000	1830	1	RMS	1829	-46.37	-13	Pass	831
1830	1920	1	RMS	1907.175	22.36	60	Pass	401
1920	3000	1	RMS	2664	-41.81	-13	Pass	1081
3000	12000	1	RMS	5722	-38.11	-13	Pass	9001
12000	20000	1	RMS	19708	-36.92	-13	Pass	8001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.13	-13	Pass	2986
30	1000	0.1	RMS	870.4	-57.7	-13	Pass	9701
1000	1830	1	RMS	1829	-46.35	-13	Pass	831
1830	1920	1	RMS	1909.65	22.27	60	Pass	401
1920	3000	1	RMS	2670	-41.86	-13	Pass	1081
3000	12000	1	RMS	5729	-36.92	-13	Pass	9001
12000	20000	1	RMS	19712	-37.11	-13	Pass	8001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.32	-13	Pass	2986
30	1000	0.1	RMS	899.2	-57.95	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1850.25	23.07	60	Pass	401
1920	3000	1	RMS	2670	-41.77	-13	Pass	1081
3000	12000	1	RMS	5551	-40.54	-13	Pass	9001
12000	20000	1	RMS	19716	-37.09	-13	Pass	8001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	1000	0.1	RMS	971.5	-57.99	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1854.75	23	60	Pass	401
1920	3000	1	RMS	2665	-41.8	-13	Pass	1081
3000	12000	1	RMS	5564	-41.85	-13	Pass	9001
12000	20000	1	RMS	19707	-37.07	-13	Pass	8001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-13	Pass	2986
30	1000	0.1	RMS	980	-58	-13	Pass	9701
1000	1830	1	RMS	1829	-46.32	-13	Pass	831
1830	1920	1	RMS	1850.25	22.15	60	Pass	401
1920	3000	1	RMS	2670	-41.78	-13	Pass	1081
3000	12000	1	RMS	5551	-43.09	-13	Pass	9001
12000	20000	1	RMS	19708	-37.06	-13	Pass	8001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	853.7	-57.98	-13	Pass	9701
1000	1830	1	RMS	1828	-46.38	-13	Pass	831
1830	1920	1	RMS	1854.75	22.12	60	Pass	401
1920	3000	1	RMS	2668	-41.78	-13	Pass	1081
3000	12000	1	RMS	3709	-43.43	-13	Pass	9001
12000	20000	1	RMS	19717	-37.04	-13	Pass	8001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	971.9	-58.12	-13	Pass	9701
1000	1830	1	RMS	1828	-46.3	-13	Pass	831
1830	1920	1	RMS	1877.925	23.12	60	Pass	401
1920	3000	1	RMS	2670	-41.76	-13	Pass	1081
3000	12000	1	RMS	3756	-42.35	-13	Pass	9001
12000	20000	1	RMS	19702	-37.08	-13	Pass	8001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.06	-13	Pass	2986
30	1000	0.1	RMS	988.1	-57.89	-13	Pass	9701
1000	1830	1	RMS	1830	-46.26	-13	Pass	831
1830	1920	1	RMS	1882.2	23.12	60	Pass	401
1920	3000	1	RMS	2665	-41.81	-13	Pass	1081
3000	12000	1	RMS	3764	-41.11	-13	Pass	9001
12000	20000	1	RMS	19701	-36.85	-13	Pass	8001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.94	-13	Pass	2986
30	1000	0.1	RMS	976	-57.91	-13	Pass	9701
1000	1830	1	RMS	1826	-46.34	-13	Pass	831
1830	1920	1	RMS	1877.925	22.29	60	Pass	401
1920	3000	1	RMS	2664	-41.83	-13	Pass	1081
3000	12000	1	RMS	3756	-43.05	-13	Pass	9001
12000	20000	1	RMS	19720	-36.97	-13	Pass	8001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	1000	0.1	RMS	897.3	-57.75	-13	Pass	9701
1000	1830	1	RMS	1829	-46.37	-13	Pass	831
1830	1920	1	RMS	1882.2	22.32	60	Pass	401
1920	3000	1	RMS	2666	-41.84	-13	Pass	1081
3000	12000	1	RMS	3764	-41.95	-13	Pass	9001
12000	20000	1	RMS	19716	-37.02	-13	Pass	8001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.17	-54.35	-13	Pass	2986
30	1000	0.1	RMS	914.5	-58.05	-13	Pass	9701
1000	1830	1	RMS	1829	-46.38	-13	Pass	831
1830	1920	1	RMS	1905.375	23.11	60	Pass	401
1920	3000	1	RMS	2670	-41.77	-13	Pass	1081
3000	12000	1	RMS	5716	-35.98	-13	Pass	9001
12000	20000	1	RMS	19728	-37.07	-13	Pass	8001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.33	-13	Pass	2986
30	1000	0.1	RMS	988.9	-58.16	-13	Pass	9701
1000	1830	1	RMS	1830	-46.29	-13	Pass	831
1830	1920	1	RMS	1909.65	23.18	60	Pass	401
1920	3000	1	RMS	2667	-41.82	-13	Pass	1081
3000	12000	1	RMS	5729	-35.6	-13	Pass	9001
12000	20000	1	RMS	19711	-37.08	-13	Pass	8001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2986
30	1000	0.1	RMS	929.1	-58.17	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1905.375	22.33	60	Pass	401
1920	3000	1	RMS	2669	-41.75	-13	Pass	1081
3000	12000	1	RMS	5716	-37.39	-13	Pass	9001
12000	20000	1	RMS	19714	-37.08	-13	Pass	8001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.37	-13	Pass	2986
30	1000	0.1	RMS	921.2	-57.68	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1909.65	22.41	60	Pass	401
1920	3000	1	RMS	2660	-41.8	-13	Pass	1081
3000	12000	1	RMS	5729	-37.44	-13	Pass	9001
12000	20000	1	RMS	19714	-36.89	-13	Pass	8001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	1000	0.1	RMS	897.1	-58.12	-13	Pass	9701
1000	1830	1	RMS	1830	-46.27	-13	Pass	831
1830	1920	1	RMS	1850.475	23.11	60	Pass	401
1920	3000	1	RMS	2668	-41.81	-13	Pass	1081
3000	12000	1	RMS	3701	-41.48	-13	Pass	9001
12000	20000	1	RMS	19709	-37.1	-13	Pass	8001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.65	-13	Pass	2986
30	1000	0.1	RMS	864.5	-58.16	-13	Pass	9701
1000	1830	1	RMS	1830	-46.31	-13	Pass	831
1830	1920	1	RMS	1859.475	23.25	60	Pass	401
1920	3000	1	RMS	2668	-41.8	-13	Pass	1081
3000	12000	1	RMS	3719	-41.74	-13	Pass	9001
12000	20000	1	RMS	19728	-37.05	-13	Pass	8001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.35	-13	Pass	2986
30	1000	0.1	RMS	844.5	-57.88	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1850.7	22.37	60	Pass	401
1920	3000	1	RMS	2665	-41.81	-13	Pass	1081
3000	12000	1	RMS	5552	-42.78	-13	Pass	9001
12000	20000	1	RMS	19727	-37.02	-13	Pass	8001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	1000	0.1	RMS	883.4	-58.04	-13	Pass	9701
1000	1830	1	RMS	1830	-46.31	-13	Pass	831
1830	1920	1	RMS	1859.475	22.48	60	Pass	401
1920	3000	1	RMS	2669	-41.78	-13	Pass	1081
3000	12000	1	RMS	3719	-42.9	-13	Pass	9001
12000	20000	1	RMS	19704	-37.07	-13	Pass	8001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.44	-13	Pass	2986
30	1000	0.1	RMS	969.9	-57.76	-13	Pass	9701
1000	1830	1	RMS	1825	-46.34	-13	Pass	831
1830	1920	1	RMS	1875.675	23.27	60	Pass	401
1920	3000	1	RMS	2668	-41.81	-13	Pass	1081
3000	12000	1	RMS	3751	-41.68	-13	Pass	9001
12000	20000	1	RMS	19702	-36.98	-13	Pass	8001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-13	Pass	2986
30	1000	0.1	RMS	902.8	-58.17	-13	Pass	9701
1000	1830	1	RMS	1827	-46.35	-13	Pass	831
1830	1920	1	RMS	1884.45	23.22	60	Pass	401
1920	3000	1	RMS	2661	-41.82	-13	Pass	1081
3000	12000	1	RMS	3769	-40.52	-13	Pass	9001
12000	20000	1	RMS	19701	-37.14	-13	Pass	8001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	986.2	-58.07	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1875.675	22.27	60	Pass	401
1920	3000	1	RMS	2660	-41.77	-13	Pass	1081
3000	12000	1	RMS	3751	-42.73	-13	Pass	9001
12000	20000	1	RMS	19724	-37.15	-13	Pass	8001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	936.9	-57.96	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1884.45	22.23	60	Pass	401
1920	3000	1	RMS	2668	-41.85	-13	Pass	1081
3000	12000	1	RMS	3769	-42.29	-13	Pass	9001
12000	20000	1	RMS	19714	-36.99	-13	Pass	8001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-13	Pass	2986
30	1000	0.1	RMS	969.6	-57.98	-13	Pass	9701
1000	1830	1	RMS	1823	-46.4	-13	Pass	831
1830	1920	1	RMS	1900.65	23.15	60	Pass	401
1920	3000	1	RMS	2665	-41.76	-13	Pass	1081
3000	12000	1	RMS	5702	-36.4	-13	Pass	9001
12000	20000	1	RMS	19704	-36.97	-13	Pass	8001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	904.1	-57.88	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1909.425	23.27	60	Pass	401
1920	3000	1	RMS	2666	-41.84	-13	Pass	1081
3000	12000	1	RMS	5728	-36.15	-13	Pass	9001
12000	20000	1	RMS	19709	-37.13	-13	Pass	8001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.44	-13	Pass	2986
30	1000	0.1	RMS	970.1	-58.04	-13	Pass	9701
1000	1830	1	RMS	1825	-46.32	-13	Pass	831
1830	1920	1	RMS	1900.65	22.27	60	Pass	401
1920	3000	1	RMS	2661	-41.82	-13	Pass	1081
3000	12000	1	RMS	5702	-37.53	-13	Pass	9001
12000	20000	1	RMS	19714	-37.07	-13	Pass	8001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	995.9	-57.8	-13	Pass	9701
1000	1830	1	RMS	1830	-46.27	-13	Pass	831
1830	1920	1	RMS	1909.425	22.38	60	Pass	401
1920	3000	1	RMS	2670	-41.78	-13	Pass	1081
3000	12000	1	RMS	5728	-37.93	-13	Pass	9001
12000	20000	1	RMS	19714	-37.02	-13	Pass	8001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	1000	0.1	RMS	873.3	-57.75	-13	Pass	9701
1000	1830	1	RMS	1824	-46.24	-13	Pass	831
1830	1920	1	RMS	1850.925	23.07	60	Pass	401
1920	3000	1	RMS	2663	-41.81	-13	Pass	1081
3000	12000	1	RMS	3702	-42.44	-13	Pass	9001
12000	20000	1	RMS	19702	-36.98	-13	Pass	8001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	1000	0.1	RMS	977.4	-58.06	-13	Pass	9701
1000	1830	1	RMS	1830	-46.36	-13	Pass	831
1830	1920	1	RMS	1864.2	23.29	60	Pass	401
1920	3000	1	RMS	2660	-41.75	-13	Pass	1081
3000	12000	1	RMS	3728	-42.41	-13	Pass	9001
12000	20000	1	RMS	19703	-37.04	-13	Pass	8001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.52	-13	Pass	2986
30	1000	0.1	RMS	879.8	-57.83	-13	Pass	9701
1000	1830	1	RMS	1824	-46.29	-13	Pass	831
1830	1920	1	RMS	1850.925	22.25	60	Pass	401
1920	3000	1	RMS	2662	-41.79	-13	Pass	1081
3000	12000	1	RMS	3702	-43.61	-13	Pass	9001
12000	20000	1	RMS	19719	-37.14	-13	Pass	8001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	904.8	-57.78	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1864.2	22.51	60	Pass	401
1920	3000	1	RMS	2665	-41.86	-13	Pass	1081
3000	12000	1	RMS	3728	-42.94	-13	Pass	9001
12000	20000	1	RMS	19699	-36.93	-13	Pass	8001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.71	-13	Pass	2986
30	1000	0.1	RMS	952.6	-58.23	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1873.425	23.18	60	Pass	401
1920	3000	1	RMS	2670	-41.84	-13	Pass	1081
3000	12000	1	RMS	5620	-42.01	-13	Pass	9001
12000	20000	1	RMS	19729	-37.04	-13	Pass	8001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	1000	0.1	RMS	884.7	-58	-13	Pass	9701
1000	1830	1	RMS	1829	-46.37	-13	Pass	831
1830	1920	1	RMS	1886.7	23.06	60	Pass	401
1920	3000	1	RMS	2669	-41.8	-13	Pass	1081
3000	12000	1	RMS	5660	-39.01	-13	Pass	9001
12000	20000	1	RMS	19728	-37.01	-13	Pass	8001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-13	Pass	2986
30	1000	0.1	RMS	990.1	-57.87	-13	Pass	9701
1000	1830	1	RMS	1828	-46.3	-13	Pass	831
1830	1920	1	RMS	1873.425	22.26	60	Pass	401
1920	3000	1	RMS	2671	-41.79	-13	Pass	1081
3000	12000	1	RMS	5620	-43.84	-13	Pass	9001
12000	20000	1	RMS	19723	-37.09	-13	Pass	8001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	994.6	-58.11	-13	Pass	9701
1000	1830	1	RMS	1826	-46.38	-13	Pass	831
1830	1920	1	RMS	1886.7	22.1	60	Pass	401
1920	3000	1	RMS	2669	-41.84	-13	Pass	1081
3000	12000	1	RMS	5660	-41.12	-13	Pass	9001
12000	20000	1	RMS	19715	-37.05	-13	Pass	8001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	871.4	-57.95	-13	Pass	9701
1000	1830	1	RMS	1830	-46.35	-13	Pass	831
1830	1920	1	RMS	1895.925	23.02	60	Pass	401
1920	3000	1	RMS	2669	-41.79	-13	Pass	1081
3000	12000	1	RMS	3792	-38.9	-13	Pass	9001
12000	20000	1	RMS	19713	-36.97	-13	Pass	8001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55	-13	Pass	2986
30	1000	0.1	RMS	939.1	-57.86	-13	Pass	9701
1000	1830	1	RMS	1827	-46.36	-13	Pass	831
1830	1920	1	RMS	1909.2	23.18	60	Pass	401
1920	3000	1	RMS	2671	-41.77	-13	Pass	1081
3000	12000	1	RMS	3818	-37.31	-13	Pass	9001
12000	20000	1	RMS	19713	-37.1	-13	Pass	8001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	1000	0.1	RMS	979	-57.82	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1895.925	22.24	60	Pass	401
1920	3000	1	RMS	2666	-41.8	-13	Pass	1081
3000	12000	1	RMS	5687	-40.03	-13	Pass	9001
12000	20000	1	RMS	19738	-37.03	-13	Pass	8001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-13	Pass	2986
30	1000	0.1	RMS	986.7	-58.23	-13	Pass	9701
1000	1830	1	RMS	1827	-46.38	-13	Pass	831
1830	1920	1	RMS	1909.2	22.27	60	Pass	401
1920	3000	1	RMS	2667	-41.84	-13	Pass	1081
3000	12000	1	RMS	5728	-38.83	-13	Pass	9001
12000	20000	1	RMS	19727	-37	-13	Pass	8001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2986
30	1000	0.1	RMS	874.8	-58.06	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1851.15	22.93	60	Pass	401
1920	3000	1	RMS	2670	-41.82	-13	Pass	1081
3000	12000	1	RMS	3702	-41.9	-13	Pass	9001
12000	20000	1	RMS	19726	-37.1	-13	Pass	8001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	1000	0.1	RMS	996.6	-58.22	-13	Pass	9701
1000	1830	1	RMS	1829	-46.26	-13	Pass	831
1830	1920	1	RMS	1868.925	23.12	60	Pass	401
1920	3000	1	RMS	2666	-41.83	-13	Pass	1081
3000	12000	1	RMS	3738	-41.85	-13	Pass	9001
12000	20000	1	RMS	19710	-37.01	-13	Pass	8001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	891.7	-57.96	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1851.15	22.12	60	Pass	401
1920	3000	1	RMS	2663	-41.77	-13	Pass	1081
3000	12000	1	RMS	3702	-43.06	-13	Pass	9001
12000	20000	1	RMS	19715	-36.99	-13	Pass	8001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.66	-13	Pass	2986
30	1000	0.1	RMS	900	-57.88	-13	Pass	9701
1000	1830	1	RMS	1829	-46.37	-13	Pass	831
1830	1920	1	RMS	1868.925	22.35	60	Pass	401
1920	3000	1	RMS	2660	-41.78	-13	Pass	1081
3000	12000	1	RMS	5607	-42.07	-13	Pass	9001
12000	20000	1	RMS	19707	-37.09	-13	Pass	8001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2986
30	1000	0.1	RMS	964	-58.15	-13	Pass	9701
1000	1830	1	RMS	1828	-46.31	-13	Pass	831
1830	1920	1	RMS	1871.175	23.04	60	Pass	401
1920	3000	1	RMS	2670	-41.82	-13	Pass	1081
3000	12000	1	RMS	5613	-41.56	-13	Pass	9001
12000	20000	1	RMS	19737	-37.05	-13	Pass	8001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	967.7	-57.82	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1888.95	22.86	60	Pass	401
1920	3000	1	RMS	2665	-41.81	-13	Pass	1081
3000	12000	1	RMS	5667	-38.98	-13	Pass	9001
12000	20000	1	RMS	19727	-37.06	-13	Pass	8001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	1000	0.1	RMS	975.3	-57.85	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1871.175	22.12	60	Pass	401
1920	3000	1	RMS	2669	-41.78	-13	Pass	1081
3000	12000	1	RMS	3742	-42.94	-13	Pass	9001
12000	20000	1	RMS	19707	-37.03	-13	Pass	8001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.06	-13	Pass	2986
30	1000	0.1	RMS	976.1	-58.15	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1888.95	21.93	60	Pass	401
1920	3000	1	RMS	2661	-41.81	-13	Pass	1081
3000	12000	1	RMS	5667	-40.65	-13	Pass	9001
12000	20000	1	RMS	19710	-37.11	-13	Pass	8001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	1000	0.1	RMS	936.8	-58.12	-13	Pass	9701
1000	1830	1	RMS	1829	-46.38	-13	Pass	831
1830	1920	1	RMS	1891.2	22.76	60	Pass	401
1920	3000	1	RMS	2671	-41.79	-13	Pass	1081
3000	12000	1	RMS	3782	-39.29	-13	Pass	9001
12000	20000	1	RMS	19707	-37	-13	Pass	8001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	925.2	-58.14	-13	Pass	9701
1000	1830	1	RMS	1830	-46.4	-13	Pass	831
1830	1920	1	RMS	1908.975	22.92	60	Pass	401
1920	3000	1	RMS	2669	-41.84	-13	Pass	1081
3000	12000	1	RMS	5727	-36.89	-13	Pass	9001
12000	20000	1	RMS	19724	-37.02	-13	Pass	8001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.82	-13	Pass	2986
30	1000	0.1	RMS	883.7	-58.14	-13	Pass	9701
1000	1830	1	RMS	1827	-46.35	-13	Pass	831
1830	1920	1	RMS	1891.2	21.9	60	Pass	401
1920	3000	1	RMS	2672	-41.77	-13	Pass	1081
3000	12000	1	RMS	5673	-39.25	-13	Pass	9001
12000	20000	1	RMS	19717	-36.97	-13	Pass	8001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	1000	0.1	RMS	848.3	-58.11	-13	Pass	9701
1000	1830	1	RMS	1829	-46.36	-13	Pass	831
1830	1920	1	RMS	1908.975	21.97	60	Pass	401
1920	3000	1	RMS	2662	-41.8	-13	Pass	1081
3000	12000	1	RMS	5727	-37.85	-13	Pass	9001
12000	20000	1	RMS	19698	-37.15	-13	Pass	8001



END