


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band4


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	892.9	-58.43	-13	Pass	9701
1000	1700	1	RMS	1604	-47.03	-13	Pass	701
1700	1765	1	RMS	1710.238	23.76	60	Pass	401
1765	3000	1	RMS	2664	-41.84	-13	Pass	1236
3000	12000	1	RMS	3420	-40.1	-13	Pass	9001
12000	18000	1	RMS	15800	-39.07	-13	Pass	6001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.57	-13	Pass	2986
30	1000	0.1	RMS	989.7	-58.51	-13	Pass	9701
1000	1700	1	RMS	1597	-47.07	-13	Pass	701
1700	1765	1	RMS	1711.213	23.71	60	Pass	401
1765	3000	1	RMS	2668	-41.8	-13	Pass	1236
3000	12000	1	RMS	3422	-38.97	-13	Pass	9001
12000	18000	1	RMS	15800	-39.04	-13	Pass	6001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	895.7	-58.4	-13	Pass	9701
1000	1700	1	RMS	1598	-47.04	-13	Pass	701
1700	1765	1	RMS	1710.238	22.79	60	Pass	401
1765	3000	1	RMS	2663	-41.83	-13	Pass	1236
3000	12000	1	RMS	3421	-41.48	-13	Pass	9001
12000	18000	1	RMS	15800	-39.17	-13	Pass	6001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	983.3	-58.48	-13	Pass	9701
1000	1700	1	RMS	1601	-47.04	-13	Pass	701
1700	1765	1	RMS	1711.213	22.75	60	Pass	401
1765	3000	1	RMS	2670	-41.86	-13	Pass	1236
3000	12000	1	RMS	3422	-40.15	-13	Pass	9001
12000	18000	1	RMS	15800	-39.2	-13	Pass	6001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	882.7	-58.24	-13	Pass	9701
1000	1700	1	RMS	1603	-47.07	-13	Pass	701
1700	1765	1	RMS	1732.013	23.79	60	Pass	401
1765	3000	1	RMS	2661	-41.8	-13	Pass	1236
3000	12000	1	RMS	3464	-41.96	-13	Pass	9001
12000	18000	1	RMS	15797	-39.14	-13	Pass	6001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	888.3	-58.43	-13	Pass	9701
1000	1700	1	RMS	1612	-47.06	-13	Pass	701
1700	1765	1	RMS	1732.988	23.75	60	Pass	401
1765	3000	1	RMS	2667	-41.8	-13	Pass	1236
3000	12000	1	RMS	3466	-42.05	-13	Pass	9001
12000	18000	1	RMS	15799	-39.06	-13	Pass	6001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	1000	0.1	RMS	964.7	-58.14	-13	Pass	9701
1000	1700	1	RMS	1605	-47.05	-13	Pass	701
1700	1765	1	RMS	1732.013	22.84	60	Pass	401
1765	3000	1	RMS	2663	-41.85	-13	Pass	1236
3000	12000	1	RMS	3464	-42.87	-13	Pass	9001
12000	18000	1	RMS	15798	-39.15	-13	Pass	6001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.04	-13	Pass	2986
30	1000	0.1	RMS	980.2	-58.47	-13	Pass	9701
1000	1700	1	RMS	1604	-47.06	-13	Pass	701
1700	1765	1	RMS	1732.988	22.83	60	Pass	401
1765	3000	1	RMS	2667	-41.81	-13	Pass	1236
3000	12000	1	RMS	3466	-42.88	-13	Pass	9001
12000	18000	1	RMS	15800	-39.17	-13	Pass	6001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-13	Pass	2986
30	1000	0.1	RMS	855	-58.46	-13	Pass	9701
1000	1700	1	RMS	1607	-47.04	-13	Pass	701
1700	1765	1	RMS	1753.788	23.57	60	Pass	401
1765	3000	1	RMS	2668	-41.82	-13	Pass	1236
3000	12000	1	RMS	3508	-42.82	-13	Pass	9001
12000	18000	1	RMS	15800	-39.13	-13	Pass	6001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	973.5	-58.46	-13	Pass	9701
1000	1700	1	RMS	1603	-47.04	-13	Pass	701
1700	1765	1	RMS	1754.763	23.59	60	Pass	401
1765	3000	1	RMS	2667	-41.81	-13	Pass	1236
3000	12000	1	RMS	3509	-44.19	-13	Pass	9001
12000	18000	1	RMS	15800	-39.15	-13	Pass	6001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	1000	0.1	RMS	846.1	-57.83	-13	Pass	9701
1000	1700	1	RMS	1600	-47.05	-13	Pass	701
1700	1765	1	RMS	1753.788	22.66	60	Pass	401
1765	3000	1	RMS	2665	-41.86	-13	Pass	1236
3000	12000	1	RMS	3508	-44.67	-13	Pass	9001
12000	18000	1	RMS	15800	-39.08	-13	Pass	6001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.03	-13	Pass	2986
30	1000	0.1	RMS	975.8	-58.58	-13	Pass	9701
1000	1700	1	RMS	1605	-47.02	-13	Pass	701
1700	1765	1	RMS	1754.763	22.64	60	Pass	401
1765	3000	1	RMS	2661	-41.8	-13	Pass	1236
3000	12000	1	RMS	3509	-45.74	-13	Pass	9001
12000	18000	1	RMS	15799	-39.06	-13	Pass	6001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	1000	0.1	RMS	850.9	-58.54	-13	Pass	9701
1000	1700	1	RMS	1700	-46.99	-13	Pass	701
1700	1765	1	RMS	1710.238	23.82	60	Pass	401
1765	3000	1	RMS	2670	-41.84	-13	Pass	1236
3000	12000	1	RMS	3420	-39.76	-13	Pass	9001
12000	18000	1	RMS	15801	-39.05	-13	Pass	6001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	1000	0.1	RMS	989.4	-58.45	-13	Pass	9701
1000	1700	1	RMS	1602	-47.06	-13	Pass	701
1700	1765	1	RMS	1712.838	23.72	60	Pass	401
1765	3000	1	RMS	2669	-41.83	-13	Pass	1236
3000	12000	1	RMS	3426	-40.41	-13	Pass	9001
12000	18000	1	RMS	15800	-38.99	-13	Pass	6001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	894.2	-58.61	-13	Pass	9701
1000	1700	1	RMS	1700	-47.01	-13	Pass	701
1700	1765	1	RMS	1710.238	23.03	60	Pass	401
1765	3000	1	RMS	2669	-41.85	-13	Pass	1236
3000	12000	1	RMS	3421	-41.05	-13	Pass	9001
12000	18000	1	RMS	15799	-39.15	-13	Pass	6001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.62	-13	Pass	2986
30	1000	0.1	RMS	898.7	-58.17	-13	Pass	9701
1000	1700	1	RMS	1606	-47.05	-13	Pass	701
1700	1765	1	RMS	1712.675	22.9	60	Pass	401
1765	3000	1	RMS	2670	-41.84	-13	Pass	1236
3000	12000	1	RMS	3425	-41.88	-13	Pass	9001
12000	18000	1	RMS	15800	-39.26	-13	Pass	6001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2986
30	1000	0.1	RMS	876.3	-58.36	-13	Pass	9701
1000	1700	1	RMS	1600	-47.06	-13	Pass	701
1700	1765	1	RMS	1731.2	23.84	60	Pass	401
1765	3000	1	RMS	2669	-41.79	-13	Pass	1236
3000	12000	1	RMS	3462	-43.36	-13	Pass	9001
12000	18000	1	RMS	15800	-39.09	-13	Pass	6001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-13	Pass	2986
30	1000	0.1	RMS	874.6	-58.58	-13	Pass	9701
1000	1700	1	RMS	1607	-47.02	-13	Pass	701
1700	1765	1	RMS	1733.8	23.8	60	Pass	401
1765	3000	1	RMS	2664	-41.84	-13	Pass	1236
3000	12000	1	RMS	3468	-43.86	-13	Pass	9001
12000	18000	1	RMS	15799	-39.02	-13	Pass	6001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-13	Pass	2986
30	1000	0.1	RMS	955.9	-58.32	-13	Pass	9701
1000	1700	1	RMS	1606	-47.06	-13	Pass	701
1700	1765	1	RMS	1731.2	22.9	60	Pass	401
1765	3000	1	RMS	2669	-41.86	-13	Pass	1236
3000	12000	1	RMS	3462	-44.3	-13	Pass	9001
12000	18000	1	RMS	15800	-39.03	-13	Pass	6001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-13	Pass	2986
30	1000	0.1	RMS	968.5	-58.26	-13	Pass	9701
1000	1700	1	RMS	1600	-47.03	-13	Pass	701
1700	1765	1	RMS	1733.8	22.88	60	Pass	401
1765	3000	1	RMS	2670	-41.84	-13	Pass	1236
3000	12000	1	RMS	3468	-44.93	-13	Pass	9001
12000	18000	1	RMS	15800	-39.11	-13	Pass	6001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.26	-13	Pass	2986
30	1000	0.1	RMS	899.9	-58.34	-13	Pass	9701
1000	1700	1	RMS	1606	-47.03	-13	Pass	701
1700	1765	1	RMS	1752.163	23.61	60	Pass	401
1765	3000	1	RMS	2670	-41.86	-13	Pass	1236
3000	12000	1	RMS	3504	-43.78	-13	Pass	9001
12000	18000	1	RMS	15798	-39.15	-13	Pass	6001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	889.4	-58.45	-13	Pass	9701
1000	1700	1	RMS	1602	-46.99	-13	Pass	701
1700	1765	1	RMS	1754.763	23.64	60	Pass	401
1765	3000	1	RMS	2661	-41.85	-13	Pass	1236
3000	12000	1	RMS	3509	-44.3	-13	Pass	9001
12000	18000	1	RMS	15800	-39.11	-13	Pass	6001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.15	-13	Pass	2986
30	1000	0.1	RMS	980.7	-58.3	-13	Pass	9701
1000	1700	1	RMS	1598	-47.05	-13	Pass	701
1700	1765	1	RMS	1752.163	22.67	60	Pass	401
1765	3000	1	RMS	2662	-41.85	-13	Pass	1236
3000	12000	1	RMS	3504	-45.23	-13	Pass	9001
12000	18000	1	RMS	15799	-39.13	-13	Pass	6001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	872.9	-58.43	-13	Pass	9701
1000	1700	1	RMS	1600	-47.04	-13	Pass	701
1700	1765	1	RMS	1754.763	22.67	60	Pass	401
1765	3000	1	RMS	2668	-41.82	-13	Pass	1236
3000	12000	1	RMS	3510	-45.56	-13	Pass	9001
12000	18000	1	RMS	15800	-39.09	-13	Pass	6001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2986
30	1000	0.1	RMS	956.5	-58.48	-13	Pass	9701
1000	1700	1	RMS	1603	-46.99	-13	Pass	701
1700	1765	1	RMS	1710.4	23.67	60	Pass	401
1765	3000	1	RMS	2669	-41.8	-13	Pass	1236
3000	12000	1	RMS	3421	-39.03	-13	Pass	9001
12000	18000	1	RMS	15800	-39.13	-13	Pass	6001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	1000	0.1	RMS	986.4	-58.56	-13	Pass	9701
1000	1700	1	RMS	1697	-47	-13	Pass	701
1700	1765	1	RMS	1714.625	23.7	60	Pass	401
1765	3000	1	RMS	2670	-41.85	-13	Pass	1236
3000	12000	1	RMS	3429	-40.17	-13	Pass	9001
12000	18000	1	RMS	15800	-39.07	-13	Pass	6001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	1000	0.1	RMS	955.6	-58.44	-13	Pass	9701
1000	1700	1	RMS	1700	-47.03	-13	Pass	701
1700	1765	1	RMS	1710.4	22.76	60	Pass	401
1765	3000	1	RMS	2665	-41.83	-13	Pass	1236
3000	12000	1	RMS	3421	-40.27	-13	Pass	9001
12000	18000	1	RMS	15800	-39.11	-13	Pass	6001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2986
30	1000	0.1	RMS	980.6	-58.35	-13	Pass	9701
1000	1700	1	RMS	1613	-47.06	-13	Pass	701
1700	1765	1	RMS	1714.625	22.8	60	Pass	401
1765	3000	1	RMS	2669	-41.85	-13	Pass	1236
3000	12000	1	RMS	3429	-41.67	-13	Pass	9001
12000	18000	1	RMS	15800	-39.07	-13	Pass	6001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.77	-13	Pass	2986
30	1000	0.1	RMS	898.8	-58.11	-13	Pass	9701
1000	1700	1	RMS	1601	-47.05	-13	Pass	701
1700	1765	1	RMS	1730.388	23.72	60	Pass	401
1765	3000	1	RMS	2663	-41.82	-13	Pass	1236
3000	12000	1	RMS	3461	-42.33	-13	Pass	9001
12000	18000	1	RMS	15797	-39.11	-13	Pass	6001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	857.6	-58.52	-13	Pass	9701
1000	1700	1	RMS	1600	-47.03	-13	Pass	701
1700	1765	1	RMS	1734.613	23.73	60	Pass	401
1765	3000	1	RMS	2666	-41.83	-13	Pass	1236
3000	12000	1	RMS	3469	-42.69	-13	Pass	9001
12000	18000	1	RMS	15800	-39.15	-13	Pass	6001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.34	-13	Pass	2986
30	1000	0.1	RMS	886.8	-58.49	-13	Pass	9701
1000	1700	1	RMS	1597	-47.05	-13	Pass	701
1700	1765	1	RMS	1730.388	22.95	60	Pass	401
1765	3000	1	RMS	2670	-41.8	-13	Pass	1236
3000	12000	1	RMS	3461	-42.99	-13	Pass	9001
12000	18000	1	RMS	15800	-39.1	-13	Pass	6001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	1000	0.1	RMS	980.9	-58.51	-13	Pass	9701
1000	1700	1	RMS	1599	-47.07	-13	Pass	701
1700	1765	1	RMS	1734.613	22.9	60	Pass	401
1765	3000	1	RMS	2665	-41.85	-13	Pass	1236
3000	12000	1	RMS	3469	-43.84	-13	Pass	9001
12000	18000	1	RMS	15802	-39.18	-13	Pass	6001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	991	-58.49	-13	Pass	9701
1000	1700	1	RMS	1600	-47.04	-13	Pass	701
1700	1765	1	RMS	1750.375	23.57	60	Pass	401
1765	3000	1	RMS	2666	-41.85	-13	Pass	1236
3000	12000	1	RMS	3501	-43.75	-13	Pass	9001
12000	18000	1	RMS	15800	-39.09	-13	Pass	6001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2986
30	1000	0.1	RMS	880.8	-58.4	-13	Pass	9701
1000	1700	1	RMS	1599	-47.05	-13	Pass	701
1700	1765	1	RMS	1754.6	23.49	60	Pass	401
1765	3000	1	RMS	2665	-41.82	-13	Pass	1236
3000	12000	1	RMS	3509	-43.16	-13	Pass	9001
12000	18000	1	RMS	15799	-39.1	-13	Pass	6001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.82	-13	Pass	2986
30	1000	0.1	RMS	979.2	-58.35	-13	Pass	9701
1000	1700	1	RMS	1607	-47.06	-13	Pass	701
1700	1765	1	RMS	1750.375	22.82	60	Pass	401
1765	3000	1	RMS	2664	-41.83	-13	Pass	1236
3000	12000	1	RMS	3501	-44.98	-13	Pass	9001
12000	18000	1	RMS	15802	-39.11	-13	Pass	6001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	901.4	-58.43	-13	Pass	9701
1000	1700	1	RMS	1604	-47.06	-13	Pass	701
1700	1765	1	RMS	1754.6	22.7	60	Pass	401
1765	3000	1	RMS	2667	-41.85	-13	Pass	1236
3000	12000	1	RMS	3509	-44.64	-13	Pass	9001
12000	18000	1	RMS	15798	-39.07	-13	Pass	6001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	926.2	-58.5	-13	Pass	9701
1000	1700	1	RMS	1693	-41.31	-13	Pass	701
1700	1765	1	RMS	1710.563	23.81	60	Pass	401
1765	3000	1	RMS	2668	-41.83	-13	Pass	1236
3000	12000	1	RMS	3421	-38.29	-13	Pass	9001
12000	18000	1	RMS	15801	-39.13	-13	Pass	6001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	853.3	-58.48	-13	Pass	9701
1000	1700	1	RMS	1700	-45.74	-13	Pass	701
1700	1765	1	RMS	1719.338	23.76	60	Pass	401
1765	3000	1	RMS	2669	-41.81	-13	Pass	1236
3000	12000	1	RMS	3439	-40.65	-13	Pass	9001
12000	18000	1	RMS	15798	-39.04	-13	Pass	6001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	985.9	-58.38	-13	Pass	9701
1000	1700	1	RMS	1693	-42.64	-13	Pass	701
1700	1765	1	RMS	1710.563	22.98	60	Pass	401
1765	3000	1	RMS	2670	-41.85	-13	Pass	1236
3000	12000	1	RMS	3421	-39.4	-13	Pass	9001
12000	18000	1	RMS	15798	-39.17	-13	Pass	6001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2986
30	1000	0.1	RMS	891.4	-58.36	-13	Pass	9701
1000	1700	1	RMS	1700	-45.94	-13	Pass	701
1700	1765	1	RMS	1719.338	22.93	60	Pass	401
1765	3000	1	RMS	2670	-41.81	-13	Pass	1236
3000	12000	1	RMS	3439	-41.31	-13	Pass	9001
12000	18000	1	RMS	15800	-39.07	-13	Pass	6001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	856.9	-58.47	-13	Pass	9701
1000	1700	1	RMS	1602	-47.05	-13	Pass	701
1700	1765	1	RMS	1728.113	23.88	60	Pass	401
1765	3000	1	RMS	2667	-41.82	-13	Pass	1236
3000	12000	1	RMS	3456	-41.65	-13	Pass	9001
12000	18000	1	RMS	15800	-39.07	-13	Pass	6001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	979.1	-58.56	-13	Pass	9701
1000	1700	1	RMS	1603	-47.04	-13	Pass	701
1700	1765	1	RMS	1736.888	23.82	60	Pass	401
1765	3000	1	RMS	2667	-41.85	-13	Pass	1236
3000	12000	1	RMS	3474	-42.59	-13	Pass	9001
12000	18000	1	RMS	15799	-39.04	-13	Pass	6001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	974.8	-58.49	-13	Pass	9701
1000	1700	1	RMS	1597	-47.01	-13	Pass	701
1700	1765	1	RMS	1728.113	22.91	60	Pass	401
1765	3000	1	RMS	2661	-41.86	-13	Pass	1236
3000	12000	1	RMS	3456	-42.86	-13	Pass	9001
12000	18000	1	RMS	15800	-39.13	-13	Pass	6001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	1000	0.1	RMS	992.1	-58.49	-13	Pass	9701
1000	1700	1	RMS	1605	-47.05	-13	Pass	701
1700	1765	1	RMS	1736.888	22.87	60	Pass	401
1765	3000	1	RMS	2670	-41.81	-13	Pass	1236
3000	12000	1	RMS	3474	-43.89	-13	Pass	9001
12000	18000	1	RMS	15800	-39.15	-13	Pass	6001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.12	-13	Pass	2986
30	1000	0.1	RMS	907.9	-58.54	-13	Pass	9701
1000	1700	1	RMS	1605	-47.07	-13	Pass	701
1700	1765	1	RMS	1745.663	23.72	60	Pass	401
1765	3000	1	RMS	2670	-41.79	-13	Pass	1236
3000	12000	1	RMS	3491	-44.06	-13	Pass	9001
12000	18000	1	RMS	15800	-39.14	-13	Pass	6001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.82	-13	Pass	2986
30	1000	0.1	RMS	893.8	-58.42	-13	Pass	9701
1000	1700	1	RMS	1599	-47.02	-13	Pass	701
1700	1765	1	RMS	1754.438	23.63	60	Pass	401
1765	3000	1	RMS	1772	-41.08	-13	Pass	1236
3000	12000	1	RMS	3509	-42.8	-13	Pass	9001
12000	18000	1	RMS	15799	-39.12	-13	Pass	6001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.15	-13	Pass	2986
30	1000	0.1	RMS	962.6	-58.49	-13	Pass	9701
1000	1700	1	RMS	1600	-47.07	-13	Pass	701
1700	1765	1	RMS	1745.663	22.77	60	Pass	401
1765	3000	1	RMS	2667	-41.85	-13	Pass	1236
3000	12000	1	RMS	3491	-45.44	-13	Pass	9001
12000	18000	1	RMS	15800	-39.07	-13	Pass	6001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.74	-13	Pass	2986
30	1000	0.1	RMS	971.1	-58.43	-13	Pass	9701
1000	1700	1	RMS	1599	-47.03	-13	Pass	701
1700	1765	1	RMS	1754.438	22.68	60	Pass	401
1765	3000	1	RMS	2667	-41.83	-13	Pass	1236
3000	12000	1	RMS	3509	-44.04	-13	Pass	9001
12000	18000	1	RMS	15799	-39.19	-13	Pass	6001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2986
30	1000	0.1	RMS	899	-58.52	-13	Pass	9701
1000	1700	1	RMS	1698	-44.15	-13	Pass	701
1700	1765	1	RMS	1710.888	23.7	60	Pass	401
1765	3000	1	RMS	2666	-41.8	-13	Pass	1236
3000	12000	1	RMS	3422	-39.1	-13	Pass	9001
12000	18000	1	RMS	15799	-39.11	-13	Pass	6001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.42	-13	Pass	2986
30	1000	0.1	RMS	990.5	-58.47	-13	Pass	9701
1000	1700	1	RMS	1697	-28.8	-13	Pass	701
1700	1765	1	RMS	1724.213	23.71	60	Pass	401
1765	3000	1	RMS	2668	-41.83	-13	Pass	1236
3000	12000	1	RMS	3448	-42.36	-13	Pass	9001
12000	18000	1	RMS	15797	-39.04	-13	Pass	6001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	1000	0.1	RMS	931.2	-58.26	-13	Pass	9701
1000	1700	1	RMS	1698	-44.68	-13	Pass	701
1700	1765	1	RMS	1710.888	22.88	60	Pass	401
1765	3000	1	RMS	2660	-41.83	-13	Pass	1236
3000	12000	1	RMS	3422	-40.15	-13	Pass	9001
12000	18000	1	RMS	15700	-39.2	-13	Pass	6001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	1000	0.1	RMS	935.9	-58.47	-13	Pass	9701
1000	1700	1	RMS	1697	-30.1	-13	Pass	701
1700	1765	1	RMS	1724.213	22.93	60	Pass	401
1765	3000	1	RMS	2668	-41.81	-13	Pass	1236
3000	12000	1	RMS	3448	-43.39	-13	Pass	9001
12000	18000	1	RMS	15801	-39.12	-13	Pass	6001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	969.2	-58.56	-13	Pass	9701
1000	1700	1	RMS	1699	-42.01	-13	Pass	701
1700	1765	1	RMS	1725.838	23.78	60	Pass	401
1765	3000	1	RMS	2671	-41.83	-13	Pass	1236
3000	12000	1	RMS	3452	-42.48	-13	Pass	9001
12000	18000	1	RMS	15799	-39.06	-13	Pass	6001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2986
30	1000	0.1	RMS	873.8	-58.31	-13	Pass	9701
1000	1700	1	RMS	1605	-47.05	-13	Pass	701
1700	1765	1	RMS	1739.163	23.74	60	Pass	401
1765	3000	1	RMS	1766	-39.36	-13	Pass	1236
3000	12000	1	RMS	3478	-44.42	-13	Pass	9001
12000	18000	1	RMS	15800	-39.02	-13	Pass	6001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	909.1	-58.47	-13	Pass	9701
1000	1700	1	RMS	1699	-43.77	-13	Pass	701
1700	1765	1	RMS	1725.838	22.83	60	Pass	401
1765	3000	1	RMS	2662	-41.81	-13	Pass	1236
3000	12000	1	RMS	3452	-43.41	-13	Pass	9001
12000	18000	1	RMS	15799	-39.13	-13	Pass	6001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	897.7	-58.38	-13	Pass	9701
1000	1700	1	RMS	1605	-47.05	-13	Pass	701
1700	1765	1	RMS	1739.163	22.74	60	Pass	401
1765	3000	1	RMS	1766	-41.41	-13	Pass	1236
3000	12000	1	RMS	3478	-45.71	-13	Pass	9001
12000	18000	1	RMS	15799	-39.05	-13	Pass	6001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.53	-13	Pass	2986
30	1000	0.1	RMS	983.3	-58.14	-13	Pass	9701
1000	1700	1	RMS	1600	-47.05	-13	Pass	701
1700	1765	1	RMS	1740.788	23.67	60	Pass	401
1765	3000	1	RMS	1767	-25.72	-13	Pass	1236
3000	12000	1	RMS	3482	-44.68	-13	Pass	9001
12000	18000	1	RMS	15800	-39.1	-13	Pass	6001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	861.7	-58.53	-13	Pass	9701
1000	1700	1	RMS	1607	-47.07	-13	Pass	701
1700	1765	1	RMS	1754.113	23.55	60	Pass	401
1765	3000	1	RMS	1781	-40.37	-13	Pass	1236
3000	12000	1	RMS	3508	-43.1	-13	Pass	9001
12000	18000	1	RMS	15800	-39.1	-13	Pass	6001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	860.6	-58.43	-13	Pass	9701
1000	1700	1	RMS	1600	-47.07	-13	Pass	701
1700	1765	1	RMS	1740.788	22.8	60	Pass	401
1765	3000	1	RMS	1767	-27	-13	Pass	1236
3000	12000	1	RMS	3482	-45.38	-13	Pass	9001
12000	18000	1	RMS	15801	-39.14	-13	Pass	6001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	978.6	-58.51	-13	Pass	9701
1000	1700	1	RMS	1606	-47.01	-13	Pass	701
1700	1765	1	RMS	1754.113	22.64	60	Pass	401
1765	3000	1	RMS	2665	-41.81	-13	Pass	1236
3000	12000	1	RMS	3508	-44.14	-13	Pass	9001
12000	18000	1	RMS	15800	-39.11	-13	Pass	6001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	987.7	-58.4	-13	Pass	9701
1000	1700	1	RMS	1696	-45.47	-13	Pass	701
1700	1765	1	RMS	1711.05	23.56	60	Pass	401
1765	3000	1	RMS	2668	-41.82	-13	Pass	1236
3000	12000	1	RMS	3422	-38.92	-13	Pass	9001
12000	18000	1	RMS	15800	-39.11	-13	Pass	6001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	1000	0.1	RMS	904.4	-58.32	-13	Pass	9701
1000	1700	1	RMS	1693	-31.43	-13	Pass	701
1700	1765	1	RMS	1728.925	23.59	60	Pass	401
1765	3000	1	RMS	2666	-41.8	-13	Pass	1236
3000	12000	1	RMS	3458	-42.01	-13	Pass	9001
12000	18000	1	RMS	15800	-39.16	-13	Pass	6001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-13	Pass	2986
30	1000	0.1	RMS	870.8	-58.29	-13	Pass	9701
1000	1700	1	RMS	1700	-45.56	-13	Pass	701
1700	1765	1	RMS	1711.05	22.76	60	Pass	401
1765	3000	1	RMS	2667	-41.81	-13	Pass	1236
3000	12000	1	RMS	3422	-39.62	-13	Pass	9001
12000	18000	1	RMS	15799	-39.1	-13	Pass	6001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	900.6	-58.21	-13	Pass	9701
1000	1700	1	RMS	1693	-32.64	-13	Pass	701
1700	1765	1	RMS	1728.925	22.81	60	Pass	401
1765	3000	1	RMS	2667	-41.75	-13	Pass	1236
3000	12000	1	RMS	3458	-42.74	-13	Pass	9001
12000	18000	1	RMS	15800	-39.14	-13	Pass	6001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.44	-13	Pass	2986
30	1000	0.1	RMS	875.7	-58.42	-13	Pass	9701
1000	1700	1	RMS	1688	-45.23	-13	Pass	701
1700	1765	1	RMS	1723.563	23.6	60	Pass	401
1765	3000	1	RMS	2669	-41.83	-13	Pass	1236
3000	12000	1	RMS	3447	-41.86	-13	Pass	9001
12000	18000	1	RMS	15801	-39.11	-13	Pass	6001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.49	-13	Pass	2986
30	1000	0.1	RMS	998.3	-58.35	-13	Pass	9701
1000	1700	1	RMS	1610	-47.06	-13	Pass	701
1700	1765	1	RMS	1741.438	23.47	60	Pass	401
1765	3000	1	RMS	1777	-41.1	-13	Pass	1236
3000	12000	1	RMS	3483	-44.57	-13	Pass	9001
12000	18000	1	RMS	15797	-39.17	-13	Pass	6001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	965.6	-58.37	-13	Pass	9701
1000	1700	1	RMS	1688	-46.35	-13	Pass	701
1700	1765	1	RMS	1723.563	22.67	60	Pass	401
1765	3000	1	RMS	2664	-41.84	-13	Pass	1236
3000	12000	1	RMS	3447	-42.96	-13	Pass	9001
12000	18000	1	RMS	15801	-39.19	-13	Pass	6001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-13	Pass	2986
30	1000	0.1	RMS	966.4	-58.31	-13	Pass	9701
1000	1700	1	RMS	1608	-47.07	-13	Pass	701
1700	1765	1	RMS	1741.438	22.54	60	Pass	401
1765	3000	1	RMS	2664	-41.84	-13	Pass	1236
3000	12000	1	RMS	3483	-45.19	-13	Pass	9001
12000	18000	1	RMS	15800	-39.1	-13	Pass	6001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	972.1	-58.52	-13	Pass	9701
1000	1700	1	RMS	1700	-43.2	-13	Pass	701
1700	1765	1	RMS	1736.075	23.57	60	Pass	401
1765	3000	1	RMS	1772	-26	-13	Pass	1236
3000	12000	1	RMS	3472	-42.99	-13	Pass	9001
12000	18000	1	RMS	15801	-39.18	-13	Pass	6001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	1000	0.1	RMS	948	-58.54	-13	Pass	9701
1000	1700	1	RMS	1597	-47.04	-13	Pass	701
1700	1765	1	RMS	1753.95	23.34	60	Pass	401
1765	3000	1	RMS	1772	-41.6	-13	Pass	1236
3000	12000	1	RMS	3508	-42.93	-13	Pass	9001
12000	18000	1	RMS	15795	-39.22	-13	Pass	6001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	1000	0.1	RMS	993.1	-58.53	-13	Pass	9701
1000	1700	1	RMS	1700	-43.91	-13	Pass	701
1700	1765	1	RMS	1736.075	22.62	60	Pass	401
1765	3000	1	RMS	1772	-27.58	-13	Pass	1236
3000	12000	1	RMS	3472	-43.45	-13	Pass	9001
12000	18000	1	RMS	15801	-39.16	-13	Pass	6001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-13	Pass	2986
30	1000	0.1	RMS	893.5	-58.31	-13	Pass	9701
1000	1700	1	RMS	1605	-47.04	-13	Pass	701
1700	1765	1	RMS	1753.95	22.38	60	Pass	401
1765	3000	1	RMS	2669	-41.79	-13	Pass	1236
3000	12000	1	RMS	3508	-44.28	-13	Pass	9001
12000	18000	1	RMS	15800	-39.1	-13	Pass	6001



END