


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band4


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.3	-13	Pass	2986
30	1000	0.1	RMS	921.1	-54.93	-13	Pass	9701
1000	1700	1	RMS	1700	-44.16	-13	Pass	701
1700	1765	1	RMS	1710.238	24.17	60	Pass	401
1765	3000	1	RMS	2670	-38.33	-13	Pass	1236
3000	12000	1	RMS	11917	-44.2	-13	Pass	9001
12000	18000	1	RMS	16401	-29.87	-13	Pass	6001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.73	-13	Pass	2986
30	1000	0.1	RMS	872.8	-54.9	-13	Pass	9701
1000	1700	1	RMS	1700	-44.2	-13	Pass	701
1700	1765	1	RMS	1711.213	24.06	60	Pass	401
1765	3000	1	RMS	2672	-38.35	-13	Pass	1236
3000	12000	1	RMS	11900	-44.24	-13	Pass	9001
12000	18000	1	RMS	16401	-29.81	-13	Pass	6001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.38	-13	Pass	2986
30	1000	0.1	RMS	874.1	-54.94	-13	Pass	9701
1000	1700	1	RMS	1700	-44.13	-13	Pass	701
1700	1765	1	RMS	1710.238	24.24	60	Pass	401
1765	3000	1	RMS	2671	-38.37	-13	Pass	1236
3000	12000	1	RMS	11905	-44.22	-13	Pass	9001
12000	18000	1	RMS	16401	-29.83	-13	Pass	6001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.6	-13	Pass	2986
30	1000	0.1	RMS	898.9	-55.06	-13	Pass	9701
1000	1700	1	RMS	1700	-44.23	-13	Pass	701
1700	1765	1	RMS	1711.213	24.28	60	Pass	401
1765	3000	1	RMS	2668	-38.34	-13	Pass	1236
3000	12000	1	RMS	11903	-44.23	-13	Pass	9001
12000	18000	1	RMS	16400	-29.74	-13	Pass	6001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.91	-13	Pass	2986
30	1000	0.1	RMS	997.1	-54.92	-13	Pass	9701
1000	1700	1	RMS	1682	-44.45	-13	Pass	701
1700	1765	1	RMS	1732.013	24.27	60	Pass	401
1765	3000	1	RMS	2671	-38.27	-13	Pass	1236
3000	12000	1	RMS	11918	-44.21	-13	Pass	9001
12000	18000	1	RMS	16402	-29.96	-13	Pass	6001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.8	-13	Pass	2986
30	1000	0.1	RMS	896.8	-54.76	-13	Pass	9701
1000	1700	1	RMS	1698	-44.44	-13	Pass	701
1700	1765	1	RMS	1732.988	24.32	60	Pass	401
1765	3000	1	RMS	2670	-38.33	-13	Pass	1236
3000	12000	1	RMS	11898	-44.24	-13	Pass	9001
12000	18000	1	RMS	16403	-29.97	-13	Pass	6001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.57	-13	Pass	2986
30	1000	0.1	RMS	998.1	-54.91	-13	Pass	9701
1000	1700	1	RMS	1699	-44.44	-13	Pass	701
1700	1765	1	RMS	1732.013	24.29	60	Pass	401
1765	3000	1	RMS	2668	-38.35	-13	Pass	1236
3000	12000	1	RMS	11899	-44.22	-13	Pass	9001
12000	18000	1	RMS	15900	-29.89	-13	Pass	6001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.74	-13	Pass	2986
30	1000	0.1	RMS	899.6	-54.7	-13	Pass	9701
1000	1700	1	RMS	1699	-44.41	-13	Pass	701
1700	1765	1	RMS	1732.988	24.25	60	Pass	401
1765	3000	1	RMS	2671	-38.35	-13	Pass	1236
3000	12000	1	RMS	11900	-44.25	-13	Pass	9001
12000	18000	1	RMS	16400	-29.75	-13	Pass	6001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2986
30	1000	0.1	RMS	879.4	-55.03	-13	Pass	9701
1000	1700	1	RMS	1692	-44.45	-13	Pass	701
1700	1765	1	RMS	1753.788	24.23	60	Pass	401
1765	3000	1	RMS	2671	-38.29	-13	Pass	1236
3000	12000	1	RMS	11915	-44.09	-13	Pass	9001
12000	18000	1	RMS	16401	-29.95	-13	Pass	6001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.43	-13	Pass	2986
30	1000	0.1	RMS	985.2	-54.9	-13	Pass	9701
1000	1700	1	RMS	1683	-44.44	-13	Pass	701
1700	1765	1	RMS	1754.763	24.3	60	Pass	401
1765	3000	1	RMS	2668	-38.35	-13	Pass	1236
3000	12000	1	RMS	11908	-44.15	-13	Pass	9001
12000	18000	1	RMS	16400	-29.71	-13	Pass	6001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.02	-13	Pass	2986
30	1000	0.1	RMS	895.7	-54.97	-13	Pass	9701
1000	1700	1	RMS	1684	-44.46	-13	Pass	701
1700	1765	1	RMS	1753.788	23.39	60	Pass	401
1765	3000	1	RMS	2669	-38.33	-13	Pass	1236
3000	12000	1	RMS	11905	-44.16	-13	Pass	9001
12000	18000	1	RMS	16401	-29.88	-13	Pass	6001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.46	-13	Pass	2986
30	1000	0.1	RMS	990.3	-54.79	-13	Pass	9701
1000	1700	1	RMS	1695	-44.43	-13	Pass	701
1700	1765	1	RMS	1754.763	23.78	60	Pass	401
1765	3000	1	RMS	2669	-38.33	-13	Pass	1236
3000	12000	1	RMS	11897	-44.34	-13	Pass	9001
12000	18000	1	RMS	16403	-29.86	-13	Pass	6001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.17	-13	Pass	2986
30	1000	0.1	RMS	980	-54.92	-13	Pass	9701
1000	1700	1	RMS	1700	-43.86	-13	Pass	701
1700	1765	1	RMS	1710.238	24.18	60	Pass	401
1765	3000	1	RMS	2670	-38.32	-13	Pass	1236
3000	12000	1	RMS	11896	-44.26	-13	Pass	9001
12000	18000	1	RMS	16399	-29.99	-13	Pass	6001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.76	-13	Pass	2986
30	1000	0.1	RMS	894.6	-54.92	-13	Pass	9701
1000	1700	1	RMS	1700	-43.98	-13	Pass	701
1700	1765	1	RMS	1712.675	24.16	60	Pass	401
1765	3000	1	RMS	2668	-38.27	-13	Pass	1236
3000	12000	1	RMS	11907	-44.2	-13	Pass	9001
12000	18000	1	RMS	16400	-29.88	-13	Pass	6001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-13	Pass	2986
30	1000	0.1	RMS	997.7	-54.97	-13	Pass	9701
1000	1700	1	RMS	1700	-43.85	-13	Pass	701
1700	1765	1	RMS	1710.238	23.65	60	Pass	401
1765	3000	1	RMS	2672	-38.35	-13	Pass	1236
3000	12000	1	RMS	11904	-44.19	-13	Pass	9001
12000	18000	1	RMS	16399	-29.93	-13	Pass	6001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.38	-13	Pass	2986
30	1000	0.1	RMS	921.2	-54.93	-13	Pass	9701
1000	1700	1	RMS	1700	-43.99	-13	Pass	701
1700	1765	1	RMS	1712.675	23.61	60	Pass	401
1765	3000	1	RMS	2670	-38.35	-13	Pass	1236
3000	12000	1	RMS	11908	-44.24	-13	Pass	9001
12000	18000	1	RMS	16400	-29.73	-13	Pass	6001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.89	-13	Pass	2986
30	1000	0.1	RMS	903.8	-54.87	-13	Pass	9701
1000	1700	1	RMS	1700	-44.36	-13	Pass	701
1700	1765	1	RMS	1731.2	24.21	60	Pass	401
1765	3000	1	RMS	2672	-38.32	-13	Pass	1236
3000	12000	1	RMS	11905	-44.23	-13	Pass	9001
12000	18000	1	RMS	16400	-29.8	-13	Pass	6001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.34	-13	Pass	2986
30	1000	0.1	RMS	990.9	-54.83	-13	Pass	9701
1000	1700	1	RMS	1699	-44.4	-13	Pass	701
1700	1765	1	RMS	1733.8	24.28	60	Pass	401
1765	3000	1	RMS	2669	-38.34	-13	Pass	1236
3000	12000	1	RMS	11902	-44.27	-13	Pass	9001
12000	18000	1	RMS	15900	-29.96	-13	Pass	6001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49	-13	Pass	2986
30	1000	0.1	RMS	917.5	-55.01	-13	Pass	9701
1000	1700	1	RMS	1700	-44.41	-13	Pass	701
1700	1765	1	RMS	1731.2	24.32	60	Pass	401
1765	3000	1	RMS	2670	-38.37	-13	Pass	1236
3000	12000	1	RMS	11903	-44.17	-13	Pass	9001
12000	18000	1	RMS	16402	-29.85	-13	Pass	6001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.1	-13	Pass	2986
30	1000	0.1	RMS	864.9	-54.81	-13	Pass	9701
1000	1700	1	RMS	1698	-44.43	-13	Pass	701
1700	1765	1	RMS	1733.8	23.62	60	Pass	401
1765	3000	1	RMS	2670	-38.28	-13	Pass	1236
3000	12000	1	RMS	11909	-44.23	-13	Pass	9001
12000	18000	1	RMS	16399	-29.86	-13	Pass	6001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-13	Pass	2986
30	1000	0.1	RMS	885.3	-54.63	-13	Pass	9701
1000	1700	1	RMS	1700	-44.43	-13	Pass	701
1700	1765	1	RMS	1752.163	24.26	60	Pass	401
1765	3000	1	RMS	2671	-38.33	-13	Pass	1236
3000	12000	1	RMS	11902	-44.15	-13	Pass	9001
12000	18000	1	RMS	16401	-29.83	-13	Pass	6001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.17	-13	Pass	2986
30	1000	0.1	RMS	913.7	-54.9	-13	Pass	9701
1000	1700	1	RMS	1700	-44.42	-13	Pass	701
1700	1765	1	RMS	1754.763	24.32	60	Pass	401
1765	3000	1	RMS	2672	-38.32	-13	Pass	1236
3000	12000	1	RMS	11914	-44.29	-13	Pass	9001
12000	18000	1	RMS	16400	-29.87	-13	Pass	6001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.72	-13	Pass	2986
30	1000	0.1	RMS	893.6	-54.79	-13	Pass	9701
1000	1700	1	RMS	1698	-44.46	-13	Pass	701
1700	1765	1	RMS	1752.163	23.7	60	Pass	401
1765	3000	1	RMS	2671	-38.36	-13	Pass	1236
3000	12000	1	RMS	11906	-44.23	-13	Pass	9001
12000	18000	1	RMS	16400	-29.96	-13	Pass	6001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.45	-13	Pass	2986
30	1000	0.1	RMS	937.8	-54.84	-13	Pass	9701
1000	1700	1	RMS	1693	-44.44	-13	Pass	701
1700	1765	1	RMS	1754.763	23.66	60	Pass	401
1765	3000	1	RMS	2670	-38.28	-13	Pass	1236
3000	12000	1	RMS	11915	-44.18	-13	Pass	9001
12000	18000	1	RMS	16400	-29.93	-13	Pass	6001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.74	-13	Pass	2986
30	1000	0.1	RMS	905.9	-54.89	-13	Pass	9701
1000	1700	1	RMS	1700	-43.88	-13	Pass	701
1700	1765	1	RMS	1710.4	24.06	60	Pass	401
1765	3000	1	RMS	2671	-38.31	-13	Pass	1236
3000	12000	1	RMS	11915	-44.26	-13	Pass	9001
12000	18000	1	RMS	16400	-29.9	-13	Pass	6001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.07	-13	Pass	2986
30	1000	0.1	RMS	999.2	-54.92	-13	Pass	9701
1000	1700	1	RMS	1699	-43.98	-13	Pass	701
1700	1765	1	RMS	1714.625	24.22	60	Pass	401
1765	3000	1	RMS	2669	-38.33	-13	Pass	1236
3000	12000	1	RMS	11908	-44.16	-13	Pass	9001
12000	18000	1	RMS	16401	-29.81	-13	Pass	6001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.27	-13	Pass	2986
30	1000	0.1	RMS	929.4	-54.94	-13	Pass	9701
1000	1700	1	RMS	1700	-43.96	-13	Pass	701
1700	1765	1	RMS	1710.4	23	60	Pass	401
1765	3000	1	RMS	2671	-38.29	-13	Pass	1236
3000	12000	1	RMS	11901	-44.24	-13	Pass	9001
12000	18000	1	RMS	16399	-29.88	-13	Pass	6001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.66	-13	Pass	2986
30	1000	0.1	RMS	993.1	-54.86	-13	Pass	9701
1000	1700	1	RMS	1700	-44.04	-13	Pass	701
1700	1765	1	RMS	1714.625	23.19	60	Pass	401
1765	3000	1	RMS	2670	-38.31	-13	Pass	1236
3000	12000	1	RMS	11902	-44.24	-13	Pass	9001
12000	18000	1	RMS	16399	-29.95	-13	Pass	6001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.45	-13	Pass	2986
30	1000	0.1	RMS	917.6	-54.88	-13	Pass	9701
1000	1700	1	RMS	1699	-44.38	-13	Pass	701
1700	1765	1	RMS	1730.388	24.24	60	Pass	401
1765	3000	1	RMS	2670	-38.31	-13	Pass	1236
3000	12000	1	RMS	11900	-44.18	-13	Pass	9001
12000	18000	1	RMS	16400	-29.96	-13	Pass	6001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	970	-54.68	-13	Pass	9701
1000	1700	1	RMS	1699	-44.37	-13	Pass	701
1700	1765	1	RMS	1734.613	24.25	60	Pass	401
1765	3000	1	RMS	2670	-38.33	-13	Pass	1236
3000	12000	1	RMS	11900	-44.24	-13	Pass	9001
12000	18000	1	RMS	16401	-29.8	-13	Pass	6001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.23	-13	Pass	2986
30	1000	0.1	RMS	909.6	-54.93	-13	Pass	9701
1000	1700	1	RMS	1697	-44.39	-13	Pass	701
1700	1765	1	RMS	1730.388	23.68	60	Pass	401
1765	3000	1	RMS	2669	-38.3	-13	Pass	1236
3000	12000	1	RMS	11916	-44.33	-13	Pass	9001
12000	18000	1	RMS	16401	-29.76	-13	Pass	6001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.06	-13	Pass	2986
30	1000	0.1	RMS	940.4	-54.95	-13	Pass	9701
1000	1700	1	RMS	1698	-44.38	-13	Pass	701
1700	1765	1	RMS	1734.613	23.8	60	Pass	401
1765	3000	1	RMS	2670	-38.32	-13	Pass	1236
3000	12000	1	RMS	11909	-44.3	-13	Pass	9001
12000	18000	1	RMS	16401	-29.79	-13	Pass	6001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.92	-13	Pass	2986
30	1000	0.1	RMS	977.2	-54.97	-13	Pass	9701
1000	1700	1	RMS	1699	-44.43	-13	Pass	701
1700	1765	1	RMS	1750.375	23.96	60	Pass	401
1765	3000	1	RMS	2669	-38.32	-13	Pass	1236
3000	12000	1	RMS	11909	-44.21	-13	Pass	9001
12000	18000	1	RMS	16400	-29.89	-13	Pass	6001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.52	-13	Pass	2986
30	1000	0.1	RMS	894.4	-54.79	-13	Pass	9701
1000	1700	1	RMS	1699	-44.42	-13	Pass	701
1700	1765	1	RMS	1754.6	24.08	60	Pass	401
1765	3000	1	RMS	2667	-38.32	-13	Pass	1236
3000	12000	1	RMS	11904	-44.22	-13	Pass	9001
12000	18000	1	RMS	16401	-29.95	-13	Pass	6001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.9	-13	Pass	2986
30	1000	0.1	RMS	961.5	-54.92	-13	Pass	9701
1000	1700	1	RMS	1698	-44.46	-13	Pass	701
1700	1765	1	RMS	1750.375	23.4	60	Pass	401
1765	3000	1	RMS	2671	-38.38	-13	Pass	1236
3000	12000	1	RMS	11907	-44.19	-13	Pass	9001
12000	18000	1	RMS	16400	-29.97	-13	Pass	6001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.04	-13	Pass	2986
30	1000	0.1	RMS	897.5	-54.93	-13	Pass	9701
1000	1700	1	RMS	1689	-44.42	-13	Pass	701
1700	1765	1	RMS	1754.6	23.37	60	Pass	401
1765	3000	1	RMS	2670	-38.37	-13	Pass	1236
3000	12000	1	RMS	11911	-44.24	-13	Pass	9001
12000	18000	1	RMS	16400	-29.94	-13	Pass	6001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.53	-13	Pass	2986
30	1000	0.1	RMS	917.8	-54.88	-13	Pass	9701
1000	1700	1	RMS	1693	-41.89	-13	Pass	701
1700	1765	1	RMS	1710.563	24.13	60	Pass	401
1765	3000	1	RMS	2669	-38.31	-13	Pass	1236
3000	12000	1	RMS	11899	-44.26	-13	Pass	9001
12000	18000	1	RMS	16401	-29.84	-13	Pass	6001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.14	-13	Pass	2986
30	1000	0.1	RMS	906.6	-54.89	-13	Pass	9701
1000	1700	1	RMS	1700	-44.06	-13	Pass	701
1700	1765	1	RMS	1719.5	24.08	60	Pass	401
1765	3000	1	RMS	2670	-38.28	-13	Pass	1236
3000	12000	1	RMS	11905	-44.2	-13	Pass	9001
12000	18000	1	RMS	16400	-29.88	-13	Pass	6001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.34	-13	Pass	2986
30	1000	0.1	RMS	993.6	-54.97	-13	Pass	9701
1000	1700	1	RMS	1693	-42.21	-13	Pass	701
1700	1765	1	RMS	1710.563	23.65	60	Pass	401
1765	3000	1	RMS	2670	-38.31	-13	Pass	1236
3000	12000	1	RMS	11904	-44.21	-13	Pass	9001
12000	18000	1	RMS	16400	-29.78	-13	Pass	6001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.73	-13	Pass	2986
30	1000	0.1	RMS	909.9	-54.8	-13	Pass	9701
1000	1700	1	RMS	1700	-44.1	-13	Pass	701
1700	1765	1	RMS	1719.5	23.52	60	Pass	401
1765	3000	1	RMS	2669	-38.29	-13	Pass	1236
3000	12000	1	RMS	11911	-44.19	-13	Pass	9001
12000	18000	1	RMS	16401	-29.8	-13	Pass	6001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.94	-13	Pass	2986
30	1000	0.1	RMS	945	-54.84	-13	Pass	9701
1000	1700	1	RMS	1697	-44.37	-13	Pass	701
1700	1765	1	RMS	1728.113	24.3	60	Pass	401
1765	3000	1	RMS	2671	-38.32	-13	Pass	1236
3000	12000	1	RMS	11917	-44.27	-13	Pass	9001
12000	18000	1	RMS	16400	-29.8	-13	Pass	6001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48	-13	Pass	2986
30	1000	0.1	RMS	903.4	-54.86	-13	Pass	9701
1000	1700	1	RMS	1698	-44.38	-13	Pass	701
1700	1765	1	RMS	1736.888	24.32	60	Pass	401
1765	3000	1	RMS	2670	-38.28	-13	Pass	1236
3000	12000	1	RMS	11900	-44.26	-13	Pass	9001
12000	18000	1	RMS	16400	-29.81	-13	Pass	6001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.95	-13	Pass	2986
30	1000	0.1	RMS	945.6	-54.84	-13	Pass	9701
1000	1700	1	RMS	1700	-44.39	-13	Pass	701
1700	1765	1	RMS	1728.113	23.76	60	Pass	401
1765	3000	1	RMS	2672	-38.27	-13	Pass	1236
3000	12000	1	RMS	11914	-44.03	-13	Pass	9001
12000	18000	1	RMS	16400	-29.81	-13	Pass	6001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.59	-13	Pass	2986
30	1000	0.1	RMS	988.2	-54.85	-13	Pass	9701
1000	1700	1	RMS	1700	-44.37	-13	Pass	701
1700	1765	1	RMS	1736.888	24.27	60	Pass	401
1765	3000	1	RMS	2670	-38.36	-13	Pass	1236
3000	12000	1	RMS	11909	-44.13	-13	Pass	9001
12000	18000	1	RMS	16400	-29.8	-13	Pass	6001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.92	-13	Pass	2986
30	1000	0.1	RMS	891.1	-55.02	-13	Pass	9701
1000	1700	1	RMS	1700	-44.43	-13	Pass	701
1700	1765	1	RMS	1745.663	24.24	60	Pass	401
1765	3000	1	RMS	2671	-38.31	-13	Pass	1236
3000	12000	1	RMS	11905	-44.25	-13	Pass	9001
12000	18000	1	RMS	16400	-29.86	-13	Pass	6001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.8	-13	Pass	2986
30	1000	0.1	RMS	897.5	-55.1	-13	Pass	9701
1000	1700	1	RMS	1685	-44.38	-13	Pass	701
1700	1765	1	RMS	1754.438	24.18	60	Pass	401
1765	3000	1	RMS	2671	-38.31	-13	Pass	1236
3000	12000	1	RMS	11906	-44.23	-13	Pass	9001
12000	18000	1	RMS	16401	-29.77	-13	Pass	6001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.83	-13	Pass	2986
30	1000	0.1	RMS	979.2	-54.82	-13	Pass	9701
1000	1700	1	RMS	1700	-44.44	-13	Pass	701
1700	1765	1	RMS	1745.663	23.37	60	Pass	401
1765	3000	1	RMS	2669	-38.29	-13	Pass	1236
3000	12000	1	RMS	11902	-44.23	-13	Pass	9001
12000	18000	1	RMS	16401	-29.89	-13	Pass	6001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.61	-13	Pass	2986
30	1000	0.1	RMS	963.8	-54.97	-13	Pass	9701
1000	1700	1	RMS	1699	-44.43	-13	Pass	701
1700	1765	1	RMS	1754.438	23.26	60	Pass	401
1765	3000	1	RMS	2668	-38.3	-13	Pass	1236
3000	12000	1	RMS	11909	-44.26	-13	Pass	9001
12000	18000	1	RMS	16401	-29.86	-13	Pass	6001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.18	-13	Pass	2986
30	1000	0.1	RMS	969.8	-54.94	-13	Pass	9701
1000	1700	1	RMS	1698	-37.87	-13	Pass	701
1700	1765	1	RMS	1710.888	24.08	60	Pass	401
1765	3000	1	RMS	2670	-38.31	-13	Pass	1236
3000	12000	1	RMS	11901	-44.26	-13	Pass	9001
12000	18000	1	RMS	16400	-29.85	-13	Pass	6001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-13	Pass	2986
30	1000	0.1	RMS	956.1	-54.92	-13	Pass	9701
1000	1700	1	RMS	1698	-37.5	-13	Pass	701
1700	1765	1	RMS	1724.213	24.21	60	Pass	401
1765	3000	1	RMS	2670	-38.23	-13	Pass	1236
3000	12000	1	RMS	11892	-44.19	-13	Pass	9001
12000	18000	1	RMS	16401	-29.81	-13	Pass	6001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.16	-13	Pass	2986
30	1000	0.1	RMS	898.3	-54.8	-13	Pass	9701
1000	1700	1	RMS	1698	-37.95	-13	Pass	701
1700	1765	1	RMS	1710.888	23.6	60	Pass	401
1765	3000	1	RMS	2670	-38.27	-13	Pass	1236
3000	12000	1	RMS	11909	-44.1	-13	Pass	9001
12000	18000	1	RMS	15900	-30.01	-13	Pass	6001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.22	-13	Pass	2986
30	1000	0.1	RMS	930.7	-54.93	-13	Pass	9701
1000	1700	1	RMS	1698	-38.61	-13	Pass	701
1700	1765	1	RMS	1724.213	23.48	60	Pass	401
1765	3000	1	RMS	2671	-38.27	-13	Pass	1236
3000	12000	1	RMS	11898	-44.21	-13	Pass	9001
12000	18000	1	RMS	15900	-29.85	-13	Pass	6001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.73	-13	Pass	2986
30	1000	0.1	RMS	910.9	-54.9	-13	Pass	9701
1000	1700	1	RMS	1699	-41.33	-13	Pass	701
1700	1765	1	RMS	1725.838	24.28	60	Pass	401
1765	3000	1	RMS	2670	-38.31	-13	Pass	1236
3000	12000	1	RMS	11898	-44.19	-13	Pass	9001
12000	18000	1	RMS	16399	-29.78	-13	Pass	6001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.17	-13	Pass	2986
30	1000	0.1	RMS	910	-54.94	-13	Pass	9701
1000	1700	1	RMS	1700	-44.31	-13	Pass	701
1700	1765	1	RMS	1739.163	24.27	60	Pass	401
1765	3000	1	RMS	2669	-38.27	-13	Pass	1236
3000	12000	1	RMS	11914	-44.1	-13	Pass	9001
12000	18000	1	RMS	16400	-29.83	-13	Pass	6001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.99	-13	Pass	2986
30	1000	0.1	RMS	901	-54.94	-13	Pass	9701
1000	1700	1	RMS	1699	-40.88	-13	Pass	701
1700	1765	1	RMS	1725.838	24.36	60	Pass	401
1765	3000	1	RMS	2670	-38.3	-13	Pass	1236
3000	12000	1	RMS	11908	-44.13	-13	Pass	9001
12000	18000	1	RMS	15899	-29.94	-13	Pass	6001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.81	-13	Pass	2986
30	1000	0.1	RMS	900.7	-54.75	-13	Pass	9701
1000	1700	1	RMS	1699	-44.31	-13	Pass	701
1700	1765	1	RMS	1739.163	24.28	60	Pass	401
1765	3000	1	RMS	2671	-38.32	-13	Pass	1236
3000	12000	1	RMS	11910	-44.25	-13	Pass	9001
12000	18000	1	RMS	16400	-29.9	-13	Pass	6001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.42	-13	Pass	2986
30	1000	0.1	RMS	904.4	-54.94	-13	Pass	9701
1000	1700	1	RMS	1699	-44.41	-13	Pass	701
1700	1765	1	RMS	1740.788	24.28	60	Pass	401
1765	3000	1	RMS	1767	-34.14	-13	Pass	1236
3000	12000	1	RMS	11901	-44.15	-13	Pass	9001
12000	18000	1	RMS	16399	-29.84	-13	Pass	6001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.08	-13	Pass	2986
30	1000	0.1	RMS	945.3	-54.87	-13	Pass	9701
1000	1700	1	RMS	1697	-44.39	-13	Pass	701
1700	1765	1	RMS	1754.113	24.09	60	Pass	401
1765	3000	1	RMS	2668	-38.3	-13	Pass	1236
3000	12000	1	RMS	11912	-44.19	-13	Pass	9001
12000	18000	1	RMS	16402	-29.87	-13	Pass	6001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.57	-13	Pass	2986
30	1000	0.1	RMS	907.3	-54.98	-13	Pass	9701
1000	1700	1	RMS	1696	-44.35	-13	Pass	701
1700	1765	1	RMS	1740.788	23.44	60	Pass	401
1765	3000	1	RMS	1767	-35.82	-13	Pass	1236
3000	12000	1	RMS	11921	-44.24	-13	Pass	9001
12000	18000	1	RMS	16401	-29.8	-13	Pass	6001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.28	-13	Pass	2986
30	1000	0.1	RMS	996.7	-54.69	-13	Pass	9701
1000	1700	1	RMS	1698	-44.4	-13	Pass	701
1700	1765	1	RMS	1754.113	23.69	60	Pass	401
1765	3000	1	RMS	2670	-38.3	-13	Pass	1236
3000	12000	1	RMS	11905	-44.2	-13	Pass	9001
12000	18000	1	RMS	16400	-29.84	-13	Pass	6001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.57	-13	Pass	2986
30	1000	0.1	RMS	911.7	-54.72	-13	Pass	9701
1000	1700	1	RMS	1693	-37.57	-13	Pass	701
1700	1765	1	RMS	1711.05	24.17	60	Pass	401
1765	3000	1	RMS	2669	-38.36	-13	Pass	1236
3000	12000	1	RMS	11903	-44.2	-13	Pass	9001
12000	18000	1	RMS	16401	-29.73	-13	Pass	6001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-13	Pass	2986
30	1000	0.1	RMS	957.1	-54.84	-13	Pass	9701
1000	1700	1	RMS	1693	-37.04	-13	Pass	701
1700	1765	1	RMS	1728.925	24.26	60	Pass	401
1765	3000	1	RMS	2669	-38.33	-13	Pass	1236
3000	12000	1	RMS	11912	-44.22	-13	Pass	9001
12000	18000	1	RMS	16400	-29.8	-13	Pass	6001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.44	-13	Pass	2986
30	1000	0.1	RMS	911.7	-54.93	-13	Pass	9701
1000	1700	1	RMS	1693	-38.96	-13	Pass	701
1700	1765	1	RMS	1711.05	23.58	60	Pass	401
1765	3000	1	RMS	2671	-38.29	-13	Pass	1236
3000	12000	1	RMS	11901	-44.25	-13	Pass	9001
12000	18000	1	RMS	15900	-29.96	-13	Pass	6001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.08	-13	Pass	2986
30	1000	0.1	RMS	955.4	-54.87	-13	Pass	9701
1000	1700	1	RMS	1693	-38	-13	Pass	701
1700	1765	1	RMS	1728.925	23.63	60	Pass	401
1765	3000	1	RMS	2672	-38.3	-13	Pass	1236
3000	12000	1	RMS	11912	-44.26	-13	Pass	9001
12000	18000	1	RMS	16400	-29.71	-13	Pass	6001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.55	-13	Pass	2986
30	1000	0.1	RMS	903.2	-54.79	-13	Pass	9701
1000	1700	1	RMS	1688	-44.27	-13	Pass	701
1700	1765	1	RMS	1723.563	24.13	60	Pass	401
1765	3000	1	RMS	2670	-38.32	-13	Pass	1236
3000	12000	1	RMS	11915	-44.17	-13	Pass	9001
12000	18000	1	RMS	16403	-29.79	-13	Pass	6001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.78	-13	Pass	2986
30	1000	0.1	RMS	916.7	-54.69	-13	Pass	9701
1000	1700	1	RMS	1697	-44.29	-13	Pass	701
1700	1765	1	RMS	1741.438	24.29	60	Pass	401
1765	3000	1	RMS	2770	-38.33	-13	Pass	1236
3000	12000	1	RMS	11899	-44.22	-13	Pass	9001
12000	18000	1	RMS	16401	-29.86	-13	Pass	6001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48	-13	Pass	2986
30	1000	0.1	RMS	919.5	-54.66	-13	Pass	9701
1000	1700	1	RMS	1699	-44.29	-13	Pass	701
1700	1765	1	RMS	1723.563	23.57	60	Pass	401
1765	3000	1	RMS	2669	-38.29	-13	Pass	1236
3000	12000	1	RMS	11914	-44.14	-13	Pass	9001
12000	18000	1	RMS	16400	-29.8	-13	Pass	6001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.85	-13	Pass	2986
30	1000	0.1	RMS	994.2	-54.89	-13	Pass	9701
1000	1700	1	RMS	1700	-44.31	-13	Pass	701
1700	1765	1	RMS	1741.438	23.43	60	Pass	401
1765	3000	1	RMS	2669	-38.29	-13	Pass	1236
3000	12000	1	RMS	11906	-44.29	-13	Pass	9001
12000	18000	1	RMS	16400	-29.75	-13	Pass	6001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.1	-13	Pass	2986
30	1000	0.1	RMS	900	-54.81	-13	Pass	9701
1000	1700	1	RMS	1700	-41.67	-13	Pass	701
1700	1765	1	RMS	1736.075	24.24	60	Pass	401
1765	3000	1	RMS	1772	-32.39	-13	Pass	1236
3000	12000	1	RMS	11901	-44.15	-13	Pass	9001
12000	18000	1	RMS	16402	-29.74	-13	Pass	6001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.22	-13	Pass	2986
30	1000	0.1	RMS	952.9	-54.84	-13	Pass	9701
1000	1700	1	RMS	1700	-44.37	-13	Pass	701
1700	1765	1	RMS	1753.95	24.27	60	Pass	401
1765	3000	1	RMS	1772	-38.11	-13	Pass	1236
3000	12000	1	RMS	11899	-44.21	-13	Pass	9001
12000	18000	1	RMS	16402	-29.82	-13	Pass	6001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.93	-13	Pass	2986
30	1000	0.1	RMS	998	-54.92	-13	Pass	9701
1000	1700	1	RMS	1700	-41.46	-13	Pass	701
1700	1765	1	RMS	1736.075	23.9	60	Pass	401
1765	3000	1	RMS	1772	-32.53	-13	Pass	1236
3000	12000	1	RMS	11899	-44.22	-13	Pass	9001
12000	18000	1	RMS	16400	-29.8	-13	Pass	6001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.03	-13	Pass	2986
30	1000	0.1	RMS	955.6	-54.87	-13	Pass	9701
1000	1700	1	RMS	1700	-44.41	-13	Pass	701
1700	1765	1	RMS	1753.95	23.69	60	Pass	401
1765	3000	1	RMS	1772	-38.05	-13	Pass	1236
3000	12000	1	RMS	11915	-44.08	-13	Pass	9001
12000	18000	1	RMS	15900	-29.85	-13	Pass	6001



END