


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.66	-25	Pass	2986
30	1000	0.1	RMS	995.8	-54.88	-25	Pass	9701
1000	2490	1	RMS	2420	-40.6	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.45	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11906	-44.21	-25	Pass	9001
12000	26000	1	RMS	25979	-26.55	-25	Pass	14001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-25	Pass	2986
30	1000	0.1	RMS	898.5	-54.91	-25	Pass	9701
1000	2490	1	RMS	2419	-40.6	-25	Pass	1491
2490	2580	1	RMS	2504.625	23.23	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11909	-44.28	-25	Pass	9001
12000	26000	1	RMS	25853	-26.54	-25	Pass	14001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.81	-25	Pass	2986
30	1000	0.1	RMS	988.5	-55.02	-25	Pass	9701
1000	2490	1	RMS	2422	-40.62	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.54	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11905	-44.22	-25	Pass	9001
12000	26000	1	RMS	25957	-26.57	-25	Pass	14001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.92	-25	Pass	2986
30	1000	0.1	RMS	940.5	-54.79	-25	Pass	9701
1000	2490	1	RMS	2421	-40.65	-25	Pass	1491
2490	2580	1	RMS	2504.625	22.39	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11898	-44.22	-25	Pass	9001
12000	26000	1	RMS	25941	-26.49	-25	Pass	14001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.9	-25	Pass	2986
30	1000	0.1	RMS	901	-54.97	-25	Pass	9701
1000	2490	1	RMS	2422	-40.65	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.48	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11909	-44.31	-25	Pass	9001
12000	26000	1	RMS	25942	-32.78	-25	Pass	14001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.93	-25	Pass	2986
30	1000	0.1	RMS	918	-54.73	-25	Pass	9701
1000	2490	1	RMS	2421	-40.66	-25	Pass	1491
2490	2580	1	RMS	2537.25	23.47	60	Pass	401
2580	3000	1	RMS	2670	-39.26	-25	Pass	421
3000	12000	1	RMS	11912	-44.26	-25	Pass	9001
12000	26000	1	RMS	25968	-26.62	-25	Pass	14001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.34	-25	Pass	2986
30	1000	0.1	RMS	894	-54.81	-25	Pass	9701
1000	2490	1	RMS	2426	-40.64	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.53	60	Pass	401
2580	3000	1	RMS	2669	-39.27	-25	Pass	421
3000	12000	1	RMS	11906	-44.21	-25	Pass	9001
12000	26000	1	RMS	25947	-26.58	-25	Pass	14001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.91	-25	Pass	2986
30	1000	0.1	RMS	897.7	-54.95	-25	Pass	9701
1000	2490	1	RMS	2418	-40.64	-25	Pass	1491
2490	2580	1	RMS	2537.25	23.01	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	11909	-44.1	-25	Pass	9001
12000	26000	1	RMS	25982	-26.6	-25	Pass	14001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.55	-25	Pass	2986
30	1000	0.1	RMS	902	-54.86	-25	Pass	9701
1000	2490	1	RMS	2421	-40.66	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.48	60	Pass	401
2580	3000	1	RMS	2670	-39.21	-25	Pass	421
3000	12000	1	RMS	11904	-44.07	-25	Pass	9001
12000	26000	1	RMS	25934	-26.47	-25	Pass	14001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.97	-25	Pass	2986
30	1000	0.1	RMS	972.8	-54.98	-25	Pass	9701
1000	2490	1	RMS	2421	-40.66	-25	Pass	1491
2490	2580	1	RMS	2569.65	23.39	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	11903	-44.25	-25	Pass	9001
12000	26000	1	RMS	25949	-26.62	-25	Pass	14001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.38	-25	Pass	2986
30	1000	0.1	RMS	998.6	-54.74	-25	Pass	9701
1000	2490	1	RMS	2424	-40.67	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.95	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	11899	-44.24	-25	Pass	9001
12000	26000	1	RMS	25995	-26.49	-25	Pass	14001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.9	-25	Pass	2986
30	1000	0.1	RMS	997	-54.87	-25	Pass	9701
1000	2490	1	RMS	2416	-40.63	-25	Pass	1491
2490	2580	1	RMS	2569.65	23.47	60	Pass	401
2580	3000	1	RMS	2669	-39.27	-25	Pass	421
3000	12000	1	RMS	11895	-44.29	-25	Pass	9001
12000	26000	1	RMS	25976	-26.63	-25	Pass	14001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-25	Pass	2986
30	1000	0.1	RMS	981.5	-54.96	-25	Pass	9701
1000	2490	1	RMS	2420	-40.61	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.46	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	11903	-44.3	-25	Pass	9001
12000	26000	1	RMS	25950	-26.61	-25	Pass	14001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-25	Pass	2986
30	1000	0.1	RMS	907.4	-54.82	-25	Pass	9701
1000	2490	1	RMS	2420	-40.64	-25	Pass	1491
2490	2580	1	RMS	2509.35	23.4	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11899	-44.26	-25	Pass	9001
12000	26000	1	RMS	25961	-26.66	-25	Pass	14001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.06	-25	Pass	2986
30	1000	0.1	RMS	905.4	-54.98	-25	Pass	9701
1000	2490	1	RMS	2483	-40.47	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.97	60	Pass	401
2580	3000	1	RMS	2671	-39.25	-25	Pass	421
3000	12000	1	RMS	11903	-44.21	-25	Pass	9001
12000	26000	1	RMS	25966	-26.66	-25	Pass	14001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.25	-25	Pass	2986
30	1000	0.1	RMS	901.1	-54.88	-25	Pass	9701
1000	2490	1	RMS	2421	-40.64	-25	Pass	1491
2490	2580	1	RMS	2509.35	22.95	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	11916	-44.11	-25	Pass	9001
12000	26000	1	RMS	25940	-26.56	-25	Pass	14001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.92	-25	Pass	2986
30	1000	0.1	RMS	898.5	-54.68	-25	Pass	9701
1000	2490	1	RMS	2415	-40.62	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.42	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	11899	-44.25	-25	Pass	9001
12000	26000	1	RMS	25917	-26.56	-25	Pass	14001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.14	-25	Pass	2986
30	1000	0.1	RMS	939.7	-54.89	-25	Pass	9701
1000	2490	1	RMS	2474	-40.5	-25	Pass	1491
2490	2580	1	RMS	2539.5	23.36	60	Pass	401
2580	3000	1	RMS	2670	-39.2	-25	Pass	421
3000	12000	1	RMS	11902	-44.2	-25	Pass	9001
12000	26000	1	RMS	25818	-26.57	-25	Pass	14001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.04	-25	Pass	2986
30	1000	0.1	RMS	890.8	-54.85	-25	Pass	9701
1000	2490	1	RMS	2419	-40.65	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.92	60	Pass	401
2580	3000	1	RMS	2669	-39.25	-25	Pass	421
3000	12000	1	RMS	11901	-44.29	-25	Pass	9001
12000	26000	1	RMS	25988	-26.55	-25	Pass	14001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.25	-25	Pass	2986
30	1000	0.1	RMS	906.8	-54.79	-25	Pass	9701
1000	2490	1	RMS	2474	-40.57	-25	Pass	1491
2490	2580	1	RMS	2539.5	22.99	60	Pass	401
2580	3000	1	RMS	2668	-39.24	-25	Pass	421
3000	12000	1	RMS	11904	-44.19	-25	Pass	9001
12000	26000	1	RMS	25907	-26.6	-25	Pass	14001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.95	-25	Pass	2986
30	1000	0.1	RMS	909.2	-54.92	-25	Pass	9701
1000	2490	1	RMS	2419	-40.65	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.48	60	Pass	401
2580	3000	1	RMS	2668	-39.27	-25	Pass	421
3000	12000	1	RMS	11901	-44.16	-25	Pass	9001
12000	26000	1	RMS	25975	-26.61	-25	Pass	14001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.32	-25	Pass	2986
30	1000	0.1	RMS	897.8	-54.89	-25	Pass	9701
1000	2490	1	RMS	2417	-40.65	-25	Pass	1491
2490	2580	1	RMS	2569.425	23.59	60	Pass	401
2580	3000	1	RMS	2669	-39.25	-25	Pass	421
3000	12000	1	RMS	11903	-44.23	-25	Pass	9001
12000	26000	1	RMS	25952	-26.58	-25	Pass	14001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.1	-25	Pass	2986
30	1000	0.1	RMS	928.8	-54.91	-25	Pass	9701
1000	2490	1	RMS	2420	-40.6	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.16	60	Pass	401
2580	3000	1	RMS	2671	-39.25	-25	Pass	421
3000	12000	1	RMS	11903	-44.26	-25	Pass	9001
12000	26000	1	RMS	25964	-26.62	-25	Pass	14001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.27	-25	Pass	2986
30	1000	0.1	RMS	922.5	-54.89	-25	Pass	9701
1000	2490	1	RMS	2419	-40.67	-25	Pass	1491
2490	2580	1	RMS	2569.425	22.66	60	Pass	401
2580	3000	1	RMS	2670	-39.26	-25	Pass	421
3000	12000	1	RMS	11912	-44.25	-25	Pass	9001
12000	26000	1	RMS	25947	-26.49	-25	Pass	14001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.39	-25	Pass	2986
30	1000	0.1	RMS	905.3	-54.85	-25	Pass	9701
1000	2490	1	RMS	2487	-39.92	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.34	60	Pass	401
2580	3000	1	RMS	2669	-39.25	-25	Pass	421
3000	12000	1	RMS	11911	-44.21	-25	Pass	9001
12000	26000	1	RMS	25972	-26.51	-25	Pass	14001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.05	-25	Pass	2986
30	1000	0.1	RMS	961.3	-54.81	-25	Pass	9701
1000	2490	1	RMS	2488	-35.82	-25	Pass	1491
2490	2580	1	RMS	2514.075	23.38	60	Pass	401
2580	3000	1	RMS	2669	-39.24	-25	Pass	421
3000	12000	1	RMS	11909	-44.27	-25	Pass	9001
12000	26000	1	RMS	25967	-26.51	-25	Pass	14001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.42	-25	Pass	2986
30	1000	0.1	RMS	980.1	-54.96	-25	Pass	9701
1000	2490	1	RMS	2488	-38.4	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.03	60	Pass	401
2580	3000	1	RMS	2669	-39.22	-25	Pass	421
3000	12000	1	RMS	11900	-44.16	-25	Pass	9001
12000	26000	1	RMS	25983	-26.57	-25	Pass	14001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.32	-25	Pass	2986
30	1000	0.1	RMS	991.6	-54.74	-25	Pass	9701
1000	2490	1	RMS	2488	-32.87	-25	Pass	1491
2490	2580	1	RMS	2514.075	23.06	60	Pass	401
2580	3000	1	RMS	2671	-39.24	-25	Pass	421
3000	12000	1	RMS	11908	-44.26	-25	Pass	9001
12000	26000	1	RMS	25925	-26.58	-25	Pass	14001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.22	-25	Pass	2986
30	1000	0.1	RMS	916.2	-54.89	-25	Pass	9701
1000	2490	1	RMS	2419	-40.61	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.34	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	11912	-44.18	-25	Pass	9001
12000	26000	1	RMS	25972	-26.59	-25	Pass	14001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.49	-25	Pass	2986
30	1000	0.1	RMS	995.7	-54.88	-25	Pass	9701
1000	2490	1	RMS	2404	-40.01	-25	Pass	1491
2490	2580	1	RMS	2541.75	23.24	60	Pass	401
2580	3000	1	RMS	2668	-39.22	-25	Pass	421
3000	12000	1	RMS	11903	-44.24	-25	Pass	9001
12000	26000	1	RMS	25966	-32.75	-25	Pass	14001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.85	-25	Pass	2986
30	1000	0.1	RMS	901.2	-54.88	-25	Pass	9701
1000	2490	1	RMS	2420	-40.65	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.65	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	11901	-44.08	-25	Pass	9001
12000	26000	1	RMS	25967	-26.54	-25	Pass	14001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.19	-25	Pass	2986
30	1000	0.1	RMS	899	-54.97	-25	Pass	9701
1000	2490	1	RMS	2474	-40.61	-25	Pass	1491
2490	2580	1	RMS	2541.75	23.04	60	Pass	401
2580	3000	1	RMS	2671	-39.26	-25	Pass	421
3000	12000	1	RMS	11911	-44.17	-25	Pass	9001
12000	26000	1	RMS	25984	-26.57	-25	Pass	14001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-25	Pass	2986
30	1000	0.1	RMS	989.8	-54.8	-25	Pass	9701
1000	2490	1	RMS	2488	-39.84	-25	Pass	1491
2490	2580	1	RMS	2555.925	23.27	60	Pass	401
2580	3000	1	RMS	2582	-37.54	-25	Pass	421
3000	12000	1	RMS	11904	-44.23	-25	Pass	9001
12000	26000	1	RMS	25995	-26.6	-25	Pass	14001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-25	Pass	2986
30	1000	0.1	RMS	998.9	-55.05	-25	Pass	9701
1000	2490	1	RMS	2417	-40.65	-25	Pass	1491
2490	2580	1	RMS	2569.2	23.58	60	Pass	401
2580	3000	1	RMS	2582	-39.22	-25	Pass	421
3000	12000	1	RMS	11907	-44.2	-25	Pass	9001
12000	26000	1	RMS	25991	-26.56	-25	Pass	14001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.1	-25	Pass	2986
30	1000	0.1	RMS	928.2	-54.79	-25	Pass	9701
1000	2490	1	RMS	2488	-39.85	-25	Pass	1491
2490	2580	1	RMS	2555.925	23.04	60	Pass	401
2580	3000	1	RMS	2582	-36.43	-25	Pass	421
3000	12000	1	RMS	11908	-44.25	-25	Pass	9001
12000	26000	1	RMS	25958	-26.63	-25	Pass	14001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.73	-25	Pass	2986
30	1000	0.1	RMS	995.5	-54.84	-25	Pass	9701
1000	2490	1	RMS	2416	-40.67	-25	Pass	1491
2490	2580	1	RMS	2569.2	23.43	60	Pass	401
2580	3000	1	RMS	2582	-38.51	-25	Pass	421
3000	12000	1	RMS	11909	-44.23	-25	Pass	9001
12000	26000	1	RMS	25965	-26.53	-25	Pass	14001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.25	-25	Pass	2986
30	1000	0.1	RMS	885.7	-54.89	-25	Pass	9701
1000	2490	1	RMS	2483	-39.24	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.35	60	Pass	401
2580	3000	1	RMS	2670	-39.22	-25	Pass	421
3000	12000	1	RMS	11907	-44.31	-25	Pass	9001
12000	26000	1	RMS	25953	-26.65	-25	Pass	14001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.61	-25	Pass	2986
30	1000	0.1	RMS	950.1	-54.84	-25	Pass	9701
1000	2490	1	RMS	2483	-31.81	-25	Pass	1491
2490	2580	1	RMS	2519.025	23.29	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	11915	-44.21	-25	Pass	9001
12000	26000	1	RMS	25938	-26.48	-25	Pass	14001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.26	-25	Pass	2986
30	1000	0.1	RMS	896.2	-54.91	-25	Pass	9701
1000	2490	1	RMS	2483	-38.3	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.83	60	Pass	401
2580	3000	1	RMS	2671	-39.26	-25	Pass	421
3000	12000	1	RMS	11916	-44.25	-25	Pass	9001
12000	26000	1	RMS	25947	-26.51	-25	Pass	14001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.69	-25	Pass	2986
30	1000	0.1	RMS	916.7	-55	-25	Pass	9701
1000	2490	1	RMS	2483	-29.98	-25	Pass	1491
2490	2580	1	RMS	2519.025	22.74	60	Pass	401
2580	3000	1	RMS	2671	-39.26	-25	Pass	421
3000	12000	1	RMS	11902	-44.19	-25	Pass	9001
12000	26000	1	RMS	25946	-26.49	-25	Pass	14001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.96	-25	Pass	2986
30	1000	0.1	RMS	978.8	-54.8	-25	Pass	9701
1000	2490	1	RMS	2418	-40.68	-25	Pass	1491
2490	2580	1	RMS	2526	23.22	60	Pass	401
2580	3000	1	RMS	2669	-39.21	-25	Pass	421
3000	12000	1	RMS	11915	-44.25	-25	Pass	9001
12000	26000	1	RMS	25954	-26.63	-25	Pass	14001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.6	-25	Pass	2986
30	1000	0.1	RMS	953.1	-54.75	-25	Pass	9701
1000	2490	1	RMS	2421	-40.66	-25	Pass	1491
2490	2580	1	RMS	2544	23.59	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	11911	-44.24	-25	Pass	9001
12000	26000	1	RMS	25945	-26.59	-25	Pass	14001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.63	-25	Pass	2986
30	1000	0.1	RMS	1000	-54.6	-25	Pass	9701
1000	2490	1	RMS	2490	-40.46	-25	Pass	1491
2490	2580	1	RMS	2526	22.78	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	11901	-44.22	-25	Pass	9001
12000	26000	1	RMS	25924	-26.64	-25	Pass	14001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.95	-25	Pass	2986
30	1000	0.1	RMS	997.5	-54.95	-25	Pass	9701
1000	2490	1	RMS	2418	-40.68	-25	Pass	1491
2490	2580	1	RMS	2544	22.78	60	Pass	401
2580	3000	1	RMS	2668	-39.27	-25	Pass	421
3000	12000	1	RMS	11905	-44.07	-25	Pass	9001
12000	26000	1	RMS	25943	-26.58	-25	Pass	14001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.63	-25	Pass	2986
30	1000	0.1	RMS	887.8	-54.94	-25	Pass	9701
1000	2490	1	RMS	2481	-39.94	-25	Pass	1491
2490	2580	1	RMS	2551.2	23.37	60	Pass	401
2580	3000	1	RMS	2587	-38.91	-25	Pass	421
3000	12000	1	RMS	11902	-44.22	-25	Pass	9001
12000	26000	1	RMS	25955	-26.48	-25	Pass	14001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.82	-25	Pass	2986
30	1000	0.1	RMS	902.5	-54.93	-25	Pass	9701
1000	2490	1	RMS	2414	-40.65	-25	Pass	1491
2490	2580	1	RMS	2568.975	23.75	60	Pass	401
2580	3000	1	RMS	2587	-37.82	-25	Pass	421
3000	12000	1	RMS	11909	-44.22	-25	Pass	9001
12000	26000	1	RMS	25986	-26.45	-25	Pass	14001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.74	-25	Pass	2986
30	1000	0.1	RMS	932.5	-54.99	-25	Pass	9701
1000	2490	1	RMS	2482	-40.02	-25	Pass	1491
2490	2580	1	RMS	2551.2	23.06	60	Pass	401
2580	3000	1	RMS	2587	-37.74	-25	Pass	421
3000	12000	1	RMS	11902	-44.21	-25	Pass	9001
12000	26000	1	RMS	25991	-26.56	-25	Pass	14001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.56	-25	Pass	2986
30	1000	0.1	RMS	992.5	-54.95	-25	Pass	9701
1000	2490	1	RMS	2420	-40.65	-25	Pass	1491
2490	2580	1	RMS	2568.975	23.52	60	Pass	401
2580	3000	1	RMS	2587	-37.72	-25	Pass	421
3000	12000	1	RMS	11922	-44.19	-25	Pass	9001
12000	26000	1	RMS	25923	-26.6	-25	Pass	14001



END