


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-25	Pass	2986
30	1000	0.1	RMS	915	-58.66	-25	Pass	9701
1000	2490	1	RMS	2412	-43.32	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.37	60	Pass	401
2580	3000	1	RMS	2669	-42.45	-25	Pass	421
3000	12000	1	RMS	11992	-47.55	-25	Pass	9001
12000	26000	1	RMS	25752	-29.98	-25	Pass	14001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	916.5	-58.59	-25	Pass	9701
1000	2490	1	RMS	2410	-43.3	-25	Pass	1491
2490	2580	1	RMS	2504.625	23.36	60	Pass	401
2580	3000	1	RMS	2669	-42.45	-25	Pass	421
3000	12000	1	RMS	11996	-47.61	-25	Pass	9001
12000	26000	1	RMS	25739	-29.99	-25	Pass	14001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-25	Pass	2986
30	1000	0.1	RMS	880.8	-58.71	-25	Pass	9701
1000	2490	1	RMS	2404	-43.32	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.53	60	Pass	401
2580	3000	1	RMS	2666	-42.46	-25	Pass	421
3000	12000	1	RMS	11996	-47.57	-25	Pass	9001
12000	26000	1	RMS	25745	-29.88	-25	Pass	14001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-25	Pass	2986
30	1000	0.1	RMS	989.2	-58.56	-25	Pass	9701
1000	2490	1	RMS	2401	-43.34	-25	Pass	1491
2490	2580	1	RMS	2504.625	22.54	60	Pass	401
2580	3000	1	RMS	2665	-42.46	-25	Pass	421
3000	12000	1	RMS	11997	-47.65	-25	Pass	9001
12000	26000	1	RMS	25739	-29.76	-25	Pass	14001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-25	Pass	2986
30	1000	0.1	RMS	880.5	-58.51	-25	Pass	9701
1000	2490	1	RMS	2404	-43.34	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.1	60	Pass	401
2580	3000	1	RMS	2669	-42.48	-25	Pass	421
3000	12000	1	RMS	11999	-47.6	-25	Pass	9001
12000	26000	1	RMS	25705	-36.11	-25	Pass	14001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.19	-25	Pass	2986
30	1000	0.1	RMS	946.8	-58.4	-25	Pass	9701
1000	2490	1	RMS	2417	-43.34	-25	Pass	1491
2490	2580	1	RMS	2537.25	23.05	60	Pass	401
2580	3000	1	RMS	2668	-42.48	-25	Pass	421
3000	12000	1	RMS	11999	-47.62	-25	Pass	9001
12000	26000	1	RMS	25739	-29.97	-25	Pass	14001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-25	Pass	2986
30	1000	0.1	RMS	973.9	-58.48	-25	Pass	9701
1000	2490	1	RMS	2405	-43.32	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.32	60	Pass	401
2580	3000	1	RMS	2664	-42.48	-25	Pass	421
3000	12000	1	RMS	11998	-47.52	-25	Pass	9001
12000	26000	1	RMS	25726	-29.95	-25	Pass	14001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-25	Pass	2986
30	1000	0.1	RMS	873.9	-58.63	-25	Pass	9701
1000	2490	1	RMS	2410	-43.28	-25	Pass	1491
2490	2580	1	RMS	2537.25	22.3	60	Pass	401
2580	3000	1	RMS	2670	-42.44	-25	Pass	421
3000	12000	1	RMS	11998	-47.44	-25	Pass	9001
12000	26000	1	RMS	25745	-29.84	-25	Pass	14001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-25	Pass	2986
30	1000	0.1	RMS	891.1	-58.47	-25	Pass	9701
1000	2490	1	RMS	2412	-43.32	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.32	60	Pass	401
2580	3000	1	RMS	2669	-42.48	-25	Pass	421
3000	12000	1	RMS	11999	-47.54	-25	Pass	9001
12000	26000	1	RMS	25741	-29.92	-25	Pass	14001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.84	-25	Pass	2986
30	1000	0.1	RMS	977.7	-58.61	-25	Pass	9701
1000	2490	1	RMS	2413	-43.35	-25	Pass	1491
2490	2580	1	RMS	2569.65	23.45	60	Pass	401
2580	3000	1	RMS	2668	-42.47	-25	Pass	421
3000	12000	1	RMS	11994	-47.48	-25	Pass	9001
12000	26000	1	RMS	25740	-30.03	-25	Pass	14001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-25	Pass	2986
30	1000	0.1	RMS	867	-58.59	-25	Pass	9701
1000	2490	1	RMS	2411	-43.29	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.39	60	Pass	401
2580	3000	1	RMS	2670	-42.46	-25	Pass	421
3000	12000	1	RMS	11990	-47.56	-25	Pass	9001
12000	26000	1	RMS	25742	-29.9	-25	Pass	14001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-25	Pass	2986
30	1000	0.1	RMS	858.4	-58.64	-25	Pass	9701
1000	2490	1	RMS	2405	-43.32	-25	Pass	1491
2490	2580	1	RMS	2569.65	22.5	60	Pass	401
2580	3000	1	RMS	2668	-42.46	-25	Pass	421
3000	12000	1	RMS	11998	-47.49	-25	Pass	9001
12000	26000	1	RMS	25739	-29.89	-25	Pass	14001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-25	Pass	2986
30	1000	0.1	RMS	962.8	-58.6	-25	Pass	9701
1000	2490	1	RMS	2483	-40.77	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.46	60	Pass	401
2580	3000	1	RMS	2662	-42.46	-25	Pass	421
3000	12000	1	RMS	11993	-47.58	-25	Pass	9001
12000	26000	1	RMS	25758	-29.92	-25	Pass	14001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-25	Pass	2986
30	1000	0.1	RMS	978.6	-58.71	-25	Pass	9701
1000	2490	1	RMS	2490	-43.08	-25	Pass	1491
2490	2580	1	RMS	2509.35	23.39	60	Pass	401
2580	3000	1	RMS	2668	-42.47	-25	Pass	421
3000	12000	1	RMS	11995	-47.55	-25	Pass	9001
12000	26000	1	RMS	25740	-29.93	-25	Pass	14001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-25	Pass	2986
30	1000	0.1	RMS	991.9	-58.51	-25	Pass	9701
1000	2490	1	RMS	2483	-41.63	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.63	60	Pass	401
2580	3000	1	RMS	2660	-42.47	-25	Pass	421
3000	12000	1	RMS	11994	-47.64	-25	Pass	9001
12000	26000	1	RMS	25739	-29.91	-25	Pass	14001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-25	Pass	2986
30	1000	0.1	RMS	965.7	-58.53	-25	Pass	9701
1000	2490	1	RMS	2490	-43.18	-25	Pass	1491
2490	2580	1	RMS	2509.35	22.52	60	Pass	401
2580	3000	1	RMS	2670	-42.47	-25	Pass	421
3000	12000	1	RMS	11997	-47.65	-25	Pass	9001
12000	26000	1	RMS	25740	-29.9	-25	Pass	14001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	889.4	-58.53	-25	Pass	9701
1000	2490	1	RMS	2405	-43.31	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.19	60	Pass	401
2580	3000	1	RMS	2670	-42.45	-25	Pass	421
3000	12000	1	RMS	11998	-47.56	-25	Pass	9001
12000	26000	1	RMS	25755	-29.92	-25	Pass	14001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-25	Pass	2986
30	1000	0.1	RMS	996.4	-58.43	-25	Pass	9701
1000	2490	1	RMS	2411	-43.34	-25	Pass	1491
2490	2580	1	RMS	2539.5	23.11	60	Pass	401
2580	3000	1	RMS	2663	-42.47	-25	Pass	421
3000	12000	1	RMS	11995	-47.54	-25	Pass	9001
12000	26000	1	RMS	25744	-29.84	-25	Pass	14001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-25	Pass	2986
30	1000	0.1	RMS	995.8	-58.65	-25	Pass	9701
1000	2490	1	RMS	2410	-43.29	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.2	60	Pass	401
2580	3000	1	RMS	2667	-42.47	-25	Pass	421
3000	12000	1	RMS	12000	-47.61	-25	Pass	9001
12000	26000	1	RMS	25736	-29.96	-25	Pass	14001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-25	Pass	2986
30	1000	0.1	RMS	983.5	-58.63	-25	Pass	9701
1000	2490	1	RMS	2407	-43.27	-25	Pass	1491
2490	2580	1	RMS	2539.5	22.15	60	Pass	401
2580	3000	1	RMS	2670	-42.49	-25	Pass	421
3000	12000	1	RMS	12000	-47.5	-25	Pass	9001
12000	26000	1	RMS	25751	-29.8	-25	Pass	14001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-25	Pass	2986
30	1000	0.1	RMS	971	-58.65	-25	Pass	9701
1000	2490	1	RMS	2412	-43.31	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.35	60	Pass	401
2580	3000	1	RMS	2666	-42.47	-25	Pass	421
3000	12000	1	RMS	11995	-47.42	-25	Pass	9001
12000	26000	1	RMS	25724	-29.9	-25	Pass	14001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.26	-25	Pass	2986
30	1000	0.1	RMS	985.3	-58.7	-25	Pass	9701
1000	2490	1	RMS	2411	-43.3	-25	Pass	1491
2490	2580	1	RMS	2569.425	23.53	60	Pass	401
2580	3000	1	RMS	2587	-42.2	-25	Pass	421
3000	12000	1	RMS	11993	-47.63	-25	Pass	9001
12000	26000	1	RMS	25750	-30.01	-25	Pass	14001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-25	Pass	2986
30	1000	0.1	RMS	942.8	-58.43	-25	Pass	9701
1000	2490	1	RMS	2414	-43.27	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.43	60	Pass	401
2580	3000	1	RMS	2670	-42.45	-25	Pass	421
3000	12000	1	RMS	12000	-47.57	-25	Pass	9001
12000	26000	1	RMS	25734	-29.95	-25	Pass	14001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-25	Pass	2986
30	1000	0.1	RMS	886.1	-58.42	-25	Pass	9701
1000	2490	1	RMS	2414	-43.34	-25	Pass	1491
2490	2580	1	RMS	2569.425	22.59	60	Pass	401
2580	3000	1	RMS	2665	-42.47	-25	Pass	421
3000	12000	1	RMS	11994	-47.58	-25	Pass	9001
12000	26000	1	RMS	25746	-29.84	-25	Pass	14001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2986
30	1000	0.1	RMS	996.4	-58.5	-25	Pass	9701
1000	2490	1	RMS	2488	-39.78	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.39	60	Pass	401
2580	3000	1	RMS	2670	-42.45	-25	Pass	421
3000	12000	1	RMS	11997	-47.51	-25	Pass	9001
12000	26000	1	RMS	25750	-29.74	-25	Pass	14001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-25	Pass	2986
30	1000	0.1	RMS	870.1	-58.54	-25	Pass	9701
1000	2490	1	RMS	2488	-31.08	-25	Pass	1491
2490	2580	1	RMS	2514.075	23.22	60	Pass	401
2580	3000	1	RMS	2666	-42.44	-25	Pass	421
3000	12000	1	RMS	11999	-47.37	-25	Pass	9001
12000	26000	1	RMS	25748	-29.99	-25	Pass	14001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-25	Pass	2986
30	1000	0.1	RMS	906	-58.56	-25	Pass	9701
1000	2490	1	RMS	2488	-40.65	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.55	60	Pass	401
2580	3000	1	RMS	2668	-42.46	-25	Pass	421
3000	12000	1	RMS	11996	-47.63	-25	Pass	9001
12000	26000	1	RMS	25742	-30.01	-25	Pass	14001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-25	Pass	2986
30	1000	0.1	RMS	995.4	-58.52	-25	Pass	9701
1000	2490	1	RMS	2488	-32.67	-25	Pass	1491
2490	2580	1	RMS	2514.075	22.39	60	Pass	401
2580	3000	1	RMS	2669	-42.48	-25	Pass	421
3000	12000	1	RMS	11999	-47.53	-25	Pass	9001
12000	26000	1	RMS	25745	-29.96	-25	Pass	14001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-25	Pass	2986
30	1000	0.1	RMS	951.4	-58.42	-25	Pass	9701
1000	2490	1	RMS	2415	-43.31	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.12	60	Pass	401
2580	3000	1	RMS	2669	-42.46	-25	Pass	421
3000	12000	1	RMS	12000	-47.39	-25	Pass	9001
12000	26000	1	RMS	25746	-29.95	-25	Pass	14001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-25	Pass	2986
30	1000	0.1	RMS	893.2	-58.56	-25	Pass	9701
1000	2490	1	RMS	2412	-43.29	-25	Pass	1491
2490	2580	1	RMS	2541.75	23.07	60	Pass	401
2580	3000	1	RMS	2665	-42.44	-25	Pass	421
3000	12000	1	RMS	11998	-47.37	-25	Pass	9001
12000	26000	1	RMS	25745	-36.06	-25	Pass	14001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-25	Pass	2986
30	1000	0.1	RMS	872	-58.57	-25	Pass	9701
1000	2490	1	RMS	2409	-43.32	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.13	60	Pass	401
2580	3000	1	RMS	2668	-42.44	-25	Pass	421
3000	12000	1	RMS	11994	-47.47	-25	Pass	9001
12000	26000	1	RMS	25743	-29.83	-25	Pass	14001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-25	Pass	2986
30	1000	0.1	RMS	941	-58.63	-25	Pass	9701
1000	2490	1	RMS	2411	-43.32	-25	Pass	1491
2490	2580	1	RMS	2541.75	22.09	60	Pass	401
2580	3000	1	RMS	2665	-42.46	-25	Pass	421
3000	12000	1	RMS	11997	-47.49	-25	Pass	9001
12000	26000	1	RMS	25746	-29.85	-25	Pass	14001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-25	Pass	2986
30	1000	0.1	RMS	891.1	-58.51	-25	Pass	9701
1000	2490	1	RMS	2418	-43.32	-25	Pass	1491
2490	2580	1	RMS	2555.925	23.2	60	Pass	401
2580	3000	1	RMS	2582	-28.02	-25	Pass	421
3000	12000	1	RMS	11997	-47.47	-25	Pass	9001
12000	26000	1	RMS	25741	-29.85	-25	Pass	14001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-25	Pass	2986
30	1000	0.1	RMS	993	-58.51	-25	Pass	9701
1000	2490	1	RMS	2402	-43.3	-25	Pass	1491
2490	2580	1	RMS	2569.2	23.42	60	Pass	401
2580	3000	1	RMS	2580	-41.79	-25	Pass	421
3000	12000	1	RMS	12000	-47.66	-25	Pass	9001
12000	26000	1	RMS	25735	-29.88	-25	Pass	14001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.1	-25	Pass	2986
30	1000	0.1	RMS	896.8	-58.52	-25	Pass	9701
1000	2490	1	RMS	2407	-43.28	-25	Pass	1491
2490	2580	1	RMS	2555.925	22.34	60	Pass	401
2580	3000	1	RMS	2582	-29.23	-25	Pass	421
3000	12000	1	RMS	11996	-47.51	-25	Pass	9001
12000	26000	1	RMS	25743	-29.87	-25	Pass	14001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-25	Pass	2986
30	1000	0.1	RMS	981.1	-58.63	-25	Pass	9701
1000	2490	1	RMS	2411	-43.29	-25	Pass	1491
2490	2580	1	RMS	2569.2	22.53	60	Pass	401
2580	3000	1	RMS	2670	-42.46	-25	Pass	421
3000	12000	1	RMS	11998	-47.6	-25	Pass	9001
12000	26000	1	RMS	25749	-29.93	-25	Pass	14001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-25	Pass	2986
30	1000	0.1	RMS	870.6	-58.34	-25	Pass	9701
1000	2490	1	RMS	2483	-40.4	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.19	60	Pass	401
2580	3000	1	RMS	2670	-42.46	-25	Pass	421
3000	12000	1	RMS	11994	-47.54	-25	Pass	9001
12000	26000	1	RMS	25723	-29.97	-25	Pass	14001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.54	-25	Pass	2986
30	1000	0.1	RMS	864.8	-58.55	-25	Pass	9701
1000	2490	1	RMS	2483	-31.89	-25	Pass	1491
2490	2580	1	RMS	2518.8	23	60	Pass	401
2580	3000	1	RMS	2665	-42.45	-25	Pass	421
3000	12000	1	RMS	11996	-47.55	-25	Pass	9001
12000	26000	1	RMS	25746	-29.89	-25	Pass	14001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-25	Pass	2986
30	1000	0.1	RMS	860.6	-58.53	-25	Pass	9701
1000	2490	1	RMS	2483	-40.64	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.34	60	Pass	401
2580	3000	1	RMS	2667	-42.44	-25	Pass	421
3000	12000	1	RMS	12000	-47.52	-25	Pass	9001
12000	26000	1	RMS	25740	-29.87	-25	Pass	14001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-25	Pass	2986
30	1000	0.1	RMS	957.5	-58.36	-25	Pass	9701
1000	2490	1	RMS	2483	-33.26	-25	Pass	1491
2490	2580	1	RMS	2518.8	22.17	60	Pass	401
2580	3000	1	RMS	2660	-42.47	-25	Pass	421
3000	12000	1	RMS	11997	-47.6	-25	Pass	9001
12000	26000	1	RMS	25736	-29.92	-25	Pass	14001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.83	-25	Pass	2986
30	1000	0.1	RMS	893.5	-58.55	-25	Pass	9701
1000	2490	1	RMS	2490	-39.71	-25	Pass	1491
2490	2580	1	RMS	2526	22.97	60	Pass	401
2580	3000	1	RMS	2670	-42.46	-25	Pass	421
3000	12000	1	RMS	12000	-47.51	-25	Pass	9001
12000	26000	1	RMS	25736	-29.89	-25	Pass	14001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-25	Pass	2986
30	1000	0.1	RMS	1000	-58.63	-25	Pass	9701
1000	2490	1	RMS	2409	-43.29	-25	Pass	1491
2490	2580	1	RMS	2544	22.88	60	Pass	401
2580	3000	1	RMS	2669	-42.47	-25	Pass	421
3000	12000	1	RMS	11990	-47.42	-25	Pass	9001
12000	26000	1	RMS	25730	-29.92	-25	Pass	14001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-25	Pass	2986
30	1000	0.1	RMS	889	-58.7	-25	Pass	9701
1000	2490	1	RMS	2490	-41.28	-25	Pass	1491
2490	2580	1	RMS	2526	22	60	Pass	401
2580	3000	1	RMS	2670	-42.45	-25	Pass	421
3000	12000	1	RMS	12000	-47.48	-25	Pass	9001
12000	26000	1	RMS	25757	-29.97	-25	Pass	14001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-25	Pass	2986
30	1000	0.1	RMS	982.9	-58.72	-25	Pass	9701
1000	2490	1	RMS	2411	-43.31	-25	Pass	1491
2490	2580	1	RMS	2544	21.94	60	Pass	401
2580	3000	1	RMS	2665	-42.45	-25	Pass	421
3000	12000	1	RMS	12000	-47.53	-25	Pass	9001
12000	26000	1	RMS	25740	-29.94	-25	Pass	14001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-25	Pass	2986
30	1000	0.1	RMS	907	-58.52	-25	Pass	9701
1000	2490	1	RMS	2411	-43.27	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.97	60	Pass	401
2580	3000	1	RMS	2587	-30.26	-25	Pass	421
3000	12000	1	RMS	11998	-47.44	-25	Pass	9001
12000	26000	1	RMS	25749	-29.89	-25	Pass	14001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-25	Pass	2986
30	1000	0.1	RMS	883.5	-58.56	-25	Pass	9701
1000	2490	1	RMS	2421	-43.32	-25	Pass	1491
2490	2580	1	RMS	2568.975	23.2	60	Pass	401
2580	3000	1	RMS	2669	-42.47	-25	Pass	421
3000	12000	1	RMS	12000	-47.61	-25	Pass	9001
12000	26000	1	RMS	25742	-29.83	-25	Pass	14001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-25	Pass	2986
30	1000	0.1	RMS	952.5	-58.56	-25	Pass	9701
1000	2490	1	RMS	2414	-43.3	-25	Pass	1491
2490	2580	1	RMS	2551.2	22	60	Pass	401
2580	3000	1	RMS	2587	-31.74	-25	Pass	421
3000	12000	1	RMS	12000	-47.52	-25	Pass	9001
12000	26000	1	RMS	25734	-29.91	-25	Pass	14001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.62	-25	Pass	2986
30	1000	0.1	RMS	850.7	-58.68	-25	Pass	9701
1000	2490	1	RMS	2410	-43.32	-25	Pass	1491
2490	2580	1	RMS	2568.975	22.24	60	Pass	401
2580	3000	1	RMS	2668	-42.47	-25	Pass	421
3000	12000	1	RMS	11999	-47.53	-25	Pass	9001
12000	26000	1	RMS	25740	-29.9	-25	Pass	14001



END