


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.44	-13	Pass	2986
30	1000	0.1	RMS	897.1	-57.78	-13	Pass	9701
1000	1830	1	RMS	1828	-46.34	-13	Pass	831
1830	1920	1	RMS	1850.25	23.92	60	Pass	401
1920	3000	1	RMS	2663	-41.83	-13	Pass	1081
3000	12000	1	RMS	11983	-47.17	-13	Pass	9001
12000	20000	1	RMS	19711	-36.86	-13	Pass	8001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2986
30	1000	0.1	RMS	996.9	-57.88	-13	Pass	9701
1000	1830	1	RMS	1824	-46.36	-13	Pass	831
1830	1920	1	RMS	1851.15	23.94	60	Pass	401
1920	3000	1	RMS	2668	-41.84	-13	Pass	1081
3000	12000	1	RMS	11993	-47.1	-13	Pass	9001
12000	20000	1	RMS	19714	-36.94	-13	Pass	8001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	937.8	-58.11	-13	Pass	9701
1000	1830	1	RMS	1827	-46.3	-13	Pass	831
1830	1920	1	RMS	1850.25	22.96	60	Pass	401
1920	3000	1	RMS	2671	-41.8	-13	Pass	1081
3000	12000	1	RMS	11996	-47.27	-13	Pass	9001
12000	20000	1	RMS	19707	-36.8	-13	Pass	8001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	924.6	-58.06	-13	Pass	9701
1000	1830	1	RMS	1827	-46.36	-13	Pass	831
1830	1920	1	RMS	1851.15	22.96	60	Pass	401
1920	3000	1	RMS	2666	-41.8	-13	Pass	1081
3000	12000	1	RMS	12000	-47.4	-13	Pass	9001
12000	20000	1	RMS	19700	-36.96	-13	Pass	8001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	1000	0.1	RMS	891.6	-57.77	-13	Pass	9701
1000	1830	1	RMS	1830	-46.35	-13	Pass	831
1830	1920	1	RMS	1879.5	23.91	60	Pass	401
1920	3000	1	RMS	2660	-41.83	-13	Pass	1081
3000	12000	1	RMS	3759	-45.62	-13	Pass	9001
12000	20000	1	RMS	19702	-36.93	-13	Pass	8001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-13	Pass	2986
30	1000	0.1	RMS	958.4	-57.96	-13	Pass	9701
1000	1830	1	RMS	1829	-46.37	-13	Pass	831
1830	1920	1	RMS	1880.4	23.89	60	Pass	401
1920	3000	1	RMS	2664	-41.79	-13	Pass	1081
3000	12000	1	RMS	3761	-46.22	-13	Pass	9001
12000	20000	1	RMS	19707	-36.95	-13	Pass	8001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	968.2	-58.04	-13	Pass	9701
1000	1830	1	RMS	1830	-46.35	-13	Pass	831
1830	1920	1	RMS	1879.5	22.98	60	Pass	401
1920	3000	1	RMS	2666	-41.75	-13	Pass	1081
3000	12000	1	RMS	3759	-46.87	-13	Pass	9001
12000	20000	1	RMS	19721	-36.95	-13	Pass	8001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.95	-13	Pass	2986
30	1000	0.1	RMS	898.1	-58.15	-13	Pass	9701
1000	1830	1	RMS	1829	-46.36	-13	Pass	831
1830	1920	1	RMS	1880.4	22.97	60	Pass	401
1920	3000	1	RMS	2664	-41.82	-13	Pass	1081
3000	12000	1	RMS	3761	-47.15	-13	Pass	9001
12000	20000	1	RMS	19705	-36.92	-13	Pass	8001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	1000	0.1	RMS	905	-58.12	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1908.75	23.75	60	Pass	401
1920	3000	1	RMS	2660	-41.78	-13	Pass	1081
3000	12000	1	RMS	3818	-43.29	-13	Pass	9001
12000	20000	1	RMS	19700	-36.95	-13	Pass	8001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	890.5	-57.92	-13	Pass	9701
1000	1830	1	RMS	1830	-46.37	-13	Pass	831
1830	1920	1	RMS	1909.65	23.76	60	Pass	401
1920	3000	1	RMS	2666	-41.86	-13	Pass	1081
3000	12000	1	RMS	3819	-43.68	-13	Pass	9001
12000	20000	1	RMS	19707	-36.97	-13	Pass	8001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.61	-13	Pass	2986
30	1000	0.1	RMS	853.3	-58.06	-13	Pass	9701
1000	1830	1	RMS	1830	-46.3	-13	Pass	831
1830	1920	1	RMS	1908.75	22.83	60	Pass	401
1920	3000	1	RMS	2662	-41.8	-13	Pass	1081
3000	12000	1	RMS	3818	-43.95	-13	Pass	9001
12000	20000	1	RMS	19720	-36.91	-13	Pass	8001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2986
30	1000	0.1	RMS	950	-58.03	-13	Pass	9701
1000	1830	1	RMS	1828	-46.35	-13	Pass	831
1830	1920	1	RMS	1909.65	22.81	60	Pass	401
1920	3000	1	RMS	2670	-41.8	-13	Pass	1081
3000	12000	1	RMS	3819	-45.15	-13	Pass	9001
12000	20000	1	RMS	19711	-36.97	-13	Pass	8001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	1000	0.1	RMS	842.9	-58.01	-13	Pass	9701
1000	1830	1	RMS	1827	-46.36	-13	Pass	831
1830	1920	1	RMS	1850.25	23.96	60	Pass	401
1920	3000	1	RMS	2666	-41.72	-13	Pass	1081
3000	12000	1	RMS	11998	-47.35	-13	Pass	9001
12000	20000	1	RMS	19723	-36.92	-13	Pass	8001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.56	-13	Pass	2986
30	1000	0.1	RMS	974.1	-57.9	-13	Pass	9701
1000	1830	1	RMS	1829	-46.36	-13	Pass	831
1830	1920	1	RMS	1852.725	23.93	60	Pass	401
1920	3000	1	RMS	2660	-41.78	-13	Pass	1081
3000	12000	1	RMS	12000	-47.23	-13	Pass	9001
12000	20000	1	RMS	19736	-36.99	-13	Pass	8001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	858.1	-57.91	-13	Pass	9701
1000	1830	1	RMS	1830	-46.29	-13	Pass	831
1830	1920	1	RMS	1850.25	23.2	60	Pass	401
1920	3000	1	RMS	2661	-41.82	-13	Pass	1081
3000	12000	1	RMS	11998	-47.15	-13	Pass	9001
12000	20000	1	RMS	19721	-36.88	-13	Pass	8001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-56.17	-13	Pass	2986
30	1000	0.1	RMS	953.3	-57.92	-13	Pass	9701
1000	1830	1	RMS	1829	-46.35	-13	Pass	831
1830	1920	1	RMS	1852.725	23.13	60	Pass	401
1920	3000	1	RMS	2666	-41.8	-13	Pass	1081
3000	12000	1	RMS	11997	-47.47	-13	Pass	9001
12000	20000	1	RMS	19708	-36.79	-13	Pass	8001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	877.4	-58.04	-13	Pass	9701
1000	1830	1	RMS	1828	-46.35	-13	Pass	831
1830	1920	1	RMS	1878.825	23.9	60	Pass	401
1920	3000	1	RMS	2661	-41.79	-13	Pass	1081
3000	12000	1	RMS	11995	-47.29	-13	Pass	9001
12000	20000	1	RMS	19707	-36.99	-13	Pass	8001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	1000	0.1	RMS	976.5	-57.97	-13	Pass	9701
1000	1830	1	RMS	1826	-46.34	-13	Pass	831
1830	1920	1	RMS	1881.3	23.94	60	Pass	401
1920	3000	1	RMS	2664	-41.8	-13	Pass	1081
3000	12000	1	RMS	12000	-47.33	-13	Pass	9001
12000	20000	1	RMS	19701	-37.04	-13	Pass	8001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.72	-13	Pass	2986
30	1000	0.1	RMS	987.7	-57.57	-13	Pass	9701
1000	1830	1	RMS	1827	-46.38	-13	Pass	831
1830	1920	1	RMS	1878.825	23	60	Pass	401
1920	3000	1	RMS	2669	-41.79	-13	Pass	1081
3000	12000	1	RMS	11994	-47.44	-13	Pass	9001
12000	20000	1	RMS	19699	-36.88	-13	Pass	8001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.44	-13	Pass	2986
30	1000	0.1	RMS	967.4	-57.88	-13	Pass	9701
1000	1830	1	RMS	1830	-46.35	-13	Pass	831
1830	1920	1	RMS	1881.3	23.02	60	Pass	401
1920	3000	1	RMS	2670	-41.8	-13	Pass	1081
3000	12000	1	RMS	11999	-47.16	-13	Pass	9001
12000	20000	1	RMS	19718	-36.92	-13	Pass	8001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	875.3	-57.68	-13	Pass	9701
1000	1830	1	RMS	1830	-46.31	-13	Pass	831
1830	1920	1	RMS	1907.175	23.81	60	Pass	401
1920	3000	1	RMS	2670	-41.82	-13	Pass	1081
3000	12000	1	RMS	3814	-44.78	-13	Pass	9001
12000	20000	1	RMS	19714	-36.94	-13	Pass	8001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	869.9	-57.84	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1909.65	23.78	60	Pass	401
1920	3000	1	RMS	2662	-41.84	-13	Pass	1081
3000	12000	1	RMS	3819	-43.88	-13	Pass	9001
12000	20000	1	RMS	19701	-36.94	-13	Pass	8001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.84	-13	Pass	2986
30	1000	0.1	RMS	992.5	-57.99	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1907.175	22.92	60	Pass	401
1920	3000	1	RMS	2667	-41.81	-13	Pass	1081
3000	12000	1	RMS	3814	-45.28	-13	Pass	9001
12000	20000	1	RMS	19730	-36.9	-13	Pass	8001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	888.4	-57.84	-13	Pass	9701
1000	1830	1	RMS	1830	-46.31	-13	Pass	831
1830	1920	1	RMS	1909.65	22.86	60	Pass	401
1920	3000	1	RMS	2663	-41.78	-13	Pass	1081
3000	12000	1	RMS	3819	-45.13	-13	Pass	9001
12000	20000	1	RMS	19720	-36.84	-13	Pass	8001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-13	Pass	2986
30	1000	0.1	RMS	976.3	-57.57	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1850.25	23.77	60	Pass	401
1920	3000	1	RMS	2668	-41.83	-13	Pass	1081
3000	12000	1	RMS	12000	-47.29	-13	Pass	9001
12000	20000	1	RMS	19707	-36.93	-13	Pass	8001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.93	-13	Pass	2986
30	1000	0.1	RMS	890.1	-57.95	-13	Pass	9701
1000	1830	1	RMS	1828	-46.32	-13	Pass	831
1830	1920	1	RMS	1854.75	23.73	60	Pass	401
1920	3000	1	RMS	2661	-41.78	-13	Pass	1081
3000	12000	1	RMS	11997	-47.13	-13	Pass	9001
12000	20000	1	RMS	19710	-36.91	-13	Pass	8001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.21	-13	Pass	2986
30	1000	0.1	RMS	936.6	-57.9	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1850.25	22.89	60	Pass	401
1920	3000	1	RMS	2662	-41.76	-13	Pass	1081
3000	12000	1	RMS	11999	-47.33	-13	Pass	9001
12000	20000	1	RMS	19709	-36.9	-13	Pass	8001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	989.2	-57.76	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1854.75	22.88	60	Pass	401
1920	3000	1	RMS	2668	-41.81	-13	Pass	1081
3000	12000	1	RMS	12000	-47.44	-13	Pass	9001
12000	20000	1	RMS	19721	-36.86	-13	Pass	8001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.21	-13	Pass	2986
30	1000	0.1	RMS	977.6	-57.96	-13	Pass	9701
1000	1830	1	RMS	1828	-46.29	-13	Pass	831
1830	1920	1	RMS	1877.925	23.8	60	Pass	401
1920	3000	1	RMS	2667	-41.73	-13	Pass	1081
3000	12000	1	RMS	3756	-46.5	-13	Pass	9001
12000	20000	1	RMS	19753	-36.93	-13	Pass	8001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.1	-13	Pass	2986
30	1000	0.1	RMS	950.9	-58.07	-13	Pass	9701
1000	1830	1	RMS	1829	-46.35	-13	Pass	831
1830	1920	1	RMS	1882.2	23.82	60	Pass	401
1920	3000	1	RMS	2670	-41.82	-13	Pass	1081
3000	12000	1	RMS	11999	-47.33	-13	Pass	9001
12000	20000	1	RMS	19718	-36.9	-13	Pass	8001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	1000	0.1	RMS	994	-57.65	-13	Pass	9701
1000	1830	1	RMS	1830	-46.31	-13	Pass	831
1830	1920	1	RMS	1877.925	23.05	60	Pass	401
1920	3000	1	RMS	2665	-41.8	-13	Pass	1081
3000	12000	1	RMS	11999	-47.21	-13	Pass	9001
12000	20000	1	RMS	19709	-36.9	-13	Pass	8001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.36	-13	Pass	2986
30	1000	0.1	RMS	904.1	-57.91	-13	Pass	9701
1000	1830	1	RMS	1830	-46.36	-13	Pass	831
1830	1920	1	RMS	1882.2	22.99	60	Pass	401
1920	3000	1	RMS	2667	-41.77	-13	Pass	1081
3000	12000	1	RMS	12000	-47.35	-13	Pass	9001
12000	20000	1	RMS	19718	-36.95	-13	Pass	8001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.4	-13	Pass	2986
30	1000	0.1	RMS	945.9	-58.09	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1905.375	23.7	60	Pass	401
1920	3000	1	RMS	2670	-41.84	-13	Pass	1081
3000	12000	1	RMS	3811	-43.03	-13	Pass	9001
12000	20000	1	RMS	19704	-36.96	-13	Pass	8001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	1000	0.1	RMS	907.3	-57.93	-13	Pass	9701
1000	1830	1	RMS	1815	-46.38	-13	Pass	831
1830	1920	1	RMS	1909.65	23.78	60	Pass	401
1920	3000	1	RMS	2668	-41.78	-13	Pass	1081
3000	12000	1	RMS	3819	-43.32	-13	Pass	9001
12000	20000	1	RMS	19733	-36.95	-13	Pass	8001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2986
30	1000	0.1	RMS	990.7	-57.93	-13	Pass	9701
1000	1830	1	RMS	1828	-46.34	-13	Pass	831
1830	1920	1	RMS	1905.375	22.97	60	Pass	401
1920	3000	1	RMS	2667	-41.88	-13	Pass	1081
3000	12000	1	RMS	3811	-44.44	-13	Pass	9001
12000	20000	1	RMS	19717	-36.87	-13	Pass	8001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-13	Pass	2986
30	1000	0.1	RMS	977	-58	-13	Pass	9701
1000	1830	1	RMS	1828	-46.33	-13	Pass	831
1830	1920	1	RMS	1909.65	23.06	60	Pass	401
1920	3000	1	RMS	2665	-41.78	-13	Pass	1081
3000	12000	1	RMS	3819	-43.97	-13	Pass	9001
12000	20000	1	RMS	19703	-36.92	-13	Pass	8001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-13	Pass	2986
30	1000	0.1	RMS	964.3	-57.81	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1850.475	23.82	60	Pass	401
1920	3000	1	RMS	2669	-41.79	-13	Pass	1081
3000	12000	1	RMS	11997	-47.16	-13	Pass	9001
12000	20000	1	RMS	19710	-36.96	-13	Pass	8001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	1000	0.1	RMS	998	-58.16	-13	Pass	9701
1000	1830	1	RMS	1828	-46.29	-13	Pass	831
1830	1920	1	RMS	1859.475	24.01	60	Pass	401
1920	3000	1	RMS	2667	-41.81	-13	Pass	1081
3000	12000	1	RMS	11996	-47.38	-13	Pass	9001
12000	20000	1	RMS	19700	-36.79	-13	Pass	8001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	1000	0.1	RMS	988	-58.05	-13	Pass	9701
1000	1830	1	RMS	1823	-46.39	-13	Pass	831
1830	1920	1	RMS	1850.475	23.03	60	Pass	401
1920	3000	1	RMS	2662	-41.85	-13	Pass	1081
3000	12000	1	RMS	11998	-47.32	-13	Pass	9001
12000	20000	1	RMS	19702	-36.93	-13	Pass	8001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-13	Pass	2986
30	1000	0.1	RMS	870.6	-58	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1859.475	23.22	60	Pass	401
1920	3000	1	RMS	2661	-41.78	-13	Pass	1081
3000	12000	1	RMS	12000	-47.26	-13	Pass	9001
12000	20000	1	RMS	19721	-37.01	-13	Pass	8001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	970.9	-58.13	-13	Pass	9701
1000	1830	1	RMS	1828	-46.31	-13	Pass	831
1830	1920	1	RMS	1875.675	23.95	60	Pass	401
1920	3000	1	RMS	2665	-41.78	-13	Pass	1081
3000	12000	1	RMS	3751	-46.07	-13	Pass	9001
12000	20000	1	RMS	19731	-36.96	-13	Pass	8001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	1000	0.1	RMS	893	-57.75	-13	Pass	9701
1000	1830	1	RMS	1828	-46.33	-13	Pass	831
1830	1920	1	RMS	1884.45	23.88	60	Pass	401
1920	3000	1	RMS	2660	-41.78	-13	Pass	1081
3000	12000	1	RMS	3769	-47.18	-13	Pass	9001
12000	20000	1	RMS	19703	-36.96	-13	Pass	8001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2986
30	1000	0.1	RMS	965.7	-57.96	-13	Pass	9701
1000	1830	1	RMS	1826	-46.36	-13	Pass	831
1830	1920	1	RMS	1875.675	23.01	60	Pass	401
1920	3000	1	RMS	2670	-41.77	-13	Pass	1081
3000	12000	1	RMS	3751	-47.01	-13	Pass	9001
12000	20000	1	RMS	19715	-36.82	-13	Pass	8001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	1000	0.1	RMS	982.6	-57.75	-13	Pass	9701
1000	1830	1	RMS	1829	-46.35	-13	Pass	831
1830	1920	1	RMS	1884.45	22.94	60	Pass	401
1920	3000	1	RMS	2670	-41.83	-13	Pass	1081
3000	12000	1	RMS	12000	-47.14	-13	Pass	9001
12000	20000	1	RMS	19709	-36.99	-13	Pass	8001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.07	-13	Pass	2986
30	1000	0.1	RMS	912.3	-57.92	-13	Pass	9701
1000	1830	1	RMS	1828	-46.32	-13	Pass	831
1830	1920	1	RMS	1900.65	23.81	60	Pass	401
1920	3000	1	RMS	2664	-41.77	-13	Pass	1081
3000	12000	1	RMS	3801	-44.09	-13	Pass	9001
12000	20000	1	RMS	19704	-36.98	-13	Pass	8001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	1000	0.1	RMS	973	-58.1	-13	Pass	9701
1000	1830	1	RMS	1829	-46.39	-13	Pass	831
1830	1920	1	RMS	1909.425	23.88	60	Pass	401
1920	3000	1	RMS	2660	-41.81	-13	Pass	1081
3000	12000	1	RMS	3819	-43	-13	Pass	9001
12000	20000	1	RMS	19719	-36.92	-13	Pass	8001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	1000	0.1	RMS	1000	-57.94	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1900.65	22.9	60	Pass	401
1920	3000	1	RMS	2670	-41.8	-13	Pass	1081
3000	12000	1	RMS	3801	-44.77	-13	Pass	9001
12000	20000	1	RMS	19711	-36.91	-13	Pass	8001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	1000	0.1	RMS	845.7	-58.1	-13	Pass	9701
1000	1830	1	RMS	1828	-46.28	-13	Pass	831
1830	1920	1	RMS	1909.425	22.94	60	Pass	401
1920	3000	1	RMS	2670	-41.8	-13	Pass	1081
3000	12000	1	RMS	3819	-43.97	-13	Pass	9001
12000	20000	1	RMS	19704	-36.98	-13	Pass	8001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	885.1	-57.91	-13	Pass	9701
1000	1830	1	RMS	1824	-45.9	-13	Pass	831
1830	1920	1	RMS	1850.925	23.79	60	Pass	401
1920	3000	1	RMS	2668	-41.77	-13	Pass	1081
3000	12000	1	RMS	11999	-47.12	-13	Pass	9001
12000	20000	1	RMS	19742	-36.91	-13	Pass	8001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	991.5	-58.05	-13	Pass	9701
1000	1830	1	RMS	1830	-46.4	-13	Pass	831
1830	1920	1	RMS	1864.2	24.01	60	Pass	401
1920	3000	1	RMS	2665	-41.76	-13	Pass	1081
3000	12000	1	RMS	11995	-47.29	-13	Pass	9001
12000	20000	1	RMS	19726	-36.88	-13	Pass	8001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	1000	0.1	RMS	985.2	-57.85	-13	Pass	9701
1000	1830	1	RMS	1824	-46.14	-13	Pass	831
1830	1920	1	RMS	1850.925	22.84	60	Pass	401
1920	3000	1	RMS	2665	-41.78	-13	Pass	1081
3000	12000	1	RMS	11989	-47.39	-13	Pass	9001
12000	20000	1	RMS	19703	-36.84	-13	Pass	8001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	946.7	-57.75	-13	Pass	9701
1000	1830	1	RMS	1829	-46.31	-13	Pass	831
1830	1920	1	RMS	1864.2	22.74	60	Pass	401
1920	3000	1	RMS	2668	-41.79	-13	Pass	1081
3000	12000	1	RMS	11998	-47.24	-13	Pass	9001
12000	20000	1	RMS	19702	-36.95	-13	Pass	8001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	857.9	-57.93	-13	Pass	9701
1000	1830	1	RMS	1829	-46.31	-13	Pass	831
1830	1920	1	RMS	1873.425	23.41	60	Pass	401
1920	3000	1	RMS	2669	-41.85	-13	Pass	1081
3000	12000	1	RMS	3747	-47.2	-13	Pass	9001
12000	20000	1	RMS	19744	-37.1	-13	Pass	8001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	896.5	-57.87	-13	Pass	9701
1000	1830	1	RMS	1828	-46.34	-13	Pass	831
1830	1920	1	RMS	1886.7	23.26	60	Pass	401
1920	3000	1	RMS	2667	-41.83	-13	Pass	1081
3000	12000	1	RMS	11991	-47.28	-13	Pass	9001
12000	20000	1	RMS	19735	-36.91	-13	Pass	8001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	1000	0.1	RMS	900.8	-57.72	-13	Pass	9701
1000	1830	1	RMS	1827	-46.38	-13	Pass	831
1830	1920	1	RMS	1873.425	23	60	Pass	401
1920	3000	1	RMS	2670	-41.79	-13	Pass	1081
3000	12000	1	RMS	11999	-47.33	-13	Pass	9001
12000	20000	1	RMS	19700	-36.84	-13	Pass	8001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2986
30	1000	0.1	RMS	956.3	-58.03	-13	Pass	9701
1000	1830	1	RMS	1827	-46.34	-13	Pass	831
1830	1920	1	RMS	1886.7	22.83	60	Pass	401
1920	3000	1	RMS	2669	-41.83	-13	Pass	1081
3000	12000	1	RMS	11999	-47.31	-13	Pass	9001
12000	20000	1	RMS	19715	-36.81	-13	Pass	8001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.62	-13	Pass	2986
30	1000	0.1	RMS	943.3	-57.88	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1895.925	23.69	60	Pass	401
1920	3000	1	RMS	2661	-41.84	-13	Pass	1081
3000	12000	1	RMS	3792	-46.33	-13	Pass	9001
12000	20000	1	RMS	19719	-36.89	-13	Pass	8001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	1000	0.1	RMS	903.2	-57.96	-13	Pass	9701
1000	1830	1	RMS	1829	-46.33	-13	Pass	831
1830	1920	1	RMS	1909.2	23.76	60	Pass	401
1920	3000	1	RMS	2670	-41.83	-13	Pass	1081
3000	12000	1	RMS	3818	-43.24	-13	Pass	9001
12000	20000	1	RMS	19705	-36.85	-13	Pass	8001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.57	-13	Pass	2986
30	1000	0.1	RMS	981.6	-57.94	-13	Pass	9701
1000	1830	1	RMS	1828	-46.36	-13	Pass	831
1830	1920	1	RMS	1895.925	22.83	60	Pass	401
1920	3000	1	RMS	2667	-41.75	-13	Pass	1081
3000	12000	1	RMS	3792	-47.09	-13	Pass	9001
12000	20000	1	RMS	19707	-36.91	-13	Pass	8001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.12	-13	Pass	2986
30	1000	0.1	RMS	855.6	-57.98	-13	Pass	9701
1000	1830	1	RMS	1830	-46.38	-13	Pass	831
1830	1920	1	RMS	1909.2	22.91	60	Pass	401
1920	3000	1	RMS	2667	-41.83	-13	Pass	1081
3000	12000	1	RMS	3818	-44.15	-13	Pass	9001
12000	20000	1	RMS	19701	-36.91	-13	Pass	8001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.05	-13	Pass	2986
30	1000	0.1	RMS	998	-57.61	-13	Pass	9701
1000	1830	1	RMS	1830	-46.3	-13	Pass	831
1830	1920	1	RMS	1851.15	23.66	60	Pass	401
1920	3000	1	RMS	2670	-41.82	-13	Pass	1081
3000	12000	1	RMS	11999	-47.29	-13	Pass	9001
12000	20000	1	RMS	19719	-36.97	-13	Pass	8001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.14	-13	Pass	2986
30	1000	0.1	RMS	997	-58.05	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1868.925	23.87	60	Pass	401
1920	3000	1	RMS	2662	-41.84	-13	Pass	1081
3000	12000	1	RMS	3738	-46.32	-13	Pass	9001
12000	20000	1	RMS	19718	-37.02	-13	Pass	8001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	1000	0.1	RMS	953.3	-57.97	-13	Pass	9701
1000	1830	1	RMS	1826	-46.37	-13	Pass	831
1830	1920	1	RMS	1851.15	22.87	60	Pass	401
1920	3000	1	RMS	2664	-41.81	-13	Pass	1081
3000	12000	1	RMS	11993	-47.35	-13	Pass	9001
12000	20000	1	RMS	19698	-36.89	-13	Pass	8001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-13	Pass	2986
30	1000	0.1	RMS	999.1	-57.93	-13	Pass	9701
1000	1830	1	RMS	1825	-46.39	-13	Pass	831
1830	1920	1	RMS	1868.925	23.09	60	Pass	401
1920	3000	1	RMS	2663	-41.83	-13	Pass	1081
3000	12000	1	RMS	11988	-47.24	-13	Pass	9001
12000	20000	1	RMS	19702	-36.96	-13	Pass	8001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.06	-13	Pass	2986
30	1000	0.1	RMS	997	-57.73	-13	Pass	9701
1000	1830	1	RMS	1825	-46.37	-13	Pass	831
1830	1920	1	RMS	1871.175	23.74	60	Pass	401
1920	3000	1	RMS	2666	-41.81	-13	Pass	1081
3000	12000	1	RMS	11993	-47.23	-13	Pass	9001
12000	20000	1	RMS	19727	-36.91	-13	Pass	8001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	1000	0.1	RMS	853.6	-58.14	-13	Pass	9701
1000	1830	1	RMS	1827	-46.33	-13	Pass	831
1830	1920	1	RMS	1888.95	23.52	60	Pass	401
1920	3000	1	RMS	2663	-41.79	-13	Pass	1081
3000	12000	1	RMS	3778	-47.13	-13	Pass	9001
12000	20000	1	RMS	19716	-36.94	-13	Pass	8001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	895.3	-58.04	-13	Pass	9701
1000	1830	1	RMS	1828	-46.38	-13	Pass	831
1830	1920	1	RMS	1871.175	22.86	60	Pass	401
1920	3000	1	RMS	2664	-41.8	-13	Pass	1081
3000	12000	1	RMS	11999	-47.2	-13	Pass	9001
12000	20000	1	RMS	19711	-36.86	-13	Pass	8001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	1000	0.1	RMS	963.9	-57.78	-13	Pass	9701
1000	1830	1	RMS	1830	-46.37	-13	Pass	831
1830	1920	1	RMS	1888.95	22.65	60	Pass	401
1920	3000	1	RMS	2666	-41.83	-13	Pass	1081
3000	12000	1	RMS	11999	-47.26	-13	Pass	9001
12000	20000	1	RMS	19716	-36.98	-13	Pass	8001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	961.7	-57.87	-13	Pass	9701
1000	1830	1	RMS	1830	-46.37	-13	Pass	831
1830	1920	1	RMS	1890.975	23.44	60	Pass	401
1920	3000	1	RMS	2665	-41.78	-13	Pass	1081
3000	12000	1	RMS	3782	-46.6	-13	Pass	9001
12000	20000	1	RMS	19737	-36.97	-13	Pass	8001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-13	Pass	2986
30	1000	0.1	RMS	962.1	-58.06	-13	Pass	9701
1000	1830	1	RMS	1830	-46.29	-13	Pass	831
1830	1920	1	RMS	1908.975	23.52	60	Pass	401
1920	3000	1	RMS	2670	-41.76	-13	Pass	1081
3000	12000	1	RMS	3818	-42.71	-13	Pass	9001
12000	20000	1	RMS	19701	-36.9	-13	Pass	8001



1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.26	-13	Pass	2986
30	1000	0.1	RMS	905.6	-57.83	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1890.975	22.51	60	Pass	401
1920	3000	1	RMS	2668	-41.87	-13	Pass	1081
3000	12000	1	RMS	11999	-47.46	-13	Pass	9001
12000	20000	1	RMS	19732	-36.89	-13	Pass	8001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	882.4	-57.67	-13	Pass	9701
1000	1830	1	RMS	1827	-46.35	-13	Pass	831
1830	1920	1	RMS	1908.975	22.58	60	Pass	401
1920	3000	1	RMS	2665	-41.8	-13	Pass	1081
3000	12000	1	RMS	3818	-43.84	-13	Pass	9001
12000	20000	1	RMS	19701	-36.88	-13	Pass	8001



END