


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band38

1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2986
30	1000	0.1	RMS	888.8	-59.07	-25	Pass	9701
1000	2560	1	RMS	2547	-42.87	-25	Pass	1561
2560	2630	1	RMS	2570.325	18.47	60	Pass	401
2630	3000	1	RMS	2661.45	-42.52	-25	Pass	401
3000	12000	1	RMS	11997	-47.74	-25	Pass	9001
12000	27000	1	RMS	25747	-30.2	-25	Pass	15001



1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.71	-25	Pass	2986
30	1000	0.1	RMS	865.5	-58.95	-25	Pass	9701
1000	2560	1	RMS	2556	-42.89	-25	Pass	1561
2560	2630	1	RMS	2574.7	18.41	60	Pass	401
2630	3000	1	RMS	2667.925	-42.51	-25	Pass	401
3000	12000	1	RMS	11999	-47.67	-25	Pass	9001
12000	27000	1	RMS	25738	-30.28	-25	Pass	15001



1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-25	Pass	2986
30	1000	0.1	RMS	893.4	-59	-25	Pass	9701
1000	2560	1	RMS	2556	-42.87	-25	Pass	1561
2560	2630	1	RMS	2570.325	17.68	60	Pass	401
2630	3000	1	RMS	2667.925	-42.54	-25	Pass	401
3000	12000	1	RMS	11999	-47.64	-25	Pass	9001
12000	27000	1	RMS	25743	-30.26	-25	Pass	15001



1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.62	-25	Pass	2986
30	1000	0.1	RMS	972.3	-58.94	-25	Pass	9701
1000	2560	1	RMS	2558	-42.89	-25	Pass	1561
2560	2630	1	RMS	2574.7	17.64	60	Pass	401
2630	3000	1	RMS	2668.85	-42.48	-25	Pass	401
3000	12000	1	RMS	11997	-47.7	-25	Pass	9001
12000	27000	1	RMS	25741	-30.23	-25	Pass	15001



1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-25	Pass	2986
30	1000	0.1	RMS	976	-58.98	-25	Pass	9701
1000	2560	1	RMS	2550	-42.87	-25	Pass	1561
2560	2630	1	RMS	2592.9	18.73	60	Pass	401
2630	3000	1	RMS	2668.85	-42.5	-25	Pass	401
3000	12000	1	RMS	12000	-47.71	-25	Pass	9001
12000	27000	1	RMS	25744	-30.23	-25	Pass	15001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-25	Pass	2986
30	1000	0.1	RMS	970.2	-59	-25	Pass	9701
1000	2560	1	RMS	2550	-42.88	-25	Pass	1561
2560	2630	1	RMS	2597.1	18.7	60	Pass	401
2630	3000	1	RMS	2669.775	-42.53	-25	Pass	401
3000	12000	1	RMS	11998	-47.7	-25	Pass	9001
12000	27000	1	RMS	25743	-30.23	-25	Pass	15001



1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-25	Pass	2986
30	1000	0.1	RMS	900.6	-59.03	-25	Pass	9701
1000	2560	1	RMS	2552	-42.87	-25	Pass	1561
2560	2630	1	RMS	2592.9	17.98	60	Pass	401
2630	3000	1	RMS	2669.775	-42.53	-25	Pass	401
3000	12000	1	RMS	11998	-47.74	-25	Pass	9001
12000	27000	1	RMS	25741	-30.25	-25	Pass	15001



1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-25	Pass	2986
30	1000	0.1	RMS	883	-59.04	-25	Pass	9701
1000	2560	1	RMS	2556	-42.89	-25	Pass	1561
2560	2630	1	RMS	2597.1	17.92	60	Pass	401
2630	3000	1	RMS	2663.3	-42.53	-25	Pass	401
3000	12000	1	RMS	11999	-47.71	-25	Pass	9001
12000	27000	1	RMS	25745	-30.24	-25	Pass	15001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.79	-25	Pass	2986
30	1000	0.1	RMS	977.8	-58.91	-25	Pass	9701
1000	2560	1	RMS	2537	-42.83	-25	Pass	1561
2560	2630	1	RMS	2615.3	18.64	60	Pass	401
2630	3000	1	RMS	2669.775	-42.49	-25	Pass	401
3000	12000	1	RMS	11999	-47.74	-25	Pass	9001
12000	27000	1	RMS	25749	-30.24	-25	Pass	15001



1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-25	Pass	2986
30	1000	0.1	RMS	901.4	-59.06	-25	Pass	9701
1000	2560	1	RMS	2548	-42.91	-25	Pass	1561
2560	2630	1	RMS	2619.675	18.58	60	Pass	401
2630	3000	1	RMS	2667.925	-42.51	-25	Pass	401
3000	12000	1	RMS	12000	-47.78	-25	Pass	9001
12000	27000	1	RMS	25747	-30.22	-25	Pass	15001



1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-25	Pass	2986
30	1000	0.1	RMS	973.6	-59.09	-25	Pass	9701
1000	2560	1	RMS	2550	-42.89	-25	Pass	1561
2560	2630	1	RMS	2615.3	17.83	60	Pass	401
2630	3000	1	RMS	2667	-42.53	-25	Pass	401
3000	12000	1	RMS	11998	-47.74	-25	Pass	9001
12000	27000	1	RMS	25733	-30.29	-25	Pass	15001



1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-25	Pass	2986
30	1000	0.1	RMS	970.7	-58.91	-25	Pass	9701
1000	2560	1	RMS	2550	-42.89	-25	Pass	1561
2560	2630	1	RMS	2619.675	17.78	60	Pass	401
2630	3000	1	RMS	2669.775	-42.53	-25	Pass	401
3000	12000	1	RMS	11999	-47.76	-25	Pass	9001
12000	27000	1	RMS	25744	-30.23	-25	Pass	15001



1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-25	Pass	2986
30	1000	0.1	RMS	971	-58.9	-25	Pass	9701
1000	2560	1	RMS	2553	-42.78	-25	Pass	1561
2560	2630	1	RMS	2570.675	18.52	60	Pass	401
2630	3000	1	RMS	2666.075	-42.51	-25	Pass	401
3000	12000	1	RMS	12000	-47.76	-25	Pass	9001
12000	27000	1	RMS	25740	-30.25	-25	Pass	15001



1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-25	Pass	2986
30	1000	0.1	RMS	963.9	-58.95	-25	Pass	9701
1000	2560	1	RMS	2560	-42.53	-25	Pass	1561
2560	2630	1	RMS	2579.425	18.57	60	Pass	401
2630	3000	1	RMS	2664.225	-42.51	-25	Pass	401
3000	12000	1	RMS	12000	-47.74	-25	Pass	9001
12000	27000	1	RMS	25743	-30.3	-25	Pass	15001



1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-25	Pass	2986
30	1000	0.1	RMS	981.2	-58.99	-25	Pass	9701
1000	2560	1	RMS	2553	-42.62	-25	Pass	1561
2560	2630	1	RMS	2570.5	17.69	60	Pass	401
2630	3000	1	RMS	2666.075	-42.51	-25	Pass	401
3000	12000	1	RMS	11996	-47.76	-25	Pass	9001
12000	27000	1	RMS	25742	-30.26	-25	Pass	15001



1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-25	Pass	2986
30	1000	0.1	RMS	881.5	-58.97	-25	Pass	9701
1000	2560	1	RMS	2560	-42.78	-25	Pass	1561
2560	2630	1	RMS	2579.425	17.71	60	Pass	401
2630	3000	1	RMS	2666.075	-42.53	-25	Pass	401
3000	12000	1	RMS	11999	-47.75	-25	Pass	9001
12000	27000	1	RMS	25741	-30.25	-25	Pass	15001



1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-25	Pass	2986
30	1000	0.1	RMS	962.8	-58.97	-25	Pass	9701
1000	2560	1	RMS	2554	-42.84	-25	Pass	1561
2560	2630	1	RMS	2590.625	18.87	60	Pass	401
2630	3000	1	RMS	2660.525	-42.52	-25	Pass	401
3000	12000	1	RMS	12000	-47.7	-25	Pass	9001
12000	27000	1	RMS	25744	-30.26	-25	Pass	15001



1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2986
30	1000	0.1	RMS	974.2	-58.97	-25	Pass	9701
1000	2560	1	RMS	2551	-42.87	-25	Pass	1561
2560	2630	1	RMS	2599.375	18.79	60	Pass	401
2630	3000	1	RMS	2670.7	-42.53	-25	Pass	401
3000	12000	1	RMS	12000	-47.76	-25	Pass	9001
12000	27000	1	RMS	25744	-30.25	-25	Pass	15001



1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-25	Pass	2986
30	1000	0.1	RMS	983.5	-59.07	-25	Pass	9701
1000	2560	1	RMS	2555	-42.9	-25	Pass	1561
2560	2630	1	RMS	2590.625	17.86	60	Pass	401
2630	3000	1	RMS	2668.85	-42.52	-25	Pass	401
3000	12000	1	RMS	11998	-47.67	-25	Pass	9001
12000	27000	1	RMS	25745	-30.27	-25	Pass	15001



1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-25	Pass	2986
30	1000	0.1	RMS	972.4	-59	-25	Pass	9701
1000	2560	1	RMS	2551	-42.87	-25	Pass	1561
2560	2630	1	RMS	2599.375	17.78	60	Pass	401
2630	3000	1	RMS	2659.6	-42.52	-25	Pass	401
3000	12000	1	RMS	12000	-47.74	-25	Pass	9001
12000	27000	1	RMS	25746	-30.27	-25	Pass	15001



1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2986
30	1000	0.1	RMS	897.5	-59.01	-25	Pass	9701
1000	2560	1	RMS	2553	-42.88	-25	Pass	1561
2560	2630	1	RMS	2610.575	18.69	60	Pass	401
2630	3000	1	RMS	2667	-42.49	-25	Pass	401
3000	12000	1	RMS	12000	-47.63	-25	Pass	9001
12000	27000	1	RMS	25741	-30.27	-25	Pass	15001



1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-25	Pass	2986
30	1000	0.1	RMS	893.5	-58.98	-25	Pass	9701
1000	2560	1	RMS	2549	-42.88	-25	Pass	1561
2560	2630	1	RMS	2619.325	18.68	60	Pass	401
2630	3000	1	RMS	2665.15	-42.52	-25	Pass	401
3000	12000	1	RMS	11996	-47.78	-25	Pass	9001
12000	27000	1	RMS	25748	-30.24	-25	Pass	15001



1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-25	Pass	2986
30	1000	0.1	RMS	851.8	-59.03	-25	Pass	9701
1000	2560	1	RMS	2545	-42.88	-25	Pass	1561
2560	2630	1	RMS	2610.575	17.89	60	Pass	401
2630	3000	1	RMS	2665.15	-42.52	-25	Pass	401
3000	12000	1	RMS	11999	-47.73	-25	Pass	9001
12000	27000	1	RMS	25744	-30.23	-25	Pass	15001



1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-25	Pass	2986
30	1000	0.1	RMS	892.7	-58.96	-25	Pass	9701
1000	2560	1	RMS	2545	-42.89	-25	Pass	1561
2560	2630	1	RMS	2619.325	17.81	60	Pass	401
2630	3000	1	RMS	2666.075	-42.51	-25	Pass	401
3000	12000	1	RMS	12000	-47.67	-25	Pass	9001
12000	27000	1	RMS	25747	-30.27	-25	Pass	15001



1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-25	Pass	2986
30	1000	0.1	RMS	960.8	-59.06	-25	Pass	9701
1000	2560	1	RMS	2559	-42.1	-25	Pass	1561
2560	2630	1	RMS	2570.85	18.53	60	Pass	401
2630	3000	1	RMS	2665.15	-42.51	-25	Pass	401
3000	12000	1	RMS	12000	-47.72	-25	Pass	9001
12000	27000	1	RMS	25744	-30.28	-25	Pass	15001



1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-25	Pass	2986
30	1000	0.1	RMS	958.3	-59.02	-25	Pass	9701
1000	2560	1	RMS	2557	-32.47	-25	Pass	1561
2560	2630	1	RMS	2584.15	18.6	60	Pass	401
2630	3000	1	RMS	2663.3	-42.48	-25	Pass	401
3000	12000	1	RMS	11999	-47.68	-25	Pass	9001
12000	27000	1	RMS	25743	-30.24	-25	Pass	15001



1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-25	Pass	2986
30	1000	0.1	RMS	922.4	-58.98	-25	Pass	9701
1000	2560	1	RMS	2558	-42.1	-25	Pass	1561
2560	2630	1	RMS	2570.85	17.69	60	Pass	401
2630	3000	1	RMS	2667.925	-42.53	-25	Pass	401
3000	12000	1	RMS	11999	-47.71	-25	Pass	9001
12000	27000	1	RMS	25742	-30.28	-25	Pass	15001



1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-25	Pass	2986
30	1000	0.1	RMS	886.4	-59.07	-25	Pass	9701
1000	2560	1	RMS	2557	-32.67	-25	Pass	1561
2560	2630	1	RMS	2584.15	17.74	60	Pass	401
2630	3000	1	RMS	2668.85	-42.52	-25	Pass	401
3000	12000	1	RMS	11998	-47.74	-25	Pass	9001
12000	27000	1	RMS	25734	-30.26	-25	Pass	15001



1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-25	Pass	2986
30	1000	0.1	RMS	872.1	-58.96	-25	Pass	9701
1000	2560	1	RMS	2550	-42.86	-25	Pass	1561
2560	2630	1	RMS	2588.35	18.76	60	Pass	401
2630	3000	1	RMS	2667	-42.5	-25	Pass	401
3000	12000	1	RMS	12000	-47.78	-25	Pass	9001
12000	27000	1	RMS	25741	-30.25	-25	Pass	15001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.24	-25	Pass	2986
30	1000	0.1	RMS	986.5	-59.13	-25	Pass	9701
1000	2560	1	RMS	2557	-42.89	-25	Pass	1561
2560	2630	1	RMS	2601.65	18.67	60	Pass	401
2630	3000	1	RMS	2669.775	-42.53	-25	Pass	401
3000	12000	1	RMS	12000	-47.74	-25	Pass	9001
12000	27000	1	RMS	25744	-30.27	-25	Pass	15001



1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55	-25	Pass	2986
30	1000	0.1	RMS	990.6	-59.02	-25	Pass	9701
1000	2560	1	RMS	2547	-42.87	-25	Pass	1561
2560	2630	1	RMS	2588.35	17.76	60	Pass	401
2630	3000	1	RMS	2669.775	-42.5	-25	Pass	401
3000	12000	1	RMS	11996	-47.76	-25	Pass	9001
12000	27000	1	RMS	25738	-30.3	-25	Pass	15001



1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-25	Pass	2986
30	1000	0.1	RMS	996.5	-59.08	-25	Pass	9701
1000	2560	1	RMS	2560	-42.85	-25	Pass	1561
2560	2630	1	RMS	2601.65	17.65	60	Pass	401
2630	3000	1	RMS	2668.85	-42.5	-25	Pass	401
3000	12000	1	RMS	12000	-47.72	-25	Pass	9001
12000	27000	1	RMS	25744	-30.27	-25	Pass	15001



1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-25	Pass	2986
30	1000	0.1	RMS	863.2	-59.09	-25	Pass	9701
1000	2560	1	RMS	2556	-42.84	-25	Pass	1561
2560	2630	1	RMS	2605.85	18.57	60	Pass	401
2630	3000	1	RMS	2632.775	-28.66	-25	Pass	401
3000	12000	1	RMS	12000	-47.78	-25	Pass	9001
12000	27000	1	RMS	25742	-30.22	-25	Pass	15001



1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-25	Pass	2986
30	1000	0.1	RMS	986.3	-59.07	-25	Pass	9701
1000	2560	1	RMS	2551	-42.84	-25	Pass	1561
2560	2630	1	RMS	2619.15	18.66	60	Pass	401
2630	3000	1	RMS	2630	-41.88	-25	Pass	401
3000	12000	1	RMS	12000	-47.74	-25	Pass	9001
12000	27000	1	RMS	25741	-30.29	-25	Pass	15001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.03	-25	Pass	2986
30	1000	0.1	RMS	981.9	-59.01	-25	Pass	9701
1000	2560	1	RMS	2554	-42.88	-25	Pass	1561
2560	2630	1	RMS	2605.85	17.8	60	Pass	401
2630	3000	1	RMS	2632.775	-29.73	-25	Pass	401
3000	12000	1	RMS	12000	-47.73	-25	Pass	9001
12000	27000	1	RMS	25742	-30.25	-25	Pass	15001



1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-25	Pass	2986
30	1000	0.1	RMS	972.3	-58.97	-25	Pass	9701
1000	2560	1	RMS	2547	-42.84	-25	Pass	1561
2560	2630	1	RMS	2619.15	17.88	60	Pass	401
2630	3000	1	RMS	2630	-41.67	-25	Pass	401
3000	12000	1	RMS	11999	-47.75	-25	Pass	9001
12000	27000	1	RMS	25733	-30.29	-25	Pass	15001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-25	Pass	2986
30	1000	0.1	RMS	973.3	-58.99	-25	Pass	9701
1000	2560	1	RMS	2558	-41.78	-25	Pass	1561
2560	2630	1	RMS	2571.025	18.35	60	Pass	401
2630	3000	1	RMS	2665.15	-42.52	-25	Pass	401
3000	12000	1	RMS	12000	-47.75	-25	Pass	9001
12000	27000	1	RMS	25740	-30.28	-25	Pass	15001



1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-25	Pass	2986
30	1000	0.1	RMS	897.6	-58.97	-25	Pass	9701
1000	2560	1	RMS	2553	-36.24	-25	Pass	1561
2560	2630	1	RMS	2588.875	18.55	60	Pass	401
2630	3000	1	RMS	2665.15	-42.49	-25	Pass	401
3000	12000	1	RMS	11999	-47.75	-25	Pass	9001
12000	27000	1	RMS	25741	-30.23	-25	Pass	15001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-25	Pass	2986
30	1000	0.1	RMS	982	-58.94	-25	Pass	9701
1000	2560	1	RMS	2559	-41.65	-25	Pass	1561
2560	2630	1	RMS	2571.025	17.59	60	Pass	401
2630	3000	1	RMS	2667	-42.49	-25	Pass	401
3000	12000	1	RMS	11994	-47.75	-25	Pass	9001
12000	27000	1	RMS	25742	-30.26	-25	Pass	15001



1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-25	Pass	2986
30	1000	0.1	RMS	969	-58.94	-25	Pass	9701
1000	2560	1	RMS	2553	-36.2	-25	Pass	1561
2560	2630	1	RMS	2588.875	17.8	60	Pass	401
2630	3000	1	RMS	2667.925	-42.5	-25	Pass	401
3000	12000	1	RMS	11996	-47.75	-25	Pass	9001
12000	27000	1	RMS	25743	-30.28	-25	Pass	15001



1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-25	Pass	2986
30	1000	0.1	RMS	936.9	-59.13	-25	Pass	9701
1000	2560	1	RMS	2550	-42.86	-25	Pass	1561
2560	2630	1	RMS	2586.075	18.48	60	Pass	401
2630	3000	1	RMS	2666.075	-42.5	-25	Pass	401
3000	12000	1	RMS	11997	-47.74	-25	Pass	9001
12000	27000	1	RMS	25745	-30.21	-25	Pass	15001



1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-25	Pass	2986
30	1000	0.1	RMS	865.9	-58.95	-25	Pass	9701
1000	2560	1	RMS	2554	-42.83	-25	Pass	1561
2560	2630	1	RMS	2603.925	18.33	60	Pass	401
2630	3000	1	RMS	2669.775	-42.51	-25	Pass	401
3000	12000	1	RMS	11997	-47.72	-25	Pass	9001
12000	27000	1	RMS	25746	-30.29	-25	Pass	15001



1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-25	Pass	2986
30	1000	0.1	RMS	871.8	-59.02	-25	Pass	9701
1000	2560	1	RMS	2551	-42.84	-25	Pass	1561
2560	2630	1	RMS	2586.075	17.57	60	Pass	401
2630	3000	1	RMS	2667	-42.52	-25	Pass	401
3000	12000	1	RMS	11999	-47.75	-25	Pass	9001
12000	27000	1	RMS	25739	-30.28	-25	Pass	15001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-25	Pass	2986
30	1000	0.1	RMS	973	-58.98	-25	Pass	9701
1000	2560	1	RMS	2545	-42.87	-25	Pass	1561
2560	2630	1	RMS	2603.925	17.46	60	Pass	401
2630	3000	1	RMS	2669.775	-42.49	-25	Pass	401
3000	12000	1	RMS	12000	-47.78	-25	Pass	9001
12000	27000	1	RMS	25744	-30.3	-25	Pass	15001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-25	Pass	2986
30	1000	0.1	RMS	977.8	-58.97	-25	Pass	9701
1000	2560	1	RMS	2550	-42.91	-25	Pass	1561
2560	2630	1	RMS	2601.125	18.52	60	Pass	401
2630	3000	1	RMS	2636.475	-30.06	-25	Pass	401
3000	12000	1	RMS	11998	-47.73	-25	Pass	9001
12000	27000	1	RMS	25742	-30.22	-25	Pass	15001



1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-25	Pass	2986
30	1000	0.1	RMS	892	-59.02	-25	Pass	9701
1000	2560	1	RMS	2549	-42.88	-25	Pass	1561
2560	2630	1	RMS	2618.975	18.45	60	Pass	401
2630	3000	1	RMS	2630	-41.85	-25	Pass	401
3000	12000	1	RMS	11999	-47.73	-25	Pass	9001
12000	27000	1	RMS	25743	-30.27	-25	Pass	15001



1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-25	Pass	2986
30	1000	0.1	RMS	996.2	-59.02	-25	Pass	9701
1000	2560	1	RMS	2556	-42.86	-25	Pass	1561
2560	2630	1	RMS	2601.125	17.59	60	Pass	401
2630	3000	1	RMS	2636.475	-31.3	-25	Pass	401
3000	12000	1	RMS	11998	-47.76	-25	Pass	9001
12000	27000	1	RMS	25738	-30.29	-25	Pass	15001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-25	Pass	2986
30	1000	0.1	RMS	965.2	-59.06	-25	Pass	9701
1000	2560	1	RMS	2555	-42.85	-25	Pass	1561
2560	2630	1	RMS	2618.975	17.51	60	Pass	401
2630	3000	1	RMS	2630	-42.04	-25	Pass	401
3000	12000	1	RMS	12000	-47.77	-25	Pass	9001
12000	27000	1	RMS	25740	-30.26	-25	Pass	15001



END