

[illegible]

B.1.01.L.1543 Specification

1. Explanation of part number :

B.1 : 01 : L : 1543
(1) (2) (3) (4)

(1) Product Type : Wireless Antenna

(2) Material : FPC

(3) State : DVT

(4) Serial number:1543

2. Electrical Specification :

2-1. Frequency Band:

Frequency Band	MHz
GPS,WIFI	1575.42Mhz , 2400-2500Mhz,5150-5850Mhz

2-2. Impedance

50 ohm nominal

UNLESS OTHER SPECIFIED TOLERANCES ON :

X=±2 X.X=±0.1 X.XX=±0.05

ANGLES=± HOLEDIA=±



浙江海通通讯电子股份有限公司

SCALE :

UNIT : mm

DRAWN BY : 张有远

CHECKED BY : 郑由强

DESIGNED BY : 郑由强

APPROVED BY: 周振邦

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

TITLE : _____ Specification


DOCUMENT
NO.

PAGE REV.

A0

2-3. S11 ,Efficiency , and Active Data :

2-3.1 S11:

Frequency Band	1575.42	2400	2500	5150	5850																														
2-3-1. Typical Value:	-15.46	-12.9	-13.1	-24.4	-24.6																														
2-3-2Measuring Method	1. A 50Ω coaxial cable is connected to the fpcb antenna. Then this cable is connected to a network analyzer to measure the VSWR. 2. Keeping this jig away from metal at least 20 cm.																																		
2-3-3Picture	Tr1 S22 Log Mag 5.000dB/ Ref 0.000dB [F1 M] <table><tr><td>1</td><td>1.5750000</td><td>GHZ</td><td>-15.431</td><td>dB</td></tr><tr><td>2</td><td>2.4000000</td><td>GHZ</td><td>-12.984</td><td>dB</td></tr><tr><td>3</td><td>2.5000000</td><td>GHZ</td><td>-13.143</td><td>dB</td></tr><tr><td>4</td><td>5.1500000</td><td>GHZ</td><td>-24.408</td><td>dB</td></tr><tr><td>5</td><td>5.5000000</td><td>GHZ</td><td>-30.205</td><td>dB</td></tr><tr><td>>6</td><td>5.8500000</td><td>GHZ</td><td>-24.646</td><td>dB</td></tr></table>  2 Start 500 MHz IFBW 70 kHz Stop 6 GHz Sim PExt C? I					1	1.5750000	GHZ	-15.431	dB	2	2.4000000	GHZ	-12.984	dB	3	2.5000000	GHZ	-13.143	dB	4	5.1500000	GHZ	-24.408	dB	5	5.5000000	GHZ	-30.205	dB	>6	5.8500000	GHZ	-24.646	dB
1	1.5750000	GHZ	-15.431	dB																															
2	2.4000000	GHZ	-12.984	dB																															
3	2.5000000	GHZ	-13.143	dB																															
4	5.1500000	GHZ	-24.408	dB																															
5	5.5000000	GHZ	-30.205	dB																															
>6	5.8500000	GHZ	-24.646	dB																															


UNLESS OTHER SPECIFIED TOLERANCES ON : X=±2 X.X=±0.1 X.XX=±0.05 ANGLES=± HOLEDIA=±		NHAT 浙江海通通讯电子股份有限公司 海通通讯	
SCALE :	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
DRAWN BY : 张有远	CHECKED BY : 郑由强		
DESIGNED BY : 郑由强	APPROVED BY: 周振邦		
TITLE : Specification		DOCUMENT NO.	PAGE REV. A0

2-4. Measure and Chamber

2-4-1 Measure method

- 1. Using a low loss coaxial cable to link a standard handset jig
- 2. Fixed this handset jig on chamber's rotator plane
- 3. Linking jig into network analyzer port and using a probing horn antenna to collect data.
- 4. Using another standard gain horn antenna to calibrated those data

2-4-2 Chamber definition



- 1. An anechoic chamber (8mx4mx3.5m) which satisfied far-field condition was applied to avoid multi-path effect
- 2. The quite room region is 40cmx40cmx40cm at the center of rotator
- 3. The distance between DUT and standard antenna is 4.38 m
- 4. Probing antenna (9120D horn antenna) and standard gain horn antenna (BBHA9120 LPF 700MHz ~6GHz)

UNLESS OTHER SPECIFIED TOLERANCES ON : X=±2 X.X=±0.1 X.XX=±0.05 ANGLES=± HOLEDIA=±		 浙江海通通讯电子股份有限公司	
SCALE :	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
DRAWN BY : 张有远	CHECKED BY : 郑由强		
DESIGNED BY : 郑由强	APPROVED BY : 周振邦		
TITLE : Specification		DOCUMENT NO.	PAGE REV. A0
PAGE 3 OF 5			

2-4-3 Antenna Efficiency

Frequency	Efficiency	Efficiency (dB)	Gain (dBi)	Frequency	Efficiency	Efficiency (dB)	Gain (dBi)
1550	29%	-5.39	-0.81	5150	29%	-5.44	-1.62
1555	30%	-5.24	-0.66	5170	28%	-5.58	-1.8
1560	29%	-5.40	-0.71	5190	28%	-5.46	-1.37
1565	29%	-5.31	-0.65	5210	28%	-5.54	-1.63
1570	30%	-5.28	-0.73	5230	27%	-5.62	-1.02
1575	31%	-5.14	-0.7	5250	27%	-5.76	-1.28
1580	30%	-5.30	-0.6	5270	27%	-5.75	-1.58
1585	30%	-5.29	-0.52	5290	27%	-5.76	-1.9
1590	30%	-5.18	-0.64	5310	26%	-5.78	-1.21
1595	31%	-5.13	-0.51	5330	27%	-5.62	-1.57
1600	30%	-5.17	-0.49	5350	28%	-5.51	-1.78
2400	30%	-5.27	-0.56	5370	30%	-5.21	-2.2
2410	30%	-5.19	-0.67	5390	29%	-5.36	-2.04
2420	32%	-5.00	-0.35	5410	32%	-5.00	-2.18
2430	34%	-4.70	-0.26	5430	33%	-4.86	-2.13
2440	33%	-4.80	-0.29	5450	34%	-4.72	-1.96
2450	33%	-4.84	-0.18	5470	34%	-4.70	-1.74
2460	34%	-4.70	-0.1	5490	34%	-4.65	-1.56
2470	32%	-4.99	-0.46	5510	35%	-4.54	-1.43
2480	33%	-4.88	-0.43	5530	34%	-4.67	-1.03
2490	32%	-4.94	-0.47	5550	34%	-4.72	-1
2500	30%	-5.22	-0.87	5570	34%	-4.65	-0.78
				5590	36%	-4.48	-0.69
				5610	34%	-4.64	-0.61
				5630	34%	-4.71	-0.43
				5650	32%	-4.96	-1.03
				5670	33%	-4.77	-1.25
				5690	34%	-4.62	-1.24
				5710	34%	-4.68	-1.39
				5730	33%	-4.80	-1.7
				5750	33%	-4.85	-1.63
				5770	32%	-4.94	-1.77
				5790	30%	-5.27	-2.56
				5810	30%	-5.27	-2.55
				5830	28%	-5.58	-2.95
				5850	27%	-5.68	-3.18

UNLESS OTHER SPECIFIED TOLERANCES ON :

X=±2 X.X=±0.1 X.XX=±0.05

ANGLES=±

HOLEDIA=±



浙江海通通讯电子股份有限公司

SCALE :

UNIT : mm

DRAWN BY : 张有远

CHECKED BY : 郑由强

DESIGNED BY : 郑由强

APPROVED BY : 周振邦

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION


TITLE : Specification

DOCUMENT NO.

PAGE REV.

A0

3. Antenna Dimensions:



4. Testing Environment

Passive Test




Active Test

UNLESS OTHER SPECIFIED TOLERANCES ON : X=±2 X.X=±0.1 X.XX=±0.05 ANGLES=± HOLEDIA=±		NHAT 浙江海通通讯电子股份有限公司 海通通讯	
SCALE :	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
DRAWN BY : 张有远	CHECKED BY : 郑由强		
DESIGNED BY : 郑由强	APPROVED BY : 周振邦		
TITLE : _____ Specification		DOCUMENT NO.	PAGE REV. A0



5. 3D Radiation Pattern

GPS [1575MHz]



BT/WiFi 2.4GHz [2400MHz]

UNLESS OTHER SPECIFIED TOLERANCES ON :

X=±2 X.X=±0.1 X.XX=±0.05

ANGLES=± HOLEDIA=±

SCALE :

UNIT : mm

DRAWN BY : 张有远

CHECKED BY : 郑由强

DESIGNED BY : 郑由强

APPROVED BY : 周振邦


TITLE : _____ Specification

NHAT 浙江海通通讯电子股份有限公司


THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

DOCUMENT
NO.

PAGE REV.
A0




BT/WiFi 2.4GHz [2500MHz]




UNLESS OTHER SPECIFIED TOLERANCES ON :		 浙江海通通讯电子股份有限公司	
X=±2	X.X=±0.1		
ANGLES=±		HOLEDIA=±	
SCALE :	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
DRAWN BY : 张有远	CHECKED BY : 郑由强		
DESIGNED BY : 郑由强	APPROVED BY : 周振邦		
TITLE : _____ Specification		DOCUMENT NO.	PAGE REV.
			A0
PAGE 7 OF 5			

WiFi 5GHz [5150MHz]




WiFi 5GHz [5500MHz]



UNLESS OTHER SPECIFIED TOLERANCES ON :		 浙江海通通讯电子股份有限公司	
X=±2	X.X=±0.1		
ANGLES=±		HOLEDIA=±	
SCALE :	UNIT : mm	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
DRAWN BY : 张有远	CHECKED BY : 郑由强		
DESIGNED BY : 郑由强	APPROVED BY: 周振邦		
TITLE : _____ Specification		DOCUMENT NO.	PAGE REV. A0

WiFi 5GHz [5850MHz]



UNLESS OTHER SPECIFIED TOLERANCES ON :		 浙江海通通讯电子股份有限公司	
X=±2	X.X=±0.1 X.XX=±0.05		
ANGLES=±	HOLEDIA=±	THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF INPAQ TECHNOLOGY CO.,LTD.AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION	
SCALE :	UNIT : mm		
DRAWN BY : 张有远	CHECKED BY : 郑由强		
DESIGNED BY : 郑由强	APPROVED BY: 周振邦		
TITLE : _____ Specification		DOCUMENT NO.	PAGE REV.
			A0
PAGE 9 OF 5			