


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-13	Pass	2986
30	1000	0.1	RMS	965.5	-58.11	-13	Pass	9701
1000	1830	1	RMS	1830	-46.37	-13	Pass	831
1830	1920	1	RMS	1850.25	16.14	60	Pass	401
1920	3000	1	RMS	2669	-41.69	-13	Pass	1081
3000	12000	1	RMS	3700	-39.81	-13	Pass	9001
12000	20000	1	RMS	19701	-36.99	-13	Pass	8001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	981.1	-58.11	-13	Pass	9701
1000	1830	1	RMS	1830	-46.35	-13	Pass	831
1830	1920	1	RMS	1851.15	16.11	60	Pass	401
1920	3000	1	RMS	2660	-41.75	-13	Pass	1081
3000	12000	1	RMS	3702	-38.51	-13	Pass	9001
12000	20000	1	RMS	19703	-36.85	-13	Pass	8001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	896.7	-57.65	-13	Pass	9701
1000	1830	1	RMS	1830	-46.36	-13	Pass	831
1830	1920	1	RMS	1850.25	16.45	60	Pass	401
1920	3000	1	RMS	2664	-41.7	-13	Pass	1081
3000	12000	1	RMS	3701	-39.3	-13	Pass	9001
12000	20000	1	RMS	19720	-37.01	-13	Pass	8001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.19	-13	Pass	2986
30	1000	0.1	RMS	977.6	-58.01	-13	Pass	9701
1000	1830	1	RMS	1821	-46.39	-13	Pass	831
1830	1920	1	RMS	1851.15	16.57	60	Pass	401
1920	3000	1	RMS	2668	-41.76	-13	Pass	1081
3000	12000	1	RMS	3702	-38.89	-13	Pass	9001
12000	20000	1	RMS	19756	-37.07	-13	Pass	8001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.29	-13	Pass	2986
30	1000	0.1	RMS	971.9	-57.97	-13	Pass	9701
1000	1830	1	RMS	1824	-46.31	-13	Pass	831
1830	1920	1	RMS	1879.5	15.86	60	Pass	401
1920	3000	1	RMS	2668	-41.77	-13	Pass	1081
3000	12000	1	RMS	3759	-40.08	-13	Pass	9001
12000	20000	1	RMS	19721	-37.09	-13	Pass	8001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-13	Pass	2986
30	1000	0.1	RMS	894	-58.07	-13	Pass	9701
1000	1830	1	RMS	1829	-46.39	-13	Pass	831
1830	1920	1	RMS	1880.4	15.82	60	Pass	401
1920	3000	1	RMS	2670	-41.71	-13	Pass	1081
3000	12000	1	RMS	3761	-40.33	-13	Pass	9001
12000	20000	1	RMS	19700	-37.06	-13	Pass	8001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	983	-58.04	-13	Pass	9701
1000	1830	1	RMS	1825	-46.38	-13	Pass	831
1830	1920	1	RMS	1879.5	15.57	60	Pass	401
1920	3000	1	RMS	2669	-41.78	-13	Pass	1081
3000	12000	1	RMS	3759	-40.7	-13	Pass	9001
12000	20000	1	RMS	19704	-37.05	-13	Pass	8001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.36	-13	Pass	2986
30	1000	0.1	RMS	951.5	-57.91	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1880.4	15.78	60	Pass	401
1920	3000	1	RMS	2664	-41.73	-13	Pass	1081
3000	12000	1	RMS	3761	-40.19	-13	Pass	9001
12000	20000	1	RMS	19705	-37.13	-13	Pass	8001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	972.3	-58.15	-13	Pass	9701
1000	1830	1	RMS	1828	-46.38	-13	Pass	831
1830	1920	1	RMS	1908.75	15.57	60	Pass	401
1920	3000	1	RMS	2669	-41.74	-13	Pass	1081
3000	12000	1	RMS	3818	-36.73	-13	Pass	9001
12000	20000	1	RMS	19704	-36.87	-13	Pass	8001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	1000	0.1	RMS	841.4	-57.99	-13	Pass	9701
1000	1830	1	RMS	1830	-46.27	-13	Pass	831
1830	1920	1	RMS	1909.65	15.69	60	Pass	401
1920	3000	1	RMS	2668	-41.76	-13	Pass	1081
3000	12000	1	RMS	3819	-37.54	-13	Pass	9001
12000	20000	1	RMS	19707	-37.01	-13	Pass	8001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	1000	0.1	RMS	983.8	-57.98	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1908.975	14.79	60	Pass	401
1920	3000	1	RMS	2663	-41.78	-13	Pass	1081
3000	12000	1	RMS	3818	-37.97	-13	Pass	9001
12000	20000	1	RMS	19708	-37.07	-13	Pass	8001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-13	Pass	2986
30	1000	0.1	RMS	907.7	-57.98	-13	Pass	9701
1000	1830	1	RMS	1825	-46.38	-13	Pass	831
1830	1920	1	RMS	1909.875	15.12	60	Pass	401
1920	3000	1	RMS	2663	-41.75	-13	Pass	1081
3000	12000	1	RMS	3819	-38.3	-13	Pass	9001
12000	20000	1	RMS	19708	-37.04	-13	Pass	8001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	1000	0.1	RMS	967.6	-58.15	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1850.25	16.15	60	Pass	401
1920	3000	1	RMS	2671	-41.78	-13	Pass	1081
3000	12000	1	RMS	3700	-39.48	-13	Pass	9001
12000	20000	1	RMS	19703	-37.04	-13	Pass	8001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.73	-13	Pass	2986
30	1000	0.1	RMS	961.7	-58.01	-13	Pass	9701
1000	1830	1	RMS	1824	-46.37	-13	Pass	831
1830	1920	1	RMS	1852.725	16.05	60	Pass	401
1920	3000	1	RMS	2668	-41.8	-13	Pass	1081
3000	12000	1	RMS	3706	-39.76	-13	Pass	9001
12000	20000	1	RMS	19697	-36.95	-13	Pass	8001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.14	-13	Pass	2986
30	1000	0.1	RMS	975.4	-58.09	-13	Pass	9701
1000	1830	1	RMS	1828	-46.39	-13	Pass	831
1830	1920	1	RMS	1850.25	15.66	60	Pass	401
1920	3000	1	RMS	2665	-41.76	-13	Pass	1081
3000	12000	1	RMS	3700	-39.79	-13	Pass	9001
12000	20000	1	RMS	19705	-37.05	-13	Pass	8001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-13	Pass	2986
30	1000	0.1	RMS	945.9	-58.06	-13	Pass	9701
1000	1830	1	RMS	1825	-46.34	-13	Pass	831
1830	1920	1	RMS	1852.725	15.48	60	Pass	401
1920	3000	1	RMS	2670	-41.74	-13	Pass	1081
3000	12000	1	RMS	3706	-40.52	-13	Pass	9001
12000	20000	1	RMS	19732	-36.96	-13	Pass	8001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	879.8	-57.87	-13	Pass	9701
1000	1830	1	RMS	1827	-46.4	-13	Pass	831
1830	1920	1	RMS	1878.825	15.69	60	Pass	401
1920	3000	1	RMS	2668	-41.76	-13	Pass	1081
3000	12000	1	RMS	3757	-41.08	-13	Pass	9001
12000	20000	1	RMS	19703	-37.01	-13	Pass	8001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	927.5	-58.05	-13	Pass	9701
1000	1830	1	RMS	1827	-46.33	-13	Pass	831
1830	1920	1	RMS	1881.3	15.79	60	Pass	401
1920	3000	1	RMS	2665	-41.75	-13	Pass	1081
3000	12000	1	RMS	3763	-41.67	-13	Pass	9001
12000	20000	1	RMS	19719	-36.97	-13	Pass	8001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.49	-13	Pass	2986
30	1000	0.1	RMS	851.5	-57.75	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1878.825	15.78	60	Pass	401
1920	3000	1	RMS	2669	-41.71	-13	Pass	1081
3000	12000	1	RMS	3757	-41.47	-13	Pass	9001
12000	20000	1	RMS	19724	-37	-13	Pass	8001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.57	-13	Pass	2986
30	1000	0.1	RMS	990.2	-58.02	-13	Pass	9701
1000	1830	1	RMS	1828	-46.39	-13	Pass	831
1830	1920	1	RMS	1881.3	15.61	60	Pass	401
1920	3000	1	RMS	2666	-41.76	-13	Pass	1081
3000	12000	1	RMS	3763	-42.19	-13	Pass	9001
12000	20000	1	RMS	19727	-37.05	-13	Pass	8001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	1000	0.1	RMS	960.7	-58.22	-13	Pass	9701
1000	1830	1	RMS	1829	-46.36	-13	Pass	831
1830	1920	1	RMS	1907.175	15.76	60	Pass	401
1920	3000	1	RMS	2665	-41.76	-13	Pass	1081
3000	12000	1	RMS	3814	-38.92	-13	Pass	9001
12000	20000	1	RMS	19722	-37.06	-13	Pass	8001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	1000	0.1	RMS	979.1	-58.23	-13	Pass	9701
1000	1830	1	RMS	1829	-46.37	-13	Pass	831
1830	1920	1	RMS	1909.65	15.68	60	Pass	401
1920	3000	1	RMS	2664	-41.74	-13	Pass	1081
3000	12000	1	RMS	3820	-37.64	-13	Pass	9001
12000	20000	1	RMS	19729	-36.91	-13	Pass	8001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-13	Pass	2986
30	1000	0.1	RMS	969.2	-58.12	-13	Pass	9701
1000	1830	1	RMS	1827	-46.34	-13	Pass	831
1830	1920	1	RMS	1907.175	14.99	60	Pass	401
1920	3000	1	RMS	2665	-41.75	-13	Pass	1081
3000	12000	1	RMS	3814	-39.69	-13	Pass	9001
12000	20000	1	RMS	19720	-37.08	-13	Pass	8001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-13	Pass	2986
30	1000	0.1	RMS	857.2	-58.12	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1909.65	14.81	60	Pass	401
1920	3000	1	RMS	2663	-41.76	-13	Pass	1081
3000	12000	1	RMS	3820	-38.12	-13	Pass	9001
12000	20000	1	RMS	19700	-36.98	-13	Pass	8001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	961.7	-57.92	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1850.25	16.01	60	Pass	401
1920	3000	1	RMS	2670	-41.75	-13	Pass	1081
3000	12000	1	RMS	3701	-38.79	-13	Pass	9001
12000	20000	1	RMS	19701	-37.04	-13	Pass	8001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	1000	0.1	RMS	859.9	-58.03	-13	Pass	9701
1000	1830	1	RMS	1824	-46.35	-13	Pass	831
1830	1920	1	RMS	1854.75	15.91	60	Pass	401
1920	3000	1	RMS	2668	-41.77	-13	Pass	1081
3000	12000	1	RMS	3709	-39.94	-13	Pass	9001
12000	20000	1	RMS	19707	-37.03	-13	Pass	8001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-13	Pass	2986
30	1000	0.1	RMS	988.7	-58.05	-13	Pass	9701
1000	1830	1	RMS	1829	-46.39	-13	Pass	831
1830	1920	1	RMS	1850.25	15.03	60	Pass	401
1920	3000	1	RMS	2668	-41.79	-13	Pass	1081
3000	12000	1	RMS	3701	-39.73	-13	Pass	9001
12000	20000	1	RMS	19699	-37.05	-13	Pass	8001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.23	-13	Pass	2986
30	1000	0.1	RMS	855.8	-58	-13	Pass	9701
1000	1830	1	RMS	1830	-46.3	-13	Pass	831
1830	1920	1	RMS	1854.75	14.85	60	Pass	401
1920	3000	1	RMS	2667	-41.74	-13	Pass	1081
3000	12000	1	RMS	3709	-40.4	-13	Pass	9001
12000	20000	1	RMS	19704	-37.15	-13	Pass	8001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.3	-13	Pass	2986
30	1000	0.1	RMS	981	-58.11	-13	Pass	9701
1000	1830	1	RMS	1830	-46.36	-13	Pass	831
1830	1920	1	RMS	1877.925	15.93	60	Pass	401
1920	3000	1	RMS	2665	-41.76	-13	Pass	1081
3000	12000	1	RMS	3756	-40.13	-13	Pass	9001
12000	20000	1	RMS	19701	-37.1	-13	Pass	8001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.72	-13	Pass	2986
30	1000	0.1	RMS	877.2	-57.79	-13	Pass	9701
1000	1830	1	RMS	1827	-46.32	-13	Pass	831
1830	1920	1	RMS	1882.2	15.96	60	Pass	401
1920	3000	1	RMS	2665	-41.73	-13	Pass	1081
3000	12000	1	RMS	3764	-40.74	-13	Pass	9001
12000	20000	1	RMS	19717	-36.93	-13	Pass	8001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	905	-58	-13	Pass	9701
1000	1830	1	RMS	1829	-46.36	-13	Pass	831
1830	1920	1	RMS	1877.925	15.41	60	Pass	401
1920	3000	1	RMS	2669	-41.74	-13	Pass	1081
3000	12000	1	RMS	3756	-40.3	-13	Pass	9001
12000	20000	1	RMS	19721	-37.05	-13	Pass	8001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-13	Pass	2986
30	1000	0.1	RMS	994.2	-58.25	-13	Pass	9701
1000	1830	1	RMS	1830	-46.39	-13	Pass	831
1830	1920	1	RMS	1882.2	15.47	60	Pass	401
1920	3000	1	RMS	2664	-41.84	-13	Pass	1081
3000	12000	1	RMS	3764	-41.34	-13	Pass	9001
12000	20000	1	RMS	19707	-37.06	-13	Pass	8001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-13	Pass	2986
30	1000	0.1	RMS	921.7	-58.02	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1905.375	15.94	60	Pass	401
1920	3000	1	RMS	2665	-41.74	-13	Pass	1081
3000	12000	1	RMS	3811	-38.09	-13	Pass	9001
12000	20000	1	RMS	19719	-37.04	-13	Pass	8001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.67	-13	Pass	2986
30	1000	0.1	RMS	946.1	-58.13	-13	Pass	9701
1000	1830	1	RMS	1830	-46.37	-13	Pass	831
1830	1920	1	RMS	1909.65	15.75	60	Pass	401
1920	3000	1	RMS	2664	-41.78	-13	Pass	1081
3000	12000	1	RMS	3819	-36.55	-13	Pass	9001
12000	20000	1	RMS	19703	-36.96	-13	Pass	8001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.98	-13	Pass	2986
30	1000	0.1	RMS	861.1	-58.05	-13	Pass	9701
1000	1830	1	RMS	1828	-46.37	-13	Pass	831
1830	1920	1	RMS	1905.375	15.46	60	Pass	401
1920	3000	1	RMS	2668	-41.73	-13	Pass	1081
3000	12000	1	RMS	3811	-38.49	-13	Pass	9001
12000	20000	1	RMS	19728	-37.04	-13	Pass	8001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-13	Pass	2986
30	1000	0.1	RMS	873.1	-57.94	-13	Pass	9701
1000	1830	1	RMS	1829	-46.38	-13	Pass	831
1830	1920	1	RMS	1909.65	15.27	60	Pass	401
1920	3000	1	RMS	2670	-41.76	-13	Pass	1081
3000	12000	1	RMS	3819	-37.13	-13	Pass	9001
12000	20000	1	RMS	19717	-37.14	-13	Pass	8001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-13	Pass	2986
30	1000	0.1	RMS	982.5	-58.09	-13	Pass	9701
1000	1830	1	RMS	1826	-46.39	-13	Pass	831
1830	1920	1	RMS	1850.475	16.1	60	Pass	401
1920	3000	1	RMS	2665	-41.75	-13	Pass	1081
3000	12000	1	RMS	3701	-37.96	-13	Pass	9001
12000	20000	1	RMS	19711	-37.15	-13	Pass	8001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-13	Pass	2986
30	1000	0.1	RMS	882.6	-57.96	-13	Pass	9701
1000	1830	1	RMS	1829	-46.39	-13	Pass	831
1830	1920	1	RMS	1859.475	15.99	60	Pass	401
1920	3000	1	RMS	2667	-41.71	-13	Pass	1081
3000	12000	1	RMS	3719	-40.94	-13	Pass	9001
12000	20000	1	RMS	19714	-36.95	-13	Pass	8001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.67	-13	Pass	2986
30	1000	0.1	RMS	963.8	-57.97	-13	Pass	9701
1000	1830	1	RMS	1828	-46.35	-13	Pass	831
1830	1920	1	RMS	1850.7	15.76	60	Pass	401
1920	3000	1	RMS	2661	-41.78	-13	Pass	1081
3000	12000	1	RMS	3701	-39.08	-13	Pass	9001
12000	20000	1	RMS	19721	-37.13	-13	Pass	8001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	Pass	2986
30	1000	0.1	RMS	866.8	-58.09	-13	Pass	9701
1000	1830	1	RMS	1830	-46.33	-13	Pass	831
1830	1920	1	RMS	1859.475	15.55	60	Pass	401
1920	3000	1	RMS	2661	-41.73	-13	Pass	1081
3000	12000	1	RMS	3719	-41.34	-13	Pass	9001
12000	20000	1	RMS	19718	-36.91	-13	Pass	8001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-13	Pass	2986
30	1000	0.1	RMS	992.8	-57.99	-13	Pass	9701
1000	1830	1	RMS	1828	-46.39	-13	Pass	831
1830	1920	1	RMS	1875.675	16.09	60	Pass	401
1920	3000	1	RMS	2669	-41.75	-13	Pass	1081
3000	12000	1	RMS	3751	-39.17	-13	Pass	9001
12000	20000	1	RMS	19705	-37.03	-13	Pass	8001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-13	Pass	2986
30	1000	0.1	RMS	980.2	-57.95	-13	Pass	9701
1000	1830	1	RMS	1828	-46.37	-13	Pass	831
1830	1920	1	RMS	1884.45	16.07	60	Pass	401
1920	3000	1	RMS	2667	-41.75	-13	Pass	1081
3000	12000	1	RMS	3769	-39.93	-13	Pass	9001
12000	20000	1	RMS	19721	-36.98	-13	Pass	8001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-13	Pass	2986
30	1000	0.1	RMS	983.2	-58.09	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1875.675	15.46	60	Pass	401
1920	3000	1	RMS	2668	-41.73	-13	Pass	1081
3000	12000	1	RMS	3751	-39.11	-13	Pass	9001
12000	20000	1	RMS	19707	-36.95	-13	Pass	8001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	957.8	-57.95	-13	Pass	9701
1000	1830	1	RMS	1830	-46.37	-13	Pass	831
1830	1920	1	RMS	1884.45	16.12	60	Pass	401
1920	3000	1	RMS	2666	-41.78	-13	Pass	1081
3000	12000	1	RMS	3769	-40.16	-13	Pass	9001
12000	20000	1	RMS	19725	-37	-13	Pass	8001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	1000	0.1	RMS	896.3	-57.86	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1900.65	16.1	60	Pass	401
1920	3000	1	RMS	2671	-41.75	-13	Pass	1081
3000	12000	1	RMS	3801	-38.2	-13	Pass	9001
12000	20000	1	RMS	19720	-37.05	-13	Pass	8001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	1000	0.1	RMS	997.4	-58.21	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1909.425	15.75	60	Pass	401
1920	3000	1	RMS	2666	-41.79	-13	Pass	1081
3000	12000	1	RMS	3819	-36.24	-13	Pass	9001
12000	20000	1	RMS	19715	-36.99	-13	Pass	8001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	995.9	-58	-13	Pass	9701
1000	1830	1	RMS	1828	-46.36	-13	Pass	831
1830	1920	1	RMS	1900.65	15.23	60	Pass	401
1920	3000	1	RMS	2663	-41.74	-13	Pass	1081
3000	12000	1	RMS	3801	-38.71	-13	Pass	9001
12000	20000	1	RMS	19703	-37.05	-13	Pass	8001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2986
30	1000	0.1	RMS	875.3	-58.07	-13	Pass	9701
1000	1830	1	RMS	1825	-46.42	-13	Pass	831
1830	1920	1	RMS	1909.425	15.29	60	Pass	401
1920	3000	1	RMS	2662	-41.67	-13	Pass	1081
3000	12000	1	RMS	3819	-36.54	-13	Pass	9001
12000	20000	1	RMS	19703	-37.14	-13	Pass	8001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	972.6	-58.04	-13	Pass	9701
1000	1830	1	RMS	1824	-46.37	-13	Pass	831
1830	1920	1	RMS	1850.925	16.19	60	Pass	401
1920	3000	1	RMS	2667	-41.78	-13	Pass	1081
3000	12000	1	RMS	3702	-38.76	-13	Pass	9001
12000	20000	1	RMS	19703	-36.98	-13	Pass	8001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.69	-13	Pass	2986
30	1000	0.1	RMS	873.8	-57.78	-13	Pass	9701
1000	1830	1	RMS	1830	-46.28	-13	Pass	831
1830	1920	1	RMS	1864.2	15.98	60	Pass	401
1920	3000	1	RMS	2666	-41.73	-13	Pass	1081
3000	12000	1	RMS	3728	-40.86	-13	Pass	9001
12000	20000	1	RMS	19714	-37.04	-13	Pass	8001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-13	Pass	2986
30	1000	0.1	RMS	989.9	-58.16	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1850.925	15.61	60	Pass	401
1920	3000	1	RMS	2669	-41.79	-13	Pass	1081
3000	12000	1	RMS	3702	-39.23	-13	Pass	9001
12000	20000	1	RMS	19704	-37.11	-13	Pass	8001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2986
30	1000	0.1	RMS	907.1	-58.07	-13	Pass	9701
1000	1830	1	RMS	1829	-46.35	-13	Pass	831
1830	1920	1	RMS	1864.2	15.44	60	Pass	401
1920	3000	1	RMS	2669	-41.7	-13	Pass	1081
3000	12000	1	RMS	3728	-41.74	-13	Pass	9001
12000	20000	1	RMS	19724	-37	-13	Pass	8001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.97	-13	Pass	2986
30	1000	0.1	RMS	903.5	-57.85	-13	Pass	9701
1000	1830	1	RMS	1828	-46.32	-13	Pass	831
1830	1920	1	RMS	1873.425	15.93	60	Pass	401
1920	3000	1	RMS	2661	-41.77	-13	Pass	1081
3000	12000	1	RMS	3747	-39.98	-13	Pass	9001
12000	20000	1	RMS	19719	-37.11	-13	Pass	8001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.1	-13	Pass	2986
30	1000	0.1	RMS	888	-58.08	-13	Pass	9701
1000	1830	1	RMS	1830	-46.38	-13	Pass	831
1830	1920	1	RMS	1886.7	16.18	60	Pass	401
1920	3000	1	RMS	2667	-41.77	-13	Pass	1081
3000	12000	1	RMS	3773	-39.83	-13	Pass	9001
12000	20000	1	RMS	19738	-37.09	-13	Pass	8001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	984.5	-57.83	-13	Pass	9701
1000	1830	1	RMS	1827	-46.38	-13	Pass	831
1830	1920	1	RMS	1873.425	16.29	60	Pass	401
1920	3000	1	RMS	2669	-41.74	-13	Pass	1081
3000	12000	1	RMS	3747	-40.96	-13	Pass	9001
12000	20000	1	RMS	19723	-37.03	-13	Pass	8001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	1000	0.1	RMS	884	-57.77	-13	Pass	9701
1000	1830	1	RMS	1824	-46.41	-13	Pass	831
1830	1920	1	RMS	1886.7	15.66	60	Pass	401
1920	3000	1	RMS	2663	-41.71	-13	Pass	1081
3000	12000	1	RMS	3773	-40.88	-13	Pass	9001
12000	20000	1	RMS	19701	-37.07	-13	Pass	8001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.38	-13	Pass	2986
30	1000	0.1	RMS	888.2	-57.92	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1895.925	15.81	60	Pass	401
1920	3000	1	RMS	2666	-41.76	-13	Pass	1081
3000	12000	1	RMS	3792	-38.8	-13	Pass	9001
12000	20000	1	RMS	19701	-37.11	-13	Pass	8001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.55	-13	Pass	2986
30	1000	0.1	RMS	860.6	-57.83	-13	Pass	9701
1000	1830	1	RMS	1829	-46.34	-13	Pass	831
1830	1920	1	RMS	1909.2	15.67	60	Pass	401
1920	3000	1	RMS	2661	-41.77	-13	Pass	1081
3000	12000	1	RMS	3818	-36.38	-13	Pass	9001
12000	20000	1	RMS	19721	-37.08	-13	Pass	8001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	1000	0.1	RMS	855.1	-57.93	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1895.925	15.62	60	Pass	401
1920	3000	1	RMS	2666	-41.75	-13	Pass	1081
3000	12000	1	RMS	3792	-39.36	-13	Pass	9001
12000	20000	1	RMS	19707	-37.06	-13	Pass	8001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	998.4	-57.91	-13	Pass	9701
1000	1830	1	RMS	1830	-46.39	-13	Pass	831
1830	1920	1	RMS	1909.2	15.36	60	Pass	401
1920	3000	1	RMS	2667	-41.71	-13	Pass	1081
3000	12000	1	RMS	3818	-36.95	-13	Pass	9001
12000	20000	1	RMS	19752	-37.05	-13	Pass	8001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.32	-13	Pass	2986
30	1000	0.1	RMS	891.1	-58.11	-13	Pass	9701
1000	1830	1	RMS	1828	-46.34	-13	Pass	831
1830	1920	1	RMS	1851.15	16.36	60	Pass	401
1920	3000	1	RMS	2661	-41.77	-13	Pass	1081
3000	12000	1	RMS	3702	-37.91	-13	Pass	9001
12000	20000	1	RMS	19718	-37	-13	Pass	8001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.56	-13	Pass	2986
30	1000	0.1	RMS	882.1	-58.02	-13	Pass	9701
1000	1830	1	RMS	1830	-46.39	-13	Pass	831
1830	1920	1	RMS	1868.925	16.41	60	Pass	401
1920	3000	1	RMS	2670	-41.77	-13	Pass	1081
3000	12000	1	RMS	3738	-39.3	-13	Pass	9001
12000	20000	1	RMS	19741	-37.09	-13	Pass	8001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	1000	0.1	RMS	973.2	-58.09	-13	Pass	9701
1000	1830	1	RMS	1830	-46.32	-13	Pass	831
1830	1920	1	RMS	1851.15	15.83	60	Pass	401
1920	3000	1	RMS	2669	-41.76	-13	Pass	1081
3000	12000	1	RMS	3702	-38.56	-13	Pass	9001
12000	20000	1	RMS	19707	-37.09	-13	Pass	8001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	834.6	-58.16	-13	Pass	9701
1000	1830	1	RMS	1829	-46.35	-13	Pass	831
1830	1920	1	RMS	1868.925	15.95	60	Pass	401
1920	3000	1	RMS	2667	-41.73	-13	Pass	1081
3000	12000	1	RMS	3738	-39.54	-13	Pass	9001
12000	20000	1	RMS	19705	-37.02	-13	Pass	8001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.58	-13	Pass	2986
30	1000	0.1	RMS	851.5	-58.11	-13	Pass	9701
1000	1830	1	RMS	1824	-46.36	-13	Pass	831
1830	1920	1	RMS	1871.175	16.16	60	Pass	401
1920	3000	1	RMS	2670	-41.68	-13	Pass	1081
3000	12000	1	RMS	3742	-39.56	-13	Pass	9001
12000	20000	1	RMS	19703	-37.14	-13	Pass	8001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	1000	0.1	RMS	936.1	-58.08	-13	Pass	9701
1000	1830	1	RMS	1830	-46.34	-13	Pass	831
1830	1920	1	RMS	1888.95	16.41	60	Pass	401
1920	3000	1	RMS	2670	-41.68	-13	Pass	1081
3000	12000	1	RMS	3778	-38.83	-13	Pass	9001
12000	20000	1	RMS	19718	-37.1	-13	Pass	8001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	1000	0.1	RMS	939.9	-58.1	-13	Pass	9701
1000	1830	1	RMS	1828	-46.3	-13	Pass	831
1830	1920	1	RMS	1871.175	15.45	60	Pass	401
1920	3000	1	RMS	2668	-41.82	-13	Pass	1081
3000	12000	1	RMS	3742	-40.44	-13	Pass	9001
12000	20000	1	RMS	19710	-37	-13	Pass	8001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.29	-13	Pass	2986
30	1000	0.1	RMS	948.3	-58.12	-13	Pass	9701
1000	1830	1	RMS	1828	-46.38	-13	Pass	831
1830	1920	1	RMS	1888.95	15.63	60	Pass	401
1920	3000	1	RMS	2669	-41.76	-13	Pass	1081
3000	12000	1	RMS	3778	-39.64	-13	Pass	9001
12000	20000	1	RMS	19730	-37.03	-13	Pass	8001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-13	Pass	2986
30	1000	0.1	RMS	943.6	-58.18	-13	Pass	9701
1000	1830	1	RMS	1830	-46.29	-13	Pass	831
1830	1920	1	RMS	1890.975	16.42	60	Pass	401
1920	3000	1	RMS	2670	-41.79	-13	Pass	1081
3000	12000	1	RMS	3782	-38.04	-13	Pass	9001
12000	20000	1	RMS	19715	-37.04	-13	Pass	8001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	866.6	-58.08	-13	Pass	9701
1000	1830	1	RMS	1830	-46.3	-13	Pass	831
1830	1920	1	RMS	1908.975	16.04	60	Pass	401
1920	3000	1	RMS	2670	-41.76	-13	Pass	1081
3000	12000	1	RMS	3818	-36.04	-13	Pass	9001
12000	20000	1	RMS	19700	-37.03	-13	Pass	8001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	900.2	-57.88	-13	Pass	9701
1000	1830	1	RMS	1830	-46.26	-13	Pass	831
1830	1920	1	RMS	1891.2	15.95	60	Pass	401
1920	3000	1	RMS	2665	-41.76	-13	Pass	1081
3000	12000	1	RMS	3782	-38.57	-13	Pass	9001
12000	20000	1	RMS	19703	-37.1	-13	Pass	8001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.92	-13	Pass	2986
30	1000	0.1	RMS	991.6	-57.97	-13	Pass	9701
1000	1830	1	RMS	1829	-46.36	-13	Pass	831
1830	1920	1	RMS	1908.975	15.54	60	Pass	401
1920	3000	1	RMS	2670	-41.76	-13	Pass	1081
3000	12000	1	RMS	3818	-36.25	-13	Pass	9001
12000	20000	1	RMS	19720	-37.01	-13	Pass	8001



END