

6 FCC §2.1053 & §24.238(a) - Spurious Radiated Emissions

6.1 Applicable Standards

According to FCC §24.238(a) the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

6.2 Test Procedure

The transmitter was placed on the turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB = $10 \log(\text{TX Power in Watts}/0.001)$ – the absolute level
 Spurious attenuation limit in dB = $43 + 10 \log_{10}(\text{power out in Watts})$


6.3 Test Equipment List and Details

Manufacturer	Description	Model No.	Serial No.	Calibration Date	Calibration Interval
Sunol Science Corp	System Controller	SC99V	122303-1	N/A	N/A
Sunol Sciences	Antenna, Biconi-Log	JB3	A020106-2	2014-09-17	1 year
COM-POWER	Antenna, Dipole	AD-100	721033DB1, 2 721033DB3, 4	2014-11-03	2 year
Hewlett Packard	Pre-amplifier 1GHz-26.5GHz	8447D	2944A06639	2015-05-08	1 year
HP/ Agilent	Pre Amplifier	8449B OPT HO2	3008A0113	2015-05-19	1 year
Agilent	Analyzer, Spectrum	E4440A	MY44303352	2014-11-13	1 year
Eaton	Antenna, Horn	96001	2617	2014-11-18	1 year
EMCO	Antenna, Horn	3115	9511-4627	2015-01-15	1 year

Statement of Traceability: **BACL Corp.** attests that all calibrations have been performed per the A2LA requirements, traceable to the NIST.

6.4 Test Setup Block Diagram

Radiated Emissions Testing



6.5 Test Environmental Conditions

Temperature:	20-21°C
Relative Humidity:	47-49 %
ATM Pressure:	101.4-101.6 kPa

The testing was performed by Bo Li on 2014-04-18 in 5 Meter Chamber 3.

6.6 Test Results

Carrier Wave Signal

Downlink (Channel frequency = 1940 MHz)

Indicated		Azimuth (degree)	Test Antenna		Substituted					Limit (dBm)	Margin (dB)
Frequency (MHz)	S.A. Amp. (dBuV)		Height (cm)	Polarity (H/V)	Frequency (MHz)	Level (dBm)	Ant. Gain Correction (dB)	Cable Loss (dB)	Absolute Level (dBm)		
67.45	50.89	76	162	V	67.45	-45.85	0	0.2	-46.05	-13	-33.05
66.869	43.42	311	235	H	66.869	-53.6	0	0.2	-53.8	-13	-40.8
46.35	48.02	360	100	V	46.35	-48.72	0	0.2	-48.92	-13	-35.92
106.156	43.54	275	258	H	106.156	-54.12	0	0.26	-54.38	-13	-41.38
1000	49.35	260	100	V	1000	-54.37	6.845	0.64	-48.165	-13	-35.165
3862	52.73	89	100	H	3862	-40.68	9.251	1.47	-32.899	-13	-19.899
3862	54.63	290	100	V	3862	-39.66	8.653	1.47	-32.477	-13	-19.477
1990	46.41	307	100	H	1990	-53.81	8.983	0.92	-45.747	-13	-32.747

Downlink (Channel frequency = 1960 MHz)

Indicated		Azimuth (degree)	Test Antenna		Substituted					Limit (dBm)	Margin (dB)
Frequency (MHz)	S.A. Amp. (dBuV)		Height (cm)	Polarity (H/V)	Frequency (MHz)	Level (dBm)	Ant. Gain Correction (dB)	Cable Loss (dB)	Absolute Level (dBm)		
67.45	50.89	76	162	V	67.45	-45.85	0	0.2	-46.05	-13	-33.05
66.869	43.42	311	235	H	66.869	-53.6	0	0.2	-53.8	-13	-40.8
46.35	48.02	360	100	V	46.35	-48.72	0	0.2	-48.92	-13	-35.92
106.156	43.54	275	258	H	106.156	-54.12	0	0.26	-54.38	-13	-41.38
3918	65	52	100	V	3918	-29.29	8.653	1.47	-22.107	-13	-9.107
3918	61.02	21	100	H	3918	-32.39	9.251	1.47	-24.609	-13	-11.609
9640	45.42	163	100	V	9640	-34.22	11.235	2.3	-25.285	-13	-12.285
9658	45.94	227	100	H	9658	-40.52	12.074	2.3	-30.746	-13	-17.746

Downlink (Channel frequency = 1980 MHz)

Indicated		Azimuth (degree)	Test Antenna		Substituted					Limit (dBm)	Margin (dB)
Frequency (MHz)	S.A. Amp. (dBuV)		Height (cm)	Polarity (H/V)	Frequency (MHz)	Level (dBm)	Ant. Gain Correction (dB)	Cable Loss (dB)	Absolute Level (dBm)		
67.45	50.89	76	162	V	67.45	-45.85	0	0.2	-46.05	-13	-33.05
66.869	43.42	311	235	H	66.869	-53.6	0	0.2	-53.8	-13	-40.8
46.35	48.02	360	100	V	46.35	-48.72	0	0.2	-48.92	-13	-35.92
106.156	43.54	275	258	H	106.156	-54.12	0	0.26	-54.38	-13	-41.38
4457	45.76	126	100	V	4457	-47.03	10.398	1.39	-38.022	-13	-25.022
3975	62.83	165	100	H	3975	-31.06	9.283	1.52	-23.297	-13	-10.297
3975	65.81	93	100	V	3975	-27.17	8.817	1.52	-19.873	-13	-6.873
9613	45.52	181	100	H	9613	-40.94	12.074	2.3	-31.166	-13	-18.166

Uplink (Channel frequency = 1860 MHz)

Indicated		Azimuth (degree)	Test Antenna		Substituted					Limit (dBm)	Margin (dB)
Frequency (MHz)	S.A. Amp. (dBuV)		Height (cm)	Polarity (H/V)	Frequency (MHz)	Level (dBm)	Ant. Gain Correction (dB)	Cable Loss (dB)	Absolute Level (dBm)		
67.45	50.89	76	162	V	67.45	-45.85	0	0.2	-46.05	-13	-33.05
66.869	43.42	311	235	H	66.869	-53.6	0	0.2	-53.8	-13	-40.8
46.35	48.02	360	100	V	46.35	-48.72	0	0.2	-48.92	-13	-35.92
106.156	43.54	275	258	H	106.156	-54.12	0	0.26	-54.38	-13	-41.38
3692	75	313	100	V	3692	-49.5	9.503	1.47	-41.467	-13	-28.467
3692	75.08	179	100	H	3692	-48.66	9.586	1.47	-40.544	-13	-27.544
9245	48.66	301	100	V	9245	-63.34	11.701	2.3	-53.939	-13	-40.939
7913	45.72	220	100	H	7913	-71.84	11.167	1.91	-62.583	-13	-49.583

Uplink (Channel frequency = 1880 MHz)

Indicated		Azimuth (degree)	Test Antenna		Substituted					Limit (dBm)	Margin (dB)
Frequency (MHz)	S.A. Amp. (dBuV)		Height (cm)	Polarity (H/V)	Frequency (MHz)	Level (dBm)	Ant. Gain Correction (dB)	Cable Loss (dB)	Absolute Level (dBm)		
67.45	50.89	76	162	V	67.45	-45.85	0	0.2	-46.05	-13	-33.05
66.869	43.42	311	235	H	66.869	-53.6	0	0.2	-53.8	-13	-40.8
46.35	48.02	360	100	V	46.35	-48.72	0	0.2	-48.92	-13	-35.92
106.156	43.54	275	258	H	106.156	-54.12	0	0.26	-54.38	-13	-41.38
3748	83.48	43	100	V	3748	-41.02	9.503	1.47	-32.987	-13	-19.987
3748	82.53	40	100	H	3748	-41.21	9.533	1.47	-33.147	-13	-20.147
5760	46.4	359	100	V	5760	-74.94	11.073	1.1	-64.967	-13	-51.967
4428	46.15	0	100	H	4428	-77.77	10.885	1.39	-68.275	-13	-55.275

Uplink (Channel frequency = 1900 MHz)

Indicated		Azimuth (degree)	Test Antenna		Substituted					Limit (dBm)	Margin (dB)
Frequency (MHz)	S.A. Amp. (dBuV)		Height (cm)	Polarity (H/V)	Frequency (MHz)	Level (dBm)	Ant. Gain Correction (dB)	Cable Loss (dB)	Absolute Level (dBm)		
67.45	50.89	76	162	V	67.45	-45.85	0	0.2	-46.05	-13	-33.05
66.869	43.42	311	235	H	66.869	-53.6	0	0.2	-53.8	-13	-40.8
46.35	48.02	360	100	V	46.35	-48.72	0	0.2	-48.92	-13	-35.92
106.156	43.54	275	258	H	106.156	-54.12	0	0.26	-54.38	-13	-41.38
3833	78.16	13	100	V	3833	-44.89	9.151	1.47	-37.209	-13	-24.209
3833	73.18	350	100	H	3833	-49.96	9.255	1.47	-42.175	-13	-29.175
5732	60.75	110	100	V	5732	-60.59	11.073	1.1	-50.617	-13	-37.617
5732	52.99	264	100	H	5732	-68.26	11.093	1.1	-58.267	-13	-45.267

7 FCC §2.1051 & §24.238(a) - Spurious Emissions at Antenna Terminals

7.1 Applicable Standards

According to FCC §24.238(a) and §2.1051 the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB

7.2 Test Procedure

The EUT was connected to the spectrum analyzer and Signal Generator followed by 50Ω-75Ω matching pad.

The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



7.3 Test Equipment List and Details

Manufacturers	Descriptions	Models	Serial Numbers	Calibration Dates	Calibration Interval
Agilent	Spectrum Analyzer	E4440A	MY44303352	2014-10-16	1 year
Agilent	Signal Generator	E4438C	MY45091309	2014-07-15	1 year

Statement of Traceability: *BACL Corp.* attests that all calibrations have been performed per the A2LA requirements, traceable to the NIST.

7.4 Test Environmental Conditions

Temperature:	21-23° C
Relative Humidity:	42-48 %
ATM Pressure:	101.4-102 kPa


The testing was performed by Ronak Patel 2015-06-08 to 2015-06-29 in the RF Site.

7.5 Test Results


Please refer to the following plots.

GSM/GPRS DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




GSM/GPRS UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




CDMA/EVDO DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




CDMA/EVDO UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




WCDMA DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




WCDMA UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 1.4 MHz QPSK DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 1.4 MHz QPSK UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 3 MHz QPSK UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 3 MHz QPSK UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 5 MHz QPSK DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 5 MHz QPSK UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 10 MHz QPSK DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 10 MHz QPSK UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 15 MHz QPSK DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 15 MHz QPSK UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 20 MHz QPSK DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 20 MHz QPSK UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 1.4 MHz 16QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 1.4 MHz 16QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 3 MHz 16QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 3 MHz 16QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20G




LTE 5 MHz 16QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 5 MHz 16QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 10 MHz 16QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 10 MHz 16QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 15 MHz 16QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 15 MHz 16QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 20 MHz 16QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 20 MHz 16QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 1.4 MHz 64QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 1.4 MHz 64QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 3 MHz 64QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 3 MHz 64QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 5 MHz 64QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 5 MHz 64QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 10 MHz 64QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 10 MHz 64QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 15 MHz 64QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 15 MHz 64QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




LTE 20 MHz 64QAM DL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz




High 10GHz-20GHz




TE 20 MHz 64QAM UL


Low 30MHz-10GHz




Low 10GHz-20GHz




Middle 30MHz-10GHz




Middle 10GHz-20GHz



High 30MHz-10GHz



High 10GHz-20GHz




Intermodulation


Downlink (ALC off)

GSM

Low Channel




High Channel




CDMA

Low Channel




High Channel




WCDMA

Low Channel




High Channel




LTE-QPSK 1.4 MHz

Low Channel




High Channel




LTE-QPSK 3 MHz

Low Channel




High Channel




LTE-QPSK 5 MHz

Low Channel




High Channel




LTE-QPSK 10 MHz

Low Channel




High Channel




LTE-QPSK 15 MHz

Low Channel




High Channel




LTE-QPSK 20 MHz

Low Channel




High Channel




LTE-16QAM 1.4 MHz

Low Channel




High Channel




LTE-16QAM 3 MHz

Low Channel




High Channel




LTE-16QAM 5 MHz

Low Channel




High Channel




LTE-16QAM 10 MHz

Low Channel




High Channel




LTE-16QAM 15 MHz

Low Channel




High Channel




LTE-16QAM 20 MHz

Low Channel




High Channel




LTE-64QAM 1.4 MHz

Low Channel




High Channel




LTE-64QAM 3 MHz

Low Channel




High Channel




LTE-64QAM 5 MHz

Low Channel




High Channel




LTE-64QAM 10 MHz

Low Channel




High Channel




LTE-64QAM 15 MHz

Low Channel




High Channel




LTE-64QAM 20 MHz

Low Channel




High Channel




Downlink (ALC on)

GSM

Low Channel




High Channel




CDMA

Low Channel




High Channel




WCDMA

Low Channel




High Channel




LTE-QPSK 1.4 MHz

Low Channel




High Channel




LTE-QPSK 3 MHz

Low Channel




High Channel




LTE-QPSK 5 MHz

Low Channel




High Channel




LTE-QPSK 10 MHz

Low Channel




High Channel



LTE-QPSK 15 MHz

Low Channel




High Channel




LTE-QPSK 20 MHz

Low Channel




High Channel




LTE-16QAM 1.4 MHz

Low Channel




High Channel




LTE-16QAM 3 MHz

Low Channel




High Channel




LTE-16QAM 5 MHz

Low Channel




High Channel




LTE-16QAM 10 MHz

Low Channel




High Channel



LTE-16QAM 15 MHz

Low Channel




High Channel



LTE-16QAM 20 MHz

Low Channel




High Channel




LTE-64QAM 1.4 MHz

Low Channel




High Channel




LTE-64QAM 3 MHz

Low Channel




High Channel



LTE-64QAM 5 MHz

Low Channel




High Channel




LTE-64QAM 10 MHz

Low Channel




High Channel




LTE-64QAM 15 MHz

Low Channel




High Channel



LTE-64QAM 20 MHz

Low Channel




High Channel




Uplink (ALC off)

GSM

Low Channel




High Channel




CDMA


Low Channel




High Channel



Low Channel




High Channel




LTE-QPSK 1.4 MHz

Low Channel




High Channel




LTE-QPSK 3 MHz

Low Channel




High Channel




LTE-QPSK 5 MHz

Low Channel




High Channel




LTE-QPSK 10 MHz

Low Channel




High Channel




LTE-QPSK 15 MHz

Low Channel




High Channel




LTE-QPSK 20 MHz

Low Channel




High Channel




LTE-16QAM 1.4 MHz

Low Channel




High Channel




LTE-16QAM 3 MHz

Low Channel




High Channel




LTE-16QAM 5 MHz

Low Channel




High Channel




LTE-16QAM 10 MHz

Low Channel




High Channel




LTE-16QAM 15 MHz

Low Channel




High Channel




LTE-16QAM 20 MHz

Low Channel




High Channel




LTE-64QAM 1.4 MHz

Low Channel




High Channel




LTE-64QAM 3 MHz

Low Channel




High Channel




LTE-64QAM 5 MHz

Low Channel




High Channel




LTE-64QAM 10 MHz

Low Channel




High Channel




LTE-64QAM 15 MHz

Low Channel




High Channel




LTE-64QAM 20 MHz

Low Channel




High Channel




Uplink (ALC on)
GSM

Low Channel




High Channel




CDMA

Low Channel




High Channel




WCDMA

Low Channel




High Channel




LTE-QPSK 1.4 MHz

Low Channel




High Channel




LTE-QPSK 3 MHz

Low Channel




High Channel




LTE-QPSK 5 MHz

Low Channel




High Channel




LTE-QPSK 10 MHz

Low Channel




High Channel




LTE-QPSK 15 MHz

Low Channel




High Channel




LTE-QPSK 20 MHz

Low Channel




High Channel




LTE-16QAM 1.4 MHz

Low Channel




High Channel




LTE-16QAM 3 MHz

Low Channel




High Channel




LTE-16QAM 5 MHz

Low Channel




High Channel




LTE-16QAM 10 MHz

Low Channel




High Channel




LTE-16QAM 15 MHz

Low Channel




High Channel




LTE-16QAM 20 MHz

Low Channel




High Channel




LTE-64QAM 1.4 MHz

Low Channel




High Channel




LTE-64QAM 3 MHz

Low Channel




High Channel




LTE-64QAM 5 MHz

Low Channel




High Channel




LTE-64QAM 10 MHz

Low Channel




High Channel




LTE-64QAM 15 MHz

Low Channel




High Channel




LTE-64QAM 20 MHz

Low Channel



High Channel



8 FCC §24.238(b) - Band Edge

8.1 Applicable Standards

According to FCC §24.238(b) the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB

8.2 Test Procedure

The EUT was connected to the spectrum analyzer and Signal Generator followed by 50Ω-75Ω matching pad.

The center of the spectrum analyzer was set according to center frequency of the EUT to be transmitted and resolution bandwidth was set to at least 1MHz or 1% of the emission bandwidth



8.3 Test Equipment List and Details

Manufacturers	Descriptions	Models	Serial Numbers	Calibration Dates	Calibration Interval
Agilent	Spectrum Analyzer	E4440A	MY44303352	2015-06-22	1 year
Agilent	Signal Generator	E4438C	MY45091309	2014-07-15	1 year

Statement of Traceability: *BACL Corp.* attests that all calibrations have been performed per the A2LA requirements, traceable to the NIST.

8.4 Test Environmental Conditions

Temperature:	21-23° C
Relative Humidity:	42-48 %
ATM Pressure:	101.4-102 kPa


The testing was performed by Ronak Patel on 2015-06-08 to 2015-06-29 in the RF Site.

8.5 Test Results


Please refer to the following plots.

GSM/GPRS


Low DL




High DL



Low UL




High UL




CDMA


Low DL




High DL



Low UL




High UL




WCDMA


Low DL




High DL



Low UL




High UL




LTE 1.4MHz DL QPSK

Low




high




LTE 1.4MHz UL QPSK

Low




High




LTE 3MHz DL QPSK

Low




High




LTE 3MHz UL QPSK

Low




High




LTE 5MHz DL QPSK

Low




High




LTE 5MHz UL QPSK

Low




High




LTE 10MHz DL QPSK

Low




High




LTE 10MHz UL QPSK

Low




High




LTE 15MHz DL QPSK

Low




High




LTE 15MHz UL QPSK

Low




High




LTE 20MHz DL QPSK

Low




High




LTE 20MHz UL QPSK

Low




High




LTE 1.4MHZ DL 16QAM

Low




High




LTE 1.4MHZ UL 16QAM

Low




High




LTE 3 MHz DL 16QAM

Low




High




LTE 3 MHz UL 16QAM


Low



High




Low




The screenshot displays an Agilent Spectrum Analyzer interface. The main display area shows a frequency spectrum with a yellow trace. A prominent marker is placed on the trace at 1.990000000 GHz, indicating a power level of -40.627 dBm. The background is a dark grid. On the left side, various parameters are listed: Ref 13.7 dBm, *Atten 10 dB, #Avg, Log, 10, dB/, Offst 21.7 dB, DI -13.0 dBm, PAvg, 100, M1 S2, S3 FC, and AA. At the bottom, the frequency range is set from 1.975 GHz to 2.000 GHz, with a resolution bandwidth (Res BW) of 51 kHz, a video bandwidth (VBW) of 150 kHz, and a sweep time of 29.12 ms (601 pts). On the right side, there is a vertical menu with options: Marker, Select Marker (1, 2, 3, 4), Normal, Delta, Delta Pair (Tracking Ref), Span Pair (Center), Off, and More (1 of 2).

Low




The screenshot displays an Agilent Spectrum Analyzer interface. The main display shows a signal spectrum with a prominent peak at 1.91000000 GHz, marked with a yellow diamond and labeled 'Marker 1.91000000 GHz -40.324 dBm'. The frequency span is 15 MHz, centered at 1.907500 GHz. The resolution bandwidth (RBW) is 150 kHz, and the video bandwidth (VBW) is 150 kHz. The sweep time is 17.48 ms (601 pts). The signal level is -40.324 dBm. The interface includes various control panels on the right for marker selection, normalization, delta pair settings, span, and offset. The bottom status bar shows the center frequency, span, resolution bandwidth, video bandwidth, and sweep time.

LTE 10 MHz DL 16QAM




LTE 10 MHz UL 16QAM




LTE 15 MHz DL 16QAM

Low




High




LTE 15 MHz UL 16QAM

Low




High




LTE 20 MHz DL 16QAM

Low




High




LTE 20 MHz UL 16QAM

Low




High




LTE 1.4 MHz DL 64QAM

Low




High




LTE 1.4 MHz UL 64QAM

Low




High




LTE 3 MHz DL 64QAM

Low




High




LTE 3 MHz UL 64QAM

Low




High




LTE 5 MHz DL 64QAM

Low




High




LTE 5 MHz UL 64QAM

Low




High




LTE 10 MHz DL 64QAM

Low




High




LTE 10 MHz UL 64QAM

Low




High




LTE 15 MHz DL 64QAM

Low




High




LTE 15 MHz UL 64QAM

Low




High




LTE 20 MHz DL 64QAM

Low




High




LTE 20 MHz UL 64QAM

Low



High



9 FCC §20.21 – Out of Band Rejection

9.1 Applicable Standard

According to FCC Part 20.21, a frequency selective booster shall have –20 dB at the band edge referenced to the gain in the center of the pass band of the booster, where band edge is the end of the licensee's allocated spectrum.

9.2 Test Procedure

KDB 935210 D05, Section 3.3.

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation. The span of the spectrum analyzer was set to be wide enough in order to capture the spectrum of entire operating band.

9.3 Test Equipment List and Details

Manufacturers	Descriptions	Models	Serial Numbers	Calibration Dates	Calibration Interval
Agilent	Spectrum Analyzer	E4440A	MY44303352	2014-10-16	1 year
Agilent	Signal Generator	E4438C	MY45091309	2014-07-15	1 year

Statement of Traceability: *BACL Corp.* attests that all calibrations have been performed per the A2LA requirements, traceable to the NIST.

9.4 Test Environmental Conditions


Temperature:	21-23° C
Relative Humidity:	42-48 %
ATM Pressure:	101.4-102 kPa

The testing was performed by Ronak Patel on 2015-06-08 to 2015-06-29 in the RF Site.


9.5 Test Results

Please refer to the following plot,

Downlink, 1930 – 1990 MHz



Uplink, 1850 – 1910 MHz



10 FCC §2.1091 - RF Exposure

10.1 Applicable Standards

According to §2.1091 (Mobile Devices) RF exposure is calculated.

Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (minute)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

Note: f = frequency in MHz

* = Plane-wave equivalent power density

10.2 MPE Prediction

Predication of MPE limit at a given distance, Equation from OET Bulletin 65, Edition 97-01

$$S = PG/4\pi R^2$$

Where: S = power density

P = power input to antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

10.3 Test Results

Downlink (Directional Antenna)

Maximum peak output power at antenna input terminal (dBm): 16.04

Maximum peak output power at antenna input terminal (mW): 40.180

Prediction distance (cm): 30

Prediction frequency (MHz): 1960

Antenna Gain, typical (dBi): 10

Maximum Antenna Gain (numeric): 10

Power density at predication frequency and distance (mW/cm²): 0.036

MPE limit for uncontrolled exposure at predication frequency (mW/cm²): 1.0

Downlink (Omni Directional Antenna)

<u>Maximum peak output power at antenna input terminal (dBm):</u>	<u>16.04</u>
<u>Maximum peak output power at antenna input terminal (mW):</u>	<u>40.180</u>
<u>Prediction distance (cm):</u>	<u>30</u>
<u>Prediction frequency (MHz):</u>	<u>1960</u>
<u>Antenna Gain, typical (dBi):</u>	<u>5</u>
<u>Maximum Antenna Gain (numeric):</u>	<u>3.1622</u>
<u>Power density at predication frequency and distance (mW/cm²):</u>	<u>0.0113</u>
<u>MPE limit for uncontrolled exposure at predication frequency (mW/cm²):</u>	<u>1.0</u>

Uplink

<u>Maximum peak output power at antenna input terminal (dBm):</u>	<u>15.86</u>
<u>Maximum peak output power at antenna input terminal (mW):</u>	<u>38.548</u>
<u>Prediction distance (cm):</u>	<u>30</u>
<u>Prediction frequency (MHz):</u>	<u>1852.5</u>
<u>Antenna Gain, typical (dBi):</u>	<u>10</u>
<u>Maximum Antenna Gain (numeric):</u>	<u>10</u>
<u>Power density at predication frequency and distance (mW/cm²):</u>	<u>0.0341</u>
<u>MPE limit for uncontrolled exposure at predication frequency (mW/cm²):</u>	<u>1.0</u>

Results

For uplink and downlink, the highest power density levels at **30 cm** are below the MPE uncontrolled exposure limit.